



Dependency-Check is an open source tool performing a best effort analysis of 3rd party dependencies; false positives and false negatives may exist in the analysis performed by the tool. Use of the tool and the reporting provided constitutes acceptance for use in an AS IS condition, and there are NO warranties, implied or otherwise, with regard to the analysis or its use. Any use of the tool and the reporting provided is at the user's risk. In no event shall the copyright holder or OWASP be held liable for any damages whatsoever arising out of or in connection with the use of this tool, the analysis performed, or the resulting report.

[How to read the report](#) | [Suppressing false positives](#) | [Getting Help: github issues](#)

 [Sponsor](#)

## Project: project ':server'

clear-reports:server:25.10

Scan Information ([show all](#)):

- *dependency-check version:* 10.0.3
- *Report Generated On:* Thu, 2 Oct 2025 12:18:28 +0200
- *Dependencies Scanned:* 1541 (1444 unique)
- *Vulnerable Dependencies:* 0
- *Vulnerabilities Found:* 0
- *Vulnerabilities Suppressed:* 107 ([show](#))
- ...
- *NVD API Last Checked:* 2025-10-02T10:16:05Z
- *NVD API Last Modified:* 2024-09-18T11:15:10Z
- *NVD Cache Last Checked:* 2025-10-02T10:16:05Z
- *NVD Cache Last Modified:* 2024-09-18T11:15:10Z

## Summary

Display: [Showing Vulnerable Dependencies \(click to show all\)](#)

| Dependency                                  | Vulnerability IDs   | Package                                | Highest |
|---|---|--|---------|
| <a href="#">BarcodePDF417Bean.jar</a>       |   |  |         |
| <a href="#">Fositex.jar</a>                 |   |  |         |
| <a href="#">ICSharpCode.SharpZipLib.dll</a> |   |  |         |
| <a href="#">JBarcodeBean.jar</a>            |   |  |         |
| <a href="#">JGaugeBean.jar</a>              |   |  |         |
| <a href="#">Merlia-0.jar</a>                |   | <a href="#">pkg:maven/lib/Merlia@0</a> |         |
| <a href="#">Oranxo.jar</a>                  |   |  |         |
| <a href="#">ReportViewer.jar</a>            | <a href="#">cpe:2.3:a:inetsoftware:clear_reports:25.10.198:*****</a><br><a href="#">cpe:2.3:a:inetsoftware:inet_clear_reports:25.10.198:*****</a> |  |         |

[ReportViewerWinForms.csproj](#)

[ReportViewerWinFormsTests.csproj](#)

[Syto.jar](#)

[ZxingBarCodes.jar](#)

[adhoc.zip: adhoc-javadoc.jar](#)

[adhoc.zip: adhoc-javadoc.jar: jquery-3.6.1.min.js](#)

[adhoc.zip: adhoc-javadoc.jar: jquery-ui.min.js](#)

[pkg:javascript/jquery-ui@1.13.1](#)

[adhoc.zip: adhoc-javadoc.jar: member-search-index.js](#)

[adhoc.zip: adhoc-javadoc.jar: module-search-index.js](#)

[adhoc.zip: adhoc-javadoc.jar: package-search-index.js](#)

[adhoc.zip: adhoc-javadoc.jar: script.js](#)

[adhoc.zip: adhoc-javadoc.jar: search.js](#)

[adhoc.zip: adhoc-javadoc.jar: tag-search-index.js](#)

[adhoc.zip: adhoc-javadoc.jar: type-search-index.js](#)

[adhoc.zip: adhoc.jar](#)

[adhoc.zip: adhoc.jar: adhoc.ai.panel.js](#)

[adhoc.zip: adhoc.jar: adhoc.chartresizeobserver.js](#)

[adhoc.zip: adhoc.jar: adhoc.componentresizeobserver.js](#)

[adhoc.zip: adhoc.jar: adhoc.openfiledropzone.js](#)

[adhoc.zip: adhoc.jar: adhoc.pageheadertoolbar.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportcomponentview.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportpropertiesarea.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.printconverter.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.access.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.boolean.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.color.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.colorscheme.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.columns.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.filter.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.](#)

[image.select.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.  
logo.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.  
select.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.  
slider.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.  
source.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.  
templatesource.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.  
text.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportview.js](#)

[adhoc.zip: adhoc.jar: adhoc.toolbar.js](#)

[adhoc.zip: adhoc.jar: adhoccontroller.js](#)

[adhoc.zip: adhoc.jar: adhocfactory.js](#)

[adhoc.zip: adhoc.jar: adhocmodel.js](#)

[adhoc.zip: adhoc.jar: configuration.adhoc.templates.  
edit.js](#)

[adhoc.zip: adhoc.jar: configuration.adhoc.templates.js](#)

[adhoc.zip: adhoc.jar: configuration.adhoc.themes.edit.  
js](#)

[adhoc.zip: adhoc.jar: configuration.adhoc.themes.js](#)

[adhoc.zip: echarts.jar](#)

[pkg:maven/org.  
webjars.npm  
/echarts@6.0.0](#)

[adhoc.zip: echarts.jar: echarts.min.js](#)

[ai.zip: ai.jar](#)

[ai.zip: ai.jar: aiprovider\\_config.js](#)

[ai.zip: jackson-core.jar](#)

cpe:2.3:a:fasterxml:  
jackson-modules-java8:  
2.19.2:\*\*\*\*\*

[pkg:maven/com.  
fasterxml.jackson.  
core/jackson-core@2.  
19.2](#)

[ai.zip: jackson-databind.jar](#)

cpe:2.3:a:fasterxml:  
jackson-databind:  
2.19.2:\*\*\*\*\*  
cpe:2.3:a:fasterxml:  
jackson-modules-java8:  
2.19.2:\*\*\*\*\*

[pkg:maven/com.  
fasterxml.jackson.  
core/jackson-  
databind@2.19.2](#)

[ai.zip: mcp.jar](#)

[pkg:maven/io.  
modelcontextprotocol.  
sdk/mcp@0.10.0](#)

[ai.zip: reactive-streams.jar](#)

[ai.zip: reactor-core.jar](#)

|   |  |  |  |
|---|--|--|--|
| <a href="#">annotations-3.0.1.jar (shaded: com.google.code.findbugs:jsr305:3.0.1)</a>                               |  | <a href="#">pkg:maven/com.google.code.findbugs/jsr305@3.0.1</a>      |  |
| <a href="#">annotations-3.0.1.jar</a>   |  | <a href="#">pkg:maven/com.google.code.findbugs/annotations@3.0.1</a> |  |
| <a href="#">application.currenttime.sample.zip: application.currenttime.sample.jar</a>                              |  |  |  |
| <a href="#">application.currenttime.sample.zip: application.currenttime.sample.jar: sampleapplication.js</a>        |  |  |  |
| <a href="#">application.embedded.sample.zip: application.embedded.sample.jar</a>                                    |  |  |  |
| <a href="#">application.embedded.sample.zip: application.embedded.sample.jar: embeddedMode.js</a>                   |  |  |  |
| <a href="#">application.googleanalytics.sample.zip: application.googleanalytics.sample.jar</a>                      |  |  |  |
| <a href="#">application.googleanalytics.sample.zip: application.googleanalytics.sample.jar: googleanalytics.js</a>  |  |  |  |
| <a href="#">application.googleanalytics.sample.zip: application.googleanalytics.sample.jar: jquery.cookiebar.js</a> |  |  |  |
| <a href="#">application.helloworld.sample.zip: application.helloworld.sample.jar</a>                                |  |  |  |
| <a href="#">authentication.ldap.zip: authentication.ldap.jar</a>  |  |  |  |
| <a href="#">authentication.oauth.ex.sample.zip: authentication.oauth.ex.sample.jar</a>                              |  |  |  |
| <a href="#">authentication.oauth.zip: authentication.oauth-javadoc.jar</a>  |  |  |  |
| <a href="#">authentication.oauth.zip: authentication.oauth-javadoc.jar: member-search-index.js</a>                  |  |  |  |
| <a href="#">authentication.oauth.zip: authentication.oauth-javadoc.jar: package-search-index.js</a>                 |  |  |  |
| <a href="#">authentication.oauth.zip: authentication.oauth-javadoc.jar: tag-search-index.js</a>                     |  |  |  |
| <a href="#">authentication.oauth.zip: authentication.oauth-javadoc.jar: type-search-index.js</a>                    |  |  |  |
| <a href="#">authentication.oauth.zip: authentication.oauth.jar</a>  |  |  |  |
| <a href="#">authentication.oauth.zip: jjwt-api.jar</a>  |  | <a href="#">pkg:maven/io.jsonwebtoken/jjwt-api@0.12.6</a>            |  |
| <a href="#">authentication.oauth.zip: jjwt-impl.jar</a>   |  | <a href="#">pkg:maven/io.jsonwebtoken/jjwt-impl@0.12.6</a>           |  |
| <a href="#">authentication.pam.zip: authentication.pam.jar</a>  |  |  |  |
| <a href="#">authentication.passwordfile.sample.zip: authentication.passwordfile.sample.jar</a>                      |  |  |  |
| <a href="#">authentication.product.zip: authentication.product.jar</a>  |  |  |  |

[authentication.token.zip: authentication.token.jar](#)

[authentication.token.zip: authentication.token.jar: tokenauthentication.js](#)

[authentication.windows.zip: authentication.windows.jar](#)

[authentication.windows.zip: caffeine.jar](#)

[authentication.windows.zip: jna-platform.jar](#)

[authentication.windows.zip: waffle-jna-jakarta.jar](#)

cpe:2.3:a:4d:4d:3.5.1:\*:  
\*\*\*\*\*

[pkg:maven/com.github.waffle/waffle-jna-jakarta@3.5.1](#)

[collation.sample.zip: collation.sample.jar](#)

[collation.zip: collation.sample.jar](#)

[commons-logging.jar](#)

[pkg:maven/commons-logging/commons-logging@1.3.4](#)

[configuration.automaticconfigrestore.sample.zip: configuration.automaticconfigrestore.sample.jar](#)

[configuration.zip: configuration.jar](#)

[configuration.zip: configuration.jar: authenticationItemRenderer.directive.js](#)

[configuration.zip: configuration.jar: authenticationRenderer.directive.js](#)

[configuration.zip: configuration.jar: boolean.directive.js](#)

[configuration.zip: configuration.jar: booleanButton.directive.js](#)

[configuration.zip: configuration.jar: colorInput.directive.js](#)

[configuration.zip: configuration.jar: controller.js](#)

[configuration.zip: configuration.jar: datafactory.js](#)

[configuration.zip: configuration.jar: fileUploadRenderer.directive.js](#)

[configuration.zip: configuration.jar: filesystemFileInputOrUpload.directive.js](#)

[configuration.zip: configuration.jar: filesystemInputButton.directive.js](#)

[configuration.zip: configuration.jar: filesystemInputDirectory.directive.js](#)

[configuration.zip: configuration.jar: filesystemInputFile.directive.js](#)

[configuration.zip: configuration.jar: iconDropRenderer.directive.js](#)

[configuration.zip: configuration.jar: inlinerenderer.directive.js](#)

[configuration.zip: configuration.jar: keyLabelText.](#)

|  |  |  |  |
|--|--|--|--|
| <a href="#">directive.js</a>   |  |  |  |
| <a href="#">configuration.zip: configuration.jar: labelLink.directive.js</a>                     |  |  |  |
| <a href="#">configuration.zip: configuration.jar: labelText.directive.js</a>                     |  |  |  |
| <a href="#">configuration.zip: configuration.jar: licenseKeyItemRenderer.directive.js</a>        |  |  |  |
| <a href="#">configuration.zip: configuration.jar: licenseKeyRenderer.directive.js</a>            |  |  |  |
| <a href="#">configuration.zip: configuration.jar: listItemRenderer.directive.js</a>              |  |  |  |
| <a href="#">configuration.zip: configuration.jar: logopreview.directive.js</a>                   |  |  |  |
| <a href="#">configuration.zip: configuration.jar: multiLineCode.directive.js</a>                 |  |  |  |
| <a href="#">configuration.zip: configuration.jar: multiLineText.directive.js</a>                 |  |  |  |
| <a href="#">configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js</a>      |  |  |  |
| <a href="#">configuration.zip: configuration.jar: passwordText.directive.js</a>                  |  |  |  |
| <a href="#">configuration.zip: configuration.jar: reloadSelectInputsTrigger.directive.js</a>     |  |  |  |
| <a href="#">configuration.zip: configuration.jar: renderer.directive.js</a>                      |  |  |  |
| <a href="#">configuration.zip: configuration.jar: repoDbRenderer.directive.js</a>                |  |  |  |
| <a href="#">configuration.zip: configuration.jar: repoFsRenderer.directive.js</a>                |  |  |  |
| <a href="#">configuration.zip: configuration.jar: repositoryItemRenderer.directive.js</a>        |  |  |  |
| <a href="#">configuration.zip: configuration.jar: repositoryRenderer.directive.js</a>            |  |  |  |
| <a href="#">configuration.zip: configuration.jar: selectEditText.directive.js</a>                |  |  |  |
| <a href="#">configuration.zip: configuration.jar: selectFilteredText.directive.js</a>            |  |  |  |
| <a href="#">configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js</a> |  |  |  |
| <a href="#">configuration.zip: configuration.jar: selectSimpleText.directive.js</a>              |  |  |  |
| <a href="#">configuration.zip: configuration.jar: simpleDate.directive.js</a>                    |  |  |  |
| <a href="#">configuration.zip: configuration.jar: simpleSlider.directive.js</a>                  |  |  |  |
| <a href="#">configuration.zip: configuration.jar: simpleText.directive.js</a>                    |  |  |  |
|  |  |  |  |

|   |   |  |  |
|---|---|--|--|
| <a href="#">configuration.zip: configuration.jar: tableRenderer.directive.js</a>                    |   |  |  |
| <a href="#">configuration.zip: configuration.jar: treeRenderer.directive.js</a>                     |   |  |  |
| <a href="#">configuration.zip: configuration.jar: usersandgroupselect.directive.js</a>              |   |  |  |
| <a href="#">core.jar</a>  |   | <a href="#">pkg:maven/com.google.zxing/core@3.5.3</a>                                    |  |
| <a href="#">crsetupwizard.zip: crsetupwizard.jar</a>  |   |  |  |
| <a href="#">customformulas.sample.zip: customformulas.sample.jar</a>                                |   |  |  |
| <a href="#">customformulas.zip: customformulas.sample.jar</a>                                       |   |  |  |
| <a href="#">datasource.cassandra.zip: config.jar</a>  |   |  |  |
| <a href="#">datasource.cassandra.zip: datasource.cassandra.jar</a>                                  |   |  |  |
| <a href="#">datasource.cassandra.zip: java-driver-core.jar</a>                                      | <a href="#">cpe:2.3:a:apache:cassandra:4.17.0:*:*:*:*:*:*:*</a> | <a href="#">pkg:maven/com.datastax.oss/java-driver-core@4.17.0</a>                       |  |
| <a href="#">datasource.cassandra.zip: java-driver-shaded-guava.jar</a>                              | <a href="#">cpe:2.3:a:apache:cassandra:25.1:*:*:*:*:*:*</a>     | <a href="#">pkg:maven/com.datastax.oss/java-driver-shaded-guava@25.1-jre-graal-sub-1</a> |  |
| <a href="#">datasource.cassandra.zip: native-protocol.jar</a>                                       |   | <a href="#">pkg:maven/com.datastax.oss/native-protocol@1.5.2</a>                         |  |
| <a href="#">datasource.cassandra.zip: netty-common.jar (shaded: org.jctools:jctools-core:4.0.5)</a> |   | <a href="#">pkg:maven/org.jctools/jctools-core@4.0.5</a>                                 |  |
| <a href="#">datasource.cassandra.zip: netty-transport.jar</a>                                       | <a href="#">cpe:2.3:a:netty:netty:4.2.5:*:*:*:*:*</a>           | <a href="#">pkg:maven/io.netty/netty-transport@4.2.5.Final</a>                           |  |
| <a href="#">datasource.mongodb.zip: bson.jar</a>  | <a href="#">cpe:2.3:a:mongodb:bson:5.5.1:*:*:*:*:*</a>          |  |  |
| <a href="#">datasource.mongodb.zip: datasource.mongodb.jar</a>                                      |   |  |  |
| <a href="#">datasource.mongodb.zip: mongodb-driver-core.jar</a>                                     |   |  |  |
| <a href="#">datasource.mongodb.zip: mongodb-driver-sync.jar</a>                                     |   |  |  |
| <a href="#">datasource.zip: datasource.jar</a>  |   |  |  |
| <a href="#">datasource.zip: datasource.jar: datasources-edit-controller.js</a>                      |   |  |  |
| <a href="#">datasource.zip: datasource.jar: datasources-main-controller.js</a>                      |   |  |  |
| <a href="#">datasource.zip: datasource.jar: factory.js</a>  |   |  |  |
| <a href="#">datasource.zip: datasource.jar: model.js</a>  |   |  |  |
| <a href="#">datasource.zip: datasource.jar: renderer-permissions.js</a>                             |   |  |  |
| <a href="#">datasource.zip: datasource.jar: renderer-urlauth.js</a>                                 |   |  |  |

|  |  |  |  |
|--|--|--|--|
| <a href="#">datasource.zip: datasource.jar: renderer.js</a>        |  |  |  |
| <a href="#">decoder.svg.zip: batik-anim-inet_patched.jar</a>       |  |  |  |
| <a href="#">decoder.svg.zip: batik-awt-util-inet_patched.jar</a>   |  |  |  |
| <a href="#">decoder.svg.zip: batik-bridge-inet_patched.jar</a>     |  |  |  |
| <a href="#">decoder.svg.zip: batik-codec-inet_patched.jar</a>      |  |  |  |
| <a href="#">decoder.svg.zip: batik-constants-inet_patched.jar</a>  |  |  |  |
| <a href="#">decoder.svg.zip: batik-css-inet_patched.jar</a>        |  |  |  |
| <a href="#">decoder.svg.zip: batik-dom-inet_patched.jar</a>        |  |  |  |
| <a href="#">decoder.svg.zip: batik-ext-inet_patched.jar</a>        |  |  |  |
| <a href="#">decoder.svg.zip: batik-extension-inet_patched.jar</a>  |  |  |  |
| <a href="#">decoder.svg.zip: batik-gui-util-inet_patched.jar</a>   |  |  |  |
| <a href="#">decoder.svg.zip: batik-gvt-inet_patched.jar</a>        |  |  |  |
| <a href="#">decoder.svg.zip: batik-i18n-inet_patched.jar</a>       | <a href="#">cpe:2.3:a:inet:inet:18:*:*****</a>                   |  |  |
| <a href="#">decoder.svg.zip: batik-parser-inet_patched.jar</a>     |  |  |  |
| <a href="#">decoder.svg.zip: batik-script-inet_patched.jar</a>     |  |  |  |
| <a href="#">decoder.svg.zip: batik-slideshow-inet_patched.jar</a>  |  |  |  |
| <a href="#">decoder.svg.zip: batik-svg-dom-inet_patched.jar</a>    |  |  |  |
| <a href="#">decoder.svg.zip: batik-svggen-inet_patched.jar</a>     |  |  |  |
| <a href="#">decoder.svg.zip: batik-svgpp-inet_patched.jar</a>      |  |  |  |
| <a href="#">decoder.svg.zip: batik-swing-inet_patched.jar</a>      |  |  |  |
| <a href="#">decoder.svg.zip: batik-transcoder-inet_patched.jar</a> |  |  |  |
| <a href="#">decoder.svg.zip: batik-ttf2svg-inet_patched.jar</a>    | <a href="#">cpe:2.3:a:inet:inet:2:*:*****</a>                    |  |  |
| <a href="#">decoder.svg.zip: batik-util-inet_patched.jar</a>       |  |  |  |
| <a href="#">decoder.svg.zip: batik-xml-inet_patched.jar</a>        |  |  |  |
| <a href="#">decoder.svg.zip: decoder.svg.jar</a>                   |  |  |  |
| <a href="#">decoder.svg.zip: jsvg.jar</a>                          |  |  |  |
| <a href="#">decoder.svg.zip: xml-apis-ext.jar</a>                  |  |  |  |
| <a href="#">decoder.svg.zip: xmlgraphics-commons.jar</a>           | <a href="#">cpe:2.3:a:apache:xmlgraphics_commons:2.7:*:*****</a> |  |  |
| <a href="#">designer.zip: CCGuiLib.jar</a>                         |  |  |  |
| <a href="#">designer.zip: JnlpDesigner.jar</a>                     |  |  |  |
| <a href="#">designer.zip: SBSTutorial.jar</a>                      |  |  |  |
| <a href="#">designer.zip: TableLayout.jar</a>                      |  |  |  |
| <a href="#">designer.zip: designer.jar</a>                         |  |  |  |
|  |  |  |  |



|  |  |  |  |
|--|--|--|--|
| <a href="#">designer.zip: designer.jar: app.js</a>   |  |  |  |
| <a href="#">designer.zip: designer.jar: opendesignerextension.js</a>                       |  |  |  |
| <a href="#">designer.zip: designer.jar: remotedesigner.js</a>                              |  |  |  |
| <a href="#">designer.zip: inetswingcore.jar</a>  |  |  |  |
| <a href="#">diagnostics.reporting.zip: diagnostics.reporting.jar</a>                       |  |  |  |
| <a href="#">diagnostics.reporting.zip: diagnostics.reporting.jar: connectionPool.js</a>    |  |  |  |
| <a href="#">diagnostics.reporting.zip: diagnostics.reporting.jar: reportcache.js</a>       |  |  |  |
| <a href="#">diagnostics.reporting.zip: diagnostics.reporting.jar: server-datasource.js</a> |  |  |  |
| <a href="#">diagnostics.zip: diagnostics.jar</a>   |  |  |  |
| <a href="#">diagnostics.zip: diagnostics.jar: MemoryPieChart.js</a>                        |  |  |  |
| <a href="#">diagnostics.zip: diagnostics.jar: MemoryUsageChart.js</a>                      |  |  |  |
| <a href="#">diagnostics.zip: diagnostics.jar: WebServerErrorChart.js</a>                   |  |  |  |
| <a href="#">diagnostics.zip: diagnostics.jar: benchmarkCtrl.js</a>                         |  |  |  |
| <a href="#">diagnostics.zip: diagnostics.jar: client-server.js</a>                         |  |  |  |
| <a href="#">diagnostics.zip: diagnostics.jar: controller.js</a>                            |  |  |  |
| <a href="#">diagnostics.zip: diagnostics.jar: cpu.js</a>                                   |  |  |  |
| <a href="#">diagnostics.zip: diagnostics.jar: cpuspeed.js</a>                              |  |  |  |
| <a href="#">diagnostics.zip: diagnostics.jar: directives.js</a>                            |  |  |  |
| <a href="#">diagnostics.zip: diagnostics.jar: errorHistoryChart.js</a>                     |  |  |  |
| <a href="#">diagnostics.zip: diagnostics.jar: flotr2.min.js</a>                            |  |  |  |
| <a href="#">diagnostics.zip: diagnostics.jar: global.js</a>                                |  |  |  |
| <a href="#">diagnostics.zip: diagnostics.jar: harddisk.js</a>                              |  |  |  |
| <a href="#">diagnostics.zip: diagnostics.jar: heapdumpCtrl.js</a>                          |  |  |  |
| <a href="#">diagnostics.zip: diagnostics.jar: informationCtrl.js</a>                       |  |  |  |
| <a href="#">diagnostics.zip: diagnostics.jar: intArrayUtils.js</a>                         |  |  |  |
| <a href="#">diagnostics.zip: diagnostics.jar: iospeed.js</a>                               |  |  |  |
| <a href="#">diagnostics.zip: diagnostics.jar: jobs.js</a>                                  |  |  |  |
| <a href="#">diagnostics.zip: diagnostics.jar: logging.js</a>                               |  |  |  |
| <a href="#">diagnostics.zip: diagnostics.jar: memory.js</a>                                |  |  |  |
| <a href="#">diagnostics.zip: diagnostics.jar: overviewCtrl.js</a>                          |  |  |  |
| <a href="#">diagnostics.zip: diagnostics.jar: pde.diagnostics.js</a>                       |  |  |  |
| <a href="#">diagnostics.zip: diagnostics.jar: timeformat.js</a>                            |  |  |  |
| <a href="#">docfx.js</a>   |  |  |  |

[docfx.vendor.js](#)

[pkg:javascript  
/bootstrap@3.4.1](#)

[drive.zip: commons-compress.jar](#)

[cpe:2.3:a:apache:  
commons\\_compress:  
1.27.1:\\*\\*\\*\\*\\*](#)

[pkg:maven/org.  
apache.commons  
/commons-  
compress@1.27.1](#)

[drive.zip: commons-io.jar](#)

[cpe:2.3:a:apache:  
commons\\_io:2.18.0:\\*.  
\\*.\\*.\\*.\\*.\\*](#)

[pkg:maven  
/commons-io  
/commons-io@2.18.0](#)

[drive.zip: drive.jar](#)

[drive.zip: drive.jar: actions.js](#)

[drive.zip: drive.jar: actions.service.js](#)

[drive.zip: drive.jar: contentextension.js](#)

[drive.zip: drive.jar: controller.js](#)

[drive.zip: drive.jar: drivecleanup.js](#)

[drive.zip: drive.jar: drivecontroller.js](#)

[drive.zip: drive.jar: drivefactory.js](#)

[drive.zip: drive.jar: drivemodel.js](#)

[drive.zip: drive.jar: dropzone.directive.js](#)

[drive.zip: drive.jar: entryactions.directive.js](#)

[drive.zip: drive.jar: fileconfig.directive.js](#)

[drive.zip: drive.jar: folderlist.directive.js](#)

[drive.zip: drive.jar: linkdialog.js](#)

[drive.zip: drive.jar: locationchooser.js](#)

[drive.zip: drive.jar: mountdialog.js](#)

[drive.zip: drive.jar: myshareextension.js](#)

[drive.zip: drive.jar: permissionsextension.js](#)

[drive.zip: drive.jar: progress.service.js](#)

[drive.zip: drive.jar: progresspanel.directive.js](#)

[drive.zip: drive.jar: resolve.service.js](#)

[drive.zip: drive.jar: responsivetoolbar.directive.js](#)

[drive.zip: drive.jar: selectedextension.js](#)

[drive.zip: drive.jar: shareextension.js](#)

[drive.zip: drive.jar: shareextension.js](#)

[drive.zip: drive.jar: thumbnailextension.js](#)

[drive.zip: drive.jar: toolbaraction.directive.js](#)

[drive.zip: drive.jar: unzipextension.js](#)

[drive.zip: drive.jar: zipextension.js](#)

|  |  |   |  |
|--|--|---|--|
| <a href="#">embeddedMode.js</a>                                    |  |   |  |
| <a href="#">enginefactory.sample.zip: enginefactory.sample.jar</a> |  |   |  |
| <a href="#">enginefactory.zip: enginefactory.sample.jar</a>        |  |   |  |
| <a href="#">errorhandler.zip: errorhandler.jar</a>                 |  |   |  |
| <a href="#">exceljconnect.jar</a>                                  |  |   |  |
| <a href="#">extension.js</a>                                       |  |   |  |
| <a href="#">extension.js</a>                                       |  |   |  |
| <a href="#">facturx.zip: Saxon-HE.jar</a>                          |  |   |  |
| <a href="#">facturx.zip: facturx.jar</a>                           |  |   |  |
| <a href="#">facturx.zip: istack-commons-runtime.jar</a>            |  | <a href="#">pkg:maven/com.sun.istack/istack-commons-runtime@4.2.0</a>       |  |
| <a href="#">facturx.zip: jakarta.activation-api.jar</a>            |  | <a href="#">pkg:maven/jakarta.activation/jakarta.activation-api@2.1.3</a>   |  |
| <a href="#">facturx.zip: jakarta.xml.bind-api.jar</a>              |  | <a href="#">pkg:maven/jakarta.xml.bind/jakarta.xml.bind-api@4.0.2</a>       |  |
| <a href="#">facturx.zip: jaxb-core.jar</a>                         |  | <a href="#">pkg:maven/org.glassfish.jaxb/jaxb-core@4.0.5</a>                |  |
| <a href="#">facturx.zip: jaxb-runtime.jar</a>                      |  | <a href="#">pkg:maven/org.glassfish.jaxb/jaxb-runtime@4.0.5</a>             |  |
| <a href="#">facturx.zip: ph-collection.jar</a>                     |  | <a href="#">pkg:maven/com.helger.commons/ph-collection@11.2.6</a>           |  |
| <a href="#">facturx.zip: ph-commons.jar</a>                        |  | <a href="#">pkg:maven/com.helger.commons/ph-commons@11.2.6</a>              |  |
| <a href="#">facturx.zip: ph-jaxb.jar</a>                           |  | <a href="#">pkg:maven/com.helger.commons/ph-jaxb@11.2.6</a>                 |  |
| <a href="#">facturx.zip: ph-schematron-api.jar</a>                 |  | <a href="#">pkg:maven/com.helger.schematron/ph-schematron-api@8.0.6</a>     |  |
| <a href="#">facturx.zip: ph-schematron-pure.jar</a>                |  | <a href="#">pkg:maven/com.helger.schematron/ph-schematron-pure@8.0.6</a>    |  |
| <a href="#">facturx.zip: ph-schematron-schxslt.jar</a>             |  | <a href="#">pkg:maven/com.helger.schematron/ph-schematron-schxslt@8.0.6</a> |  |
| <a href="#">facturx.zip: ph-schematron-validator.jar</a>           |  | <a href="#">pkg:maven/com.helger.schematron/ph-schematron-</a>              |  |

[validator@8.0.6](#)

[facturx.zip: ph-schematron-xslt.jar](#)

[pkg:maven/com.helger.schematron/ph-schematron-xslt@8.0.6](#)

[facturx.zip: ph-xml.jar](#)

[pkg:maven/com.helger.commons/ph-xml@11.2.6](#)

[facturx.zip: ph-xsds-xml.jar](#)

[pkg:maven/com.helger.xsd/ph-xsds-xml@3.0.0](#)

[facturx.zip: txw2.jar](#)

[pkg:maven/org.glassfish.jaxb/txw2@4.0.5](#)

[facturx.zip: xmlresolver.jar](#)

[googleanalytics.js](#)

[hamcrest-3.0.jar](#)

[pkg:maven/org.hamcrest/hamcrest@3.0](#)

[help.zip: commons-beanutils.jar](#)

[cpe:2.3:a:apache:commons\\_beanutils:1.11.0:\\*:\\*:\\*:\\*:\\*](#)

[pkg:maven/commons-beanutils/commons-beanutils@1.11.0](#)

[help.zip: commons-digester3.jar](#)

[pkg:maven/org.apache.commons/commons-digester3@3.2](#)

[help.zip: help.jar](#)

[help.zip: help.jar: app.js](#)

[help.zip: help.jar: controller.js](#)

[help.zip: help.jar: shared.factory.js](#)

[help.zip: help.jar: shared.highlighter.js](#)

[help.zip: jsoup.jar](#)

[cpe:2.3:a:jsoup:jsoup:1.18.3:\\*:\\*:\\*:\\*:\\*](#)

[pkg:maven/org.jsoup/jsoup@1.18.3](#)

[htmlengine.zip: JWebEngine.jar](#)

[htmlengine.zip: htmlengine.jar](#)

[htmlviewer.printpdf.sample.zip: htmlviewer.printpdf.sample.jar](#)

[htmlviewer.printpdf.zip: htmlviewer.printpdf.sample.jar](#)

[htmlviewer.printpdf.zip: htmlviewer.printpdf.sample.jar: extension.js](#)

[htmlviewer.toolbar.zip: htmlviewer.toolbar.jar](#)

[htmlviewer.toolbar.zip: htmlviewer.toolbar.jar: htmlviewer.angular.js](#)

[htmlviewerextension.sample.zip: htmlviewerextension.sample.jar](#)

|   |   |  |  |
|---|---|--|--|
| <a href="#">htmlviewerextension.zip: htmlviewerextension.sample.jar</a>               |   |  |  |
| <a href="#">htmlviewerextension.zip: htmlviewerextension.sample.jar: extension.js</a> |   |  |  |
| <a href="#">inetcore-25.10-tools.jar</a>  |   | <a href="#">pkg:maven/shared/inetcore@25.10</a>                                |  |
| <a href="#">inetcore-25.10.jar (shaded: com.inet.shared:inetcore:null)</a>            |   |  |  |
| <a href="#">inetcore-25.10.jar</a>  |   | <a href="#">pkg:maven/shared/inetcore@25.10</a>                                |  |
| <a href="#">inetloggeradapter.jar</a>   |   |  |  |
| <a href="#">inetsoftware.Reporting.dll</a>  |   |  |  |
| <a href="#">inetsoftware.Reporting.dll</a>  |   |  |  |
| <a href="#">jakarta.servlet-api.jar</a>   | <a href="#">cpe:2.3:a:oracle:projects:6.1.0:*:*:*:*:*</a>   | <a href="#">pkg:maven/jakarta.servlet/jakarta.servlet-api@6.1.0</a>            |  |
| <a href="#">jakarta.websocket-api.jar</a>   |   | <a href="#">pkg:maven/jakarta.websocket/jakarta.websocket-api@2.2.0</a>        |  |
| <a href="#">jakarta.websocket-client-api.jar</a>                                      | <a href="#">cpe:2.3:a:web_project:web:2.2.0:*:*:*:*:*</a>   | <a href="#">pkg:maven/jakarta.websocket/jakarta.websocket-client-api@2.2.0</a> |  |
| <a href="#">java-21-jre-x64-linux.tar.gz: java-21-jre-x64-linux.tar:jrt-fs.jar</a>    | <a href="#">cpe:2.3:a:eclipse:platform:21.0.8:*:*:*:*:*</a> |  |  |
| <a href="#">javase.jar</a>  |   | <a href="#">pkg:maven/com.google.zxing/javase@3.5.3</a>                        |  |
| <a href="#">jcip-annotations-1.0.jar</a>  |   | <a href="#">pkg:maven/net.jcip/jcip-annotations@1.0</a>                        |  |
| <a href="#">jeuclid-core.jar</a>  |   | <a href="#">pkg:maven/net.sourceforge.jeuclid/jeuclid-core@3.0.3</a>           |  |
| <a href="#">jlessc-1.14.jar</a>   |   | <a href="#">pkg:maven/de.inetsoftware/jlessc@1.14</a>                          |  |
| <a href="#">jna.jar</a>   | <a href="#">cpe:2.3:a:oracle:java_se:5.14.0:*:*:*:*:*</a>   |  |  |
| <a href="#">jna.jar: jnidispatch.dll</a>  |   |  |  |
| <a href="#">jna.jar: jnidispatch.dll</a>  |   |  |  |
| <a href="#">jna.jar: jnidispatch.dll</a>  |   |  |  |
| <a href="#">jpeg2000.zip: asm.jar</a>   |   |  |  |
| <a href="#">jpeg2000.zip: con crt140.dll</a>  |   |  |  |
| <a href="#">jpeg2000.zip: imageio-openjpeg.jar</a>                                    |   | <a href="#">pkg:maven/de.digitalcollections.</a>                               |  |

|   |   |  |  |
|---|---|--|--|
| <a href="#">jpeg2000.zip: jffi-native.jar</a>               |   |  |  |
| <a href="#">jpeg2000.zip: jffi-native.jar: jffi-1.2.dll</a> |   |  |  |
| <a href="#">jpeg2000.zip: jffi-native.jar: jffi-1.2.dll</a> |   |  |  |
| <a href="#">jpeg2000.zip: jffi-native.jar: jffi-1.2.dll</a> |   |  |  |
| <a href="#">jpeg2000.zip: jffi.jar</a>                      |   | <a href="#">pkg:maven/com.github.jnr/jffi@1.3.13</a>                       |  |
| <a href="#">jpeg2000.zip: jnr-ffi.jar</a>                   |   | <a href="#">pkg:maven/com.github.jnr/jnr-ffi@2.2.17</a>                    |  |
| <a href="#">jpeg2000.zip: jpeg2000.jar</a>                  |   |  |  |
| <a href="#">jpeg2000.zip: msvcp140.dll</a>                  |   |  |  |
| <a href="#">jpeg2000.zip: msvcp140_1.dll</a>                |   |  |  |
| <a href="#">jpeg2000.zip: msvcp140_2.dll</a>                |   |  |  |
| <a href="#">jpeg2000.zip: msvcp140_atomic_wait.dll</a>      |   |  |  |
| <a href="#">jpeg2000.zip: msvcp140_codecvt_ids.dll</a>      | <a href="#">cpe:2.3:a:ids:ids:140:*:*:*:*:*</a>         |  |  |
| <a href="#">jpeg2000.zip: openjp2.dll</a>                   |   |  |  |
| <a href="#">jpeg2000.zip: vcruntime140.dll</a>              |   |  |  |
| <a href="#">jpeg2000.zip: vcruntime140_1.dll</a>            |   |  |  |
| <a href="#">jquery.cookiebar.js</a>                         |   |  |  |
| <a href="#">jsr305-3.0.2.jar</a>                            |   | <a href="#">pkg:maven/com.google.code.findbugs/jsr305@3.0.2</a>            |  |
| <a href="#">junit-4.13.2.jar</a>                            | <a href="#">cpe:2.3:a:junit:junit4:4.13.2:*:*:*:*:*</a> | <a href="#">pkg:maven/junit/junit@4.13.2</a>                               |  |
| <a href="#">junit-jupiter-5.13.4.jar</a>                    |   | <a href="#">pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4</a>           |  |
| <a href="#">junit-jupiter-api-5.13.4.jar</a>                |   | <a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-api@5.13.4</a>       |  |
| <a href="#">junit-jupiter-engine-5.13.4.jar</a>             |   | <a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4</a>    |  |
| <a href="#">junit-jupiter-params-5.13.4.jar</a>             |   | <a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-params@5.13.4</a>    |  |
| <a href="#">junit-platform-commons-1.13.4.jar</a>           |   | <a href="#">pkg:maven/org.junit.platform/junit-platform-commons@1.13.4</a> |  |
| <a href="#">junit-platform-engine-1.13.4.jar</a>            |   | <a href="#">pkg:maven/org.junit.platform/junit-</a>                        |  |

[platform-engine@1.13.4](#)

[junit-platform-launcher-1.13.4.jar](#)

[pkg:maven/org.junit.platform/junit-platform-launcher@1.13.4](#)

[junit-platform-suite-1.13.4.jar](#)

[pkg:maven/org.junit.platform/junit-platform-suite@1.13.4](#)

[junit-platform-suite-api-1.13.4.jar](#)

[pkg:maven/org.junit.platform/junit-platform-suite-api@1.13.4](#)

[junit-platform-suite-commons-1.13.4.jar](#)

[pkg:maven/org.junit.platform/junit-platform-suite-commons@1.13.4](#)

[junit-platform-suite-engine-1.13.4.jar](#)

[pkg:maven/org.junit.platform/junit-platform-suite-engine@1.13.4](#)

[junit-vintage-engine-5.13.4.jar](#)

[pkg:maven/org.junit.vintage/junit-vintage-engine@5.13.4](#)

[lang-css.js](#)

[linenumber.js](#)

[lunr.js](#)

[lunr.min.js](#)

[mail.zip: angus-activation.jar](#)

[pkg:maven/org.eclipse.angus/angus-activation@2.0.3](#)

[mail.zip: angus-mail.jar \(shaded: org.eclipse.angus:angus-core:2.0.4\)](#)

[pkg:maven/org.eclipse.angus/angus-core@2.0.4](#)

[mail.zip: angus-mail.jar \(shaded: org.eclipse.angus:imap:2.0.4\)](#)

[pkg:maven/org.eclipse.angus/imap@2.0.4](#)

[mail.zip: angus-mail.jar \(shaded: org.eclipse.angus:logging-mailhandler:2.0.4\)](#)

[pkg:maven/org.eclipse.angus/logging-mailhandler@2.0.4](#)

[mail.zip: angus-mail.jar \(shaded: org.eclipse.angus:pop3:2.0.4\)](#)

[pkg:maven/org.eclipse.angus/pop3@2.0.4](#)

[mail.zip: angus-mail.jar \(shaded: org.eclipse.angus:smtp:2.0.4\)](#)

[pkg:maven/org.eclipse.angus/smtp@2.0.4](#)

[mail.zip: angus-mail.jar](#)

[pkg:maven/org.eclipse.angus/angus-mail@2.0.4](#)

|  |   |   |  |
|--|---|---|--|
| <a href="#">mail.zip: bc-fips.jar</a>  | <a href="#">cpe:2.3:a:bouncycastle:<br/>bouncy_castle_for_java:<br/>2.1.0:*****.*</a>   |   |  |
| <a href="#">mail.zip: bcjmail-fips.jar</a>   | <a href="#">cpe:2.3:a:bouncycastle:<br/>bouncy_castle_for_java:<br/>2.1.6:*****.*</a>   |   |  |
| <a href="#">mail.zip: bcpkg-fips.jar</a>   | <a href="#">cpe:2.3:a:bouncycastle:<br/>bouncy_castle_for_java:<br/>2.1.11:*****.*</a><br><a href="#">cpe:2.3:a:openpgp:<br/>openpgp:2.1.11:*****:<br/>*.*<br/>_.</a> |   |  |
| <a href="#">mail.zip: bcpkix-fips.jar</a>  | <a href="#">cpe:2.3:a:bouncycastle:<br/>bouncy_castle_for_java:<br/>2.1.9:*****.*</a>   |   |  |
| <a href="#">mail.zip: bcutil-fips.jar</a>  | <a href="#">cpe:2.3:a:bouncycastle:<br/>bouncy_castle_for_java:<br/>2.1.4:*****.*</a>   |   |  |
| <a href="#">mail.zip: jakarta.mail-api.jar</a>   |   | <a href="#">pkg:maven/jakarta.<br/>mail/jakarta.mail-<br/>api@2.1.3</a>             |  |
| <a href="#">mail.zip: mail.jar</a>   |   |   |  |
| <a href="#">mail.zip: mail.jar: smimeconfig.js</a>                                     |   |   |  |
| <a href="#">main.js</a>  |   |   |  |
| <a href="#">maintenance.reporting.zip: maintenance.reporting.jar</a>                   |   |   |  |
| <a href="#">maintenance.zip: maintenance-javadoc.jar</a>                               |   |   |  |
| <a href="#">maintenance.zip: maintenance-javadoc.jar: member-<br/>search-index.js</a>  |   |   |  |
| <a href="#">maintenance.zip: maintenance-javadoc.jar: package-<br/>search-index.js</a> |   |   |  |
| <a href="#">maintenance.zip: maintenance-javadoc.jar: tag-search-<br/>index.js</a>     |   |   |  |
| <a href="#">maintenance.zip: maintenance-javadoc.jar: type-<br/>search-index.js</a>    |   |   |  |
| <a href="#">maintenance.zip: maintenance.jar</a>                                       |   |   |  |
| <a href="#">maintenance.zip: maintenance.jar: controller.js</a>                        |   |   |  |
| <a href="#">maintenance.zip: maintenance.jar: controller.js</a>                        |   |   |  |
| <a href="#">maintenance.zip: maintenance.jar: controller.js</a>                        |   |   |  |
| <a href="#">maintenance.zip: maintenance.jar: controller.js</a>                        |   |   |  |
| <a href="#">maintenance.zip: maintenance.jar: controller.js</a>                        |   |   |  |
| <a href="#">maintenance.zip: maintenance.jar: filechooser.js</a>                       |   |   |  |
| <a href="#">maintenance.zip: maintenance.jar: multieditusers.js</a>                    |   |   |  |
| <a href="#">mariadb-java-client.jar</a>  |   | <a href="#">pkg:maven/org.<br/>mariadb.jdbc<br/>/mariadb-java-<br/>client@3.5.6</a> |  |



|  |   |  |  |
|--|---|--|--|
| <a href="#">mysql-connector-j.jar</a>  | <a href="#">cpe:2.3:a:mysql:mysql:8.2.0:*.***.*.*.*</a>             | <a href="#">cpe:2.3:a:oracle:connectorVj:8.2.0:*.***.*.*.*</a>       |  |
|  | <a href="#">cpe:2.3:a:oracle:jdbc:8.2.0:*.***.*.*.*</a>             | <a href="#">cpe:2.3:a:oracle:mysql_connectorVj:8.2.0:*.***.*.*.*</a> |  |
|  | <a href="#">cpe:2.3:a:oracle:mysql_connectors:8.2.0:*.***.*.*.*</a> |  |  |
| <a href="#">notification.zip: notification.jar</a>   |   |  |  |
| <a href="#">notification.zip: notification.jar: notification.js</a>                          |   |  |  |
| <a href="#">notification.zip: notification.jar: notification_config.js</a>                   |   |  |  |
| <a href="#">notification.zip: notification.jar: notification_taskplanner.js</a>              |   |  |  |
| <a href="#">notification.zip: notification.jar: targetrenderer.js</a>                        |   |  |  |
| <a href="#">odbc.jar</a>   |   |  |  |
| <a href="#">opentest4j-1.3.0.jar</a>   |   | <a href="#">pkg:maven/org.opentest4j/opentest4j@1.3.0</a>            |  |
| <a href="#">parser.pdf.zip: PDFParser.jar</a>  |   |  |  |
| <a href="#">parser.pdf.zip: jbig2.jar</a>  |   |  |  |
| <a href="#">parser.pdf.zip: parser.pdf.jar</a>   |   |  |  |
| <a href="#">pdfviewer.zip: pdfjs-dist.jar</a>  |   | <a href="#">pkg:maven/org.webjars.npm/pdfjs-dist@4.9.155</a>         |  |
| <a href="#">pdfviewer.zip: pdfjs-dist.jar: package.json</a>                                  |   |  |  |
| <a href="#">pdfviewer.zip: pdfviewer.jar</a>   |   |  |  |
| <a href="#">pdfviewer.zip: pdfviewer.jar: drive.js</a>                                       |   |  |  |
| <a href="#">pdfviewer.zip: pdfviewer.jar: pdfviewer.angular.js</a>                           |   |  |  |
| <a href="#">pdfviewer.zip: pdfviewer.jar: pdfviewer.embedded.js</a>                          |   |  |  |
| <a href="#">pdfviewer.zip: pdfviewer.jar: pdfviewer.factory.js</a>                           |   |  |  |
| <a href="#">pdfviewer.zip: pdfviewer.jar: pdfviewer.model.js</a>                             |   |  |  |
| <a href="#">pdfviewer.zip: pdfviewer.jar: pdfviewer.renderer.js</a>                          |   |  |  |
| <a href="#">pdfviewer.zip: pdfviewer.jar: pdfviewer.reporting.js</a>                         |   |  |  |
| <a href="#">persistence.jar</a>  |   |  |  |
| <a href="#">pluginstore.client.zip: pluginstore.client.jar</a>                               |   |  |  |
| <a href="#">pluginstore.client.zip: pluginstore.client.jar: controller.js</a>                |   |  |  |
| <a href="#">pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js</a> |   |  |  |
| <a href="#">pluginstore.client.zip: pluginstore.client.jar:</a>                              |   |  |  |

|  |  |   |  |
|--|--|---|--|
| <a href="#">publicstoreconfig.js</a>   |  |   |  |
| <a href="#">pluginstore.client.zip: pluginstore.client.jar: storecontroller.js</a> |  |   |  |
| <a href="#">pluginstore.client.zip: pluginstore.client.jar: storedirectives.js</a> |  |   |  |
| <a href="#">pluginstore.client.zip: pluginstore.client.jar: storemodel.js</a>      |  |   |  |
| <a href="#">postgresql.jar</a>   | cpe:2.3:a:postgresql:postgresql:42.7.8:*:*:*:*:*<br>cpe:2.3:a:postgresql:postgresql_jdbc_driver:42.7.8:*:*:*:*:* |   |  |
| <a href="#">prettify.js</a>  |  |   |  |
| <a href="#">processbridge.reporting.zip: processbridge.reporting.jar</a>           |  |   |  |
| <a href="#">processbridge.zip: processbridge.jar</a>                               |  |   |  |
| <a href="#">promptdialog.zip: promptdialog.jar</a>                                 |  |   |  |
| <a href="#">promptdialog.zip: promptdialog.jar: promptcontroller.js</a>            |  |   |  |
| <a href="#">promptdialog.zip: promptdialog.jar: promptcustomrenderer.js</a>        |  |   |  |
| <a href="#">promptdialog.zip: promptdialog.jar: promptfactory.js</a>               |  |   |  |
| <a href="#">promptdialog.zip: promptdialog.jar: promptpanel.js</a>                 |  |   |  |
| <a href="#">promptdialog.zip: promptdialog.jar: promptrenderer.js</a>              |  |   |  |
| <a href="#">propertieschecker.sample.zip: propertieschecker.sample.jar</a>         |  |   |  |
| <a href="#">propertieschecker.zip: propertieschecker.sample.jar</a>                |  |   |  |
| <a href="#">remotegui.zip: angular-animate.jar</a>                                 |  | <a href="#">pkg:maven/org.webjars/npm/angular-animate@1.8.3</a> |  |
| <a href="#">remotegui.zip: angular-animate.jar: angular-animate.js</a>             |  | <a href="#">pkg:javascript/angularjs@1.8.3</a>                  |  |
| <a href="#">remotegui.zip: angular-animate.jar: angular-animate.min.js</a>         |  | <a href="#">pkg:javascript/angularjs@1.8.3</a>                  |  |
| <a href="#">remotegui.zip: angular-animate.jar: index.js</a>                       |  |   |  |
| <a href="#">remotegui.zip: angular-animate.jar: package.json</a>                   |  |   |  |
| <a href="#">remotegui.zip: angular-cookies.jar</a>                                 |  | <a href="#">pkg:maven/org.webjars/npm/angular-cookies@1.8.3</a> |  |
| <a href="#">remotegui.zip: angular-cookies.jar: angular-cookies.js</a>             |  | <a href="#">pkg:javascript/angularjs@1.8.3</a>                  |  |
| <a href="#">remotegui.zip: angular-cookies.jar: angular-cookies.min.js</a>         |  | <a href="#">pkg:javascript/angularjs@1.8.3</a>                  |  |
| <a href="#">remotegui.zip: angular-cookies.jar: index.js</a>                       |  |   |  |
| <a href="#">remotegui.zip: angular-cookies.jar: package.json</a>                   |  |   |  |

|  |  |  |  |
|--|--|--|--|
| <a href="#">remotegui.zip: angular-sanitize.jar</a>                          |  | <a href="#">pkg:maven/org.webjars.npm/angular-sanitize@1.8.3</a> |  |
| <a href="#">remotegui.zip: angular-sanitize.jar: angular-sanitize.js</a>     |  | <a href="#">pkg:javascript/angularjs@1.8.3</a>                   |  |
| <a href="#">remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js</a> |  | <a href="#">pkg:javascript/angularjs@1.8.3</a>                   |  |
| <a href="#">remotegui.zip: angular-sanitize.jar: index.js</a>                |  |  |  |
| <a href="#">remotegui.zip: angular-sanitize.jar: package.json</a>            |  |  |  |
| <a href="#">remotegui.zip: angular.jar</a>                                   |  | <a href="#">pkg:maven/org.webjars.npm/angular@1.8.3</a>          |  |
| <a href="#">remotegui.zip: angular.jar: angular.js</a>                       |  | <a href="#">pkg:javascript/angularjs@1.8.3</a>                   |  |
| <a href="#">remotegui.zip: angular.jar: angular.min.js</a>                   |  | <a href="#">pkg:javascript/angularjs@1.8.3</a>                   |  |
| <a href="#">remotegui.zip: angular.jar: index.js</a>                         |  |  |  |
| <a href="#">remotegui.zip: angular.jar: package.json</a>                     |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar</a>                                | <a href="#">cpe:2.3:a:codemirror:codemirror:6.65.7:*:*:*:*:*:*</a> | <a href="#">pkg:maven/org.webjars.npm/codemirror@6.65.7</a>      |  |
| <a href="#">remotegui.zip: codemirror.jar: CodeMirror.js</a>                 |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: ContentEditableInput.js</a>       |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: Display.js</a>                    |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: Doc.js</a>                        |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: StringStream.js</a>               |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: TextareaInput.js</a>              |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: active-line.js</a>                |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: annotatescrollbar.js</a>          |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: anyword-hint.js</a>               |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: ap1.js</a>                        |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: asciarmor.js</a>                  |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: asn.1.js</a>                      |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: asterisk.js</a>                   |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: autorefresh.js</a>                |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: bidi.js</a>                       |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: brace-fold.js</a>                 |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: brainfuck.js</a>                  |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: browser.js</a>                    |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: change_measurement.js</a>         |  |  |  |
|  |  |  |  |

|   |  |  |  |
|---|--|--|--|
| <a href="#">remotegui.zip: codemirror.jar: changes.js</a>               |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: chunk.js</a>                 |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: clike.js</a>                 |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: clojure.js</a>               |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: closebrackets.js</a>         |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: closetag.js</a>              |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: cmake.js</a>                 |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: cobol.js</a>                 |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: codemirror-standalone.js</a> |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: codemirror.js</a>            |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: codemirror.js</a>            |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: codemirror.node.js</a>       |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: coffeescript-lint.js</a>     |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: coffeescript.js</a>          |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: colorize.js</a>              |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: commands.js</a>              |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: comment-fold.js</a>          |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: comment.js</a>               |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: commonlisp.js</a>            |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: continuecomment.js</a>       |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: continuelist.js</a>          |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: crystal.js</a>               |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: css-hint.js</a>              |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: css-lint.js</a>              |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: css.js</a>                   |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: cypher.js</a>                |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: d.js</a>                     |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: dart.js</a>                  |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: deleteNearSelection.js</a>   |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: dialog.js</a>                |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: diff.js</a>                  |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: django.js</a>                |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: dockerfile.js</a>            |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: document_data.js</a>         |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: dom.js</a>                   |  |  |  |

[remotegui.zip: codemirror.jar: drop\\_events.js](#)

[remotegui.zip: codemirror.jar: dtd.js](#)

[remotegui.zip: codemirror.jar: dylan.js](#)

[remotegui.zip: codemirror.jar: ebnf.js](#)

[remotegui.zip: codemirror.jar: ecl.js](#)

[remotegui.zip: codemirror.jar: eiffel.js](#)

[remotegui.zip: codemirror.jar: elm.js](#)

[remotegui.zip: codemirror.jar: emacs.js](#)

[remotegui.zip: codemirror.jar: erlang.js](#)

[remotegui.zip: codemirror.jar: event.js](#)

[remotegui.zip: codemirror.jar: factor.js](#)

[remotegui.zip: codemirror.jar: fcl.js](#)

[remotegui.zip: codemirror.jar: feature\\_detection.js](#)

[remotegui.zip: codemirror.jar: focus.js](#)

[remotegui.zip: codemirror.jar: foldcode.js](#)

[remotegui.zip: codemirror.jar: foldgutter.js](#)

[remotegui.zip: codemirror.jar: forth.js](#)

[remotegui.zip: codemirror.jar: fortran.js](#)

[remotegui.zip: codemirror.jar: fromTextArea.js](#)

[remotegui.zip: codemirror.jar: fullscreen.js](#)

[remotegui.zip: codemirror.jar: gas.js](#)

[remotegui.zip: codemirror.jar: gfm.js](#)

[remotegui.zip: codemirror.jar: gherkin.js](#)

[remotegui.zip: codemirror.jar: global\\_events.js](#)

[remotegui.zip: codemirror.jar: go.js](#)

[remotegui.zip: codemirror.jar: groovy.js](#)

[remotegui.zip: codemirror.jar: gutters.js](#)

[remotegui.zip: codemirror.jar: haml.js](#)

[remotegui.zip: codemirror.jar: handlebars.js](#)

[remotegui.zip: codemirror.jar: hardwrap.js](#)

[remotegui.zip: codemirror.jar: haskell-literate.js](#)

[remotegui.zip: codemirror.jar: haskell.js](#)

[remotegui.zip: codemirror.jar: haxe.js](#)

[remotegui.zip: codemirror.jar: highlight.js](#)

[remotegui.zip: codemirror.jar: highlight\\_worker.js](#)

|   |  |  |  |
|---|--|--|--|
| <a href="#">remotegui.zip: codemirror.jar: history.js</a>           |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: html-hint.js</a>         |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: html-lint.js</a>         |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: htmlembdedded.js</a>     |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: htmlmixed.js</a>         |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: http.js</a>              |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: idl.js</a>               |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: indent-fold.js</a>       |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: indent.js</a>            |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: input.js</a>             |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: javascript-hint.js</a>   |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: javascript-lint.js</a>   |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: javascript.js</a>        |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: jinja2.js</a>            |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: json-lint.js</a>         |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: jsx.js</a>               |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: julia.js</a>             |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: jump-to-line.js</a>      |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: key_events.js</a>        |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: keymap.js</a>            |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: keynames.js</a>          |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: legacy.js</a>            |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: line_data.js</a>         |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: line_numbers.js</a>      |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: line_widget.js</a>       |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: lint.js</a>              |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: livescript.js</a>        |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: loadmode.js</a>          |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: lua.js</a>               |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: main.js</a>              |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: mark-selection.js</a>    |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: mark_text.js</a>         |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: markdown-fold.js</a>     |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: markdown.js</a>          |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: match-highlighter.js</a> |  |  |  |

[remotegui.zip: codemirror.jar: matchbrackets.js](#)

[remotegui.zip: codemirror.jar: matchesonscrollbar.js](#)

[remotegui.zip: codemirror.jar: matchtags.js](#)

[remotegui.zip: codemirror.jar: mathematica.js](#)

[remotegui.zip: codemirror.jar: mbox.js](#)

[remotegui.zip: codemirror.jar: merge.js](#)

[remotegui.zip: codemirror.jar: meta.js](#)

[remotegui.zip: codemirror.jar: methods.js](#)

[remotegui.zip: codemirror.jar: mirc.js](#)

[remotegui.zip: codemirror.jar: misc.js](#)

[remotegui.zip: codemirror.jar: mllike.js](#)

[remotegui.zip: codemirror.jar: mode\\_state.js](#)

[remotegui.zip: codemirror.jar: modelica.js](#)

[remotegui.zip: codemirror.jar: modes.js](#)

[remotegui.zip: codemirror.jar: mouse\\_events.js](#)

[remotegui.zip: codemirror.jar: movement.js](#)

[remotegui.zip: codemirror.jar: mscgen.js](#)

[remotegui.zip: codemirror.jar: multiplex.js](#)

[remotegui.zip: codemirror.jar: multiplex\\_test.js](#)

[remotegui.zip: codemirror.jar: mumps.js](#)

[remotegui.zip: codemirror.jar: nginx.js](#)

[remotegui.zip: codemirror.jar: nsis.js](#)

[remotegui.zip: codemirror.jar: ntriples.js](#)

[remotegui.zip: codemirror.jar: octave.js](#)

[remotegui.zip: codemirror.jar: operation\\_group.js](#)

[remotegui.zip: codemirror.jar: operations.js](#)

[remotegui.zip: codemirror.jar: options.js](#)

[remotegui.zip: codemirror.jar: overlay.js](#)

[remotegui.zip: codemirror.jar: oz.js](#)

[remotegui.zip: codemirror.jar: package.json](#)

[remotegui.zip: codemirror.jar: panel.js](#)

[remotegui.zip: codemirror.jar: pascal.js](#)

[remotegui.zip: codemirror.jar: pegjs.js](#)

[remotegui.zip: codemirror.jar: perl.js](#)

[remotegui.zip: codemirror.jar: php.js](#)

|  |  |  |  |
|--|--|--|--|
| <a href="#">remotegui.zip: codemirror.jar: pig.js</a>                  |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: placeholder.js</a>          |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: pos.js</a>                  |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: position_measurement.js</a> |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: powershell.js</a>           |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: properties.js</a>           |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: protobuf.js</a>             |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: pug.js</a>                  |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: puppet.js</a>               |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: python.js</a>               |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: q.js</a>                    |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: r.js</a>                    |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: rollup.config.js</a>        |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: rpm.js</a>                  |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: rst.js</a>                  |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: ruby.js</a>                 |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: rulers.js</a>               |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: runmode-standalone.js</a>   |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: runmode-standalone.js</a>   |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: runmode.js</a>              |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: runmode.node.js</a>         |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: runmode.node.js</a>         |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: rust.js</a>                 |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: sas.js</a>                  |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: sass.js</a>                 |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: saw_special_spans.js</a>    |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: scheme.js</a>               |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: scroll_events.js</a>        |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: scrollbars.js</a>           |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: scrolling.js</a>            |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: scrollpastend.js</a>        |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: search.js</a>               |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: searchcursor.js</a>         |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: selection-pointer.js</a>    |  |  |  |
| <a href="#">remotegui.zip: codemirror.jar: selection.js</a>            |  |  |  |



[remotegui.zip: codemirror.jar: selection.js](#)

[remotegui.zip: codemirror.jar: selection\\_updates.js](#)

[remotegui.zip: codemirror.jar: shell.js](#)

[remotegui.zip: codemirror.jar: show-hint.js](#)

[remotegui.zip: codemirror.jar: sieve.js](#)

[remotegui.zip: codemirror.jar: simple.js](#)

[remotegui.zip: codemirror.jar: simplescrollbars.js](#)

[remotegui.zip: codemirror.jar: slim.js](#)

[remotegui.zip: codemirror.jar: smalltalk.js](#)

[remotegui.zip: codemirror.jar: smarty.js](#)

[remotegui.zip: codemirror.jar: solr.js](#)

[remotegui.zip: codemirror.jar: soy.js](#)

[remotegui.zip: codemirror.jar: spans.js](#)

[remotegui.zip: codemirror.jar: sparql.js](#)

[remotegui.zip: codemirror.jar: spreadsheet.js](#)

[remotegui.zip: codemirror.jar: sql-hint.js](#)

[remotegui.zip: codemirror.jar: sql.js](#)

[remotegui.zip: codemirror.jar: stex.js](#)

[remotegui.zip: codemirror.jar: stylus.js](#)

[remotegui.zip: codemirror.jar: sublime.js](#)

[remotegui.zip: codemirror.jar: swift.js](#)

[remotegui.zip: codemirror.jar: tcl.js](#)

[remotegui.zip: codemirror.jar: tern.js](#)

[remotegui.zip: codemirror.jar: textile.js](#)

[remotegui.zip: codemirror.jar: tiddlywiki.js](#)

[remotegui.zip: codemirror.jar: tiki.js](#)

[remotegui.zip: codemirror.jar: toml.js](#)

[remotegui.zip: codemirror.jar: tornado.js](#)

[remotegui.zip: codemirror.jar: trailingspace.js](#)

[remotegui.zip: codemirror.jar: troff.js](#)

[remotegui.zip: codemirror.jar: ttcn-cfg.js](#)

[remotegui.zip: codemirror.jar: ttcn.js](#)

[remotegui.zip: codemirror.jar: turtle.js](#)

[remotegui.zip: codemirror.jar: twig.js](#)

[remotegui.zip: codemirror.jar: update\\_display.js](#)

|  |  |   |  |
|--|--|---|--|
| <a href="#">remotegui.zip: codemirror.jar: update_line.js</a>      |  |   |  |
| <a href="#">remotegui.zip: codemirror.jar: update_lines.js</a>     |  |   |  |
| <a href="#">remotegui.zip: codemirror.jar: utils.js</a>            |  |   |  |
| <a href="#">remotegui.zip: codemirror.jar: utils_line.js</a>       |  |   |  |
| <a href="#">remotegui.zip: codemirror.jar: vb.js</a>               |  |   |  |
| <a href="#">remotegui.zip: codemirror.jar: vbscript.js</a>         |  |   |  |
| <a href="#">remotegui.zip: codemirror.jar: velocity.js</a>         |  |   |  |
| <a href="#">remotegui.zip: codemirror.jar: verilog.js</a>          |  |   |  |
| <a href="#">remotegui.zip: codemirror.jar: vhdl.js</a>             |  |   |  |
| <a href="#">remotegui.zip: codemirror.jar: view_tracking.js</a>    |  |   |  |
| <a href="#">remotegui.zip: codemirror.jar: vim.js</a>              |  |   |  |
| <a href="#">remotegui.zip: codemirror.jar: vue.js</a>              |  |   |  |
| <a href="#">remotegui.zip: codemirror.jar: wast.js</a>             |  |   |  |
| <a href="#">remotegui.zip: codemirror.jar: webidl.js</a>           |  |   |  |
| <a href="#">remotegui.zip: codemirror.jar: widgets.js</a>          |  |   |  |
| <a href="#">remotegui.zip: codemirror.jar: worker.js</a>           |  |   |  |
| <a href="#">remotegui.zip: codemirror.jar: xml-fold.js</a>         |  |   |  |
| <a href="#">remotegui.zip: codemirror.jar: xml-hint.js</a>         |  |   |  |
| <a href="#">remotegui.zip: codemirror.jar: xml.js</a>              |  |   |  |
| <a href="#">remotegui.zip: codemirror.jar: xquery.js</a>           |  |   |  |
| <a href="#">remotegui.zip: codemirror.jar: yacas.js</a>            |  |   |  |
| <a href="#">remotegui.zip: codemirror.jar: yaml-frontmatter.js</a> |  |   |  |
| <a href="#">remotegui.zip: codemirror.jar: yaml-lint.js</a>        |  |   |  |
| <a href="#">remotegui.zip: codemirror.jar: yaml.js</a>             |  |   |  |
| <a href="#">remotegui.zip: codemirror.jar: z80.js</a>              |  |   |  |
| <a href="#">remotegui.zip: crypto-js.jar</a>                       |  | <a href="#">pkg:maven/org.webjars/npm/crypto-js@4.2.0</a> |  |
| <a href="#">remotegui.zip: crypto-js.jar: aes.js</a>               |  |   |  |
| <a href="#">remotegui.zip: crypto-js.jar: blowfish.js</a>          |  |   |  |
| <a href="#">remotegui.zip: crypto-js.jar: cipher-core.js</a>       |  |   |  |
| <a href="#">remotegui.zip: crypto-js.jar: core.js</a>              |  |   |  |
| <a href="#">remotegui.zip: crypto-js.jar: crypto-js.js</a>         |  |   |  |
| <a href="#">remotegui.zip: crypto-js.jar: enc-base64.js</a>        |  |   |  |
| <a href="#">remotegui.zip: crypto-js.jar: enc-base64url.js</a>     |  |   |  |
| <a href="#">remotegui.zip: crypto-js.jar: enc-hex.js</a>           |  |   |  |
|  |  |   |  |

|   |  |  |  |
|---|--|--|--|
| <a href="#">remotegui.zip: crypto-js.jar: enc-latin1.js</a>       |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: enc-utf16.js</a>        |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: enc-utf8.js</a>         |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: evpkdf.js</a>           |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: format-hex.js</a>       |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: format-openssl.js</a>   |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: hmac-md5.js</a>         |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: hmac-ripemd160.js</a>   |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: hmac-sha1.js</a>        |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: hmac-sha224.js</a>      |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: hmac-sha256.js</a>      |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: hmac-sha3.js</a>        |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: hmac-sha384.js</a>      |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: hmac-sha512.js</a>      |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: hmac.js</a>             |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: index.js</a>            |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: lib-typedarrays.js</a>  |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: md5.js</a>              |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: mode-cfb.js</a>         |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: mode-ctr-gladman.js</a> |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: mode-ctr.js</a>         |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: mode-ecb.js</a>         |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: mode-ofb.js</a>         |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: package.json</a>        |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: pad-ansix923.js</a>     |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: pad-iso10126.js</a>     |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: pad-iso97971.js</a>     |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: pad-nopadding.js</a>    |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: pad-pkcs7.js</a>        |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: pad-zeropadding.js</a>  |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: pbkdf2.js</a>           |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: rabbit-legacy.js</a>    |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: rabbit.js</a>           |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: rc4.js</a>              |  |  |  |
| <a href="#">remotegui.zip: crypto-js.jar: ripemd160.js</a>        |  |  |  |

[remotegui.zip: crypto-js.jar: sha1.js](#)

[remotegui.zip: crypto-js.jar: sha224.js](#)

[remotegui.zip: crypto-js.jar: sha256.js](#)

[remotegui.zip: crypto-js.jar: sha3.js](#)

[remotegui.zip: crypto-js.jar: sha384.js](#)

[remotegui.zip: crypto-js.jar: sha512.js](#)

[remotegui.zip: crypto-js.jar: tripledes.js](#)

[remotegui.zip: crypto-js.jar: x64-core.js](#)

[remotegui.zip: hugerte-languages.jar](#)

[pkg:maven/org.webjars/npm/hugerte-languages@1.0.9](#)

[remotegui.zip: hugerte-languages.jar: ar.js](#)

[remotegui.zip: hugerte-languages.jar: ar\\_SA.js](#)

[remotegui.zip: hugerte-languages.jar: az.js](#)

[remotegui.zip: hugerte-languages.jar: be.js](#)

[remotegui.zip: hugerte-languages.jar: bg\\_BG.js](#)

[remotegui.zip: hugerte-languages.jar: bn\\_BD.js](#)

[remotegui.zip: hugerte-languages.jar: ca.js](#)

[remotegui.zip: hugerte-languages.jar: cs.js](#)

[remotegui.zip: hugerte-languages.jar: cy.js](#)

[remotegui.zip: hugerte-languages.jar: da.js](#)

[remotegui.zip: hugerte-languages.jar: de.js](#)

[remotegui.zip: hugerte-languages.jar: el.js](#)

[remotegui.zip: hugerte-languages.jar: eo.js](#)

[remotegui.zip: hugerte-languages.jar: es.js](#)

[remotegui.zip: hugerte-languages.jar: es\\_MX.js](#)

[remotegui.zip: hugerte-languages.jar: et.js](#)

[remotegui.zip: hugerte-languages.jar: eu.js](#)

[remotegui.zip: hugerte-languages.jar: fa.js](#)

[remotegui.zip: hugerte-languages.jar: fi.js](#)

[remotegui.zip: hugerte-languages.jar: fr\\_FR.js](#)

[remotegui.zip: hugerte-languages.jar: ga.js](#)

[remotegui.zip: hugerte-languages.jar: gl.js](#)

[remotegui.zip: hugerte-languages.jar: he\\_IL.js](#)

[remotegui.zip: hugerte-languages.jar: hr.js](#)

[remotegui.zip: hugerte-languages.jar: hu\\_HU.js](#)

[remotegui.zip: hugerte-languages.jar: hy.js](#)

[remotegui.zip: hugerte-languages.jar: id.js](#)

[remotegui.zip: hugerte-languages.jar: is\\_IS.js](#)

[remotegui.zip: hugerte-languages.jar: it.js](#)

[remotegui.zip: hugerte-languages.jar: ja.js](#)

[remotegui.zip: hugerte-languages.jar: ka\\_GE.js](#)

[remotegui.zip: hugerte-languages.jar: kab.js](#)

[remotegui.zip: hugerte-languages.jar: kk.js](#)

[remotegui.zip: hugerte-languages.jar: ko\\_KR.js](#)

[remotegui.zip: hugerte-languages.jar: ku.js](#)

[remotegui.zip: hugerte-languages.jar: lt.js](#)

[remotegui.zip: hugerte-languages.jar: lv.js](#)

[remotegui.zip: hugerte-languages.jar: nb\\_NO.js](#)

[remotegui.zip: hugerte-languages.jar: ne.js](#)

[remotegui.zip: hugerte-languages.jar: nl.js](#)

[remotegui.zip: hugerte-languages.jar: nl\\_BE.js](#)

[remotegui.zip: hugerte-languages.jar: oc.js](#)

[remotegui.zip: hugerte-languages.jar: pl.js](#)

[remotegui.zip: hugerte-languages.jar: pt\\_BR.js](#)

[remotegui.zip: hugerte-languages.jar: pt\\_PT.js](#)

[remotegui.zip: hugerte-languages.jar: ro.js](#)

[remotegui.zip: hugerte-languages.jar: ru.js](#)

[remotegui.zip: hugerte-languages.jar: sk.js](#)

[remotegui.zip: hugerte-languages.jar: sl\\_SI.js](#)

[remotegui.zip: hugerte-languages.jar: sq.js](#)

[remotegui.zip: hugerte-languages.jar: sr.js](#)

[remotegui.zip: hugerte-languages.jar: sv\\_SE.js](#)

[remotegui.zip: hugerte-languages.jar: ta.js](#)

[remotegui.zip: hugerte-languages.jar: tg.js](#)

[remotegui.zip: hugerte-languages.jar: th\\_TH.js](#)

[remotegui.zip: hugerte-languages.jar: tr.js](#)

[remotegui.zip: hugerte-languages.jar: ug.js](#)

[remotegui.zip: hugerte-languages.jar: uk.js](#)

[remotegui.zip: hugerte-languages.jar: uz.js](#)

[remotegui.zip: hugerte-languages.jar: vi.js](#)

|  |  |   |  |
|--|--|---|--|
| <a href="#">remotegui.zip: hugerte-languages.jar: zh_CN.js</a> |  |   |  |
| <a href="#">remotegui.zip: hugerte-languages.jar: zh_HK.js</a> |  |   |  |
| <a href="#">remotegui.zip: hugerte-languages.jar: zh_MO.js</a> |  |   |  |
| <a href="#">remotegui.zip: hugerte-languages.jar: zh_SG.js</a> |  |   |  |
| <a href="#">remotegui.zip: hugerte-languages.jar: zh_TW.js</a> |  |   |  |
| <a href="#">remotegui.zip: hugerte.jar</a>                     |  | <a href="#">pkg:maven/org.webjars/npm/hugerte@1.0.9</a> |  |
| <a href="#">remotegui.zip: hugerte.jar: ar.js</a>              |  |   |  |
| <a href="#">remotegui.zip: hugerte.jar: bg_BG.js</a>           |  |   |  |
| <a href="#">remotegui.zip: hugerte.jar: ca.js</a>              |  |   |  |
| <a href="#">remotegui.zip: hugerte.jar: content.inline.js</a>  |  |   |  |
| <a href="#">remotegui.zip: hugerte.jar: content.inline.js</a>  |  |   |  |
| <a href="#">remotegui.zip: hugerte.jar: content.inline.js</a>  |  |   |  |
| <a href="#">remotegui.zip: hugerte.jar: content.inline.js</a>  |  |   |  |
| <a href="#">remotegui.zip: hugerte.jar: content.js</a>         |  |   |  |
| <a href="#">remotegui.zip: hugerte.jar: content.js</a>         |  |   |  |
| <a href="#">remotegui.zip: hugerte.jar: content.js</a>         |  |   |  |
| <a href="#">remotegui.zip: hugerte.jar: content.js</a>         |  |   |  |
| <a href="#">remotegui.zip: hugerte.jar: content.js</a>         |  |   |  |
| <a href="#">remotegui.zip: hugerte.jar: content.js</a>         |  |   |  |
| <a href="#">remotegui.zip: hugerte.jar: content.js</a>         |  |   |  |
| <a href="#">remotegui.zip: hugerte.jar: content.js</a>         |  |   |  |
| <a href="#">remotegui.zip: hugerte.jar: content.js</a>         |  |   |  |
| <a href="#">remotegui.zip: hugerte.jar: content.js</a>         |  |   |  |
| <a href="#">remotegui.zip: hugerte.jar: cs.js</a>              |  |   |  |
| <a href="#">remotegui.zip: hugerte.jar: da.js</a>              |  |   |  |
| <a href="#">remotegui.zip: hugerte.jar: de.js</a>              |  |   |  |
| <a href="#">remotegui.zip: hugerte.jar: el.js</a>              |  |   |  |
| <a href="#">remotegui.zip: hugerte.jar: emojiimages.js</a>     |  |   |  |
| <a href="#">remotegui.zip: hugerte.jar: emojiimages.min.js</a> |  |   |  |
| <a href="#">remotegui.zip: hugerte.jar: emojis.js</a>          |  |   |  |
| <a href="#">remotegui.zip: hugerte.jar: emojis.min.js</a>      |  |   |  |
| <a href="#">remotegui.zip: hugerte.jar: en.js</a>              |  |   |  |
| <a href="#">remotegui.zip: hugerte.jar: es.js</a>              |  |   |  |
| <a href="#">remotegui.zip: hugerte.jar: eu.js</a>              |  |   |  |
|  |  |   |  |

[illegible]

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: it.js](#)

[remotegui.zip: hugerte.jar: ja.js](#)

[remotegui.zip: hugerte.jar: kk.js](#)

[remotegui.zip: hugerte.jar: ko\\_KR.js](#)

[remotegui.zip: hugerte.jar: model.js](#)

[remotegui.zip: hugerte.jar: model.min.js](#)

[remotegui.zip: hugerte.jar: ms.js](#)

[remotegui.zip: hugerte.jar: nb\\_NO.js](#)

[remotegui.zip: hugerte.jar: nl.js](#)

[remotegui.zip: hugerte.jar: package.json](#)

[remotegui.zip: hugerte.jar: pl.js](#)

[remotegui.zip: hugerte.jar: plugin.js](#)

[remotegui.zip: hugerte.jar: plugin.js](#)

[remotegui.zip: hugerte.jar: plugin.js](#)

[remotegui.zip: hugerte.jar: plugin.js](#)

[remotegui.zip: hugerte.jar: plugin.js](#)

[remotegui.zip: hugerte.jar: plugin.js](#)

[remotegui.zip: hugerte.jar: plugin.js](#)

[remotegui.zip: hugerte.jar: plugin.js](#)

[remotegui.zip: hugerte.jar: plugin.js](#)

[remotegui.zip: hugerte.jar: plugin.js](#)

[remotegui.zip: hugerte.jar: plugin.js](#)

[remotegui.zip: hugerte.jar: plugin.js](#)

[remotegui.zip: hugerte.jar: plugin.js](#)

[remotegui.zip: hugerte.jar: plugin.js](#)

[remotegui.zip: hugerte.jar: plugin.js](#)



[illegible]

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: pt\\_BR.js](#)

[remotegui.zip: hugerte.jar: pt\\_PT.js](#)

[remotegui.zip: hugerte.jar: ro.js](#)

[remotegui.zip: hugerte.jar: ru.js](#)

[remotegui.zip: hugerte.jar: sk.js](#)

[remotegui.zip: hugerte.jar: skin.js](#)

[remotegui.zip: hugerte.jar: skin.js](#)

[remotegui.zip: hugerte.jar: skin.js](#)

[remotegui.zip: hugerte.jar: skin.js](#)

[remotegui.zip: hugerte.jar: skin.shadowdom.js](#)

[remotegui.zip: hugerte.jar: skin.shadowdom.js](#)

[remotegui.zip: hugerte.jar: skin.shadowdom.js](#)

[remotegui.zip: hugerte.jar: skin.shadowdom.js](#)

[remotegui.zip: hugerte.jar: sl\\_SI.js](#)

[remotegui.zip: hugerte.jar: sv\\_SE.js](#)

[remotegui.zip: hugerte.jar: th\\_TH.js](#)

[remotegui.zip: hugerte.jar: theme.js](#)

[remotegui.zip: hugerte.jar: theme.min.js](#)

[remotegui.zip: hugerte.jar: tr.js](#)

[remotegui.zip: hugerte.jar: uk.js](#)

[remotegui.zip: hugerte.jar: vi.js](#)

[remotegui.zip: hugerte.jar: zh\\_CN.js](#)

[remotegui.zip: hugerte.jar: zh\\_TW.js](#)

[remotegui.zip: jquery-ui.jar](#)

[pkg:maven/org.webjars/jquery-ui@1.](#)

|  |  |   |  |
|--|--|---|--|
| <a href="#">remotegui.zip: jquery-ui.jar: jquery-ui.js</a>   |  |   |  |
| <a href="#">remotegui.zip: jquery-ui.jar: jquery-ui.min.js</a>                                     |  |   |  |
| <a href="#">remotegui.zip: jquery-ui.jar: package.json</a>   |  |   |  |
| <a href="#">remotegui.zip: jquery-ui.jar: webjars-requirejs.js</a>                                 |  |   |  |
| <a href="#">remotegui.zip: jquery.jar</a>  |  | <a href="#">pkg:javascript/jquery@2.2.4</a><br><a href="#">pkg:maven/org.webjars/jquery@2.2.4</a> |  |
| <a href="#">remotegui.zip: jquery.jar: webjars-requirejs.js</a>                                    |  |   |  |
| <a href="#">remotegui.zip: moment-timezone.jar</a>   |  | <a href="#">pkg:maven/org.webjars.npm/moment-timezone@0.5.46</a>                                  |  |
| <a href="#">remotegui.zip: moment-timezone.jar: index.js</a>                                       |  |   |  |
| <a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-utils.js</a>                       |  |   |  |
| <a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.js</a>     |  |   |  |
| <a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.min.js</a> |  |   |  |
| <a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.js</a>         |  |   |  |
| <a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.min.js</a>     |  |   |  |
| <a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js</a>         |  |   |  |
| <a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js</a>     |  |   |  |
| <a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js</a>                   |  |   |  |
| <a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js</a>               |  |   |  |
| <a href="#">remotegui.zip: moment-timezone.jar: moment-timezone.js</a>                             |  |   |  |
| <a href="#">remotegui.zip: moment-timezone.jar: moment-timezone.min.js</a>                         |  |   |  |
| <a href="#">remotegui.zip: moment-timezone.jar: package.json</a>                                   |  |   |  |
| <a href="#">remotegui.zip: momentjs.jar</a>  |  | <a href="#">pkg:maven/org.webjars/momentjs@2.29.4</a>   |  |
| <a href="#">remotegui.zip: momentjs.jar: af.js</a>   |  |   |  |
| <a href="#">remotegui.zip: momentjs.jar: ar-dz.js</a>  |  |   |  |
| <a href="#">remotegui.zip: momentjs.jar: ar-kw.js</a>  |  |   |  |
|  |  |   |  |

|   |  |  |  |
|---|--|--|--|
| <a href="#">remotegui.zip: momentjs.jar: ar-ly.js</a> |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: ar-ma.js</a> |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: ar-sa.js</a> |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: ar-tn.js</a> |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: ar.js</a>    |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: az.js</a>    |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: be.js</a>    |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: bg.js</a>    |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: bm.js</a>    |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: bn-bd.js</a> |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: bn.js</a>    |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: bo.js</a>    |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: br.js</a>    |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: bs.js</a>    |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: ca.js</a>    |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: cs.js</a>    |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: cv.js</a>    |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: cy.js</a>    |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: da.js</a>    |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: de-at.js</a> |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: de-ch.js</a> |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: de.js</a>    |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: dv.js</a>    |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: el.js</a>    |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: en-au.js</a> |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: en-ca.js</a> |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: en-gb.js</a> |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: en-ie.js</a> |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: en-il.js</a> |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: en-in.js</a> |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: en-nz.js</a> |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: en-sg.js</a> |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: eo.js</a>    |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: es-do.js</a> |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: es-mx.js</a> |  |  |  |

[remotegui.zip: momentjs.jar: es-us.js](#)

[remotegui.zip: momentjs.jar: es.js](#)

[remotegui.zip: momentjs.jar: et.js](#)

[remotegui.zip: momentjs.jar: eu.js](#)

[remotegui.zip: momentjs.jar: fa.js](#)

[remotegui.zip: momentjs.jar: fi.js](#)

[remotegui.zip: momentjs.jar: fil.js](#)

[remotegui.zip: momentjs.jar: fo.js](#)

[remotegui.zip: momentjs.jar: fr-ca.js](#)

[remotegui.zip: momentjs.jar: fr-ch.js](#)

[remotegui.zip: momentjs.jar: fr.js](#)

[remotegui.zip: momentjs.jar: fy.js](#)

[remotegui.zip: momentjs.jar: ga.js](#)

[remotegui.zip: momentjs.jar: gd.js](#)

[remotegui.zip: momentjs.jar: gl.js](#)

[remotegui.zip: momentjs.jar: gom-deva.js](#)

[remotegui.zip: momentjs.jar: gom-latn.js](#)

[remotegui.zip: momentjs.jar: gu.js](#)

[remotegui.zip: momentjs.jar: he.js](#)

[remotegui.zip: momentjs.jar: hi.js](#)

[remotegui.zip: momentjs.jar: hr.js](#)

[remotegui.zip: momentjs.jar: hu.js](#)

[remotegui.zip: momentjs.jar: hy-am.js](#)

[remotegui.zip: momentjs.jar: id.js](#)

[remotegui.zip: momentjs.jar: is.js](#)

[remotegui.zip: momentjs.jar: it-ch.js](#)

[remotegui.zip: momentjs.jar: it.js](#)

[remotegui.zip: momentjs.jar: ja.js](#)

[remotegui.zip: momentjs.jar: jv.js](#)

[remotegui.zip: momentjs.jar: ka.js](#)

[remotegui.zip: momentjs.jar: kk.js](#)

[remotegui.zip: momentjs.jar: km.js](#)

[remotegui.zip: momentjs.jar: kn.js](#)

[remotegui.zip: momentjs.jar: ko.js](#)

[remotegui.zip: momentjs.jar: ku.js](#)

|   |  |  |  |
|---|--|--|--|
| <a href="#">remotegui.zip: momentjs.jar: ky.js</a>                      |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: lb.js</a>                      |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: lo.js</a>                      |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: locales.js</a>                 |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: locales.min.js</a>             |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: lt.js</a>                      |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: lv.js</a>                      |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: me.js</a>                      |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: mi.js</a>                      |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: mk.js</a>                      |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: ml.js</a>                      |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: mn.js</a>                      |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: moment-with-locales.js</a>     |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: moment-with-locales.min.js</a> |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: moment.js</a>                  |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: moment.min.js</a>              |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: mr.js</a>                      |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: ms-my.js</a>                   |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: ms.js</a>                      |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: mt.js</a>                      |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: my.js</a>                      |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: nb.js</a>                      |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: ne.js</a>                      |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: nl-be.js</a>                   |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: nl.js</a>                      |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: nn.js</a>                      |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: oc-lnc.js</a>                  |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: pa-in.js</a>                   |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: package.js</a>                 |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: package.json</a>               |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: pl.js</a>                      |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: pt-br.js</a>                   |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: pt.js</a>                      |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: ro.js</a>                      |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: ru.js</a>                      |  |  |  |

[remotegui.zip: momentjs.jar: sd.js](#)

[remotegui.zip: momentjs.jar: se.js](#)

[remotegui.zip: momentjs.jar: si.js](#)

[remotegui.zip: momentjs.jar: sk.js](#)

[remotegui.zip: momentjs.jar: sl.js](#)

[remotegui.zip: momentjs.jar: sq.js](#)

[remotegui.zip: momentjs.jar: sr-cyrl.js](#)

[remotegui.zip: momentjs.jar: sr.js](#)

[remotegui.zip: momentjs.jar: ss.js](#)

[remotegui.zip: momentjs.jar: sv.js](#)

[remotegui.zip: momentjs.jar: sw.js](#)

[remotegui.zip: momentjs.jar: ta.js](#)

[remotegui.zip: momentjs.jar: te.js](#)

[remotegui.zip: momentjs.jar: tests.js](#)

[remotegui.zip: momentjs.jar: tet.js](#)

[remotegui.zip: momentjs.jar: tg.js](#)

[remotegui.zip: momentjs.jar: th.js](#)

[remotegui.zip: momentjs.jar: tk.js](#)

[remotegui.zip: momentjs.jar: tl-ph.js](#)

[remotegui.zip: momentjs.jar: tlh.js](#)

[remotegui.zip: momentjs.jar: tr.js](#)

[remotegui.zip: momentjs.jar: tzl.js](#)

[remotegui.zip: momentjs.jar: tzm-latn.js](#)

[remotegui.zip: momentjs.jar: tzm.js](#)

[remotegui.zip: momentjs.jar: ug-cn.js](#)

[remotegui.zip: momentjs.jar: uk.js](#)

[remotegui.zip: momentjs.jar: ur.js](#)

[remotegui.zip: momentjs.jar: uz-latn.js](#)

[remotegui.zip: momentjs.jar: uz.js](#)

[remotegui.zip: momentjs.jar: vi.js](#)

[remotegui.zip: momentjs.jar: webjars-requirejs.js](#)

[remotegui.zip: momentjs.jar: x-pseudo.js](#)

[remotegui.zip: momentjs.jar: yo.js](#)

[remotegui.zip: momentjs.jar: zh-cn.js](#)

[remotegui.zip: momentjs.jar: zh-hk.js](#)

|  |  |  |  |
|--|--|--|--|
| <a href="#">remotegui.zip: momentjs.jar: zh-mo.js</a>                              |  |  |  |
| <a href="#">remotegui.zip: momentjs.jar: zh-tw.js</a>                              |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar</a>                                       |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: angular-websocket.js</a>                 |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: app.js</a>                               |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: app.js</a>                               |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: app.js</a>                               |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: app.js</a>                               |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: appbadge.service.js</a>                  |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: authInterceptor.service.js</a>           |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: avatarcard.directive.js</a>              |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: avatardetails.directive.js</a>           |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: avatarimage.directive.js</a>             |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: avatarimagedetails.directive.js</a>      |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: basic.js</a>                             |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: bootstrap-colorpicker.js</a>             |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js</a>          |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: browsercheck.js</a>                      |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: changeavatar.js</a>                      |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js</a> |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: changeavatar.service.js</a>              |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: clearreports.controller.js</a>           |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: collapse.directive.js</a>                |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: colorPicker.directive.js</a>             |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: connectionstate.js</a>                   |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: controller.js</a>                        |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: controller.js</a>                        |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: controller.js</a>                        |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: controllerAbout.js</a>                   |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: controllerShortcuts.controller.js</a>    |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: controllerUserTheme.controller.js</a>    |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: controllers.js</a>                       |  |  |  |
|  |  |  |  |



|  |  |  |  |
|--|--|--|--|
| <a href="#">remotegui.zip: remotegui.jar: controllers.js</a>                                   |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: controllers.js</a>                                   |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: controllers.js</a>                                   |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: controllers.js</a>                                   |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: controllers.js</a>                                   |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: controllers.js</a>                                   |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: controllers.js</a>                                   |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: currencyNumber.directive.js</a>                      |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: currencyValidator.directive.js</a>                   |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js</a> |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js</a>     |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: customemojiupload.js</a>                             |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: data-test.js</a>                                     |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: dataservice.js</a>                                   |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: dataservice.service.js</a>                           |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: datepicker-de.js</a>                                 |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: debug.directive.js</a>                               |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: dialogservice.service.js</a>                         |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: directives.js</a>                                    |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: dropdown.directive.js</a>                            |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: emojiModel.service.js</a>                            |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: emojiselector.directive.js</a>                       |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: errorservice.js</a>                                  |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: errorservice.service.js</a>                          |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: eventemitter.js</a>                                  |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: filechooser.service.js</a>                           |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: fixNumber.directive.js</a>                           |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: fixNumberValidator.directive.js</a>                  |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: floatNumber.directive.js</a>                         |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: floatNumberValidator.directive.js</a>                |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: globalactionservice.service.js</a>                   |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: hdField.directive.js</a>                             |  |  |  |

|  |  |  |  |
|--|--|--|--|
| <a href="#">remotegui.zip: remotegui.jar: hdMandatory.directive.js</a>       |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: hdNeedchange.directive.js</a>      |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: hdValidate.directive.js</a>        |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: hdattachment.js</a>                |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: hdfileupload.js</a>                |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: hsimp.min.js</a>                   |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: hsimp.renderer.js</a>              |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: html5modeurls.js</a>               |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: htmleditor.directive.js</a>        |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: htmleditorFactory.service.js</a>   |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: htmleditorModel.service.js</a>     |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: icons.js</a>                       |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: indexed-db.js</a>                  |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: initUsernameField.directive.js</a> |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: introduction.js</a>                |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: jquery.fileupload.js</a>           |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: keyservice.service.js</a>          |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: kytos-attribute.js</a>             |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: kytos-data.js</a>                  |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: kytos-dropdown.js</a>              |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: kytos-element.js</a>               |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: kytos-i18n-placeholder.js</a>      |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: kytos-i18n.js</a>                  |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: kytos-on.js</a>                    |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: kytos-repeat.js</a>                |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: kytos-src.js</a>                   |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: kytos.js</a>                       |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: localfilesystem.service.js</a>     |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: locationservice.service.js</a>     |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: modal.directive.js</a>             |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: modalservice.service.js</a>        |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: moduledragdrop.js</a>              |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: my-test.js</a>                     |  |  |  |

[remotegui.zip: remotegui.jar: navtaboverflow.directive.js](#)

[remotegui.zip: remotegui.jar: ng-hugerte.js](#)

[remotegui.zip: remotegui.jar: ng-i18n.js](#)

[remotegui.zip: remotegui.jar: numberUtil.js](#)

[remotegui.zip: remotegui.jar: numberValidatorUtil.factory.js](#)

[remotegui.zip: remotegui.jar: ocLazyLoad.jsloader.js](#)

[remotegui.zip: remotegui.jar: ocLazyLoad.min.js](#)

[remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js](#)

[remotegui.zip: remotegui.jar: paged.filter.js](#)

[remotegui.zip: remotegui.jar: pagination.directive.js](#)

[remotegui.zip: remotegui.jar: piechart.directive.js](#)

[remotegui.zip: remotegui.jar: popover.js](#)

[remotegui.zip: remotegui.jar: pwa-service-worker.js](#)

[remotegui.zip: remotegui.jar: pwa.js](#)

[remotegui.zip: remotegui.jar: qrcode.min.js](#)

[remotegui.zip: remotegui.jar: rangeSlider.directive.js](#)

[remotegui.zip: remotegui.jar: resizableDivider.js](#)

[remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js](#)

[remotegui.zip: remotegui.jar: search-panel.js](#)

[remotegui.zip: remotegui.jar: selectInput.directive.js](#)

[remotegui.zip: remotegui.jar: shadowLogger.factory.js](#)

[remotegui.zip: remotegui.jar: sidenavigation.js](#)

[remotegui.zip: remotegui.jar: takeoutDataController.controller.js](#)

[remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js](#)

[remotegui.zip: remotegui.jar: takeoutDataModel.service.js](#)

[remotegui.zip: remotegui.jar: timeInput.directive.js](#)

[remotegui.zip: remotegui.jar: timeInputContainer.directive.js](#)

[remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js](#)

[remotegui.zip: remotegui.jar: toastservice.js](#)

[remotegui.zip: remotegui.jar: translate.js](#)

[remotegui.zip: remotegui.jar: unitFixNumber.directive.js](#)

|  |  |  |  |
|--|--|--|--|
| <a href="#">remotegui.zip: remotegui.jar: unitFloatNumber.directive.js</a>         |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: userservice.js</a>                       |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: usersorgroupsselection.js</a>            |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: usestrict.js</a>                         |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: websitedownload.render.js</a>            |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: websocketdataservice.js</a>              |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: websocketkeepaliveworker.js</a>          |  |  |  |
| <a href="#">remotegui.zip: remotegui.jar: windowdatastore.js</a>                   |  |  |  |
| <a href="#">remotegui.zip: twemoji.jar</a>   |  | <a href="#">pkg:maven/lib/twemoji-null@1.0</a>     |  |
| <a href="#">remoteprinting.zip: remoteprinting.jar</a>                             |  |  |  |
| <a href="#">remoteprinting.zip: remoteprinting.jar: RemotePrintingRenderer.js</a>  |  |  |  |
| <a href="#">remoteprinting.zip: remoteprinting.jar: app.js</a>                     |  |  |  |
| <a href="#">remoteprinting.zip: remoteprinting.jar: htmlviewer.js</a>              |  |  |  |
| <a href="#">remoteprinting.zip: remoteprinting.jar: pdfviewer.angular.js</a>       |  |  |  |
| <a href="#">remoteprinting.zip: remoteprinting.jar: remoteprinting.factory.js</a>  |  |  |  |
| <a href="#">remoteprinting.zip: remoteprinting.jar: remoteprinting.js</a>          |  |  |  |
| <a href="#">remoteprinting.zip: remoteprinting.jar: remoteprinting.model.js</a>    |  |  |  |
| <a href="#">remoteprinting.zip: remoteprinting.jar: remoteprinting.renderer.js</a> |  |  |  |
| <a href="#">reporting.zip: jcommon.jar</a>   |  | <a href="#">pkg:maven/org.jfree/jcommon@1.0.24</a> |  |
| <a href="#">reporting.zip: jfreechartCC.jar</a>                                    |  |  |  |
| <a href="#">reporting.zip: reporting-javadoc.jar</a>                               |  |  |  |
| <a href="#">reporting.zip: reporting-javadoc.jar: member-search-index.js</a>       |  |  |  |
| <a href="#">reporting.zip: reporting-javadoc.jar: package-search-index.js</a>      |  |  |  |
| <a href="#">reporting.zip: reporting-javadoc.jar: type-search-index.js</a>         |  |  |  |
| <a href="#">reporting.zip: reporting.jar</a>                                       |  |  |  |
| <a href="#">reporting.zip: reporting.jar: events.js</a>                            |  |  |  |
| <a href="#">reporting.zip: reporting.jar: export.js</a>                            |  |  |  |
| <a href="#">reporting.zip: reporting.jar: functions.js</a>                         |  |  |  |
|  |  |  |  |

|   |  |  |  |
|---|--|--|--|
| <a href="#">reporting.zip: reporting.jar: generator.js</a>                      |  |  |  |
| <a href="#">reporting.zip: reporting.jar: grouptree.js</a>                      |  |  |  |
| <a href="#">reporting.zip: reporting.jar: htmlreportextension.js</a>            |  |  |  |
| <a href="#">reporting.zip: reporting.jar: jstorage.js</a>                       |  |  |  |
| <a href="#">reporting.zip: reporting.jar: keylistener.js</a>                    |  |  |  |
| <a href="#">reporting.zip: reporting.jar: menubar.js</a>                        |  |  |  |
| <a href="#">reporting.zip: reporting.jar: page.js</a>                           |  |  |  |
| <a href="#">reporting.zip: reporting.jar: pagecount.js</a>                      |  |  |  |
| <a href="#">reporting.zip: reporting.jar: popup.js</a>                          |  |  |  |
| <a href="#">reporting.zip: reporting.jar: print.js</a>                          |  |  |  |
| <a href="#">reporting.zip: reporting.jar: prompts.js</a>                        |  |  |  |
| <a href="#">reporting.zip: reporting.jar: prototype.array.js</a>                |  |  |  |
| <a href="#">reporting.zip: reporting.jar: prototype.element.js</a>              |  |  |  |
| <a href="#">reporting.zip: reporting.jar: prototype.string.js</a>               |  |  |  |
| <a href="#">reporting.zip: reporting.jar: renderreportextension.js</a>          |  |  |  |
| <a href="#">reporting.zip: reporting.jar: reorder.js</a>                        |  |  |  |
| <a href="#">reporting.zip: reporting.jar: report.export.js</a>                  |  |  |  |
| <a href="#">reporting.zip: reporting.jar: report.exportdialog.controller.js</a> |  |  |  |
| <a href="#">reporting.zip: reporting.jar: report.exportdialog.service.js</a>    |  |  |  |
| <a href="#">reporting.zip: reporting.jar: report.exportframe.js</a>             |  |  |  |
| <a href="#">reporting.zip: reporting.jar: script.js</a>                         |  |  |  |
| <a href="#">reporting.zip: reporting.jar: search.js</a>                         |  |  |  |
| <a href="#">reporting.zip: reporting.jar: serverping.js</a>                     |  |  |  |
| <a href="#">reporting.zip: reporting.jar: stacktrace.js</a>                     |  |  |  |
| <a href="#">reporting.zip: reporting.jar: tabbar.js</a>                         |  |  |  |
| <a href="#">sampleapplication.js</a>  |  |  |  |
| <a href="#">sampledatabase.zip: sampledatabase.jar</a>                          |  |  |  |
| <a href="#">sampledatabase.zip: smallsql.jar</a>                                |  |  |  |
| <a href="#">samplereports.zip: samplereports.jar</a>                            |  |  |  |
| <a href="#">search-worker.js</a>  |  |  |  |
| <a href="#">security.zip: security.jar</a>                                      |  |  |  |
| <a href="#">sessiondatasource.sample.zip: sessiondatasource.sample.jar</a>      |  |  |  |
| <a href="#">sessiondatasource.zip: sessiondatasource.sample.jar</a>             |  |  |  |
| <a href="#">setuplauncher.jar</a>   |  |  |  |

|   |  |  |  |
|---|--|--|--|
| <a href="#">slf4j-api-2.0.16.jar</a>  |  | <a href="#">pkg:maven/org.slf4j/slf4j-api@2.0.16</a>               |  |
| <a href="#">statistics.reporting.zip: statistics.reporting.jar</a>                                    |  |  |  |
| <a href="#">statistics.zip: statistics.jar</a>  |  |  |  |
| <a href="#">statistics.zip: statistics.jar: controller.js</a>   |  |  |  |
| <a href="#">statistics.zip: statistics.jar: embeddedstatisticsapp.js</a>                              |  |  |  |
| <a href="#">statistics.zip: statistics.jar: flotr2.min.js</a>   |  |  |  |
| <a href="#">statistics.zip: statistics.jar: rendererstatistics.js</a>                                 |  |  |  |
| <a href="#">statistics.zip: statistics.jar: statisticsFactory.js</a>                                  |  |  |  |
| <a href="#">svgSalamander.jar</a>   | cpe:2.3:a:kitfox:svg_salamander:1.1.3:*.***.***.*  | <a href="#">pkg:maven/guru.nidi.com.kitfox/svgSalamander@1.1.3</a> |  |
| <a href="#">taskplanner.logaction.sample.zip: taskplanner.logaction.sample.jar</a>                    |  |  |  |
| <a href="#">taskplanner.openweathermap.sample.zip: taskplanner.openweathermap.sample.jar</a>          |  |  |  |
| <a href="#">taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar</a>                          |  |  |  |
| <a href="#">taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: member-search-index.js</a>  |  |  |  |
| <a href="#">taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: package-search-index.js</a> |  |  |  |
| <a href="#">taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: type-search-index.js</a>    |  |  |  |
| <a href="#">taskplanner.reporting.zip: taskplanner.reporting.jar</a>                                  |  |  |  |
| <a href="#">taskplanner.reporting.zip: taskplanner.reporting.jar: crttaskplanner.js</a>               |  |  |  |
| <a href="#">taskplanner.zip: commons-cli.jar</a>  |  | <a href="#">pkg:maven/commons-cli/commons-cli@1.9.0</a>            |  |
| <a href="#">taskplanner.zip: cron-utils.jar</a>   | cpe:2.3:a:cron-utils_project:cron-utils:9.2.1:*.***.***.*<br>cpe:2.3:a:utils_project:utils:9.2.1:*.***.***.* | <a href="#">pkg:maven/com.cronutils/cron-utils@9.2.1</a>           |  |
| <a href="#">taskplanner.zip: guava.jar</a>  | cpe:2.3:a:google:guava:33.4.8:*.***.***.*  | <a href="#">pkg:maven/com.google.guava/guava@33.4.8-jre</a>        |  |
| <a href="#">taskplanner.zip: taskplanner-javadoc.jar</a>  |  |  |  |
| <a href="#">taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js</a>                      |  |  |  |
| <a href="#">taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js</a>                     |  |  |  |
| <a href="#">taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js</a>                        |  |  |  |

|   |  |  |  |
|---|--|--|--|
| <a href="#">taskplanner.zip: taskplanner.jar</a>  |  |  |  |
| <a href="#">taskplanner.zip: taskplanner.jar: app.js</a>  |  |  |  |
| <a href="#">taskplanner.zip: taskplanner.jar: boolean.directive.js</a>  |  |  |  |
| <a href="#">taskplanner.zip: taskplanner.jar: colorField.directive.js</a>   |  |  |  |
| <a href="#">taskplanner.zip: taskplanner.jar: controller.js</a>   |  |  |  |
| <a href="#">taskplanner.zip: taskplanner.jar: factory.js</a>  |  |  |  |
| <a href="#">taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js</a>                               |  |  |  |
| <a href="#">taskplanner.zip: taskplanner.jar: model.js</a>  |  |  |  |
| <a href="#">taskplanner.zip: taskplanner.jar: numberRange.directive.js</a>  |  |  |  |
| <a href="#">taskplanner.zip: taskplanner.jar: numberWrapper.directive.js</a>  |  |  |  |
| <a href="#">taskplanner.zip: taskplanner.jar: passwordTextField.directive.js</a>                                    |  |  |  |
| <a href="#">taskplanner.zip: taskplanner.jar: renderer.directive.js</a>   |  |  |  |
| <a href="#">taskplanner.zip: taskplanner.jar: simpleCurrencyField.directive.js</a>                                  |  |  |  |
| <a href="#">taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js</a>                                  |  |  |  |
| <a href="#">taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js</a>                                |  |  |  |
| <a href="#">taskplanner.zip: taskplanner.jar: simpleGroup.directive.js</a>  |  |  |  |
| <a href="#">taskplanner.zip: taskplanner.jar: simpleLabel.directive.js</a>  |  |  |  |
| <a href="#">taskplanner.zip: taskplanner.jar: simpleLink.directive.js</a>   |  |  |  |
| <a href="#">taskplanner.zip: taskplanner.jar: simpleSelect.directive.js</a>   |  |  |  |
| <a href="#">taskplanner.zip: taskplanner.jar: simpleTextField.directive.js</a>                                      |  |  |  |
| <a href="#">taskplanner.zip: taskplanner.jar: stringTable.directive.js</a>  |  |  |  |
| <a href="#">taskplanner.zip: taskplanner.jar: taskplanner_maintenance.js</a>  |  |  |  |
| <a href="#">taskplanner.zip: taskplanner.jar: textAreaField.directive.js</a>  |  |  |  |
| <a href="#">theme.zip: theme.jar</a>  |  |  |  |
| <a href="#">urlcookie.sample.zip: urlcookie.sample.jar</a>  |  |  |  |
| <a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar</a>  |  |  |  |
| <a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeAccountSettingsRenderer.directive.js</a> |  |  |  |

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[fieldtypeBooleanRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[fieldtypeCommaSeparatedRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[fieldtypeCurrencyRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar: fieldtypeDateRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar: fieldtypeDoubleRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar: fieldtypeHintRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar: fieldtypeIntegerRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar: fieldtypeLinkRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar: fieldtypeLoginsRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[fieldtypeMembersRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[fieldtypeMultilineRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[fieldtypePermissionRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar: fieldtypeSelectRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[fieldtypeStayLoggedInSessionsRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[fieldtypeStringListRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar: fieldtypeStringRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar: fieldtypeTimeRenderer.directive.js](#)



[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[fieldtypeTimerangeRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar: membershipentry.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar: membershiplist.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar: nonmembershiplist.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[permissionCheckboxRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[permissionRadiobuttonRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[usersandgroupsmanagercontroller.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[usersandgroupsmanagerdetailscontroller.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[usersandgroupsmanagerdialogcontroller.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[usersandgroupsmanagerdirectives.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[usersandgroupsmanagereffectivepermissionscontroller.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[usersandgroupsmanagerfactory.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[usersandgroupsmanagermodel.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[usersandgroupsmanagerpredeletionwarning.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[usersandgroupsmanagerrenderer.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[usersandgroupsmanagerstatisticscontroller.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[usersandgroupsmanagertakeoutcontroller.js](#)

|   |  |  |  |
|---|--|--|--|
| <a href="#">webapi.core.zip: swagger-models.jar</a>                     | cpe:2.3:a:http-swagger_project:http-swagger:2.2.27:*:*:*:*:*   | <a href="#">pkg:maven/io.swagger.core.v3/swagger-models@2.2.27</a>                       |  |
| <a href="#">webapi.core.zip: webapi.core.jar</a>                        |  |  |  |
| <a href="#">webapi.core.zip: webapi.core.jar: shared.factory.js</a>     |  |  |  |
| <a href="#">webapi.core.zip: webapi.core.jar: webapi.codemirror.js</a>  |  |  |  |
| <a href="#">webapi.core.zip: webapi.core.jar: webapi.core.editor.js</a> |  |  |  |
| <a href="#">webapi.core.zip: webapi.core.jar: webapi.core.js</a>        |  |  |  |
| <a href="#">webserver.defender.zip: webserver.defender.jar</a>          |  |  |  |
| <a href="#">webserver.zip: acme4j-client.jar</a>                        |  | <a href="#">pkg:maven/org.shredzone.acme4j/acme4j-client@3.5.1</a>                       |  |
| <a href="#">webserver.zip: jetty-websocket-core-client.jar</a>          | cpe:2.3:a:eclipse:jetty:12.1.1:*:*:*:*:*<br>cpe:2.3:a:jetty:jetty:12.1.1:*:*:*:*:*<br>cpe:2.3:a:mortbay_jetty:jetty:12.1.1:*:*:*:*:*   | <a href="#">pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-client@12.1.1</a> |  |
| <a href="#">webserver.zip: jetty-websocket-core-server.jar</a>          | cpe:2.3:a:eclipse:jetty:12.1.1:*:*:*:*:*<br>cpe:2.3:a:jetty:jetty:12.1.1:*:*:*:*:*<br>cpe:2.3:a:jetty:jetty_http_server:12.1.1:*:*:*:*:*<br>cpe:2.3:a:mortbay_jetty:jetty:12.1.1:*:*:*:*:* | <a href="#">pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-server@12.1.1</a> |  |
| <a href="#">webserver.zip: jose4j.jar</a>                               | cpe:2.3:a:jose4j_project:jose4j:0.9.6:*:*:*:*:*  | <a href="#">pkg:maven/org.bitbucket.b_c/jose4j@0.9.6</a>                                 |  |
| <a href="#">webserver.zip: webserver.jar</a>                            |  |  |  |

## Dependencies (vulnerable)

### BarcodePDF417Bean.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/BarcodePDF417Bean.jar

**MD5:** 012101461a4d63cfd90c9c442694c357

**SHA1:** 64fd84fa65e3b11ac7a486c5688a9e6679b60402

**SHA256:** 445abda05047c2b8ada4a2bcf9de8f0999c3f48b4c303a9c26615473207f91af

**Referenced In Project/Scope:** server

#### Evidence

| Type   | Source | Name         | Value             | Confidence |
|--------|--------|--------------|-------------------|------------|
| Vendor | file   | name         | BarcodePDF417Bean | High       |
| Vendor | jar    | package name | beans             | Low        |

|         |          |                          |                                      |        |
|---------|----------|--------------------------|--------------------------------------|--------|
| Vendor  | jar      | package name             | inet                                 | Low    |
| Vendor  | jar      | package name             | pdf417                               | Low    |
| Vendor  | Manifest | built-date               | 2025-10-01 19:00                     | Low    |
| Vendor  | Manifest | implementation-group     | reporting                            | Low    |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High   |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low    |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium |
| Product | file     | name                     | BarcodePDF417Bean                    | High   |
| Product | jar      | package name             | beans                                | Low    |
| Product | jar      | package name             | pdf417                               | Low    |
| Product | Manifest | built-date               | 2025-10-01 19:00                     | Low    |
| Product | Manifest | implementation-group     | reporting                            | Low    |
| Product | Manifest | Implementation-Title     | BarcodePDF417Bean                    | High   |
| Product | Manifest | specification-title      | BarcodePDF417Bean                    | Medium |
| Version | file     | name                     | BarcodePDF417Bean                    | Medium |
| Version | file     | version                  | 417                                  | Medium |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High   |

#### Identifiers

- None

## Fositex.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/Fositex.jar

**MD5:** e5bf2cbb470365b512dac891b5ccb197

**SHA1:** dfac509b508c61e71d8691850c1c731b35d0a87e

**SHA256:** 904e90056e83854788de56832aa73a3744832852d25e189d748ff91996871577

**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source | Name         | Value   | Confidence |
|---------|--------|--------------|---------|------------|
| Vendor  | file   | name         | Fositex | High       |
| Vendor  | jar    | package name | csv     | Low        |
| Vendor  | jar    | package name | inet    | Low        |
| Product | file   | name         | Fositex | High       |
| Product | jar    | package name | csv     | Low        |

#### Identifiers

- None

## ICSharpCode.SharpZipLib.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - WindowsForms .NET/lib/ICSharpCode.SharpZipLib.dll

**MD5:** 9e9e0a210297968aaf2e00d13958c0b4

**SHA1:** a32d2dbeac852718f285e26e3d9436a97879e55c

**SHA256:** cb9c05b5a1e1db26ff43490ee26f2e02abae3f321d2dd5ddd43a68da48eab83d

**Referenced In Project/Scope:** server

#### Evidence

| Type    | Source | Name | Value                   | Confidence |
|---------|--------|------|-------------------------|------------|
| Vendor  | file   | name | ICSharpCode.SharpZipLib | High       |
| Product | file   | name | ICSharpCode.SharpZipLib | High       |

#### Related Dependencies

- ICSharpCode.SharpZipLib.dll
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Java - Samples/viewer\_.net/WindowsForms/ReportViewer/lib/ICSharpCode.SharpZipLib.dll
  - MD5: 9e9e0a210297968aaf2e00d13958c0b4
  - SHA1: a32d2dbeac852718f285e26e3d9436a97879e55c
  - SHA256: cb9c05b5a1e1db26ff43490ee26f2e02abae3f321d2dd5ddd43a68da48eab83d

#### Identifiers

- None

## JBarcodeBean.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/JBarcodeBean.jar

**MD5:** c650fda9e7f38dd5059e775f67e4c738

**SHA1:** fd113b0c0b4f4e5a90c59b95504b6255a466c566

**SHA256:** 6a876a81e622477c2dfc059f95411bd02109c418a471a497917b89e4ff7bf551

**Referenced In Project/Scope:** server

### Evidence



| Type    | Source | Name         | Value        | Confidence |
|---------|--------|--------------|--------------|------------|
| Vendor  | file   | name         | JBarcodeBean | High       |
| Vendor  | jar    | package name | jbarcodebean | Low        |
| Product | file   | name         | JBarcodeBean | High       |

### Identifiers

- None

## JGaugeBean.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/JGaugeBean.jar

**MD5:** 2df6340408f92f8134056861f02c80ce

**SHA1:** 1382e139bcc9fdc47abc33dabe023d726379d0ae

**SHA256:** 5a98e19372880bd3631734acef8d071e71c7b31c7ca2d3fc1aafc87481373f0c

**Referenced In Project/Scope:** server

### Evidence



| Type   | Source   | Name                 | Value            | Confidence |
|--------|----------|----------------------|------------------|------------|
| Vendor | file     | name                 | JGaugeBean       | High       |
| Vendor | jar      | package name         | beans            | Low        |
| Vendor | jar      | package name         | gauge            | Low        |
| Vendor | jar      | package name         | inet             | Low        |
| Vendor | Manifest | built-date           | 2025-10-01 19:00 | Low        |
| Vendor | Manifest | implementation-group | reporting        | Low        |

|         |          |                          |                                      |        |
|---------|----------|--------------------------|--------------------------------------|--------|
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High   |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low    |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium |
| Product | file     | name                     | JGaugeBean                           | High   |
| Product | jar      | package name             | beans                                | Low    |
| Product | jar      | package name             | gauge                                | Low    |
| Product | Manifest | built-date               | 2025-10-01 19:00                     | Low    |
| Product | Manifest | implementation-group     | reporting                            | Low    |
| Product | Manifest | Implementation-Title     | JGaugeBean                           | High   |
| Product | Manifest | specification-title      | JGaugeBean                           | Medium |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High   |

Identifiers

- None

Merlia-0.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/lib/Merlia/0/e4af937135679cc07f99529ee7ca127519bd3a06/Merlia-0.jar  
**MD5:** 3eb81fb3cc977f1a3eb1fb26b2b38666  
**SHA1:** e4af937135679cc07f99529ee7ca127519bd3a06  
**SHA256:**b1d1878d936c27b010e6f3c123d8d7f2f7f6960a53e5b01b1b1c3d104c29b0a8  
**Referenced In Projects/Scopes:**

- server
- server:inetPlugin

**Included by:** pkg:maven/clear-reports/server@25.10

Evidence

| Type   | Source | Name       | Value    | Confidence |
|--------|--------|------------|----------|------------|
| Vendor | file   | name       | Merlia-0 | High       |
| Vendor | gradle | artifactid | Merlia   | Highest    |
|        |        |            |          |            |

|         |          |                |          |         |
|---------|----------|----------------|----------|---------|
| Vendor  | gradle   | groupid        | lib      | Highest |
| Vendor  | jar      | package name   | inet     | Low     |
| Vendor  | jar      | package name   | tds      | Low     |
| Product | file     | name           | Merlia-0 | High    |
| Product | gradle   | artifactid     | Merlia   | Highest |
| Product | jar      | package name   | tds      | Low     |
| Version | file     | name           | Merlia-0 | Medium  |
| Version | file     | version        | 0        | Medium  |
| Version | gradle   | version        | 0        | Highest |
| Version | Manifest | driver-version | 8.13     | Medium  |

#### Related Dependencies

- Merlia.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/Merlia.jar
  - MD5: 3eb81fb3cc977f1a3eb1fb26b2b38666
  - SHA1: e4af937135679cc07f99529ee7ca127519bd3a06
  - SHA256: b1d1878d936c27b010e6f3c123d8d7f2f7f6960a53e5b01b1b1c3d104c29b0a8

#### Identifiers

- [pkg:maven/lib/Merlia@0](#) (*Confidence*:Highest)

## Oranxo.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/Oranxo.jar

**MD5:** 208c5714d1da9c09e80d98a57a7301d8

**SHA1:** a2fb91b70bdec058207e611da6fe8555d1fb05a1

**SHA256:**11153cd1cc8a6e6d25e2f19aab847ee1ba30dc870813c555c17bdc25d47a09c6

**Referenced In Project/Scope:** server

#### Evidence

| Type   | Source | Name         | Value  | Confidence |
|--------|--------|--------------|--------|------------|
| Vendor | file   | name         | Oranxo | High       |
| Vendor | jar    | package name | inet   | Low        |
| Vendor | jar    | package name | ora    | Low        |

|         |          |                |        |        |
|---------|----------|----------------|--------|--------|
| Product | file     | name           | Oranxo | High   |
| Product | jar      | package name   | ora    | Low    |
| Version | Manifest | driver-version | 4.06   | Medium |

#### Identifiers

- None

## ReportViewer.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Java - Samples/ReportViewer.jar

**MD5:** aab7aaa4822b2137799a1b199d072520

**SHA1:** f030005fc64128f3ae0a6644c8c85b048ad376cf

**SHA256:** 59f4d8b183658f486759200ad2a78ab256a9895214b74c48b41ab9031eb947bc

**Referenced In Project/Scope:** server

#### Evidence +

| Type   | Source   | Name                                   | Value               | Confidence |
|--------|----------|--|---------------------|------------|
| Vendor | file     | name                                   | ReportViewer        | High       |
| Vendor | jar      | package name                           | i                   | Highest    |
| Vendor | jar      | package name                           | inet                | Low        |
| Vendor | jar      | package name                           | viewer              | Low        |
| Vendor | Manifest | application-library-allowable-codebase | *                   | Low        |
| Vendor | Manifest | application-name                       | i-net Clear Reports | Medium     |
| Vendor | Manifest | built-date                             | 2025-10-01 18:36    | Low        |
| Vendor | Manifest | codebase                               | *                   | Low        |
| Vendor | Manifest | implementation-group                   | reporting           | Low        |
| Vendor | Manifest | Implementation-Vendor                  | i-net software      | High       |
| Vendor | Manifest | Implementation-Vendor-Id               | de.inetsoftware     | Medium     |
| Vendor | Manifest | permissions                            | all-permissions     | Low        |
| Vendor | Manifest | specification-vendor                   | i-net software      | Low        |



|         |          |  |                                      |         |
|---------|----------|--|--------------------------------------|---------|
| Vendor  | Manifest | trusted-library                        | false                                | Low     |
| Vendor  | Manifest | trusted-only                           | false                                | Low     |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                                   | ReportViewer                         | High    |
| Product | jar      | package name                           | i                                    | Highest |
| Product | jar      | package name                           | reportviewer                         | Highest |
| Product | jar      | package name                           | viewer                               | Low     |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low     |
| Product | Manifest | application-name                       | i-net Clear Reports                  | Medium  |
| Product | Manifest | built-date                             | 2025-10-01 18:36                     | Low     |
| Product | Manifest | codebase                               | *                                    | Low     |
| Product | Manifest | implementation-group                   | reporting                            | Low     |
| Product | Manifest | Implementation-Title                   | ReportViewer                         | High    |
| Product | Manifest | permissions                            | all-permissions                      | Low     |
| Product | Manifest | specification-title                    | ReportViewer                         | Medium  |
| Product | Manifest | trusted-library                        | false                                | Low     |
| Product | Manifest | trusted-only                           | false                                | Low     |
| Version | Manifest | Implementation-Version                 | 25.10.198                            | High    |

## Related Dependencies



- ReportViewer.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/ReportViewer.jar
  - MD5: aab7aaa4822b2137799a1b199d072520
  - SHA1: f030005fc64128f3ae0a6644c8c85b048ad376cf
  - SHA256: 59f4d8b183658f486759200ad2a78ab256a9895214b74c48b41ab9031eb947bc

## Identifiers

- [cpe:2.3:a:inetsoftware:clear\\_reports:25.10.198:.\\*.\\*.\\*.\\*.\\*](#) (*Confidence:Medium*)
- [cpe:2.3:a:inetsoftware:i-net\\_clear\\_reports:25.10.198:.\\*.\\*.\\*.\\*.\\*](#) (*Confidence:Medium*)

## ReportViewerWinForms.csproj

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - WindowsForms .NET/ReportViewerWinForms.csproj

**MD5:** 6461eb9c75fbd531e3a8571dc4da4ce

**SHA1:** 18b8709f159bddca04bfd2043f7718bfd364168

**SHA256:** d89d6f94d27dc30be63126f4e4e75d900168377e99b413a26ae6b9be49a20e25

**Referenced In Project/Scope:** server

### Evidence

| Type    | Source | Name | Value                | Confidence |
|---------|--------|------|----------------------|------------|
| Vendor  | file   | name | ReportViewerWinForms | High       |
| Product | file   | name | ReportViewerWinForms | High       |

### Related Dependencies

- ReportViewerWinForms.csproj
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Java - Samples/viewer\_.net/WindowsForms/ReportViewer/ReportViewerWinForms.csproj
  - MD5: 6461eb9c75fbd531e3a8571dc4da4ce
  - SHA1: 18b8709f159bddca04bfd2043f7718bfd364168
  - SHA256: d89d6f94d27dc30be63126f4e4e75d900168377e99b413a26ae6b9be49a20e25

### Identifiers

- None

## ReportViewerWinFormsTests.csproj

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - WindowsForms .NET/ReportViewerWinFormsTests.csproj

**MD5:** 668406baec4c761e2302676f4a7b88d7

**SHA1:** 23bbcd2cfc57c661aaeafc24bb0ab360b402f45b

**SHA256:** 30a3bcf624662bfd75afc4302f034cfa5640a457b35bf0de05f52b531d73f2b5

**Referenced In Project/Scope:** server

### Evidence

| Type    | Source | Name | Value                     | Confidence |
|---------|--------|------|---------------------------|------------|
| Vendor  | file   | name | ReportViewerWinFormsTests | High       |
| Product | file   | name | ReportViewerWinFormsTests | High       |

#### Related Dependencies

- ReportViewerWinFormsTests.csproj
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Java - Samples/viewer\_.net/WindowsForms/ReportViewer/ReportViewerWinFormsTests.csproj
  - MD5: 668406baec4c761e2302676f4a7b88d7
  - SHA1: 23bbbed2cfc57c661aaefc24bb0ab360b402f45b
  - SHA256: 30a3bcf624662bfd75afc4302f034cfa5640a457b35bf0de05f52b531d73f2b5

#### Identifiers

- None

## Syto.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/Syto.jar

**MD5:** 62a8cd327489a2594a5d5cae627d5742

**SHA1:** 2b28e808d0b71585e4bc154fc7bd495595b895ef

**SHA256:** d0924747503b5ce3f77e3bf047118df29602192998bb34624fe5870f60e4b037

**Referenced In Project/Scope:** server

#### Evidence

| Type    | Source | Name         | Value | Confidence |
|---------|--------|--------------|-------|------------|
| Vendor  | file   | name         | Syto  | High       |
| Vendor  | jar    | package name | inet  | Low        |
| Vendor  | jar    | package name | pool  | Low        |
| Product | file   | name         | Syto  | High       |
| Product | jar    | package name | pool  | Low        |

#### Identifiers

- None

## ZxingBarCodes.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/ZxingBarCodes.jar

**MD5:** 38b391753fbca8ebab3c3a888419cefd

**SHA1:** 10883df0574a2fc0253b96da9d1f2c00831aa4a6

**SHA256:** c0f4b4043f81c525ff5ef3b73c0c81c9e0c31ca7437a860dd7673413501c66e4

**Referenced In Project/Scope:** server

### Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | ZxingBarCodes                        | High       |
| Vendor  | jar      | package name             | beans                                | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | zxing                                | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 19:00                     | Low        |
| Vendor  | Manifest | implementation-group     | reporting                            | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | ZxingBarCodes                        | High       |
| Product | jar      | package name             | beans                                | Low        |
| Product | jar      | package name             | zxing                                | Low        |
| Product | jar      | package name             | zxingbarcodes                        | Highest    |
| Product | Manifest | built-date               | 2025-10-01 19:00                     | Low        |
| Product | Manifest | implementation-group     | reporting                            | Low        |
| Product | Manifest | Implementation-Title     | ZxingBarCodes                        | High       |
| Product | Manifest | specification-title      | ZxingBarCodes                        | Medium     |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High       |

### Identifiers

- None

### adhoc.zip: adhoc-javadoc.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar

**MD5:** 92cac696df1e65f34ef6442a25cafdbb

**SHA1:** bf207fa3bbe5196945e98824063a93fca2be44d3

**SHA256:** 90e33182995bb9cdb51743564dc3dbd043d59a90dbf950ce5ed11a5de0e64bc4

**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source | Name | Value         | Confidence |
|---------|--------|------|---------------|------------|
| Vendor  | file   | name | adhoc-javadoc | High       |
| Product | file   | name | adhoc-javadoc | High       |

#### Identifiers

- None

### adhoc.zip: adhoc-javadoc.jar: jquery-3.6.1.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/script-dir/jquery-3.6.1.min.js

**MD5:** 00727d1d5d9c90f7de826f1a4a9cc632

**SHA1:** ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2

**SHA256:** a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Related Dependencies



- authentication.oauth.zip: authentication.oauth-javadoc.jar: jquery-3.6.1.min.js

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/script-dir/jquery-3.6.1.min.js
- MD5: 00727d1d5d9c90f7de826f1a4a9cc632
- SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
- SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- maintenance.zip: maintenance-javadoc.jar: jquery-3.6.1.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-3.6.1.min.js
  - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
  - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
  - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- reporting.zip: reporting-javadoc.jar: jquery-3.6.1.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-3.6.1.min.js
  - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
  - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
  - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-3.6.1.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir/jquery-3.6.1.min.js
  - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
  - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
  - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- taskplanner.zip: taskplanner-javadoc.jar: jquery-3.6.1.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-3.6.1.min.js
  - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
  - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
  - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74

#### Identifiers

- None

### adhoc.zip: adhoc-javadoc.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/script-dir/jquery-ui.min.js

**MD5:** 32059df39c14a910ccc2325f6a3cd62f

**SHA1:** d3289f1b527a3f054d303ec769402e037fbfcf4b

**SHA256:** 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

|         |      |         |           |      |
|---------|------|---------|-----------|------|
| Vendor  | file | name    | jquery-ui | High |
| Product | file | name    | jquery-ui | High |
| Version | file | version | 1.13.1    | High |

## Related Dependencies



- authentication.oauth.zip: authentication.oauth-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
  - [pkg:javascript/jquery-ui@1.13.1](#)
- maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
  - [pkg:javascript/jquery-ui@1.13.1](#)
- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
  - [pkg:javascript/jquery-ui@1.13.1](#)
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
  - [pkg:javascript/jquery-ui@1.13.1](#)
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
  - [pkg:javascript/jquery-ui@1.13.1](#)

## Identifiers

- [pkg:javascript/jquery-ui@1.13.1](#) (Confidence: Highest)

## adhoc.zip: adhoc-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/member-search-index.js

**MD5:** a11a003432f42524d56629b19a1483b3

**SHA1:** 8cffaec74a440180929e2b2de7d62f57243aabf7

**SHA256:** b57d8acb20e1bbe3c9de51666f29072c04cf9ad2a2146f3e2c4408f9e2a80367

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## adhoc.zip: adhoc-javadoc.jar: module-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/module-search-index.js

**MD5:** a33da0f469acbd03f77bf407bac505f5

**SHA1:** 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8

**SHA256:** 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Related Dependencies



- authentication.oauth.zip: authentication.oauth-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- maintenance.zip: maintenance-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18



- reporting.zip: reporting-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- taskplanner.zip: taskplanner-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

#### Identifiers

- None

### adhoc.zip: adhoc-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/package-search-index.js

**MD5:** 443c6de8c51f57bb46f9edf936be4831

**SHA1:** 8ab16f7861b9adc0d4e5e4534a0b9944ddba22a0

**SHA256:** 1b37c4985983a5e016aa6710ac4705e886ea68722beaaf977f638efa5ab3b704

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### adhoc.zip: adhoc-javadoc.jar: script.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/script.js  
**MD5:** baf9d9e16237acbdce975a33c54ee8ae  
**SHA1:** cc6a3c8d72f17eff0d613ddfcf7c1095535573f7  
**SHA256:** 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Related Dependencies



- authentication.oauth.zip: authentication.oauth-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/script.js
  - MD5: baf9d9e16237acbdce975a33c54ee8ae
  - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
  - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
- maintenance.zip: maintenance-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/script.js
  - MD5: baf9d9e16237acbdce975a33c54ee8ae
  - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
  - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
- reporting.zip: reporting-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/script.js
  - MD5: baf9d9e16237acbdce975a33c54ee8ae
  - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
  - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script.js
  - MD5: baf9d9e16237acbdce975a33c54ee8ae
  - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
  - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
- taskplanner.zip: taskplanner-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/script.js
  - MD5: baf9d9e16237acbdce975a33c54ee8ae
  - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
  - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975

Identifiers

- None

## adhoc.zip: adhoc-javadoc.jar: search.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/search.js

**MD5:** cb277f670590ffec20a12745260518dc

**SHA1:** 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca

**SHA256:** 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Related Dependencies



- authentication.oauth.zip: authentication.oauth-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/search.js
  - MD5: cb277f670590ffec20a12745260518dc
  - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
  - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- maintenance.zip: maintenance-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/search.js
  - MD5: cb277f670590ffec20a12745260518dc
  - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
  - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- reporting.zip: reporting-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/search.js
  - MD5: cb277f670590ffec20a12745260518dc
  - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
  - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/search.js
  - MD5: cb277f670590ffec20a12745260518dc
  - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
  - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- taskplanner.zip: taskplanner-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/search.js
  - MD5: cb277f670590ffec20a12745260518dc
  - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
  - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

### Identifiers

- None

### adhoc.zip: adhoc-javadoc.jar: tag-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/tag-search-index.js  
**MD5:** acda0a4d961a2dbb052cf81694d1c50b  
**SHA1:** 4853e0d2a022b5098359e59d740952ee1e187c04  
**SHA256:** 4394bc27c97d0c9018c2fb763bfc045db14433b160e3c1fec16795d1d1967aaf  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### adhoc.zip: adhoc-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/type-search-index.js  
**MD5:** 35601b6ef3d0d29583b9fd84fa024e11  
**SHA1:** d6778f941634eea1e7531383aa3d61199a5169b5  
**SHA256:** e41d5f216525aa5f8dd4034163d890d31e4aac6e5e7f4d5847b596e5e27ebe77  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### adhoc.zip: adhoc.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar  
**MD5:** 467ca40f263d53affe42b70963e1b775  
**SHA1:** e6b2ed52c4baa6fe19aac9ee6e6abf05e3183b2a  
**SHA256:**8b3356785382df343de07326da325ae057d782b375c3658b4cc40bcf459b18ce  
**Referenced In Project/Scope:** server

Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | adhoc                                | High       |
| Vendor  | jar      | package name             | adhoc                                | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | report                               | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 18:57                     | Low        |
| Vendor  | Manifest | implementation-group     | reporting                            | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | adhoc                                | High       |
| Product | jar      | package name             | adhoc                                | Highest    |
| Product | jar      | package name             | adhoc                                | Low        |
| Product | jar      | package name             | report                               | Low        |
| Product | jar      | package name             | server                               | Low        |
| Product | Manifest | built-date               | 2025-10-01 18:57                     | Low        |
| Product | Manifest | implementation-group     | reporting                            | Low        |
| Product | Manifest | Implementation-Title     | adhoc                                | High       |
| Product | Manifest | specification-title      | adhoc                                | Medium     |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High       |

Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.ai.panel.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.ai.panel.js

**MD5:** c9621818e2fa2105a73d09882414f2b2

**SHA1:** 592226c5494aa756bfb304dbbc8d933fc2ceb7f

**SHA256:** a271f3f74b7245c3ab110554a37a613e0ef9c0ef31c90ef8e5983655da33e41c

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.chartresizeobserver.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.chartresizeobserver.js

**MD5:** 2353f6ab5c7683c4f071cb593ea217b6

**SHA1:** 08d6eba3020002ca0a114ffbe02c6c3b015e77a4

**SHA256:** 909ec3c7da69961a59c995c8e9d648ed211c434ad884054eac946c44e3e0cac9

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.componentresizeobserver.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.componentresizeobserver.js  
**MD5:** e456cb79474b1658f85e888026638cc9  
**SHA1:** 8a3dbb6395ed6bfd0daabd706cc3eff68b69db88  
**SHA256:** 9dd8d55582f0cc3da01c52225df9feb0a013053e7fe284a05e02a529bec7  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.openfiledropzone.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.openfiledropzone.js  
**MD5:** 8e84aa7ab7e98c0dec8019701658d2b4  
**SHA1:** bdad0809b3e268ae1b0c610b95b1156104550a6d  
**SHA256:** 67d5e615c4b54f10c8dde13f257d1a700522bf15d9d5629758d10a58b8292b7b  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.pageheadertoolbar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.pageheadertoolbar.js  
**MD5:** 3db0f95df6f62025ca4806507d4f0f43  
**SHA1:** fbe797943666cf95d624757a2fd20061ad8a46ec  
**SHA256:** 52b002248c5ee906fffd1d9dcbde2fbd9879ae541cb6ecbec575fa6d0c20213b  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## adhoc.zip: adhoc.jar: adhoc.reportcomponentview.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportcomponentview.js

**MD5:** 1183a925e74bcd44507fd81ac32726

**SHA1:** 3283ed287bfc7d8130e7b40e27e59f256c47feca

**SHA256:** e79219570e282ad7f72c1691fe5a6f6be0b6cd679991113a3dd82ef5534101ca

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## adhoc.zip: adhoc.jar: adhoc.reportpropertiesarea.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportpropertiesarea.js

**MD5:** 66e39cbb1c1a68f71d5d8644b757ce94

**SHA1:** 267aed374d6ed69510ce8dfa22e53514c0b37ba7

**SHA256:** 9fd5b15728af631f2004b4ddd85943bcaa2978c9c2601626b8daba6a02731534

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|



### Identifiers

- None

## adhoc.zip: adhoc.jar: adhoc.reportproperty.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.js

**MD5:** b983a3cfd912512fbc60090e89711a79

**SHA1:** 5ee3a9659326fa2c537a989847992beeba94a732

**SHA256:** a990433c893aab0121361a967244ca651adabdd7fcc466c6fe7aa0b929241fff

**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## adhoc.zip: adhoc.jar: adhoc.reportproperty.printconverter.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.printconverter.js

**MD5:** 0156e3fbc45f0b07b8a5804b7e13afc7

**SHA1:** a5b87c150ed5c97c87ad474b8658b8cbaec3d1c7

**SHA256:** 03b11b97d110dfc75c6ea6f3a3a9daa057ae468452b0de8abd957e2335ce1e5f

**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.access.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.access.js

**MD5:** 3c3cc1f827d6dbcf0ac4c5a51c4ab89f

**SHA1:** 67d3370998c83d720424474dfd3fcc1fa772148c

**SHA256:** 0482946023e643fb686feffd6a17471305f135f4c37bc5dc4b425b5c16e237cd

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.boolean.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.boolean.js

**MD5:** 8dc62791382904705c86dd5b30dd6057

**SHA1:** 0dd574f611b4a9e778e2eb5d35f6eb053b2ff9b6

**SHA256:** 92f8f5f2b8ea2dc1144577404450c4a027a3ad58acffe5bc40d148ec60dd1b63

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.color.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc

/webgui/js/adhoc.reportproperty.renderer.color.js

**MD5:** 57bb880e05f35d1266a05d8cd42ab23b

**SHA1:** 3865d3959ace7c0e8df9939bd2491f2caaf7eeae

**SHA256:** 054ab0edc0c5e1778c1770fee484d0dc431fb605b808b2f7fd3a363ea1349a4b

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.colorscheme.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc  
/webgui/js/adhoc.reportproperty.renderer.colorscheme.js

**MD5:** bf076d6942b679343e59e02dfbca5c78

**SHA1:** 44cff0512ae4f820e2b94c42f7bb426714a6dfc9

**SHA256:** b5db1a6088d0bd4b13feb52ef897b8e1ba664cc81b0394eaf879838a912f0f61

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.columns.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc  
/webgui/js/adhoc.reportproperty.renderer.columns.js

**MD5:** 7ffacc002e6cdae40f70dfaea37e518d

**SHA1:** d13751863b1fefb6e60af34d5bfaaf4705e6527b

**SHA256:** 7e8c7575a4cacbbb7934f75c0ec9ac9e1285bfa1d7806c8aa5cd057eab42f67a

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.filter.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.filter.js

**MD5:** c8237bd10054b17297f16dc23ce7a899

**SHA1:** 2c719ce1417e8cabd7b6cb6f57799bcadb2cb96d

**SHA256:**895d41a74d20c5a948d83f682478a3d1b24e3dfefc60693c2c38c74077327e55

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.image.select.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.image.select.js

**MD5:** 4e4c9d65d59a92adf877a61a71756393

**SHA1:** 8e676f076cc14ef4622a8ed65a410e61fd992c1e

**SHA256:**584cb6b59493fd20bb1eb9b59c90c84ee9dc61bc078fc61cd2ab2d012e2902c1

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.logo.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.logo.js

**MD5:** ecaff58fb7d486379c09558c67b6adb4

**SHA1:** 3e5d9e14b525ca20c60d1ec4ffccfd73fc3dbbf3

**SHA256:** 8d8650c4d2ddab25549397f8f300bd9323e6676a51ed34b393c801a749f7ca43

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.select.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.select.js

**MD5:** e12653dce1fcfdebe5f0a28fe0774de8

**SHA1:** 5406aa37b19e568b6d06193e2cb542d6519e642f

**SHA256:** 9dcfcd925a87edf3a76fd7b79763d868dbbfdac56db00f2bfdb834cb6bede1f7

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

## adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.slider.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.slider.js

**MD5:** 4b5d05e2c310201701297eadad19abca

**SHA1:** c30e2757675ca8316173a36d3c39765226175de2

**SHA256:** abccfa14c95c8403913d4a9729fd9881a1adc29ca4da9860268a26fd5459550d

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.source.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.source.js

**MD5:** 37e9c9f9a348ccae2f8df7af5d3725bd

**SHA1:** 6764850e9d7eb9171bff7d89446b04eb266ca1e8

**SHA256:** 5cb78eed4c3a7a38da62d8f6c08673a671e46c904a3c013c64c08cb768df225f

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.templatesource.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.templatesource.js

**MD5:** 3528a62f71a82a0be2b78f8a64de3497

**SHA1:** 4029d60d787120027ca739895ee0bb362fc671f6  
**SHA256:** 358a1d431f2ab4433d121b476af854e744d7b1121ed25afe405b59238b041563  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.text.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.text.js  
**MD5:** 63f0e10a167f83195cb68fd0e882fb88  
**SHA1:** cf7819683de9726f187028f9f5a632f264796467  
**SHA256:** 2b9e194cb44834c7f9a47202dd485f5be9eff7103a8f28fc52bde01c7eb685c8  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.reportview.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportview.js  
**MD5:** 4cec8eccc919777d50efe977de091d0f  
**SHA1:** a5994488ccaa84f20f789ba5cbb22f9a9ae64cad  
**SHA256:** 34259fd56daa2c9d20578f0378bcb5c415935568827f3d02831d3f21e0f1c83b  
**Referenced In Project/Scope:** server


#### Evidence



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

**adhoc.zip: adhoc.jar: adhoc.toolbar.js**


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.toolbar.js  
**MD5:** 2f5139e8bb9230a5c2389e256e6d93ba  
**SHA1:** adb1e443a91992bf905d820bf5b2417dcfb41f59  
**SHA256:**f82cf1c1bb706977a407a487c7180d2771dcc68f571653d6649872ec49ba8f9f  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
| • None      |  |  |  |  |

**adhoc.zip: adhoc.jar: adhoccontroller.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoccontroller.js  
**MD5:** d2eaf43d02534b5ea7d88e14058e1775  
**SHA1:** 857732821d93db487a110221ee71b56e37535b46  
**SHA256:**4cb72e884445cf953f4ec79a5013cdf02dc2d86b5cc1c47c2bd8f42bbf77fd57  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
|-------------|--|--|--|--|



- None

#### adhoc.zip: adhoc.jar: adhocfactory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhocfactory.js

**MD5:** 06328f016ff776bdceedc2e830cd30eb

**SHA1:** 196491d8ec6197581878bde1e917ba46d32972aa

**SHA256:** db0df885b777e5b7b4a60ccc8890a402f3723e436f7f370d4bafef6e1be1801d

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### adhoc.zip: adhoc.jar: adhocmodel.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhocmodel.js

**MD5:** 008d5ecd29740c8300f9159489739151

**SHA1:** 6b48d6f72417311904460d3f4a4f279d4d129849

**SHA256:** 80d035ab11fd1a9b182e8197d2a2ff0df2b1dbc94104f20d16b88e49e8cf76fe

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### adhoc.zip: adhoc.jar: configuration.adhoc.templates.edit.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/templates/configuration.adhoc.templates.edit.js  
**MD5:** 5fde177e1fe760a873bc1eec6790c747  
**SHA1:** ea09c1b8b425b11dabdadfa340733cead4fb391f  
**SHA256:** 005ffffac2bdb1e7afb2f4a96d05ce6bd9e50e7aa90dfa59b67d07c3092a6a2  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### adhoc.zip: adhoc.jar: configuration.adhoc.templates.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/templates/configuration.adhoc.templates.js  
**MD5:** 7003e616506cf628e25ee3debe27264a  
**SHA1:** 60eb9aae8ed4419008acd4bb4cfe03baa87ea843  
**SHA256:** f13a5f0c5d6f68e16eb54a6904ccb00f6df6ff19e0605369558c6afe25ac2e6c  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### adhoc.zip: adhoc.jar: configuration.adhoc.themes.edit.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/themes/configuration.adhoc.themes.edit.js  
**MD5:** 5bcdbe57c2457045ede2e7e59a72a12e

**SHA1:** e72b708ddd576b5731ab3bc5a5098ea604c98fb5

**SHA256:** 796e44d380350305a4be59f45a11a0aedbf691866cae7ba8217f1bee118beb0a

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### adhoc.zip: adhoc.jar: configuration.adhoc.themes.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/themes/configuration.adhoc.themes.js

**MD5:** b1ad812c14dcd1fe5e2b7062268f571c

**SHA1:** a708eae13369c42e13a88f6eccd2a803b68414b5

**SHA256:** 90f2459efc98b028e092fe336c9db4c2169abac3a9a3df01afdda00011340c09

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### adhoc.zip: echarts.jar

#### Description:

WebJar for echarts

#### License:

Apache-2.0

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/echarts.jar

**MD5:** f1b0daa0d7a67341f1803381e1d4185a

**SHA1:** 1600ea69559037bf4fc553e97e72c6aa4c1b1822

#### Evidence



| Type    | Source   | Name                | Value                   | Confidence |
|---------|----------|---------------------|-------------------------|------------|
| Vendor  | file     | name                | echarts                 | High       |
| Vendor  | Manifest | build-jdk-spec      | 1.8                     | Low        |
| Vendor  | Manifest | bundle-symbolicname | org.webjars.npm.echarts | Medium     |
| Vendor  | pom      | artifactid          | echarts                 | Low        |
| Vendor  | pom      | developer id        | webjars                 | Medium     |
| Vendor  | pom      | groupid             | org.webjars.npm         | Highest    |
| Vendor  | pom      | name                | echarts                 | High       |
| Vendor  | pom      | url                 | https://www.webjars.org | Highest    |
| Product | file     | name                | echarts                 | High       |
| Product | Manifest | build-jdk-spec      | 1.8                     | Low        |
| Product | Manifest | Bundle-Name         | echarts                 | Medium     |
| Product | Manifest | bundle-symbolicname | org.webjars.npm.echarts | Medium     |
| Product | pom      | artifactid          | echarts                 | Highest    |
| Product | pom      | developer id        | webjars                 | Low        |
| Product | pom      | groupid             | org.webjars.npm         | Highest    |
| Product | pom      | name                | echarts                 | High       |
| Product | pom      | url                 | https://www.webjars.org | Medium     |
| Version | Manifest | Bundle-Version      | 6.0.0                   | High       |
| Version | pom      | version             | 6.0.0                   | Highest    |

#### Identifiers

- <pkg:maven/org.webjars.npm/echarts@6.0.0> (*Confidence:High*)

**adhoc.zip: echarts.jar: echarts.min.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/echarts.jar/META-INF/resources/webjars/echarts/6.0.0/dist/echarts.min.js  
**MD5:** 13a384552589b88e84f7bf0c757a66ac

**SHA1:** d8c844c3d7c681edb8c6b7f72464373cff593c98  
**SHA256:** baa8dfe7e1d9336b98e8986ba7e20ea15e7cdbea1ef42a59d59478632fa45a1d  
**Referenced In Project/Scope:** server

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

ai.zip: ai.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/ai.zip/ai.jar  
**MD5:** 948f672d1d40c69c506a62034f175859  
**SHA1:** bcb7211eba1724d86666e6b1d33409bede57d92b  
**SHA256:** 5524b27750296edccc2d24341a4434f6791d16eb58bf4862342f242f322fd78b  
**Referenced In Project/Scope:** server

Evidence +

| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | ai                                   | High       |
| Vendor  | jar      | package name             | ai                                   | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | plugin                               | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 17:42                     | Low        |
| Vendor  | Manifest | implementation-group     | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | ai                                   | High       |
| Product | jar      | package name             | ai                                   | Highest    |
| Product | jar      | package name             | ai                                   | Low        |

|         |          |                        |                  |        |
|---------|----------|------------------------|------------------|--------|
| Product | jar      | package name           | plugin           | Low    |
| Product | Manifest | built-date             | 2025-10-01 17:42 | Low    |
| Product | Manifest | implementation-group   | shared           | Low    |
| Product | Manifest | Implementation-Title   | ai               | High   |
| Product | Manifest | specification-title    | ai               | Medium |
| Version | Manifest | Implementation-Version | 25.10.198        | High   |

#### Identifiers

- None

### ai.zip: ai.jar: aiprovider\_config.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/ai.zip/ai.jar/com/inet/plugin/ai/structure/js/aiprovider\_config.js

**MD5:** df918069a587bc74502c9fd267e1e309

**SHA1:** 66c05387e8725ac3eb08fb1b74a30c43ef85d5c1

**SHA256:** 7e896f0bf9e3db8487dd1a426a86f7b12030ed127b14da0b93a56ea6e0ed6b98

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### ai.zip: jackson-core.jar

#### Description:

Core Jackson processing abstractions (aka Streaming API), implementation for JSON

#### License:

The Apache Software License, Version 2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/ai.zip/jackson-core.jar

**MD5:** b3843578b0753a9a685eea819dea3ab7

**SHA1:** 50f3b4bd59b9ff51a0ed493e7b5abaf5c39709bf

**SHA256:** aa77eaf29293a868c47372194f7c5287d77d9370b04ea25d3fffc1e4904b5880

**Referenced In Project/Scope:** server

## Evidence



| Type    | Source        | Name                     | Value   | Confidence |
|---------|---------------|--------------------------|---|------------|
| Vendor  | file          | name                     | jackson-core  | High       |
| Vendor  | jar           | package name             | base  | Highest    |
| Vendor  | jar           | package name             | com   | Highest    |
| Vendor  | jar           | package name             | core  | Highest    |
| Vendor  | jar           | package name             | fasterxml   | Highest    |
| Vendor  | jar           | package name             | jackson   | Highest    |
| Vendor  | jar           | package name             | json  | Highest    |
| Vendor  | Manifest      | build-jdk-spec           | 1.8   | Low        |
| Vendor  | Manifest      | bundle-docurl            | <a href="https://github.com/FasterXML/jackson-core">https://github.com/FasterXML/jackson-core</a> | Low        |
| Vendor  | Manifest      | bundle-symbolicname      | com.fasterxml.jackson.core.jackson-core   | Medium     |
| Vendor  | Manifest      | Implementation-Vendor    | FasterXML   | High       |
| Vendor  | Manifest      | Implementation-Vendor-Id | com.fasterxml.jackson.core  | Medium     |
| Vendor  | Manifest      | multi-release            | true  | Low        |
| Vendor  | Manifest      | specification-vendor     | FasterXML   | Low        |
| Vendor  | pom           | artifactid               | jackson-core  | Low        |
| Vendor  | pom           | groupid                  | com.fasterxml.jackson.core  | Highest    |
| Vendor  | pom           | name                     | Jackson-core  | High       |
| Vendor  | pom           | parent-artifactid        | jackson-base  | Low        |
| Vendor  | pom           | parent-groupid           | com.fasterxml.jackson   | Medium     |
| Vendor  | pom           | url                      | FasterXML/jackson-core  | Highest    |
| Product | file          | name                     | jackson-core  | High       |
| Product | hint analyzer | product                  | java8   | Highest    |
| Product | hint analyzer | product                  | modules   | Highest    |
| Product | jar           | package name             | base  | Highest    |
| Product | jar           | package name             | com   | Highest    |

|         |          |                        |   |         |
|---------|----------|------------------------|---|---------|
| Product | jar      | package name           | core                                      | Highest |
| Product | jar      | package name           | fasterxml                                 | Highest |
| Product | jar      | package name           | jackson                                   | Highest |
| Product | jar      | package name           | json                                      | Highest |
| Product | Manifest | build-jdk-spec         | 1.8                                       | Low     |
| Product | Manifest | bundle-docurl          | https://github.com/FasterXML/jackson-core | Low     |
| Product | Manifest | Bundle-Name            | Jackson-core                              | Medium  |
| Product | Manifest | bundle-symbolicname    | com.fasterxml.jackson.core.jackson-core   | Medium  |
| Product | Manifest | Implementation-Title   | Jackson-core                              | High    |
| Product | Manifest | multi-release          | true                                      | Low     |
| Product | Manifest | specification-title    | Jackson-core                              | Medium  |
| Product | pom      | artifactid             | jackson-core                              | Highest |
| Product | pom      | groupid                | com.fasterxml.jackson.core                | Highest |
| Product | pom      | name                   | Jackson-core                              | High    |
| Product | pom      | parent-artifactid      | jackson-base                              | Medium  |
| Product | pom      | parent-groupid         | com.fasterxml.jackson                     | Medium  |
| Product | pom      | url                    | FasterXML/jackson-core                    | High    |
| Version | Manifest | Bundle-Version         | 2.19.2                                    | High    |
| Version | Manifest | Implementation-Version | 2.19.2                                    | High    |
| Version | pom      | version                | 2.19.2                                    | Highest |

## Related Dependencies



- ai.zip: jackson-annotations.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/ai.zip/jackson-annotations.jar
  - MD5: 99b71c4cebb9dae38ae925ac7ab0574f
  - SHA1: 0c5381f11988ae3d424b197a26087d86067b6d7d
  - SHA256: e516743a316dcf83c572ffc9cb6e8c5e8c134880c8c5155b02f7b34e9c5dc3cf
  - [pkg:maven/com.fasterxml.jackson.core/jackson-annotations@2.19.2](#)

## Identifiers

- [pkg:maven/com.fasterxml.jackson.core/jackson-core@2.19.2](#) (*Confidence:High*)
- [cpe:2.3:a:fasterxml:jackson-modules-java8:2.19.2:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

suppress



## ai.zip: jackson-databind.jar

### Description:

General data-binding functionality for Jackson: works on core streaming API

### License:

The Apache Software License, Version 2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/ai.zip/jackson-databind.jar

**MD5:** 856506e1d49091e89599a3ef34990597

**SHA1:** 46509399d28f57ca32c6bb4b0d4e10e8f062051e

**SHA256:** 0a1bd4e9b0d670e632d40ee8c625ad376233502f03c2f5889baea95d025b47a7

**Referenced In Project/Scope:** server

### Evidence



| Type    | Source   | Name                     | Value   | Confidence |
|---------|----------|--------------------------|---|------------|
| Vendor  | file     | name                     | jackson-databind  | High       |
| Vendor  | jar      | package name             | databind  | Highest    |
| Vendor  | jar      | package name             | fasterxml   | Highest    |
| Vendor  | jar      | package name             | jackson   | Highest    |
| Vendor  | Manifest | build-jdk-spec           | 1.8   | Low        |
| Vendor  | Manifest | bundle-docurl            | <a href="https://github.com/FasterXML/jackson">https://github.com/FasterXML/jackson</a> | Low        |
| Vendor  | Manifest | bundle-symbolicname      | com.fasterxml.jackson.core.jackson-databind   | Medium     |
| Vendor  | Manifest | Implementation-Vendor    | FasterXML   | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | com.fasterxml.jackson.core  | Medium     |
| Vendor  | Manifest | multi-release            | true  | Low        |
| Vendor  | Manifest | specification-vendor     | FasterXML   | Low        |
| Vendor  | pom      | artifactid               | jackson-databind  | Low        |
| Vendor  | pom      | groupid                  | com.fasterxml.jackson.core  | Highest    |
| Vendor  | pom      | name                     | jackson-databind  | High       |
| Vendor  | pom      | parent-artifactid        | jackson-base  | Low        |
| Vendor  | pom      | parent-groupid           | com.fasterxml.jackson   | Medium     |
| Vendor  | pom      | url                      | <a href="https://github.com/FasterXML/jackson">FasterXML/jackson</a>                    | Highest    |
| Product | file     | name                     | jackson-databind  | High       |
| Product | hint     | product                  | java8   | Highest    |

|         |               |                        |   |         |
|---------|---------------|------------------------|---|---------|
|         | analyzer      |                        |   |         |
| Product | hint analyzer | product                | modules                                     | Highest |
| Product | jar           | package name           | databind                                    | Highest |
| Product | jar           | package name           | fasterxml                                   | Highest |
| Product | jar           | package name           | jackson                                     | Highest |
| Product | Manifest      | build-jdk-spec         | 1.8   | Low     |
| Product | Manifest      | bundle-docurl          | https://github.com/FasterXML/jackson        | Low     |
| Product | Manifest      | Bundle-Name            | jackson-databind                            | Medium  |
| Product | Manifest      | bundle-symbolicname    | com.fasterxml.jackson.core.jackson-databind | Medium  |
| Product | Manifest      | Implementation-Title   | jackson-databind                            | High    |
| Product | Manifest      | multi-release          | true  | Low     |
| Product | Manifest      | specification-title    | jackson-databind                            | Medium  |
| Product | pom           | artifactid             | jackson-databind                            | Highest |
| Product | pom           | groupid                | com.fasterxml.jackson.core                  | Highest |
| Product | pom           | name                   | jackson-databind                            | High    |
| Product | pom           | parent-artifactid      | jackson-base                                | Medium  |
| Product | pom           | parent-groupid         | com.fasterxml.jackson                       | Medium  |
| Product | pom           | url                    | FasterXML/jackson                           | High    |
| Version | Manifest      | Bundle-Version         | 2.19.2                                      | High    |
| Version | Manifest      | Implementation-Version | 2.19.2                                      | High    |
| Version | pom           | version                | 2.19.2                                      | Highest |

### Identifiers

- [pkg:maven/com.fasterxml.jackson.core/jackson-databind@2.19.2](#) (*Confidence:High*)
- [cpe:2.3:a:fasterxml:jackson-databind:2.19.2:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress
- [cpe:2.3:a:fasterxml:jackson-modules-java8:2.19.2:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*) suppress

**ai.zip: mcp.jar**

**Description:**

Java SDK implementation of the Model Context Protocol, enabling seamless integration with language models and AI tools

License:

MIT License: <http://www.opensource.org/licenses/mit-license.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/ai.zip/mcp.jar

**MD5:** 543fd3020c41b17c10b94ea1f5d5d1ee

**SHA1:** 45c4f3282b18b8abbe1f20d07f79a894096a044c

**SHA256:** ee5b24c04a9432ef9495342f80f6dcaceb6fc2a907f535677be0331ea896ca6b

**Referenced In Project/Scope:** server

Evidence



| Type    | Source   | Name                  | Value   | Confidence |
|---------|----------|-----------------------|---|------------|
| Vendor  | file     | name                  | mcp   | High       |
| Vendor  | jar      | package name          | io  | Highest    |
| Vendor  | jar      | package name          | modelcontextprotocol  | Highest    |
| Vendor  | Manifest | automatic-module-name | io.modelcontextprotocol.sdk.mcp   | Medium     |
| Vendor  | Manifest | build-jdk-spec        | 17  | Low        |
| Vendor  | Manifest | bundle-docurl         | <a href="https://github.com/modelcontextprotocol/java-sdk">https://github.com/modelcontextprotocol/java-sdk</a> | Low        |
| Vendor  | Manifest | bundle-symbolicname   | io.modelcontextprotocol.sdk.mcp   | Medium     |
| Vendor  | pom      | artifactid            | mcp   | Low        |
| Vendor  | pom      | developer name        | Christian Tzolov  | Medium     |
| Vendor  | pom      | developer name        | Dariusz J#drzejczyk   | Medium     |
| Vendor  | pom      | groupid               | io.modelcontextprotocol.sdk   | Highest    |
| Vendor  | pom      | name                  | Java MCP SDK  | High       |
| Vendor  | pom      | organization name     | Anthropic   | High       |
| Vendor  | pom      | organization url      | <a href="https://www.anthropic.com">https://www.anthropic.com</a>   | Medium     |
| Vendor  | pom      | url                   | <a href="https://github.com/modelcontextprotocol/java-sdk">modelcontextprotocol/java-sdk</a>                    | Highest    |
| Product | file     | name                  | mcp   | High       |
| Product | jar      | package name          | io  | Highest    |
| Product | jar      | package name          | modelcontextprotocol  | Highest    |
| Product | Manifest | automatic-module-name | io.modelcontextprotocol.sdk.mcp   | Medium     |
| Product | Manifest | build-jdk-spec        | 17  | Low        |
| Product | Manifest | bundle-docurl         | <a href="https://github.com/modelcontextprotocol/java-sdk">https://github.com/modelcontextprotocol/java-sdk</a> | Low        |

|         |          |                        |  |         |
|---------|----------|------------------------|--|---------|
| Product | Manifest | Bundle-Name            | Bundle io.modelcontextprotocol.sdk : mcp | Medium  |
| Product | Manifest | bundle-symbolicname    | io.modelcontextprotocol.sdk.mcp          | Medium  |
| Product | Manifest | Implementation-Title   | mcp                                      | High    |
| Product | pom      | artifactid             | mcp                                      | Highest |
| Product | pom      | developer name         | Christian Tzolov                         | Low     |
| Product | pom      | developer name         | Dariusz J#drzejczyk                      | Low     |
| Product | pom      | groupid                | io.modelcontextprotocol.sdk              | Highest |
| Product | pom      | name                   | Java MCP SDK                             | High    |
| Product | pom      | organization name      | Anthropic                                | Low     |
| Product | pom      | organization url       | https://www.anthropic.com                | Low     |
| Product | pom      | url                    | modelcontextprotocol/java-sdk            | High    |
| Version | Manifest | Bundle-Version         | 0.10.0                                   | High    |
| Version | Manifest | Implementation-Version | 0.10.0                                   | High    |
| Version | pom      | version                | 0.10.0                                   | Highest |

#### Identifiers

- [pkg:maven/io.modelcontextprotocol.sdk/mcp@0.10.0](#) (*Confidence:High*)

### ai.zip: reactive-streams.jar

#### Description:

Reactive Streams API

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/ai.zip/reactive-streams.jar

**MD5:** eda7978509c32d99166745cc144c99cd

**SHA1:** 3864a1320d97d7b045f729a326e1e077661f31b7

**SHA256:**f75ca597789b3dac58f61857b9ac2e1034a68fa672db35055a8fb4509e325f28

**Referenced In Project/Scope:** server

#### Evidence



| Type   | Source | Name         | Value            | Confidence |
|--------|--------|--------------|------------------|------------|
| Vendor | file   | name         | reactive-streams | High       |
| Vendor | jar    | package name | reactivestreams  | Highest    |
|        |        |              |                  |            |

|         |          |                       |                             |         |
|---------|----------|-----------------------|-----------------------------|---------|
| Vendor  | jar      | package name          | reactivestreams             | Low     |
| Vendor  | Manifest | automatic-module-name | org.reactivestreams         | Medium  |
| Vendor  | Manifest | bundle-docurl         | http://reactive-streams.org | Low     |
| Vendor  | Manifest | bundle-symbolicname   | reactive-streams            | Medium  |
| Product | file     | name                  | reactive-streams            | High    |
| Product | jar      | package name          | reactivestreams             | Highest |
| Product | Manifest | automatic-module-name | org.reactivestreams         | Medium  |
| Product | Manifest | bundle-docurl         | http://reactive-streams.org | Low     |
| Product | Manifest | Bundle-Name           | reactive-streams-jvm        | Medium  |
| Product | Manifest | bundle-symbolicname   | reactive-streams            | Medium  |
| Version | Manifest | Bundle-Version        | 1.0.4                       | High    |

#### Identifiers

- None

### ai.zip: reactor-core.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/ai.zip/reactor-core.jar  
**MD5:** 89566fb1cbda28f08c2c0e8bbfea3bed  
**SHA1:** 92dcc78425c3d62bd10af06d2bd4426ca1953bc0  
**SHA256:** 445677d27a7b0ac3cd7cdc0822c42732ca504beeb1436b5d0943dfa1f2880aee  
**Referenced In Project/Scope:** server

#### Evidence

| Type   | Source   | Name                  | Value        | Confidence |
|--------|----------|-----------------------|--------------|------------|
| Vendor | file     | name                  | reactor-core | High       |
| Vendor | jar      | package name          | core         | Highest    |
| Vendor | jar      | package name          | core         | Low        |
| Vendor | jar      | package name          | publisher    | Low        |
| Vendor | jar      | package name          | reactor      | Highest    |
| Vendor | jar      | package name          | reactor      | Low        |
| Vendor | Manifest | automatic-module-name | reactor.core | Medium     |

|         |          |                        |                                |         |
|---------|----------|------------------------|--------------------------------|---------|
| Vendor  | Manifest | bundle-symbolicname    | io.projectreactor.reactor-core | Medium  |
| Vendor  | Manifest | multi-release          | true                           | Low     |
| Product | file     | name                   | reactor-core                   | High    |
| Product | jar      | package name           | core                           | Highest |
| Product | jar      | package name           | core                           | Low     |
| Product | jar      | package name           | publisher                      | Low     |
| Product | jar      | package name           | reactor                        | Highest |
| Product | Manifest | automatic-module-name  | reactor.core                   | Medium  |
| Product | Manifest | Bundle-Name            | reactor-core                   | Medium  |
| Product | Manifest | bundle-symbolicname    | io.projectreactor.reactor-core | Medium  |
| Product | Manifest | Implementation-Title   | reactor-core                   | High    |
| Product | Manifest | multi-release          | true                           | Low     |
| Version | Manifest | Bundle-Version         | 3.7.8.RELEASE                  | High    |
| Version | Manifest | Implementation-Version | 3.7.8                          | High    |

#### Identifiers

- None

### annotations-3.0.1.jar (shaded: com.google.code.findbugs:jsr305:3.0.1)

#### Description:

JSR305 Annotations for Findbugs

#### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/annotations/3.0.1/fc019a2216218990d64dfe756e7aa20f0069dea2/annotations-3.0.1.jar/META-INF/maven/com.google.code.findbugs/jsr305/pom.xml

**MD5:** d08567d16867a0b79bc8149683918452

**SHA1:** d04690f71f3393e23f30998d9534365274fa5f9f

**SHA256:** 4170a761dc5bfd3981a8e6f7aab9e2acdce82d34fd5aa9bb11e3c090d25314ce

**Referenced In Project/Scope:** server:inetPlugin

#### Evidence



| Type    | Source | Name       | Value                            | Confidence |
|---------|--------|------------|----------------------------------|------------|
| Vendor  | pom    | artifactid | jsr305                           | Low        |
| Vendor  | pom    | groupid    | com.google.code.findbugs         | Highest    |
| Vendor  | pom    | name       | FindBugs-jsr305                  | High       |
| Vendor  | pom    | url        | http://findbugs.sourceforge.net/ | Highest    |
| Product | pom    | artifactid | jsr305                           | Highest    |
| Product | pom    | groupid    | com.google.code.findbugs         | Highest    |
| Product | pom    | name       | FindBugs-jsr305                  | High       |
| Product | pom    | url        | http://findbugs.sourceforge.net/ | Medium     |
| Version | pom    | version    | 3.0.1                            | Highest    |

#### Identifiers

- <pkg:maven/com.google.code.findbugs/jsr305@3.0.1> (*Confidence:High*)

## annotations-3.0.1.jar

#### Description:

Annotation the FindBugs tool supports

#### License:

GNU Lesser Public License: <http://www.gnu.org/licenses/lgpl.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/annotations/3.0.1/fc019a2216218990d64dfe756e7aa20f0069dea2/annotations-3.0.1.jar

**MD5:** fc4f102f22ba4f1df3f1d7cc6b202152

**SHA1:** fc019a2216218990d64dfe756e7aa20f0069dea2

**SHA256:** 6b47ff0a6de0ce17cbcdc3abb0828ca5bce3009d53ea47b3723ff023c4742f79

**Referenced In Project/Scope:** server:inetPlugin

**Included by:** pkg:maven/de.inetsoftware/jlessc@1.14

#### Evidence



| Type   | Source | Name         | Value                    | Confidence |
|--------|--------|--------------|--------------------------|------------|
| Vendor | file   | name         | annotations              | High       |
| Vendor | gradle | artifactid   | annotations              | Highest    |
| Vendor | gradle | groupid      | com.google.code.findbugs | Highest    |
| Vendor | jar    | package name | annotation               | Highest    |
| Vendor | jar    | package name | annotations              | Highest    |
| Vendor | jar    | package name | findbugs                 | Highest    |

|         |          |                          |   |         |
|---------|----------|--------------------------|---|---------|
| Vendor  | Manifest | bundle-requiredexecution | J2SE-1.5  | Low     |
| Vendor  | Manifest | bundle-symbolicname      | findbugsAnnotations   | Medium  |
| Vendor  | pom      | artifactid               | annotations   | Low     |
| Vendor  | pom      | developer email          | Loskutov@gmx.de   | Low     |
| Vendor  | pom      | developer email          | pugh at cs.umd.edu  | Low     |
| Vendor  | pom      | developer id             | al  | Medium  |
| Vendor  | pom      | developer id             | bp  | Medium  |
| Vendor  | pom      | developer name           | Andrey Loskutov   | Medium  |
| Vendor  | pom      | developer name           | Bill Pugh   | Medium  |
| Vendor  | pom      | developer name           | Keith Lea   | Medium  |
| Vendor  | pom      | groupid                  | com.google.code.findbugs  | Highest |
| Vendor  | pom      | name                     | FindBugs-Annotations  | High    |
| Vendor  | pom      | url                      | <a href="http://findbugs.sourceforge.net/">http://findbugs.sourceforge.net/</a> | Highest |
| Product | file     | name                     | annotations   | High    |
| Product | gradle   | artifactid               | annotations   | Highest |
| Product | jar      | package name             | annotation  | Highest |
| Product | jar      | package name             | annotations   | Highest |
| Product | jar      | package name             | findbugs  | Highest |
| Product | Manifest | Bundle-Name              | FindBugs-Annotations  | Medium  |
| Product | Manifest | bundle-requiredexecution | J2SE-1.5  | Low     |
| Product | Manifest | bundle-symbolicname      | findbugsAnnotations   | Medium  |
| Product | pom      | artifactid               | annotations   | Highest |
| Product | pom      | developer email          | Loskutov@gmx.de   | Low     |
| Product | pom      | developer email          | pugh at cs.umd.edu  | Low     |
| Product | pom      | developer id             | al  | Low     |
| Product | pom      | developer id             | bp  | Low     |
| Product | pom      | developer name           | Andrey Loskutov   | Low     |
| Product | pom      | developer name           | Bill Pugh   | Low     |
| Product | pom      | developer name           | Keith Lea   | Low     |
| Product | pom      | groupid                  | com.google.code.findbugs  | Highest |
| Product | pom      | name                     | FindBugs-Annotations  | High    |
| Product | pom      | url                      | <a href="http://findbugs.sourceforge.net/">http://findbugs.sourceforge.net/</a> | Medium  |
| Version | file     | version                  | 3.0.1   | High    |



|         |          |                |       |         |
|---------|----------|----------------|-------|---------|
| Version | gradle   | version        | 3.0.1 | Highest |
| Version | Manifest | Bundle-Version | 3.0.1 | High    |
| Version | pom      | version        | 3.0.1 | Highest |

#### Identifiers

- [pkg:maven/com.google.code.findbugs/annotations@3.0.1](https://pkg:maven/com.google.code.findbugs/annotations@3.0.1) (*Confidence:High*)

### application.currenttime.sample.zip: application.currenttime.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.sample.zip/application.currenttime.sample.jar

**MD5:** 9176fb268c4e3f644f93d5ecfebc9580

**SHA1:** 80976999935803408369f1f08ecc25210eab061c

**SHA256:** a942af5cda1c69f9685563485938c8c4170accff8e7b6e7d21317f3a5aafd7f

**Referenced In Project/Scope:** server

#### Evidence

| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | application.currenttime.sample       | High       |
| Vendor  | jar      | package name             | application                          | Low        |
| Vendor  | jar      | package name             | currenttime                          | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 17:48                     | Low        |
| Vendor  | Manifest | implementation-group     | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | application.currenttime.sample       | High       |
| Product | jar      | package name             | application                          | Highest    |
| Product | jar      | package name             | application                          | Low        |
| Product | jar      | package name             | currenttime                          | Highest    |
| Product | jar      | package name             | currenttime                          | Low        |

|         |          |                        |                                |        |
|---------|----------|------------------------|--------------------------------|--------|
| Product | Manifest | built-date             | 2025-10-01 17:48               | Low    |
| Product | Manifest | implementation-group   | shared                         | Low    |
| Product | Manifest | Implementation-Title   | application.currenttime.sample | High   |
| Product | Manifest | specification-title    | application.currenttime.sample | Medium |
| Version | Manifest | Implementation-Version | 25.10.198                      | High   |

#### Identifiers

- None

### application.currenttime.sample.zip: application.currenttime.sample.jar: sampleapplication.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.sample.zip/application.currenttime.sample.jar/com/inet/application/currenttime/sampleapplication.js

**MD5:** a3910ea7b1fdb6e9f0ae2807b1bce25

**SHA1:** 19e674ef9827646b616d4e421a0ecd41238c90e8

**SHA256:** 388c312835e10d79f36784aea686e74b6379a3f54c0d3795d69868561dfae038

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### application.embedded.sample.zip: application.embedded.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/application.embedded.sample.zip/application.embedded.sample.jar

**MD5:** 6ca53e28ad04d6e53f64beb66e5fc512

**SHA1:** c1c553fa461ccd4c7d3623d60ddc3699ee0da43a  
**SHA256:**fa5d5fca17dddddffb317a2d322025f124aa19c792f563ac36cc1c4f624b3f79b  
**Referenced In Project/Scope:** server

Evidence

| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | application.embedded.sample          | High       |
| Vendor  | jar      | package name             | application                          | Low        |
| Vendor  | jar      | package name             | embedded                             | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 17:48                     | Low        |
| Vendor  | Manifest | implementation-group     | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | application.embedded.sample          | High       |
| Product | jar      | package name             | application                          | Highest    |
| Product | jar      | package name             | application                          | Low        |
| Product | jar      | package name             | embedded                             | Highest    |
| Product | jar      | package name             | embedded                             | Low        |
| Product | jar      | package name             | embeddedserverplugin                 | Low        |
| Product | Manifest | built-date               | 2025-10-01 17:48                     | Low        |
| Product | Manifest | implementation-group     | shared                               | Low        |
| Product | Manifest | Implementation-Title     | application.embedded.sample          | High       |
| Product | Manifest | specification-title      | application.embedded.sample          | Medium     |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High       |

Identifiers

- None

## application.embedded.sample.zip: application.embedded.sample.jar: embeddedMode.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/application.embedded.sample.zip/application.embedded.sample.jar/com/inet/application/embedded/webgui/embeddedMode.js

**MD5:** 629060ea8d8f25c979c25d7070a1e6d5

**SHA1:** 67b65682b95eb6398d4800b26ebbe112fb4633d6

**SHA256:** e658130c19572f14c548794df3b72a480190472f328f8bfd06a078b99d908d18

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## application.googleanalytics.sample.zip: application.googleanalytics.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.sample.zip/application.googleanalytics.sample.jar

**MD5:** 99abf5d2c54d4de90c0a99f19235f1fb

**SHA1:** eed358807a9ca4103490b7a6a9c224c86a867091

**SHA256:** ba67d0d7eac5ff3c4ec57b570f1df64eb15736dba370423c55d1442f8110588b

**Referenced In Project/Scope:** server

### Evidence



| Type   | Source   | Name                  | Value                              | Confidence |
|--------|----------|-----------------------|------------------------------------|------------|
| Vendor | file     | name                  | application.googleanalytics.sample | High       |
| Vendor | jar      | package name          | application                        | Low        |
| Vendor | jar      | package name          | googleanalytics                    | Low        |
| Vendor | jar      | package name          | inet                               | Low        |
| Vendor | Manifest | built-date            | 2025-10-01 17:48                   | Low        |
| Vendor | Manifest | implementation-group  | shared                             | Low        |
| Vendor | Manifest | Implementation-Vendor | i-net software                     | High       |
| Vendor | Manifest | Implementation-       | de.inetsoftware                    | Medium     |

## Vendor-Id

|         |          |                        |                                      |         |
|---------|----------|------------------------|--------------------------------------|---------|
| Vendor  | Manifest | specification-vendor   | i-net software                       | Low     |
| Vendor  | Manifest | vendor                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                   | application.googleanalytics.sample   | High    |
| Product | jar      | package name           | application                          | Highest |
| Product | jar      | package name           | application                          | Low     |
| Product | jar      | package name           | googleanalytics                      | Highest |
| Product | jar      | package name           | googleanalytics                      | Low     |
| Product | Manifest | built-date             | 2025-10-01 17:48                     | Low     |
| Product | Manifest | implementation-group   | shared                               | Low     |
| Product | Manifest | Implementation-Title   | application.googleanalytics.sample   | High    |
| Product | Manifest | specification-title    | application.googleanalytics.sample   | Medium  |
| Version | Manifest | Implementation-Version | 25.10.198                            | High    |

## Identifiers

- None

**application.googleanalytics.sample.zip: application.googleanalytics.sample.jar: googleanalytics.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.sample.zip/application.googleanalytics.sample.jar/com/inet/application/googleanalytics/client/js/googleanalytics.js

**MD5:** 2bcad1fb24d551b4fe04b4d73f7bfe35

**SHA1:** fc802523418fc05403a6a5c8e6142dcd469e17e4

**SHA256:** e338ff1f433e6cf428a20f2913fb03eea9ba9c7f9ca6c14f8e187f4f6ab56aec

**Referenced In Project/Scope:** server

## Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

## Identifiers

- None

**application.googleanalytics.sample.zip: application.googleanalytics.sample.jar:  
jquery.cookiebar.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics  
/application.googleanalytics.sample.zip/application.googleanalytics.sample.jar/com/inet/application  
/googleanalytics/client/js/jquery.cookiebar.js  
**MD5:** f323a266f0d55dd8cdf8e65dcafb4175  
**SHA1:** 0fec2371e38e6e6b7045d5bb59dbb6b8d2952d46  
**SHA256:** a0b3af2e82f054e2076675d95716d19a1df707c0fc723f5360ef4cce1b0e02e9  
**Referenced In Project/Scope:** server

**Evidence**



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**application.helloworld.sample.zip: application.helloworld.sample.jar**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/HelloWorld  
/application.helloworld.sample.zip/application.helloworld.sample.jar  
**MD5:** c01551d0c067175d6521ae0cb0763abb  
**SHA1:** f0c756cb4dc71c0524c85dd800f740f0236345f7  
**SHA256:** 1146b79886559d54a15f4d9ece371c1a6ab38f031b694d6df0ce5e4e96c1783e  
**Referenced In Project/Scope:** server

**Evidence**



| Type   | Source   | Name                 | Value                         | Confidence |
|--------|----------|----------------------|-------------------------------|------------|
| Vendor | file     | name                 | application.helloworld.sample | High       |
| Vendor | jar      | package name         | application                   | Low        |
| Vendor | jar      | package name         | helloworld                    | Low        |
| Vendor | jar      | package name         | inet                          | Low        |
| Vendor | Manifest | built-date           | 2025-10-01 17:48              | Low        |
| Vendor | Manifest | implementation-group | shared                        | Low        |

|         |          |                          |                                      |         |
|---------|----------|--------------------------|--------------------------------------|---------|
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low     |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                     | application.helloworld.sample        | High    |
| Product | jar      | package name             | application                          | Highest |
| Product | jar      | package name             | application                          | Low     |
| Product | jar      | package name             | helloworld                           | Highest |
| Product | jar      | package name             | helloworld                           | Low     |
| Product | Manifest | built-date               | 2025-10-01 17:48                     | Low     |
| Product | Manifest | implementation-group     | shared                               | Low     |
| Product | Manifest | Implementation-Title     | application.helloworld.sample        | High    |
| Product | Manifest | specification-title      | application.helloworld.sample        | Medium  |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High    |

#### Identifiers

- None

### authentication ldap.zip: authentication ldap.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication ldap.zip/authentication ldap.jar

**MD5:** 5d79517b0a172cbeaa69f5be4b52f19f

**SHA1:** c28e5f6e0336fdce9e75b4c74d2018a42b56bff0

**SHA256:** dfef0f2a5c41a94ac9b62fda5474e9a8903ed4e8254cf0b9daeba7fc7b6fd5eb

**Referenced In Project/Scope:** server

#### Evidence



| Type   | Source | Name         | Value               | Confidence |
|--------|--------|--------------|---------------------|------------|
| Vendor | file   | name         | authentication ldap | High       |
| Vendor | jar    | package name | authentication      | Low        |
| Vendor | jar    | package name | inet                | Low        |

|         |          |                          |                                      |         |
|---------|----------|--------------------------|--------------------------------------|---------|
| Vendor  | jar      | package name             | ldap                                 | Low     |
| Vendor  | Manifest | built-date               | 2025-10-01 17:35                     | Low     |
| Vendor  | Manifest | implementation-group     | shared                               | Low     |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low     |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                     | authentication.ldap                  | High    |
| Product | jar      | package name             | authentication                       | Highest |
| Product | jar      | package name             | authentication                       | Low     |
| Product | jar      | package name             | ldap                                 | Highest |
| Product | jar      | package name             | ldap                                 | Low     |
| Product | Manifest | built-date               | 2025-10-01 17:35                     | Low     |
| Product | Manifest | implementation-group     | shared                               | Low     |
| Product | Manifest | Implementation-Title     | authentication.ldap                  | High    |
| Product | Manifest | specification-title      | authentication.ldap                  | Medium  |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High    |

#### Identifiers

- None

### authentication.oauth.ex.sample.zip: authentication.oauth.ex.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/OAuth/authentication.oauth.ex.sample.zip/authentication.oauth.ex.sample.jar

**MD5:** 5bb931ee36429d3c0befcb5742c0ea

**SHA1:** 7af725c86de123b774fb98789f610724ccf098d9

**SHA256:** ad74b1eef05df5fdb23a2101462e7dbf9b8ed1d97053577268698aac994e4a19

**Referenced In Project/Scope:** server

#### Evidence





| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | authentication.oauth.ex.sample       | High       |
| Vendor  | jar      | package name             | authentication                       | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | oauth                                | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 17:48                     | Low        |
| Vendor  | Manifest | implementation-group     | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | authentication.oauth.ex.sample       | High       |
| Product | jar      | package name             | authentication                       | Highest    |
| Product | jar      | package name             | authentication                       | Low        |
| Product | jar      | package name             | ex                                   | Highest    |
| Product | jar      | package name             | ex                                   | Low        |
| Product | jar      | package name             | oauth                                | Highest    |
| Product | jar      | package name             | oauth                                | Low        |
| Product | Manifest | built-date               | 2025-10-01 17:48                     | Low        |
| Product | Manifest | implementation-group     | shared                               | Low        |
| Product | Manifest | Implementation-Title     | authentication.oauth.ex.sample       | High       |
| Product | Manifest | specification-title      | authentication.oauth.ex.sample       | Medium     |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High       |

#### Identifiers

- None

**authentication.oauth.zip: authentication.oauth-javadoc.jar**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar  
**MD5:** 029e8e4a1487d900fd4bce8697605df9  
**SHA1:** 6d2be0893c47cfc13e978ad3119a1453d932b206  
**SHA256:**b7988a2ef69e7d24d66e30f32453607d99b9a2b2f05d3b1bfb59cad1d1d99696  
**Referenced In Project/Scope:** server

Evidence

| Type    | Source | Name | Value                        | Confidence |
|---------|--------|------|------------------------------|------------|
| Vendor  | file   | name | authentication.oauth-javadoc | High       |
| Product | file   | name | authentication.oauth-javadoc | High       |

Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/member-search-index.js  
**MD5:** ad4d8ae56efc00d35f1387fde1b8b0d7  
**SHA1:** 622dc313112441ff81389bd51b54836121975fe3  
**SHA256:**a4dfe725eba1a4e4a2c602c9f0f34152c57eda9c2cf47ff0c7320d1a5424bed4  
**Referenced In Project/Scope:** server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/package-search-index.js  
**MD5:** b295c5518a8e2f5d9e58b02a178812eb

**SHA1:** 0b387a2d57725d3e9ad8f547eba5128793ecfec6  
**SHA256:**bee1ad51546e55d3937c545e9a1169d5e470c1d38528e5f974d845863b6e891e  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar: tag-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/tag-search-index.js  
**MD5:** 95810a7878ddd3f49d938eb6b5c0f1b2  
**SHA1:** 4d0358e131242bfb1a29d1db368e9e24381ad979  
**SHA256:**e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Related Dependencies



- reporting.zip: reporting-javadoc.jar: tag-search-index.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/tag-search-index.js
  - MD5: 95810a7878ddd3f49d938eb6b5c0f1b2
  - SHA1: 4d0358e131242bfb1a29d1db368e9e24381ad979
  - SHA256: e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9
- taskplanner.zip: taskplanner-javadoc.jar: tag-search-index.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/tag-search-index.js
  - MD5: 95810a7878ddd3f49d938eb6b5c0f1b2
  - SHA1: 4d0358e131242bfb1a29d1db368e9e24381ad979
  - SHA256: e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9

Identifiers

- None

## authentication.oauth.zip: authentication.oauth-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/type-search-index.js

**MD5:** c5cf5d9f662e5d0fb1fbe03c620a9e3c

**SHA1:** 4cff882ae583b06340823df524526241504fa320

**SHA256:**84e8a0f0eaf62268a0904f400e6d146858ec764b1d8e107e11dfd6da3d4419aa

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## authentication.oauth.zip: authentication.oauth.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth.jar

**MD5:** 95383500a4d83bcf61d5e8dcdedaf11f

**SHA1:** 68b54a56116cb77d266de85521d9c530e7693028

**SHA256:**beb6e394601654085e7167d9ad5b0113d0036a33bc9af9c7e80a60d909bf4946

**Referenced In Project/Scope:** server

### Evidence



| Type   | Source   | Name                  | Value                | Confidence |
|--------|----------|-----------------------|----------------------|------------|
| Vendor | file     | name                  | authentication.oauth | High       |
| Vendor | jar      | package name          | authentication       | Low        |
| Vendor | jar      | package name          | inet                 | Low        |
| Vendor | jar      | package name          | oauth2               | Low        |
| Vendor | Manifest | built-date            | 2025-10-01 17:48     | Low        |
| Vendor | Manifest | implementation-group  | shared               | Low        |
| Vendor | Manifest | Implementation-Vendor | i-net software       | High       |
| Vendor | Manifest | Implementation-       | de.inetsoftware      | Medium     |

## Vendor-Id

|         |          |                        |                                      |         |
|---------|----------|------------------------|--------------------------------------|---------|
| Vendor  | Manifest | specification-vendor   | i-net software                       | Low     |
| Vendor  | Manifest | vendor                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                   | authentication.oauth                 | High    |
| Product | jar      | package name           | authentication                       | Highest |
| Product | jar      | package name           | authentication                       | Low     |
| Product | jar      | package name           | internal                             | Low     |
| Product | jar      | package name           | oauth2                               | Low     |
| Product | Manifest | built-date             | 2025-10-01 17:48                     | Low     |
| Product | Manifest | implementation-group   | shared                               | Low     |
| Product | Manifest | Implementation-Title   | authentication.oauth                 | High    |
| Product | Manifest | specification-title    | authentication.oauth                 | Medium  |
| Version | Manifest | Implementation-Version | 25.10.198                            | High    |

## Identifiers

- None

## authentication.oauth.zip: jjwt-api.jar

## Description:

JSON Web Token support for the JVM and Android

## License:

<https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/jjwt-api.jar

**MD5:** 995d2066feaa206de5e880045c9407d4

**SHA1:** 478886a888f6add04937baf0361144504a024967

**SHA256:** 8fabe0be1dfad1c823dc43137453e017d2c83f376422c83e017d9dd1043e6984

**Referenced In Project/Scope:** server

## Evidence



| Type   | Source | Name | Value    | Confidence |
|--------|--------|------|----------|------------|
| Vendor | file   | name | jjwt-api | High       |

|         |          |                          |   |         |
|---------|----------|--------------------------|---|---------|
| Vendor  | jar      | package name             | io  | Highest |
| Vendor  | jar      | package name             | jsonwebtoken  | Highest |
| Vendor  | Manifest | build-jdk-spec           | 1.7   | Low     |
| Vendor  | Manifest | bundle-docurl            | <a href="https://github.com/jwt/jwt">https://github.com/jwt/jwt</a>                   | Low     |
| Vendor  | Manifest | bundle-symbolicname      | io.jsonwebtoken.jjwt-api  | Medium  |
| Vendor  | Manifest | implementation-url       | <a href="https://github.com/jwt/jwt/jjwt-api">https://github.com/jwt/jwt/jjwt-api</a> | Low     |
| Vendor  | Manifest | Implementation-Vendor    | jsonwebtoken.io   | High    |
| Vendor  | Manifest | Implementation-Vendor-Id | io.jsonwebtoken   | Medium  |
| Vendor  | Manifest | specification-vendor     | jsonwebtoken.io   | Low     |
| Vendor  | pom      | artifactid               | jjwt-api  | Low     |
| Vendor  | pom      | groupid                  | io.jsonwebtoken   | Highest |
| Vendor  | pom      | name                     | JJWT :: API   | High    |
| Vendor  | pom      | parent-artifactid        | jjwt-root   | Low     |
| Product | file     | name                     | jjwt-api  | High    |
| Product | jar      | package name             | io  | Highest |
| Product | jar      | package name             | jsonwebtoken  | Highest |
| Product | Manifest | build-jdk-spec           | 1.7   | Low     |
| Product | Manifest | bundle-docurl            | <a href="https://github.com/jwt/jwt">https://github.com/jwt/jwt</a>                   | Low     |
| Product | Manifest | Bundle-Name              | JJWT :: API   | Medium  |
| Product | Manifest | bundle-symbolicname      | io.jsonwebtoken.jjwt-api  | Medium  |
| Product | Manifest | Implementation-Title     | JJWT :: API   | High    |
| Product | Manifest | implementation-url       | <a href="https://github.com/jwt/jwt/jjwt-api">https://github.com/jwt/jwt/jjwt-api</a> | Low     |
| Product | Manifest | specification-title      | JJWT :: API   | Medium  |
| Product | pom      | artifactid               | jjwt-api  | Highest |
| Product | pom      | groupid                  | io.jsonwebtoken   | Highest |
| Product | pom      | name                     | JJWT :: API   | High    |
| Product | pom      | parent-artifactid        | jjwt-root   | Medium  |
| Version | Manifest | Bundle-Version           | 0.12.6  | High    |
| Version | Manifest | Implementation-Version   | 0.12.6  | High    |
| Version | pom      | version                  | 0.12.6  | Highest |

## Identifiers

- [pkg:maven/io.jsonwebtoken/jjwt-api@0.12.6](https://maven.io.jsonwebtoken/jjwt-api@0.12.6) (Confidence:High)

## authentication.oauth.zip: jjwt-impl.jar

### Description:

JSON Web Token support for the JVM and Android

### License:

<https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/jjwt-impl.jar

**MD5:** e96f699bad6353508953424e82e5de45

**SHA1:** ac23673a84b6089e0369fb8ab2c69edd91cd6eb0

**SHA256:** ad80ceda467ddab64f0e729257dd5f72f61487cc3b92e696270e620f0d88168f

**Referenced In Project/Scope:** server

## Evidence



| Type   | Source   | Name                     | Value   | Confidence |
|--------|----------|--------------------------|---|------------|
| Vendor | file     | name                     | jjwt-impl   | High       |
| Vendor | jar      | package name             | impl  | Highest    |
| Vendor | jar      | package name             | io  | Highest    |
| Vendor | jar      | package name             | jsonwebtoken  | Highest    |
| Vendor | Manifest | build-jdk-spec           | 1.7   | Low        |
| Vendor | Manifest | bundle-docurl            | <a href="https://github.com/jwt/jwt">https://github.com/jwt/jwt</a>                     | Low        |
| Vendor | Manifest | bundle-symbolicname      | io.jsonwebtoken.jjwt-impl   | Medium     |
| Vendor | Manifest | fragment-host            | io.jsonwebtoken.jjwt-api  | Low        |
| Vendor | Manifest | implementation-url       | <a href="https://github.com/jwt/jwt/jjwt-impl">https://github.com/jwt/jwt/jjwt-impl</a> | Low        |
| Vendor | Manifest | Implementation-Vendor    | jsonwebtoken.io   | High       |
| Vendor | Manifest | Implementation-Vendor-Id | io.jsonwebtoken   | Medium     |
| Vendor | Manifest | specification-vendor     | jsonwebtoken.io   | Low        |
| Vendor | pom      | artifactid               | jjwt-impl   | Low        |
| Vendor | pom      | groupid                  | io.jsonwebtoken   | Highest    |
|        |          |                          |   |            |

|         |          |                        |                                      |         |
|---------|----------|------------------------|--------------------------------------|---------|
| Vendor  | pom      | name                   | JJWT :: Impl                         | High    |
| Vendor  | pom      | parent-artifactid      | jjwt-root                            | Low     |
| Product | file     | name                   | jjwt-impl                            | High    |
| Product | jar      | package name           | impl                                 | Highest |
| Product | jar      | package name           | io                                   | Highest |
| Product | jar      | package name           | jsonwebtoken                         | Highest |
| Product | Manifest | build-jdk-spec         | 1.7                                  | Low     |
| Product | Manifest | bundle-docurl          | https://github.com/jwt/jwt           | Low     |
| Product | Manifest | Bundle-Name            | JJWT :: Impl                         | Medium  |
| Product | Manifest | bundle-symbolicname    | io.jsonwebtoken.jjwt-impl            | Medium  |
| Product | Manifest | fragment-host          | io.jsonwebtoken.jjwt-api             | Low     |
| Product | Manifest | Implementation-Title   | JJWT :: Impl                         | High    |
| Product | Manifest | implementation-url     | https://github.com/jwt/jwt/jjwt-impl | Low     |
| Product | Manifest | specification-title    | JJWT :: Impl                         | Medium  |
| Product | pom      | artifactid             | jjwt-impl                            | Highest |
| Product | pom      | groupid                | io.jsonwebtoken                      | Highest |
| Product | pom      | name                   | JJWT :: Impl                         | High    |
| Product | pom      | parent-artifactid      | jjwt-root                            | Medium  |
| Version | Manifest | Bundle-Version         | 0.12.6                               | High    |
| Version | Manifest | Implementation-Version | 0.12.6                               | High    |
| Version | pom      | version                | 0.12.6                               | Highest |

#### Identifiers

- [pkg:maven/io.jsonwebtoken/jjwt-impl@0.12.6](#) (*Confidence:High*)

### authentication.pam.zip: authentication.pam.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/authentication.pam.jar  
**MD5:** 8d44b485881e92d0cbbd29a8c6c18606  
**SHA1:** 9da3b2076e28d5b8c4adebd1ab1ec1d7ae0e3aff  
**SHA256:** c10391398e702ca7320342d145d4dfd17c0c68053555f9958b4ba2cb31718ea4  
**Referenced In Project/Scope:** server



## Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | authentication.pam                   | High       |
| Vendor  | jar      | package name             | authentication                       | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | pam                                  | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 17:35                     | Low        |
| Vendor  | Manifest | implementation-group     | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | authentication.pam                   | High       |
| Product | jar      | package name             | authentication                       | Highest    |
| Product | jar      | package name             | authentication                       | Low        |
| Product | jar      | package name             | libpam                               | Low        |
| Product | jar      | package name             | pam                                  | Highest    |
| Product | jar      | package name             | pam                                  | Low        |
| Product | Manifest | built-date               | 2025-10-01 17:35                     | Low        |
| Product | Manifest | implementation-group     | shared                               | Low        |
| Product | Manifest | Implementation-Title     | authentication.pam                   | High       |
| Product | Manifest | specification-title      | authentication.pam                   | Medium     |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High       |

## Identifiers

- None

authentication.passwordfile.sample.zip: authentication.passwordfile.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/PasswordFile/authentication.passwordfile.sample.zip/authentication.passwordfile.sample.jar  
**MD5:** ef74b051c0dcbf7ad9b2821e29079f54  
**SHA1:** 36ab78f42c2795749c5b752d1ed336fc4e80ffa0  
**SHA256:**49fa03588b81f158921ac1b71533fe3aa79cefe4120d16f12ac8353bab804ec1  
**Referenced In Project/Scope:** server

Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | authentication.passwordfile.sample   | High       |
| Vendor  | jar      | package name             | authentication                       | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | passwordfile                         | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 17:48                     | Low        |
| Vendor  | Manifest | implementation-group     | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | authentication.passwordfile.sample   | High       |
| Product | jar      | package name             | authentication                       | Highest    |
| Product | jar      | package name             | authentication                       | Low        |
| Product | jar      | package name             | passwordfile                         | Highest    |
| Product | jar      | package name             | passwordfile                         | Low        |
| Product | Manifest | built-date               | 2025-10-01 17:48                     | Low        |
| Product | Manifest | implementation-group     | shared                               | Low        |
| Product | Manifest | Implementation-Title     | authentication.passwordfile.sample   | High       |
| Product | Manifest | specification-title      | authentication.passwordfile.sample   | Medium     |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High       |

Identifiers

- None

authentication.product.zip: authentication.product.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.product.zip/authentication.product.jar

**MD5:** b069ca7cdb084fc62b1dec59cbbd9858

**SHA1:** c5de238dd4bbb10e78a28a5d38121efb472da252

**SHA256:** 41253d91cdfcc463aa21cfe8083f9db5e911e7facb7d31ff795c78385618169c

**Referenced In Project/Scope:** server

Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | authentication.product               | High       |
| Vendor  | jar      | package name             | authentication                       | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | product                              | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 17:41                     | Low        |
| Vendor  | Manifest | implementation-group     | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | authentication.product               | High       |
| Product | jar      | package name             | authentication                       | Highest    |
| Product | jar      | package name             | authentication                       | Low        |
| Product | jar      | package name             | product                              | Highest    |
| Product | jar      | package name             | product                              | Low        |
| Product | Manifest | built-date               | 2025-10-01 17:41                     | Low        |
| Product | Manifest | implementation-group     | shared                               | Low        |
| Product | Manifest | Implementation-Title     | authentication.product               | High       |
| Product | Manifest | specification-title      | authentication.product               | Medium     |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High       |

Identifiers

- None

authentication.token.zip: authentication.token.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.token.zip/authentication.token.jar  
**MD5:** 3e8f8005856de4d0431c2324bc66e0cd  
**SHA1:** 8cfdb150d70fe291f9babd9d8f1eb7874d75a0db  
**SHA256:**bc127953738a24a69fba8367d72e9dfc298e8fb67944868844548ce3e216a771  
**Referenced In Project/Scope:** server

Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | authentication.token                 | High       |
| Vendor  | jar      | package name             | authentication                       | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | token                                | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 17:49                     | Low        |
| Vendor  | Manifest | implementation-group     | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | authentication.token                 | High       |
| Product | jar      | package name             | authentication                       | Highest    |
| Product | jar      | package name             | authentication                       | Low        |
| Product | jar      | package name             | server                               | Low        |
| Product | jar      | package name             | token                                | Highest    |
| Product | jar      | package name             | token                                | Low        |
| Product | Manifest | built-date               | 2025-10-01 17:49                     | Low        |
| Product | Manifest | implementation-group     | shared                               | Low        |

|         |          |                        |                      |        |
|---------|----------|------------------------|----------------------|--------|
| Product | Manifest | Implementation-Title   | authentication.token | High   |
| Product | Manifest | specification-title    | authentication.token | Medium |
| Version | Manifest | Implementation-Version | 25.10.198            | High   |

#### Identifiers

- None

### authentication.token.zip: authentication.token.jar: tokenauthentication.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.token.zip/authentication.token.jar  
/com/inet/authentication/token/client/js/tokenauthentication.js

**MD5:** 7eb13496ad581af8017c580edb992d8d

**SHA1:** 6acf1a0a3d69dc82adfa1b035666ae8b1e11c509

**SHA256:** 334664a3832f5b48b843ad082fc6b3523e0b983fe44c235c4f979d2f5749f4c0

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### authentication.windows.zip: authentication.windows.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/authentication.windows.jar

**MD5:** b375f942b183ee9de621e1d40d87098e

**SHA1:** c407804e628bb8bb36d93b3c2cc862b5181d294f

**SHA256:** 23bc68626a56a53e3a2fd73ea32af0deee9c70f9b0af7ba954041682160dff4b

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

|         |          |                          |                                      |         |
|---------|----------|--------------------------|--------------------------------------|---------|
| Vendor  | file     | name                     | authentication.windows               | High    |
| Vendor  | jar      | package name             | authentication                       | Low     |
| Vendor  | jar      | package name             | inet                                 | Low     |
| Vendor  | jar      | package name             | windows                              | Low     |
| Vendor  | Manifest | built-date               | 2025-10-01 17:36                     | Low     |
| Vendor  | Manifest | implementation-group     | shared                               | Low     |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low     |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                     | authentication.windows               | High    |
| Product | jar      | package name             | authentication                       | Highest |
| Product | jar      | package name             | authentication                       | Low     |
| Product | jar      | package name             | windows                              | Highest |
| Product | jar      | package name             | windows                              | Low     |
| Product | Manifest | built-date               | 2025-10-01 17:36                     | Low     |
| Product | Manifest | implementation-group     | shared                               | Low     |
| Product | Manifest | Implementation-Title     | authentication.windows               | High    |
| Product | Manifest | specification-title      | authentication.windows               | Medium  |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High    |

#### Identifiers

- None

## authentication.windows.zip: caffeine.jar

### Description:

A high performance caching library

### License:

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/caffeine.jar

**MD5:** 7661b25999918646ec802846cc4c16bc

**SHA1:** 3646a0d1b1abe6a31f72f2237d9004d10a5be91d

**SHA256:** 0311f9d5d9750aa2a1c11cbdba5a5cb7fec91c8870d6f179f324b3f5295b87dd

**Referenced In Project/Scope:** server

## Evidence



| Type    | Source   | Name                  | Value                              | Confidence |
|---------|----------|-----------------------|------------------------------------|------------|
| Vendor  | file     | name                  | caffeine                           | High       |
| Vendor  | jar      | package name          | benmanes                           | Highest    |
| Vendor  | jar      | package name          | benmanes                           | Low        |
| Vendor  | jar      | package name          | caffeine                           | Highest    |
| Vendor  | jar      | package name          | caffeine                           | Low        |
| Vendor  | jar      | package name          | github                             | Highest    |
| Vendor  | jar      | package name          | github                             | Low        |
| Vendor  | Manifest | automatic-module-name | com.github.benmanes.caffeine       | Medium     |
| Vendor  | Manifest | build-jdk-spec        | 11                                 | Low        |
| Vendor  | Manifest | bundle-symbolicname   | com.github.ben-manes.caffeine      | Medium     |
| Product | file     | name                  | caffeine                           | High       |
| Product | jar      | package name          | benmanes                           | Highest    |
| Product | jar      | package name          | benmanes                           | Low        |
| Product | jar      | package name          | cache                              | Low        |
| Product | jar      | package name          | caffeine                           | Highest    |
| Product | jar      | package name          | caffeine                           | Low        |
| Product | jar      | package name          | github                             | Highest    |
| Product | Manifest | automatic-module-name | com.github.benmanes.caffeine       | Medium     |
| Product | Manifest | build-jdk-spec        | 11                                 | Low        |
| Product | Manifest | Bundle-Name           | com.github.ben-manes.caffeine      | Medium     |
| Product | Manifest | bundle-symbolicname   | com.github.ben-manes.caffeine      | Medium     |
| Product | Manifest | Implementation-Title  | A high performance caching library | High       |
| Version | Manifest | build-jdk-spec        | 11                                 | Low        |
| Version | Manifest | Bundle-Version        | 3.1.6                              | High       |
| Version | Manifest | Implementation-       | 3.1.6                              | High       |

Version

#### Identifiers

- None

### authentication.windows.zip: jna-platform.jar

#### Description:

JNA Platform Library

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna-platform.jar

**MD5:** 3bc3f09a698e6ad250dd093f64fbb8a7

**SHA1:** 28934d48aed814f11e4c584da55c49fa7032b31b

**SHA256:** ae4caceb3840730c2537f9b7fb55a01baba580286b4122951488bcee558c2449

**Referenced In Project/Scope:** server

#### Evidence



| Type   | Source     | Name                     | Value                | Confidence |
|--------|------------|--------------------------|----------------------|------------|
| Vendor | file       | name                     | jna-platform         | High       |
| Vendor | jar        | package name             | jna                  | Highest    |
| Vendor | jar        | package name             | jna                  | Low        |
| Vendor | jar        | package name             | platform             | Highest    |
| Vendor | jar        | package name             | platform             | Low        |
| Vendor | jar        | package name             | sun                  | Highest    |
| Vendor | jar        | package name             | sun                  | Low        |
| Vendor | jar (hint) | package name             | oracle               | Highest    |
| Vendor | jar (hint) | package name             | oracle               | Low        |
| Vendor | Manifest   | automatic-module-name    | com.sun.jna.platform | Medium     |
| Vendor | Manifest   | bundle-category          | jni                  | Low        |
| Vendor | Manifest   | bundle-requiredexecution | J2SE-1.4             | Low        |
| Vendor | Manifest   | bundle-symbolicname      | com.sun.jna.platform | Medium     |
| Vendor | Manifest   | Implementation-Vendor    | JNA Development Team | High       |



|         |          |                          |                                     |         |
|---------|----------|--------------------------|-------------------------------------|---------|
| Vendor  | Manifest | require-bundle           | com.sun.jna;bundle-version="5.14.0" | Low     |
| Vendor  | Manifest | specification-vendor     | JNA Development Team                | Low     |
| Product | file     | name                     | jna-platform                        | High    |
| Product | jar      | package name             | jna                                 | Highest |
| Product | jar      | package name             | jna                                 | Low     |
| Product | jar      | package name             | platform                            | Highest |
| Product | jar      | package name             | platform                            | Low     |
| Product | jar      | package name             | sun                                 | Highest |
| Product | jar      | package name             | win32                               | Low     |
| Product | Manifest | automatic-module-name    | com.sun.jna.platform                | Medium  |
| Product | Manifest | bundle-category          | jni                                 | Low     |
| Product | Manifest | Bundle-Name              | jna-platform                        | Medium  |
| Product | Manifest | bundle-requiredexecution | J2SE-1.4                            | Low     |
| Product | Manifest | bundle-symbolicname      | com.sun.jna.platform                | Medium  |
| Product | Manifest | Implementation-Title     | com.sun.jna                         | High    |
| Product | Manifest | require-bundle           | com.sun.jna;bundle-version="5.14.0" | Low     |
| Product | Manifest | specification-title      | Java Native Access (JNA)            | Medium  |
| Version | jar      | package name             | jna                                 | Highest |
| Version | jar      | package name             | sun                                 | Highest |
| Version | Manifest | Bundle-Version           | 5.14.0                              | High    |
| Version | Manifest | Implementation-Version   | 5.14.0 (b0)                         | High    |

#### Identifiers

- None

**authentication.windows.zip: waffle-jna-jakarta.jar**

#### Description:

WAFFLE JNA Jakarta Package implementation

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/waffle-jna-jakarta.jar  
**MD5:** 4292b31211ec75d0a54780009f620fd7  
**SHA1:** a54b03b4de48b62188b183e04313092119f3e247  
**SHA256:** e53d74bd6e09b543b97ccb7b5aff7dbdb1a9058066eafb9c2573c75adf254703  
**Referenced In Project/Scope:** server

Evidence



| Type    | Source   | Name                  | Value                                  | Confidence |
|---------|----------|-----------------------|--|------------|
| Vendor  | file     | name                  | waffle-jna-jakarta                     | High       |
| Vendor  | jar      | package name          | waffle                                 | Highest    |
| Vendor  | Manifest | automatic-module-name | waffle.jna.jakarta                     | Medium     |
| Vendor  | Manifest | build-jdk-spec        | 21                                     | Low        |
| Vendor  | Manifest | copyright             | 2024                                   | Low        |
| Vendor  | Manifest | git-revision          | 725e568c485ae01eddb2777e17e1c3f78955d4 | Low        |
| Vendor  | Manifest | Implementation-Vendor | com.github.waffle                      | High       |
| Vendor  | Manifest | specification-vendor  | com.github.waffle                      | Low        |
| Vendor  | pom      | artifactid            | waffle-jna-jakarta                     | Low        |
| Vendor  | pom      | groupid               | com.github.waffle                      | Highest    |
| Vendor  | pom      | name                  | waffle-jna-jakarta                     | High       |
| Vendor  | pom      | parent-artifactid     | waffle                                 | Low        |
| Vendor  | pom      | url                   | https://waffle.github.io/waffle/       | Highest    |
| Product | file     | name                  | waffle-jna-jakarta                     | High       |
| Product | jar      | package name          | waffle                                 | Highest    |
| Product | Manifest | automatic-module-name | waffle.jna.jakarta                     | Medium     |
| Product | Manifest | build-jdk-spec        | 21                                     | Low        |
| Product | Manifest | copyright             | 2024                                   | Low        |
| Product | Manifest | git-revision          | 725e568c485ae01eddb2777e17e1c3f78955d4 | Low        |
| Product | Manifest | Implementation-Title  | waffle-jna-jakarta                     | High       |
| Product | Manifest | specification-title   | waffle-jna-jakarta                     | Medium     |
| Product | pom      | artifactid            | waffle-jna-jakarta                     | Highest    |
| Product | pom      | groupid               | com.github.waffle                      | Highest    |
| Product | pom      | name                  | waffle-jna-jakarta                     | High       |
| Product | pom      | parent-artifactid     | waffle                                 | Medium     |

|         |          |                        |                                  |         |
|---------|----------|------------------------|----------------------------------|---------|
| Product | pom      | url                    | https://waffle.github.io/waffle/ | Medium  |
| Version | Manifest | Implementation-Version | 3.5.1                            | High    |
| Version | pom      | version                | 3.5.1                            | Highest |

#### Identifiers

- [pkg:maven/com.github.waffle/waffle-jna-jakarta@3.5.1](#) (*Confidence:High*)
- [cpe:2.3:a:4d:4d:3.5.1:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*) suppress

### collation.sample.zip: collation.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/CollationServerPlugin/collation.sample.zip/collation.sample.jar

**MD5:** 4fa2b800f3362ad5d8aa90964c0dc497

**SHA1:** 233b1dc23ecee0f4624369aba924152adc01ebf3

**SHA256:** 94549266974e704ee18893b4bb7888a6939427aef7e9e561cfb289e8551ae62f

**Referenced In Project/Scope:** server

#### Evidence

| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | collation.sample                     | High       |
| Vendor  | jar      | package name             | collation                            | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | samples                              | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 18:41                     | Low        |
| Vendor  | Manifest | implementation-group     | reporting                            | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | collation.sample                     | High       |
| Product | jar      | package name             | collation                            | Highest    |
| Product | jar      | package name             | collation                            | Low        |

|         |          |                        |                       |        |
|---------|----------|------------------------|-----------------------|--------|
| Product | jar      | package name           | collationserverplugin | Low    |
| Product | jar      | package name           | samples               | Low    |
| Product | Manifest | built-date             | 2025-10-01 18:41      | Low    |
| Product | Manifest | implementation-group   | reporting             | Low    |
| Product | Manifest | Implementation-Title   | collation.sample      | High   |
| Product | Manifest | specification-title    | collation.sample      | Medium |
| Version | Manifest | Implementation-Version | 25.10.198             | High   |

#### Identifiers

- None

### collation.zip: collation.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/collation.zip/collation.sample.jar

**MD5:** 78f9ef4af9006b5271917e0c464d57e3

**SHA1:** f1072ed9e1e148340f30b55ab70076ec6d61fc49

**SHA256:** ca9ddb77a12bc0fd190b394cf34a3192d0699d4c08376f96089a808b56eff38e

**Referenced In Project/Scope:** server

#### Evidence

| Type   | Source   | Name                     | Value                                | Confidence |
|--------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file     | name                     | collation.sample                     | High       |
| Vendor | jar      | package name             | collation                            | Low        |
| Vendor | jar      | package name             | inet                                 | Low        |
| Vendor | jar      | package name             | samples                              | Low        |
| Vendor | Manifest | built-date               | 2025-09-29 18:42                     | Low        |
| Vendor | Manifest | implementation-group     | reporting                            | Low        |
| Vendor | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |

|         |          |                        |                       |         |
|---------|----------|------------------------|-----------------------|---------|
| Product | file     | name                   | collation.sample      | High    |
| Product | jar      | package name           | collation             | Highest |
| Product | jar      | package name           | collation             | Low     |
| Product | jar      | package name           | collationserverplugin | Low     |
| Product | jar      | package name           | samples               | Low     |
| Product | Manifest | built-date             | 2025-09-29 18:42      | Low     |
| Product | Manifest | implementation-group   | reporting             | Low     |
| Product | Manifest | Implementation-Title   | collation             | High    |
| Product | Manifest | specification-title    | collation             | Medium  |
| Version | Manifest | Implementation-Version | 25.10.196             | High    |

#### Identifiers

- None

## commons-logging.jar

### Description:

Apache Commons Logging is a thin adapter allowing configurable bridging to other, well-known logging systems.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/commons-logging.jar

**MD5:** e7a1e7cb6a89241ed9bfec4c25b6c645

**SHA1:** b9fc14968d63a8b8a8a2c1885fe3e90564239708

**SHA256:** bc2dfe32f1ef06509e6a065144c1adf7b420eabf11a87f30bd127f8faa332016

**Referenced In Project/Scope:** server

### Evidence

| Type   | Source | Name         | Value           | Confidence |
|--------|--------|--------------|-----------------|------------|
| Vendor | file   | name         | commons-logging | High       |
| Vendor | jar    | package name | apache          | Highest    |
| Vendor | jar    | package name | commons         | Highest    |
| Vendor | jar    | package name | logging         | Highest    |

|        |          |                       |   |        |
|--------|----------|-----------------------|---|--------|
| Vendor | Manifest | automatic-module-name | org.apache.commons.logging  | Medium |
| Vendor | Manifest | build-jdk-spec        | 17  | Low    |
| Vendor | Manifest | bundle-docurl         | <a href="https://commons.apache.org/proper/commons-logging/">https://commons.apache.org/proper/commons-logging/</a> | Low    |
| Vendor | Manifest | bundle-symbolicname   | org.apache.commons.commons-logging  | Medium |
| Vendor | Manifest | Implementation-Vendor | The Apache Software Foundation  | High   |
| Vendor | Manifest | multi-release         | true  | Low    |
| Vendor | Manifest | specification-vendor  | The Apache Software Foundation  | Low    |
| Vendor | pom      | artifactid            | commons-logging   | Low    |
| Vendor | pom      | developer email       | baliuka@apache.org  | Low    |
| Vendor | pom      | developer email       | costin@apache.org   | Low    |
| Vendor | pom      | developer email       | craigmcc@apache.org   | Low    |
| Vendor | pom      | developer email       | dennisl@apache.org  | Low    |
| Vendor | pom      | developer email       | donaldp@apache.org  | Low    |
| Vendor | pom      | developer email       | ggregory at apache.org  | Low    |
| Vendor | pom      | developer email       | morgand@apache.org  | Low    |
| Vendor | pom      | developer email       | rdonkin@apache.org  | Low    |
| Vendor | pom      | developer email       | rsitze@apache.org   | Low    |
| Vendor | pom      | developer email       | rwaldhoff@apache.org  | Low    |
| Vendor | pom      | developer email       | sanders@apache.org  | Low    |
| Vendor | pom      | developer email       | skitching@apache.org  | Low    |
| Vendor | pom      | developer email       | tn@apache.org   | Low    |
| Vendor | pom      | developer id          | baliuka   | Medium |
| Vendor | pom      | developer id          | bstansberry   | Medium |
| Vendor | pom      | developer id          | costin  | Medium |
| Vendor | pom      | developer id          | craigmcc  | Medium |
| Vendor | pom      | developer id          | dennisl   | Medium |
| Vendor | pom      | developer id          | donaldp   | Medium |
| Vendor | pom      | developer id          | ggregory  | Medium |
| Vendor | pom      | developer id          | morgand   | Medium |
| Vendor | pom      | developer id          | rdonkin   | Medium |
| Vendor | pom      | developer id          | rsitze  | Medium |
| Vendor | pom      | developer id          | rwaldhoff   | Medium |
| Vendor | pom      | developer id          | sanders   | Medium |

|         |          |                       |   |         |
|---------|----------|-----------------------|---|---------|
| Vendor  | pom      | developer id          | skitching   | Medium  |
| Vendor  | pom      | developer id          | tn  | Medium  |
| Vendor  | pom      | developer name        | Brian Stansberry  | Medium  |
| Vendor  | pom      | developer name        | Costin Manolache  | Medium  |
| Vendor  | pom      | developer name        | Craig McClanahan  | Medium  |
| Vendor  | pom      | developer name        | Dennis Lundberg   | Medium  |
| Vendor  | pom      | developer name        | Gary Gregory  | Medium  |
| Vendor  | pom      | developer name        | Juozas Baliuka  | Medium  |
| Vendor  | pom      | developer name        | Morgan Delagrange   | Medium  |
| Vendor  | pom      | developer name        | Peter Donald  | Medium  |
| Vendor  | pom      | developer name        | Richard Sitze   | Medium  |
| Vendor  | pom      | developer name        | Robert Burrell Donkin   | Medium  |
| Vendor  | pom      | developer name        | Rodney Waldhoff   | Medium  |
| Vendor  | pom      | developer name        | Scott Sanders   | Medium  |
| Vendor  | pom      | developer name        | Simon Kitching  | Medium  |
| Vendor  | pom      | developer name        | Thomas Neidhart   | Medium  |
| Vendor  | pom      | developer org         | Apache  | Medium  |
| Vendor  | pom      | developer org         | The Apache Software Foundation  | Medium  |
| Vendor  | pom      | developer org URL     | <a href="https://www.apache.org/">https://www.apache.org/</a>   | Medium  |
| Vendor  | pom      | groupid               | commons-logging   | Highest |
| Vendor  | pom      | name                  | Apache Commons Logging  | High    |
| Vendor  | pom      | parent-artifactid     | commons-parent  | Low     |
| Vendor  | pom      | parent-groupid        | org.apache.commons  | Medium  |
| Vendor  | pom      | url                   | <a href="https://commons.apache.org/proper/commons-logging/">https://commons.apache.org/proper/commons-logging/</a> | Highest |
| Product | file     | name                  | commons-logging   | High    |
| Product | jar      | package name          | apache  | Highest |
| Product | jar      | package name          | commons   | Highest |
| Product | jar      | package name          | logging   | Highest |
| Product | Manifest | automatic-module-name | org.apache.commons.logging  | Medium  |
| Product | Manifest | build-jdk-spec        | 17  | Low     |
| Product | Manifest | bundle-docurl         | <a href="https://commons.apache.org/proper/commons-logging/">https://commons.apache.org/proper/commons-logging/</a> | Low     |
| Product | Manifest | Bundle-Name           | Apache Commons Logging  | Medium  |
| Product | Manifest | bundle-               | org.apache.commons.commons-logging  | Medium  |

## symbolicname

|         |          |                      |                         |         |
|---------|----------|----------------------|-------------------------|---------|
| Product | Manifest | Implementation-Title | Apache Commons Logging  | High    |
| Product | Manifest | multi-release        | true                    | Low     |
| Product | Manifest | specification-title  | Apache Commons Logging  | Medium  |
| Product | pom      | artifactid           | commons-logging         | Highest |
| Product | pom      | developer email      | baliuka@apache.org      | Low     |
| Product | pom      | developer email      | costin@apache.org       | Low     |
| Product | pom      | developer email      | craigmcc@apache.org     | Low     |
| Product | pom      | developer email      | dennisl@apache.org      | Low     |
| Product | pom      | developer email      | donaldp@apache.org      | Low     |
| Product | pom      | developer email      | gggregory at apache.org | Low     |
| Product | pom      | developer email      | morgand@apache.org      | Low     |
| Product | pom      | developer email      | rdonkin@apache.org      | Low     |
| Product | pom      | developer email      | rsitze@apache.org       | Low     |
| Product | pom      | developer email      | rwaldhoff@apache.org    | Low     |
| Product | pom      | developer email      | sanders@apache.org      | Low     |
| Product | pom      | developer email      | skitching@apache.org    | Low     |
| Product | pom      | developer email      | tn@apache.org           | Low     |
| Product | pom      | developer id         | baliuka                 | Low     |
| Product | pom      | developer id         | bstansberry             | Low     |
| Product | pom      | developer id         | costin                  | Low     |
| Product | pom      | developer id         | craigmcc                | Low     |
| Product | pom      | developer id         | dennisl                 | Low     |
| Product | pom      | developer id         | donaldp                 | Low     |
| Product | pom      | developer id         | gggregory               | Low     |
| Product | pom      | developer id         | morgand                 | Low     |
| Product | pom      | developer id         | rdonkin                 | Low     |
| Product | pom      | developer id         | rsitze                  | Low     |
| Product | pom      | developer id         | rwaldhoff               | Low     |
| Product | pom      | developer id         | sanders                 | Low     |
| Product | pom      | developer id         | skitching               | Low     |
| Product | pom      | developer id         | tn                      | Low     |
| Product | pom      | developer name       | Brian Stansberry        | Low     |
| Product | pom      | developer name       | Costin Manolache        | Low     |
| Product | pom      | developer name       | Craig McClanahan        | Low     |



|         |          |                        |  |         |
|---------|----------|------------------------|--|---------|
| Product | pom      | developer name         | Dennis Lundberg                                    | Low     |
| Product | pom      | developer name         | Gary Gregory                                       | Low     |
| Product | pom      | developer name         | Juozas Baliuka                                     | Low     |
| Product | pom      | developer name         | Morgan Delagrange                                  | Low     |
| Product | pom      | developer name         | Peter Donald                                       | Low     |
| Product | pom      | developer name         | Richard Sitze                                      | Low     |
| Product | pom      | developer name         | Robert Burrell Donkin                              | Low     |
| Product | pom      | developer name         | Rodney Waldhoff                                    | Low     |
| Product | pom      | developer name         | Scott Sanders                                      | Low     |
| Product | pom      | developer name         | Simon Kitching                                     | Low     |
| Product | pom      | developer name         | Thomas Neidhart                                    | Low     |
| Product | pom      | developer org          | Apache   | Low     |
| Product | pom      | developer org          | The Apache Software Foundation                     | Low     |
| Product | pom      | developer org URL      | https://www.apache.org/                            | Low     |
| Product | pom      | groupid                | commons-logging                                    | Highest |
| Product | pom      | name                   | Apache Commons Logging                             | High    |
| Product | pom      | parent-artifactid      | commons-parent                                     | Medium  |
| Product | pom      | parent-groupid         | org.apache.commons                                 | Medium  |
| Product | pom      | url                    | https://commons.apache.org/proper/commons-logging/ | Medium  |
| Version | Manifest | Bundle-Version         | 1.3.4  | High    |
| Version | Manifest | Implementation-Version | 1.3.4  | High    |
| Version | pom      | parent-version         | 1.3.4  | Low     |
| Version | pom      | version                | 1.3.4  | Highest |

#### Identifiers

- [pkg:maven/commons-logging/commons-logging@1.3.4](#) (Confidence:High)

**configuration.automaticconfigrestore.sample.zip: configuration.automaticconfigrestore.sample.jar**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Configuration/AutomaticConfigRestore/configuration.automaticconfigrestore.sample.zip/configuration.

automaticconfigstore.sample.jar  
**MD5:** b773728f87cb916baa1c27c50ea653cb  
**SHA1:** 2646b6ed4624e3df0eb0260bc6aa2c332db82120  
**SHA256:**77d60f980da70f0a2a9f68c508586cf70239fc6df64de440e036d9040f164e50  
**Referenced In Project/Scope:** server

Evidence



| Type    | Source   | Name                     | Value                                     | Confidence |
|---------|----------|--------------------------|---|------------|
| Vendor  | file     | name                     | configuration.automaticconfigstore.sample | High       |
| Vendor  | jar      | package name             | automaticconfigstore                      | Low        |
| Vendor  | jar      | package name             | inet                                      | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 17:48                          | Low        |
| Vendor  | Manifest | implementation-group     | shared                                    | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                            | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                           | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                            | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany      | Medium     |
| Product | file     | name                     | configuration.automaticconfigstore.sample | High       |
| Product | jar      | package name             | automaticconfigstore                      | Highest    |
| Product | jar      | package name             | automaticconfigstore                      | Low        |
| Product | Manifest | built-date               | 2025-10-01 17:48                          | Low        |
| Product | Manifest | implementation-group     | shared                                    | Low        |
| Product | Manifest | Implementation-Title     | configuration.automaticconfigstore.sample | High       |
| Product | Manifest | specification-title      | configuration.automaticconfigstore.sample | Medium     |
| Version | Manifest | Implementation-Version   | 25.10.198                                 | High       |

Identifiers

- None

configuration.zip: configuration.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar  
**MD5:** 5d1e1ad7dbc5dc6b9c88380dd3568321  
**SHA1:** 445e623903d0be171c1a8d9ee084dd3cd919c454  
**SHA256:**01f662d610a93e04322a3eab8393db3d746509b76e5b2e39eee7cde80c085ae6  
**Referenced In Project/Scope:** server

Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | configuration                        | High       |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | plugins                              | Low        |
| Vendor  | jar      | package name             | report                               | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 17:42                     | Low        |
| Vendor  | Manifest | implementation-group     | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | configuration                        | High       |
| Product | jar      | package name             | config                               | Low        |
| Product | jar      | package name             | plugins                              | Low        |
| Product | jar      | package name             | report                               | Low        |
| Product | Manifest | built-date               | 2025-10-01 17:42                     | Low        |
| Product | Manifest | implementation-group     | shared                               | Low        |
| Product | Manifest | Implementation-Title     | configuration                        | High       |
| Product | Manifest | specification-title      | configuration                        | Medium     |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High       |

Identifiers

- None

## configuration.zip: configuration.jar: authenticationItemRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/authenticationItemRenderer.directive.js

**MD5:** aefb1a2a7d97d2df669e0545658c3e24

**SHA1:** 4a2a34c98fb71cf2dfa520bb02dc8baf0d0810f9

**SHA256:** c277d6842312394b3aa4ac0385e1c800c73dc0b2b0cd9696bc5f51293d859b29

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## configuration.zip: configuration.jar: authenticationRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/authenticationRenderer.directive.js

**MD5:** 08d42fd374d37fbb791917830a779fa8

**SHA1:** 3e7daea97fb445ace87c90fd3e9188690660d99d

**SHA256:** 1719515423a8f8edcddfcb5519f22251afbedfd9de10bea76c99e461bd82929

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## configuration.zip: configuration.jar: boolean.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/boolean.directive.js

**MD5:** e281bd179c94019bdf388759a526f31  
**SHA1:** 5f4be414c7db7b9c699a371bc3a84a945e1c13a3  
**SHA256:** 3e819332e6b9a66c5041ae377459a6b7d7f10fd94dd71ad85a3f8169fdab4f48  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### configuration.zip: configuration.jar: booleanButton.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/booleanButton.directive.js

**MD5:** dc5744f572a36fa29dc813914156944d  
**SHA1:** 40a96829d9f498e1364fac7ec8bf8a626c4ac66c  
**SHA256:** edf806317b3487f3998c758a4e56a0aa8bb08bfe38fd4b38c9ec68abbabf25f6  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### configuration.zip: configuration.jar: colorInput.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/colorInput.directive.js

**MD5:** db9d1ee17d2b4f79813c66e8a52b8fcd  
**SHA1:** 68e81a259a7bce7f49dbf629230020cdf0b01398  
**SHA256:** 1ff0ddf3d275467e77832ae82c55ffdebfb4cc31aee0bfb31def6574f734ae  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### configuration.zip: configuration.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/controller.js

**MD5:** e69357181c946dd07a2b66b77865eb57

**SHA1:** 937e49dc0424751b10f4b955268de469381c6102

**SHA256:**287166afe772ea2a1ae5316cc79ba85e35dd37a01e6339c53b14d3f7b437287c

**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### configuration.zip: configuration.jar: datafactory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/datafactory.js

**MD5:** 07ae83528b0f987b01930435cc86454e

**SHA1:** 37740d90bf0cc142a3375c9e47512da796531d83

**SHA256:**3cb2f55655d2214888210be8aea166e47e41a03cf2212c8ea2fd91a03c585ca5

**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

#### configuration.zip: configuration.jar: fileUploadRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/fileUploadRenderer.directive.js

**MD5:** 231de69a8b11511aba2b1d554b1c237c

**SHA1:** 07a949eca5cea00f3244c0c327a5055e938c20f1

**SHA256:** 09bb8467939975c92a5fed3ed5d48e62b5b4573873aa6ea55cc68f815675f4e3

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### configuration.zip: configuration.jar: filesystemFileInputOrUpload.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemFileInputOrUpload.directive.js

**MD5:** f644a3106bfee156df76d5700377f70d

**SHA1:** c95cf943e2d57132b71a47525b512fbe46f7fed4

**SHA256:** 2ce6c7628582dc79f62161e19e2733b679647ff423e8d8ee83474eef6ce9624d

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### configuration.zip: configuration.jar: filesystemInputButton.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputButton.directive.js

**MD5:** d4fa34d24a58237edaff0fcd1e52a98b

**SHA1:** 61aeecd618d7e15f1db7a65874b6fb9b3cdf9206

**SHA256:** 40e25504ccab4019abc2801de1f33715437dbb95c92d03bf759376bed942d8c3

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### configuration.zip: configuration.jar: filesystemInputDirectory.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputDirectory.directive.js

**MD5:** abe8d738b4230681785b9608df31d0a7

**SHA1:** 3773d4f21f49fea9fd3c19ff9c94396b273e82cf

**SHA256:** 5283b122ef2a3db054632ead2dedd2c62c9616419840ae7e146355e8782fcee6

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### configuration.zip: configuration.jar: filesystemInputFile.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputFile.directive.js

**MD5:** 95eec66eb56684db24cb9d8c5cc387fc

**SHA1:** 33e9abd6b5c84780196226b277217e4d189216c8



**SHA256:**1eab4ff2b96200a36c283d701e3b2bbdc0b3a527544f1b0eed6f31172a9dd10b  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### configuration.zip: configuration.jar: iconDropRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/iconDropRenderer.directive.js

**MD5:** e01df58e761b7fba83e716c5d665eb22

**SHA1:** b4fd37979b7a3ae4d7252b56bcec8ef0903113ba

**SHA256:**50bae6b105ce7e868d443dcc911cc8170f2e5dd175482ab0d89bb1dec6f7e51d

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### configuration.zip: configuration.jar: inlinerenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/inlinerenderer.directive.js

**MD5:** 4531879fc071658f5888a12116e31f0d

**SHA1:** 374bcc0bbcc65b4d88ff5a224731409c78a4f7b7

**SHA256:**032c6ac3238780e1eb1767300dae7818ccda70bb17ccb70725ea06d8ee19adf2

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## configuration.zip: configuration.jar: keyLabelText.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/keyLabelText.directive.js

**MD5:** 2f2a25596ec290d0f62e10a37fc973c8

**SHA1:** a4e327416b73eeda15ba6d1874a3bbc3849ae81e

**SHA256:** 2a481ea7ff3b62f87adb28b57e222ef1352f1cfa73a154d63902cb0df0113b42

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## configuration.zip: configuration.jar: labelLink.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelLink.directive.js

**MD5:** a90349ac59fc4f16a05deb269d1c3519

**SHA1:** 484e8d038dafee8f547b1259f7e4d2d65ab5ee4a

**SHA256:** be8c4ebe7804af2f0d1f03340173d04745cff39383aa6ba47e144cf4177ffd99

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

### configuration.zip: configuration.jar: labelText.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelText.directive.js

**MD5:** 1dc9a77a6475334b814a4eb39b6e8aa0

**SHA1:** d0db5c5a08bd2c74dffcafcbeff0fc8438e35357

**SHA256:** 1cb05364e04e307603df6a644178aff10fabfed16bfce4d21c86fb75f44139ba

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### configuration.zip: configuration.jar: licenseKeyItemRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/licenseKeyItemRenderer.directive.js

**MD5:** 1b7acb7f77157666bd8163e13cc47fdf

**SHA1:** e623aa9b016fc3d3f9fc16449dd1ac48f3e17fd3

**SHA256:** ac41f0893480d1086562eef9c8269ea35f4605b80fd3f60628e4a9f3d6aa73a4

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### configuration.zip: configuration.jar: licenseKeyRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/licenseKeyRenderer.directive.js  
**MD5:** 6d48b1b05a2bd2ef4384bb996789ddca  
**SHA1:** d1131bfe50939a01e50982034b1b7574822215bf  
**SHA256:** 8c881d970f4c71dc3a5eddb6a2028729ce9efc82dc629880885a4bd043db53ba  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### configuration.zip: configuration.jar: listItemRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/listItemRenderer.directive.js  
**MD5:** be04a63c48d156613c5b932c79e55ebb  
**SHA1:** dc125d4dacfe2898e75f194131c0b39ce41096dd  
**SHA256:** b95a73fde9c903ffc1b1e25b7fe7d338e1bb195bdeec298bb160f5fdc00cc83d  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### configuration.zip: configuration.jar: logopreview.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/logopreview.directive.js  
**MD5:** 84cbbf2c3c0b52d6c249e076fe48cb8f  
**SHA1:** c63e504fabdb02f4cbe1dd2dfa110288472a4e0c  
**SHA256:** e1b11195c665b08ffc7c19b22e7d7d77e49ed86877cd65e6bc9a166566aa5d31  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## configuration.zip: configuration.jar: multiLineCode.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLineCode.directive.js

**MD5:** e2a752736b313cd15c5067b9e2f7abc6

**SHA1:** 2c22df117b9f45a082498e2696385eca5919534d

**SHA256:** c1d8916f36bc63228d52ff52432d599f6001077d784d2bf47870569daf2a99c6

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## configuration.zip: configuration.jar: multiLineText.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLineText.directive.js

**MD5:** 9769483af9509271e1ffd9602c681481

**SHA1:** fbb61268f1e63f705fb6d167bdb9f5138d622a18

**SHA256:** 36e44de5802b59df141325897a839a73be22d803df0300985e3eb23ef0f060d4

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLingualTextRenderer.directive.js

**MD5:** c417f8278dcca4343be0b1c60d6c5fe1

**SHA1:** 3eda017cc7075b934736e1daf71b0d59aa412203

**SHA256:** c497b95a7eb0af1ef36a9733a5e9675a5ac62c094a738288ed8c021b7cd9a429

**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## configuration.zip: configuration.jar: passwordText.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/passwordText.directive.js

**MD5:** a762f68eb820d383f03214a0c401d090

**SHA1:** 05c793442f5193f2ffa3b952cd62af88309e68f6

**SHA256:** fba766ee79b545a364e9b8d53a5fd0df688657a201bdd25c7c6bcf3a92678337

**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## configuration.zip: configuration.jar: reloadSelectInputsTrigger.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/reloadSelectInputsTrigger.directive.js

**MD5:** ee0760c34d35b7ab1f556b36ef72504b

**SHA1:** cfcab22873b681c7d9019378b4c7fa9c6af49b47

**SHA256:** 40e2a2f7b5e647a301971e061dbd5a7d614458f9172510d8f64f1b21b2347e3f

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## configuration.zip: configuration.jar: renderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/renderer.directive.js

**MD5:** e6700ce9f732a1f1b614ffdc2c94933

**SHA1:** 1c5c4b48b29a6b9fd8b9f560207df52cf3ff430d

**SHA256:** 3c26aeb2ecfd733d17ff0facd86c8328a20759a6fe1b4059bbcc8221461d3574

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## configuration.zip: configuration.jar: repoDbRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet

/report/plugins/config/client/js/renderer/repoDbRenderer.directive.js

**MD5:** 5ef1c770c4e5fe42e93f01f633f453d3

**SHA1:** 5da8e6fda8968333e5a0badb6aa45020a83b6b69

**SHA256:** c763e8eefee951c377e2c0c54a8d52618e50224dbb458529d750701c7a1f9e96

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### configuration.zip: configuration.jar: repoFsRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet  
/report/plugins/config/client/js/renderer/repoFsRenderer.directive.js

**MD5:** 6bf0ab3a102f1607ad605c4820851ff4

**SHA1:** ec76ee20ea8fc5950c233ebb71a89367fb0b5d48

**SHA256:** 71fb520ea8562e3a06f3eabc3117b85a874092205bc7052a856faaec867e7df6

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### configuration.zip: configuration.jar: repositoryItemRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet  
/report/plugins/config/client/js/renderer/repositoryItemRenderer.directive.js

**MD5:** 35b661e3e8a0b9517b5ef113729adebf

**SHA1:** 451b13b299f3189adeb149487bd614b2de8ec78c

**SHA256:** f155af09a82a7d6babc233a77ffa620935e78b1bb8e8636ec2987241a0fec48b

**Referenced In Project/Scope:** server

#### Evidence





| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### configuration.zip: configuration.jar: repositoryRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repositoryRenderer.directive.js

**MD5:** cca1b6d749a3ff9bb3ed1e546c1ddd3f

**SHA1:** 295dbe208d68b96973cfde80dc8f657cdaedb7f2

**SHA256:**597b792888878b76bd3e67b99651b5d52c1332790765d4a6e11a9f9d3d289490

**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### configuration.zip: configuration.jar: selectEditText.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectEditText.directive.js

**MD5:** 3aa24125a54ec0a890cf9c3ecb3579ad

**SHA1:** 5cf9a71def93c493f1781f6729abeeabe36999f4

**SHA256:**8bcd98ff5ca4562ebacaae43968be209fdf058365ea8bfea6ac96342f42de0a2

**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

#### configuration.zip: configuration.jar: selectFilteredText.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectFilteredText.directive.js

**MD5:** 1d900550c21095ac4bf85607121a14e1

**SHA1:** e756ceb1b1e5a6eaa30bbb366c4e62c59e77d783

**SHA256:**bbfd861491aa357cbbfa2f1ee15b232366b1f88b28c4962339bf5756e49297b9

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectLanguageChooserRenderer.directive.js

**MD5:** b2dfe60265ea9129a4b1abe952ad92ff

**SHA1:** 20176c71d76cb163d19b6add0667a5179bb4e9ec

**SHA256:**3c3904cb2f26ca946b317091a674646fbdf692bed2a7288097f016bbe7be7af1

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

### configuration.zip: configuration.jar: selectSimpleText.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectSimpleText.directive.js

**MD5:** 133dcb833b683d40c4a902b736bdd1d6

**SHA1:** e8d02811739badfec2c515780b99466e9d5f2dc9

**SHA256:** 9d3df25fc91e91042b12096910ee5628baff6e5ea237e5809a9ea1856531b312

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### configuration.zip: configuration.jar: simpleDate.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleDate.directive.js

**MD5:** 7859e473016ba4b6c663b2de73e886d0

**SHA1:** 2c6104c939065689031febe53b2c4690eb17af15

**SHA256:** cf6b91be17479f785ea267d269c6a254a9fd14d70df735721d723e556bf07f28

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### configuration.zip: configuration.jar: simpleSlider.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleSlider.directive.js

**MD5:** 00171fe096529318005c987067f6cae4

**SHA1:** 586d31e6a344760d84d76e12763b6f47e69618d0  
**SHA256:**db8ceb31a065dc67a9b7d9bc2144e6906a6f0dadd1e698f77b41cc6232246aec  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### configuration.zip: configuration.jar: simpleText.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleText.directive.js  
**MD5:** 8c4598540efc682f3551a75bde20dfd9  
**SHA1:** 42c3a77e9067c8d053e4dac23de2a40a70d67ec4  
**SHA256:**b18a8129f293a7ce070aa7b9bd5edbe9eceebe36b10e82a9e6a3469c1484f3d0  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### configuration.zip: configuration.jar: tableRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/tableRenderer.directive.js  
**MD5:** 9c912ea0c0e6a7cd18a45ab3aa2234d2  
**SHA1:** cb8d0ba6ae90abff58f47ae07d63f3e57dfc0723  
**SHA256:**967fadfacccbc663230a6fc2c0242cba122ea115816585f28e1c43518005c99d  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: treeRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/treeRenderer.directive.js  
**MD5:** 0a727a5f05e3fd245c2160b5366328f1  
**SHA1:** 678f64bfd07d434e17c8ec082ae6b65c34e80953  
**SHA256:**926c541bf1a1faa35175ff6d0aec1875cef3da5828a2a7cd24816b3052023d10  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

configuration.zip: configuration.jar: usersandgroupselect.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/usersandgroupselect.directive.js  
**MD5:** 27bf7f8502a7aa8612104bf9da20aa9d  
**SHA1:** a75f988f7790d6be413c8f962c051a78880d96d7  
**SHA256:**c7b08fadcb0c0d0907adf944c05e79a20d065d9faebfe4472b570f5f73a976d1  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

## core.jar

### Description:

Core barcode encoding/decoding library

### License:

"The Apache Software License, Version 2.0";link="https://www.apache.org/licenses/LICENSE-2.0.txt"

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/zxing/core.jar

**MD5:** b5269d7bf1eea1d064240c342829b117

**SHA1:** ca1349214a356cd7958651b2d5a0e1f3811a9c4b

**SHA256:** 8d8064c1636fdaef7189dd9055c7d59950a8940a12f2293956446ec3c109fd82

**Referenced In Project/Scope:** server

### Evidence



| Type    | Source   | Name                  | Value                               | Confidence |
|---------|----------|-----------------------|-------------------------------------|------------|
| Vendor  | file     | name                  | core                                | High       |
| Vendor  | jar      | package name          | google                              | Highest    |
| Vendor  | jar      | package name          | zxing                               | Highest    |
| Vendor  | Manifest | automatic-module-name | com.google.zxing                    | Medium     |
| Vendor  | Manifest | build-jdk-spec        | 1.8                                 | Low        |
| Vendor  | Manifest | bundle-developers     | zxing-authors;name="ZXing Authors"  | Low        |
| Vendor  | Manifest | bundle-docurl         | https://github.com/zxing/zxing/core | Low        |
| Vendor  | Manifest | bundle-symbolicname   | com.google.zxing.core               | Medium     |
| Vendor  | pom      | artifactid            | core                                | Low        |
| Vendor  | pom      | groupid               | com.google.zxing                    | Highest    |
| Vendor  | pom      | name                  | ZXing Core                          | High       |
| Vendor  | pom      | parent-artifactid     | zxing-parent                        | Low        |
| Product | file     | name                  | core                                | High       |
| Product | jar      | package name          | google                              | Highest    |
| Product | jar      | package name          | zxing                               | Highest    |
| Product | Manifest | automatic-module-name | com.google.zxing                    | Medium     |
| Product | Manifest | build-jdk-spec        | 1.8                                 | Low        |

|         |          |                     |                                     |         |
|---------|----------|---------------------|-------------------------------------|---------|
| Product | Manifest | bundle-developers   | zxing-authors;name="ZXing Authors"  | Low     |
| Product | Manifest | bundle-docurl       | https://github.com/zxing/zxing/core | Low     |
| Product | Manifest | Bundle-Name         | ZXing Core                          | Medium  |
| Product | Manifest | bundle-symbolicname | com.google.zxing.core               | Medium  |
| Product | pom      | artifactid          | core                                | Highest |
| Product | pom      | groupid             | com.google.zxing                    | Highest |
| Product | pom      | name                | ZXing Core                          | High    |
| Product | pom      | parent-artifactid   | zxing-parent                        | Medium  |
| Version | Manifest | Bundle-Version      | 3.5.3                               | High    |
| Version | pom      | version             | 3.5.3                               | Highest |

#### Identifiers

- <pkg:maven/com.google.zxing/core@3.5.3> (Confidence:High)

### crsetupwizard.zip: crsetupwizard.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/crsetupwizard.zip/crsetupwizard.jar

**MD5:** abc7fa029f334c09348662364b51e083

**SHA1:** 9d4215b8e0d778b61944efdefa557371b31680f7

**SHA256:** 8bd61b06e9a6f603e8ce3777f4067d2e24cdbb2447ead4269163d569f3cba66f

**Referenced In Project/Scope:** server

#### Evidence



| Type   | Source   | Name                     | Value            | Confidence |
|--------|----------|--------------------------|------------------|------------|
| Vendor | file     | name                     | crsetupwizard    | High       |
| Vendor | jar      | package name             | inet             | Low        |
| Vendor | jar      | package name             | report           | Low        |
| Vendor | jar      | package name             | setupwizard      | Low        |
| Vendor | Manifest | built-date               | 2025-10-01 19:04 | Low        |
| Vendor | Manifest | implementation-group     | reporting        | Low        |
| Vendor | Manifest | Implementation-Vendor    | i-net software   | High       |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware  | Medium     |

|         |          |                        |                                      |        |
|---------|----------|------------------------|--------------------------------------|--------|
| Vendor  | Manifest | specification-vendor   | i-net software                       | Low    |
| Vendor  | Manifest | vendor                 | i-net software GmbH, Berlin, Germany | Medium |
| Product | file     | name                   | crsetupwizard                        | High   |
| Product | jar      | package name           | report                               | Low    |
| Product | jar      | package name           | setupwizard                          | Low    |
| Product | jar      | package name           | steps                                | Low    |
| Product | Manifest | built-date             | 2025-10-01 19:04                     | Low    |
| Product | Manifest | implementation-group   | reporting                            | Low    |
| Product | Manifest | Implementation-Title   | crsetupwizard                        | High   |
| Product | Manifest | specification-title    | crsetupwizard                        | Medium |
| Version | Manifest | Implementation-Version | 25.10.198                            | High   |

#### Identifiers

- None

### customformulas.sample.zip: customformulas.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/UserdefinedFormula/customformulas.sample.zip/customformulas.sample.jar

**MD5:** 5e71abf2f6342f9428d48f72f4b25a5e

**SHA1:** bc6aef72ba2e3dfb0d41f8dbf0a6f4b6fdbf8f53

**SHA256:** 95ee1964149f6683071ce0bfb07eac1e51b324c5d75837e9bb11a33d32bd74e

**Referenced In Project/Scope:** server

#### Evidence



| Type   | Source   | Name                 | Value                 | Confidence |
|--------|----------|----------------------|-----------------------|------------|
| Vendor | file     | name                 | customformulas.sample | High       |
| Vendor | jar      | package name         | formula               | Low        |
| Vendor | jar      | package name         | inet                  | Low        |
| Vendor | jar      | package name         | samples               | Low        |
| Vendor | Manifest | built-date           | 2025-10-01 18:41      | Low        |
| Vendor | Manifest | implementation-group | reporting             | Low        |



|         |          |                          |                                      |        |
|---------|----------|--------------------------|--------------------------------------|--------|
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High   |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low    |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium |
| Product | file     | name                     | customformulas.sample                | High   |
| Product | jar      | package name             | formula                              | Low    |
| Product | jar      | package name             | samples                              | Low    |
| Product | Manifest | built-date               | 2025-10-01 18:41                     | Low    |
| Product | Manifest | implementation-group     | reporting                            | Low    |
| Product | Manifest | Implementation-Title     | customformulas.sample                | High   |
| Product | Manifest | specification-title      | customformulas.sample                | Medium |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High   |

#### Identifiers

- None

### customformulas.zip: customformulas.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/customformulas.zip/customformulas.sample.jar

**MD5:** 96c70589efa179f84b1b8e9914a54ceb

**SHA1:** 7b28e76e74107ac5fc042712fd447856a52add53

**SHA256:** 6263d9b5bc54a60161c2af13d47a6160e0710db28ac5810112e65a5e462b9e3d

**Referenced In Project/Scope:** server

#### Evidence



| Type   | Source   | Name         | Value                 | Confidence |
|--------|----------|--------------|-----------------------|------------|
| Vendor | file     | name         | customformulas.sample | High       |
| Vendor | jar      | package name | formula               | Low        |
| Vendor | jar      | package name | inet                  | Low        |
| Vendor | jar      | package name | samples               | Low        |
| Vendor | Manifest | built-date   | 2025-09-29 18:42      | Low        |

|         |          |                          |                                      |        |
|---------|----------|--------------------------|--------------------------------------|--------|
| Vendor  | Manifest | implementation-group     | reporting                            | Low    |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High   |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low    |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium |
| Product | file     | name                     | customformulas.sample                | High   |
| Product | jar      | package name             | formula                              | Low    |
| Product | jar      | package name             | samples                              | Low    |
| Product | Manifest | built-date               | 2025-09-29 18:42                     | Low    |
| Product | Manifest | implementation-group     | reporting                            | Low    |
| Product | Manifest | Implementation-Title     | customformulas                       | High   |
| Product | Manifest | specification-title      | customformulas                       | Medium |
| Version | Manifest | Implementation-Version   | 25.10.196                            | High   |

#### Identifiers

- None

## datasource.cassandra.zip: config.jar

### Description:

configuration library for JVM languages using HOCON files

### License:

<https://www.apache.org/licenses/LICENSE-2.0;description=Apache-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/config.jar

**MD5:** 47850cb01b8ffebd12c5e21b25f77da

**SHA1:** f19816be89ef80f9106535828ba32fd4cd8e6b77

**SHA256:** ab16decc45cc678b0cf17fb9668f380a73bdf11b75af1fa1ddec5da82805aea

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

|         |          |                          |   |         |
|---------|----------|--------------------------|---|---------|
| Vendor  | file     | name                     | config  | High    |
| Vendor  | jar      | package name             | config  | Highest |
| Vendor  | jar      | package name             | config  | Low     |
| Vendor  | jar      | package name             | impl  | Low     |
| Vendor  | jar      | package name             | typesafe  | Highest |
| Vendor  | jar      | package name             | typesafe  | Low     |
| Vendor  | Manifest | automatic-module-name    | typesafe.config   | Medium  |
| Vendor  | Manifest | bundle-symbolicname      | com.typesafe.config   | Medium  |
| Vendor  | Manifest | implementation-url       | <a href="https://github.com/lightbend/config">https://github.com/lightbend/config</a> | Low     |
| Vendor  | Manifest | Implementation-Vendor    | com.typesafe  | High    |
| Vendor  | Manifest | Implementation-Vendor-Id | com.typesafe  | Medium  |
| Vendor  | Manifest | specification-vendor     | com.typesafe  | Low     |
| Product | file     | name                     | config  | High    |
| Product | jar      | package name             | config  | Highest |
| Product | jar      | package name             | config  | Low     |
| Product | jar      | package name             | impl  | Low     |
| Product | jar      | package name             | typesafe  | Highest |
| Product | Manifest | automatic-module-name    | typesafe.config   | Medium  |
| Product | Manifest | Bundle-Name              | config  | Medium  |
| Product | Manifest | bundle-symbolicname      | com.typesafe.config   | Medium  |
| Product | Manifest | Implementation-Title     | config  | High    |
| Product | Manifest | implementation-url       | <a href="https://github.com/lightbend/config">https://github.com/lightbend/config</a> | Low     |
| Product | Manifest | specification-title      | config  | Medium  |
| Version | jar      | package name             | config  | Highest |
| Version | Manifest | Bundle-Version           | 1.4.4   | High    |
| Version | Manifest | Implementation-Version   | 1.4.4   | High    |

## Identifiers

- None

## datasource.cassandra.zip: datasource.cassandra.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/datasource.cassandra.jar

**MD5:** 765c956c0f8635a3d10799f03ee9e9ca

**SHA1:** 3d7cf5e39c650655cb849a2925a716077b6b0ec2

**SHA256:** 34ed52400abeac613a64b6724915f880f284f71de9326db95f99beeca2744ed3

**Referenced In Project/Scope:** server

### Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | datasource.cassandra                 | High       |
| Vendor  | jar      | package name             | cassandra                            | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | report                               | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 18:59                     | Low        |
| Vendor  | Manifest | implementation-group     | reporting                            | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | datasource.cassandra                 | High       |
| Product | jar      | package name             | cassandra                            | Highest    |
| Product | jar      | package name             | cassandra                            | Low        |
| Product | jar      | package name             | report                               | Low        |
| Product | Manifest | built-date               | 2025-10-01 18:59                     | Low        |
| Product | Manifest | implementation-group     | reporting                            | Low        |
| Product | Manifest | Implementation-Title     | datasource.cassandra                 | High       |
| Product | Manifest | specification-title      | datasource.cassandra                 | Medium     |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High       |

## Identifiers

- None

## datasource.cassandra.zip: java-driver-core.jar

### Description:

A driver for Apache Cassandra(R) 2.1+ that works exclusively with the Cassandra Query Language version 3 (CQL3) and Cassandra's native protocol versions 3 and above.

### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/java-driver-core.jar

**MD5:** 22ea44c19ec6538456500a991e61ecfb

**SHA1:** 3d619c4ecb214ac091006ff06ab32198a260f977

**SHA256:** 445e1c91e3f7512c1c0686700ec1e3d77d89131a2711ce66062909a7d88e8cd3

**Referenced In Project/Scope:** server

## Evidence



| Type    | Source   | Name                | Value  | Confidence |
|---------|----------|---------------------|--|------------|
| Vendor  | file     | name                | java-driver-core                                     | High       |
| Vendor  | jar      | package name        | datastax   | Highest    |
| Vendor  | jar      | package name        | driver   | Highest    |
| Vendor  | jar      | package name        | oss  | Highest    |
| Vendor  | Manifest | build-jdk-spec      | 1.8  | Low        |
| Vendor  | Manifest | bundle-symbolicname | com.datastax.oss.driver.core                         | Medium     |
| Vendor  | pom      | artifactid          | java-driver-core                                     | Low        |
| Vendor  | pom      | groupid             | com.datastax.oss                                     | Highest    |
| Vendor  | pom      | name                | DataStax Java driver for Apache Cassandra (R) - core | High       |
| Vendor  | pom      | parent-artifactid   | java-driver-parent                                   | Low        |
| Product | file     | name                | java-driver-core                                     | High       |
| Product | jar      | package name        | datastax   | Highest    |
| Product | jar      | package name        | driver   | Highest    |
| Product | jar      | package name        | oss  | Highest    |
| Product | Manifest | build-jdk-spec      | 1.8  | Low        |

|         |          |                     |  |         |
|---------|----------|---------------------|--|---------|
| Product | Manifest | Bundle-Name         | DataStax Java driver for Apache Cassandra (R) - core | Medium  |
| Product | Manifest | bundle-symbolicname | com.datastax.oss.driver.core                         | Medium  |
| Product | pom      | artifactid          | java-driver-core                                     | Highest |
| Product | pom      | groupid             | com.datastax.oss                                     | Highest |
| Product | pom      | name                | DataStax Java driver for Apache Cassandra (R) - core | High    |
| Product | pom      | parent-artifactid   | java-driver-parent                                   | Medium  |
| Version | Manifest | Bundle-Version      | 4.17.0   | High    |
| Version | pom      | version             | 4.17.0   | Highest |

### Identifiers

- [pkg:maven/com.datastax.oss/java-driver-core@4.17.0](#) (*Confidence:High*)
- [cpe:2.3:a:apache:cassandra:4.17.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*) suppress

## datasource.cassandra.zip: java-driver-shaded-guava.jar

### Description:

Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®

### License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/java-driver-shaded-guava.jar

**MD5:** b7b9ffdbca6117c0aaa13787da02f96d

**SHA1:** 522771d14d6b7dba67056a39db33f205ffbed6a4

**SHA256:** 8d1e57ab48ff4cc09b1a1f033218ad50f96cf92922f732cf333ec386c9e5c9ae

**Referenced In Project/Scope:** server

### Evidence

| Type   | Source | Name         | Value                    | Confidence |
|--------|--------|--------------|--------------------------|------------|
| Vendor | file   | name         | java-driver-shaded-guava | High       |
| Vendor | jar    | package name | datastax                 | Highest    |
| Vendor | jar    | package name | driver                   | Highest    |
| Vendor | jar    | package name | oss                      | Highest    |
| Vendor | jar    | package name | shaded                   | Highest    |

|         |          |                       |   |         |
|---------|----------|-----------------------|---|---------|
| Vendor  | Manifest | bundle-symbolicname   | com.datastax.oss.driver.shaded.guava  | Medium  |
| Vendor  | Manifest | originally-created-by | Apache Maven 3.6.2  | Low     |
| Vendor  | pom      | artifactid            | java-driver-shaded-guava  | Low     |
| Vendor  | pom      | developer name        | Various   | Medium  |
| Vendor  | pom      | developer org         | DataStax  | Medium  |
| Vendor  | pom      | groupid               | com.datastax.oss  | Highest |
| Vendor  | pom      | name                  | Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra® | High    |
| Vendor  | pom      | url                   | datastax/java-driver-shaded-guava   | Highest |
| Product | file     | name                  | java-driver-shaded-guava  | High    |
| Product | jar      | package name          | datastax  | Highest |
| Product | jar      | package name          | driver  | Highest |
| Product | jar      | package name          | oss   | Highest |
| Product | jar      | package name          | shaded  | Highest |
| Product | Manifest | Bundle-Name           | Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra® | Medium  |
| Product | Manifest | bundle-symbolicname   | com.datastax.oss.driver.shaded.guava  | Medium  |
| Product | Manifest | originally-created-by | Apache Maven 3.6.2  | Low     |
| Product | pom      | artifactid            | java-driver-shaded-guava  | Highest |
| Product | pom      | developer name        | Various   | Low     |
| Product | pom      | developer org         | DataStax  | Low     |
| Product | pom      | groupid               | com.datastax.oss  | Highest |
| Product | pom      | name                  | Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra® | High    |
| Product | pom      | url                   | datastax/java-driver-shaded-guava   | High    |
| Version | pom      | version               | 25.1-jre-graal-sub-1  | Highest |

## Identifiers

- [pkg:maven/com.datastax.oss/java-driver-shaded-guava@25.1-jre-graal-sub-1](#) ( *Confidence:High* )
- cpe:2.3:a:apache:cassandra:25.1:\*:\*:\*:\*:\* ( *Confidence:Low* ) suppress

## datasource.cassandra.zip: native-protocol.jar

### Description:

A set of Java types representing the frames and messages of the Apache Cassandra® native protocol, with the associated serialization and deserialization logic (this is a third-party implementation, not related to the Apache Cassandra project)

### License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/native-protocol.jar

**MD5:** 2a2dd96d7b887bbaa1f9d7ecaeeeb6f6

**SHA1:** b4b083024837ad9e581b82397b4cabfb8f2daa8e

**SHA256:** 190dc40f3c63d6d803c48f90d457e06c65e6c5d955e47d4735dc9954a6743655

**Referenced In Project/Scope:** server

### Evidence



| Type    | Source   | Name                  | Value  | Confidence |
|---------|----------|-----------------------|--|------------|
| Vendor  | file     | name                  | native-protocol  | High       |
| Vendor  | jar      | package name          | datastax   | Highest    |
| Vendor  | jar      | package name          | oss  | Highest    |
| Vendor  | jar      | package name          | protocol   | Highest    |
| Vendor  | Manifest | automatic-module-name | com.datastax.oss.protocol                                  | Medium     |
| Vendor  | Manifest | bundle-symbolicname   | com.datastax.oss.protocol                                  | Medium     |
| Vendor  | pom      | artifactid            | native-protocol  | Low        |
| Vendor  | pom      | developer name        | Various  | Medium     |
| Vendor  | pom      | developer org         | DataStax   | Medium     |
| Vendor  | pom      | groupid               | com.datastax.oss   | Highest    |
| Vendor  | pom      | name                  | An implementation of the Apache Cassandra® native protocol | High       |
| Vendor  | pom      | url                   | datastax/native-protocol                                   | Highest    |
| Product | file     | name                  | native-protocol  | High       |
| Product | jar      | package name          | datastax   | Highest    |
| Product | jar      | package name          | oss  | Highest    |
| Product | jar      | package name          | protocol   | Highest    |
| Product | Manifest | automatic-module-name | com.datastax.oss.protocol                                  | Medium     |
| Product | Manifest | Bundle-Name           | An implementation of the Apache Cassandra® native protocol | Medium     |



|         |          |                     |  |         |
|---------|----------|---------------------|--|---------|
| Product | Manifest | bundle-symbolicname | com.datastax.oss.protocol                                  | Medium  |
| Product | pom      | artifactid          | native-protocol  | Highest |
| Product | pom      | developer name      | Various  | Low     |
| Product | pom      | developer org       | DataStax   | Low     |
| Product | pom      | groupid             | com.datastax.oss   | Highest |
| Product | pom      | name                | An implementation of the Apache Cassandra® native protocol | High    |
| Product | pom      | url                 | datastax/native-protocol                                   | High    |
| Version | Manifest | Bundle-Version      | 1.5.2  | High    |
| Version | pom      | version             | 1.5.2  | Highest |

#### Identifiers

- [pkg:maven/com.datastax.oss/native-protocol@1.5.2](https://pkg:maven/com.datastax.oss/native-protocol@1.5.2) (*Confidence:High*)

### datasource.cassandra.zip: netty-common.jar (shaded: org.jctools:jctools-core:4.0.5)

#### Description:

Java Concurrency Tools Core Library

#### License:

Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-common.jar/META-INF/maven/org.jctools/jctools-core/pom.xml

**MD5:** 5d5135397b920a7dcbca5c1fb0576cf2

**SHA1:** eaa05d6ad937464312a2681a3236c0e06602bbb7

**SHA256:** a69897b8ff0c2198b4b8cd7d4f93fde6d42b8e9dbfc95553585e27587b24e211

**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source | Name       | Value                               | Confidence |
|---------|--------|------------|-------------------------------------|------------|
| Vendor  | pom    | artifactid | jctools-core                        | Low        |
| Vendor  | pom    | groupid    | org.jctools                         | Highest    |
| Vendor  | pom    | name       | Java Concurrency Tools Core Library | High       |
| Vendor  | pom    | url        | JCTools                             | Highest    |
| Product | pom    | artifactid | jctools-core                        | Highest    |
| Product | pom    | groupid    | org.jctools                         | Highest    |

|         |     |         |                                     |         |
|---------|-----|---------|-------------------------------------|---------|
| Product | pom | name    | Java Concurrency Tools Core Library | High    |
| Product | pom | url     | JCTools                             | High    |
| Version | pom | version | 4.0.5                               | Highest |

#### Identifiers

- <pkg:maven/org.jctools/jctools-core@4.0.5> (Confidence:High)

## datasource.cassandra.zip: netty-transport.jar

### Description:

Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

### License:

<https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-transport.jar

**MD5:** b969acbf7321cba7e0cf99a4f6d95e9

**SHA1:** 6598457ae8af1b5e830445b60d3479ddb2af2d43

**SHA256:** 02b4e9aace1260b10d00d7816fb42ea23fb05686ed7b7fb8e6ad4ecf3da61fff

**Referenced In Project/Scope:** server

### Evidence



| Type   | Source   | Name                     | Value   | Confidence |
|--------|----------|--------------------------|---|------------|
| Vendor | file     | name                     | netty-transport   | High       |
| Vendor | jar      | package name             | io  | Highest    |
| Vendor | jar      | package name             | netty   | Highest    |
| Vendor | Manifest | build-jdk-spec           | 11  | Low        |
| Vendor | Manifest | bundle-docurl            | <a href="https://netty.io/">https://netty.io/</a>                                 | Low        |
| Vendor | Manifest | bundle-symbolicname      | io.netty.transport  | Medium     |
| Vendor | Manifest | implementation-url       | <a href="https://netty.io/netty-transport/">https://netty.io/netty-transport/</a> | Low        |
| Vendor | Manifest | Implementation-Vendor    | The Netty Project   | High       |
| Vendor | Manifest | Implementation-Vendor-Id | io.netty  | Medium     |
| Vendor | Manifest | multi-release            | true  | Low        |
|        |          |                          |   |            |

|         |          |                        |                                   |         |
|---------|----------|------------------------|-----------------------------------|---------|
| Vendor  | Manifest | specification-vendor   | The Netty Project                 | Low     |
| Vendor  | pom      | artifactid             | netty-transport                   | Low     |
| Vendor  | pom      | groupid                | io.netty                          | Highest |
| Vendor  | pom      | name                   | Netty/Transport                   | High    |
| Vendor  | pom      | parent-artifactid      | netty-parent                      | Low     |
| Product | file     | name                   | netty-transport                   | High    |
| Product | jar      | package name           | 11                                | Highest |
| Product | jar      | package name           | io                                | Highest |
| Product | jar      | package name           | netty                             | Highest |
| Product | Manifest | build-jdk-spec         | 11                                | Low     |
| Product | Manifest | bundle-docurl          | https://netty.io/                 | Low     |
| Product | Manifest | Bundle-Name            | Netty/Transport                   | Medium  |
| Product | Manifest | bundle-symbolicname    | io.netty.transport                | Medium  |
| Product | Manifest | Implementation-Title   | Netty/Transport                   | High    |
| Product | Manifest | implementation-url     | https://netty.io/netty-transport/ | Low     |
| Product | Manifest | multi-release          | true                              | Low     |
| Product | Manifest | specification-title    | Netty/Transport                   | Medium  |
| Product | pom      | artifactid             | netty-transport                   | Highest |
| Product | pom      | groupid                | io.netty                          | Highest |
| Product | pom      | name                   | Netty/Transport                   | High    |
| Product | pom      | parent-artifactid      | netty-parent                      | Medium  |
| Version | Manifest | Bundle-Version         | 4.2.5.Final                       | High    |
| Version | Manifest | Implementation-Version | 4.2.5.Final                       | High    |
| Version | pom      | version                | 4.2.5.Final                       | Highest |

## Related Dependencies



- datasource.cassandra.zip: netty-buffer.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-buffer.jar
  - MD5: 410c641a69bc1e321d955985f67a2d14
  - SHA1: ec2a90c9909190759c0e4a6101efae52a7947ada
  - SHA256: dd747c293bf682eafb2c39b1ef88661d03aed542d8408a69e78f7c06ce9bd57b
  - [pkg:maven/io.netty/netty-buffer@4.2.5.Final](#)
- datasource.cassandra.zip: netty-codec-base.jar

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-codec-base.jar
- MD5: 11f763b23c9813c2f0c78111b8fdc2f5
- SHA1: 021d10a714c0ae95ec575ae36b715ebb41b03107
- SHA256: 65ebecb5914577f67994feb0dd4b1d54d77e02587823870103910093df1756ca
- [pkg:maven/io.netty/netty-codec-base@4.2.5.Final](#)
- datasource.cassandra.zip: netty-codec-compression.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-codec-compression.jar
  - MD5: 5919441a5422c62050189eca0512a3d2
  - SHA1: e27c388e9fa6887f016c9e04e81085179ca4387a
  - SHA256: 1a394b2211a319643100900db3e57ebae015dd3929fae575986b1aa695b17e03
  - [pkg:maven/io.netty/netty-codec-compression@4.2.5.Final](#)
- datasource.cassandra.zip: netty-codec.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-codec.jar
  - MD5: 4b2dcf45819541f18e95d6e546e958e1
  - SHA1: b72947abb359665685054bfa987db0524b53280b
  - SHA256: 95d79f9f2ae7ce90090fa0e12200808d9e4ada6280c516f9c5b15b81b7384527
  - [pkg:maven/io.netty/netty-codec@4.2.5.Final](#)
- datasource.cassandra.zip: netty-common.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-common.jar
  - MD5: f3da5f531eee718de8466008634f695b
  - SHA1: da799ee8e1a5766d8b72475e1c51e221203cd3df
  - SHA256: 4b04c6f906908ea7100117d7529e055ba4e8facf626d3925295a2da223b13a4d
  - [pkg:maven/io.netty/netty-common@4.2.5.Final](#)
- datasource.cassandra.zip: netty-handler.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-handler.jar
  - MD5: 4c6bee1a8ec182d11bed9f8b88f013bc
  - SHA1: 8598e3b5c42e123c62afd2ce0fc95da8344024c2
  - SHA256: 54f0c4e7afe64b027a8e44cfa9d82c5acca4942163b6580feacf4de2da6417c8
  - [pkg:maven/io.netty/netty-handler@4.2.5.Final](#)
- datasource.cassandra.zip: netty-resolver.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-resolver.jar
  - MD5: 89fac071e86d2b7edeca8325caf65d74
  - SHA1: 301e2a663e66367f945832381a159fbb0de02dd2
  - SHA256: 7fe46823602bb7e4e966f5d3097d499e639fb260ac6c2101ee000ba999561275
  - [pkg:maven/io.netty/netty-resolver@4.2.5.Final](#)

## Identifiers

- [pkg:maven/io.netty/netty-transport@4.2.5.Final](#) (*Confidence:High*)
- [cpe:2.3:a:netty:netty:4.2.5:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*)

**datasource.mongodb.zip: bson.jar**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.mongodb.zip/bson.jar  
**MD5:** 762e85d4cc6da6619fdb4803342b5e25  
**SHA1:** 58d899dce48b970ee25995802f78d828bae4a1b6  
**SHA256:** 99fd39f8b313ca5f39cb1a2e62454283a592dc4227c9010909e3652ef578a274  
**Referenced In Project/Scope:** server

Evidence

| Type    | Source   | Name                  | Value            | Confidence |
|---------|----------|-----------------------|------------------|------------|
| Vendor  | file     | name                  | bson             | High       |
| Vendor  | jar      | package name          | bson             | Highest    |
| Vendor  | jar      | package name          | bson             | Low        |
| Vendor  | Manifest | automatic-module-name | org.mongodb.bson | Medium     |
| Vendor  | Manifest | bundle-symbolicname   | org.mongodb.bson | Medium     |
| Product | file     | name                  | bson             | High       |
| Product | jar      | package name          | bson             | Highest    |
| Product | Manifest | automatic-module-name | org.mongodb.bson | Medium     |
| Product | Manifest | Bundle-Name           | bson             | Medium     |
| Product | Manifest | bundle-symbolicname   | org.mongodb.bson | Medium     |
| Version | Manifest | build-version         | 5.5.1            | Medium     |
| Version | Manifest | Bundle-Version        | 5.5.1            | High       |

Related Dependencies

- bson.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/persistence/bson.jar
  - MD5: 762e85d4cc6da6619fdb4803342b5e25
  - SHA1: 58d899dce48b970ee25995802f78d828bae4a1b6
  - SHA256: 99fd39f8b313ca5f39cb1a2e62454283a592dc4227c9010909e3652ef578a274

Identifiers

- [cpe:2.3:a:mongodb:bson:5.5.1:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Medium) suppress

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.mongodb.zip/datasource.mongodb.jar  
**MD5:** 30900c5e4806f3e664c7281413a583ce  
**SHA1:** 714660466d980b6d934aed513593cad89b1699ff  
**SHA256:**1310631b2cde2ce0b6e1268890bcee04255c010d51ddad1f99a67c84f968db2d  
**Referenced In Project/Scope:** server

Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | datasource.mongodb                   | High       |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | mongodb                              | Low        |
| Vendor  | jar      | package name             | report                               | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 18:59                     | Low        |
| Vendor  | Manifest | implementation-group     | reporting                            | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | datasource.mongodb                   | High       |
| Product | jar      | package name             | mongodb                              | Highest    |
| Product | jar      | package name             | mongodb                              | Low        |
| Product | jar      | package name             | report                               | Low        |
| Product | Manifest | built-date               | 2025-10-01 18:59                     | Low        |
| Product | Manifest | implementation-group     | reporting                            | Low        |
| Product | Manifest | Implementation-Title     | datasource.mongodb                   | High       |
| Product | Manifest | specification-title      | datasource.mongodb                   | Medium     |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High       |

Identifiers

- None

## datasource.mongodb.zip: mongodb-driver-core.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.mongodb.zip/mongodb-driver-core.jar

**MD5:** eda912af57291d623e2402c4124a3aed

**SHA1:** 8e4056228072c05edec24f325cca34194983ad84

**SHA256:** 9bd21650f6c0688461a5de30000efb67ec1d5d81a1e80c5c4928bb50bbca3f16

**Referenced In Project/Scope:** server

### Evidence

| Type    | Source   | Name                  | Value                   | Confidence |
|---------|----------|-----------------------|-------------------------|------------|
| Vendor  | file     | name                  | mongodb-driver-core     | High       |
| Vendor  | jar      | package name          | internal                | Low        |
| Vendor  | jar      | package name          | mongodb                 | Highest    |
| Vendor  | jar      | package name          | mongodb                 | Low        |
| Vendor  | Manifest | automatic-module-name | org.mongodb.driver.core | Medium     |
| Vendor  | Manifest | bundle-symbolicname   | org.mongodb.driver-core | Medium     |
| Product | file     | name                  | mongodb-driver-core     | High       |
| Product | jar      | package name          | internal                | Low        |
| Product | jar      | package name          | mongodb                 | Highest    |
| Product | Manifest | automatic-module-name | org.mongodb.driver.core | Medium     |
| Product | Manifest | Bundle-Name           | mongodb-driver-core     | Medium     |
| Product | Manifest | bundle-symbolicname   | org.mongodb.driver-core | Medium     |
| Version | Manifest | build-version         | 5.5.1                   | Medium     |
| Version | Manifest | Bundle-Version        | 5.5.1                   | High       |

### Related Dependencies

- mongodb-driver-core.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/persistence/mongodb-driver-core.jar
  - MD5: eda912af57291d623e2402c4124a3aed
  - SHA1: 8e4056228072c05edec24f325cca34194983ad84
  - SHA256: 9bd21650f6c0688461a5de30000efb67ec1d5d81a1e80c5c4928bb50bbca3f16

## Identifiers

- None

## datasource.mongodb.zip: mongodb-driver-sync.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.mongodb.zip/mongodb-driver-sync.jar

**MD5:** 84bff743029ebe7b223a7ebe8f2409e8

**SHA1:** 7e8d22f9567868a73eede1bcb281e4f87537626c

**SHA256:** 10fbba300aca76d6996ea8a842226e78bcaaf108c908687940c991885be5e875

**Referenced In Project/Scope:** server

## Evidence



| Type    | Source   | Name                  | Value                          | Confidence |
|---------|----------|-----------------------|--------------------------------|------------|
| Vendor  | file     | name                  | mongodb-driver-sync            | High       |
| Vendor  | jar      | package name          | client                         | Highest    |
| Vendor  | jar      | package name          | client                         | Low        |
| Vendor  | jar      | package name          | internal                       | Low        |
| Vendor  | jar      | package name          | mongodb                        | Highest    |
| Vendor  | jar      | package name          | mongodb                        | Low        |
| Vendor  | Manifest | automatic-module-name | org.mongodb.driver.sync.client | Medium     |
| Vendor  | Manifest | bundle-symbolicname   | org.mongodb.driver-sync        | Medium     |
| Product | file     | name                  | mongodb-driver-sync            | High       |
| Product | jar      | package name          | client                         | Highest    |
| Product | jar      | package name          | client                         | Low        |
| Product | jar      | package name          | internal                       | Low        |
| Product | jar      | package name          | mongodb                        | Highest    |
| Product | Manifest | automatic-module-name | org.mongodb.driver.sync.client | Medium     |
| Product | Manifest | Bundle-Name           | mongodb-driver-sync            | Medium     |
| Product | Manifest | bundle-symbolicname   | org.mongodb.driver-sync        | Medium     |
| Version | Manifest | build-version         | 5.5.1                          | Medium     |
| Version | Manifest | Bundle-Version        | 5.5.1                          | High       |



## Related Dependencies



- mongodb-driver-sync.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/persistence/mongodb-driver-sync.jar
  - MD5: 84bff743029ebe7b223a7ebe8f2409e8
  - SHA1: 7e8d22f9567868a73eede1bcb281e4f87537626c
  - SHA256: 10fbba300aca76d6996ea8a842226e78bcaaf108c908687940c991885be5e875

## Identifiers

- None

## datasource.zip: datasource.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar

**MD5:** 6ba2cb5e6a021c7da109fb3853dc4470

**SHA1:** fef8e6858a014f4c3691495aad93c645df13bfb3

**SHA256:** 6fb179dda276269ebee668c7608c9f66ba97f09f81f1f788ab9002b0d469021d

**Referenced In Project/Scope:** server

## Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | datasource                           | High       |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | plugins                              | Low        |
| Vendor  | jar      | package name             | report                               | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 18:56                     | Low        |
| Vendor  | Manifest | implementation-group     | reporting                            | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | datasource                           | High       |
| Product | jar      | package name             | datasources                          | Low        |

|         |          |                        |                  |        |
|---------|----------|------------------------|------------------|--------|
| Product | jar      | package name           | plugins          | Low    |
| Product | jar      | package name           | report           | Low    |
| Product | Manifest | built-date             | 2025-10-01 18:56 | Low    |
| Product | Manifest | implementation-group   | reporting        | Low    |
| Product | Manifest | Implementation-Title   | datasource       | High   |
| Product | Manifest | specification-title    | datasource       | Medium |
| Version | Manifest | Implementation-Version | 25.10.198        | High   |

#### Identifiers

- None

### datasource.zip: datasource.jar: datasources-edit-controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/datasources-edit-controller.js

**MD5:** d3aff1bc5dbed650a47549c6b4b2d71c

**SHA1:** 352026dbf86cae5e886f46a566fa6b0c44f45fa3

**SHA256:** ed7edb89ba9e0274ca35afc162057de9dcfafdc635dabdc5c24e757ea3014e48

**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None


### datasource.zip: datasource.jar: datasources-main-controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/datasources-main-controller.js

**MD5:** eba454f1868f794c9fc60b246f466f3a

**SHA1:** 74d2a3a3f9f46c9ec9cbfe7a1538913440063f22

**SHA256:**a0631ec130bfb7bb4824532d3c989d56db03ef8b0176fbcac0c1dba94c922052  
**Referenced In Project/Scope:** server

Evidence 


| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**datasource.zip: datasource.jar: factory.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/factory.js  
**MD5:** 5cd410b5a8e33d67ccb3d324a3471059  
**SHA1:** a49a0928fee80e0fca7878cc0137171376da3204  
**SHA256:**03295f6bac34a5ae47c6d53b8dd02835787143132184017143a37171b332cd29  
**Referenced In Project/Scope:** server

Evidence 


| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**datasource.zip: datasource.jar: model.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/model.js  
**MD5:** 04165d3227639dfb6ce29a8399f878b7  
**SHA1:** 42b89aea0509b5b672f1a1228e7144ff615bbb99  
**SHA256:**b322d19691f4bcec36a37e1c473cca376a780fa40292f7e664a83dff8695b4cc  
**Referenced In Project/Scope:** server

Evidence 

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## datasource.zip: datasource.jar: renderer-permissions.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/renderer-permissions.js

**MD5:** 564716c3303396ed66ee273c97d5f73a

**SHA1:** ea2464e98a9d3d9ec6b44032ca1969721759348a

**SHA256:** d8534ea47db8738b7efb497bcbfdb341a4c9e361df28a3ecda043cc33771c620

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## datasource.zip: datasource.jar: renderer-urlauth.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/renderer-urlauth.js

**MD5:** 7df8d0472e16ec50a02b78c7f807a027

**SHA1:** 8371ea18c1ebbd030f4c50768f09a151254cca58

**SHA256:** 6702c065e1dda17c555b4c43c98201d2a7ac43b0e44f8981b8e03ce2b5e5296a

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## datasource.zip: datasource.jar: renderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/renderer.js

**MD5:** 0afd2459886777254bf1ec76840f3dfd

**SHA1:** 2c5395e8a49e432b5a30e1ee6515e73b2601de48

**SHA256:** 069ab5b85efecc0d59a768da0f00f45faee95102bc5bb78c795875a9e63bc7cf

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## decoder.svg.zip: batik-anim-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-anim-inet\_patched.jar

**MD5:** ca9b7e3470ec4fae98f63e1176598fd8

**SHA1:** df67336085c962bf3974ae7c8e0684ede311b1c6

**SHA256:** 76906fb573f46895285d778672f5cc6bf866f75697ffe58eee83b01d1e09d871

**Referenced In Project/Scope:** server

### Evidence



| Type    | Source | Name         | Value                   | Confidence |
|---------|--------|--------------|-------------------------|------------|
| Vendor  | file   | name         | batik-anim-inet_patched | High       |
| Vendor  | jar    | package name | anim                    | Low        |
| Vendor  | jar    | package name | apache                  | Low        |
| Vendor  | jar    | package name | batik                   | Low        |
| Product | file   | name         | batik-anim-inet_patched | High       |
| Product | jar    | package name | anim                    | Low        |
| Product | jar    | package name | batik                   | Low        |
| Product | jar    | package name | dom                     | Low        |

### Identifiers

- None

## decoder.svg.zip: batik-awt-util-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-awt-util-inet\_patched.jar

**MD5:** 78d0f951cf21d193bb3019ced508670f

**SHA1:** 9a5dc6cea00c6f1dfe375fd0b6a6f5fd68f03920

**SHA256:**c235d7d09615f88df71d682442247725cdd17dac6be7bfe679ffeacfc218824b

**Referenced In Project/Scope:** server

### Evidence



| Type    | Source | Name         | Value                       | Confidence |
|---------|--------|--------------|-----------------------------|------------|
| Vendor  | file   | name         | batik-awt-util-inet_patched | High       |
| Vendor  | jar    | package name | apache                      | Low        |
| Vendor  | jar    | package name | batik                       | Low        |
| Vendor  | jar    | package name | ext                         | Low        |
| Product | file   | name         | batik-awt-util-inet_patched | High       |
| Product | jar    | package name | awt                         | Low        |
| Product | jar    | package name | batik                       | Low        |
| Product | jar    | package name | ext                         | Low        |

### Identifiers

- None

## decoder.svg.zip: batik-bridge-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-bridge-inet\_patched.jar

**MD5:** cd9b26662448c977f32a01ae076153ec

**SHA1:** 69eb5e16d985e4b3e145ad2020346d9371c4112d

**SHA256:**3529283783068bd71b6932333dc30d45fb7f7de665731cab47d5a148e7f0ed04

**Referenced In Project/Scope:** server

## Evidence

| Type    | Source | Name         | Value                     | Confidence |
|---------|--------|--------------|---------------------------|------------|
| Vendor  | file   | name         | batik-bridge-inet_patched | High       |
| Vendor  | jar    | package name | apache                    | Low        |
| Vendor  | jar    | package name | batik                     | Low        |
| Vendor  | jar    | package name | bridge                    | Low        |
| Product | file   | name         | batik-bridge-inet_patched | High       |
| Product | jar    | package name | batik                     | Low        |
| Product | jar    | package name | bridge                    | Low        |

## Identifiers

- None

## decoder.svg.zip: batik-codec-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-codec-inet\_patched.jar

**MD5:** 5e9f873b4c078f8e4129966c1db692bc

**SHA1:** 009427d5c286ce0ea63eaea73f678e6e1316d114

**SHA256:** b1359159577318d3793f46d9661b680edec76a936f6143bda670dc4c4b106542

**Referenced In Project/Scope:** server

## Evidence

| Type    | Source | Name         | Value                    | Confidence |
|---------|--------|--------------|--------------------------|------------|
| Vendor  | file   | name         | batik-codec-inet_patched | High       |
| Vendor  | jar    | package name | apache                   | Low        |
| Vendor  | jar    | package name | batik                    | Low        |
| Vendor  | jar    | package name | ext                      | Low        |
| Product | file   | name         | batik-codec-inet_patched | High       |
| Product | jar    | package name | awt                      | Low        |
| Product | jar    | package name | batik                    | Low        |
| Product | jar    | package name | ext                      | Low        |

## Identifiers

- None

### decoder.svg.zip: batik-constants-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-constants-inet\_patched.jar

**MD5:** 7ab5c8bdd3bffd8080327304340f808f

**SHA1:** 3d7521c16503666312e5ab3dda04e42040813ae8

**SHA256:** 400ad29a7300f5d71b765e9248bce8ce7e18ee77d02a07957ce977ff03e71284

**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source | Name         | Value                        | Confidence |
|---------|--------|--------------|------------------------------|------------|
| Vendor  | file   | name         | batik-constants-inet_patched | High       |
| Vendor  | jar    | package name | apache                       | Low        |
| Vendor  | jar    | package name | batik                        | Low        |
| Vendor  | jar    | package name | constants                    | Low        |
| Product | file   | name         | batik-constants-inet_patched | High       |
| Product | jar    | package name | batik                        | Low        |
| Product | jar    | package name | constants                    | Low        |
| Product | jar    | package name | xmlconstants                 | Low        |

#### Identifiers

- None

### decoder.svg.zip: batik-css-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-css-inet\_patched.jar

**MD5:** efe6d51256dfe90595905b466f50cb1d

**SHA1:** 59720f3521ef86920b1bee7ecad8f774b0291a00

**SHA256:** f9eeb49d41a69114371bbc4ce585e54e4b4de2b529bcb406f44e14e4a01d8dc8

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|



|         |      |              |                        |      |
|---------|------|--------------|------------------------|------|
| Vendor  | file | name         | batik-css-inet_patched | High |
| Vendor  | jar  | package name | apache                 | Low  |
| Vendor  | jar  | package name | batik                  | Low  |
| Vendor  | jar  | package name | css                    | Low  |
| Product | file | name         | batik-css-inet_patched | High |
| Product | jar  | package name | batik                  | Low  |
| Product | jar  | package name | css                    | Low  |
| Product | jar  | package name | engine                 | Low  |

#### Identifiers

- None

### decoder.svg.zip: batik-dom-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-dom-inet\_patched.jar

**MD5:** 20ea7779e512f8c4bfa6531e062efd48

**SHA1:** 836eabda80a9a6b924aea09b9493c44e3bb413b6

**SHA256:** dcf5a79d65a595a73d17b6fb0339f9ac0248da957d311960fcedd33ae4cefe1d

**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source | Name         | Value                  | Confidence |
|---------|--------|--------------|------------------------|------------|
| Vendor  | file   | name         | batik-dom-inet_patched | High       |
| Vendor  | jar    | package name | apache                 | Low        |
| Vendor  | jar    | package name | batik                  | Low        |
| Vendor  | jar    | package name | dom                    | Low        |
| Product | file   | name         | batik-dom-inet_patched | High       |
| Product | jar    | package name | batik                  | Low        |
| Product | jar    | package name | dom                    | Low        |

#### Identifiers

- None

## decoder.svg.zip: batik-ext-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-ext-inet\_patched.jar

**MD5:** 91711138884f8af1a08990da41b61af5

**SHA1:** 8195fd069a560ad76239f1d9fd803a4d39f7f1f3

**SHA256:** cd7a2cc67f833586efd1026651f2a66b608d32e6d0a2a9875fce05b998a35afe

**Referenced In Project/Scope:** server

### Evidence



| Type    | Source | Name         | Value                  | Confidence |
|---------|--------|--------------|------------------------|------------|
| Vendor  | file   | name         | batik-ext-inet_patched | High       |
| Vendor  | jar    | package name | apache                 | Low        |
| Vendor  | jar    | package name | batik                  | Low        |
| Vendor  | jar    | package name | w3c                    | Low        |
| Product | file   | name         | batik-ext-inet_patched | High       |
| Product | jar    | package name | batik                  | Low        |
| Product | jar    | package name | dom                    | Low        |
| Product | jar    | package name | w3c                    | Low        |

### Identifiers

- None

## decoder.svg.zip: batik-extension-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-extension-inet\_patched.jar

**MD5:** 04d7a025623894e24609572a4a95c827

**SHA1:** 254337ea5358ce3660ce8063bf576ddfdcafd828c

**SHA256:** a67c190c69325fdd4f0afd147fac54734540659ec2b70061609d779a8b434c07

**Referenced In Project/Scope:** server

### Evidence



| Type   | Source | Name         | Value                        | Confidence |
|--------|--------|--------------|------------------------------|------------|
| Vendor | file   | name         | batik-extension-inet_patched | High       |
| Vendor | jar    | package name | apache                       | Low        |

|         |      |              |                              |      |
|---------|------|--------------|------------------------------|------|
| Vendor  | jar  | package name | batik                        | Low  |
| Vendor  | jar  | package name | extension                    | Low  |
| Product | file | name         | batik-extension-inet_patched | High |
| Product | jar  | package name | batik                        | Low  |
| Product | jar  | package name | extension                    | Low  |
| Product | jar  | package name | svg                          | Low  |

#### Identifiers

- None

### decoder.svg.zip: batik-gui-util-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-gui-util-inet\_patched.jar

**MD5:** d4f5c11c2ef0e885edf427ba341bb43a

**SHA1:** e3d52600773e327e718226ba885ba4240d1f5708

**SHA256:** de10ba6c89374b3bbc0391808c9a52343ed1f9341a979d9c5d29acb6a2a4ae35

**Referenced In Project/Scope:** server

#### Evidence +

| Type    | Source | Name         | Value                       | Confidence |
|---------|--------|--------------|-----------------------------|------------|
| Vendor  | file   | name         | batik-gui-util-inet_patched | High       |
| Vendor  | jar    | package name | apache                      | Low        |
| Vendor  | jar    | package name | batik                       | Low        |
| Vendor  | jar    | package name | util                        | Low        |
| Product | file   | name         | batik-gui-util-inet_patched | High       |
| Product | jar    | package name | batik                       | Low        |
| Product | jar    | package name | gui                         | Low        |
| Product | jar    | package name | util                        | Low        |

#### Identifiers

- None

## decoder.svg.zip: batik-gvt-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-gvt-inet\_patched.jar

**MD5:** 531c7350c3df1c016703d2f26d4656f5

**SHA1:** bbbfd0825b068e7a5636505c9d3ed2c1803c1f44

**SHA256:** d933774b59c569e30989072a6df247d28e639a1d206a530bc24f89b9162d133a

**Referenced In Project/Scope:** server

### Evidence

| Type    | Source | Name         | Value                  | Confidence |
|---------|--------|--------------|------------------------|------------|
| Vendor  | file   | name         | batik-gvt-inet_patched | High       |
| Vendor  | jar    | package name | apache                 | Low        |
| Vendor  | jar    | package name | batik                  | Low        |
| Vendor  | jar    | package name | gvt                    | Low        |
| Product | file   | name         | batik-gvt-inet_patched | High       |
| Product | jar    | package name | batik                  | Low        |
| Product | jar    | package name | gvt                    | Low        |

### Identifiers

- None

## decoder.svg.zip: batik-i18n-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-i18n-inet\_patched.jar

**MD5:** 1650351fc520b589f64f25bbb10014eb

**SHA1:** e20373bfbeffb8e38c877ba55da0fd6f88b1a898c

**SHA256:** 87af44a58672b07600aea66ac280ac68d60d7a8edbc9bd855bd5d06242af357b

**Referenced In Project/Scope:** server

### Evidence

| Type   | Source | Name         | Value                   | Confidence |
|--------|--------|--------------|-------------------------|------------|
| Vendor | file   | name         | batik-i18n-inet_patched | High       |
| Vendor | jar    | package name | apache                  | Low        |
| Vendor | jar    | package name | batik                   | Low        |
| Vendor | jar    | package name | i18n                    | Low        |
|        |        |              |                         |            |

|         |      |              |                         |        |
|---------|------|--------------|-------------------------|--------|
| Product | file | name         | batik-i18n-inet_patched | High   |
| Product | jar  | package name | batik                   | Low    |
| Product | jar  | package name | i18n                    | Low    |
| Version | file | name         | batik-i18n-inet_patched | Medium |
| Version | file | version      | 18                      | Medium |

#### Identifiers

- [cpe:2.3:a:inet:inet:18:\\*:\\*:\\*:\\*:\\*](#) (Confidence:High) suppress

### decoder.svg.zip: batik-parser-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-parser-inet\_patched.jar  
**MD5:** ec8662e2761223a07c1c5cd352760762  
**SHA1:** c93a4fa23c50b6fc598c196bf818ae990b33c8f9  
**SHA256:** ad5e96d9367b6a100f42dfb99b9e81f23bbd74d881f098eb6d448fdcf62d331  
**Referenced In Project/Scope:** server

#### Evidence +

| Type    | Source | Name         | Value                     | Confidence |
|---------|--------|--------------|---------------------------|------------|
| Vendor  | file   | name         | batik-parser-inet_patched | High       |
| Vendor  | jar    | package name | apache                    | Low        |
| Vendor  | jar    | package name | batik                     | Low        |
| Vendor  | jar    | package name | parser                    | Low        |
| Product | file   | name         | batik-parser-inet_patched | High       |
| Product | jar    | package name | batik                     | Low        |
| Product | jar    | package name | parser                    | Low        |

#### Identifiers

- None

### decoder.svg.zip: batik-script-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-script-inet\_patched.jar  
**MD5:** ed9d79818286c08b981f7e735f2ebbf2  
**SHA1:** fe5fbc17f4d45b81fa8c888458e48538f46dfb90  
**SHA256:** defa2b26e8f7ffd05b58e544b4f66d34a79a3b8b0d92970742db0015cdb9d074  
**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source | Name         | Value                     | Confidence |
|---------|--------|--------------|---------------------------|------------|
| Vendor  | file   | name         | batik-script-inet_patched | High       |
| Vendor  | jar    | package name | apache                    | Low        |
| Vendor  | jar    | package name | batik                     | Low        |
| Vendor  | jar    | package name | script                    | Low        |
| Product | file   | name         | batik-script-inet_patched | High       |
| Product | jar    | package name | batik                     | Low        |
| Product | jar    | package name | script                    | Low        |

#### Identifiers

- None

### decoder.svg.zip: batik-slideshow-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-slideshow-inet\_patched.jar  
**MD5:** 4d7ff121bc7e6740a613f240cc0777de  
**SHA1:** 20d91541127828edfc0b6ee7dd0252002f87c4ea  
**SHA256:** aeacbbf5eacd1ba408cd72a363204c5430161a1d3a687b7c6b117845d3f99c79  
**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source | Name         | Value                        | Confidence |
|---------|--------|--------------|------------------------------|------------|
| Vendor  | file   | name         | batik-slideshow-inet_patched | High       |
| Vendor  | jar    | package name | apache                       | Low        |
| Vendor  | jar    | package name | apps                         | Low        |
| Vendor  | jar    | package name | batik                        | Low        |
| Product | file   | name         | batik-slideshow-inet_patched | High       |
| Product | jar    | package name | apps                         | Low        |

|         |     |              |           |     |
|---------|-----|--------------|-----------|-----|
| Product | jar | package name | batik     | Low |
| Product | jar | package name | slideshow | Low |

#### Identifiers

- None

### decoder.svg.zip: batik-svg-dom-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-svg-dom-inet\_patched.jar

**MD5:** b20d5f86935e8dd59d3fb3f5708cac47

**SHA1:** 2e031b04335b7e61b0de6fedd5533037123ce81d

**SHA256:** 680d15d7d60f06bcfa0b04ef41b3141114bf5f7915f2160db2c80ad3cb067da9

**Referenced In Project/Scope:** server

#### Evidence

| Type    | Source | Name         | Value                      | Confidence |
|---------|--------|--------------|----------------------------|------------|
| Vendor  | file   | name         | batik-svg-dom-inet_patched | High       |
| Vendor  | jar    | package name | apache                     | Low        |
| Vendor  | jar    | package name | batik                      | Low        |
| Vendor  | jar    | package name | dom                        | Low        |
| Product | file   | name         | batik-svg-dom-inet_patched | High       |
| Product | jar    | package name | batik                      | Low        |
| Product | jar    | package name | dom                        | Low        |
| Product | jar    | package name | svg                        | Low        |

#### Identifiers

- None

### decoder.svg.zip: batik-svggen-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-svggen-inet\_patched.jar

**MD5:** 6d9a3465bc61d02429b4eb0c65c770e7

**SHA1:** f8c3849db028b84c4e82d0adbcd54bf24b8eb67

**SHA256:** bb6afbba9cf1ac7d72abaef461aec401251cfb80690ebebdb47f3371840866

**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source | Name         | Value                     | Confidence |
|---------|--------|--------------|---------------------------|------------|
| Vendor  | file   | name         | batik-svggen-inet_patched | High       |
| Vendor  | jar    | package name | apache                    | Low        |
| Vendor  | jar    | package name | batik                     | Low        |
| Vendor  | jar    | package name | svggen                    | Low        |
| Product | file   | name         | batik-svggen-inet_patched | High       |
| Product | jar    | package name | batik                     | Low        |
| Product | jar    | package name | svggen                    | Low        |

#### Identifiers

- None

### decoder.svg.zip: batik-svgpp-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-svgpp-inet\_patched.jar

**MD5:** 2ce45f43360285cfee6f2f3061af1bab

**SHA1:** 521eac762ffb626752a4f606b23f9d5c934c4ec0

**SHA256:** 1c5bddd5d34b87ddb29bf314963b6d73b50ce177071907ec9fc27ebffda235cb

**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source | Name         | Value                    | Confidence |
|---------|--------|--------------|--------------------------|------------|
| Vendor  | file   | name         | batik-svgpp-inet_patched | High       |
| Vendor  | jar    | package name | apache                   | Low        |
| Vendor  | jar    | package name | apps                     | Low        |
| Vendor  | jar    | package name | batik                    | Low        |
| Product | file   | name         | batik-svgpp-inet_patched | High       |
| Product | jar    | package name | apps                     | Low        |
| Product | jar    | package name | batik                    | Low        |
| Product | jar    | package name | svgpp                    | Low        |



### Identifiers

- None

## decoder.svg.zip: batik-swing-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-swing-inet\_patched.jar

**MD5:** 17abc0c5ca14b602d7ed885527fc829c

**SHA1:** 6d37ed715d5842e3754dada7a67325b654fd42bd

**SHA256:** d160b143743345ce02e9d62e45ff883f0677af8e702eefce4e8105411e52482c

**Referenced In Project/Scope:** server

### Evidence



| Type    | Source | Name         | Value                    | Confidence |
|---------|--------|--------------|--------------------------|------------|
| Vendor  | file   | name         | batik-swing-inet_patched | High       |
| Vendor  | jar    | package name | apache                   | Low        |
| Vendor  | jar    | package name | batik                    | Low        |
| Vendor  | jar    | package name | swing                    | Low        |
| Product | file   | name         | batik-swing-inet_patched | High       |
| Product | jar    | package name | batik                    | Low        |
| Product | jar    | package name | svg                      | Low        |
| Product | jar    | package name | swing                    | Low        |

### Identifiers

- None

## decoder.svg.zip: batik-transcoder-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-transcoder-inet\_patched.jar

**MD5:** 0cdad6039646ea411d4510d8a20507fa

**SHA1:** e0546ab18ed8343e039e4ccf1b88c34dfe6c1b7d

**SHA256:** bbbcb22884bf981fe96b6653951a882cd1e7ba073193242aaf58d1d31c2c1d27c

**Referenced In Project/Scope:** server

## Evidence



| Type    | Source | Name         | Value                         | Confidence |
|---------|--------|--------------|-------------------------------|------------|
| Vendor  | file   | name         | batik-transcoder-inet_patched | High       |
| Vendor  | jar    | package name | apache                        | Low        |
| Vendor  | jar    | package name | batik                         | Low        |
| Vendor  | jar    | package name | transcoder                    | Low        |
| Product | file   | name         | batik-transcoder-inet_patched | High       |
| Product | jar    | package name | batik                         | Low        |
| Product | jar    | package name | transcoder                    | Low        |

## Identifiers

- None

## decoder.svg.zip: batik-ttf2svg-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-ttf2svg-inet\_patched.jar

**MD5:** 6f0b1bf368468dc8a8227b3f401afa52

**SHA1:** ba2b2e3d95123857e71c60d49a9a221b4fc36db3

**SHA256:** 1de125604d22826d9e5d3868d95e57ee4c8fa010ee528200cd18c52cf5a5e54e

**Referenced In Project/Scope:** server

## Evidence



| Type    | Source | Name         | Value                      | Confidence |
|---------|--------|--------------|----------------------------|------------|
| Vendor  | file   | name         | batik-ttf2svg-inet_patched | High       |
| Vendor  | jar    | package name | apache                     | Low        |
| Vendor  | jar    | package name | apps                       | Low        |
| Vendor  | jar    | package name | batik                      | Low        |
| Product | file   | name         | batik-ttf2svg-inet_patched | High       |
| Product | jar    | package name | apps                       | Low        |
| Product | jar    | package name | batik                      | Low        |
| Product | jar    | package name | ttf2svg                    | Low        |
| Version | file   | name         | batik-ttf2svg-inet_patched | Medium     |
| Version | file   | version      | 2                          | Medium     |

## Identifiers

- [cpe:2.3:a:inet:inet:2:\\*:\\*:\\*:\\*:\\*](#) (Confidence:High) suppress

## decoder.svg.zip: batik-util-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-util-inet\_patched.jar

**MD5:** 183dac6411b205b38957a11d234906ca

**SHA1:** 86236e20930356d458ddd067c8c4308dc5932e56

**SHA256:** 2268de559d12e0cbaad3019318d86d8e312fbf48508aa4c6dfb5f3dad20b442

**Referenced In Project/Scope:** server

## Evidence

| Type    | Source | Name         | Value                   | Confidence |
|---------|--------|--------------|-------------------------|------------|
| Vendor  | file   | name         | batik-util-inet_patched | High       |
| Vendor  | jar    | package name | apache                  | Low        |
| Vendor  | jar    | package name | batik                   | Low        |
| Vendor  | jar    | package name | util                    | Low        |
| Product | file   | name         | batik-util-inet_patched | High       |
| Product | jar    | package name | batik                   | Low        |
| Product | jar    | package name | util                    | Low        |

## Identifiers

- None

## decoder.svg.zip: batik-xml-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-xml-inet\_patched.jar

**MD5:** 2ee7b66eaa72669fdbbdc1ccf5a532cf

**SHA1:** c81c9b2f41a01688c55ea47d7add3789bdc9f71d

**SHA256:** fa08baff608e74d3a721fcf42e334c53a864b027def7a1307837b790a8f65783

**Referenced In Project/Scope:** server

## Evidence

| Type    | Source | Name         | Value                  | Confidence |
|---------|--------|--------------|------------------------|------------|
| Vendor  | file   | name         | batik-xml-inet_patched | High       |
| Vendor  | jar    | package name | apache                 | Low        |
| Vendor  | jar    | package name | batik                  | Low        |
| Vendor  | jar    | package name | xml                    | Low        |
| Product | file   | name         | batik-xml-inet_patched | High       |
| Product | jar    | package name | batik                  | Low        |
| Product | jar    | package name | xml                    | Low        |

#### Identifiers

- None

### decoder.svg.zip: decoder.svg.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/decoder.svg.jar

**MD5:** 5dd6188841fe31a933c42a638b8e7fed

**SHA1:** 8aa305e6d3cf5c39146c3e6322487558fe9ee30b

**SHA256:** 629b3d699ab59e1236ac8cd619aa858c31973ba5629e394523a4d0e963c6c3ae

**Referenced In Project/Scope:** server

#### Evidence



| Type   | Source   | Name                     | Value            | Confidence |
|--------|----------|--------------------------|------------------|------------|
| Vendor | file     | name                     | decoder.svg      | High       |
| Vendor | jar      | package name             | encode           | Low        |
| Vendor | jar      | package name             | inet             | Low        |
| Vendor | jar      | package name             | report           | Low        |
| Vendor | Manifest | built-date               | 2025-10-01 18:56 | Low        |
| Vendor | Manifest | implementation-group     | reporting        | Low        |
| Vendor | Manifest | Implementation-Vendor    | i-net software   | High       |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware  | Medium     |
| Vendor | Manifest | specification-vendor     | i-net software   | Low        |

|         |          |                        |                                      |         |
|---------|----------|------------------------|--------------------------------------|---------|
| Vendor  | Manifest | vendor                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                   | decoder.svg                          | High    |
| Product | jar      | package name           | encode                               | Low     |
| Product | jar      | package name           | report                               | Low     |
| Product | jar      | package name           | svg                                  | Highest |
| Product | jar      | package name           | svg                                  | Low     |
| Product | Manifest | built-date             | 2025-10-01 18:56                     | Low     |
| Product | Manifest | implementation-group   | reporting                            | Low     |
| Product | Manifest | Implementation-Title   | decoder.svg                          | High    |
| Product | Manifest | specification-title    | decoder.svg                          | Medium  |
| Version | Manifest | Implementation-Version | 25.10.198                            | High    |

#### Identifiers

- None

### decoder.svg.zip: jsvgl.jar

#### License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/jsvgl.jar

**MD5:** be6ca7686f4ca1320fec8b22762805a3

**SHA1:** cff25678c920dbd657bce96e9245e4fb54f852e6

**SHA256:** a215cf2a11dca182da9bc578ca6ab7c3e1728282df3a56f39ec8302f2c7895ef

**Referenced In Project/Scope:** server

#### Evidence



| Type   | Source | Name         | Value  | Confidence |
|--------|--------|--------------|--------|------------|
| Vendor | file   | name         | jsvgl  | High       |
| Vendor | jar    | package name | github | Highest    |
| Vendor | jar    | package name | github | Low        |
| Vendor | jar    | package name | jsvgl  | Highest    |
| Vendor | jar    | package name | jsvgl  | Low        |
| Vendor | jar    | package name | weisj  | Highest    |

|         |          |                          |                  |         |
|---------|----------|--------------------------|------------------|---------|
| Vendor  | jar      | package name             | weisj            | Low     |
| Vendor  | Manifest | Implementation-Vendor    | JSVG             | High    |
| Vendor  | Manifest | Implementation-Vendor-Id | com.github.weisj | Medium  |
| Vendor  | Manifest | specification-vendor     | JSVG             | Low     |
| Product | file     | name                     | jsvg             | High    |
| Product | jar      | package name             | jsvg             | Highest |
| Product | jar      | package name             | jsvg             | Low     |
| Product | jar      | package name             | weisj            | Low     |
| Product | Manifest | Implementation-Title     | jsvg             | High    |
| Product | Manifest | specification-title      | JSVG             | Medium  |
| Version | Manifest | Implementation-Version   | 1.3.0            | High    |

#### Identifiers

- None

### decoder.svg.zip: xml-apis-ext.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/xml-apis-ext.jar

**MD5:** bcb07d3b8d2397db7a3013b6465d347b

**SHA1:** 41a8b86b358e87f3f13cf46069721719105aff66

**SHA256:** d0b4887dc34d57de49074a58affad439a013d0baffa1a8034f8ef2a5ea191646

**Referenced In Project/Scope:** server

#### Evidence



| Type   | Source       | Name                  | Value                     | Confidence |
|--------|--------------|-----------------------|---------------------------|------------|
| Vendor | file         | name                  | xml-apis-ext              | High       |
| Vendor | jar          | package name          | dom                       | Low        |
| Vendor | jar          | package name          | svg                       | Low        |
| Vendor | jar          | package name          | w3c                       | Low        |
| Vendor | manifest-org | Implementation-Vendor | World Wide Web Consortium | Medium     |

|         |   |                           |   |         |
|---------|---|---------------------------|---|---------|
|         | /w3c<br>/css<br>/sac/                     |                           |   |         |
| Vendor  | manifest<br>org<br>/w3c<br>/dom<br>/smil/ | Implementation-<br>Vendor | World Wide Web Consortium   | Medium  |
| Vendor  | manifest<br>org<br>/w3c<br>/dom<br>/svg/  | Implementation-<br>Vendor | World Wide Web Consortium   | Medium  |
| Product | file                                      | name                      | xml-apis-ext  | High    |
| Product | jar                                       | package name              | css   | Highest |
| Product | jar                                       | package name              | dom   | Highest |
| Product | jar                                       | package name              | dom   | Low     |
| Product | jar                                       | package name              | sac   | Highest |
| Product | jar                                       | package name              | smil  | Highest |
| Product | jar                                       | package name              | svg   | Highest |
| Product | jar                                       | package name              | svg   | Low     |
| Product | jar                                       | package name              | w3c   | Highest |
| Product | manifest<br>org<br>/w3c<br>/css<br>/sac/  | Implementation-<br>Title  | org.w3c.css.sac   | Medium  |
| Product | manifest<br>org<br>/w3c<br>/css<br>/sac/  | Specification-<br>Title   | Simple API for CSS  | Medium  |
| Product | manifest<br>org<br>/w3c<br>/dom<br>/smil/ | Implementation-<br>Title  | org.w3c.dom.smil  | Medium  |
| Product | manifest<br>org<br>/w3c<br>/dom<br>/smil/ | Specification-<br>Title   | Document Object Model (DOM) for<br>Synchronized Multimedia Integration<br>Language (SMIL) | Medium  |
| Product | manifest<br>org<br>/w3c<br>/dom<br>/svg/  | Implementation-<br>Title  | org.w3c.dom.svg   | Medium  |
| Product | manifest<br>org<br>/w3c<br>/dom<br>/svg/  | Specification-<br>Title   | Document Object Model (DOM) for Scalable<br>Vector Graphics (SVG)                         | Medium  |

|         |  |                            |     |        |
|---------|--|----------------------------|-----|--------|
| Version | manifest<br>org<br>/w3c<br>/css<br>/sac/ | Implementation-<br>Version | 1.3 | Medium |
| Version | manifest<br>org<br>/w3c<br>/dom<br>/svg/ | Implementation-<br>Version | 1.1 | Medium |

#### Identifiers

- None

### decoder.svg.zip: xmlgraphics-commons.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/xmlgraphics-commons.jar

**MD5:** ec712218e2391e64672fd8ed1e9e1d71

**SHA1:** 336ddd6d0a244cdebf26a298fb7c3a5fd45449db

**SHA256:** 1fe37a1927bdd699730f0ad39f50a699c9ab4dff0ad047dff1e846cb120ae2b1

**Referenced In Project/Scope:** server

#### Evidence

| Type    | Source   | Name                       | Value  | Confidence |
|---------|----------|----------------------------|--|------------|
| Vendor  | file     | name                       | xmlgraphics-commons  | High       |
| Vendor  | jar      | package name               | apache   | Highest    |
| Vendor  | jar      | package name               | apache   | Low        |
| Vendor  | jar      | package name               | xmlgraphics  | Highest    |
| Vendor  | jar      | package name               | xmlgraphics  | Low        |
| Vendor  | Manifest | Implementation-<br>Vendor  | The Apache Software Foundation<br>(http://xmlgraphics.apache.org/) | High       |
| Product | file     | name                       | xmlgraphics-commons  | High       |
| Product | jar      | package name               | apache   | Highest    |
| Product | jar      | package name               | xmlgraphics  | Low        |
| Product | Manifest | Implementation-<br>Title   | Apache XML Graphics Commons  | High       |
| Version | Manifest | build-id                   | 20220112-112401-GMT  | Medium     |
| Version | Manifest | Implementation-<br>Version | 2.7  | High       |



## Identifiers

- cpe:2.3:a:apache:xmlgraphics\_commons:2.7:\*:\*:\*:\*:\* (Confidence:Low) suppress

## designer.zip: CCGuiLib.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/CCGuiLib.jar

**MD5:** 5bff681753004486345d6e1ec4fd19f1

**SHA1:** 20a7075ecf3d935bbca88dfca0151904e129e487

**SHA256:** 3a925e284565806c3e3ad1b9cb4796236d1dd92b843619f4d41d940e5ea70366

**Referenced In Project/Scope:** server

## Evidence



| Type    | Source   | Name                                   | Value                                | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor  | file     | name                                   | CCGuiLib                             | High       |
| Vendor  | jar      | package name                           | guilib                               | Low        |
| Vendor  | jar      | package name                           | inet                                 | Low        |
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Vendor  | Manifest | built-date                             | 2025-10-01 18:38                     | Low        |
| Vendor  | Manifest | codebase                               | *                                    | Low        |
| Vendor  | Manifest | implementation-group                   | reporting                            | Low        |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low        |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low        |
| Vendor  | Manifest | trusted-library                        | false                                | Low        |
| Vendor  | Manifest | trusted-only                           | false                                | Low        |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                                   | CCGuiLib                             | High       |
| Product | jar      | package name                           | guilib                               | Low        |
| Product | Manifest | application-                           | *                                    | Low        |

|         |          |                            |                  |        |
|---------|----------|----------------------------|------------------|--------|
|         |          | library-allowable-codebase |                  |        |
| Product | Manifest | built-date                 | 2025-10-01 18:38 | Low    |
| Product | Manifest | codebase                   | *                | Low    |
| Product | Manifest | implementation-group       | reporting        | Low    |
| Product | Manifest | Implementation-Title       | CCGuiLib         | High   |
| Product | Manifest | permissions                | all-permissions  | Low    |
| Product | Manifest | specification-title        | CCGuiLib         | Medium |
| Product | Manifest | trusted-library            | false            | Low    |
| Product | Manifest | trusted-only               | false            | Low    |
| Version | Manifest | Implementation-Version     | 25.10.198        | High   |

#### Identifiers

- None

### designer.zip: JnlpDesigner.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/JnlpDesigner.jar

**MD5:** f42023fd6e25468c72560a22929393cb

**SHA1:** 8a434b217f0e090eae4b050b379b59bd771bebd3

**SHA256:** 59a320cd5149f47644bc4ed8421ef3748b6fdbb80be47206c72f4f4e64b14cac

**Referenced In Project/Scope:** server

#### Evidence



| Type   | Source   | Name                                   | Value        | Confidence |
|--------|----------|--|--------------|------------|
| Vendor | file     | name                                   | JnlpDesigner | High       |
| Vendor | jar      | package name                           | designer     | Highest    |
| Vendor | jar      | package name                           | inet         | Low        |
| Vendor | jar      | package name                           | loader       | Low        |
| Vendor | jar      | package name                           | shared       | Low        |
| Vendor | Manifest | application-library-allowable-codebase | *            | Low        |
|        |          |  |              |            |

|         |          |  |                                      |         |
|---------|----------|--|--------------------------------------|---------|
| Vendor  | Manifest | application-name                       | i-net Remote Designer                | Medium  |
| Vendor  | Manifest | built-date                             | 2025-10-01 18:58                     | Low     |
| Vendor  | Manifest | codebase                               | *                                    | Low     |
| Vendor  | Manifest | implementation-group                   | reporting                            | Low     |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low     |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low     |
| Vendor  | Manifest | trusted-library                        | false                                | Low     |
| Vendor  | Manifest | trusted-only                           | false                                | Low     |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                                   | JnlpDesigner                         | High    |
| Product | jar      | package name                           | designer                             | Highest |
| Product | jar      | package name                           | jnlpdesigner                         | Highest |
| Product | jar      | package name                           | loader                               | Low     |
| Product | jar      | package name                           | shared                               | Low     |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low     |
| Product | Manifest | application-name                       | i-net Remote Designer                | Medium  |
| Product | Manifest | built-date                             | 2025-10-01 18:58                     | Low     |
| Product | Manifest | codebase                               | *                                    | Low     |
| Product | Manifest | implementation-group                   | reporting                            | Low     |
| Product | Manifest | Implementation-Title                   | JnlpDesigner                         | High    |
| Product | Manifest | permissions                            | all-permissions                      | Low     |
| Product | Manifest | specification-title                    | JnlpDesigner                         | Medium  |
| Product | Manifest | trusted-library                        | false                                | Low     |
| Product | Manifest | trusted-only                           | false                                | Low     |
| Version | Manifest | Implementation-Version                 | 25.10.198                            | High    |

## Identifiers

- None

### designer.zip: SBSTutorial.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/SBSTutorial.jar

**MD5:** 5e2a9290c88fe830cd909e96f5c799d9

**SHA1:** 542d34a9c34bbedb395963cddb5a9bd0efcf9b9

**SHA256:** b995e7ba1765952b44fc3802ca5fe6c9debf4d571c9cc85de8e895420d984307

**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source | Name         | Value        | Confidence |
|---------|--------|--------------|--------------|------------|
| Vendor  | file   | name         | SBSTutorial  | High       |
| Vendor  | jar    | package name | anormalmedia | Low        |
| Vendor  | jar    | package name | de           | Low        |
| Vendor  | jar    | package name | sbstutorial  | Low        |
| Product | file   | name         | SBSTutorial  | High       |
| Product | jar    | package name | anormalmedia | Low        |
| Product | jar    | package name | gui          | Low        |
| Product | jar    | package name | sbstutorial  | Low        |

#### Identifiers

- None

### designer.zip: TableLayout.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/TableLayout.jar

**MD5:** 1e432e776e18d71f12dd72b7d235a965

**SHA1:** 62ffa1cca3e71f94d0bdce85ea97ea7083fdb1b

**SHA256:** 13e73cf77a93f0c52184e5a5557d7dbba081bf54904edfdb84645b5daf7dd18

**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source | Name         | Value        | Confidence |
|---------|--------|--------------|--------------|------------|
| Vendor  | file   | name         | TableLayout  | High       |
| Vendor  | jar    | package name | clearthought | Low        |
| Vendor  | jar    | package name | info         | Low        |
| Vendor  | jar    | package name | layout       | Low        |
| Product | file   | name         | TableLayout  | High       |
| Product | jar    | package name | clearthought | Low        |
| Product | jar    | package name | layout       | Low        |

#### Identifiers

- None

### designer.zip: designer.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/designer.jar

**MD5:** 63d1a81694cb7f312dfa83f04e2dd417

**SHA1:** 169e67ebcc6e7672d1c4cdf3a86cab37e48607a6

**SHA256:** 50701320661bc292cad3da786872561e07cb61778bb52c639fa5eaec5371fa39

**Referenced In Project/Scope:** server

#### Evidence +

| Type   | Source   | Name                     | Value                                | Confidence |
|--------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file     | name                     | designer                             | High       |
| Vendor | jar      | package name             | designer                             | Low        |
| Vendor | jar      | package name             | i                                    | Highest    |
| Vendor | jar      | package name             | inet                                 | Low        |
| Vendor | Manifest | built-date               | 2025-10-01 18:57                     | Low        |
| Vendor | Manifest | implementation-group     | reporting                            | Low        |
| Vendor | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
|        |          |                          |                                      |            |

|         |          |                        |                  |         |
|---------|----------|------------------------|------------------|---------|
| Product | file     | name                   | designer         | High    |
| Product | jar      | package name           | designer         | Highest |
| Product | jar      | package name           | designer         | Low     |
| Product | Manifest | built-date             | 2025-10-01 18:57 | Low     |
| Product | Manifest | implementation-group   | reporting        | Low     |
| Product | Manifest | Implementation-Title   | designer         | High    |
| Product | Manifest | specification-title    | designer         | Medium  |
| Version | Manifest | Implementation-Version | 25.10.198        | High    |

#### Identifiers

- None

### designer.zip: designer.jar: app.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/designer.jar/com/inet/designer/plugin/module/js/app.js

**MD5:** 166cf806b8a80aeb525c6227997dbb67

**SHA1:** ad98fea47d6520742c5d53b264f35617f9e93205

**SHA256:** 1723232334ea1520fcbb4e388a48386444bb0dd6a650a7f253ab91c1f2a17f9c

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### designer.zip: designer.jar: opendesignerextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/designer.jar/com/inet/designer/plugin/repository/drive/client/js/opendesignerextension.js

**MD5:** 4ffa073261ffba0499b501bfe0c011e8  
**SHA1:** 49d507d0039f67d9402a17be9a3bd188e39d5778  
**SHA256:** a6393af45de96155785e5d8fa03a5e8c25e82f7e01f2f09855dd04a66a318f4b  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### designer.zip: designer.jar: remotedesigner.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/designer.jar/com/inet/designer/plugin/module/js/remotedesigner.js

**MD5:** 636aa57b17582002507695eb51151b40  
**SHA1:** 0c4c63514279a159369d7f3d04b748cb3077f4a5  
**SHA256:** 187e4aedb6834259a1b86981c479cf670040d20b0700347f52261d32bdbbebdaf  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### designer.zip: inetswingcore.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/inetswingcore.jar

**MD5:** 074eacc32516e0535d11113a7e356564  
**SHA1:** d54fddd2a3f07de8206fce5656e2d946ed2f1567  
**SHA256:** 1037b357b52dce37a6e73e089c86ba5f5f3bdc533a50a3bac7f6eca2bd28eab8  
**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | inetswingcore                        | High       |
| Vendor  | jar      | package name             | i                                    | Highest    |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | swing                                | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 17:32                     | Low        |
| Vendor  | Manifest | implementation-group     | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | inetswingcore                        | High       |
| Product | jar      | package name             | swing                                | Low        |
| Product | Manifest | built-date               | 2025-10-01 17:32                     | Low        |
| Product | Manifest | implementation-group     | shared                               | Low        |
| Product | Manifest | Implementation-Title     | inetswingcore                        | High       |
| Product | Manifest | specification-title      | inetswingcore                        | Medium     |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High       |

#### Identifiers

- None

### diagnostics.reporting.zip: diagnostics.reporting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar

**MD5:** a7d3c27a38948cac8008e29b4f6f4ee8

**SHA1:** d3d8370ba38f8f9ae98bc738480e9b009e5a187a

**SHA256:** 15fe4cc1f67de101adce88f91ebd6f81fb3df711f5b36f4f7d87867fd36ef147

**Referenced In Project/Scope:** server

#### Evidence





| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | diagnostics.reporting                | High       |
| Vendor  | jar      | package name             | diagnostics                          | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | report                               | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 18:56                     | Low        |
| Vendor  | Manifest | implementation-group     | reporting                            | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | diagnostics.reporting                | High       |
| Product | jar      | package name             | diagnostics                          | Highest    |
| Product | jar      | package name             | diagnostics                          | Low        |
| Product | jar      | package name             | report                               | Low        |
| Product | jar      | package name             | widgets                              | Low        |
| Product | Manifest | built-date               | 2025-10-01 18:56                     | Low        |
| Product | Manifest | implementation-group     | reporting                            | Low        |
| Product | Manifest | Implementation-Title     | diagnostics.reporting                | High       |
| Product | Manifest | specification-title      | diagnostics.reporting                | Medium     |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High       |

#### Identifiers

- None

### diagnostics.reporting.zip: diagnostics.reporting.jar: connectionPool.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/connectionpool/resources/connectionPool.js

**MD5:** f53d87419cca81933623ab8325b500e4  
**SHA1:** 5d4d1ae1f0f86f84711e9090df767880dacd62f0  
**SHA256:** 0276fb918e86662478f9fe2f51a4ea88862d48c2b848059cfbca686f96a9dd87  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### diagnostics.reporting.zip: diagnostics.reporting.jar: reportcache.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/reportcache/resources/reportcache.js

**MD5:** 69cf1345e403fa8c11c27e3fa01fb71b  
**SHA1:** e9ae6aca9c42c00ad18a935a7f84a3d2d59d0384  
**SHA256:** b25ec00b6d64bcc7db7b3c3c9ca17ac561f5b7658d986a9d28cbb7ed6cbf3e41  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### diagnostics.reporting.zip: diagnostics.reporting.jar: server-datasource.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/benchmark/datasource/server-datasource.js

**MD5:** 7ff5a1d205b088435a55eebe6b299af9  
**SHA1:** f34ca1847e716ee3d759eef5ea0c1dd0a409ac6c  
**SHA256:** 8f5ea4bc5b949a0626b8e5f715b8c7c2a55e9a6e043d110dc5e583e18bb6595c  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar

**MD5:** 10277f2281da41249ad76c95e9858b14

**SHA1:** aada920aafc89173501ed6f506f0a33850b7c55

**SHA256:** 2592ce21b9ac2d053aa9d0a80b45dd8ce3c078c7e7274b1e1e269731626c40bf

**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | diagnostics                          | High       |
| Vendor  | jar      | package name             | diagnostics                          | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | shared                               | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 17:51                     | Low        |
| Vendor  | Manifest | implementation-group     | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | diagnostics                          | High       |
| Product | jar      | package name             | diagnostics                          | Highest    |
| Product | jar      | package name             | diagnostics                          | Low        |
| Product | jar      | package name             | shared                               | Highest    |
| Product | jar      | package name             | shared                               | Low        |
| Product | jar      | package name             | widgets                              | Low        |
| Product | Manifest | built-date               | 2025-10-01 17:51                     | Low        |

|         |          |                        |             |         |
|---------|----------|------------------------|-------------|---------|
| Product | Manifest | implementation-group   | shared      | Low     |
| Product | Manifest | Implementation-Title   | diagnostics | High    |
| Product | Manifest | specification-title    | diagnostics | Medium  |
| Version | jar      | package name           | shared      | Highest |
| Version | Manifest | Implementation-Version | 25.10.198   | High    |

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: MemoryPieChart.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryPieChart.js

**MD5:** 6672ce6950e54f655abda54ed0f66ed5

**SHA1:** 3043ce3c7f15e47f311010f1863bbe38f47f9902

**SHA256:** c1e3f04eb8893a9a04750d0c1b6da7de0e22820db78773eb345add1267fbd784

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: MemoryUsageChart.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryUsageChart.js

**MD5:** 8755baee0fb97dbfdf5d5b972b7cf9bc

**SHA1:** 1c4299a3df93cd84ff68923b6db924b325e8ed79

**SHA256:** 576dde92cfe5caf4a9fb8084b64d73ef914d1b44b695cd74ee916829c6d652cf

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: WebServerErrorChart.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/WebServerErrorChart.js

**MD5:** 46ed42c329ea270b64073af7b041554e

**SHA1:** 1e2685c45d920807865bde8647def47f405d70c0

**SHA256:** b062fe753fb5117f9ee299ce3d7c7aa6631e229aaecfea9351af3847f20ef152

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: benchmarkCtrl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/resources/benchmarkCtrl.js

**MD5:** 9eaeff897d71b988456b1081f7baa57e

**SHA1:** 8dc7208ccfa11ba9eb736aaee676e9c7f2f62146

**SHA256:** 3457f3446ce7a565f734ecd3aa8712884c713b10dd97713ffab9cf196becafc9

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: client-server.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/clientserver/client-server.js

**MD5:** 0f1ab9cf9534b099e18cc5852ee024dc

**SHA1:** 404002851f13cee9f19794e77396da6d11c9adfd

**SHA256:** 93af3fdaf826e858e80a21ea6ece6281e38bc6e6c4c006f76db5ed3849aaa629

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/controller.js

**MD5:** c9d9a63b248de3b1ab32753b2652581f

**SHA1:** 9e9f1cf1ddcea2a7ae541d2a67b0f36d68514e77

**SHA256:** 6ab396c52d329bb05ffc977b19f70afae28b05f93ed53e7766369f734126485

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

### diagnostics.zip: diagnostics.jar: cpu.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpu/cpu.js

**MD5:** 00bbba279bab5ddacde78dc991498f9f

**SHA1:** c0c245794ad50fdff5bae6b15f494130d740ee51

**SHA256:** 492f447221e59374290a8994359099d7c8ce3de45961e5dd2cbb648d4a6b29c2

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: cpuspeed.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpuspeed/cpuspeed.js

**MD5:** affca3db509cab73d34a15f21623ee7

**SHA1:** d3a2d26b44827807dd0035932815b1a8f72e453d

**SHA256:** c7328c891ff58d6da40001887b68e993052b856d83e1d6493a32f0fed8dff6a5

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: directives.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/directives.js

**MD5:** c7436529172605f449dda5c983dc74dd  
**SHA1:** e7fd8c8ccf06d2fadce799bb442b4b8bc10fcad4  
**SHA256:** 993aecee895d9e18dd484cbcfc7b1b908db6dd2fe5a8078bf664faa39070dbe7  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: errorHistoryChart.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/errorHistoryChart.js

**MD5:** 83231947ca2ffb7ee6d2839bbfac6a62  
**SHA1:** 7418ac3a78c906c55d8779d363184d5f2a335428  
**SHA256:** 7ad4ad758d262497faee037107f81e81b1a996d6f4111a46bd91092925cc58a3  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: flot2.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/flotr2.min.js

**MD5:** 0b7015815b97473a69b1917da6dc9c7c  
**SHA1:** d23aa3eb0326ea5ae26e4d98383e80f3f63a05de  
**SHA256:** 8e91d325cb89a573c87ec87930a17a0dd4e16b59926d4bcc06691c26e37ab9fc  
**Referenced In Project/Scope:** server

#### Evidence





| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: global.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/global.js

**MD5:** ea308918919d88577b89513d61dfa21b

**SHA1:** 42b1d16409b39bb01ede0fbb44357a27bb8d0249

**SHA256:**dc162fa9f5ab8b95bec8b06db139fa7b57a14257b51a349578ff6c2681a1fd6a

**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: haddisk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/harddisk/harddisk.js

**MD5:** 538fd0fdeb11c4fa3dd2ac88c8711204

**SHA1:** 80957f16c25af55fc467e6c5af84153a595115c8

**SHA256:**a7762d8a143e8ac4eb9931e082988207cd45ab55d088120ff28d5f833fc09c2e

**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

#### diagnostics.zip: diagnostics.jar: heapdumpCtrl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/dump/resources/heapdumpCtrl.js

**MD5:** c5fdaf4ccf9027d4a81c2f62b897e927

**SHA1:** 667f13f878547fe5bdd76d63151a8bf8113736ac

**SHA256:** 9694aabb30d8dc4bd9f9a6886f91248fe5a68d51a0f4dfd3a7b7adcd4db0b625

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### diagnostics.zip: diagnostics.jar: informationCtrl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/informationCtrl.js

**MD5:** 751ab48845663bb2e183db1c23837049

**SHA1:** 68afe450d8d8b18885e9a1609dcdad354cdc38ea

**SHA256:** 03827ae0ce0f6ce8e4b023a418f796284cbe2358a1f468fa3e5a5ee24018ad20

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### diagnostics.zip: diagnostics.jar: intArrayUtils.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/intArrayUtils.js

**MD5:** 132205ce288f4d0108593ba2adf79e7f

**SHA1:** b1fc530ffd7332db05d9b5431535ec0beb9ff688

**SHA256:** 089688ab933277e0148ec91a8bd6d1d3d6e1030ec0216139675a78f8c9fd672e

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: iospeed.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/iospeed/iospeed.js

**MD5:** 43d6af3fce515e8c01c806b587663d18

**SHA1:** 3144a2d2373abb1e911388b3cc049467fe9f616e

**SHA256:** 8ad0c4ac7fb4dea2dc4f38137e5136e2d4b9f4f380203be7de3fd430cbab5260

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: jobs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/jobs/resources/jobs.js

**MD5:** c86f20826acb4cd47c7bd5dbfb75b0d4

**SHA1:** 91bc3730aac03d2108e538843d28f0e47d531bc2

**SHA256:**392dd734b01789eb4d38f999bfa2cc439550d8bb4321024a2047179676315e47  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: logging.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/logging.js

**MD5:** 547f9875c9c43a8e13e5831262ce7629

**SHA1:** 777e8a815832ebb01cd38d376692c43b66e58cb8

**SHA256:**0348322950015a8c715d7eac1366190d313bbaeb529ab02d7ee49e2b182071f3

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: memory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/memory/memory.js

**MD5:** 362ed951b53dd4ef9c8494e8d1749466

**SHA1:** 9879a26fb052a8e75d1b46672397dfb5b1927f77

**SHA256:**abbe117c43a3b186c9453af73cceb55b3f42ab2cccb6809a4b1dc04b4b1489e9

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: overviewCtrl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/overview/resources/overviewCtrl.js

**MD5:** 80f5e4358aa6a9ba6d35c364803e6c6a

**SHA1:** 43c0492bb6e31b22174edb46514f0981930d2e39

**SHA256:** cdf4ae1ac491e48bcb17849a4b9ccdfef5eea517798c0dc10fe13fb75b1eca99

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: pde.diagnostics.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/pde.diagnostics.js

**MD5:** d341fba13a10131585866bd8575fb85c

**SHA1:** 1829064e54bcc91f1a96ef0605fcb71188f6126d

**SHA256:** 8554a8c566d5aed56913953c9cd38fdb6a59fb3292279d76e624f615c2c97c1e

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: timeformat.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/timeformat.js

**MD5:** 31e9928c521c394f829c570f248fab50

**SHA1:** 97977864881447d98bab1568b64f96115f4a4d4a

**SHA256:** f96d3c13acc616439828f4a368dedb6f8a740eb44cef5980b659ee9c07845

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## docfx.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.js

**MD5:** 8d6c494b74e6c47ae0eb2e20c5c528f8

**SHA1:** 65e3447fe91b30ebb4c4863adbe13f20c4cc81b0

**SHA256:** c210b0b1dc0081355faa906b4239e82f670c0ed7b49b31c9de2161cceed3e7f

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## docfx.vendor.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.vendor.js

**MD5:** e546d4a3ac43d85422e9c43bf9488c88

**SHA1:** 7387f5bf1a3382308d646560039243629968f137

**SHA256:** 4dfa2ef41a41c02b0cd0cb18b5c3ee71dd40cdc060271f0d832235e7a1c72c34

**Referenced In Project/Scope:** server

#### Evidence

| Type    | Source | Name    | Value     | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor  | file   | name    | bootstrap | High       |
| Product | file   | name    | bootstrap | High       |
| Version | file   | version | 3.4.1     | High       |

#### Identifiers

- [pkg:javascript/bootstrap@3.4.1](#) (*Confidence:*Highest)

### drive.zip: commons-compress.jar

#### Description:

Apache Commons Compress defines an API for working with compression and archive formats. These include bzip2, gzip, pack200, LZMA, XZ, Snappy, traditional Unix Compress, DEFLATE, DEFLATE64, LZ4, Brotli, Zstandard and ar, cpio, jar, tar, zip, dump, 7z, arj.

#### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/commons-compress.jar

**MD5:** 1db4bd87b0082044c6e7a6af0b977a3e

**SHA1:** a19151084758e2fbb6b41eddaa88e7b8ff4e6599

**SHA256:** 293d80f54b536b74095dcd7ea3cf0a29bbfc3402519281332495f4420d370d16

**Referenced In Project/Scope:** server

#### Evidence

| Type   | Source | Name         | Value            | Confidence |
|--------|--------|--------------|------------------|------------|
| Vendor | file   | name         | commons-compress | High       |
| Vendor | jar    | package name | apache           | Highest    |
| Vendor | jar    | package name | commons          | Highest    |
| Vendor | jar    | package name | compress         | Highest    |

|        |          |                          |   |        |
|--------|----------|--------------------------|---|--------|
| Vendor | Manifest | automatic-module-name    | org.apache.commons.compress   | Medium |
| Vendor | Manifest | build-jdk-spec           | 17  | Low    |
| Vendor | Manifest | bundle-docurl            | <a href="https://commons.apache.org/proper/commons-compress/">https://commons.apache.org/proper/commons-compress/</a> | Low    |
| Vendor | Manifest | bundle-symbolicname      | org.apache.commons.commons-compress   | Medium |
| Vendor | Manifest | extension-name           | org.apache.commons.compress   | Medium |
| Vendor | Manifest | Implementation-Vendor    | The Apache Software Foundation  | High   |
| Vendor | Manifest | Implementation-Vendor-Id | org.apache  | Medium |
| Vendor | Manifest | multi-release            | true  | Low    |
| Vendor | Manifest | originally-created-by    | Apache Maven Bundle Plugin 5.1.9  | Low    |
| Vendor | Manifest | specification-vendor     | The Apache Software Foundation  | Low    |
| Vendor | pom      | artifactid               | commons-compress  | Low    |
| Vendor | pom      | developer email          | bodewig at apache.org   | Low    |
| Vendor | pom      | developer email          | chtompki at apache.org  | Low    |
| Vendor | pom      | developer email          | damjan at apache.org  | Low    |
| Vendor | pom      | developer email          | ebourg at apache.org  | Low    |
| Vendor | pom      | developer email          | ggregory at apache.org  | Low    |
| Vendor | pom      | developer email          | grobmeier at apache.org   | Low    |
| Vendor | pom      | developer email          | julius at apache.org  | Low    |
| Vendor | pom      | developer email          | peterlee at apache.org  | Low    |
| Vendor | pom      | developer email          | sebb at apache.org  | Low    |
| Vendor | pom      | developer email          | tcurdtt at apache.org   | Low    |
| Vendor | pom      | developer id             | bodewig   | Medium |
| Vendor | pom      | developer id             | chtompki  | Medium |
| Vendor | pom      | developer id             | damjan  | Medium |
| Vendor | pom      | developer id             | ebourg  | Medium |
| Vendor | pom      | developer id             | ggregory  | Medium |
| Vendor | pom      | developer id             | grobmeier   | Medium |
| Vendor | pom      | developer id             | julius  | Medium |
| Vendor | pom      | developer id             | peterlee  | Medium |
| Vendor | pom      | developer id             | sebb  | Medium |
| Vendor | pom      | developer id             | tcurdtt   | Medium |



|         |          |                       |   |         |
|---------|----------|-----------------------|---|---------|
| Vendor  | pom      | developer name        | Christian Grobmeier   | Medium  |
| Vendor  | pom      | developer name        | Damjan Jovanovic  | Medium  |
| Vendor  | pom      | developer name        | Emmanuel Bourg  | Medium  |
| Vendor  | pom      | developer name        | Gary Gregory  | Medium  |
| Vendor  | pom      | developer name        | Julius Davies   | Medium  |
| Vendor  | pom      | developer name        | Peter Alfred Lee  | Medium  |
| Vendor  | pom      | developer name        | Rob Tompkins  | Medium  |
| Vendor  | pom      | developer name        | Sebastian Bazley  | Medium  |
| Vendor  | pom      | developer name        | Stefan Bodewig  | Medium  |
| Vendor  | pom      | developer name        | Torsten Curdt   | Medium  |
| Vendor  | pom      | developer org         | The Apache Software Foundation  | Medium  |
| Vendor  | pom      | developer org URL     | <a href="https://www.apache.org/">https://www.apache.org/</a>   | Medium  |
| Vendor  | pom      | groupid               | org.apache.commons  | Highest |
| Vendor  | pom      | name                  | Apache Commons Compress   | High    |
| Vendor  | pom      | parent-artifactid     | commons-parent  | Low     |
| Vendor  | pom      | url                   | <a href="https://commons.apache.org/proper/commons-compress/">https://commons.apache.org/proper/commons-compress/</a> | Highest |
| Product | file     | name                  | commons-compress  | High    |
| Product | jar      | package name          | 9   | Highest |
| Product | jar      | package name          | apache  | Highest |
| Product | jar      | package name          | commons   | Highest |
| Product | jar      | package name          | compress  | Highest |
| Product | Manifest | automatic-module-name | org.apache.commons.compress   | Medium  |
| Product | Manifest | build-jdk-spec        | 17  | Low     |
| Product | Manifest | bundle-docurl         | <a href="https://commons.apache.org/proper/commons-compress/">https://commons.apache.org/proper/commons-compress/</a> | Low     |
| Product | Manifest | Bundle-Name           | Apache Commons Compress   | Medium  |
| Product | Manifest | bundle-symbolicname   | org.apache.commons.commons-compress   | Medium  |
| Product | Manifest | extension-name        | org.apache.commons.compress   | Medium  |
| Product | Manifest | Implementation-Title  | Apache Commons Compress   | High    |
| Product | Manifest | multi-release         | true  | Low     |
| Product | Manifest | originally-created-by | Apache Maven Bundle Plugin 5.1.9  | Low     |
| Product | Manifest | specification-title   | Apache Commons Compress   | Medium  |
| Product | pom      | artifactid            | commons-compress  | Highest |

|         |     |                   |   |         |
|---------|-----|-------------------|---|---------|
| Product | pom | developer email   | bodewig at apache.org   | Low     |
| Product | pom | developer email   | chtompki at apache.org  | Low     |
| Product | pom | developer email   | damjan at apache.org  | Low     |
| Product | pom | developer email   | ebourg at apache.org  | Low     |
| Product | pom | developer email   | ggregory at apache.org  | Low     |
| Product | pom | developer email   | grobmeier at apache.org                                       | Low     |
| Product | pom | developer email   | julius at apache.org  | Low     |
| Product | pom | developer email   | peterlee at apache.org  | Low     |
| Product | pom | developer email   | sebb at apache.org  | Low     |
| Product | pom | developer email   | tcurdt at apache.org  | Low     |
| Product | pom | developer id      | bodewig   | Low     |
| Product | pom | developer id      | chtompki  | Low     |
| Product | pom | developer id      | damjan  | Low     |
| Product | pom | developer id      | ebourg  | Low     |
| Product | pom | developer id      | ggregory  | Low     |
| Product | pom | developer id      | grobmeier   | Low     |
| Product | pom | developer id      | julius  | Low     |
| Product | pom | developer id      | peterlee  | Low     |
| Product | pom | developer id      | sebb  | Low     |
| Product | pom | developer id      | tcurdt  | Low     |
| Product | pom | developer name    | Christian Grobmeier   | Low     |
| Product | pom | developer name    | Damjan Jovanovic  | Low     |
| Product | pom | developer name    | Emmanuel Bourg  | Low     |
| Product | pom | developer name    | Gary Gregory  | Low     |
| Product | pom | developer name    | Julius Davies   | Low     |
| Product | pom | developer name    | Peter Alfred Lee  | Low     |
| Product | pom | developer name    | Rob Tompkins  | Low     |
| Product | pom | developer name    | Sebastian Bazley  | Low     |
| Product | pom | developer name    | Stefan Bodewig  | Low     |
| Product | pom | developer name    | Torsten Curdt   | Low     |
| Product | pom | developer org     | The Apache Software Foundation                                | Low     |
| Product | pom | developer org URL | <a href="https://www.apache.org/">https://www.apache.org/</a> | Low     |
| Product | pom | groupid           | org.apache.commons  | Highest |
| Product | pom | name              | Apache Commons Compress                                       | High    |
| Product | pom | parent-artifactid | commons-parent  | Medium  |

|         |          |                        |   |         |
|---------|----------|------------------------|---|---------|
| Product | pom      | url                    | https://commons.apache.org/proper/commons-compress/ | Medium  |
| Version | Manifest | Bundle-Version         | 1.27.1  | High    |
| Version | Manifest | Implementation-Version | 1.27.1  | High    |
| Version | pom      | parent-version         | 1.27.1  | Low     |
| Version | pom      | version                | 1.27.1  | Highest |

#### Identifiers

- [pkg:maven/org.apache.commons/commons-compress@1.27.1](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_compress:1.27.1:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*)

suppress

## drive.zip: commons-io.jar

### Description:

The Apache Commons IO library contains utility classes, stream implementations, file filters, file comparators, endian transformation classes, and much more.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/commons-io.jar

**MD5:** 8cce74ccf461cd6502ae04c908eca917

**SHA1:** 44084ef756763795b31c578403dd028ff4a22950

**SHA256:** f3ca0f8d63c40e23a56d54101c60d5edee136b42d84bfb85bc7963093109cf8b

**Referenced In Project/Scope:** server

### Evidence

| Type   | Source   | Name                  | Value                 | Confidence |
|--------|----------|-----------------------|-----------------------|------------|
| Vendor | file     | name                  | commons-io            | High       |
| Vendor | jar      | package name          | apache                | Highest    |
| Vendor | jar      | package name          | commons               | Highest    |
| Vendor | jar      | package name          | file                  | Highest    |
| Vendor | jar      | package name          | io                    | Highest    |
| Vendor | Manifest | automatic-module-name | org.apache.commons.io | Medium     |
| Vendor | Manifest | build-jdk-spec        | 17                    | Low        |

|        |          |                       |   |        |
|--------|----------|-----------------------|---|--------|
| Vendor | Manifest | bundle-docurl         | <a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a> | Low    |
| Vendor | Manifest | bundle-symbolicname   | org.apache.commons.commons-io   | Medium |
| Vendor | Manifest | Implementation-Vendor | The Apache Software Foundation  | High   |
| Vendor | Manifest | multi-release         | true  | Low    |
| Vendor | Manifest | specification-vendor  | The Apache Software Foundation  | Low    |
| Vendor | pom      | artifactid            | commons-io  | Low    |
| Vendor | pom      | developer email       | bayard@apache.org   | Low    |
| Vendor | pom      | developer email       | dion@apache.org   | Low    |
| Vendor | pom      | developer email       | ggregory at apache.org  | Low    |
| Vendor | pom      | developer email       | jeremias@apache.org   | Low    |
| Vendor | pom      | developer email       | jochen.wiedmann@gmail.com   | Low    |
| Vendor | pom      | developer email       | krosenvold@apache.org   | Low    |
| Vendor | pom      | developer email       | martinc@apache.org  | Low    |
| Vendor | pom      | developer email       | matth@apache.org  | Low    |
| Vendor | pom      | developer email       | nicolaken@apache.org  | Low    |
| Vendor | pom      | developer email       | roxspring@apache.org  | Low    |
| Vendor | pom      | developer email       | sanders@apache.org  | Low    |
| Vendor | pom      | developer id          | bayard  | Medium |
| Vendor | pom      | developer id          | dion  | Medium |
| Vendor | pom      | developer id          | ggregory  | Medium |
| Vendor | pom      | developer id          | jeremias  | Medium |
| Vendor | pom      | developer id          | jochen  | Medium |
| Vendor | pom      | developer id          | jukka   | Medium |
| Vendor | pom      | developer id          | krosenvold  | Medium |
| Vendor | pom      | developer id          | martinc   | Medium |
| Vendor | pom      | developer id          | matth   | Medium |
| Vendor | pom      | developer id          | niallp  | Medium |
| Vendor | pom      | developer id          | nicolaken   | Medium |
| Vendor | pom      | developer id          | roxspring   | Medium |
| Vendor | pom      | developer id          | sanders   | Medium |
| Vendor | pom      | developer id          | scolebourne   | Medium |
| Vendor | pom      | developer name        | dlon Gillard  | Medium |
| Vendor | pom      | developer name        | Gary Gregory  | Medium |

|         |          |                       |   |         |
|---------|----------|-----------------------|---|---------|
| Vendor  | pom      | developer name        | Henri Yandell   | Medium  |
| Vendor  | pom      | developer name        | Jeremias Maerki   | Medium  |
| Vendor  | pom      | developer name        | Jochen Wiedmann   | Medium  |
| Vendor  | pom      | developer name        | Jukka Zitting   | Medium  |
| Vendor  | pom      | developer name        | Kristian Rosenvold  | Medium  |
| Vendor  | pom      | developer name        | Martin Cooper   | Medium  |
| Vendor  | pom      | developer name        | Matthew Hawthorne   | Medium  |
| Vendor  | pom      | developer name        | Niall Pemberton   | Medium  |
| Vendor  | pom      | developer name        | Nicola Ken Barozzi  | Medium  |
| Vendor  | pom      | developer name        | Rob Oxspring  | Medium  |
| Vendor  | pom      | developer name        | Scott Sanders   | Medium  |
| Vendor  | pom      | developer name        | Stephen Colebourne  | Medium  |
| Vendor  | pom      | developer org         | The Apache Software Foundation  | Medium  |
| Vendor  | pom      | developer org URL     | <a href="https://www.apache.org/">https://www.apache.org/</a>   | Medium  |
| Vendor  | pom      | groupid               | commons-io  | Highest |
| Vendor  | pom      | name                  | Apache Commons IO   | High    |
| Vendor  | pom      | parent-artifactid     | commons-parent  | Low     |
| Vendor  | pom      | parent-groupid        | org.apache.commons  | Medium  |
| Vendor  | pom      | url                   | <a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a> | Highest |
| Product | file     | name                  | commons-io  | High    |
| Product | jar      | package name          | apache  | Highest |
| Product | jar      | package name          | commons   | Highest |
| Product | jar      | package name          | file  | Highest |
| Product | jar      | package name          | io  | Highest |
| Product | Manifest | automatic-module-name | org.apache.commons.io   | Medium  |
| Product | Manifest | build-jdk-spec        | 17  | Low     |
| Product | Manifest | bundle-docurl         | <a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a> | Low     |
| Product | Manifest | Bundle-Name           | Apache Commons IO   | Medium  |
| Product | Manifest | bundle-symbolicname   | org.apache.commons.commons-io   | Medium  |
| Product | Manifest | Implementation-Title  | Apache Commons IO   | High    |
| Product | Manifest | multi-release         | true  | Low     |
| Product | Manifest | specification-title   | Apache Commons IO   | Medium  |
|         |          |                       |   |         |

|         |     |                 |                           |         |
|---------|-----|-----------------|---------------------------|---------|
| Product | pom | artifactid      | commons-io                | Highest |
| Product | pom | developer email | bayard@apache.org         | Low     |
| Product | pom | developer email | dion@apache.org           | Low     |
| Product | pom | developer email | ggregory at apache.org    | Low     |
| Product | pom | developer email | jeremias@apache.org       | Low     |
| Product | pom | developer email | jochen.wiedmann@gmail.com | Low     |
| Product | pom | developer email | krosenvold@apache.org     | Low     |
| Product | pom | developer email | martinc@apache.org        | Low     |
| Product | pom | developer email | matth@apache.org          | Low     |
| Product | pom | developer email | nicolaken@apache.org      | Low     |
| Product | pom | developer email | roxspring@apache.org      | Low     |
| Product | pom | developer email | sanders@apache.org        | Low     |
| Product | pom | developer id    | bayard                    | Low     |
| Product | pom | developer id    | dion                      | Low     |
| Product | pom | developer id    | ggregory                  | Low     |
| Product | pom | developer id    | jeremias                  | Low     |
| Product | pom | developer id    | jochen                    | Low     |
| Product | pom | developer id    | jukka                     | Low     |
| Product | pom | developer id    | krosenvold                | Low     |
| Product | pom | developer id    | martinc                   | Low     |
| Product | pom | developer id    | matth                     | Low     |
| Product | pom | developer id    | niallp                    | Low     |
| Product | pom | developer id    | nicolaken                 | Low     |
| Product | pom | developer id    | roxspring                 | Low     |
| Product | pom | developer id    | sanders                   | Low     |
| Product | pom | developer id    | scolebourne               | Low     |
| Product | pom | developer name  | dlon Gillard              | Low     |
| Product | pom | developer name  | Gary Gregory              | Low     |
| Product | pom | developer name  | Henri Yandell             | Low     |
| Product | pom | developer name  | Jeremias Maerki           | Low     |
| Product | pom | developer name  | Jochen Wiedmann           | Low     |
| Product | pom | developer name  | Jukka Zitting             | Low     |
| Product | pom | developer name  | Kristian Rosenvold        | Low     |
| Product | pom | developer name  | Martin Cooper             | Low     |
| Product | pom | developer name  | Matthew Hawthorne         | Low     |

|         |          |                        |   |         |
|---------|----------|------------------------|---|---------|
| Product | pom      | developer name         | Niall Pemberton                               | Low     |
| Product | pom      | developer name         | Nicola Ken Barozzi                            | Low     |
| Product | pom      | developer name         | Rob Oxspring                                  | Low     |
| Product | pom      | developer name         | Scott Sanders                                 | Low     |
| Product | pom      | developer name         | Stephen Colebourne                            | Low     |
| Product | pom      | developer org          | The Apache Software Foundation                | Low     |
| Product | pom      | developer org URL      | https://www.apache.org/                       | Low     |
| Product | pom      | groupid                | commons-io                                    | Highest |
| Product | pom      | name                   | Apache Commons IO                             | High    |
| Product | pom      | parent-artifactid      | commons-parent                                | Medium  |
| Product | pom      | parent-groupid         | org.apache.commons                            | Medium  |
| Product | pom      | url                    | https://commons.apache.org/proper/commons-io/ | Medium  |
| Version | Manifest | Bundle-Version         | 2.18.0  | High    |
| Version | Manifest | Implementation-Version | 2.18.0  | High    |
| Version | pom      | parent-version         | 2.18.0  | Low     |
| Version | pom      | version                | 2.18.0  | Highest |

#### Identifiers

- [pkg:maven/commons-io/commons-io@2.18.0](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_io:2.18.0:\\*.~\\*~\\*~\\*~\\*~\\*](#) (*Confidence:Highest*) suppress

### drive.zip: drive.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar

**MD5:** 2aee84e55257c5335879d16e0761f1a1

**SHA1:** 5d1f192f2a0f3bbc9e2552cb81d3dcf113edb9b6

**SHA256:** 8efc9d05e150312cf93b4a9238fb68ff0e63cafd506a81bffbfb28a3fc1cb95

**Referenced In Project/Scope:** server

#### Evidence +

| Type   | Source | Name         | Value | Confidence |
|--------|--------|--------------|-------|------------|
| Vendor | file   | name         | drive | High       |
| Vendor | jar    | package name | drive | Low        |

|         |          |                          |                                      |         |
|---------|----------|--------------------------|--------------------------------------|---------|
| Vendor  | jar      | package name             | inet                                 | Low     |
| Vendor  | Manifest | built-date               | 2025-10-01 17:54                     | Low     |
| Vendor  | Manifest | implementation-group     | shared                               | Low     |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low     |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                     | drive                                | High    |
| Product | jar      | package name             | drive                                | Highest |
| Product | jar      | package name             | drive                                | Low     |
| Product | jar      | package name             | server                               | Low     |
| Product | Manifest | built-date               | 2025-10-01 17:54                     | Low     |
| Product | Manifest | implementation-group     | shared                               | Low     |
| Product | Manifest | Implementation-Title     | drive                                | High    |
| Product | Manifest | specification-title      | drive                                | Medium  |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High    |

Identifiers

- None

drive.zip: drive.jar: actions.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/actions.js

**MD5:** 5a6ae0c7fc82c58bab37f4285e30512b

**SHA1:** f1eb0409af6e5773374b81f52f389bca0ce2b3f1

**SHA256:**28381f95ccbb508ef57234b2bb33f0446e2d705a298d38be6dd5dbcd4e45963c

**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|



### Identifiers

- None

## drive.zip: drive.jar: actions.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/actions.service.js

**MD5:** 76c128ee144d982b861703fe6f509ff6

**SHA1:** 66c53f109f83a7b37ca210c97b2dd7b83c658d0f

**SHA256:** 9e54fd5796c8933fab7e6d0250654e5ae273c5db90098ad41afaf37d731668a6

**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## drive.zip: drive.jar: contentextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/contentextension.js

**MD5:** e99878ac66d8fee42530ec9cbf14d75f

**SHA1:** bf4cac0f4d3f8e744876675ab122dc1ccc2cd7d1

**SHA256:** 0a3b2a0f884a52125aa6e456f74a8ab1b866787cccafa24cc38a174433b81e25

**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

### drive.zip: drive.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/setup/controller.js

**MD5:** 6a09c1de9657a2568448b248854ce706

**SHA1:** 9a21426a9902e57e5297092257ac4293c38d4e66

**SHA256:** 8b126647fca0365414ccc650e8abdb03e33a34c1017ad17ee81216c410ce4ab6

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### drive.zip: drive.jar: drivecleanup.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/server/maintenance/js/drivecleanup.js

**MD5:** b169a86e136d29c6086ce2d4ce844940

**SHA1:** f9e647250896fbe4c6447cf54b8388cce0536699

**SHA256:** 313ebf97b25e12025391ae0648df534c31991d488f9566cc1aa530aa79ce3178

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### drive.zip: drive.jar: drivecontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivecontroller.js

**MD5:** 79316912d24539555baa8dc8db6ad5cc

**SHA1:** 1eaadda2ee84d53e49e24fcb4ed7771295a80d1c

**SHA256:** b1e82a7ac200d82e2bab797e80f8262e5c3e3b90a9c1cda15319150caa540839

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### drive.zip: drive.jar: drivefactory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivefactory.js

**MD5:** ec1a645849b15ac87257c67b72db01e5

**SHA1:** fd5919d6e363363288fa4f36598641d2e8d1037b

**SHA256:** 5408f66148315113346fe686fc546487de94f3492a3a8e44a38f54cdfc7969ae

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### drive.zip: drive.jar: drivemodel.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivemodel.js

**MD5:** 15baadf362e4a6bbe9a11156c356379c

**SHA1:** 05a6ac4aa85f9d1b98cac8d1c942db6e00b10395

**SHA256:** 533450f05968f0823eaa8fa4554a274f3495c13109443dde13ad2c4c7227783a

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## drive.zip: drive.jar: dropzone.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/dropzone.directive.js

**MD5:** 9333360f3ab2b58025292cfc300d2306

**SHA1:** feb2c2ae6a060ba3b1f51732fa15a8440054ca42

**SHA256:** 2efa8838dffff4758fb089069c6248dc2cde45767d752411bff610fb5ca61bfe

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## drive.zip: drive.jar: entryactions.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/entryactions.directive.js

**MD5:** 4e1af222fa8434c45c9967dae33e4ba9

**SHA1:** 067370c7d53fca7b04dc7ebc1bcde2b2a68ba7c3

**SHA256:** a716406bfdebc18c913061f0087bcdcf9c08d7c1379619071da2993ad8a853f

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## drive.zip: drive.jar: fileconfig.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/server/mount/file/webgui/fileconfig.directive.js

**MD5:** 50021227a8c1fde7c5e9021fb4c9662e

**SHA1:** 9e1c4f0d2797885ed42bd13c2d5f61c8503ea8a5

**SHA256:** c85bf99b97ddb557902ed0f23d4a3f240b7a30d98a7d14b30770b463cd10535

**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## drive.zip: drive.jar: folderlist.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/folderlist.directive.js

**MD5:** 4b24a6e7eed98f96a4aacd30236cf1ff

**SHA1:** 2fa7cc99c29eff9ed30d996376e090b14c7546dc

**SHA256:** e2afefbd377b98737e447807786aec7287ad53863379816259cc9e9d069218f9

**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

### drive.zip: drive.jar: linkdialog.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/linkdialog.js

**MD5:** f15f4145fae202d6226cd16552f4332e

**SHA1:** 55d3a3a74a0097f2140679fd038db9e117b91210

**SHA256:** 00e825cc4311746a4694f6534bb97e2baf9eb0fd8230e28d0a18ad504118b3d2

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### drive.zip: drive.jar: locationchooser.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/locationchooser.js

**MD5:** 63cc3a56e78e101f8772b6971837cabe

**SHA1:** 9607b46402152c52677255207bfb1d8a53ddc65d

**SHA256:** 8a0b7240d62d62efd231eff9b0eef7e552534e05f2e86e58d0898cdab40acbf0

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### drive.zip: drive.jar: mountdialog.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js

/mountdialog.js

**MD5:** bae8655b5724d052aa7a9711f4152936

**SHA1:** 56bf6845f5178a95afec6d2038d3f9ab6f73c0c3

**SHA256:** a3fa9b43fda1a23e4ba1bca6d626d4e4f75856ccb567e99c66f5c1bed6cbe54e

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### drive.zip: drive.jar: myshareextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/myshareextension.js

**MD5:** 3341e49fd8b74545b74fb5801eea08f7

**SHA1:** 495f3198d67735901fcee27163e685c11dcc548c

**SHA256:** c167e8ab447f2bbff5cd9ca084cfbf20a53ebf7dbafa0e715ca07abdbc75832e

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### drive.zip: drive.jar: permissionsextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/permissionsextension.js

**MD5:** 9c5c581b9803ab8041a11b31f21ffc99

**SHA1:** 5707cae0a20fff67b505d52485895bbb60e20f35

**SHA256:** 55dcc82f643b3b8c4a7c464049e7bcece0a5952639742692bdd8db1a20b20b3a

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### drive.zip: drive.jar: progress.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/progress.service.js

**MD5:** b004817959f313b9b60d12ef02c30ed9

**SHA1:** 67a59999e03435474845d8662a6e15158bc1a963

**SHA256:** e971b5c8d0b1dbb020ee0093bce0fd08bbad7b83a8f5f64365f39d96f5cec439

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### drive.zip: drive.jar: progresspanel.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/progresspanel.directive.js

**MD5:** bea9ad91c5e843050f2f26c1224edb8d

**SHA1:** 7b690153a846fd222ce973ce5f83f429d226e2ef

**SHA256:** c8f9e65c8e6e6438ecb4ee3062ec7c66b0145e32d68de0cd2f543bb6e4945b12

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers



- None

### drive.zip: drive.jar: resolve.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/resolve.service.js

**MD5:** 95b31366585c193c85a04bef11668e8f

**SHA1:** 61138ba7e20763911657b0f426b3f1c2c56f1cb6

**SHA256:** de639385d47d388a361976f14e9672ee20b4864fa1c51f4157d8c2055c4d0f6e

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### drive.zip: drive.jar: responsivetoolbar.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/responsivetoolbar.directive.js

**MD5:** 27e0c257622ce7abaa3d79b16f4ca956

**SHA1:** fdc8792d25cc1f9c717829edcb42bccb96ba815c

**SHA256:** 678811dd758af1a5a9e1cc6245c15c92dc6cf3ab19048a02e4974ab57851d175

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### drive.zip: drive.jar: selectedextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/selectedextension.js

**MD5:** bc1586beb3196d958558dec1e3aad8cc

**SHA1:** 6692fb56799c97f45146219295a634e5b3f8bd3c

**SHA256:** eb9e87833bf57bcbcb808231f58e7fb4efc25bea6865755e41f9c9f21e3045630

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### drive.zip: drive.jar: shareextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/shareextension.js

**MD5:** b709a1856dfd4688f3d642ba8512838d

**SHA1:** f119d948dc1479b33bd304aebd0650c239c8a903

**SHA256:** 8667bdb30f708796b86f3992836b5d25e63ba5c73c7932014d4d7e8b00df628a

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### drive.zip: drive.jar: shareextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/shareextension.js

**MD5:** 53aeb65f11b5aea7b667be8659e289c

**SHA1:** 9ba72346c5f1e9e6e5a418d599b13f92193a65dc  
**SHA256:** 7e293e5d53b937b45c0c310bd5fcf0ecbb8ddd8bee801bae11469653333f34ad  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### drive.zip: drive.jar: thumbnailextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/thumbnailextension.js

**MD5:** 16297c9704c91eea2ca65ad4ccef42ab

**SHA1:** d21cb0b96916a7659a493e0f7d2e62c61df3633d

**SHA256:** 34505c2844ba933bdf08fac79eb6a642e7581e6630fd14fc7313fcab99bda312

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### drive.zip: drive.jar: toolbaraction.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/toolbaraction.directive.js

**MD5:** 6f4fabe4efc8a816d22cdc075c83e252

**SHA1:** 2499850520381d89890f6b1188c0d78785e8c4b0

**SHA256:** 67ecf4f475e00aa01cbfd00b745b4b7fd982f7355d720238534dcbfc39e94874

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### drive.zip: drive.jar: unzipextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/unzipextension.js

**MD5:** eb1cc3ddc27ca5cebcc29928a73b284b

**SHA1:** d88389fb2ca0c9f222856c4448dffedf192893d0

**SHA256:** 16131306dd92c55b463f0f4c3c4316c2a3d16d4d43c6e26ca17ec547f9f7f

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### drive.zip: drive.jar: zipextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/zipextension.js

**MD5:** 0a73ec5359838800bd35ba9a1f9e5559

**SHA1:** 207e48452de653ffa8c64e97d421c4424f38e84c

**SHA256:** 761ecdcbbebba3f0826296e17c414d975e421c5b571cb4613982020e3f7c17822

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

## embeddedMode.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/src/com/inet/application/embedded/webgui/embeddedMode.js

**MD5:** 92314f8cc3acd209a1f91a13fc50a2fb

**SHA1:** dadaca7712877d347c6052a89d3ac5bcc796ebab

**SHA256:** 4ed3dd2cdd5ef6552ed5af7ccc9dc6bd3622dd717d63b4a75631234ecf3186ae

**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Related Dependencies

- application.embedded.sample.zip: embeddedMode.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/application.embedded.sample.zip/src/com/inet/application/embedded/webgui/embeddedMode.js
  - MD5: 92314f8cc3acd209a1f91a13fc50a2fb
  - SHA1: dadaca7712877d347c6052a89d3ac5bcc796ebab
  - SHA256: 4ed3dd2cdd5ef6552ed5af7ccc9dc6bd3622dd717d63b4a75631234ecf3186ae

### Identifiers

- None

## enginefactory.sample.zip: enginefactory.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/EngineFactory/enginefactory.sample.zip/enginefactory.sample.jar

**MD5:** c0e8a7fb849e5d1c4c63bb097abbc92e

**SHA1:** 4d3bd4e7d22d953c2cf5dce50052802d99dfc675

**SHA256:** 17aa1139b4688bfc8b4620bbd2ef14f130478ed9c10f14cdaec0fb8ff7e132ca

**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

|         |          |                          |                                      |        |
|---------|----------|--------------------------|--------------------------------------|--------|
| Vendor  | file     | name                     | enginefactory.sample                 | High   |
| Vendor  | jar      | package name             | factory                              | Low    |
| Vendor  | jar      | package name             | inet                                 | Low    |
| Vendor  | jar      | package name             | samples                              | Low    |
| Vendor  | Manifest | built-date               | 2025-10-01 18:41                     | Low    |
| Vendor  | Manifest | implementation-group     | reporting                            | Low    |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High   |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low    |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium |
| Product | file     | name                     | enginefactory.sample                 | High   |
| Product | jar      | package name             | factory                              | Low    |
| Product | jar      | package name             | samples                              | Low    |
| Product | Manifest | built-date               | 2025-10-01 18:41                     | Low    |
| Product | Manifest | implementation-group     | reporting                            | Low    |
| Product | Manifest | Implementation-Title     | enginefactory.sample                 | High   |
| Product | Manifest | specification-title      | enginefactory.sample                 | Medium |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High   |

#### Identifiers

- None

### enginefactory.zip: enginefactory.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/enginefactory.zip/enginefactory.sample.jar

**MD5:** 299de8fb22299b953ecc8f92aea0c8d2

**SHA1:** a1c2ca551aec9317f9d8cffaf4221281d482f239

**SHA256:** 2fc761fdb4f36e61736b193f87b765044dd3a19f18e185457efa9b8fa4b9709d

**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | enginefactory.sample                 | High       |
| Vendor  | jar      | package name             | factory                              | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | samples                              | Low        |
| Vendor  | Manifest | built-date               | 2025-09-29 18:42                     | Low        |
| Vendor  | Manifest | implementation-group     | reporting                            | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | enginefactory.sample                 | High       |
| Product | jar      | package name             | factory                              | Low        |
| Product | jar      | package name             | samples                              | Low        |
| Product | Manifest | built-date               | 2025-09-29 18:42                     | Low        |
| Product | Manifest | implementation-group     | reporting                            | Low        |
| Product | Manifest | Implementation-Title     | enginefactory                        | High       |
| Product | Manifest | specification-title      | enginefactory                        | Medium     |
| Version | Manifest | Implementation-Version   | 25.10.196                            | High       |

#### Identifiers

- None

### errorhandler.zip: errorHandler.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/errorhandler.zip/errorhandler.jar

**MD5:** 4683732a5cc3f664e6b150cb9bf2ff79

**SHA1:** 84d4ff039a0b360d79d0043f60d72a64c23d7a2f

**SHA256:** 6c08e1d465e84697844fb7429fe3c252f20a855236997bc11a7cf6abda9cb675

**Referenced In Project/Scope:** server

## Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | errorhandler                         | High       |
| Vendor  | jar      | package name             | error                                | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | report                               | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 17:47                     | Low        |
| Vendor  | Manifest | implementation-group     | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | errorhandler                         | High       |
| Product | jar      | package name             | error                                | Low        |
| Product | jar      | package name             | report                               | Low        |
| Product | Manifest | built-date               | 2025-10-01 17:47                     | Low        |
| Product | Manifest | implementation-group     | shared                               | Low        |
| Product | Manifest | Implementation-Title     | errorhandler                         | High       |
| Product | Manifest | specification-title      | errorhandler                         | Medium     |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High       |

## Identifiers

- None

## exceljconnect.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/exceljconnect.jar

**MD5:** b982d56a619863a31f4f3a348934940d

**SHA1:** 35253a9b22fe561d9d7e3b3c656e82b0e6358b32



**SHA256:**6293004aa0862e83901e33bd661d811af96fefb6a7d38b2663eb24cba346131c  
**Referenced In Project/Scope:** server

Evidence



| Type    | Source | Name         | Value         | Confidence |
|---------|--------|--------------|---------------|------------|
| Vendor  | file   | name         | exceljconnect | High       |
| Vendor  | jar    | package name | excel         | Low        |
| Vendor  | jar    | package name | inet          | Low        |
| Product | file   | name         | exceljconnect | High       |
| Product | jar    | package name | excel         | Low        |

Identifiers

- None

extension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/HtmlViewerExtensionPlugin/src/com/inet/samples/htmlviewer/extension.js  
**MD5:** bdd6fdaab122479103c1bcba3692f01e  
**SHA1:** 72aa61085dce74ce094f905354878ce744caede8  
**SHA256:**3c52759a05de925fb38d7aec3875b55a1a1ed6ce7f3b88044a96e527d9e4204a  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Related Dependencies



- htmlviewerextension.sample.zip: extension.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/HtmlViewerExtensionPlugin/htmlviewerextension.sample.zip/src/com/inet/samples/htmlviewer/extension.js
  - MD5: bdd6fdaab122479103c1bcba3692f01e
  - SHA1: 72aa61085dce74ce094f905354878ce744caede8
  - SHA256: 3c52759a05de925fb38d7aec3875b55a1a1ed6ce7f3b88044a96e527d9e4204a
- htmlviewerextension.zip: extension.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewerextension.zip/src/com/inet/samples/htmlviewer/extension.js
  - MD5: bdd6fdaab122479103c1bcba3692f01e

- SHA1: 72aa61085dce74ce094f905354878ce744caede8
- SHA256: 3c52759a05de925fb38d7aec3875b55a1a1ed6ce7f3b88044a96e527d9e4204a

#### Identifiers

- None

### extension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/HtmlViewerPrintViaPDFPlugin/src/com/inet/htmlviewer/printpdf/extension.js

**MD5:** 7d8be1ef58947852666766c1db348644

**SHA1:** 26c37af43002d8764dbd80914476c548ce2354a5

**SHA256:** c1500120eb6dca3b71c481ec3f9d66367e13a10c755306f58a449a0f648d2696

**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Related Dependencies

- htmlviewer.printpdf.sample.zip: extension.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/HtmlViewerPrintViaPDFPlugin/htmlviewer.printpdf.sample.zip/src/com/inet/htmlviewer/printpdf/extension.js
  - MD5: 7d8be1ef58947852666766c1db348644
  - SHA1: 26c37af43002d8764dbd80914476c548ce2354a5
  - SHA256: c1500120eb6dca3b71c481ec3f9d66367e13a10c755306f58a449a0f648d2696
- htmlviewer.printpdf.zip: extension.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewer.printpdf.zip/src/com/inet/htmlviewer/printpdf/extension.js
  - MD5: 7d8be1ef58947852666766c1db348644
  - SHA1: 26c37af43002d8764dbd80914476c548ce2354a5
  - SHA256: c1500120eb6dca3b71c481ec3f9d66367e13a10c755306f58a449a0f648d2696

#### Identifiers

- None

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/Saxon-HE.jar  
**MD5:** 0b0a3b9339752d6fba2ea1e8a837880f  
**SHA1:** 40c34c6bee61f74b9583e3c4a0fee8c98852a8b4  
**SHA256:** 58220adcb289dbebe0053e7a73ee70c97545c88f4886943d64241bf24701b72a  
**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source | Name         | Value    | Confidence |
|---------|--------|--------------|----------|------------|
| Vendor  | file   | name         | Saxon-HE | High       |
| Vendor  | jar    | package name | net      | Low        |
| Vendor  | jar    | package name | saxon    | Low        |
| Vendor  | jar    | package name | sf       | Low        |
| Product | file   | name         | Saxon-HE | High       |
| Product | jar    | package name | saxon    | Low        |
| Product | jar    | package name | sf       | Low        |

#### Identifiers

- None

### facturx.zip: facturx.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/facturx.jar  
**MD5:** ef94d04c3748d75be00fb55d0de14e01  
**SHA1:** cb70766767cde71f456ff4bf7260525e92996aa2  
**SHA256:** caf686f66791df374e99630d2090cb2b9472be7442a37aae3198fe5575d4548d  
**Referenced In Project/Scope:** server

#### Evidence



| Type   | Source   | Name         | Value            | Confidence |
|--------|----------|--------------|------------------|------------|
| Vendor | file     | name         | facturx          | High       |
| Vendor | jar      | package name | facturx          | Low        |
| Vendor | jar      | package name | inet             | Low        |
| Vendor | jar      | package name | profiles         | Low        |
| Vendor | Manifest | built-date   | 2025-10-01 18:58 | Low        |

|         |          |                          |                                      |         |
|---------|----------|--------------------------|--------------------------------------|---------|
| Vendor  | Manifest | implementation-group     | reporting                            | Low     |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low     |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                     | facturx                              | High    |
| Product | jar      | package name             | facturx                              | Highest |
| Product | jar      | package name             | facturx                              | Low     |
| Product | jar      | package name             | profiles                             | Low     |
| Product | Manifest | built-date               | 2025-10-01 18:58                     | Low     |
| Product | Manifest | implementation-group     | reporting                            | Low     |
| Product | Manifest | Implementation-Title     | facturx                              | High    |
| Product | Manifest | specification-title      | facturx                              | Medium  |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High    |

#### Identifiers

- None

### facturx.zip: istack-commons-runtime.jar

#### Description:

istack common utility code

#### License:

<http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/istack-commons-runtime.jar

**MD5:** 669f50fb835d86fcb3a9523a729f4d5e

**SHA1:** 131351109ff27c4aa0958a988bb273e879687232

**SHA256:** 21025b7a096ef93f74de659c1be5990fa0c24e59a0f98a706e392e7088725ff6

**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source        | Name                     | Value                              | Confidence |
|---------|---------------|--------------------------|------------------------------------|------------|
| Vendor  | file          | name                     | istack-commons-runtime             | High       |
| Vendor  | jar           | package name             | istack                             | Highest    |
| Vendor  | jar           | package name             | sun                                | Highest    |
| Vendor  | jar<br>(hint) | package name             | oracle                             | Highest    |
| Vendor  | Manifest      | bundle-docurl            | https://www.eclipse.org            | Low        |
| Vendor  | Manifest      | bundle-symbolicname      | com.sun.istack.common.runtime      | Medium     |
| Vendor  | Manifest      | implementation-build-id  | 4.2.0 - 19e68d9                    | Low        |
| Vendor  | Manifest      | Implementation-Vendor    | Eclipse Foundation                 | High       |
| Vendor  | Manifest      | Implementation-Vendor-Id | com.sun.istack                     | Medium     |
| Vendor  | pom           | artifactid               | istack-commons-runtime             | Low        |
| Vendor  | pom           | groupid                  | com.sun.istack                     | Highest    |
| Vendor  | pom           | name                     | istack common utility code runtime | High       |
| Vendor  | pom           | parent-artifactid        | istack-commons                     | Low        |
| Product | file          | name                     | istack-commons-runtime             | High       |
| Product | jar           | package name             | istack                             | Highest    |
| Product | jar           | package name             | sun                                | Highest    |
| Product | Manifest      | bundle-docurl            | https://www.eclipse.org            | Low        |
| Product | Manifest      | Bundle-Name              | istack common utility code runtime | Medium     |
| Product | Manifest      | bundle-symbolicname      | com.sun.istack.common.runtime      | Medium     |
| Product | Manifest      | implementation-build-id  | 4.2.0 - 19e68d9                    | Low        |
| Product | pom           | artifactid               | istack-commons-runtime             | Highest    |
| Product | pom           | groupid                  | com.sun.istack                     | Highest    |
| Product | pom           | name                     | istack common utility code runtime | High       |
| Product | pom           | parent-artifactid        | istack-commons                     | Medium     |
| Version | Manifest      | Bundle-Version           | 4.2.0                              | High       |
| Version | Manifest      | implementation-build-id  | 4.2.0                              | Low        |
| Version | pom           | version                  | 4.2.0                              | Highest    |

## Identifiers

- [pkg:maven/com.sun.istack/istack-commons-runtime@4.2.0](https://pkg:maven/com.sun.istack/istack-commons-runtime@4.2.0) (Confidence:High)

## facturx.zip: jakarta.activation-api.jar

### Description:

Specification

### License:

EDL 1.0: <http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/jakarta.activation-api.jar

**MD5:** 76e7b680375ea9f40f3ddb702efcd25

**SHA1:** fa165bd70cda600368eee31555222776a46b881f

**SHA256:** 01b176d718a169263e78290691fc479977186bcc6b333487325084d6586f4627

**Referenced In Project/Scope:** server

### Evidence

| Type   | Source   | Name                    | Value   | Confidence |
|--------|----------|-------------------------|---|------------|
| Vendor | file     | name                    | jakarta.activation-api  | High       |
| Vendor | jar      | package name            | activation  | Highest    |
| Vendor | jar      | package name            | jakarta   | Highest    |
| Vendor | Manifest | bundle-docurl           | <a href="https://www.eclipse.org">https://www.eclipse.org</a> | Low        |
| Vendor | Manifest | bundle-symbolicname     | jakarta.activation-api  | Medium     |
| Vendor | Manifest | extension-name          | jakarta.activation  | Medium     |
| Vendor | Manifest | implementation-build-id | 7f7d358   | Low        |
| Vendor | Manifest | Implementation-Vendor   | Eclipse Foundation  | High       |
| Vendor | Manifest | specification-vendor    | Eclipse Foundation  | Low        |
| Vendor | pom      | artifactid              | jakarta.activation-api  | Low        |
| Vendor | pom      | developer email         | bill.shannon@oracle.com                                       | Low        |
| Vendor | pom      | developer id            | shannon   | Medium     |
| Vendor | pom      | developer name          | Bill Shannon  | Medium     |
| Vendor | pom      | developer org           | Oracle  | Medium     |
| Vendor | pom      | groupid                 | jakarta.activation  | Highest    |
| Vendor | pom      | name                    | Jakarta Activation API  | High       |
| Vendor | pom      | parent-artifactid       | project   | Low        |

|         |            |                         |                                  |         |
|---------|------------|-------------------------|----------------------------------|---------|
| Vendor  | pom        | parent-groupid          | org.eclipse.ee4j                 | Medium  |
| Vendor  | pom        | url                     | jakartaee/jaf-api                | Highest |
| Vendor  | pom (hint) | developer org           | sun                              | Medium  |
| Product | file       | name                    | jakarta.activation-api           | High    |
| Product | jar        | package name            | activation                       | Highest |
| Product | jar        | package name            | jakarta                          | Highest |
| Product | Manifest   | bundle-docurl           | https://www.eclipse.org          | Low     |
| Product | Manifest   | Bundle-Name             | Jakarta Activation API           | Medium  |
| Product | Manifest   | bundle-symbolicname     | jakarta.activation-api           | Medium  |
| Product | Manifest   | extension-name          | jakarta.activation               | Medium  |
| Product | Manifest   | implementation-build-id | 7f7d358                          | Low     |
| Product | Manifest   | Implementation-Title    | Jakarta Activation API           | High    |
| Product | Manifest   | specification-title     | Jakarta Activation Specification | Medium  |
| Product | pom        | artifactid              | jakarta.activation-api           | Highest |
| Product | pom        | developer email         | bill.shannon@oracle.com          | Low     |
| Product | pom        | developer id            | shannon                          | Low     |
| Product | pom        | developer name          | Bill Shannon                     | Low     |
| Product | pom        | developer org           | Oracle                           | Low     |
| Product | pom        | groupid                 | jakarta.activation               | Highest |
| Product | pom        | name                    | Jakarta Activation API           | High    |
| Product | pom        | parent-artifactid       | project                          | Medium  |
| Product | pom        | parent-groupid          | org.eclipse.ee4j                 | Medium  |
| Product | pom        | url                     | jakartaee/jaf-api                | High    |
| Version | Manifest   | Bundle-Version          | 2.1.3                            | High    |
| Version | pom        | parent-version          | 2.1.3                            | Low     |
| Version | pom        | version                 | 2.1.3                            | Highest |

## Related Dependencies



- mail.zip: jakarta.activation-api.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/jakarta.activation-api.jar
  - MD5: 76e7b680375ea9f40f3ddbd702efcd25
  - SHA1: fa165bd70cda600368eee3155522776a46b881f
  - SHA256: 01b176d718a169263e78290691fc479977186bcc6b333487325084d6586f4627
  - [pkg:maven/jakarta.activation/jakarta.activation-api@2.1.3](#)

## Identifiers

- <pkg:maven/jakarta.activation/jakarta.activation-api@2.1.3> (*Confidence:High*)

## facturx.zip: jakarta.xml.bind-api.jar

### Description:

Jakarta XML Binding API 4.0 Design Specification

### License:

<http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/jakarta.xml.bind-api.jar

**MD5:** 0c8f9991081def819435c3ff36e4d93f

**SHA1:** 6cd5a999b834b63238005b7144136379dc36cad2

**SHA256:**0d6bcfe47763e85047acf7c398336dc84ff85ebcad0a7cb6f3b9d3e981245406

**Referenced In Project/Scope:** server

## Evidence



| Type    | Source   | Name                    | Value   | Confidence |
|---------|----------|-------------------------|---|------------|
| Vendor  | file     | name                    | jakarta.xml.bind-api  | High       |
| Vendor  | jar      | package name            | bind  | Highest    |
| Vendor  | jar      | package name            | jakarta   | Highest    |
| Vendor  | jar      | package name            | xml   | Highest    |
| Vendor  | Manifest | bundle-docurl           | <a href="https://www.eclipse.org">https://www.eclipse.org</a> | Low        |
| Vendor  | Manifest | bundle-symbolicname     | jakarta.xml.bind-api  | Medium     |
| Vendor  | Manifest | extension-name          | jakarta.xml.bind  | Medium     |
| Vendor  | Manifest | implementation-build-id | ca43d8b   | Low        |
| Vendor  | Manifest | specification-vendor    | Eclipse Foundation  | Low        |
| Vendor  | pom      | artifactid              | jakarta.xml.bind-api  | Low        |
| Vendor  | pom      | groupid                 | jakarta.xml.bind  | Highest    |
| Vendor  | pom      | name                    | Jakarta XML Binding API                                       | High       |
| Vendor  | pom      | parent-artifactid       | jakarta.xml.bind-api-parent                                   | Low        |
| Product | file     | name                    | jakarta.xml.bind-api  | High       |
|         |          |                         |   |            |



|         |          |                         |                             |         |
|---------|----------|-------------------------|-----------------------------|---------|
| Product | jar      | package name            | bind                        | Highest |
| Product | jar      | package name            | jakarta                     | Highest |
| Product | jar      | package name            | xml                         | Highest |
| Product | Manifest | bundle-docurl           | https://www.eclipse.org     | Low     |
| Product | Manifest | Bundle-Name             | Jakarta XML Binding API     | Medium  |
| Product | Manifest | bundle-symbolicname     | jakarta.xml.bind-api        | Medium  |
| Product | Manifest | extension-name          | jakarta.xml.bind            | Medium  |
| Product | Manifest | implementation-build-id | ca43d8b                     | Low     |
| Product | pom      | artifactid              | jakarta.xml.bind-api        | Highest |
| Product | pom      | groupid                 | jakarta.xml.bind            | Highest |
| Product | pom      | name                    | Jakarta XML Binding API     | High    |
| Product | pom      | parent-artifactid       | jakarta.xml.bind-api-parent | Medium  |
| Version | Manifest | Bundle-Version          | 4.0.2                       | High    |
| Version | Manifest | Implementation-Version  | 4.0.2                       | High    |
| Version | pom      | version                 | 4.0.2                       | Highest |

#### Identifiers

- [pkg:maven/jakarta.xml.bind/jakarta.xml.bind-api@4.0.2](https://maven.apache.org/artifacts/jakarta/xml/bind/jakarta.xml.bind-api/4.0.2/) (*Confidence:High*)

## facturx.zip: jaxb-core.jar

### Description:

JAXB Core module. Contains sources required by XJC, JXC and Runtime modules.

### License:

<http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/jaxb-core.jar

**MD5:** ab09aef6bebd4438b0a02707881801e4

**SHA1:** 007b4b11ea5542eea4ad55e1080b23be436795b3

**SHA256:** ad3fd9bf00de3eda9859f70b6cfb011e2fe9904804e16a2665092888ece0fdca

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

|         |          |                          |   |         |
|---------|----------|--------------------------|---|---------|
| Vendor  | file     | name                     | jaxb-core                               | High    |
| Vendor  | jar      | package name             | core                                    | Highest |
| Vendor  | jar      | package name             | glassfish                               | Highest |
| Vendor  | jar      | package name             | jaxb                                    | Highest |
| Vendor  | Manifest | bundle-docurl            | https://www.eclipse.org                 | Low     |
| Vendor  | Manifest | bundle-symbolicname      | org.glassfish.jaxb.core                 | Medium  |
| Vendor  | Manifest | git-revision             | cb19596                                 | Low     |
| Vendor  | Manifest | implementation-build-id  | 4.0.5 - cb19596                         | Low     |
| Vendor  | Manifest | Implementation-Vendor    | Eclipse Foundation                      | High    |
| Vendor  | Manifest | Implementation-Vendor-Id | org.glassfish.jaxb                      | Medium  |
| Vendor  | Manifest | specification-vendor     | Eclipse Foundation                      | Low     |
| Vendor  | pom      | artifactid               | jaxb-core                               | Low     |
| Vendor  | pom      | groupid                  | org.glassfish.jaxb                      | Highest |
| Vendor  | pom      | name                     | JAXB Core                               | High    |
| Vendor  | pom      | parent-artifactid        | jaxb-parent                             | Low     |
| Vendor  | pom      | parent-groupid           | com.sun.xml.bind.mvn                    | Medium  |
| Vendor  | pom      | url                      | https://eclipse-ee4j.github.io/jaxb-ri/ | Highest |
| Product | file     | name                     | jaxb-core                               | High    |
| Product | jar      | package name             | core                                    | Highest |
| Product | jar      | package name             | glassfish                               | Highest |
| Product | jar      | package name             | jaxb                                    | Highest |
| Product | Manifest | bundle-docurl            | https://www.eclipse.org                 | Low     |
| Product | Manifest | Bundle-Name              | JAXB Core                               | Medium  |
| Product | Manifest | bundle-symbolicname      | org.glassfish.jaxb.core                 | Medium  |
| Product | Manifest | git-revision             | cb19596                                 | Low     |
| Product | Manifest | implementation-build-id  | 4.0.5 - cb19596                         | Low     |
| Product | Manifest | Implementation-Title     | Eclipse Implementation of JAXB          | High    |
| Product | Manifest | specification-title      | Jakarta XML Binding                     | Medium  |
| Product | pom      | artifactid               | jaxb-core                               | Highest |
| Product | pom      | groupid                  | org.glassfish.jaxb                      | Highest |
| Product | pom      | name                     | JAXB Core                               | High    |

|         |          |                         |   |         |
|---------|----------|-------------------------|---|---------|
| Product | pom      | parent-artifactid       | jaxb-parent                             | Medium  |
| Product | pom      | parent-groupid          | com.sun.xml.bind.mvn                    | Medium  |
| Product | pom      | url                     | https://eclipse-ee4j.github.io/jaxb-ri/ | Medium  |
| Version | Manifest | build-version           | 4.0.5                                   | Medium  |
| Version | Manifest | Bundle-Version          | 4.0.5                                   | High    |
| Version | Manifest | implementation-build-id | 4.0.5                                   | Low     |
| Version | pom      | version                 | 4.0.5                                   | Highest |

#### Identifiers

- <pkg:maven/org.glassfish.jaxb/jaxb-core@4.0.5> (Confidence:High)

## facturx.zip: jaxb-runtime.jar

### Description:

JAXB (JSR 222) Reference Implementation

### License:

<http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/jaxb-runtime.jar

**MD5:** c7384f1f95b8a8e15291485ff9dbe4f3

**SHA1:** ca84c2a7169b5293e232b9d00d1e4e36d4c3914a

**SHA256:** 485d8940e76373a7f300815ea5504bf5b726c234425ad30971019d133124cca4

**Referenced In Project/Scope:** server

### Evidence

| Type   | Source   | Name                    | Value                      | Confidence |
|--------|----------|-------------------------|----------------------------|------------|
| Vendor | file     | name                    | jaxb-runtime               | High       |
| Vendor | jar      | package name            | glassfish                  | Highest    |
| Vendor | jar      | package name            | jaxb                       | Highest    |
| Vendor | jar      | package name            | runtime                    | Highest    |
| Vendor | Manifest | bundle-docurl           | https://www.eclipse.org    | Low        |
| Vendor | Manifest | bundle-symbolicname     | org.glassfish.jaxb.runtime | Medium     |
| Vendor | Manifest | git-revision            | cb19596                    | Low        |
| Vendor | Manifest | implementation-build-id | 4.0.5 - cb19596            | Low        |

|         |          |                          |   |         |
|---------|----------|--------------------------|---|---------|
| Vendor  | Manifest | Implementation-Vendor    | Eclipse Foundation  | High    |
| Vendor  | Manifest | Implementation-Vendor-Id | org.glassfish.jaxb  | Medium  |
| Vendor  | Manifest | provide-capability       | osgi.serviceloader;osgi.serviceloader="jakarta.xml.bind.JAXBContextFactory"                   | Low     |
| Vendor  | Manifest | specification-vendor     | Eclipse Foundation  | Low     |
| Vendor  | pom      | artifactid               | jaxb-runtime  | Low     |
| Vendor  | pom      | groupid                  | org.glassfish.jaxb  | Highest |
| Vendor  | pom      | name                     | JAXB Runtime  | High    |
| Vendor  | pom      | parent-artifactid        | jaxb-runtime-parent   | Low     |
| Vendor  | pom      | parent-groupid           | com.sun.xml.bind.mvn  | Medium  |
| Vendor  | pom      | url                      | <a href="https://eclipse-ee4j.github.io/jaxb-ri/">https://eclipse-ee4j.github.io/jaxb-ri/</a> | Highest |
| Product | file     | name                     | jaxb-runtime  | High    |
| Product | jar      | package name             | glassfish   | Highest |
| Product | jar      | package name             | jaxb  | Highest |
| Product | jar      | package name             | runtime   | Highest |
| Product | Manifest | bundle-docurl            | <a href="https://www.eclipse.org">https://www.eclipse.org</a>                                 | Low     |
| Product | Manifest | Bundle-Name              | JAXB Runtime  | Medium  |
| Product | Manifest | bundle-symbolicname      | org.glassfish.jaxb.runtime  | Medium  |
| Product | Manifest | git-revision             | cb19596   | Low     |
| Product | Manifest | implementation-build-id  | 4.0.5 - cb19596   | Low     |
| Product | Manifest | Implementation-Title     | Eclipse Implementation of JAXB  | High    |
| Product | Manifest | provide-capability       | osgi.serviceloader;osgi.serviceloader="jakarta.xml.bind.JAXBContextFactory"                   | Low     |
| Product | Manifest | specification-title      | Jakarta XML Binding   | Medium  |
| Product | pom      | artifactid               | jaxb-runtime  | Highest |
| Product | pom      | groupid                  | org.glassfish.jaxb  | Highest |
| Product | pom      | name                     | JAXB Runtime  | High    |
| Product | pom      | parent-artifactid        | jaxb-runtime-parent   | Medium  |
| Product | pom      | parent-groupid           | com.sun.xml.bind.mvn  | Medium  |
| Product | pom      | url                      | <a href="https://eclipse-ee4j.github.io/jaxb-ri/">https://eclipse-ee4j.github.io/jaxb-ri/</a> | Medium  |
| Version | Manifest | build-version            | 4.0.5   | Medium  |
| Version | Manifest | Bundle-Version           | 4.0.5   | High    |
| Version | Manifest | implementation-          | 4.0.5   | Low     |

|         |     |          |       |         |
|---------|-----|----------|-------|---------|
|         |     | build-id |       |         |
| Version | pom | version  | 4.0.5 | Highest |

#### Identifiers

- [pkg:maven/org.glassfish.jaxb/jaxb-runtime@4.0.5](https://maven.org/glassfish/jaxb/jaxb-runtime@4.0.5) (*Confidence:High*)

## facturx.zip: ph-collection.jar

### Description:

Special Java 1.8+ Library with extended collection related functionality

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-collection.jar

**MD5:** 6f8f4284f8465d91cae2e26ad6039148

**SHA1:** fc137aef9a414747c416b86aaa462cfb36afec45

**SHA256:** 8e48518fff99621c1664ca540be4aceb897877a4c9c19d93004b975114d9f154

**Referenced In Project/Scope:** server

### Evidence



| Type   | Source   | Name                  | Value   | Confidence |
|--------|----------|-----------------------|---|------------|
| Vendor | file     | name                  | ph-collection   | High       |
| Vendor | jar      | package name          | collection  | Highest    |
| Vendor | jar      | package name          | helger  | Highest    |
| Vendor | Manifest | automatic-module-name | com.helger.collection                                       | Medium     |
| Vendor | Manifest | build-jdk-spec        | 21  | Low        |
| Vendor | Manifest | bundle-docurl         | <a href="https://www.helger.com">https://www.helger.com</a> | Low        |
| Vendor | Manifest | bundle-symbolicname   | com.helger.commons.ph-collection                            | Medium     |
| Vendor | Manifest | Implementation-Vendor | Philip Helger   | High       |
| Vendor | pom      | artifactid            | ph-collection   | Low        |
| Vendor | pom      | developer email       | ph(at)helger.com  | Low        |
| Vendor | pom      | developer id          | philip  | Medium     |
| Vendor | pom      | developer name        | Philip Helger   | Medium     |
| Vendor | pom      | groupid               | com.helger.commons  | Highest    |

|         |          |                        |                                  |         |
|---------|----------|------------------------|----------------------------------|---------|
| Vendor  | pom      | name                   | ph-collection                    | High    |
| Vendor  | pom      | organization name      | Philip Helger                    | High    |
| Vendor  | pom      | organization url       | https://www.helger.com           | Medium  |
| Vendor  | pom      | parent-artifactid      | ph-commons-parent-pom            | Low     |
| Vendor  | pom      | url                    | phax/ph-commons/ph-collection    | Highest |
| Product | file     | name                   | ph-collection                    | High    |
| Product | jar      | package name           | collection                       | Highest |
| Product | jar      | package name           | helger                           | Highest |
| Product | Manifest | automatic-module-name  | com.helger.collection            | Medium  |
| Product | Manifest | build-jdk-spec         | 21                               | Low     |
| Product | Manifest | bundle-docurl          | https://www.helger.com           | Low     |
| Product | Manifest | Bundle-Name            | ph-collection                    | Medium  |
| Product | Manifest | bundle-symbolicname    | com.helger.commons.ph-collection | Medium  |
| Product | Manifest | Implementation-Title   | ph-collection                    | High    |
| Product | pom      | artifactid             | ph-collection                    | Highest |
| Product | pom      | developer email        | ph(at)helger.com                 | Low     |
| Product | pom      | developer id           | philip                           | Low     |
| Product | pom      | developer name         | Philip Helger                    | Low     |
| Product | pom      | groupid                | com.helger.commons               | Highest |
| Product | pom      | name                   | ph-collection                    | High    |
| Product | pom      | organization name      | Philip Helger                    | Low     |
| Product | pom      | organization url       | https://www.helger.com           | Low     |
| Product | pom      | parent-artifactid      | ph-commons-parent-pom            | Medium  |
| Product | pom      | url                    | phax/ph-commons/ph-collection    | High    |
| Version | Manifest | Bundle-Version         | 11.2.6                           | High    |
| Version | Manifest | Implementation-Version | 11.2.6                           | High    |
| Version | pom      | version                | 11.2.6                           | Highest |

## Identifiers

- [pkg:maven/com.helger.commons/ph-collection@11.2.6](#) (*Confidence:High*)

## facturx.zip: ph-commons.jar

### Description:

Java 1.8+ Library with tons of utility classes required in all projects

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-commons.jar

**MD5:** 1608abe7e963d88e9535788c812e7516

**SHA1:** 5fd4f53ef252567f418219fa4e81bf51c87133aa

**SHA256:** bafc2ec5d7bc4b0087c071456438246cea6e8d674a55805fd96e865519be8f0d

**Referenced In Project/Scope:** server

### Evidence



| Type   | Source   | Name                  | Value   | Confidence |
|--------|----------|-----------------------|---|------------|
| Vendor | file     | name                  | ph-commons  | High       |
| Vendor | jar      | package name          | commons   | Highest    |
| Vendor | jar      | package name          | helger  | Highest    |
| Vendor | Manifest | automatic-module-name | com.helger.commons  | Medium     |
| Vendor | Manifest | build-jdk-spec        | 21  | Low        |
| Vendor | Manifest | bundle-docurl         | <a href="https://www.helger.com">https://www.helger.com</a>   | Low        |
| Vendor | Manifest | bundle-symbolicname   | com.helger.commons.ph-commons   | Medium     |
| Vendor | Manifest | Implementation-Vendor | Philip Helger   | High       |
| Vendor | Manifest | provide-capability    | osgi.serviceloader;osgi.serviceloader="com.helger.commons.equals.IEqualsImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.hashCode.IHashCodeImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.serialize.convert.ISerializationConverterRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.typeconvert.ITypeConverterRegistrarSPI" | Low        |
| Vendor | pom      | artifactid            | ph-commons  | Low        |
| Vendor | pom      | developer email       | ph(at)helger.com  | Low        |
| Vendor | pom      | developer id          | philip  | Medium     |
|        |          |                       |   |            |

|         |          |                       |   |         |
|---------|----------|-----------------------|---|---------|
| Vendor  | pom      | developer name        | Philip Helger   | Medium  |
| Vendor  | pom      | groupid               | com.helger.commons  | Highest |
| Vendor  | pom      | name                  | ph-commons  | High    |
| Vendor  | pom      | organization name     | Philip Helger   | High    |
| Vendor  | pom      | organization url      | https://www.helger.com  | Medium  |
| Vendor  | pom      | parent-artifactid     | ph-commons-parent-pom   | Low     |
| Vendor  | pom      | url                   | phax/ph-commons/ph-commons  | Highest |
| Product | file     | name                  | ph-commons  | High    |
| Product | jar      | package name          | commons   | Highest |
| Product | jar      | package name          | convert   | Highest |
| Product | jar      | package name          | equals  | Highest |
| Product | jar      | package name          | hashCode  | Highest |
| Product | jar      | package name          | helger  | Highest |
| Product | jar      | package name          | iequalsimplementationregistrarspi   | Highest |
| Product | jar      | package name          | ihashcodeimplementationregistrarspi   | Highest |
| Product | jar      | package name          | ithirdpartymoduleproviderspi  | Highest |
| Product | jar      | package name          | itypeconverterregistrarspi  | Highest |
| Product | jar      | package name          | serialize   | Highest |
| Product | jar      | package name          | thirdparty  | Highest |
| Product | jar      | package name          | typeconvert   | Highest |
| Product | Manifest | automatic-module-name | com.helger.commons  | Medium  |
| Product | Manifest | build-jdk-spec        | 21  | Low     |
| Product | Manifest | bundle-docurl         | https://www.helger.com  | Low     |
| Product | Manifest | Bundle-Name           | ph-commons  | Medium  |
| Product | Manifest | bundle-symbolicname   | com.helger.commons.ph-commons   | Medium  |
| Product | Manifest | Implementation-Title  | ph-commons  | High    |
| Product | Manifest | provide-capability    | osgi.serviceloader;osgi.serviceloader="com.helger.commons.equals.IEqualsImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.hashCode.IHashCodeImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.serialize.convert.ISerializationConverterRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI",osgi. | Low     |



|         |          |                        |  |         |
|---------|----------|------------------------|--|---------|
|         |          |                        | serviceloader;osgi.serviceloader="com.helger.commons.typeconvert.ITypeConverterRegistrarSPI" |         |
| Product | pom      | artifactid             | ph-commons   | Highest |
| Product | pom      | developer email        | ph(at)helger.com   | Low     |
| Product | pom      | developer id           | philip   | Low     |
| Product | pom      | developer name         | Philip Helger  | Low     |
| Product | pom      | groupid                | com.helger.commons   | Highest |
| Product | pom      | name                   | ph-commons   | High    |
| Product | pom      | organization name      | Philip Helger  | Low     |
| Product | pom      | organization url       | https://www.helger.com   | Low     |
| Product | pom      | parent-artifactid      | ph-commons-parent-pom  | Medium  |
| Product | pom      | url                    | phax/ph-commons/ph-commons   | High    |
| Version | Manifest | Bundle-Version         | 11.2.6   | High    |
| Version | Manifest | Implementation-Version | 11.2.6   | High    |
| Version | pom      | version                | 11.2.6   | Highest |

#### Identifiers

- [pkg:maven/com.helger.commons/ph-commons@11.2.6](https://maven.com.helger.commons/ph-commons@11.2.6) (*Confidence:High*)

## facturx.zip: ph-jaxb.jar

### Description:

Special Java 1.8+ Library with extended JAXB support

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-jaxb.jar

**MD5:** 77772cf3996abb2f48f5ba7d014f384d

**SHA1:** 9b9ddd5903f82246d74e7ec774e3d5fb0397ec37

**SHA256:** 4be8e625a74fdc36c7a6d638eda7bd9a04c158a83449fccc39a9a99c2dc712b5

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|      |        |      |       |            |

|         |          |                       |                           |         |
|---------|----------|-----------------------|---------------------------|---------|
| Vendor  | file     | name                  | ph-jaxb                   | High    |
| Vendor  | jar      | package name          | helger                    | Highest |
| Vendor  | jar      | package name          | jaxb                      | Highest |
| Vendor  | Manifest | automatic-module-name | com.helger.jaxb           | Medium  |
| Vendor  | Manifest | build-jdk-spec        | 21                        | Low     |
| Vendor  | Manifest | bundle-docurl         | https://www.helger.com    | Low     |
| Vendor  | Manifest | bundle-symbolicname   | com.helger.common.ph-jaxb | Medium  |
| Vendor  | Manifest | Implementation-Vendor | Philip Helger             | High    |
| Vendor  | pom      | artifactid            | ph-jaxb                   | Low     |
| Vendor  | pom      | developer email       | ph(at)helger.com          | Low     |
| Vendor  | pom      | developer id          | philip                    | Medium  |
| Vendor  | pom      | developer name        | Philip Helger             | Medium  |
| Vendor  | pom      | groupid               | com.helger.common         | Highest |
| Vendor  | pom      | name                  | ph-jaxb                   | High    |
| Vendor  | pom      | organization name     | Philip Helger             | High    |
| Vendor  | pom      | organization url      | https://www.helger.com    | Medium  |
| Vendor  | pom      | parent-artifactid     | ph-commons-parent-pom     | Low     |
| Vendor  | pom      | url                   | phax/ph-commons/ph-jaxb   | Highest |
| Product | file     | name                  | ph-jaxb                   | High    |
| Product | jar      | package name          | helger                    | Highest |
| Product | jar      | package name          | jaxb                      | Highest |
| Product | Manifest | automatic-module-name | com.helger.jaxb           | Medium  |
| Product | Manifest | build-jdk-spec        | 21                        | Low     |
| Product | Manifest | bundle-docurl         | https://www.helger.com    | Low     |
| Product | Manifest | Bundle-Name           | ph-jaxb                   | Medium  |
| Product | Manifest | bundle-symbolicname   | com.helger.common.ph-jaxb | Medium  |
| Product | Manifest | Implementation-Title  | ph-jaxb                   | High    |
| Product | pom      | artifactid            | ph-jaxb                   | Highest |
| Product | pom      | developer email       | ph(at)helger.com          | Low     |
| Product | pom      | developer id          | philip                    | Low     |
| Product | pom      | developer name        | Philip Helger             | Low     |
| Product | pom      | groupid               | com.helger.common         | Highest |

|         |          |                        |                         |         |
|---------|----------|------------------------|-------------------------|---------|
| Product | pom      | name                   | ph-jaxb                 | High    |
| Product | pom      | organization name      | Philip Helger           | Low     |
| Product | pom      | organization url       | https://www.helger.com  | Low     |
| Product | pom      | parent-artifactid      | ph-commons-parent-pom   | Medium  |
| Product | pom      | url                    | phax/ph-commons/ph-jaxb | High    |
| Version | Manifest | Bundle-Version         | 11.2.6                  | High    |
| Version | Manifest | Implementation-Version | 11.2.6                  | High    |
| Version | pom      | version                | 11.2.6                  | Highest |

#### Identifiers

- [pkg:maven/com.helger.commons/ph-jaxb@11.2.6](https://maven.com.helger.commons/ph-jaxb@11.2.6) (*Confidence:High*)

## facturx.zip: ph-schematron-api.jar

### Description:

Base API for the library for validating XML documents with Schematron

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-api.jar

**MD5:** 61f285bcc5594b46c4ed17a8c10f952a

**SHA1:** 20a33cd7e30fb670ab3e932bbe6801f0b2beb738

**SHA256:** dee9d2b0e863fb0e3204dc6f4bc73bfb25dcb6834c51e27f9bc14a6a5dff5ff

**Referenced In Project/Scope:** server

### Evidence



| Type   | Source   | Name                  | Value                 | Confidence |
|--------|----------|-----------------------|-----------------------|------------|
| Vendor | file     | name                  | ph-schematron-api     | High       |
| Vendor | jar      | package name          | api                   | Highest    |
| Vendor | jar      | package name          | helger                | Highest    |
| Vendor | jar      | package name          | schematron            | Highest    |
| Vendor | Manifest | automatic-module-name | com.helger.schematron | Medium     |
| Vendor | Manifest | build-jdk-spec        | 21                    | Low        |
|        |          |                       |                       |            |

|         |          |                       |  |         |
|---------|----------|-----------------------|--|---------|
| Vendor  | Manifest | bundle-docurl         | https://www.helger.com   | Low     |
| Vendor  | Manifest | bundle-symbolicname   | com.helger.schematron.ph-schematron-api  | Medium  |
| Vendor  | Manifest | Implementation-Vendor | Philip Helger  | High    |
| Vendor  | Manifest | provide-capability    | osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI" | Low     |
| Vendor  | pom      | artifactid            | ph-schematron-api  | Low     |
| Vendor  | pom      | developer email       | ph(at)helger.com   | Low     |
| Vendor  | pom      | developer id          | philip   | Medium  |
| Vendor  | pom      | developer name        | Philip Helger  | Medium  |
| Vendor  | pom      | groupid               | com.helger.schematron  | Highest |
| Vendor  | pom      | name                  | ph-schematron-api  | High    |
| Vendor  | pom      | organization name     | Philip Helger  | High    |
| Vendor  | pom      | organization url      | https://www.helger.com   | Medium  |
| Vendor  | pom      | parent-artifactid     | ph-schematron-parent-pom   | Low     |
| Vendor  | pom      | url                   | phax/ph-schematron/ph-schematron-api   | Highest |
| Product | file     | name                  | ph-schematron-api  | High    |
| Product | jar      | package name          | api  | Highest |
| Product | jar      | package name          | helger   | Highest |
| Product | jar      | package name          | schematron   | Highest |
| Product | Manifest | automatic-module-name | com.helger.schematron  | Medium  |
| Product | Manifest | build-jdk-spec        | 21   | Low     |
| Product | Manifest | bundle-docurl         | https://www.helger.com   | Low     |
| Product | Manifest | Bundle-Name           | ph-schematron-api  | Medium  |
| Product | Manifest | bundle-symbolicname   | com.helger.schematron.ph-schematron-api  | Medium  |
| Product | Manifest | Implementation-Title  | ph-schematron-api  | High    |
| Product | Manifest | provide-capability    | osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI" | Low     |
| Product | pom      | artifactid            | ph-schematron-api  | Highest |
| Product | pom      | developer email       | ph(at)helger.com   | Low     |
| Product | pom      | developer id          | philip   | Low     |
| Product | pom      | developer name        | Philip Helger  | Low     |
| Product | pom      | groupid               | com.helger.schematron  | Highest |
|         |          |                       |  |         |

|         |          |                        |                                      |         |
|---------|----------|------------------------|--------------------------------------|---------|
| Product | pom      | name                   | ph-schematron-api                    | High    |
| Product | pom      | organization name      | Philip Helger                        | Low     |
| Product | pom      | organization url       | https://www.helger.com               | Low     |
| Product | pom      | parent-artifactid      | ph-schematron-parent-pom             | Medium  |
| Product | pom      | url                    | phax/ph-schematron/ph-schematron-api | High    |
| Version | Manifest | Bundle-Version         | 8.0.6                                | High    |
| Version | Manifest | Implementation-Version | 8.0.6                                | High    |
| Version | pom      | version                | 8.0.6                                | Highest |

### Identifiers

- <pkg:maven/com.helger.schematron/ph-schematron-api@8.0.6> (*Confidence:High*)

## facturx.zip: ph-schematron-pure.jar

### Description:

This package contains the 'Pure' Schematron implementation

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-pure.jar

**MD5:** cbbd08a503aa8cb93dda892f855b0632

**SHA1:** fd748971e2419c5323f6235451872168fa5ac137

**SHA256:** ffeb689ba500ee80b1b9442b4625dbf79937fbbd82fef631f7b1e699d994a712

**Referenced In Project/Scope:** server

### Evidence

| Type   | Source   | Name                  | Value                      | Confidence |
|--------|----------|-----------------------|----------------------------|------------|
| Vendor | file     | name                  | ph-schematron-pure         | High       |
| Vendor | jar      | package name          | helger                     | Highest    |
| Vendor | jar      | package name          | pure                       | Highest    |
| Vendor | jar      | package name          | schematron                 | Highest    |
| Vendor | Manifest | automatic-module-name | com.helger.schematron.pure | Medium     |
| Vendor | Manifest | build-jdk-spec        | 21                         | Low        |
| Vendor | Manifest | bundle-docurl         | https://www.helger.com     | Low        |

|         |          |                       |  |         |
|---------|----------|-----------------------|--|---------|
| Vendor  | Manifest | bundle-symbolicname   | com.helger.schematron.ph-schematron-pure | Medium  |
| Vendor  | Manifest | Implementation-Vendor | Philip Helger                            | High    |
| Vendor  | pom      | artifactid            | ph-schematron-pure                       | Low     |
| Vendor  | pom      | developer email       | ph(at)helger.com                         | Low     |
| Vendor  | pom      | developer id          | philip                                   | Medium  |
| Vendor  | pom      | developer name        | Philip Helger                            | Medium  |
| Vendor  | pom      | groupid               | com.helger.schematron                    | Highest |
| Vendor  | pom      | name                  | ph-schematron-pure                       | High    |
| Vendor  | pom      | organization name     | Philip Helger                            | High    |
| Vendor  | pom      | organization url      | https://www.helger.com                   | Medium  |
| Vendor  | pom      | parent-artifactid     | ph-schematron-parent-pom                 | Low     |
| Vendor  | pom      | url                   | phax/ph-schematron/ph-schematron-pure    | Highest |
| Product | file     | name                  | ph-schematron-pure                       | High    |
| Product | jar      | package name          | helger                                   | Highest |
| Product | jar      | package name          | pure                                     | Highest |
| Product | jar      | package name          | schematron                               | Highest |
| Product | Manifest | automatic-module-name | com.helger.schematron.pure               | Medium  |
| Product | Manifest | build-jdk-spec        | 21                                       | Low     |
| Product | Manifest | bundle-docurl         | https://www.helger.com                   | Low     |
| Product | Manifest | Bundle-Name           | ph-schematron-pure                       | Medium  |
| Product | Manifest | bundle-symbolicname   | com.helger.schematron.ph-schematron-pure | Medium  |
| Product | Manifest | Implementation-Title  | ph-schematron-pure                       | High    |
| Product | pom      | artifactid            | ph-schematron-pure                       | Highest |
| Product | pom      | developer email       | ph(at)helger.com                         | Low     |
| Product | pom      | developer id          | philip                                   | Low     |
| Product | pom      | developer name        | Philip Helger                            | Low     |
| Product | pom      | groupid               | com.helger.schematron                    | Highest |
| Product | pom      | name                  | ph-schematron-pure                       | High    |
| Product | pom      | organization name     | Philip Helger                            | Low     |
| Product | pom      | organization url      | https://www.helger.com                   | Low     |
| Product | pom      | parent-artifactid     | ph-schematron-parent-pom                 | Medium  |
|         |          |                       |  |         |

|         |          |                        |                                       |         |
|---------|----------|------------------------|---------------------------------------|---------|
| Product | pom      | url                    | phax/ph-schematron/ph-schematron-pure | High    |
| Version | Manifest | Bundle-Version         | 8.0.6                                 | High    |
| Version | Manifest | Implementation-Version | 8.0.6                                 | High    |
| Version | pom      | version                | 8.0.6                                 | Highest |

#### Identifiers

- <pkg:maven/com.helger.schematron/ph-schematron-pure@8.0.6> (Confidence:High)

## facturx.zip: ph-schematron-schxslt.jar

### Description:

Library for validating XML documents using the SchXslt implementation

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-schxslt.jar

**MD5:** 007d2d5e3c31cfb44064b03a5c7165cc

**SHA1:** 774654cf39bea29a23e20dbb32d02ff5ffcfd2

**SHA256:** 9d2339d69f21011877bff9a7b79b4a091717a808e32f975e113e141aa509eea1

**Referenced In Project/Scope:** server

### Evidence

| Type   | Source   | Name                  | Value   | Confidence |
|--------|----------|-----------------------|---|------------|
| Vendor | file     | name                  | ph-schematron-schxslt   | High       |
| Vendor | jar      | package name          | helger  | Highest    |
| Vendor | jar      | package name          | schematron  | Highest    |
| Vendor | jar      | package name          | schxslt   | Highest    |
| Vendor | Manifest | automatic-module-name | com.helger.schematron.schxslt   | Medium     |
| Vendor | Manifest | build-jdk-spec        | 21  | Low        |
| Vendor | Manifest | bundle-docurl         | <a href="https://www.helger.com">https://www.helger.com</a>           | Low        |
| Vendor | Manifest | bundle-symbolicname   | com.helger.schematron.ph-schematron-schxslt                           | Medium     |
| Vendor | Manifest | Implementation-Vendor | Philip Helger   | High       |
| Vendor | Manifest | provide-capability    | osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty. | Low        |

## IThirdPartyModuleProviderSPI"

|         |          |                       |  |         |
|---------|----------|-----------------------|--|---------|
| Vendor  | pom      | artifactid            | ph-schematron-schxslt  | Low     |
| Vendor  | pom      | developer email       | ph(at)helger.com   | Low     |
| Vendor  | pom      | developer id          | philip   | Medium  |
| Vendor  | pom      | developer name        | Philip Helger  | Medium  |
| Vendor  | pom      | groupid               | com.helger.schematron  | Highest |
| Vendor  | pom      | name                  | ph-schematron-schxslt  | High    |
| Vendor  | pom      | organization name     | Philip Helger  | High    |
| Vendor  | pom      | organization url      | https://www.helger.com   | Medium  |
| Vendor  | pom      | parent-artifactid     | ph-schematron-parent-pom   | Low     |
| Vendor  | pom      | url                   | phax/ph-schematron/ph-schematron-schxslt   | Highest |
| Product | file     | name                  | ph-schematron-schxslt  | High    |
| Product | jar      | package name          | helger   | Highest |
| Product | jar      | package name          | schematron   | Highest |
| Product | jar      | package name          | schxslt  | Highest |
| Product | Manifest | automatic-module-name | com.helger.schematron.schxslt  | Medium  |
| Product | Manifest | build-jdk-spec        | 21   | Low     |
| Product | Manifest | bundle-docurl         | https://www.helger.com   | Low     |
| Product | Manifest | Bundle-Name           | ph-schematron-schxslt  | Medium  |
| Product | Manifest | bundle-symbolicname   | com.helger.schematron.ph-schematron-schxslt  | Medium  |
| Product | Manifest | Implementation-Title  | ph-schematron-schxslt  | High    |
| Product | Manifest | provide-capability    | osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI" | Low     |
| Product | pom      | artifactid            | ph-schematron-schxslt  | Highest |
| Product | pom      | developer email       | ph(at)helger.com   | Low     |
| Product | pom      | developer id          | philip   | Low     |
| Product | pom      | developer name        | Philip Helger  | Low     |
| Product | pom      | groupid               | com.helger.schematron  | Highest |
| Product | pom      | name                  | ph-schematron-schxslt  | High    |
| Product | pom      | organization name     | Philip Helger  | Low     |
| Product | pom      | organization url      | https://www.helger.com   | Low     |
| Product | pom      | parent-artifactid     | ph-schematron-parent-pom   | Medium  |
| Product | pom      | url                   | phax/ph-schematron/ph-schematron-schxslt   | High    |



|         |          |                        |       |         |
|---------|----------|------------------------|-------|---------|
| Version | Manifest | Bundle-Version         | 8.0.6 | High    |
| Version | Manifest | Implementation-Version | 8.0.6 | High    |
| Version | pom      | version                | 8.0.6 | Highest |

#### Identifiers

- <pkg:maven/com.helger.schematron/ph-schematron-schxslt@8.0.6> (*Confidence:High*)

## facturx.zip: ph-schematron-validator.jar

### Description:

Base POM to build the ph-schematron projects

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-validator.jar

**MD5:** b6587849a94f8c1fb697e86a4bb082ee

**SHA1:** bc566065aa6c93d7dd8c817a3bc87eaa2f078478

**SHA256:** 478bdef4db33386ae6ccbcf23b66fb8c447a76ed35b879a89ecaf90235524b4b

**Referenced In Project/Scope:** server

### Evidence



| Type   | Source   | Name                  | Value   | Confidence |
|--------|----------|-----------------------|---|------------|
| Vendor | file     | name                  | ph-schematron-validator                                     | High       |
| Vendor | jar      | package name          | helger  | Highest    |
| Vendor | jar      | package name          | schematron  | Highest    |
| Vendor | jar      | package name          | validator   | Highest    |
| Vendor | Manifest | automatic-module-name | com.helger.schematron.validator                             | Medium     |
| Vendor | Manifest | build-jdk-spec        | 21  | Low        |
| Vendor | Manifest | bundle-docurl         | <a href="https://www.helger.com">https://www.helger.com</a> | Low        |
| Vendor | Manifest | bundle-symbolicname   | com.helger.schematron.ph-schematron-validator               | Medium     |
| Vendor | Manifest | Implementation-Vendor | Philip Helger   | High       |
| Vendor | pom      | artifactid            | ph-schematron-validator                                     | Low        |
| Vendor | pom      | developer email       | ph(at)helger.com  | Low        |

|         |          |                        |   |         |
|---------|----------|------------------------|---|---------|
| Vendor  | pom      | developer id           | philip  | Medium  |
| Vendor  | pom      | developer name         | Philip Helger                                 | Medium  |
| Vendor  | pom      | groupid                | com.helger.schematron                         | Highest |
| Vendor  | pom      | name                   | ph-schematron-validator                       | High    |
| Vendor  | pom      | organization name      | Philip Helger                                 | High    |
| Vendor  | pom      | organization url       | https://www.helger.com                        | Medium  |
| Vendor  | pom      | parent-artifactid      | ph-schematron-parent-pom                      | Low     |
| Vendor  | pom      | url                    | phax/ph-schematron/ph-schematron-validator    | Highest |
| Product | file     | name                   | ph-schematron-validator                       | High    |
| Product | jar      | package name           | helger  | Highest |
| Product | jar      | package name           | schematron                                    | Highest |
| Product | jar      | package name           | validator                                     | Highest |
| Product | Manifest | automatic-module-name  | com.helger.schematron.validator               | Medium  |
| Product | Manifest | build-jdk-spec         | 21  | Low     |
| Product | Manifest | bundle-docurl          | https://www.helger.com                        | Low     |
| Product | Manifest | Bundle-Name            | ph-schematron-validator                       | Medium  |
| Product | Manifest | bundle-symbolicname    | com.helger.schematron.ph-schematron-validator | Medium  |
| Product | Manifest | Implementation-Title   | ph-schematron-validator                       | High    |
| Product | pom      | artifactid             | ph-schematron-validator                       | Highest |
| Product | pom      | developer email        | ph(at)helger.com                              | Low     |
| Product | pom      | developer id           | philip  | Low     |
| Product | pom      | developer name         | Philip Helger                                 | Low     |
| Product | pom      | groupid                | com.helger.schematron                         | Highest |
| Product | pom      | name                   | ph-schematron-validator                       | High    |
| Product | pom      | organization name      | Philip Helger                                 | Low     |
| Product | pom      | organization url       | https://www.helger.com                        | Low     |
| Product | pom      | parent-artifactid      | ph-schematron-parent-pom                      | Medium  |
| Product | pom      | url                    | phax/ph-schematron/ph-schematron-validator    | High    |
| Version | Manifest | Bundle-Version         | 8.0.6   | High    |
| Version | Manifest | Implementation-Version | 8.0.6   | High    |
| Version | pom      | version                | 8.0.6   | Highest |

## Identifiers

- [pkg:maven/com.helger.schematron/ph-schematron-validator@8.0.6](https://maven.com.helger.schematron/ph-schematron-validator@8.0.6) (*Confidence:High*)

## facturx.zip: ph-schematron-xslt.jar

### Description:

Library for validating XML documents using the original Schematron implementation

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-xslt.jar

**MD5:** 56f6ea1431c16d881e760882d931c9f7

**SHA1:** 754ef0e56ad3818cdb235561deb128079a5be90a

**SHA256:** eac96bfab38187cfc22bb98b227f4e515beffb8ebf24a8bbcb38b392c41d169b

**Referenced In Project/Scope:** server

## Evidence



| Type   | Source   | Name                  | Value   | Confidence |
|--------|----------|-----------------------|---|------------|
| Vendor | file     | name                  | ph-schematron-xslt  | High       |
| Vendor | jar      | package name          | helger  | Highest    |
| Vendor | jar      | package name          | schematron  | Highest    |
| Vendor | jar      | package name          | xslt  | Highest    |
| Vendor | Manifest | automatic-module-name | com.helger.schematron.xslt                                  | Medium     |
| Vendor | Manifest | build-jdk-spec        | 21  | Low        |
| Vendor | Manifest | bundle-docurl         | <a href="https://www.helger.com">https://www.helger.com</a> | Low        |
| Vendor | Manifest | bundle-symbolicname   | com.helger.schematron.ph-schematron-xslt                    | Medium     |
| Vendor | Manifest | Implementation-Vendor | Philip Helger   | High       |
| Vendor | pom      | artifactid            | ph-schematron-xslt  | Low        |
| Vendor | pom      | developer email       | ph(at)helger.com  | Low        |
| Vendor | pom      | developer id          | philip  | Medium     |
| Vendor | pom      | developer name        | Philip Helger   | Medium     |
| Vendor | pom      | groupid               | com.helger.schematron                                       | Highest    |
| Vendor | pom      | name                  | ph-schematron-xslt  | High       |

|         |          |                        |  |         |
|---------|----------|------------------------|--|---------|
| Vendor  | pom      | organization name      | Philip Helger                            | High    |
| Vendor  | pom      | organization url       | https://www.helger.com                   | Medium  |
| Vendor  | pom      | parent-artifactid      | ph-schematron-parent-pom                 | Low     |
| Vendor  | pom      | url                    | phax/ph-schematron/ph-schematron-xslt    | Highest |
| Product | file     | name                   | ph-schematron-xslt                       | High    |
| Product | jar      | package name           | helger                                   | Highest |
| Product | jar      | package name           | schematron                               | Highest |
| Product | jar      | package name           | xslt                                     | Highest |
| Product | Manifest | automatic-module-name  | com.helger.schematron.xslt               | Medium  |
| Product | Manifest | build-jdk-spec         | 21                                       | Low     |
| Product | Manifest | bundle-docurl          | https://www.helger.com                   | Low     |
| Product | Manifest | Bundle-Name            | ph-schematron-xslt                       | Medium  |
| Product | Manifest | bundle-symbolicname    | com.helger.schematron.ph-schematron-xslt | Medium  |
| Product | Manifest | Implementation-Title   | ph-schematron-xslt                       | High    |
| Product | pom      | artifactid             | ph-schematron-xslt                       | Highest |
| Product | pom      | developer email        | ph(at)helger.com                         | Low     |
| Product | pom      | developer id           | philip                                   | Low     |
| Product | pom      | developer name         | Philip Helger                            | Low     |
| Product | pom      | groupid                | com.helger.schematron                    | Highest |
| Product | pom      | name                   | ph-schematron-xslt                       | High    |
| Product | pom      | organization name      | Philip Helger                            | Low     |
| Product | pom      | organization url       | https://www.helger.com                   | Low     |
| Product | pom      | parent-artifactid      | ph-schematron-parent-pom                 | Medium  |
| Product | pom      | url                    | phax/ph-schematron/ph-schematron-xslt    | High    |
| Version | Manifest | Bundle-Version         | 8.0.6                                    | High    |
| Version | Manifest | Implementation-Version | 8.0.6                                    | High    |
| Version | pom      | version                | 8.0.6                                    | Highest |

## Identifiers

- [pkg:maven/com.helger.schematron/ph-schematron-xslt@8.0.6](https://maven.com.helger.schematron/ph-schematron-xslt@8.0.6) (Confidence:High)

## facturx.zip: ph-xml.jar

### Description:

Java 1.8+ Library with XML handling routines

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-xml.jar

**MD5:** b699e92d4cc57c6109c6777a1ae0cf88

**SHA1:** db0c367d1807de26aefc95ccb526c5783f03a493

**SHA256:** 7924fb44aed6c8f619737fd8cbe737cea8edc9d3852e05e169138ae68e005c58

**Referenced In Project/Scope:** server

### Evidence



| Type   | Source   | Name                  | Value   | Confidence |
|--------|----------|-----------------------|---|------------|
| Vendor | file     | name                  | ph-xml  | High       |
| Vendor | jar      | package name          | helger  | Highest    |
| Vendor | jar      | package name          | xml   | Highest    |
| Vendor | Manifest | automatic-module-name | com.helger.xml  | Medium     |
| Vendor | Manifest | build-jdk-spec        | 21  | Low        |
| Vendor | Manifest | bundle-docurl         | <a href="https://www.helger.com">https://www.helger.com</a>   | Low        |
| Vendor | Manifest | bundle-symbolicname   | com.helger.commons.ph-xml   | Medium     |
| Vendor | Manifest | Implementation-Vendor | Philip Helger   | High       |
| Vendor | Manifest | provide-capability    | osgi.serviceloader;osgi.serviceloader="com.helger.xml.microdom.convert.IMicroTypeConverterRegistrarSPI" | Low        |
| Vendor | pom      | artifactid            | ph-xml  | Low        |
| Vendor | pom      | developer email       | ph(at)helger.com  | Low        |
| Vendor | pom      | developer id          | philip  | Medium     |
| Vendor | pom      | developer name        | Philip Helger   | Medium     |
| Vendor | pom      | groupid               | com.helger.commons  | Highest    |
| Vendor | pom      | name                  | ph-xml  | High       |
| Vendor | pom      | organization name     | Philip Helger   | High       |
| Vendor | pom      | organization url      | <a href="https://www.helger.com">https://www.helger.com</a>   | Medium     |
| Vendor | pom      | parent-artifactid     | ph-commons-parent-pom   | Low        |
|        |          |                       |   |            |

|         |          |                        |   |         |
|---------|----------|------------------------|---|---------|
| Vendor  | pom      | url                    | phax/ph-commons/ph-xml  | Highest |
| Product | file     | name                   | ph-xml  | High    |
| Product | jar      | package name           | convert   | Highest |
| Product | jar      | package name           | helger  | Highest |
| Product | jar      | package name           | microdom  | Highest |
| Product | jar      | package name           | xml   | Highest |
| Product | Manifest | automatic-module-name  | com.helger.xml  | Medium  |
| Product | Manifest | build-jdk-spec         | 21  | Low     |
| Product | Manifest | bundle-docurl          | https://www.helger.com  | Low     |
| Product | Manifest | Bundle-Name            | ph-xml  | Medium  |
| Product | Manifest | bundle-symbolicname    | com.helger.commons.ph-xml   | Medium  |
| Product | Manifest | Implementation-Title   | ph-xml  | High    |
| Product | Manifest | provide-capability     | osgi.serviceloader;osgi.serviceloader="com.helger.xml.microdom.convert.IMicroTypeConverterRegistrarSPI" | Low     |
| Product | pom      | artifactid             | ph-xml  | Highest |
| Product | pom      | developer email        | ph(at)helger.com  | Low     |
| Product | pom      | developer id           | philip  | Low     |
| Product | pom      | developer name         | Philip Helger   | Low     |
| Product | pom      | groupid                | com.helger.commons  | Highest |
| Product | pom      | name                   | ph-xml  | High    |
| Product | pom      | organization name      | Philip Helger   | Low     |
| Product | pom      | organization url       | https://www.helger.com  | Low     |
| Product | pom      | parent-artifactid      | ph-commons-parent-pom   | Medium  |
| Product | pom      | url                    | phax/ph-commons/ph-xml  | High    |
| Version | Manifest | Bundle-Version         | 11.2.6  | High    |
| Version | Manifest | Implementation-Version | 11.2.6  | High    |
| Version | pom      | version                | 11.2.6  | Highest |

## Identifiers

- [pkg:maven/com.helger.commons/ph-xml@11.2.6](https://maven.com.helger.commons/ph-xml@11.2.6) (*Confidence:High*)

## facturx.zip: ph-xsds.xml.jar

### Description:

XML.xsd wrapped in JAXB

### License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-xsds.xml.jar

**MD5:** f5d0d9170cce23fc050a0cb8e2fc8b94

**SHA1:** e1f471db4b77cb7c5804129746fcbad2dd57a28a

**SHA256:** de03d6b1d320e851d0f8a664346799447a5ec2163395a324c13a059d664e0c73

**Referenced In Project/Scope:** server

### Evidence



| Type    | Source   | Name                  | Value   | Confidence |
|---------|----------|-----------------------|---|------------|
| Vendor  | file     | name                  | ph-xsds.xml   | High       |
| Vendor  | jar      | package name          | helger  | Highest    |
| Vendor  | jar      | package name          | xml   | Highest    |
| Vendor  | jar      | package name          | xsds  | Highest    |
| Vendor  | Manifest | automatic-module-name | com.helger.xsds.xml                                       | Medium     |
| Vendor  | Manifest | build-jdk-spec        | 11  | Low        |
| Vendor  | Manifest | bundle-docurl         | <a href="http://www.helger.com">http://www.helger.com</a> | Low        |
| Vendor  | Manifest | bundle-symbolicname   | com.helger.xsd.ph-xsds.xml                                | Medium     |
| Vendor  | Manifest | Implementation-Vendor | Philip Helger   | High       |
| Vendor  | pom      | artifactid            | ph-xsds.xml   | Low        |
| Vendor  | pom      | developer email       | ph(at)helger.com  | Low        |
| Vendor  | pom      | developer id          | philip  | Medium     |
| Vendor  | pom      | developer name        | Philip Helger   | Medium     |
| Vendor  | pom      | groupid               | com.helger.xsd  | Highest    |
| Vendor  | pom      | name                  | ph-xsds.xml   | High       |
| Vendor  | pom      | organization name     | Philip Helger   | High       |
| Vendor  | pom      | organization url      | <a href="http://www.helger.com">http://www.helger.com</a> | Medium     |
| Vendor  | pom      | parent-artifactid     | ph-xsds-parent-pom  | Low        |
| Vendor  | pom      | url                   | phax/ph-xsds/ph-xsds.xml                                  | Highest    |
| Product | file     | name                  | ph-xsds.xml   | High       |

|         |          |                        |                           |         |
|---------|----------|------------------------|---------------------------|---------|
| Product | jar      | package name           | helger                    | Highest |
| Product | jar      | package name           | xml                       | Highest |
| Product | jar      | package name           | xsd                       | Highest |
| Product | Manifest | automatic-module-name  | com.helger.xsd.xml        | Medium  |
| Product | Manifest | build-jdk-spec         | 11                        | Low     |
| Product | Manifest | bundle-docurl          | http://www.helger.com     | Low     |
| Product | Manifest | Bundle-Name            | ph-xsd.xml                | Medium  |
| Product | Manifest | bundle-symbolicname    | com.helger.xsd.ph-xsd.xml | Medium  |
| Product | Manifest | Implementation-Title   | ph-xsd.xml                | High    |
| Product | pom      | artifactid             | ph-xsd.xml                | Highest |
| Product | pom      | developer email        | ph(at)helger.com          | Low     |
| Product | pom      | developer id           | philip                    | Low     |
| Product | pom      | developer name         | Philip Helger             | Low     |
| Product | pom      | groupid                | com.helger.xsd            | Highest |
| Product | pom      | name                   | ph-xsd.xml                | High    |
| Product | pom      | organization name      | Philip Helger             | Low     |
| Product | pom      | organization url       | http://www.helger.com     | Low     |
| Product | pom      | parent-artifactid      | ph-xsd-parent-pom         | Medium  |
| Product | pom      | url                    | phax/ph-xsd/ph-xsd.xml    | High    |
| Version | Manifest | Bundle-Version         | 3.0.0                     | High    |
| Version | Manifest | Implementation-Version | 3.0.0                     | High    |
| Version | pom      | version                | 3.0.0                     | Highest |

#### Identifiers

- <pkg:maven/com.helger.xsd/ph-xsd.xml@3.0.0> (*Confidence:High*)

## facturx.zip: txw2.jar

### Description:

TXW is a library that allows you to write XML documents.



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/txw2.jar

**MD5:** 2f5aa7dbd5e326562cff6ce720a1485a

**SHA1:** f36a4ef12120a9bb06d766d6a0e54b144fd7ed98

**SHA256:** 917355bc451481f30d043b24d123110517966af34383901773882810dca480e5

**Referenced In Project/Scope:** server

## Evidence



| Type    | Source     | Name                     | Value                                   | Confidence |
|---------|------------|--------------------------|---|------------|
| Vendor  | file       | name                     | txw2                                    | High       |
| Vendor  | jar        | package name             | sun                                     | Highest    |
| Vendor  | jar        | package name             | txw                                     | Highest    |
| Vendor  | jar        | package name             | txw2                                    | Highest    |
| Vendor  | jar        | package name             | xml                                     | Highest    |
| Vendor  | jar (hint) | package name             | oracle                                  | Highest    |
| Vendor  | Manifest   | git-revision             | cb19596                                 | Low        |
| Vendor  | Manifest   | Implementation-Vendor    | Eclipse Foundation                      | High       |
| Vendor  | Manifest   | Implementation-Vendor-Id | org.eclipse                             | Medium     |
| Vendor  | Manifest   | specification-vendor     | Eclipse Foundation                      | Low        |
| Vendor  | pom        | artifactid               | txw2                                    | Low        |
| Vendor  | pom        | groupid                  | org.glassfish.jaxb                      | Highest    |
| Vendor  | pom        | name                     | TXW2 Runtime                            | High       |
| Vendor  | pom        | parent-artifactid        | jaxb-txw-parent                         | Low        |
| Vendor  | pom        | parent-groupid           | com.sun.xml.bind.mvn                    | Medium     |
| Vendor  | pom        | url                      | https://eclipse-ee4j.github.io/jaxb-ri/ | Highest    |
| Product | file       | name                     | txw2                                    | High       |
| Product | jar        | package name             | sun                                     | Highest    |
| Product | jar        | package name             | txw                                     | Highest    |
| Product | jar        | package name             | txw2                                    | Highest    |
| Product | jar        | package name             | xml                                     | Highest    |
| Product | Manifest   | git-revision             | cb19596                                 | Low        |
| Product | Manifest   | Implementation-Title     | Eclipse Implementation of JAXB          | High       |
| Product | Manifest   | specification-title      | Jakarta XML Binding                     | Medium     |
| Product | pom        | artifactid               | txw2                                    | Highest    |
| Product | pom        | groupid                  | org.glassfish.jaxb                      | Highest    |

|         |          |                   |   |         |
|---------|----------|-------------------|---|---------|
| Product | pom      | name              | TXW2 Runtime                            | High    |
| Product | pom      | parent-artifactid | jaxb-txw-parent                         | Medium  |
| Product | pom      | parent-groupid    | com.sun.xml.bind.mvn                    | Medium  |
| Product | pom      | url               | https://eclipse-ee4j.github.io/jaxb-ri/ | Medium  |
| Version | Manifest | build-version     | 4.0.5                                   | Medium  |
| Version | pom      | version           | 4.0.5                                   | Highest |

#### Identifiers

- [pkg:maven/org.glassfish.jaxb/txw2@4.0.5](https://maven.org/glassfish/jaxb/txw2@4.0.5) (Confidence:High)

### facturx.zip: xmlresolver.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/xmlresolver.jar

**MD5:** ca44ebf8abcf16222ba638df806f961c

**SHA1:** 98ea0f8cb61bf69857581e083416d632da0d0759

**SHA256:** cfd1c4ee70cd2f0421de7e6a30c5198a3949dab4c3280c74729dc8679d5b7719

**Referenced In Project/Scope:** server

#### Evidence

| Type    | Source   | Name                   | Value                       | Confidence |
|---------|----------|------------------------|-----------------------------|------------|
| Vendor  | file     | name                   | xmlresolver                 | High       |
| Vendor  | jar      | package name           | xmlresolver                 | Highest    |
| Vendor  | jar      | package name           | xmlresolver                 | Low        |
| Vendor  | Manifest | automatic-module-name  | org.xmlresolver.xmlresolver | Medium     |
| Vendor  | Manifest | Implementation-Vendor  | Norman Walsh                | High       |
| Product | file     | name                   | xmlresolver                 | High       |
| Product | jar      | package name           | resolver                    | Highest    |
| Product | jar      | package name           | xmlresolver                 | Highest    |
| Product | Manifest | automatic-module-name  | org.xmlresolver.xmlresolver | Medium     |
| Product | Manifest | Implementation-Title   | XML Resolver                | High       |
| Version | Manifest | Implementation-Version | 6.0.11                      | High       |

### Identifiers

- None

## googleanalytics.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/src/com/inet/application/googleanalytics/client/js/googleanalytics.js

**MD5:** 9baed8cfe9d4f693465c4a9174c0413f

**SHA1:** 03818d5c1e5939c41e453f974efc74ae92e26be7

**SHA256:** efa405309d646c8a1fbc758eb18a248d7cac07cf390c48d0421d1d006b550ff6

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Related Dependencies



- application.googleanalytics.sample.zip: googleanalytics.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.sample.zip/src/com/inet/application/googleanalytics/client/js/googleanalytics.js
  - MD5: 9baed8cfe9d4f693465c4a9174c0413f
  - SHA1: 03818d5c1e5939c41e453f974efc74ae92e26be7
  - SHA256: efa405309d646c8a1fbc758eb18a248d7cac07cf390c48d0421d1d006b550ff6

### Identifiers

- None

## hamcrest-3.0.jar

### License:

BSD-3-Clause

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.hamcrest/hamcrest/3.0/8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7/hamcrest-3.0.jar

**MD5:** 781023c38b054e9cf1c818c77895e1eb

**SHA1:** 8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7

**SHA256:** 5d66b6a4a680755cb6ed7cb104fa7835ef644667586ff0737adeb977c39ecdbc

**Referenced In Project/Scope:** server:inetPlugin  
**Included by:** pkg:maven/clear-reports/server@25.10

#### Evidence



| Type    | Source   | Name                   | Value        | Confidence |
|---------|----------|------------------------|--------------|------------|
| Vendor  | file     | name                   | hamcrest     | High       |
| Vendor  | gradle   | artifactid             | hamcrest     | Highest    |
| Vendor  | gradle   | groupid                | org.hamcrest | Highest    |
| Vendor  | jar      | package name           | hamcrest     | Highest    |
| Vendor  | jar      | package name           | hamcrest     | Low        |
| Vendor  | Manifest | automatic-module-name  | org.hamcrest | Medium     |
| Vendor  | Manifest | bundle-symbolicname    | org.hamcrest | Medium     |
| Vendor  | Manifest | Implementation-Vendor  | hamcrest.org | High       |
| Product | file     | name                   | hamcrest     | High       |
| Product | gradle   | artifactid             | hamcrest     | Highest    |
| Product | jar      | package name           | hamcrest     | Highest    |
| Product | Manifest | automatic-module-name  | org.hamcrest | Medium     |
| Product | Manifest | Bundle-Name            | org.hamcrest | Medium     |
| Product | Manifest | bundle-symbolicname    | org.hamcrest | Medium     |
| Product | Manifest | Implementation-Title   | hamcrest     | High       |
| Version | file     | version                | 3.0          | High       |
| Version | Manifest | Implementation-Version | 3.0          | High       |

#### Identifiers

- [pkg:maven/org.hamcrest/hamcrest@3.0](https://mvnrepository.com/artifact/org.hamcrest/hamcrest/3.0) (Confidence: Highest)

**help.zip: commons-beanutils.jar**

**Description:**

Apache Commons BeanUtils provides an easy-to-use but flexible wrapper around reflection and introspection.

**License:**

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/commons-beanutils.jar

**MD5:** 32ed51f196dfda19e0dc1ce53eed29e

**SHA1:** ac03ea606d13de04c2e4508227680faff151f491

**SHA256:** 9e44ba68ec9a3f21286fa2a8bbb003b735c0f69101bb43144b79f4f8aaa74709

**Referenced In Project/Scope:** server

**Evidence**



| Type   | Source   | Name                     | Value   | Confidence |
|--------|----------|--------------------------|---|------------|
| Vendor | file     | name                     | commons-beanutils   | High       |
| Vendor | jar      | package name             | apache  | Highest    |
| Vendor | jar      | package name             | beanutils   | Highest    |
| Vendor | jar      | package name             | commons   | Highest    |
| Vendor | Manifest | build-jdk-spec           | 21  | Low        |
| Vendor | Manifest | bundle-docurl            | <a href="https://commons.apache.org/proper/commons-beanutils">https://commons.apache.org/proper/commons-beanutils</a> | Low        |
| Vendor | Manifest | bundle-symbolicname      | org.apache.commons.commons-beanutils  | Medium     |
| Vendor | Manifest | Implementation-Vendor    | The Apache Software Foundation  | High       |
| Vendor | Manifest | Implementation-Vendor-Id | org.apache  | Medium     |
| Vendor | Manifest | multi-release            | true  | Low        |
| Vendor | Manifest | specification-vendor     | The Apache Software Foundation  | Low        |
| Vendor | pom      | artifactid               | commons-beanutils   | Low        |
| Vendor | pom      | developer email          | britter@apache.org  | Low        |
| Vendor | pom      | developer email          | chtompki@apache.org   | Low        |
| Vendor | pom      | developer email          | craigmcc@apache.org   | Low        |
| Vendor | pom      | developer email          | dion@apache.org   | Low        |
| Vendor | pom      | developer email          | epugh@apache.org  | Low        |
| Vendor | pom      | developer email          | geirm@apache.org  | Low        |
| Vendor | pom      | developer email          | ggregory at apache.org  | Low        |
| Vendor | pom      | developer email          | jcarman@apache.org  | Low        |
| Vendor | pom      | developer email          | jconlon@apache.org  | Low        |
| Vendor | pom      | developer email          | jstrachan@apache.org  | Low        |

|        |     |                 |                        |        |
|--------|-----|-----------------|------------------------|--------|
| Vendor | pom | developer email | morgand@apache.org     | Low    |
| Vendor | pom | developer email | mvdb@apache.org        | Low    |
| Vendor | pom | developer email | niallp@apache.org      | Low    |
| Vendor | pom | developer email | rdonkin@apache.org     | Low    |
| Vendor | pom | developer email | rwaldhoff@apache.org   | Low    |
| Vendor | pom | developer email | sanders@apache.org     | Low    |
| Vendor | pom | developer email | scolebourne@apache.org | Low    |
| Vendor | pom | developer email | skitching@apache.org   | Low    |
| Vendor | pom | developer email | stain@apache.org       | Low    |
| Vendor | pom | developer email | tobrien@apache.org     | Low    |
| Vendor | pom | developer email | yoavs@apache.org       | Low    |
| Vendor | pom | developer id    | britter                | Medium |
| Vendor | pom | developer id    | chtompki               | Medium |
| Vendor | pom | developer id    | craigmcc               | Medium |
| Vendor | pom | developer id    | dion                   | Medium |
| Vendor | pom | developer id    | epugh                  | Medium |
| Vendor | pom | developer id    | geirm                  | Medium |
| Vendor | pom | developer id    | ggregory               | Medium |
| Vendor | pom | developer id    | jcarman                | Medium |
| Vendor | pom | developer id    | jconlon                | Medium |
| Vendor | pom | developer id    | jstrachan              | Medium |
| Vendor | pom | developer id    | morgand                | Medium |
| Vendor | pom | developer id    | mvdb                   | Medium |
| Vendor | pom | developer id    | niallp                 | Medium |
| Vendor | pom | developer id    | rdonkin                | Medium |
| Vendor | pom | developer id    | rwaldhoff              | Medium |
| Vendor | pom | developer id    | sanders                | Medium |
| Vendor | pom | developer id    | scolebourne            | Medium |
| Vendor | pom | developer id    | skitching              | Medium |
| Vendor | pom | developer id    | stain                  | Medium |
| Vendor | pom | developer id    | tobrien                | Medium |
| Vendor | pom | developer id    | yoavs                  | Medium |
| Vendor | pom | developer name  | Benedikt Ritter        | Medium |
| Vendor | pom | developer name  | Craig McClanahan       | Medium |
| Vendor | pom | developer name  | David Eric Pugh        | Medium |

|         |          |                     |   |         |
|---------|----------|---------------------|---|---------|
| Vendor  | pom      | developer name      | Dion Gillard  | Medium  |
| Vendor  | pom      | developer name      | Gary Gregory  | Medium  |
| Vendor  | pom      | developer name      | Geir Magnusson Jr.  | Medium  |
| Vendor  | pom      | developer name      | James Carman  | Medium  |
| Vendor  | pom      | developer name      | James Strachan  | Medium  |
| Vendor  | pom      | developer name      | John E. Conlon  | Medium  |
| Vendor  | pom      | developer name      | Martin van den Bemt   | Medium  |
| Vendor  | pom      | developer name      | Morgan James Delagrangre  | Medium  |
| Vendor  | pom      | developer name      | Niall Pemberton   | Medium  |
| Vendor  | pom      | developer name      | Rob Tompkins  | Medium  |
| Vendor  | pom      | developer name      | Robert Burrell Donkin   | Medium  |
| Vendor  | pom      | developer name      | Rodney Waldhoff   | Medium  |
| Vendor  | pom      | developer name      | Scott Sanders   | Medium  |
| Vendor  | pom      | developer name      | Simon Kitching  | Medium  |
| Vendor  | pom      | developer name      | Stephen Colebourne  | Medium  |
| Vendor  | pom      | developer name      | Stian Soiland-Reyes   | Medium  |
| Vendor  | pom      | developer name      | Tim O'Brien   | Medium  |
| Vendor  | pom      | developer name      | Yoav Shapira  | Medium  |
| Vendor  | pom      | developer org       | The Apache Software Foundation  | Medium  |
| Vendor  | pom      | developer org URL   | <a href="https://www.apache.org/">https://www.apache.org/</a>   | Medium  |
| Vendor  | pom      | groupid             | commons-beanutils   | Highest |
| Vendor  | pom      | name                | Apache Commons BeanUtils  | High    |
| Vendor  | pom      | parent-artifactid   | commons-parent  | Low     |
| Vendor  | pom      | parent-groupid      | org.apache.commons  | Medium  |
| Vendor  | pom      | url                 | <a href="https://commons.apache.org/proper/commons-beanutils">https://commons.apache.org/proper/commons-beanutils</a> | Highest |
| Product | file     | name                | commons-beanutils   | High    |
| Product | jar      | package name        | apache  | Highest |
| Product | jar      | package name        | beanutils   | Highest |
| Product | jar      | package name        | commons   | Highest |
| Product | Manifest | build-jdk-spec      | 21  | Low     |
| Product | Manifest | bundle-docurl       | <a href="https://commons.apache.org/proper/commons-beanutils">https://commons.apache.org/proper/commons-beanutils</a> | Low     |
| Product | Manifest | Bundle-Name         | Apache Commons BeanUtils  | Medium  |
| Product | Manifest | bundle-symbolicname | org.apache.commons.commons-beanutils  | Medium  |
|         |          |                     |   |         |

|         |          |                      |                          |         |
|---------|----------|----------------------|--------------------------|---------|
| Product | Manifest | Implementation-Title | Apache Commons BeanUtils | High    |
| Product | Manifest | multi-release        | true                     | Low     |
| Product | Manifest | specification-title  | Apache Commons BeanUtils | Medium  |
| Product | pom      | artifactid           | commons-beanutils        | Highest |
| Product | pom      | developer email      | britter@apache.org       | Low     |
| Product | pom      | developer email      | chtompki@apache.org      | Low     |
| Product | pom      | developer email      | craigmcc@apache.org      | Low     |
| Product | pom      | developer email      | dion@apache.org          | Low     |
| Product | pom      | developer email      | epugh@apache.org         | Low     |
| Product | pom      | developer email      | geirm@apache.org         | Low     |
| Product | pom      | developer email      | ggregory at apache.org   | Low     |
| Product | pom      | developer email      | jcarman@apache.org       | Low     |
| Product | pom      | developer email      | jconlon@apache.org       | Low     |
| Product | pom      | developer email      | jstrachan@apache.org     | Low     |
| Product | pom      | developer email      | morgand@apache.org       | Low     |
| Product | pom      | developer email      | mvdb@apache.org          | Low     |
| Product | pom      | developer email      | niallp@apache.org        | Low     |
| Product | pom      | developer email      | rdonkin@apache.org       | Low     |
| Product | pom      | developer email      | rwaldhoff@apache.org     | Low     |
| Product | pom      | developer email      | sanders@apache.org       | Low     |
| Product | pom      | developer email      | scolebourne@apache.org   | Low     |
| Product | pom      | developer email      | skitching@apache.org     | Low     |
| Product | pom      | developer email      | stain@apache.org         | Low     |
| Product | pom      | developer email      | tobrien@apache.org       | Low     |
| Product | pom      | developer email      | yoavs@apache.org         | Low     |
| Product | pom      | developer id         | britter                  | Low     |
| Product | pom      | developer id         | chtompki                 | Low     |
| Product | pom      | developer id         | craigmcc                 | Low     |
| Product | pom      | developer id         | dion                     | Low     |
| Product | pom      | developer id         | epugh                    | Low     |
| Product | pom      | developer id         | geirm                    | Low     |
| Product | pom      | developer id         | ggregory                 | Low     |
| Product | pom      | developer id         | jcarman                  | Low     |
| Product | pom      | developer id         | jconlon                  | Low     |
| Product | pom      | developer id         | jstrachan                | Low     |



|         |     |                   |   |         |
|---------|-----|-------------------|---|---------|
| Product | pom | developer id      | morgand   | Low     |
| Product | pom | developer id      | mvdb  | Low     |
| Product | pom | developer id      | niallp  | Low     |
| Product | pom | developer id      | rdonkin   | Low     |
| Product | pom | developer id      | rwaldhoff   | Low     |
| Product | pom | developer id      | sanders   | Low     |
| Product | pom | developer id      | scolebourne   | Low     |
| Product | pom | developer id      | skitching   | Low     |
| Product | pom | developer id      | stain   | Low     |
| Product | pom | developer id      | tobrien   | Low     |
| Product | pom | developer id      | yoavs   | Low     |
| Product | pom | developer name    | Benedikt Ritter   | Low     |
| Product | pom | developer name    | Craig McClanahan  | Low     |
| Product | pom | developer name    | David Eric Pugh   | Low     |
| Product | pom | developer name    | Dion Gillard  | Low     |
| Product | pom | developer name    | Gary Gregory  | Low     |
| Product | pom | developer name    | Geir Magnusson Jr.  | Low     |
| Product | pom | developer name    | James Carman  | Low     |
| Product | pom | developer name    | James Strachan  | Low     |
| Product | pom | developer name    | John E. Conlon  | Low     |
| Product | pom | developer name    | Martin van den Bemt   | Low     |
| Product | pom | developer name    | Morgan James Delagrang  | Low     |
| Product | pom | developer name    | Niall Pemberton   | Low     |
| Product | pom | developer name    | Rob Tompkins  | Low     |
| Product | pom | developer name    | Robert Burrell Donkin   | Low     |
| Product | pom | developer name    | Rodney Waldhoff   | Low     |
| Product | pom | developer name    | Scott Sanders   | Low     |
| Product | pom | developer name    | Simon Kitching  | Low     |
| Product | pom | developer name    | Stephen Colebourne  | Low     |
| Product | pom | developer name    | Stian Soiland-Reyes   | Low     |
| Product | pom | developer name    | Tim O'Brien   | Low     |
| Product | pom | developer name    | Yoav Shapira  | Low     |
| Product | pom | developer org     | The Apache Software Foundation                                | Low     |
| Product | pom | developer org URL | <a href="https://www.apache.org/">https://www.apache.org/</a> | Low     |
| Product | pom | groupid           | commons-beanutils   | Highest |

|         |          |                        |   |         |
|---------|----------|------------------------|---|---------|
| Product | pom      | name                   | Apache Commons BeanUtils                            | High    |
| Product | pom      | parent-artifactid      | commons-parent                                      | Medium  |
| Product | pom      | parent-groupid         | org.apache.commons                                  | Medium  |
| Product | pom      | url                    | https://commons.apache.org/proper/commons-beanutils | Medium  |
| Version | Manifest | Bundle-Version         | 1.11.0  | High    |
| Version | Manifest | Implementation-Version | 1.11.0  | High    |
| Version | pom      | parent-version         | 1.11.0  | Low     |
| Version | pom      | version                | 1.11.0  | Highest |

#### Identifiers

- [pkg:maven/commons-beanutils/commons-beanutils@1.11.0](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_beanutils:1.11.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*)

suppress

## help.zip: commons-digester3.jar

### Description:

The Apache Commons Digester package lets you configure an XML to Java object mapping module which triggers certain actions called rules whenever a particular pattern of nested XML elements is recognized.

### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/commons-digester3.jar

**MD5:** 41d2c62c7aedefa7a3627794abc83f71

**SHA1:** c3f68c5ff25ec5204470fd8fdf4cb8feff5e8a79

**SHA256:** 1c150e3d2df4b4237b47e28fea2079fb0da324578d5cca6a5fed2e37a62082ec

**Referenced In Project/Scope:** server

### Evidence



| Type   | Source | Name         | Value             | Confidence |
|--------|--------|--------------|-------------------|------------|
| Vendor | file   | name         | commons-digester3 | High       |
| Vendor | jar    | package name | apache            | Highest    |
| Vendor | jar    | package name | commons           | Highest    |
| Vendor | jar    | package name | digester          | Highest    |
|        |        |              |                   |            |

|        |          |                          |   |         |
|--------|----------|--------------------------|---|---------|
| Vendor | jar      | package name             | digester3   | Highest |
| Vendor | jar      | package name             | rules   | Highest |
| Vendor | Manifest | bundle-docurl            | http://commons.apache.org/digester/                       | Low     |
| Vendor | Manifest | bundle-symbolicname      | org.apache.commons.digester                               | Medium  |
| Vendor | Manifest | implementation-build     | tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100 | Low     |
| Vendor | Manifest | Implementation-Vendor    | The Apache Software Foundation                            | High    |
| Vendor | Manifest | Implementation-Vendor-Id | org.apache  | Medium  |
| Vendor | Manifest | specification-vendor     | The Apache Software Foundation                            | Low     |
| Vendor | pom      | artifactid               | commons-digester3   | Low     |
| Vendor | pom      | developer email          | craigmcc@apache.org                                       | Low     |
| Vendor | pom      | developer email          | jfarcand@apache.org                                       | Low     |
| Vendor | pom      | developer email          | jstrachan@apache.org                                      | Low     |
| Vendor | pom      | developer email          | jvanzyl@apache.org  | Low     |
| Vendor | pom      | developer email          | mbenson AT apache DOT org                                 | Low     |
| Vendor | pom      | developer email          | rahul AT apache DOT org                                   | Low     |
| Vendor | pom      | developer email          | rdonkin@apache.org  | Low     |
| Vendor | pom      | developer email          | sanders@totalsync.com                                     | Low     |
| Vendor | pom      | developer email          | simonetripodi AT apache DOT org                           | Low     |
| Vendor | pom      | developer email          | skitching@apache.org                                      | Low     |
| Vendor | pom      | developer email          | tobrien@apache.org  | Low     |
| Vendor | pom      | developer id             | craigmcc  | Medium  |
| Vendor | pom      | developer id             | jfarcand  | Medium  |
| Vendor | pom      | developer id             | jstrachan   | Medium  |
| Vendor | pom      | developer id             | jvanzyl   | Medium  |
| Vendor | pom      | developer id             | mbenson   | Medium  |
| Vendor | pom      | developer id             | rahul   | Medium  |
| Vendor | pom      | developer id             | rdonkin   | Medium  |
| Vendor | pom      | developer id             | sanders   | Medium  |
| Vendor | pom      | developer id             | simonetripodi   | Medium  |
| Vendor | pom      | developer id             | skitching   | Medium  |
| Vendor | pom      | developer id             | tobrien   | Medium  |
| Vendor | pom      | developer name           | Craig McClanahan  | Medium  |
| Vendor | pom      | developer name           | James Strachan  | Medium  |

|         |          |                      |   |         |
|---------|----------|----------------------|---|---------|
| Vendor  | pom      | developer name       | Jason van Zyl   | Medium  |
| Vendor  | pom      | developer name       | Jean-Francois Arcand                                      | Medium  |
| Vendor  | pom      | developer name       | Matt Benson   | Medium  |
| Vendor  | pom      | developer name       | Rahul Akolkar   | Medium  |
| Vendor  | pom      | developer name       | Robert Burrell Donkin                                     | Medium  |
| Vendor  | pom      | developer name       | Scott Sanders   | Medium  |
| Vendor  | pom      | developer name       | Simon Kitching  | Medium  |
| Vendor  | pom      | developer name       | Simone Tripodi  | Medium  |
| Vendor  | pom      | developer name       | Tim OBrien  | Medium  |
| Vendor  | pom      | groupid              | org.apache.commons  | Highest |
| Vendor  | pom      | name                 | Apache Commons Digester                                   | High    |
| Vendor  | pom      | parent-artifactid    | commons-parent  | Low     |
| Vendor  | pom      | url                  | http://commons.apache.org/digester/                       | Highest |
| Product | file     | name                 | commons-digester3   | High    |
| Product | jar      | package name         | apache  | Highest |
| Product | jar      | package name         | commons   | Highest |
| Product | jar      | package name         | digester  | Highest |
| Product | jar      | package name         | digester3   | Highest |
| Product | jar      | package name         | rules   | Highest |
| Product | Manifest | bundle-docurl        | http://commons.apache.org/digester/                       | Low     |
| Product | Manifest | Bundle-Name          | Apache Commons Digester                                   | Medium  |
| Product | Manifest | bundle-symbolicname  | org.apache.commons.digester                               | Medium  |
| Product | Manifest | implementation-build | tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100 | Low     |
| Product | Manifest | Implementation-Title | Apache Commons Digester                                   | High    |
| Product | Manifest | specification-title  | Apache Commons Digester                                   | Medium  |
| Product | pom      | artifactid           | commons-digester3   | Highest |
| Product | pom      | developer email      | craigmcc@apache.org                                       | Low     |
| Product | pom      | developer email      | jfarcan@apache.org  | Low     |
| Product | pom      | developer email      | jstrachan@apache.org                                      | Low     |
| Product | pom      | developer email      | jvanzyl@apache.org  | Low     |
| Product | pom      | developer email      | mbenson AT apache DOT org                                 | Low     |
| Product | pom      | developer email      | rahul AT apache DOT org                                   | Low     |
| Product | pom      | developer email      | rdonkin@apache.org  | Low     |
| Product | pom      | developer email      | sanders@totalsync.com                                     | Low     |

|         |          |                        |                                     |         |
|---------|----------|------------------------|-------------------------------------|---------|
| Product | pom      | developer email        | simonetripodi AT apache DOT org     | Low     |
| Product | pom      | developer email        | skitching@apache.org                | Low     |
| Product | pom      | developer email        | tobrien@apache.org                  | Low     |
| Product | pom      | developer id           | craigmcc                            | Low     |
| Product | pom      | developer id           | jfarcand                            | Low     |
| Product | pom      | developer id           | jstrachan                           | Low     |
| Product | pom      | developer id           | jvanzyl                             | Low     |
| Product | pom      | developer id           | mbenson                             | Low     |
| Product | pom      | developer id           | rahul                               | Low     |
| Product | pom      | developer id           | rdonkin                             | Low     |
| Product | pom      | developer id           | sanders                             | Low     |
| Product | pom      | developer id           | simonetripodi                       | Low     |
| Product | pom      | developer id           | skitching                           | Low     |
| Product | pom      | developer id           | tobrien                             | Low     |
| Product | pom      | developer name         | Craig McClanahan                    | Low     |
| Product | pom      | developer name         | James Strachan                      | Low     |
| Product | pom      | developer name         | Jason van Zyl                       | Low     |
| Product | pom      | developer name         | Jean-Francois Arcand                | Low     |
| Product | pom      | developer name         | Matt Benson                         | Low     |
| Product | pom      | developer name         | Rahul Akolkar                       | Low     |
| Product | pom      | developer name         | Robert Burrell Donkin               | Low     |
| Product | pom      | developer name         | Scott Sanders                       | Low     |
| Product | pom      | developer name         | Simon Kitching                      | Low     |
| Product | pom      | developer name         | Simone Tripodi                      | Low     |
| Product | pom      | developer name         | Tim OBrien                          | Low     |
| Product | pom      | groupid                | org.apache.commons                  | Highest |
| Product | pom      | name                   | Apache Commons Digester             | High    |
| Product | pom      | parent-artifactid      | commons-parent                      | Medium  |
| Product | pom      | url                    | http://commons.apache.org/digester/ | Medium  |
| Version | Manifest | Implementation-Version | 3.2                                 | High    |
| Version | pom      | parent-version         | 3.2                                 | Low     |
| Version | pom      | version                | 3.2                                 | Highest |

## Identifiers

- [pkg:maven/org.apache.commons/commons-digester3@3.2](https://pkg:maven/org.apache.commons/commons-digester3@3.2) (Confidence:High)

## help.zip: help.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar

**MD5:** 10149668ea9c9ef24cc432fecb3c59d1

**SHA1:** 7eef9523dc9cdcd57516f4e75da051abf60f11d9

**SHA256:** fdad0ef436e6b30fb2fd3db725dfc1b3198e4824222467a9e3cbc6659fe9fee9

**Referenced In Project/Scope:** server

### Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | help                                 | High       |
| Vendor  | jar      | package name             | help                                 | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 17:44                     | Low        |
| Vendor  | Manifest | implementation-group     | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | help                                 | High       |
| Product | jar      | package name             | help                                 | Highest    |
| Product | jar      | package name             | help                                 | Low        |
| Product | Manifest | built-date               | 2025-10-01 17:44                     | Low        |
| Product | Manifest | implementation-group     | shared                               | Low        |
| Product | Manifest | Implementation-Title     | help                                 | High       |
| Product | Manifest | specification-title      | help                                 | Medium     |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High       |

### Identifiers

- None

## help.zip: help.jar: app.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar/com/inet/help/resources/js/app.js

**MD5:** 3a626c6ba8ee31fb8ebf60eabda6f994

**SHA1:** c39bfbdd57aadcb966452b9fc2790e555fa12867

**SHA256:** 1a77be335c5f6949c202f5b8e959c01b7d20c29d70b1fa242805724dc08a5f71

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## help.zip: help.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar/com/inet/help/resources/js/controller.js

**MD5:** 56aaa1c940ebe63e698f2c96d8d349b1

**SHA1:** ec2bffb7d788815074a91285778836919c4fe6245

**SHA256:** dcadc7df6c99e3ec93d8e539c3d7e5f3a1aac871e021c961ea6df16ade78162d

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## help.zip: help.jar: shared.factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.factory.js

**MD5:** 0b9f1c69fe745940b59dfcc46b07c9e8

**SHA1:** d04efd9797d2fdca767d508cf120351bef141846

**SHA256:** 1b2cc4f4fd954ea4954b04681293f059a417fe38c59c129f87bd22dbc9bdf0cc

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## help.zip: help.jar: shared.highlighter.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.highlighter.js

**MD5:** af91e703b72f064acb7b0980a1981705

**SHA1:** 53a2a1c5190b1f3a3e3d4e68e645a152732c1893

**SHA256:** 12e9a91bfad9c6958f82cc85b396c869363b181054843e472342bad54ebd4ad1

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## help.zip: jsoup.jar

**Description:**



jsoup is a Java library that simplifies working with real-world HTML and XML. It offers an easy-to-use API for URL fetching, data parsing, extraction, and manipulation using DOM API methods, CSS, and xpath selectors. jsoup implements the WHATWG HTML5 specification, and parses HTML to the same DOM as modern browsers.

**License:**

The MIT License: <https://jsoup.org/license>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/jsoup.jar

**MD5:** d15bd94d71d99e967c893e64f6452b84

**SHA1:** 0fb42d6cc9898ced4b73175eac49c61a40f35325

**SHA256:** 5be1ccd3228ae5fd6eed1bd6d827bac2bc65b91c20e9957d16ea65f739f15302

**Referenced In Project/Scope:** server

**Evidence**



| Type    | Source   | Name                  | Value   | Confidence |
|---------|----------|-----------------------|---|------------|
| Vendor  | file     | name                  | jsoup   | High       |
| Vendor  | jar      | package name          | jsoup   | Highest    |
| Vendor  | jar      | package name          | org   | Highest    |
| Vendor  | jar      | package name          | parser  | Highest    |
| Vendor  | Manifest | build-jdk-spec        | 17  | Low        |
| Vendor  | Manifest | bundle-docurl         | <a href="https://jsoup.org/">https://jsoup.org/</a> | Low        |
| Vendor  | Manifest | bundle-symbolicname   | org.jsoup   | Medium     |
| Vendor  | Manifest | Implementation-Vendor | Jonathan Hedley                                     | High       |
| Vendor  | Manifest | multi-release         | true  | Low        |
| Vendor  | Manifest | originally-created-by | Apache Maven Bundle Plugin 5.1.9                    | Low        |
| Vendor  | pom      | artifactid            | jsoup   | Low        |
| Vendor  | pom      | developer email       | jonathan@hedley.net                                 | Low        |
| Vendor  | pom      | developer id          | jhy   | Medium     |
| Vendor  | pom      | developer name        | Jonathan Hedley                                     | Medium     |
| Vendor  | pom      | groupid               | org.jsoup   | Highest    |
| Vendor  | pom      | name                  | jsoup Java HTML Parser                              | High       |
| Vendor  | pom      | organization name     | Jonathan Hedley                                     | High       |
| Vendor  | pom      | organization url      | <a href="https://jhy.io/">https://jhy.io/</a>       | Medium     |
| Vendor  | pom      | url                   | <a href="https://jsoup.org/">https://jsoup.org/</a> | Highest    |
| Product | file     | name                  | jsoup   | High       |
| Product | jar      | package name          | 9   | Highest    |

|         |          |                        |                                  |         |
|---------|----------|------------------------|----------------------------------|---------|
| Product | jar      | package name           | jsoup                            | Highest |
| Product | jar      | package name           | org                              | Highest |
| Product | jar      | package name           | parser                           | Highest |
| Product | Manifest | build-jdk-spec         | 17                               | Low     |
| Product | Manifest | bundle-docurl          | https://jsoup.org/               | Low     |
| Product | Manifest | Bundle-Name            | jsoup Java HTML Parser           | Medium  |
| Product | Manifest | bundle-symbolicname    | org.jsoup                        | Medium  |
| Product | Manifest | Implementation-Title   | jsoup Java HTML Parser           | High    |
| Product | Manifest | multi-release          | true                             | Low     |
| Product | Manifest | originally-created-by  | Apache Maven Bundle Plugin 5.1.9 | Low     |
| Product | pom      | artifactid             | jsoup                            | Highest |
| Product | pom      | developer email        | jonathan@hedley.net              | Low     |
| Product | pom      | developer id           | jhy                              | Low     |
| Product | pom      | developer name         | Jonathan Hedley                  | Low     |
| Product | pom      | groupid                | org.jsoup                        | Highest |
| Product | pom      | name                   | jsoup Java HTML Parser           | High    |
| Product | pom      | organization name      | Jonathan Hedley                  | Low     |
| Product | pom      | organization url       | https://jhy.io/                  | Low     |
| Product | pom      | url                    | https://jsoup.org/               | Medium  |
| Version | Manifest | Bundle-Version         | 1.18.3                           | High    |
| Version | Manifest | Implementation-Version | 1.18.3                           | High    |
| Version | pom      | version                | 1.18.3                           | Highest |

#### Identifiers

- [pkg:maven/org.jsoup/jsoup@1.18.3](#) (*Confidence:High*)
- [cpe:2.3:a:jsoup:jsoup:1.18.3:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*)

suppress

### htmlengine.zip: JWebEngine.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlengine.zip/JWebEngine.jar

**MD5:** 310cddc1963d02702bdef838d6723361

**SHA1:** 93aaeb126b9f074a0111835399d5d3d45f6fe007

**SHA256:**3212782d9fd90d98dbac591586c99135af60fd0b5f9765e45b87feadf93b0878

**Referenced In Project/Scope:** server

## Evidence



| Type    | Source   | Name                                   | Value                                | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor  | file     | name                                   | JWebEngine                           | High       |
| Vendor  | jar      | package name                           | html                                 | Low        |
| Vendor  | jar      | package name                           | inet                                 | Low        |
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Vendor  | Manifest | built-date                             | 2025-10-01 01:23                     | Low        |
| Vendor  | Manifest | codebase                               | *                                    | Low        |
| Vendor  | Manifest | implementation-group                   | lib                                  | Low        |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low        |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low        |
| Vendor  | Manifest | trusted-library                        | false                                | Low        |
| Vendor  | Manifest | trusted-only                           | false                                | Low        |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                                   | JWebEngine                           | High       |
| Product | jar      | package name                           | html                                 | Low        |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Product | Manifest | built-date                             | 2025-10-01 01:23                     | Low        |
| Product | Manifest | codebase                               | *                                    | Low        |
| Product | Manifest | implementation-group                   | lib                                  | Low        |
| Product | Manifest | Implementation-Title                   | JWebEngine                           | High       |
| Product | Manifest | permissions                            | all-permissions                      | Low        |
| Product | Manifest | specification-title                    | JWebEngine                           | Medium     |

|         |          |                        |           |      |
|---------|----------|------------------------|-----------|------|
| Product | Manifest | trusted-library        | false     | Low  |
| Product | Manifest | trusted-only           | false     | Low  |
| Version | Manifest | Implementation-Version | 1.13.1787 | High |

#### Identifiers

- None

### htmlengine.zip: htmlengine.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlengine.zip/htmlengine.jar

**MD5:** c157fda0b994e4b0aa58d58037c0fc62

**SHA1:** 80acd98b0da0b7f3f6afd848ff3960a1241e166c

**SHA256:** f8e4ea7818d9a67989ab6acaf8febfc993e234cabca41c7b694bc0be3cfa7d78

**Referenced In Project/Scope:** server

#### Evidence

| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | htmlengine                           | High       |
| Vendor  | jar      | package name             | htmlengine                           | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 17:54                     | Low        |
| Vendor  | Manifest | implementation-group     | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | htmlengine                           | High       |
| Product | jar      | package name             | hmtlengineserverplugin               | Low        |
| Product | jar      | package name             | htmlengine                           | Highest    |
| Product | jar      | package name             | htmlengine                           | Low        |
| Product | Manifest | built-date               | 2025-10-01 17:54                     | Low        |
| Product | Manifest | implementation-          | shared                               | Low        |

|         |          | group                  |            |        |
|---------|----------|------------------------|------------|--------|
| Product | Manifest | Implementation-Title   | htmlengine | High   |
| Product | Manifest | specification-title    | htmlengine | Medium |
| Version | Manifest | Implementation-Version | 25.10.198  | High   |

#### Identifiers

- None

### htmlviewer.printpdf.sample.zip: htmlviewer.printpdf.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/HtmlViewerPrintViaPDFPlugin/htmlviewer.printpdf.sample.zip/htmlviewer.printpdf.sample.jar

**MD5:** a35f67f87f88fba5c36e147c3cde1055

**SHA1:** d5624144ec70e9a7df769b74dce79ff42ed61d4a

**SHA256:** 2a201181d3cdb1d4e587b1d908978978a2d8d6a7957e273f7cd54effe4b0e5e0

**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | htmlviewer.printpdf.sample           | High       |
| Vendor  | jar      | package name             | htmlviewer                           | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | printpdf                             | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 18:41                     | Low        |
| Vendor  | Manifest | implementation-group     | reporting                            | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | htmlviewer.printpdf.sample           | High       |
| Product | jar      | package name             | htmlviewer                           | Highest    |
| Product | jar      | package name             | htmlviewer                           | Low        |

|         |          |                        |                             |         |
|---------|----------|------------------------|-----------------------------|---------|
| Product | jar      | package name           | htmlviewerprintviapdfplugin | Low     |
| Product | jar      | package name           | printpdf                    | Highest |
| Product | jar      | package name           | printpdf                    | Low     |
| Product | Manifest | built-date             | 2025-10-01 18:41            | Low     |
| Product | Manifest | implementation-group   | reporting                   | Low     |
| Product | Manifest | Implementation-Title   | htmlviewer.printpdf.sample  | High    |
| Product | Manifest | specification-title    | htmlviewer.printpdf.sample  | Medium  |
| Version | Manifest | Implementation-Version | 25.10.198                   | High    |

### Identifiers

- None

## htmlviewer.printpdf.zip: htmlviewer.printpdf.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewer.printpdf.zip/htmlviewer.printpdf.sample.jar

**MD5:** 2d9c599e9a75e28d4d11e4e14b9a3c45

**SHA1:** 00bda2befc00e3a612d19e41e064eb5932350acb

**SHA256:** 8fc15aacd35a2611be39047587762d92cf97ebd46548f530f738315bf386a3b8

**Referenced In Project/Scope:** server

### Evidence



| Type   | Source   | Name                     | Value                      | Confidence |
|--------|----------|--------------------------|----------------------------|------------|
| Vendor | file     | name                     | htmlviewer.printpdf.sample | High       |
| Vendor | jar      | package name             | htmlviewer                 | Low        |
| Vendor | jar      | package name             | inet                       | Low        |
| Vendor | jar      | package name             | printpdf                   | Low        |
| Vendor | Manifest | built-date               | 2025-09-29 18:42           | Low        |
| Vendor | Manifest | implementation-group     | reporting                  | Low        |
| Vendor | Manifest | Implementation-Vendor    | i-net software             | High       |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware            | Medium     |
|        |          |                          |                            |            |

|         |          |                        |                                      |         |
|---------|----------|------------------------|--------------------------------------|---------|
| Vendor  | Manifest | specification-vendor   | i-net software                       | Low     |
| Vendor  | Manifest | vendor                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                   | htmlviewer.printpdf.sample           | High    |
| Product | jar      | package name           | htmlviewer                           | Highest |
| Product | jar      | package name           | htmlviewer                           | Low     |
| Product | jar      | package name           | htmlviewerprintviapdfplugin          | Low     |
| Product | jar      | package name           | printpdf                             | Highest |
| Product | jar      | package name           | printpdf                             | Low     |
| Product | Manifest | built-date             | 2025-09-29 18:42                     | Low     |
| Product | Manifest | implementation-group   | reporting                            | Low     |
| Product | Manifest | Implementation-Title   | htmlviewer.printpdf                  | High    |
| Product | Manifest | specification-title    | htmlviewer.printpdf                  | Medium  |
| Version | Manifest | Implementation-Version | 25.10.196                            | High    |

### Identifiers

- None

### htmlviewer.printpdf.zip: htmlviewer.printpdf.sample.jar: extension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewer.printpdf.zip/htmlviewer.printpdf.sample.jar/com/inet/htmlviewer/printpdf/extension.js

**MD5:** 3022fd9f69e0cf051844a2fea5b69ce2

**SHA1:** 529ef29a67d8f97b139ea763ee1a050cfbfe821a

**SHA256:** e0df7af37a0640b759ccc1985cfa973e49416121cc4d60656f8aef2f590a8d8d

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Related Dependencies



- htmlviewer.printpdf.sample.zip: htmlviewer.printpdf.sample.jar: extension.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples

- /Plugin - Samples/HtmlViewerPrintViaPDFPlugin/htmlviewer.printpdf.sample.zip  
/htmlviewer.printpdf.sample.jar/com/inet/htmlviewer/printpdf/extension.js
- MD5: 3022fd9f69e0cf051844a2fea5b69ce2
  - SHA1: 529ef29a67d8f97b139ea763ee1a050cfbfe821a
  - SHA256: e0df7af37a0640b759ccc1985cfa973e49416121cc4d60656f8aef2f590a8d8d

#### Identifiers

- None

### htmlviewer.toolbar.zip: htmlviewer.toolbar.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewer.toolbar.zip/htmlviewer.toolbar.jar

**MD5:** 7fcea5ffa749be50dfcbebb7c7b59856

**SHA1:** 622cab7e8f3b9ddf36d02caf988560b0c005e4b5

**SHA256:** e318bf83d8ad9c872aa194428496f3bf15267386703b8a80b6df84789c882830

**Referenced In Project/Scope:** server

#### Evidence

| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | htmlviewer.toolbar                   | High       |
| Vendor  | jar      | package name             | htmlviewer                           | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 18:59                     | Low        |
| Vendor  | Manifest | implementation-group     | reporting                            | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | htmlviewer.toolbar                   | High       |
| Product | jar      | package name             | htmlviewer                           | Highest    |
| Product | jar      | package name             | htmlviewer                           | Low        |
| Product | Manifest | built-date               | 2025-10-01 18:59                     | Low        |
| Product | Manifest | implementation-group     | reporting                            | Low        |
| Product | Manifest | Implementation-          | htmlviewer.toolbar                   | High       |



|         |          | Title                  |                    |        |
|---------|----------|------------------------|--------------------|--------|
| Product | Manifest | specification-title    | htmlviewer.toolbar | Medium |
| Version | Manifest | Implementation-Version | 25.10.198          | High   |

#### Identifiers

- None

### htmlviewer.toolbar.zip: htmlviewer.toolbar.jar: htmlviewer.angular.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewer.toolbar.zip/htmlviewer.toolbar.jar  
/com/inet/htmlviewer/client/htmlviewer.angular.js

**MD5:** 3d4ffd97b4b2889874ab2c25fd81dfd0

**SHA1:** ea87dcc7a044e2517277934bea09c98994d3134f

**SHA256:** 74009939b76ca622b76ee6abefb1cbe3632398f76f7282f51b90ccd1ca9998d3

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### htmlviewerextension.sample.zip: htmlviewerextension.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/HtmlViewerExtensionPlugin/htmlviewerextension.sample.zip/htmlviewerextension.sample.jar

**MD5:** 077be7297c4731ca47719c7c8c3740cf

**SHA1:** 4cca9549eb965bbd77cdc7e4259fa8869a8632d3

**SHA256:** 0838c81aca7da296a966815095fca3120018a2c8a3b344dd9b9d803caa11acd2

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

|        |      |      |                            |      |
|--------|------|------|----------------------------|------|
| Vendor | file | name | htmlviewerextension.sample | High |
|--------|------|------|----------------------------|------|

|         |          |                          |                                      |        |
|---------|----------|--------------------------|--------------------------------------|--------|
| Vendor  | jar      | package name             | htmlviewer                           | Low    |
| Vendor  | jar      | package name             | inet                                 | Low    |
| Vendor  | jar      | package name             | samples                              | Low    |
| Vendor  | Manifest | built-date               | 2025-10-01 18:41                     | Low    |
| Vendor  | Manifest | implementation-group     | reporting                            | Low    |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High   |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low    |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium |
| Product | file     | name                     | htmlviewerextension.sample           | High   |
| Product | jar      | package name             | htmlviewer                           | Low    |
| Product | jar      | package name             | htmlviewerextensionplugin            | Low    |
| Product | jar      | package name             | samples                              | Low    |
| Product | Manifest | built-date               | 2025-10-01 18:41                     | Low    |
| Product | Manifest | implementation-group     | reporting                            | Low    |
| Product | Manifest | Implementation-Title     | htmlviewerextension.sample           | High   |
| Product | Manifest | specification-title      | htmlviewerextension.sample           | Medium |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High   |

#### Identifiers

- None

### htmlviewerextension.zip: htmlviewerextension.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewerextension.zip/htmlviewerextension.sample.jar

**MD5:** 3ea1d8cc602e6caaf2331bb5474f5e20

**SHA1:** fcd759807f2949112ef032f3990929468bf91640

**SHA256:** cae52d88352716d03653214dd4a79c2045ffa2c90f2643848f6ad962c8deda21

**Referenced In Project/Scope:** server

## Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | htmlviewerextension.sample           | High       |
| Vendor  | jar      | package name             | htmlviewer                           | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | samples                              | Low        |
| Vendor  | Manifest | built-date               | 2025-09-29 18:42                     | Low        |
| Vendor  | Manifest | implementation-group     | reporting                            | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | htmlviewerextension.sample           | High       |
| Product | jar      | package name             | htmlviewer                           | Low        |
| Product | jar      | package name             | htmlviewerextensionplugin            | Low        |
| Product | jar      | package name             | samples                              | Low        |
| Product | Manifest | built-date               | 2025-09-29 18:42                     | Low        |
| Product | Manifest | implementation-group     | reporting                            | Low        |
| Product | Manifest | Implementation-Title     | htmlviewerextension                  | High       |
| Product | Manifest | specification-title      | htmlviewerextension                  | Medium     |
| Version | Manifest | Implementation-Version   | 25.10.196                            | High       |

## Identifiers

- None

## htmlviewerextension.zip: htmlviewerextension.sample.jar: extension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewerextension.zip/htmlviewerextension.sample.jar/com/inet/samples/htmlviewer/extension.js

**MD5:** 858b53692be0235091614a2af9a32edb  
**SHA1:** 7e1e6b70bcf8364873201f3a776e5ace1ca3c19c  
**SHA256:** 0ee681c533fcf2b58de3ccb61aaaa52dd541cf029b856aaf2dd78a7c4c563bbc  
**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Related Dependencies

- htmlviewerextension.sample.zip: htmlviewerextension.sample.jar: extension.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/HtmlViewerExtensionPlugin/htmlviewerextension.sample.zip /htmlviewerextension.sample.jar/com/inet/samples/htmlviewer/extension.js
  - MD5: 858b53692be0235091614a2af9a32edb
  - SHA1: 7e1e6b70bcf8364873201f3a776e5ace1ca3c19c
  - SHA256: 0ee681c533fcf2b58de3ccb61aaaa52dd541cf029b856aaf2dd78a7c4c563bbc

#### Identifiers

- None

### inetcore-25.10-tools.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.10 /46814e59cb867dfce898ef1842908fc2bcce598/inetcore-25.10-tools.jar  
**MD5:** 6c9243acd78d34ca4371c7f53902992b  
**SHA1:** 46814e59cb867dfce898ef1842908fc2bcce598  
**SHA256:** aa4f104d4fcc1385f1065eb5eeff4e31957cb3b6fd5c4d5d72225d20bc20217e  
**Referenced In Project/Scope:** server:inetPlugin  
**Included by:** pkg:maven/clear-reports/server@25.10

#### Evidence

| Type    | Source | Name         | Value    | Confidence |
|---------|--------|--------------|----------|------------|
| Vendor  | file   | name         | inetcore | High       |
| Vendor  | gradle | artifactid   | inetcore | Highest    |
| Vendor  | gradle | groupid      | shared   | Highest    |
| Vendor  | jar    | package name | test     | Low        |
| Product | file   | name         | inetcore | High       |
| Product | gradle | artifactid   | inetcore | Highest    |

|         |        |         |          |         |
|---------|--------|---------|----------|---------|
| Version | file   | name    | inetcore | Medium  |
| Version | file   | version | 25.10    | High    |
| Version | gradle | version | 25.10    | Highest |

### Identifiers

- [pkg:maven/shared/inetcore@25.10](#) (*Confidence*:Highest)

## inetcore-25.10.jar (shaded: com.inet.shared:inetcore:null)

### Description:

A blend composite defines the rule according to which a drawing primitive (known as the source) is mixed with existing graphics (know as the destination.)

ColorUtilities contains a set of tools to perform common color operations easily.

### License:

LGPL: <http://www.gnu.org/licenses/lgpl.txt>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.10/3f2c21c4bd60125b0091c24bc8552cdc002dd380/inetcore-25.10.jar/META-INF/com/inet/shared/utis/BlendComposite/pom.xml

**MD5:** 15e3963148212192804e2b1a2b73ad1c

**SHA1:** 1095ba4522949a04590ab9c98b7f684e92579ef9

**SHA256:** e5556987ad0b1ede84a994741147dadf6de0cb7d80b845f530e2a96505b79151

### Referenced In Projects/Scopes:

- server
- server:inetPlugin

### Evidence



| Type   | Source | Name            | Value                   | Confidence |
|--------|--------|-----------------|-------------------------|------------|
| Vendor | pom    | artifactid      | inetcore                | Low        |
| Vendor | pom    | developer email | contact@inetsoftware.de | Low        |
| Vendor | pom    | developer email | morgand@apache.org      | Low        |
| Vendor | pom    | developer id    | inetsoftware            | Medium     |
| Vendor | pom    | developer id    | romainguy               | Medium     |
| Vendor | pom    | developer id    | sun                     | Medium     |
| Vendor | pom    | developer name  | i-net /// software      | Medium     |
| Vendor | pom    | developer name  | Romain Guy              | Medium     |
| Vendor | pom    | developer name  | Sun                     | Medium     |
| Vendor | pom    | developer org   | Sun                     | Medium     |

|         |            |                 |                                   |         |
|---------|------------|-----------------|-----------------------------------|---------|
| Vendor  | pom        | groupid         | com.inet.shared                   | Highest |
| Vendor  | pom        | name            | BlendComposite and ColorUtilities | High    |
| Vendor  | pom (hint) | developer id    | oracle                            | Medium  |
| Vendor  | pom (hint) | developer name  | oracle                            | Medium  |
| Vendor  | pom (hint) | developer org   | oracle                            | Medium  |
| Product | pom        | artifactid      | inetcore                          | Highest |
| Product | pom        | developer email | contact@inetsoftware.de           | Low     |
| Product | pom        | developer email | morgand@apache.org                | Low     |
| Product | pom        | developer id    | inetsoftware                      | Low     |
| Product | pom        | developer id    | romainguy                         | Low     |
| Product | pom        | developer id    | sun                               | Low     |
| Product | pom        | developer name  | i-net /// software                | Low     |
| Product | pom        | developer name  | Romain Guy                        | Low     |
| Product | pom        | developer name  | Sun                               | Low     |
| Product | pom        | developer org   | Sun                               | Low     |
| Product | pom        | groupid         | com.inet.shared                   | Highest |
| Product | pom        | name            | BlendComposite and ColorUtilities | High    |

#### Identifiers

- None

## inetcore-25.10.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.10/3f2c21c4bd60125b0091c24bc8552cdc002dd380/inetcore-25.10.jar

**MD5:** e31f3f6720ee1693e2d2fb3a19d6f869

**SHA1:** 3f2c21c4bd60125b0091c24bc8552cdc002dd380

**SHA256:** c4c9b50f85eca48e1a280ea7e59e7b263c370d5e12e25d4d4d6d0db8dedfb3d3

**Referenced In Projects/Scopes:**

- server
- server:inetPlugin

**Included by:** pkg:maven/clear-reports/server@25.10

#### Evidence



| Type    | Source   | Name                                   | Value                                | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor  | file     | name                                   | inetcore                             | High       |
| Vendor  | gradle   | artifactid                             | inetcore                             | Highest    |
| Vendor  | gradle   | groupid                                | shared                               | Highest    |
| Vendor  | jar      | package name                           | i                                    | Highest    |
| Vendor  | jar      | package name                           | inet                                 | Low        |
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Vendor  | Manifest | built-date                             | 2025-10-01 17:02                     | Low        |
| Vendor  | Manifest | codebase                               | *                                    | Low        |
| Vendor  | Manifest | implementation-group                   | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low        |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low        |
| Vendor  | Manifest | trusted-library                        | false                                | Low        |
| Vendor  | Manifest | trusted-only                           | false                                | Low        |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                                   | inetcore                             | High       |
| Product | gradle   | artifactid                             | inetcore                             | Highest    |
| Product | jar      | package name                           | permissions                          | Highest    |
| Product | jar      | package name                           | shared                               | Highest    |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Product | Manifest | built-date                             | 2025-10-01 17:02                     | Low        |
| Product | Manifest | codebase                               | *                                    | Low        |
| Product | Manifest | implementation-group                   | shared                               | Low        |
| Product | Manifest | Implementation-Title                   | inetcore                             | High       |
| Product | Manifest | permissions                            | all-permissions                      | Low        |
| Product | Manifest | specification-title                    | inetcore                             | Medium     |
| Product | Manifest | trusted-library                        | false                                | Low        |
|         |          |  |                                      |            |

|         |          |                        |             |         |
|---------|----------|------------------------|-------------|---------|
| Product | Manifest | trusted-only           | false       | Low     |
| Version | file     | name                   | inetcore    | Medium  |
| Version | file     | version                | 25.10       | High    |
| Version | gradle   | version                | 25.10       | Highest |
| Version | jar      | package name           | permissions | Highest |
| Version | jar      | package name           | shared      | Highest |
| Version | Manifest | Implementation-Version | 25.10.198   | High    |

### Related Dependencies

- inetcore.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/inetcore.jar
  - MD5: e31f3f6720ee1693e2d2fb3a19d6f869
  - SHA1: 3f2c21c4bd60125b0091c24bc8552cdc002dd380
  - SHA256: c4c9b50f85eca48e1a280ea7e59e7b263c370d5e12e25d4d4d6d0db8dedfb3d3

### Identifiers

- [pkg:maven/shared/inetcore@25.10](#) (*Confidence*:Highest)

## inetloggeradapter.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/inetloggeradapter.jar

**MD5:** fc014d29ee208cfc396390c49da2f22a

**SHA1:** 5534b587d89c5c075af96f68cf63bd390fb5895b

**SHA256:** a5b57ed0c7f275d5cf59e64f9a6a9ca945a2d2a985998ea02287f903f05d7498

**Referenced In Project/Scope:** server

### Evidence

| Type   | Source   | Name                                   | Value             | Confidence |
|--------|----------|--|-------------------|------------|
| Vendor | file     | name                                   | inetloggeradapter | High       |
| Vendor | jar      | package name                           | inet              | Low        |
| Vendor | jar      | package name                           | slf4j             | Low        |
| Vendor | Manifest | application-library-allowable-codebase | *                 | Low        |
|        |          |  |                   |            |



|         |          |  |                                      |        |
|---------|----------|--|--------------------------------------|--------|
| Vendor  | Manifest | built-date                             | 2025-10-01 17:32                     | Low    |
| Vendor  | Manifest | codebase                               | *                                    | Low    |
| Vendor  | Manifest | implementation-group                   | shared                               | Low    |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High   |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low    |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low    |
| Vendor  | Manifest | trusted-library                        | false                                | Low    |
| Vendor  | Manifest | trusted-only                           | false                                | Low    |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium |
| Product | file     | name                                   | inetloggeradapter                    | High   |
| Product | jar      | package name                           | slf4j                                | Low    |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low    |
| Product | Manifest | built-date                             | 2025-10-01 17:32                     | Low    |
| Product | Manifest | codebase                               | *                                    | Low    |
| Product | Manifest | implementation-group                   | shared                               | Low    |
| Product | Manifest | Implementation-Title                   | i-net Logger Adapter                 | High   |
| Product | Manifest | permissions                            | all-permissions                      | Low    |
| Product | Manifest | specification-title                    | inetloggeradapter                    | Medium |
| Product | Manifest | trusted-library                        | false                                | Low    |
| Product | Manifest | trusted-only                           | false                                | Low    |
| Version | Manifest | Implementation-Version                 | 25.10.198                            | High   |

#### Identifiers

- None

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports .NET Bridge/inetsoftware.Reporting.dll  
**MD5:** c551712297ac87c828aa04e42e790132  
**SHA1:** 7eadc492aa8fee3bef99fb504afeb9db089aca73  
**SHA256:** cb47d5ba440eb6aca77b1da5f135d0b3142dfd1730562faeefdcf8a884e0121  
**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source | Name | Value                  | Confidence |
|---------|--------|------|------------------------|------------|
| Vendor  | file   | name | inetsoftware.Reporting | High       |
| Product | file   | name | inetsoftware.Reporting | High       |

#### Identifiers

- None

### inetsoftware.Reporting.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports .NET Bridge/strongly named/inetsoftware.Reporting.dll  
**MD5:** 58445d246572ffdc285c0385f5b41c08  
**SHA1:** da3784a4f0260a327384b46f2fc5e689c1241c7b  
**SHA256:** db8912c02b6c92076aa1c7eb2566368fba2480f7dd05ab824a29bdd594b3692a  
**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source | Name | Value                  | Confidence |
|---------|--------|------|------------------------|------------|
| Vendor  | file   | name | inetsoftware.Reporting | High       |
| Product | file   | name | inetsoftware.Reporting | High       |

#### Identifiers

- None

### jakarta.servlet-api.jar

**Description:**

**License:**EPL 2.0: <http://www.eclipse.org/legal/epl-2.0>GPL2 w/ CPE: <https://www.gnu.org/software/classpath/license.html>**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/jakarta.servlet-api.jar**MD5:** 314c930b3e40ac1abc3529c7c9942f09**SHA1:** 1169a246913fe3823782af7943e7a103634867c5**SHA256:** 8a31f465f3593bf2351531a5c952014eb839da96a605b5825b93dd54714c48c4**Referenced In Project/Scope:** server**Evidence**

| Type    | Source   | Name                     | Value   | Confidence |
|---------|----------|--------------------------|---|------------|
| Vendor  | file     | name                     | jakarta.servlet-api   | High       |
| Vendor  | jar      | package name             | jakarta   | Highest    |
| Vendor  | jar      | package name             | servlet   | Highest    |
| Vendor  | Manifest | build-jdk-spec           | 11  | Low        |
| Vendor  | Manifest | bundle-docurl            | <a href="https://www.eclipse.org">https://www.eclipse.org</a>   | Low        |
| Vendor  | Manifest | bundle-symbolicname      | jakarta.servlet-api   | Medium     |
| Vendor  | Manifest | extension-name           | jakarta.servlet   | Medium     |
| Vendor  | Manifest | Implementation-Vendor    | Eclipse Foundation  | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | org.eclipse   | Medium     |
| Vendor  | Manifest | specification-vendor     | Eclipse Foundation  | Low        |
| Vendor  | pom      | artifactid               | jakarta.servlet-api   | Low        |
| Vendor  | pom      | developer id             | yaminikb  | Medium     |
| Vendor  | pom      | developer name           | Yamini K B  | Medium     |
| Vendor  | pom      | developer org            | Oracle Corporation  | Medium     |
| Vendor  | pom      | developer org URL        | <a href="http://www.oracle.com/">http://www.oracle.com/</a>   | Medium     |
| Vendor  | pom      | groupid                  | jakarta.servlet   | Highest    |
| Vendor  | pom      | name                     | Jakarta Servlet   | High       |
| Vendor  | pom      | parent-artifactid        | project   | Low        |
| Vendor  | pom      | parent-groupid           | org.eclipse.ee4j  | Medium     |
| Vendor  | pom      | url                      | <a href="https://projects.eclipse.org/projects/ee4j.servlet">https://projects.eclipse.org/projects/ee4j.servlet</a> | Highest    |
| Product | file     | name                     | jakarta.servlet-api   | High       |
| Product | jar      | package name             | jakarta   | Highest    |

|         |          |                        |  |         |
|---------|----------|------------------------|--|---------|
| Product | jar      | package name           | servlet  | Highest |
| Product | Manifest | build-jdk-spec         | 11   | Low     |
| Product | Manifest | bundle-docurl          | https://www.eclipse.org                            | Low     |
| Product | Manifest | Bundle-Name            | Jakarta Servlet                                    | Medium  |
| Product | Manifest | bundle-symbolicname    | jakarta.servlet-api                                | Medium  |
| Product | Manifest | extension-name         | jakarta.servlet                                    | Medium  |
| Product | pom      | artifactid             | jakarta.servlet-api                                | Highest |
| Product | pom      | developer id           | yaminikb   | Low     |
| Product | pom      | developer name         | Yamini K B   | Low     |
| Product | pom      | developer org          | Oracle Corporation                                 | Low     |
| Product | pom      | developer org URL      | http://www.oracle.com/                             | Low     |
| Product | pom      | groupid                | jakarta.servlet                                    | Highest |
| Product | pom      | name                   | Jakarta Servlet                                    | High    |
| Product | pom      | parent-artifactid      | project  | Medium  |
| Product | pom      | parent-groupid         | org.eclipse.ee4j                                   | Medium  |
| Product | pom      | url                    | https://projects.eclipse.org/projects/ee4j.servlet | Medium  |
| Version | Manifest | Bundle-Version         | 6.1.0  | High    |
| Version | Manifest | Implementation-Version | 6.1.0  | High    |
| Version | pom      | parent-version         | 6.1.0  | Low     |
| Version | pom      | version                | 6.1.0  | Highest |

#### Identifiers

- [pkg:maven/jakarta.servlet/jakarta.servlet-api@6.1.0](#) (*Confidence:High*)
- [cpe:2.3:a:oracle:projects:6.1.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

suppress

## jakarta.websocket-api.jar

#### Description:

Jakarta WebSocket - Server API

#### License:

<https://www.eclipse.org/org/documents/epl-2.0/EPL-2.0.txt>, <https://www.gnu.org/software/classpath/license.html>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/jakarta.websocket-api.jar

**MD5:** b1098129a9c74ae03d618fb841990ab0

**SHA1:** 60e525188fdb42120506debd90ffd4e204fd6f24

**SHA256:**541d00436cbca0a5e1f6a457c9f70a64f00bd2f83e10ed89c2b372bc34843b7e

**Referenced In Project/Scope:** server

## Evidence



| Type    | Source   | Name                  | Value   | Confidence |
|---------|----------|-----------------------|---|------------|
| Vendor  | file     | name                  | jakarta.websocket-api   | High       |
| Vendor  | jar      | package name          | jakarta   | Highest    |
| Vendor  | jar      | package name          | server  | Highest    |
| Vendor  | jar      | package name          | websocket   | Highest    |
| Vendor  | Manifest | build-jdk-spec        | 11  | Low        |
| Vendor  | Manifest | bundle-docurl         | <a href="https://www.eclipse.org">https://www.eclipse.org</a>   | Low        |
| Vendor  | Manifest | bundle-symbolicname   | jakarta.websocket-api   | Medium     |
| Vendor  | Manifest | extension-name        | jakarta.websocket   | Medium     |
| Vendor  | Manifest | Implementation-Vendor | Eclipse Foundation  | High       |
| Vendor  | Manifest | specification-vendor  | Eclipse Foundation  | Low        |
| Vendor  | pom      | artifactid            | jakarta.websocket-api   | Low        |
| Vendor  | pom      | groupid               | jakarta.websocket   | Highest    |
| Vendor  | pom      | name                  | Jakarta WebSocket - Server API  | High       |
| Vendor  | pom      | parent-artifactid     | jakarta.websocket-all   | Low        |
| Vendor  | pom      | url                   | <a href="https://projects.eclipse.org/projects/ee4j.websocket">https://projects.eclipse.org/projects/ee4j.websocket</a> | Highest    |
| Product | file     | name                  | jakarta.websocket-api   | High       |
| Product | jar      | package name          | jakarta   | Highest    |
| Product | jar      | package name          | server  | Highest    |
| Product | jar      | package name          | websocket   | Highest    |
| Product | Manifest | build-jdk-spec        | 11  | Low        |
| Product | Manifest | bundle-docurl         | <a href="https://www.eclipse.org">https://www.eclipse.org</a>   | Low        |
| Product | Manifest | Bundle-Name           | Jakarta WebSocket - Server API  | Medium     |
| Product | Manifest | bundle-symbolicname   | jakarta.websocket-api   | Medium     |
| Product | Manifest | extension-name        | jakarta.websocket   | Medium     |

|         |          |                        |  |         |
|---------|----------|------------------------|--|---------|
| Product | pom      | artifactid             | jakarta.websocket-api                                | Highest |
| Product | pom      | groupid                | jakarta.websocket                                    | Highest |
| Product | pom      | name                   | Jakarta WebSocket - Server API                       | High    |
| Product | pom      | parent-artifactid      | jakarta.websocket-all                                | Medium  |
| Product | pom      | url                    | https://projects.eclipse.org/projects/ee4j.websocket | Medium  |
| Version | Manifest | Bundle-Version         | 2.2.0  | High    |
| Version | Manifest | Implementation-Version | 2.2.0  | High    |
| Version | pom      | version                | 2.2.0  | Highest |

### Identifiers

- <pkg:maven/jakarta.websocket/jakarta.websocket-api@2.2.0> (Confidence:High)

## jakarta.websocket-client-api.jar

### Description:

Jakarta WebSocket - Client API

### License:

<https://www.eclipse.org/org/documents/epl-2.0/EPL-2.0.txt>, <https://www.gnu.org/software/classpath/license.html>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/jakarta.websocket-client-api.jar

**MD5:** 9c363a8d4ab7b78b6160569e27568c1a

**SHA1:** cf7eafc1b929a80429c77e4450c6720a7de56814

**SHA256:** aa6fa9331a3f470daee0dbfcf084abfbd7a49507297575d5bb8bfbf3d62fe8c0

**Referenced In Project/Scope:** server

### Evidence

| Type   | Source   | Name                | Value                        | Confidence |
|--------|----------|---------------------|------------------------------|------------|
| Vendor | file     | name                | jakarta.websocket-client-api | High       |
| Vendor | jar      | package name        | jakarta                      | Highest    |
| Vendor | jar      | package name        | websocket                    | Highest    |
| Vendor | Manifest | build-jdk-spec      | 11                           | Low        |
| Vendor | Manifest | bundle-docurl       | https://www.eclipse.org      | Low        |
| Vendor | Manifest | bundle-symbolicname | jakarta.websocket-client-api | Medium     |
|        |          |                     |                              |            |

|         |          |                        |  |         |
|---------|----------|------------------------|--|---------|
| Vendor  | Manifest | extension-name         | jakarta.websocket-client                             | Medium  |
| Vendor  | Manifest | Implementation-Vendor  | Eclipse Foundation                                   | High    |
| Vendor  | Manifest | specification-vendor   | Eclipse Foundation                                   | Low     |
| Vendor  | pom      | artifactid             | jakarta.websocket-client-api                         | Low     |
| Vendor  | pom      | groupid                | jakarta.websocket                                    | Highest |
| Vendor  | pom      | name                   | Jakarta WebSocket - Client API                       | High    |
| Vendor  | pom      | parent-artifactid      | jakarta.websocket-all                                | Low     |
| Vendor  | pom      | url                    | https://projects.eclipse.org/projects/ee4j.websocket | Highest |
| Product | file     | name                   | jakarta.websocket-client-api                         | High    |
| Product | jar      | package name           | jakarta  | Highest |
| Product | jar      | package name           | websocket  | Highest |
| Product | Manifest | build-jdk-spec         | 11   | Low     |
| Product | Manifest | bundle-docurl          | https://www.eclipse.org                              | Low     |
| Product | Manifest | Bundle-Name            | Jakarta WebSocket - Client API                       | Medium  |
| Product | Manifest | bundle-symbolicname    | jakarta.websocket-client-api                         | Medium  |
| Product | Manifest | extension-name         | jakarta.websocket-client                             | Medium  |
| Product | pom      | artifactid             | jakarta.websocket-client-api                         | Highest |
| Product | pom      | groupid                | jakarta.websocket                                    | Highest |
| Product | pom      | name                   | Jakarta WebSocket - Client API                       | High    |
| Product | pom      | parent-artifactid      | jakarta.websocket-all                                | Medium  |
| Product | pom      | url                    | https://projects.eclipse.org/projects/ee4j.websocket | Medium  |
| Version | Manifest | Bundle-Version         | 2.2.0  | High    |
| Version | Manifest | Implementation-Version | 2.2.0  | High    |
| Version | pom      | version                | 2.2.0  | Highest |

### Identifiers

- [pkg:maven/jakarta.websocket/jakarta.websocket-client-api@2.2.0](#) (*Confidence:High*)
- [cpe:2.3:a:web\\_project:web:2.2.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:High*)

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/java-21-jre-x64-linux.tar.gz/java-21-jre-x64-linux.tar/jre-11/lib/jrt-fs.jar  
**MD5:** fd232b1a93c699d86f56595d88cc54da  
**SHA1:** 5c034ec23e7858f7e3a5be3970833e12a9555f11  
**SHA256:** ca81222a25fccfd0ecc9ef5c3d1efee0634e7938ab3c245e69b5bc0a55019028  
**Referenced In Project/Scope:** server

Evidence



| Type    | Source   | Name                   | Value                           | Confidence |
|---------|----------|------------------------|---------------------------------|------------|
| Vendor  | file     | name                   | jrt-fs                          | High       |
| Vendor  | jar      | package name           | internal                        | Low        |
| Vendor  | jar      | package name           | jdk                             | Low        |
| Vendor  | jar      | package name           | jimage                          | Low        |
| Vendor  | Manifest | Implementation-Vendor  | Eclipse Adoptium                | High       |
| Vendor  | Manifest | specification-vendor   | Oracle Corporation              | Low        |
| Product | file     | name                   | jrt-fs                          | High       |
| Product | jar      | package name           | internal                        | Low        |
| Product | jar      | package name           | jimage                          | Low        |
| Product | Manifest | Implementation-Title   | Java Runtime Environment        | High       |
| Product | Manifest | specification-title    | Java Platform API Specification | Medium     |
| Version | Manifest | Implementation-Version | 21.0.8                          | High       |

Identifiers

- [cpe:2.3:a:eclipse:platform:21.0.8:\\*.~\\*~\\*~\\*~\\*](#) (Confidence:Medium)

suppress

javase.jar

Description:

Java SE-specific extensions to core ZXing library

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/zxing/javase.jar  
**MD5:** 1a5b45e1a7235398bdccfbc94a287d0c



**SHA1:** 55d93bb3ffee425a7be56cd6ff572fb64ac84593

**SHA256:** d65795b789efac8a2156cb2a4b648d20e58bfe03613165bb5dce6870ecef798e

**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source   | Name                  | Value                    | Confidence |
|---------|----------|-----------------------|--------------------------|------------|
| Vendor  | file     | name                  | javase                   | High       |
| Vendor  | jar      | package name          | google                   | Highest    |
| Vendor  | jar      | package name          | zxing                    | Highest    |
| Vendor  | Manifest | automatic-module-name | com.google.zxing.javase  | Medium     |
| Vendor  | Manifest | build-jdk-spec        | 1.8                      | Low        |
| Vendor  | pom      | artifactid            | javase                   | Low        |
| Vendor  | pom      | groupid               | com.google.zxing         | Highest    |
| Vendor  | pom      | name                  | ZXing Java SE extensions | High       |
| Vendor  | pom      | parent-artifactid     | zxing-parent             | Low        |
| Product | file     | name                  | javase                   | High       |
| Product | jar      | package name          | google                   | Highest    |
| Product | jar      | package name          | zxing                    | Highest    |
| Product | Manifest | automatic-module-name | com.google.zxing.javase  | Medium     |
| Product | Manifest | build-jdk-spec        | 1.8                      | Low        |
| Product | pom      | artifactid            | javase                   | Highest    |
| Product | pom      | groupid               | com.google.zxing         | Highest    |
| Product | pom      | name                  | ZXing Java SE extensions | High       |
| Product | pom      | parent-artifactid     | zxing-parent             | Medium     |
| Version | pom      | version               | 3.5.3                    | Highest    |

#### Identifiers

- <pkg:maven/com.google.zxing/javase@3.5.3> (*Confidence:High*)

### jcip-annotations-1.0.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/net.jcip/jcip-annotations/1.0/afba4942caaeaf46aab0b976afd57cc7c181467e/jcip-annotations-1.0.jar

**MD5:** 9d5272954896c5a5d234f66b7372b17a

**SHA1:** afba4942caaeaf46aab0b976afd57cc7c181467e

**SHA256:** be5805392060c71474bf6c9a67a099471274d30b83eef84bfc4e0889a4f1dcc0

**Referenced In Project/Scope:** server:inetPlugin

**Included by:** pkg:maven/de.inetsoftware/jlessc@1.14

#### Evidence



| Type    | Source | Name         | Value            | Confidence |
|---------|--------|--------------|------------------|------------|
| Vendor  | file   | name         | jcip-annotations | High       |
| Vendor  | gradle | artifactid   | jcip-annotations | Highest    |
| Vendor  | gradle | groupid      | net.jcip         | Highest    |
| Vendor  | jar    | package name | annotations      | Low        |
| Vendor  | jar    | package name | jcip             | Low        |
| Vendor  | jar    | package name | net              | Low        |
| Product | file   | name         | jcip-annotations | High       |
| Product | gradle | artifactid   | jcip-annotations | Highest    |
| Product | jar    | package name | annotations      | Low        |
| Product | jar    | package name | jcip             | Low        |
| Version | file   | name         | jcip-annotations | Medium     |
| Version | file   | version      | 1.0              | High       |
| Version | gradle | version      | 1.0              | Highest    |

#### Identifiers

- <pkg:maven/net.jcip/jcip-annotations@1.0> (*Confidence:* Highest)

## jeuclid-core.jar

#### Description:

This is the core module containing the basic JEuclid rendering and document handling classes.

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/jeuclid-core.jar

**MD5:** 4d3b8aeb80327b2b8ae74c32b7c77432

**SHA1:** df34d11b83e17a5eec1d922e55f8283a1c531fd9

**SHA256:** 3157e56f8fe47b051a5902d52976e7929eadf97f4d5d93cdac8433054ad026ef

**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source   | Name                     | Value                   | Confidence |
|---------|----------|--------------------------|-------------------------|------------|
| Vendor  | file     | name                     | jeuclid-core            | High       |
| Vendor  | jar      | package name             | jeuclid                 | Highest    |
| Vendor  | jar      | package name             | net                     | Highest    |
| Vendor  | jar      | package name             | sourceforge             | Highest    |
| Vendor  | Manifest | Implementation-Vendor    | The JEuclid project     | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | net.sourceforge.jeuclid | Medium     |
| Vendor  | Manifest | specification-vendor     | The JEuclid project     | Low        |
| Vendor  | pom      | artifactid               | jeuclid-core            | Low        |
| Vendor  | pom      | groupid                  | net.sourceforge.jeuclid | Highest    |
| Vendor  | pom      | name                     | JEuclid Core Module     | High       |
| Vendor  | pom      | parent-artifactid        | jeuclid-parent          | Low        |
| Product | file     | name                     | jeuclid-core            | High       |
| Product | jar      | package name             | jeuclid                 | Highest    |
| Product | jar      | package name             | net                     | Highest    |
| Product | jar      | package name             | sourceforge             | Highest    |
| Product | Manifest | Implementation-Title     | JEuclid Core Module     | High       |
| Product | Manifest | specification-title      | JEuclid Core Module     | Medium     |
| Product | pom      | artifactid               | jeuclid-core            | Highest    |
| Product | pom      | groupid                  | net.sourceforge.jeuclid | Highest    |
| Product | pom      | name                     | JEuclid Core Module     | High       |
| Product | pom      | parent-artifactid        | jeuclid-parent          | Medium     |
| Version | Manifest | Implementation-Version   | 3.0.3                   | High       |
| Version | pom      | version                  | 3.0.3                   | Highest    |

#### Identifiers

- <pkg:maven/net.sourceforge.jeuclid/jeuclid-core@3.0.3> (*Confidence:High*)

**jlessc-1.14.jar**

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/de.inetsoftware/jlessc/1.14/5b2789630acdc41bab5c86da8937ffef3811a3c3/jlessc-1.14.jar  
**MD5:** 73ef6dc09f0efda918ffcf67677ad2b0  
**SHA1:** 5b2789630acdc41bab5c86da8937ffef3811a3c3  
**SHA256:**5445ebb2231d943301b977e2b30451fc704835ea9b5f96fa64618c608938cb52  
**Referenced In Projects/Scopes:**

- server
- server:inetPlugin

**Included by:** pkg:maven/clear-reports/server@25.10

Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | jlessc                               | High       |
| Vendor  | gradle   | artifactid               | jlessc                               | Highest    |
| Vendor  | gradle   | groupid                  | de.inetsoftware                      | Highest    |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | less                                 | Low        |
| Vendor  | jar      | package name             | lib                                  | Low        |
| Vendor  | Manifest | automatic-module-name    | de.inetsoftware.jlessc               | Medium     |
| Vendor  | Manifest | bundle-symbolicname      | de.inetsoftware.jlessc               | Medium     |
| Vendor  | Manifest | Implementation-Vendor    | i-net software GmbH, Berlin, Germany | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Product | file     | name                     | jlessc                               | High       |
| Product | gradle   | artifactid               | jlessc                               | Highest    |
| Product | jar      | package name             | less                                 | Low        |
| Product | jar      | package name             | lib                                  | Low        |
| Product | Manifest | automatic-module-name    | de.inetsoftware.jlessc               | Medium     |
| Product | Manifest | bundle-symbolicname      | de.inetsoftware.jlessc               | Medium     |
| Product | Manifest | Implementation-Title     | JLessC, a Less CSS compiler          | High       |
| Version | file     | version                  | 1.14                                 | High       |
| Version | Manifest | Implementation-Version   | 1.14                                 | High       |

Related Dependencies



- theme.zip: jlessc.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/jlessc.jar
  - MD5: 73ef6dc09f0efda918ffcf67677ad2b0
  - SHA1: 5b2789630acdc41bab5c86da8937ffef3811a3c3
  - SHA256: 5445ebb2231d943301b977e2b30451fc704835ea9b5f96fa64618c608938cb52

## Identifiers

- [pkg:maven/de.inetsoftware/jlessc@1.14](#) (*Confidence: Highest*)

## jna.jar

### Description:

JNA Library

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/jna.jar

**MD5:** 9bb1338e58031463c300f643cb3c41fa

**SHA1:** d9c6794f22c2e3c846b02d51c6a95c304e8e056b

**SHA256:** 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e

**Referenced In Project/Scope:** server

### Evidence



| Type   | Source     | Name                    | Value   | Confidence |
|--------|------------|-------------------------|---|------------|
| Vendor | file       | name                    | jna   | High       |
| Vendor | jar        | package name            | jna   | Highest    |
| Vendor | jar        | package name            | jna   | Low        |
| Vendor | jar        | package name            | sun   | Highest    |
| Vendor | jar        | package name            | sun   | Low        |
| Vendor | jar (hint) | package name            | oracle  | Highest    |
| Vendor | jar (hint) | package name            | oracle  | Low        |
| Vendor | Manifest   | automatic-module-name   | com.sun.jna   | Medium     |
| Vendor | Manifest   | bundle-activationpolicy | lazy  | Low        |
| Vendor | Manifest   | bundle-category         | jni   | Low        |
| Vendor | Manifest   | bundle-nativecode       | com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86- | Low        |

64;osname=win32, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64; osname=win32, com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjniidispach.so; processor=x86; osname=sunos, com/sun/jna/sunos-x86-64/libjniidispach.so; processor=x86-64; osname=sunos, com/sun/jna/sunos-sparc/libjniidispach.so; processor=sparc; osname=sunos, com/sun/jna/sunos-sparcv9/libjniidispach.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc/libjniidispach.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64/libjniidispach.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc/libjniidispach.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64/libjniidispach.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le/libjniidispach.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86/libjniidispach.so; processor=x86; osname=linux, com/sun/jna/linux-x86-64/libjniidispach.so; processor=x86-64; osname=linux, com/sun/jna/linux-arm/libjniidispach.so; processor=arm; osname=linux, com/sun/jna/linux-arm/libjniidispach.so; processor=arm\_le; osname=linux, com/sun/jna/linux-armel/libjniidispach.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64/libjniidispach.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64/libjniidispach.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9/libjniidispach.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el/libjniidispach.so; processor=mips64el; osname=linux, com/sun/jna/linux-s390x/libjniidispach.so; processor=S390x; osname=linux, com/sun/jna/linux-loongarch64/libjniidispach.so; processor=loongarch64;osname=linux, com/sun/jna/freebsd-x86/libjniidispach.so; processor=x86;osname=freebsd, com/sun/jna/freebsd-x86-64/libjniidispach.so; processor=x86-64;osname=freebsd, com/sun/jna/openbsd-x86/libjniidispach.so; processor=x86;osname=openbsd, com/sun/jna/openbsd-x86-64/libjniidispach.so; processor=x86-64;osname=openbsd, com/sun/jna/darwin-ppc/libjniidispach.jnilib; osname=macosx;processor=ppc, com/sun/jna/darwin-ppc64/libjniidispach.jnilib; osname=macosx;processor=ppc64, com/sun/jna/darwin-x86/libjniidispach.jnilib; osname=macosx;processor=x86, com/sun/jna/darwin-x86-64/libjniidispach.jnilib; osname=macosx;processor=x86-64, com/sun/jna/darwin-aarch64/libjniidispach.jnilib; osname=macosx;processor=aarch64

|         |          |                          |  |         |
|---------|----------|--------------------------|--|---------|
| Vendor  | Manifest | bundle-requiredexecution | JavaSE-1.6   | Low     |
| Vendor  | Manifest | bundle-symbolicname      | com.sun.jna  | Medium  |
| Vendor  | Manifest | Implementation-Vendor    | JNA Development Team   | High    |
| Vendor  | Manifest | specification-vendor     | JNA Development Team   | Low     |
| Product | file     | name                     | jna  | High    |
| Product | jar      | package name             | jna  | Highest |
| Product | jar      | package name             | jna  | Low     |
| Product | jar      | package name             | library  | Highest |
| Product | jar      | package name             | native   | Highest |
| Product | jar      | package name             | sun  | Highest |
| Product | jar      | package name             | win32  | Highest |
| Product | Manifest | automatic-module-name    | com.sun.jna  | Medium  |
| Product | Manifest | bundle-activationpolicy  | lazy   | Low     |
| Product | Manifest | bundle-category          | jni  | Low     |
| Product | Manifest | Bundle-Name              | jna  | Medium  |
| Product | Manifest | bundle-nativecode        | com/sun/jna/win32-x86/jnidispach.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispach.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispach.dll; processor=aarch64; osname=win32, com/sun/jna/win32-x86/jnidispach.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispach.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispach.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispach.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjniidispach.so; processor=x86; osname=sunos, com/sun/jna/sunos-x86-64/libjniidispach.so; processor=x86-64; osname=sunos, com/sun/jna/sunos-sparc/libjniidispach.so; processor=sparc; osname=sunos, com/sun/jna/sunos-sparcv9/libjniidispach.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc/libjniidispach.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64/libjniidispach.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc/libjniidispach.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64/libjniidispach.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le/libjniidispach.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86/libjniidispach.so; processor=x86; | Low     |

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  | osname=linux, com/sun/jna/linux-x86-64<br>/libjnidispatch.so; processor=x86-64;<br>osname=linux, com/sun/jna/linux-arm<br>/libjnidispatch.so; processor=arm;<br>osname=linux, com/sun/jna/linux-arm<br>/libjnidispatch.so; processor=arm_le;<br>osname=linux, com/sun/jna/linux-armel<br>/libjnidispatch.so; processor=armel;<br>osname=linux, com/sun/jna/linux-aarch64<br>/libjnidispatch.so; processor=aarch64;<br>osname=linux, com/sun/jna/linux-ia64<br>/libjnidispatch.so; processor=ia64;<br>osname=linux, com/sun/jna/linux-sparcv9<br>/libjnidispatch.so; processor=sparcv9;<br>osname=linux, com/sun/jna/linux-mips64el<br>/libjnidispatch.so; processor=mips64el;<br>osname=linux, com/sun/jna/linux-s390x<br>/libjnidispatch.so; processor=S390x;<br>osname=linux, com/sun/jna/linux-<br>loongarch64/libjnidispatch.so;<br>processor=loongarch64;osname=linux, com<br>/sun/jna/freebsd-x86/libjnidispatch.so;<br>processor=x86;osname=freebsd, com/sun<br>/jna/freebsd-x86-64/libjnidispatch.so;<br>processor=x86-64;osname=freebsd, com<br>/sun/jna/openbsd-x86/libjnidispatch.so;<br>processor=x86;osname=openbsd, com/sun<br>/jna/openbsd-x86-64/libjnidispatch.so;<br>processor=x86-64;osname=openbsd, com<br>/sun/jna/darwin-ppc/libjnidispatch.jnilib;<br>osname=macosx;processor=ppc, com/sun<br>/jna/darwin-ppc64/libjnidispatch.jnilib;<br>osname=macosx;processor=ppc64, com/sun<br>/jna/darwin-x86/libjnidispatch.jnilib;<br>osname=macosx;processor=x86, com/sun<br>/jna/darwin-x86-64/libjnidispatch.jnilib;<br>osname=macosx;processor=x86-64, com<br>/sun/jna/darwin-aarch64/libjnidispatch.jnilib;<br>osname=macosx;processor=aarch64 |  |
|--|--|--|--|--|

|         |          |                              |                          |         |
|---------|----------|------------------------------|--------------------------|---------|
| Product | Manifest | bundle-<br>requiredexecution | JavaSE-1.6               | Low     |
| Product | Manifest | bundle-<br>symbolicname      | com.sun.jna              | Medium  |
| Product | Manifest | Implementation-<br>Title     | com.sun.jna              | High    |
| Product | Manifest | specification-title          | Java Native Access (JNA) | Medium  |
| Version | jar      | package name                 | jna                      | Highest |
| Version | jar      | package name                 | sun                      | Highest |
| Version | jar      | package name                 | win32                    | Highest |
| Version | Manifest | Bundle-Version               | 5.14.0                   | High    |
| Version | Manifest | Implementation-<br>Version   | 5.14.0 (b0)              | High    |

## Related Dependencies



- authentication.pam.zip: jna.jar



- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/jna.jar
- MD5: 9bb1338e58031463c300f643cb3c41fa
- SHA1: d9c6794f22c2e3c846b02d51c6a95c304e8e056b
- SHA256: 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e
- authentication.windows.zip: jna.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna.jar
  - MD5: 9bb1338e58031463c300f643cb3c41fa
  - SHA1: d9c6794f22c2e3c846b02d51c6a95c304e8e056b
  - SHA256: 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e

## Identifiers

- cpe:2.3:a:oracle:java\_se:5.14.0:\*:\*:\*:\*:\* (Confidence:Low) suppress

## jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll

**MD5:** f6bef568e690d361a5dcc165f5ad4b1f

**SHA1:** 05638a4aaafa689a6c246530823afdc18d3fd438

**SHA256:** b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f

**Referenced In Project/Scope:** server

## Evidence

| Type    | Source | Name | Value       | Confidence |
|---------|--------|------|-------------|------------|
| Vendor  | file   | name | jnidispatch | High       |
| Product | file   | name | jnidispatch | High       |

## Related Dependencies

- authentication.pam.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
  - MD5: f6bef568e690d361a5dcc165f5ad4b1f
  - SHA1: 05638a4aaafa689a6c246530823afdc18d3fd438
  - SHA256: b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f
- authentication.windows.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
  - MD5: f6bef568e690d361a5dcc165f5ad4b1f
  - SHA1: 05638a4aaafa689a6c246530823afdc18d3fd438

- SHA256: b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f

#### Identifiers

- None

### jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll

**MD5:** 719d6ba1946c25aa61ce82f90d77ffd5

**SHA1:** 94d2191378cac5719daecc826fc116816284c406

**SHA256:** 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44

**Referenced In Project/Scope:** server

#### Evidence

| Type    | Source | Name | Value       | Confidence |
|---------|--------|------|-------------|------------|
| Vendor  | file   | name | jnidispatch | High       |
| Product | file   | name | jnidispatch | High       |

#### Related Dependencies

- authentication.pam.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
  - MD5: 719d6ba1946c25aa61ce82f90d77ffd5
  - SHA1: 94d2191378cac5719daecc826fc116816284c406
  - SHA256: 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44
- authentication.windows.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
  - MD5: 719d6ba1946c25aa61ce82f90d77ffd5
  - SHA1: 94d2191378cac5719daecc826fc116816284c406
  - SHA256: 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44

#### Identifiers

- None

## jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll

**MD5:** e15183ef9c6c255b76fda73d01ca7ecb

**SHA1:** f816f998c43204230d9ea3eecffb5f8372a32c2e

**SHA256:** 38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c

**Referenced In Project/Scope:** server

### Evidence

| Type    | Source | Name | Value       | Confidence |
|---------|--------|------|-------------|------------|
| Vendor  | file   | name | jnidispatch | High       |
| Product | file   | name | jnidispatch | High       |

### Related Dependencies

- authentication.pam.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
  - MD5: e15183ef9c6c255b76fda73d01ca7ecb
  - SHA1: f816f998c43204230d9ea3eecffb5f8372a32c2e
  - SHA256: 38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c
- authentication.windows.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
  - MD5: e15183ef9c6c255b76fda73d01ca7ecb
  - SHA1: f816f998c43204230d9ea3eecffb5f8372a32c2e
  - SHA256: 38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c

### Identifiers

- None

## jpeg2000.zip: asm.jar

### License:

BSD-3-Clause;link=https://asm.ow2.io/LICENSE.txt

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/asm.jar

**MD5:** 2ef051fa6a616e73d6830f6b2b0f1a72

**SHA1:** 7d0ae5749a0b256a919a7a0ebc91a71857e8cf82

**SHA256:** 5390de4179c841df11b40c0c58ddeea2858fda68de7cc6c023f9a868d8e2223d

**Referenced In Project/Scope:** server

## Evidence



| Type    | Source   | Name                     | Value   | Confidence |
|---------|----------|--------------------------|---|------------|
| Vendor  | file     | name                     | asm   | High       |
| Vendor  | jar      | package name             | asm   | Highest    |
| Vendor  | jar      | package name             | asm   | Low        |
| Vendor  | jar      | package name             | objectweb   | Highest    |
| Vendor  | jar      | package name             | objectweb   | Low        |
| Vendor  | Manifest | bundle-docurl            | http://asm.ow2.org  | Low        |
| Vendor  | Manifest | bundle-requiredexecution | J2SE-1.5  | Low        |
| Vendor  | Manifest | bundle-symbolicname      | org.objectweb.asm   | Medium     |
| Product | file     | name                     | asm   | High       |
| Product | jar      | package name             | asm   | Highest    |
| Product | jar      | package name             | asm   | Low        |
| Product | jar      | package name             | objectweb   | Highest    |
| Product | Manifest | bundle-docurl            | http://asm.ow2.org  | Low        |
| Product | Manifest | Bundle-Name              | org.objectweb.asm   | Medium     |
| Product | Manifest | bundle-requiredexecution | J2SE-1.5  | Low        |
| Product | Manifest | bundle-symbolicname      | org.objectweb.asm   | Medium     |
| Product | Manifest | Implementation-Title     | ASM, a very small and fast Java bytecode manipulation framework | High       |
| Version | jar      | package name             | asm   | Highest    |
| Version | Manifest | Bundle-Version           | 9.7.1   | High       |
| Version | Manifest | Implementation-Version   | 9.7.1   | High       |

## Identifiers

- None

jpeg2000.zip: con crt140.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/concrt140.dll  
**MD5:** 5fe9a647921ded8a2fad92deb9ec4ab2  
**SHA1:** 1ce87fac4c22aae82a81ddb26952c074b744e78d  
**SHA256:**2405355f0a58067b258f8df33c327e3a3d716eac5a3a5aebb757842d85bd376  
**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source | Name    | Value     | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor  | file   | name    | concrt140 | High       |
| Product | file   | name    | concrt140 | High       |
| Version | file   | name    | concrt140 | Medium     |
| Version | file   | version | 140       | Medium     |

#### Identifiers

- None

### jpeg2000.zip: imageio-openjpeg.jar

#### Description:

ImageIO plugin for reading and writing JPEG2000 images via OpenJPEG.  
Requires the OpenJPEG shared native library to be installed on the system.

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/imageio-openjpeg.jar  
**MD5:** 0ad5e8886d0f344f7eb45bec43f1818d  
**SHA1:** cd95fbdfcddeec7415383006699d7ffa084a3d75  
**SHA256:**d1782b0bad21e9ba3609e7a7245d2adb3ce91cc05dc2a7a243e5ebc4f4acd449  
**Referenced In Project/Scope:** server

#### Evidence



| Type   | Source | Name         | Value              | Confidence |
|--------|--------|--------------|--------------------|------------|
| Vendor | file   | name         | imageio-openjpeg   | High       |
| Vendor | jar    | package name | de                 | Highest    |
| Vendor | jar    | package name | de                 | Low        |
| Vendor | jar    | package name | digitalcollections | Highest    |
| Vendor | jar    | package name | digitalcollections | Low        |
| Vendor | jar    | package name | imageio            | Highest    |

|         |      |                   |   |         |
|---------|------|-------------------|---|---------|
| Vendor  | jar  | package name      | openjpeg  | Highest |
| Vendor  | jar  | package name      | openjpeg  | Low     |
| Vendor  | pom  | artifactid        | imageio-openjpeg  | Low     |
| Vendor  | pom  | groupid           | de.digitalcollections.imageio   | Highest |
| Vendor  | pom  | name              | MDZ/Bayerische Staatsbibliothek :: ImageIO<br>:: OpenJPEG/JPEG2000 plugin | High    |
| Vendor  | pom  | parent-artifactid | imageio-jnr   | Low     |
| Product | file | name              | imageio-openjpeg  | High    |
| Product | jar  | package name      | de  | Highest |
| Product | jar  | package name      | digitalcollections  | Highest |
| Product | jar  | package name      | digitalcollections  | Low     |
| Product | jar  | package name      | imageio   | Highest |
| Product | jar  | package name      | lib   | Low     |
| Product | jar  | package name      | openjpeg  | Highest |
| Product | jar  | package name      | openjpeg  | Low     |
| Product | pom  | artifactid        | imageio-openjpeg  | Highest |
| Product | pom  | groupid           | de.digitalcollections.imageio   | Highest |
| Product | pom  | name              | MDZ/Bayerische Staatsbibliothek :: ImageIO<br>:: OpenJPEG/JPEG2000 plugin | High    |
| Product | pom  | parent-artifactid | imageio-jnr   | Medium  |
| Version | pom  | version           | 0.6.8   | Highest |

#### Identifiers

- [pkg:maven/de.digitalcollections.imageio/imageio-openjpeg@0.6.8](https://pkg:maven/de.digitalcollections.imageio/imageio-openjpeg@0.6.8) (*Confidence:High*)

## jpeg2000.zip: jffi-native.jar

### Description:

Java Foreign Function Interface - Native Libraries

### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>, <https://www.gnu.org/licenses/lgpl-3.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jffi-native.jar

**MD5:** 2e608e3ad0691cacd08684534402452e

**SHA1:** 8a57d2d6a97f2cc652cb925d39c54f2bfe16b7e5  
**SHA256:**32ad57a22f6675eac34b65d72ccda00f7263a10bc2a21fed91f6fe7021997f49  
**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source   | Name                  | Value                          | Confidence |
|---------|----------|-----------------------|--------------------------------|------------|
| Vendor  | file     | name                  | jffi-native                    | High       |
| Vendor  | Manifest | automatic-module-name | org.jnrproject.jffi.nativelibs | Medium     |
| Vendor  | Manifest | bundle-symbolicname   | com.github.jnr.jffi.native     | Medium     |
| Product | file     | name                  | jffi-native                    | High       |
| Product | Manifest | automatic-module-name | org.jnrproject.jffi.nativelibs | Medium     |
| Product | Manifest | Bundle-Name           | jffi                           | Medium     |
| Product | Manifest | bundle-symbolicname   | com.github.jnr.jffi.native     | Medium     |
| Version | Manifest | Bundle-Version        | 1.3.13                         | High       |

#### Identifiers

- None

### jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jffi-native.jar/jni/aarch64-Windows/jffi-1.2.dll

**MD5:** 2c0b62583a6446ca74c26dd356a6efc8

**SHA1:** 97d03509897bb23ab808c232fe0fa3240e91d52d

**SHA256:**a4e7cb99d84f2a3b195fabcc4a6c59ab48e9eb25ddf58284b26d068163c9e505

**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source | Name    | Value | Confidence |
|---------|--------|---------|-------|------------|
| Vendor  | file   | name    | jffi  | High       |
| Product | file   | name    | jffi  | High       |
| Version | file   | name    | jffi  | Medium     |
| Version | file   | version | 1.2   | High       |

### Identifiers

- None

## jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jffi-native.jar/jni/i386-Windows/jffi-1.2.dll

**MD5:** 841e60814ed6b2971a47b267aef1c58a

**SHA1:** 07d30c6407fefad8df4b6afc4d85f83e547975ca

**SHA256:** d63b0ec9a7cc75c26fa951928bf550c0e9a5e6c195a3de94a9c24995206bbfd2

**Referenced In Project/Scope:** server

### Evidence



| Type    | Source | Name    | Value | Confidence |
|---------|--------|---------|-------|------------|
| Vendor  | file   | name    | jffi  | High       |
| Product | file   | name    | jffi  | High       |
| Version | file   | name    | jffi  | Medium     |
| Version | file   | version | 1.2   | High       |

### Identifiers

- None

## jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jffi-native.jar/jni/x86\_64-Windows/jffi-1.2.dll

**MD5:** 5d80b61c1f9e31860c17b3a410948e7e

**SHA1:** 5ca292116336ee4ceed00d10e756afea580e62cf

**SHA256:** 58398ba5cda1b7cb89ad4e03dd4a658006956f81acfef4efb4e7dd934e2733ef

**Referenced In Project/Scope:** server

### Evidence



| Type   | Source | Name | Value | Confidence |
|--------|--------|------|-------|------------|
| Vendor | file   | name | jffi  | High       |



|         |      |         |      |        |
|---------|------|---------|------|--------|
| Product | file | name    | jffi | High   |
| Version | file | name    | jffi | Medium |
| Version | file | version | 1.2  | High   |

#### Identifiers

- None

## jpeg2000.zip: jffi.jar

### Description:

Java Foreign Function Interface

### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>  
 GNU Lesser General Public License version 3: <https://www.gnu.org/licenses/lgpl-3.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jffi.jar

**MD5:** cb2d51b0bcb7c2e0136af4500dcf2f8b

**SHA1:** 74c142dbfb366e90671f1bdd120d09b1733c74a5

**SHA256:** 515bdc8aea3e020b15533839dccb5d9c84e2bbb8361c9a951fb457a046258d3d

**Referenced In Project/Scope:** server

### Evidence

| Type   | Source   | Name                  | Value               | Confidence |
|--------|----------|-----------------------|---------------------|------------|
| Vendor | file     | name                  | jffi                | High       |
| Vendor | jar      | package name          | foreign             | Highest    |
| Vendor | jar      | package name          | function            | Highest    |
| Vendor | jar      | package name          | jffi                | Highest    |
| Vendor | Manifest | automatic-module-name | org.jnrproject.jffi | Medium     |
| Vendor | Manifest | build-jdk-spec        | 11                  | Low        |
| Vendor | pom      | artifactid            | jffi                | Low        |
| Vendor | pom      | developer email       | wmeissner@gmail.com | Low        |
| Vendor | pom      | developer id          | wmeissner           | Medium     |
| Vendor | pom      | developer name        | Wayne Meissner      | Medium     |
| Vendor | pom      | groupid               | com.github.jnr      | Highest    |
| Vendor | pom      | name                  | jffi                | High       |

|         |          |                       |                            |         |
|---------|----------|-----------------------|----------------------------|---------|
| Vendor  | pom      | url                   | http://github.com/jnr/jffi | Highest |
| Product | file     | name                  | jffi                       | High    |
| Product | jar      | package name          | foreign                    | Highest |
| Product | jar      | package name          | function                   | Highest |
| Product | jar      | package name          | jffi                       | Highest |
| Product | Manifest | automatic-module-name | org.jnrproject.jffi        | Medium  |
| Product | Manifest | build-jdk-spec        | 11                         | Low     |
| Product | pom      | artifactid            | jffi                       | Highest |
| Product | pom      | developer email       | wmeissner@gmail.com        | Low     |
| Product | pom      | developer id          | wmeissner                  | Low     |
| Product | pom      | developer name        | Wayne Meissner             | Low     |
| Product | pom      | groupid               | com.github.jnr             | Highest |
| Product | pom      | name                  | jffi                       | High    |
| Product | pom      | url                   | http://github.com/jnr/jffi | Medium  |
| Version | pom      | version               | 1.3.13                     | Highest |

#### Identifiers

- [pkg:maven/com.github.jnr/jffi@1.3.13](https://maven.com.github.jnr/jffi@1.3.13) (*Confidence:High*)

## jpeg2000.zip: jnr-ffi.jar

### Description:

A library for invoking native functions from java

### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jnr-ffi.jar

**MD5:** 518346a0b412a2d0de438a3a214dc158

**SHA1:** 2e15cd855d809cd7c30f5b407fe7db738f4345cd

**SHA256:** 21446250c5c42c4c8163678646d31aec673bf5fb9ddd43b69a4d608b3caa045d

**Referenced In Project/Scope:** server

#### Evidence



| Type   | Source | Name | Value   | Confidence |
|--------|--------|------|---------|------------|
| Vendor | file   | name | jnr-ffi | High       |

|         |          |                       |                               |         |
|---------|----------|-----------------------|-------------------------------|---------|
| Vendor  | jar      | package name          | ffi                           | Highest |
| Vendor  | jar      | package name          | jnr                           | Highest |
| Vendor  | jar      | package name          | library                       | Highest |
| Vendor  | Manifest | automatic-module-name | org.jnrproject.ffi            | Medium  |
| Vendor  | Manifest | bundle-symbolicname   | com.github.jnr.ffi            | Medium  |
| Vendor  | pom      | artifactid            | jnr-ffi                       | Low     |
| Vendor  | pom      | developer email       | headius@headius.com           | Low     |
| Vendor  | pom      | developer email       | wmeissner@gmail.com           | Low     |
| Vendor  | pom      | developer id          | headius                       | Medium  |
| Vendor  | pom      | developer id          | wmeissner                     | Medium  |
| Vendor  | pom      | developer name        | Charles Oliver Nutter         | Medium  |
| Vendor  | pom      | developer name        | Wayne Meissner                | Medium  |
| Vendor  | pom      | groupid               | com.github.jnr                | Highest |
| Vendor  | pom      | name                  | jnr-ffi                       | High    |
| Vendor  | pom      | url                   | http://github.com/jnr/jnr-ffi | Highest |
| Product | file     | name                  | jnr-ffi                       | High    |
| Product | jar      | package name          | ffi                           | Highest |
| Product | jar      | package name          | jnr                           | Highest |
| Product | jar      | package name          | library                       | Highest |
| Product | Manifest | automatic-module-name | org.jnrproject.ffi            | Medium  |
| Product | Manifest | Bundle-Name           | jnr-ffi                       | Medium  |
| Product | Manifest | bundle-symbolicname   | com.github.jnr.ffi            | Medium  |
| Product | pom      | artifactid            | jnr-ffi                       | Highest |
| Product | pom      | developer email       | headius@headius.com           | Low     |
| Product | pom      | developer email       | wmeissner@gmail.com           | Low     |
| Product | pom      | developer id          | headius                       | Low     |
| Product | pom      | developer id          | wmeissner                     | Low     |
| Product | pom      | developer name        | Charles Oliver Nutter         | Low     |
| Product | pom      | developer name        | Wayne Meissner                | Low     |
| Product | pom      | groupid               | com.github.jnr                | Highest |
| Product | pom      | name                  | jnr-ffi                       | High    |
| Product | pom      | url                   | http://github.com/jnr/jnr-ffi | Medium  |
| Version | Manifest | Bundle-Version        | 2.2.17                        | High    |

|         |     |         |        |         |
|---------|-----|---------|--------|---------|
| Version | pom | version | 2.2.17 | Highest |
|---------|-----|---------|--------|---------|

## Identifiers

- <pkg:maven/com.github.jnr/jnr-ffi@2.2.17> (*Confidence:High*)

## jpeg2000.zip: jpeg2000.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jpeg2000.jar

**MD5:** eafb56e4081e828bbf6a768e8f32726d

**SHA1:** 8e04ee9fb3bf00566703e07f518f83ac5710242b

**SHA256:** 92a4de730664be71628859c7ae2840fe83201814660b73f22ba670b5c0d08a58

**Referenced In Project/Scope:** server

## Evidence

| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | jpeg2000                             | High       |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | jpeg2000                             | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 17:39                     | Low        |
| Vendor  | Manifest | implementation-group     | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | jpeg2000                             | High       |
| Product | jar      | package name             | jpeg2000                             | Highest    |
| Product | jar      | package name             | jpeg2000                             | Low        |
| Product | jar      | package name             | jpeg2000serverplugin                 | Low        |
| Product | Manifest | built-date               | 2025-10-01 17:39                     | Low        |
| Product | Manifest | implementation-group     | shared                               | Low        |
| Product | Manifest | Implementation-Title     | jpeg2000                             | High       |

|         |          |                        |           |        |
|---------|----------|------------------------|-----------|--------|
| Product | Manifest | specification-title    | jpeg2000  | Medium |
| Version | file     | name                   | jpeg2000  | Medium |
| Version | file     | version                | 2000      | Medium |
| Version | Manifest | Implementation-Version | 25.10.198 | High   |

#### Identifiers

- None

### jpeg2000.zip: msvcp140.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/msvc140.dll

**MD5:** bc88b387cafa556068b5c5d6ff3ccc8f

**SHA1:** b370eca8fa727e46cf61d834fcc956698b02e1fd

**SHA256:** 0f885b509a685d2bbfa652fed26b5fb31d88fbdab0a978c641d1c7b8aa460aa9

**Referenced In Project/Scope:** server

#### Evidence

| Type    | Source | Name    | Value   | Confidence |
|---------|--------|---------|---------|------------|
| Vendor  | file   | name    | msvc140 | High       |
| Product | file   | name    | msvc140 | High       |
| Version | file   | name    | msvc140 | Medium     |
| Version | file   | version | 140     | Medium     |

#### Identifiers

- None

### jpeg2000.zip: msvcp140\_1.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/msvc140\_1.dll

**MD5:** 2a214cb2f0f9473e7765ee3b8db8651e

**SHA1:** 9ce5c3d6c7d94b175f136f552af8771dca6147b3  
**SHA256:** bfad5aef4c63a669e3c140655cdfdf395b6c979b400a447bd5dcb65ed8826c3d  
**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source | Name | Value     | Confidence |
|---------|--------|------|-----------|------------|
| Vendor  | file   | name | msvc140_1 | High       |
| Product | file   | name | msvc140_1 | High       |

#### Identifiers

- None

### jpeg2000.zip: msvc140\_2.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/msvc140\_2.dll  
**MD5:** 3151333808c2c2339d5f5466df70b7dc  
**SHA1:** e48159bb2127ec812ff679f6fab41141009f26a  
**SHA256:** 3ea06f0ee098b4823cb79599df3780e7f23cce52c19aac31d2a0d47efe33a5e9  
**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source | Name | Value     | Confidence |
|---------|--------|------|-----------|------------|
| Vendor  | file   | name | msvc140_2 | High       |
| Product | file   | name | msvc140_2 | High       |

#### Identifiers

- None

### jpeg2000.zip: msvc140\_atomic\_wait.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/msvc140\_atomic\_wait.dll  
**MD5:** 44aec42494531580bca182b0e2fb19c2

**SHA1:** a85a6a4de6656e5969fa4ab15f2230dfe2839e75

**SHA256:**640b2aefced484d0368eea5bdd06add0658a3a70a49256e560d6923b404a479

**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source | Name    | Value               | Confidence |
|---------|--------|---------|---------------------|------------|
| Vendor  | file   | name    | msvc140_atomic_wait | High       |
| Product | file   | name    | msvc140_atomic_wait | High       |
| Version | file   | name    | msvc140_atomic_wait | Medium     |
| Version | file   | version | 140                 | Medium     |

#### Identifiers

- None

### jpeg2000.zip: msvc140\_codecvt\_ids.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/msvc140\_codecvt\_ids.dll

**MD5:** 3ece3fb90bfaea8e9a5fb7139ff9cbdc

**SHA1:** 91b19dd0db24a5cbd944eca9c67fad3b53f9c154

**SHA256:**f2069a52880ec885ee7f0511186100eb7fada0411a2b4948fafea7735b878a18

**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source | Name    | Value               | Confidence |
|---------|--------|---------|---------------------|------------|
| Vendor  | file   | name    | msvc140_codecvt_ids | High       |
| Product | file   | name    | msvc140_codecvt_ids | High       |
| Version | file   | name    | msvc140_codecvt_ids | Medium     |
| Version | file   | version | 140                 | Medium     |

#### Identifiers

- [cpe:2.3:a:ids:ids:140:\\*:\\*:\\*:\\*:\\*](#) (Confidence:High) suppress

## jpeg2000.zip: openjp2.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/openjp2.dll

**MD5:** 314edfd45bf5903a645f40ba1d7199a6

**SHA1:** 7cdb0e711a199b6cd581e1455be7d5fe3fd46766

**SHA256:** 4e5261df72ca0702b2de0bac29d772e86a316a24373e16aaf6aec84c7081aeb9

**Referenced In Project/Scope:** server

### Evidence



| Type    | Source | Name    | Value   | Confidence |
|---------|--------|---------|---------|------------|
| Vendor  | file   | name    | openjp2 | High       |
| Product | file   | name    | openjp2 | High       |
| Version | file   | name    | openjp2 | Medium     |
| Version | file   | version | 2       | Medium     |

### Identifiers

- None

## jpeg2000.zip: vcruntime140.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/vcruntime140.dll

**MD5:** 6ca4edb2b52ec46c7fca3fd372ca6c00

**SHA1:** 3d2998a27d164dd7cc3bc7d3eca08acf89a0ee42

**SHA256:** d5e4d9a3e835fa679450145d6a7d94e36573a509317111904d9b3712c30d9066

**Referenced In Project/Scope:** server

### Evidence



| Type    | Source | Name    | Value        | Confidence |
|---------|--------|---------|--------------|------------|
| Vendor  | file   | name    | vcruntime140 | High       |
| Product | file   | name    | vcruntime140 | High       |
| Version | file   | name    | vcruntime140 | Medium     |
| Version | file   | version | 140          | Medium     |

### Identifiers



- None

## jpeg2000.zip: vcruntime140\_1.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/vcruntime140\_1.dll

**MD5:** cd1b08f4930b276ad78853580b76b5c6

**SHA1:** a0330279d3d0d47f19ed984726e25260b547a228

**SHA256:** 1f2d41c4aa5db0bc33ebf7b66d72943a817d7ce6cbe880502a9403823633093f

**Referenced In Project/Scope:** server

### Evidence

| Type    | Source | Name | Value          | Confidence |
|---------|--------|------|----------------|------------|
| Vendor  | file   | name | vcruntime140_1 | High       |
| Product | file   | name | vcruntime140_1 | High       |

### Identifiers

- None

## jquery.cookiebar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/src/com/inet/application/googleanalytics/client/js/jquery.cookiebar.js

**MD5:** 1d80c26eef415bdf8697bac674711242

**SHA1:** de48d8a423f629ee5bd320aa8f6a1a9d8d38e488

**SHA256:** 346f57f7300726376004aee29a3e1bc02614355bbf6f60f1153d215105761c8e

**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Related Dependencies

- application.googleanalytics.sample.zip: jquery.cookiebar.js

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.sample.zip/src/com/inet/application/googleanalytics/client/js/jquery.cookiebar.js
- MD5: 1d80c26eef415bdf8697bac674711242
- SHA1: de48d8a423f629ee5bd320aa8f6a1a9d8d38e488
- SHA256: 346f57f7300726376004aee29a3e1bc02614355bbf6f60f1153d215105761c8e

#### Identifiers

- None

### jsr305-3.0.2.jar

#### Description:

JSR305 Annotations for Findbugs

#### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/jsr305/3.0.2/25ea2e8b0c338a877313bd4672d3fe056ea78f0d/jsr305-3.0.2.jar

**MD5:** dd83accb899363c32b07d7a1b2e4ce40

**SHA1:** 25ea2e8b0c338a877313bd4672d3fe056ea78f0d

**SHA256:** 766ad2a0783f2687962c8ad74ceecc38a28b9f72a2d085ee438b7813e928d0c7

**Referenced In Project/Scope:** server:inetPlugin

**Included by:** pkg:maven/de.inetsoftware/jlessc@1.14

#### Evidence



| Type    | Source   | Name                | Value   | Confidence |
|---------|----------|---------------------|---|------------|
| Vendor  | file     | name                | jsr305  | High       |
| Vendor  | gradle   | artifactid          | jsr305  | Highest    |
| Vendor  | gradle   | groupid             | com.google.code.findbugs  | Highest    |
| Vendor  | Manifest | bundle-symbolicname | org.jsr-305   | Medium     |
| Vendor  | pom      | artifactid          | jsr305  | Low        |
| Vendor  | pom      | groupid             | com.google.code.findbugs  | Highest    |
| Vendor  | pom      | name                | FindBugs-jsr305   | High       |
| Vendor  | pom      | url                 | <a href="http://findbugs.sourceforge.net/">http://findbugs.sourceforge.net/</a> | Highest    |
| Product | file     | name                | jsr305  | High       |
| Product | gradle   | artifactid          | jsr305  | Highest    |
| Product | Manifest | Bundle-Name         | FindBugs-jsr305   | Medium     |

|         |          |                     |                                  |         |
|---------|----------|---------------------|----------------------------------|---------|
| Product | Manifest | bundle-symbolicname | org.jsr-305                      | Medium  |
| Product | pom      | artifactid          | jsr305                           | Highest |
| Product | pom      | groupid             | com.google.code.findbugs         | Highest |
| Product | pom      | name                | FindBugs-jsr305                  | High    |
| Product | pom      | url                 | http://findbugs.sourceforge.net/ | Medium  |
| Version | file     | version             | 3.0.2                            | High    |
| Version | gradle   | version             | 3.0.2                            | Highest |
| Version | Manifest | Bundle-Version      | 3.0.2                            | High    |
| Version | pom      | version             | 3.0.2                            | Highest |

### Identifiers

- <pkg:maven/com.google.code.findbugs/jsr305@3.0.2> (*Confidence:High*)

## junit-4.13.2.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/junit/junit/4.13.2

/8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12/junit-4.13.2.jar

**MD5:** d98a9a02a99a9acd22d7653cbcc1f31f

**SHA1:** 8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12

**SHA256:** 8e495b634469d64fb8acfa3495a065cbacc8a0fff55ce1e31007be4c16dc57d3

**Referenced In Project/Scope:** server:inetPlugin

**Included by:** pkg:maven/clear-reports/server@25.10

### Evidence

| Type   | Source   | Name                  | Value            | Confidence |
|--------|----------|-----------------------|------------------|------------|
| Vendor | file     | name                  | junit            | High       |
| Vendor | gradle   | artifactid            | junit            | Highest    |
| Vendor | gradle   | groupid               | junit            | Highest    |
| Vendor | jar      | package name          | junit            | Highest    |
| Vendor | jar      | package name          | junit            | Low        |
| Vendor | Manifest | automatic-module-name | junit            | Medium     |
| Vendor | Manifest | implementation-url    | http://junit.org | Low        |
| Vendor | Manifest | Implementation-Vendor | JUnit            | High       |
| Vendor | Manifest | Implementation-       | junit            | Medium     |

|         |          |                        |                  |         |
|---------|----------|------------------------|------------------|---------|
|         |          | Vendor-Id              |                  |         |
| Product | file     | name                   | junit            | High    |
| Product | gradle   | artifactid             | junit            | Highest |
| Product | jar      | package name           | junit            | Highest |
| Product | Manifest | automatic-module-name  | junit            | Medium  |
| Product | Manifest | Implementation-Title   | JUnit            | High    |
| Product | Manifest | implementation-url     | http://junit.org | Low     |
| Version | file     | version                | 4.13.2           | High    |
| Version | Manifest | Implementation-Version | 4.13.2           | High    |

Identifiers

- [pkg:maven/junit/junit@4.13.2](#) (Confidence: Highest)
- [cpe:2.3:a:junit:junit4:4.13.2:\\*:\\*:\\*:\\*:\\*](#) (Confidence: Highest) suppress

junit-jupiter-5.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter/5.13.4/93547b3eca48a61f65f735c1898d3ec196e34149/junit-jupiter-5.13.4.jar  
**MD5:** 3f4e38bdbea73c98a50f08b7c6e33426  
**SHA1:** 93547b3eca48a61f65f735c1898d3ec196e34149  
**SHA256:** b960f79217dd01c863031b678f07df4730bbf1eac650c74ad6b0c61faad78379  
**Referenced In Project/Scope:** server:inetPlugin  
**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/clear-reports/server@25.10
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

Evidence +

| Type   | Source   | Name         | Value             | Confidence |
|--------|----------|--------------|-------------------|------------|
| Vendor | file     | name         | junit-jupiter     | High       |
| Vendor | gradle   | artifactid   | junit-jupiter     | Highest    |
| Vendor | gradle   | groupid      | org.junit.jupiter | Highest    |
| Vendor | jar      | package name | module-info       | Low        |
| Vendor | Manifest | build-date   | 2025-07-21        | Low        |

|         |          |                        |  |         |
|---------|----------|------------------------|--|---------|
| Vendor  | Manifest | build-revision         | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low     |
| Vendor  | Manifest | build-time             | 08:57:57.538+0200                      | Low     |
| Vendor  | Manifest | bundle-symbolicname    | junit-jupiter                          | Medium  |
| Vendor  | Manifest | Implementation-Vendor  | junit.org                              | High    |
| Vendor  | Manifest | specification-vendor   | junit.org                              | Low     |
| Product | file     | name                   | junit-jupiter                          | High    |
| Product | gradle   | artifactid             | junit-jupiter                          | Highest |
| Product | Manifest | build-date             | 2025-07-21                             | Low     |
| Product | Manifest | build-revision         | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low     |
| Product | Manifest | build-time             | 08:57:57.538+0200                      | Low     |
| Product | Manifest | Bundle-Name            | JUnit Jupiter (Aggregator)             | Medium  |
| Product | Manifest | bundle-symbolicname    | junit-jupiter                          | Medium  |
| Product | Manifest | Implementation-Title   | junit-jupiter                          | High    |
| Product | Manifest | specification-title    | junit-jupiter                          | Medium  |
| Version | file     | version                | 5.13.4                                 | High    |
| Version | Manifest | Implementation-Version | 5.13.4                                 | High    |

#### Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4](https://maven.org/junit/jupiter/junit-jupiter@5.13.4) (*Confidence*:Highest)

### junit-jupiter-api-5.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-api/5.13.4/2817f736551fe4949b79924715ef6f594ee072f4/junit-jupiter-api-5.13.4.jar

**MD5:** d9981621212d598a4ba380342094c92f

**SHA1:** 2817f736551fe4949b79924715ef6f594ee072f4

**SHA256:** d1bb81abfd9e03418306b4e6a3390c8db52c58372e749c2980ac29f0c08278f1

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

#### Evidence



| Type    | Source   | Name                   | Value                                  | Confidence |
|---------|----------|------------------------|--|------------|
| Vendor  | file     | name                   | junit-jupiter-api                      | High       |
| Vendor  | gradle   | artifactid             | junit-jupiter-api                      | Highest    |
| Vendor  | gradle   | groupid                | org.junit.jupiter                      | Highest    |
| Vendor  | jar      | package name           | api                                    | Highest    |
| Vendor  | jar      | package name           | api                                    | Low        |
| Vendor  | jar      | package name           | junit                                  | Highest    |
| Vendor  | jar      | package name           | junit                                  | Low        |
| Vendor  | jar      | package name           | jupiter                                | Highest    |
| Vendor  | jar      | package name           | jupiter                                | Low        |
| Vendor  | Manifest | build-date             | 2025-07-21                             | Low        |
| Vendor  | Manifest | build-revision         | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low        |
| Vendor  | Manifest | build-time             | 08:57:57.538+0200                      | Low        |
| Vendor  | Manifest | bundle-symbolicname    | junit-jupiter-api                      | Medium     |
| Vendor  | Manifest | Implementation-Vendor  | junit.org                              | High       |
| Vendor  | Manifest | specification-vendor   | junit.org                              | Low        |
| Product | file     | name                   | junit-jupiter-api                      | High       |
| Product | gradle   | artifactid             | junit-jupiter-api                      | Highest    |
| Product | jar      | package name           | api                                    | Highest    |
| Product | jar      | package name           | api                                    | Low        |
| Product | jar      | package name           | junit                                  | Highest    |
| Product | jar      | package name           | jupiter                                | Highest    |
| Product | jar      | package name           | jupiter                                | Low        |
| Product | Manifest | build-date             | 2025-07-21                             | Low        |
| Product | Manifest | build-revision         | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low        |
| Product | Manifest | build-time             | 08:57:57.538+0200                      | Low        |
| Product | Manifest | Bundle-Name            | JUnit Jupiter API                      | Medium     |
| Product | Manifest | bundle-symbolicname    | junit-jupiter-api                      | Medium     |
| Product | Manifest | Implementation-Title   | junit-jupiter-api                      | High       |
| Product | Manifest | specification-title    | junit-jupiter-api                      | Medium     |
| Version | file     | version                | 5.13.4                                 | High       |
| Version | Manifest | Implementation-Version | 5.13.4                                 | High       |

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-api@5.13.4](#) (Confidence: Highest)

junit-jupiter-engine-5.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-engine/5.13.4/d29fc8b6a28d21b8741f299ae4deb3e3aa68b2e8/junit-jupiter-engine-5.13.4.jar

**MD5:** 3416ff6cff3dd4ea789b92338a49b9b2

**SHA1:** d29fc8b6a28d21b8741f299ae4deb3e3aa68b2e8

**SHA256:** 027404a92fe618b72465792a257951495c503a7d5751e2791e0f51c87f67f5bc

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/clear-reports/server@25.10
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

Evidence



| Type   | Source   | Name                  | Value  | Confidence |
|--------|----------|-----------------------|--|------------|
| Vendor | file     | name                  | junit-jupiter-engine   | High       |
| Vendor | gradle   | artifactid            | junit-jupiter-engine   | Highest    |
| Vendor | gradle   | groupid               | org.junit.jupiter  | Highest    |
| Vendor | jar      | package name          | engine   | Highest    |
| Vendor | jar      | package name          | engine   | Low        |
| Vendor | jar      | package name          | junit  | Highest    |
| Vendor | jar      | package name          | junit  | Low        |
| Vendor | jar      | package name          | jupiter  | Highest    |
| Vendor | jar      | package name          | jupiter  | Low        |
| Vendor | Manifest | build-date            | 2025-07-21   | Low        |
| Vendor | Manifest | build-revision        | 8a21048605e61dc388c1c83cbecf9dd5097a59   | Low        |
| Vendor | Manifest | build-time            | 08:57:57.538+0200  | Low        |
| Vendor | Manifest | bundle-symbolicname   | junit-jupiter-engine   | Medium     |
| Vendor | Manifest | Implementation-Vendor | junit.org  | High       |
| Vendor | Manifest | provide-capability    | org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.13.4" | Low        |

|         |          |                        |  |         |
|---------|----------|------------------------|--|---------|
| Vendor  | Manifest | specification-vendor   | junit.org  | Low     |
| Product | file     | name                   | junit-jupiter-engine   | High    |
| Product | gradle   | artifactid             | junit-jupiter-engine   | Highest |
| Product | jar      | package name           | engine   | Highest |
| Product | jar      | package name           | engine   | Low     |
| Product | jar      | package name           | junit  | Highest |
| Product | jar      | package name           | jupiter  | Highest |
| Product | jar      | package name           | jupiter  | Low     |
| Product | Manifest | build-date             | 2025-07-21   | Low     |
| Product | Manifest | build-revision         | 8a21048605e61dc388c1c83cbecf9dd5097a59   | Low     |
| Product | Manifest | build-time             | 08:57:57.538+0200  | Low     |
| Product | Manifest | Bundle-Name            | JUnit Jupiter Engine   | Medium  |
| Product | Manifest | bundle-symbolicname    | junit-jupiter-engine   | Medium  |
| Product | Manifest | Implementation-Title   | junit-jupiter-engine   | High    |
| Product | Manifest | provide-capability     | org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.13.4" | Low     |
| Product | Manifest | specification-title    | junit-jupiter-engine   | Medium  |
| Version | file     | version                | 5.13.4   | High    |
| Version | Manifest | Implementation-Version | 5.13.4   | High    |

#### Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4](https://maven.org/junit/jupiter/junit-jupiter-engine@5.13.4) (*Confidence: Highest*)

### junit-jupiter-params-5.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-params/5.13.4/c8930eb7fcbed0b191703ab53f48475a75bd17/junit-jupiter-params-5.13.4.jar

**MD5:** a1db21cc54b627a085918626a3908c9e

**SHA1:** 0c8930eb7fcbed0b191703ab53f48475a75bd17

**SHA256:** 3a8c6365716dbb698c0d49a05456c1e1ad05c406613c550f9dd50037872efc41

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4



## Evidence



| Type    | Source   | Name                  | Value                                  | Confidence |
|---------|----------|-----------------------|--|------------|
| Vendor  | file     | name                  | junit-jupiter-params                   | High       |
| Vendor  | gradle   | artifactid            | junit-jupiter-params                   | Highest    |
| Vendor  | gradle   | groupid               | org.junit.jupiter                      | Highest    |
| Vendor  | jar      | package name          | junit                                  | Highest    |
| Vendor  | jar      | package name          | junit                                  | Low        |
| Vendor  | jar      | package name          | jupiter                                | Highest    |
| Vendor  | jar      | package name          | jupiter                                | Low        |
| Vendor  | jar      | package name          | params                                 | Highest    |
| Vendor  | jar      | package name          | params                                 | Low        |
| Vendor  | Manifest | build-date            | 2025-07-21                             | Low        |
| Vendor  | Manifest | build-revision        | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low        |
| Vendor  | Manifest | build-time            | 08:57:57.538+0200                      | Low        |
| Vendor  | Manifest | bundle-symbolicname   | junit-jupiter-params                   | Medium     |
| Vendor  | Manifest | Implementation-Vendor | junit.org                              | High       |
| Vendor  | Manifest | specification-vendor  | junit.org                              | Low        |
| Product | file     | name                  | junit-jupiter-params                   | High       |
| Product | gradle   | artifactid            | junit-jupiter-params                   | Highest    |
| Product | jar      | package name          | junit                                  | Highest    |
| Product | jar      | package name          | jupiter                                | Highest    |
| Product | jar      | package name          | jupiter                                | Low        |
| Product | jar      | package name          | params                                 | Highest    |
| Product | jar      | package name          | params                                 | Low        |
| Product | jar      | package name          | shadow                                 | Low        |
| Product | Manifest | build-date            | 2025-07-21                             | Low        |
| Product | Manifest | build-revision        | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low        |
| Product | Manifest | build-time            | 08:57:57.538+0200                      | Low        |
| Product | Manifest | Bundle-Name           | JUnit Jupiter Params                   | Medium     |
| Product | Manifest | bundle-symbolicname   | junit-jupiter-params                   | Medium     |
| Product | Manifest | Implementation-Title  | junit-jupiter-params                   | High       |
| Product | Manifest | specification-title   | junit-jupiter-params                   | Medium     |

|         |          |                        |        |      |
|---------|----------|------------------------|--------|------|
| Version | file     | version                | 5.13.4 | High |
| Version | Manifest | Implementation-Version | 5.13.4 | High |

#### Identifiers

- <pkg:maven/org.junit.jupiter/junit-jupiter-params@5.13.4> (*Confidence*:Highest)

### junit-platform-commons-1.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-commons/1.13.4/8f63c7ed05b473d95cc63d1082054d7bfcf9c0e5/junit-platform-commons-1.13.4.jar

**MD5:** 7c39b85780e5bec0a23408959ac83fa9

**SHA1:** 8f63c7ed05b473d95cc63d1082054d7bfcf9c0e5

**SHA256:** 1c25ca641ebaae44ff3ad21ca1b2ef68d0dd84bfeb07c4805ba7840899b77408

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

#### Evidence



| Type   | Source   | Name                | Value                                  | Confidence |
|--------|----------|---------------------|--|------------|
| Vendor | file     | name                | junit-platform-commons                 | High       |
| Vendor | gradle   | artifactid          | junit-platform-commons                 | Highest    |
| Vendor | gradle   | groupid             | org.junit.platform                     | Highest    |
| Vendor | jar      | package name        | commons                                | Highest    |
| Vendor | jar      | package name        | commons                                | Low        |
| Vendor | jar      | package name        | junit                                  | Highest    |
| Vendor | jar      | package name        | junit                                  | Low        |
| Vendor | jar      | package name        | org                                    | Highest    |
| Vendor | jar      | package name        | platform                               | Highest    |
| Vendor | jar      | package name        | platform                               | Low        |
| Vendor | Manifest | build-date          | 2025-07-21                             | Low        |
| Vendor | Manifest | build-revision      | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low        |
| Vendor | Manifest | build-time          | 08:57:57.538+0200                      | Low        |
| Vendor | Manifest | bundle-symbolicname | junit-platform-commons                 | Medium     |
| Vendor | Manifest | Implementation-     | junit.org                              | High       |

|         |          | Vendor                 |  |         |
|---------|----------|------------------------|--|---------|
| Vendor  | Manifest | multi-release          | true                                   | Low     |
| Vendor  | Manifest | specification-vendor   | junit.org                              | Low     |
| Product | file     | name                   | junit-platform-commons                 | High    |
| Product | gradle   | artifactid             | junit-platform-commons                 | Highest |
| Product | jar      | package name           | commons                                | Highest |
| Product | jar      | package name           | commons                                | Low     |
| Product | jar      | package name           | junit                                  | Highest |
| Product | jar      | package name           | platform                               | Highest |
| Product | jar      | package name           | platform                               | Low     |
| Product | Manifest | build-date             | 2025-07-21                             | Low     |
| Product | Manifest | build-revision         | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low     |
| Product | Manifest | build-time             | 08:57:57.538+0200                      | Low     |
| Product | Manifest | Bundle-Name            | JUnit Platform Commons                 | Medium  |
| Product | Manifest | bundle-symbolicname    | junit-platform-commons                 | Medium  |
| Product | Manifest | Implementation-Title   | junit-platform-commons                 | High    |
| Product | Manifest | multi-release          | true                                   | Low     |
| Product | Manifest | specification-title    | junit-platform-commons                 | Medium  |
| Version | file     | version                | 1.13.4                                 | High    |
| Version | Manifest | Implementation-Version | 1.13.4                                 | High    |

#### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-commons@1.13.4](https://pkg:maven/org.junit.platform/junit-platform-commons@1.13.4) (*Confidence*:Highest)

### junit-platform-engine-1.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-engine/1.13.4/cdd49063ae6e25494d1a9a08f4a9ab5de2b73bcb/junit-platform-engine-1.13.4.jar

**MD5:** 736aa9e83f7ba2b54adb5f86821fd4dd

**SHA1:** cdd49063ae6e25494d1a9a08f4a9ab5de2b73bcb

**SHA256:** 390c5f77b84283a64b644f88251b397e0b0debb80bdcc50f899881aecff43a5a

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4

- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

## Evidence



| Type    | Source   | Name                  | Value                                  | Confidence |
|---------|----------|-----------------------|--|------------|
| Vendor  | file     | name                  | junit-platform-engine                  | High       |
| Vendor  | gradle   | artifactid            | junit-platform-engine                  | Highest    |
| Vendor  | gradle   | groupid               | org.junit.platform                     | Highest    |
| Vendor  | jar      | package name          | engine                                 | Highest    |
| Vendor  | jar      | package name          | engine                                 | Low        |
| Vendor  | jar      | package name          | junit                                  | Highest    |
| Vendor  | jar      | package name          | junit                                  | Low        |
| Vendor  | jar      | package name          | platform                               | Highest    |
| Vendor  | jar      | package name          | platform                               | Low        |
| Vendor  | Manifest | build-date            | 2025-07-21                             | Low        |
| Vendor  | Manifest | build-revision        | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low        |
| Vendor  | Manifest | build-time            | 08:57:57.538+0200                      | Low        |
| Vendor  | Manifest | bundle-symbolicname   | junit-platform-engine                  | Medium     |
| Vendor  | Manifest | Implementation-Vendor | junit.org                              | High       |
| Vendor  | Manifest | specification-vendor  | junit.org                              | Low        |
| Product | file     | name                  | junit-platform-engine                  | High       |
| Product | gradle   | artifactid            | junit-platform-engine                  | Highest    |
| Product | jar      | package name          | engine                                 | Highest    |
| Product | jar      | package name          | engine                                 | Low        |
| Product | jar      | package name          | junit                                  | Highest    |
| Product | jar      | package name          | platform                               | Highest    |
| Product | jar      | package name          | platform                               | Low        |
| Product | jar      | package name          | support                                | Low        |
| Product | Manifest | build-date            | 2025-07-21                             | Low        |
| Product | Manifest | build-revision        | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low        |
| Product | Manifest | build-time            | 08:57:57.538+0200                      | Low        |
| Product | Manifest | Bundle-Name           | JUnit Platform Engine API              | Medium     |
| Product | Manifest | bundle-symbolicname   | junit-platform-engine                  | Medium     |
| Product | Manifest | Implementation-       | junit-platform-engine                  | High       |

|         |          | Title                  |                       |        |
|---------|----------|------------------------|-----------------------|--------|
| Product | Manifest | specification-title    | junit-platform-engine | Medium |
| Version | file     | version                | 1.13.4                | High   |
| Version | Manifest | Implementation-Version | 1.13.4                | High   |

### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-engine@1.13.4](#) (Confidence: Highest)

## junit-platform-launcher-1.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-launcher/1.13.4/e72a4d00af6177569fd57df4c8c4bb241c6aa4b6/junit-platform-launcher-1.13.4.jar

**MD5:** bdfea9c8c038752c70631934b2067073

**SHA1:** e72a4d00af6177569fd57df4c8c4bb241c6aa4b6

**SHA256:** 0b0beaeb6880a31149641d2d848b863712885469670c12099586d7f798522564

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

### Evidence



| Type   | Source   | Name                | Value                                  | Confidence |
|--------|----------|---------------------|--|------------|
| Vendor | file     | name                | junit-platform-launcher                | High       |
| Vendor | gradle   | artifactid          | junit-platform-launcher                | Highest    |
| Vendor | gradle   | groupid             | org.junit.platform                     | Highest    |
| Vendor | jar      | package name        | junit                                  | Highest    |
| Vendor | jar      | package name        | junit                                  | Low        |
| Vendor | jar      | package name        | launcher                               | Highest    |
| Vendor | jar      | package name        | launcher                               | Low        |
| Vendor | jar      | package name        | platform                               | Highest    |
| Vendor | jar      | package name        | platform                               | Low        |
| Vendor | Manifest | build-date          | 2025-07-21                             | Low        |
| Vendor | Manifest | build-revision      | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low        |
| Vendor | Manifest | build-time          | 08:57:57.538+0200                      | Low        |
| Vendor | Manifest | bundle-symbolicname | junit-platform-launcher                | Medium     |

|         |          |                        |  |         |
|---------|----------|------------------------|--|---------|
| Vendor  | Manifest | Implementation-Vendor  | junit.org  | High    |
| Vendor  | Manifest | provide-capability     | org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.13.4" | Low     |
| Vendor  | Manifest | specification-vendor   | junit.org  | Low     |
| Product | file     | name                   | junit-platform-launcher  | High    |
| Product | gradle   | artifactid             | junit-platform-launcher  | Highest |
| Product | jar      | package name           | junit  | Highest |
| Product | jar      | package name           | launcher   | Highest |
| Product | jar      | package name           | launcher   | Low     |
| Product | jar      | package name           | platform   | Highest |
| Product | jar      | package name           | platform   | Low     |
| Product | Manifest | build-date             | 2025-07-21   | Low     |
| Product | Manifest | build-revision         | 8a21048605e61dc388c1c83cbecf9dd5097a59   | Low     |
| Product | Manifest | build-time             | 08:57:57.538+0200  | Low     |
| Product | Manifest | Bundle-Name            | JUnit Platform Launcher  | Medium  |
| Product | Manifest | bundle-symbolicname    | junit-platform-launcher  | Medium  |
| Product | Manifest | Implementation-Title   | junit-platform-launcher  | High    |
| Product | Manifest | provide-capability     | org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.13.4" | Low     |
| Product | Manifest | specification-title    | junit-platform-launcher  | Medium  |
| Version | file     | version                | 1.13.4   | High    |
| Version | Manifest | Implementation-Version | 1.13.4   | High    |

#### Identifiers

- <pkg:maven/org.junit.platform/junit-platform-launcher@1.13.4> (*Confidence: Highest*)

### junit-platform-suite-1.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite/1.13.4/7af47cc4d0fbbd9a940644799a69f1f4c3ec4ee7/junit-platform-suite-1.13.4.jar

**MD5:** 378c01f6aba4143235fcd78ee5e1490f

**SHA1:** 7af47cc4d0fbbd9a940644799a69f1f4c3ec4ee7

SHA256:8088a80b47f5a7e73fa107f466dfa6a86776ca496fc2e7724aba65202d467913

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/clear-reports/server@25.10
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

Evidence



| Type    | Source   | Name                   | Value                                  | Confidence |
|---------|----------|------------------------|--|------------|
| Vendor  | file     | name                   | junit-platform-suite                   | High       |
| Vendor  | gradle   | artifactid             | junit-platform-suite                   | Highest    |
| Vendor  | gradle   | groupid                | org.junit.platform                     | Highest    |
| Vendor  | jar      | package name           | module-info                            | Low        |
| Vendor  | Manifest | build-date             | 2025-07-21                             | Low        |
| Vendor  | Manifest | build-revision         | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low        |
| Vendor  | Manifest | build-time             | 08:57:57.538+0200                      | Low        |
| Vendor  | Manifest | bundle-symbolicname    | junit-platform-suite                   | Medium     |
| Vendor  | Manifest | Implementation-Vendor  | junit.org                              | High       |
| Vendor  | Manifest | specification-vendor   | junit.org                              | Low        |
| Product | file     | name                   | junit-platform-suite                   | High       |
| Product | gradle   | artifactid             | junit-platform-suite                   | Highest    |
| Product | Manifest | build-date             | 2025-07-21                             | Low        |
| Product | Manifest | build-revision         | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low        |
| Product | Manifest | build-time             | 08:57:57.538+0200                      | Low        |
| Product | Manifest | Bundle-Name            | JUnit Platform Suite (Aggregator)      | Medium     |
| Product | Manifest | bundle-symbolicname    | junit-platform-suite                   | Medium     |
| Product | Manifest | Implementation-Title   | junit-platform-suite                   | High       |
| Product | Manifest | specification-title    | junit-platform-suite                   | Medium     |
| Version | file     | version                | 1.13.4                                 | High       |
| Version | Manifest | Implementation-Version | 1.13.4                                 | High       |

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite@1.13.4](https://maven.org/junit.platform/junit-platform-suite@1.13.4) (Confidence: Highest)

## junit-platform-suite-api-1.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-api/1.13.4/7e29167859b8b66ae9bc60f63f33202b1c8b77e3/junit-platform-suite-api-1.13.4.jar

**MD5:** 53ff3dfddb5bc864217e7442ca0a8243

**SHA1:** 7e29167859b8b66ae9bc60f63f33202b1c8b77e3

**SHA256:** 9a05bf77e128371f5b3e25ffc89f7af467a9f68dd365fdced469ebcf533abc9

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

### Evidence



| Type    | Source   | Name                  | Value                                  | Confidence |
|---------|----------|-----------------------|--|------------|
| Vendor  | file     | name                  | junit-platform-suite-api               | High       |
| Vendor  | gradle   | artifactid            | junit-platform-suite-api               | Highest    |
| Vendor  | gradle   | groupid               | org.junit.platform                     | Highest    |
| Vendor  | jar      | package name          | api                                    | Highest    |
| Vendor  | jar      | package name          | junit                                  | Highest    |
| Vendor  | jar      | package name          | junit                                  | Low        |
| Vendor  | jar      | package name          | platform                               | Highest    |
| Vendor  | jar      | package name          | platform                               | Low        |
| Vendor  | jar      | package name          | suite                                  | Highest    |
| Vendor  | jar      | package name          | suite                                  | Low        |
| Vendor  | Manifest | build-date            | 2025-07-21                             | Low        |
| Vendor  | Manifest | build-revision        | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low        |
| Vendor  | Manifest | build-time            | 08:57:57.538+0200                      | Low        |
| Vendor  | Manifest | bundle-symbolicname   | junit-platform-suite-api               | Medium     |
| Vendor  | Manifest | Implementation-Vendor | junit.org                              | High       |
| Vendor  | Manifest | specification-vendor  | junit.org                              | Low        |
| Product | file     | name                  | junit-platform-suite-api               | High       |
| Product | gradle   | artifactid            | junit-platform-suite-api               | Highest    |
| Product | jar      | package name          | api                                    | Highest    |



|         |          |                        |  |         |
|---------|----------|------------------------|--|---------|
| Product | jar      | package name           | api                                    | Low     |
| Product | jar      | package name           | junit                                  | Highest |
| Product | jar      | package name           | platform                               | Highest |
| Product | jar      | package name           | platform                               | Low     |
| Product | jar      | package name           | suite                                  | Highest |
| Product | jar      | package name           | suite                                  | Low     |
| Product | Manifest | build-date             | 2025-07-21                             | Low     |
| Product | Manifest | build-revision         | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low     |
| Product | Manifest | build-time             | 08:57:57.538+0200                      | Low     |
| Product | Manifest | Bundle-Name            | JUnit Platform Suite API               | Medium  |
| Product | Manifest | bundle-symbolicname    | junit-platform-suite-api               | Medium  |
| Product | Manifest | Implementation-Title   | junit-platform-suite-api               | High    |
| Product | Manifest | specification-title    | junit-platform-suite-api               | Medium  |
| Version | file     | version                | 1.13.4                                 | High    |
| Version | Manifest | Implementation-Version | 1.13.4                                 | High    |

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-api@1.13.4](#) (*Confidence*:Highest)

junit-platform-suite-commons-1.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-commons/1.13.4/65f946a08a21ddec266dd3010977111bbc84043/junit-platform-suite-commons-1.13.4.jar

**MD5:** ecab6fa371485191490729865ca59fba

**SHA1:** 65f946a08a21ddec266dd3010977111bbc84043

**SHA256:** e7dacfcfa3bc692c0a7a413cefd5f51ae420415a14d39091bdf88aebfdbba70b6

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

Evidence



| Type   | Source | Name | Value                        | Confidence |
|--------|--------|------|------------------------------|------------|
| Vendor | file   | name | junit-platform-suite-commons | High       |

|         |          |                       |  |         |
|---------|----------|-----------------------|--|---------|
| Vendor  | gradle   | artifactid            | junit-platform-suite-commons           | Highest |
| Vendor  | gradle   | groupid               | org.junit.platform                     | Highest |
| Vendor  | jar      | package name          | commons                                | Highest |
| Vendor  | jar      | package name          | junit                                  | Highest |
| Vendor  | jar      | package name          | junit                                  | Low     |
| Vendor  | jar      | package name          | platform                               | Highest |
| Vendor  | jar      | package name          | platform                               | Low     |
| Vendor  | jar      | package name          | suite                                  | Highest |
| Vendor  | jar      | package name          | suite                                  | Low     |
| Vendor  | Manifest | build-date            | 2025-07-21                             | Low     |
| Vendor  | Manifest | build-revision        | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low     |
| Vendor  | Manifest | build-time            | 08:57:57.538+0200                      | Low     |
| Vendor  | Manifest | bundle-symbolicname   | junit-platform-suite-commons           | Medium  |
| Vendor  | Manifest | Implementation-Vendor | junit.org                              | High    |
| Vendor  | Manifest | specification-vendor  | junit.org                              | Low     |
| Product | file     | name                  | junit-platform-suite-commons           | High    |
| Product | gradle   | artifactid            | junit-platform-suite-commons           | Highest |
| Product | jar      | package name          | commons                                | Highest |
| Product | jar      | package name          | commons                                | Low     |
| Product | jar      | package name          | junit                                  | Highest |
| Product | jar      | package name          | platform                               | Highest |
| Product | jar      | package name          | platform                               | Low     |
| Product | jar      | package name          | suite                                  | Highest |
| Product | jar      | package name          | suite                                  | Low     |
| Product | Manifest | build-date            | 2025-07-21                             | Low     |
| Product | Manifest | build-revision        | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low     |
| Product | Manifest | build-time            | 08:57:57.538+0200                      | Low     |
| Product | Manifest | Bundle-Name           | JUnit Platform Suite Commons           | Medium  |
| Product | Manifest | bundle-symbolicname   | junit-platform-suite-commons           | Medium  |
| Product | Manifest | Implementation-Title  | junit-platform-suite-commons           | High    |
| Product | Manifest | specification-title   | junit-platform-suite-commons           | Medium  |
| Version | file     | version               | 1.13.4                                 | High    |
| Version | Manifest | Implementation-       | 1.13.4                                 | High    |

Version

#### Identifiers

- <pkg:maven/org.junit.platform/junit-platform-suite-commons@1.13.4> (*Confidence: Highest*)

### junit-platform-suite-engine-1.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-engine/1.13.4/b888a7a9e00b25cc19b4d45dbd4dcfe0b3a4f6ca/junit-platform-suite-engine-1.13.4.jar

**MD5:** 69e03866f05f55ea65268adc36fa3fc0

**SHA1:** b888a7a9e00b25cc19b4d45dbd4dcfe0b3a4f6ca

**SHA256:** 3b34fd8172d70d0d7c59155e487bd8e77d43bdbfdcf1d78c2b4eea55e9acb92

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

#### Evidence



| Type   | Source   | Name                  | Value                                  | Confidence |
|--------|----------|-----------------------|--|------------|
| Vendor | file     | name                  | junit-platform-suite-engine            | High       |
| Vendor | gradle   | artifactid            | junit-platform-suite-engine            | Highest    |
| Vendor | gradle   | groupid               | org.junit.platform                     | Highest    |
| Vendor | jar      | package name          | engine                                 | Highest    |
| Vendor | jar      | package name          | junit                                  | Highest    |
| Vendor | jar      | package name          | junit                                  | Low        |
| Vendor | jar      | package name          | platform                               | Highest    |
| Vendor | jar      | package name          | platform                               | Low        |
| Vendor | jar      | package name          | suite                                  | Highest    |
| Vendor | jar      | package name          | suite                                  | Low        |
| Vendor | Manifest | build-date            | 2025-07-21                             | Low        |
| Vendor | Manifest | build-revision        | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low        |
| Vendor | Manifest | build-time            | 08:57:57.538+0200                      | Low        |
| Vendor | Manifest | bundle-symbolicname   | junit-platform-suite-engine            | Medium     |
| Vendor | Manifest | Implementation-Vendor | junit.org                              | High       |
| Vendor | Manifest | specification-        | junit.org                              | Low        |

vendor

|         |          |                        |  |         |
|---------|----------|------------------------|--|---------|
| Product | file     | name                   | junit-platform-suite-engine            | High    |
| Product | gradle   | artifactid             | junit-platform-suite-engine            | Highest |
| Product | jar      | package name           | engine                                 | Highest |
| Product | jar      | package name           | engine                                 | Low     |
| Product | jar      | package name           | junit                                  | Highest |
| Product | jar      | package name           | platform                               | Highest |
| Product | jar      | package name           | platform                               | Low     |
| Product | jar      | package name           | suite                                  | Highest |
| Product | jar      | package name           | suite                                  | Low     |
| Product | Manifest | build-date             | 2025-07-21                             | Low     |
| Product | Manifest | build-revision         | 8a21048605e61dc388c1c83cbecf9dd5097a59 | Low     |
| Product | Manifest | build-time             | 08:57:57.538+0200                      | Low     |
| Product | Manifest | Bundle-Name            | JUnit Platform Suite Engine            | Medium  |
| Product | Manifest | bundle-symbolicname    | junit-platform-suite-engine            | Medium  |
| Product | Manifest | Implementation-Title   | junit-platform-suite-engine            | High    |
| Product | Manifest | specification-title    | junit-platform-suite-engine            | Medium  |
| Version | file     | version                | 1.13.4                                 | High    |
| Version | Manifest | Implementation-Version | 1.13.4                                 | High    |

#### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-engine@1.13.4](https://maven.org/junit.platform/junit-platform-suite-engine@1.13.4) (*Confidence*:Highest)

### junit-vintage-engine-5.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.vintage/junit-vintage-engine/5.13.4/9fa3f512a7b8de3013eb63e51623c9e73f8d0e34/junit-vintage-engine-5.13.4.jar

**MD5:** 77270af1c5e9ea55a3705683f261eddd

**SHA1:** 9fa3f512a7b8de3013eb63e51623c9e73f8d0e34

**SHA256:** 066b702d850ebcde36f2a8181b46a2f0f1416129d1dc63c3a1e1531006e74739

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/clear-reports/server@25.10
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

## Evidence



| Type    | Source   | Name                  | Value  | Confidence |
|---------|----------|-----------------------|--|------------|
| Vendor  | file     | name                  | junit-vintage-engine   | High       |
| Vendor  | gradle   | artifactid            | junit-vintage-engine   | Highest    |
| Vendor  | gradle   | groupid               | org.junit.vintage  | Highest    |
| Vendor  | jar      | package name          | engine   | Highest    |
| Vendor  | jar      | package name          | engine   | Low        |
| Vendor  | jar      | package name          | junit  | Highest    |
| Vendor  | jar      | package name          | junit  | Low        |
| Vendor  | jar      | package name          | vintage  | Highest    |
| Vendor  | jar      | package name          | vintage  | Low        |
| Vendor  | Manifest | build-date            | 2025-07-21   | Low        |
| Vendor  | Manifest | build-revision        | 8a21048605e61dc388c1c83cbecf9dd5097a59   | Low        |
| Vendor  | Manifest | build-time            | 08:57:57.538+0200  | Low        |
| Vendor  | Manifest | bundle-symbolicname   | junit-vintage-engine   | Medium     |
| Vendor  | Manifest | Implementation-Vendor | junit.org  | High       |
| Vendor  | Manifest | provide-capability    | org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.13.4" | Low        |
| Vendor  | Manifest | specification-vendor  | junit.org  | Low        |
| Product | file     | name                  | junit-vintage-engine   | High       |
| Product | gradle   | artifactid            | junit-vintage-engine   | Highest    |
| Product | jar      | package name          | engine   | Highest    |
| Product | jar      | package name          | engine   | Low        |
| Product | jar      | package name          | junit  | Highest    |
| Product | jar      | package name          | vintage  | Highest    |
| Product | jar      | package name          | vintage  | Low        |
| Product | Manifest | build-date            | 2025-07-21   | Low        |
| Product | Manifest | build-revision        | 8a21048605e61dc388c1c83cbecf9dd5097a59   | Low        |
| Product | Manifest | build-time            | 08:57:57.538+0200  | Low        |
| Product | Manifest | Bundle-Name           | JUnit Vintage Engine   | Medium     |
| Product | Manifest | bundle-symbolicname   | junit-vintage-engine   | Medium     |
| Product | Manifest | Implementation-       | junit-vintage-engine   | High       |

|         |          | Title                  |   |        |
|---------|----------|------------------------|---|--------|
| Product | Manifest | provide-capability     | org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:\Version="5.13.4" | Low    |
| Product | Manifest | specification-title    | junit-vintage-engine  | Medium |
| Version | file     | version                | 5.13.4  | High   |
| Version | Manifest | Implementation-Version | 5.13.4  | High   |

#### Identifiers

- [pkg:maven/org.junit.vintage/junit-vintage-engine@5.13.4](https://mvnrepository.com/artifact/org.junit.vintage/junit-vintage-engine/5.13.4) (*Confidence*:Highest)

### lang-css.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - HTML API Doc/scripts/prettify/lang-css.js

**MD5:** 914365fa44cd3c094afc7c0de229e29e

**SHA1:** 0a6564da73538b95de1d787c36347f63595891b4

**SHA256:**9b6ac483033b02572714eb4d37ee199185c41008eb2b3f46a00ab0ebce6a20c5

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### linenumber.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - HTML API Doc/scripts/linenumber.js

**MD5:** 8520038fe7381ba8119956a342d21580

**SHA1:** ccbf2747b02c5204bf135f3b48fcfb74540c62e8

**SHA256:**bcc1057a550d0865cd8fceb0e7531b76226d25d42ebdfa8cab11f2314c3787

**Referenced In Project/Scope:** server

## Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

## Identifiers

- None

## lunr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/lunr.js

**MD5:** da4f3703ce0083f8050d00e900aac7b0

**SHA1:** ae614550091dd5ea4b432d94fa4e286b2c91278d

**SHA256:**f9671350512fd9359469b1a2113ed3134e7b007fa0041e8e1cfe006de3d7f6f6

**Referenced In Project/Scope:** server

## Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

## Identifiers

- None

## lunr.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/lunr.min.js

**MD5:** 323b7324b0cd0280e1d33689fd88e70a

**SHA1:** f44691b6ed6e0cd684175f7779eea8fc4a2a5015

**SHA256:**447b131dc7c9500a8fb188bc88271941b88805d610a60a0c953c482d69abdf2b

**Referenced In Project/Scope:** server

## Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

## Identifiers

- None

## mail.zip: angus-activation.jar

### Description:

Implementation

### License:

<http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/angus-activation.jar

**MD5:** ad20392145690b36b4f950fe31a31a2a

**SHA1:** 7f80607ea5014fef0b1779e6c33d63a88a45a563

**SHA256:** a6bd35c538cf90fff941ad6258c40c08fca0b5c9c3f536c657114f27ce0527a7

**Referenced In Project/Scope:** server

### Evidence

| Type   | Source   | Name                    | Value  | Confidence |
|--------|----------|-------------------------|--|------------|
| Vendor | file     | name                    | angus-activation   | High       |
| Vendor | jar      | package name            | activation   | Highest    |
| Vendor | jar      | package name            | angus  | Highest    |
| Vendor | jar      | package name            | eclipse  | Highest    |
| Vendor | Manifest | bundle-docurl           | <a href="https://www.eclipse.org">https://www.eclipse.org</a>  | Low        |
| Vendor | Manifest | bundle-symbolicname     | angus-activation   | Medium     |
| Vendor | Manifest | extension-name          | org.eclipse.angus  | Medium     |
| Vendor | Manifest | implementation-build-id | 2.0.3-RELEASE-6eff4c5  | Low        |
| Vendor | Manifest | Implementation-Vendor   | Eclipse Foundation   | High       |
| Vendor | Manifest | provide-capability      | osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MailcapRegistryProvider",osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MimeTypeRegistryProvider" | Low        |
| Vendor | Manifest | specification-vendor    | Eclipse Foundation   | Low        |
| Vendor | pom      | artifactid              | angus-activation   | Low        |
| Vendor | pom      | groupid                 | org.eclipse.angus  | Highest    |
| Vendor | pom      | name                    | Angus Activation Registries  | High       |
|        |          |                         |  |            |



|         |          |                         |  |         |
|---------|----------|-------------------------|--|---------|
| Vendor  | pom      | parent-artifactid       | angus-activation-project   | Low     |
| Product | file     | name                    | angus-activation   | High    |
| Product | jar      | package name            | activation   | Highest |
| Product | jar      | package name            | angus  | Highest |
| Product | jar      | package name            | eclipse  | Highest |
| Product | Manifest | bundle-docurl           | https://www.eclipse.org  | Low     |
| Product | Manifest | Bundle-Name             | Angus Activation Registries  | Medium  |
| Product | Manifest | bundle-symbolicname     | angus-activation   | Medium  |
| Product | Manifest | extension-name          | org.eclipse.angus  | Medium  |
| Product | Manifest | implementation-build-id | 2.0.3-RELEASE-6eff4c5  | Low     |
| Product | Manifest | Implementation-Title    | Angus Activation Registries  | High    |
| Product | Manifest | provide-capability      | osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MailcapRegistryProvider",osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MimeTypeRegistryProvider" | Low     |
| Product | Manifest | specification-title     | Jakarta Activation Specification   | Medium  |
| Product | pom      | artifactid              | angus-activation   | Highest |
| Product | pom      | groupid                 | org.eclipse.angus  | Highest |
| Product | pom      | name                    | Angus Activation Registries  | High    |
| Product | pom      | parent-artifactid       | angus-activation-project   | Medium  |
| Version | Manifest | Bundle-Version          | 2.0.3  | High    |
| Version | pom      | version                 | 2.0.3  | Highest |

#### Identifiers

- [pkg:maven/org.eclipse.angus/angus-activation@2.0.3](https://maven.org.eclipse.angus/angus-activation@2.0.3) (*Confidence:High*)

### mail.zip: angus-mail.jar (shaded: org.eclipse.angus:angus-core:2.0.4)

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/angus-core/pom.xml

**MD5:** b00ad1f3322ed736d6eb717441a20f0d

**SHA1:** bab276e894997c88c72a981691a57d5e81762128

**SHA256:** 87a6b385eb4df03ff2ffeb750af3858efc2a90d056f46990ae359505d59a66ab

**Referenced In Project/Scope:** server

## Evidence



| Type    | Source | Name              | Value             | Confidence |
|---------|--------|-------------------|-------------------|------------|
| Vendor  | pom    | artifactid        | angus-core        | Low        |
| Vendor  | pom    | groupid           | org.eclipse.angus | Highest    |
| Vendor  | pom    | name              | Angus Mail Core   | High       |
| Vendor  | pom    | parent-artifactid | all               | Low        |
| Product | pom    | artifactid        | angus-core        | Highest    |
| Product | pom    | groupid           | org.eclipse.angus | Highest    |
| Product | pom    | name              | Angus Mail Core   | High       |
| Product | pom    | parent-artifactid | all               | Medium     |
| Version | pom    | version           | 2.0.4             | Highest    |

## Identifiers

- <pkg:maven/org.eclipse.angus/angus-core@2.0.4> (*Confidence:High*)

## mail.zip: angus-mail.jar (shaded: org.eclipse.angus:imap:2.0.4)

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/imap/pom.xml

**MD5:** c920e46a1ca1efea40ae8a6886beda7c

**SHA1:** 3d47f9345b5c2467969815646fd114c3b08f108f

**SHA256:** 7a397cec3d2d1bf26c8bd7df77dd5d0caa57af718976290e7bc3d7fca2c42917

**Referenced In Project/Scope:** server

## Evidence



| Type    | Source | Name              | Value                    | Confidence |
|---------|--------|-------------------|--------------------------|------------|
| Vendor  | pom    | artifactid        | imap                     | Low        |
| Vendor  | pom    | groupid           | org.eclipse.angus        | Highest    |
| Vendor  | pom    | name              | Angus Mail imap provider | High       |
| Vendor  | pom    | parent-artifactid | providers                | Low        |
| Product | pom    | artifactid        | imap                     | Highest    |
| Product | pom    | groupid           | org.eclipse.angus        | Highest    |
| Product | pom    | name              | Angus Mail imap provider | High       |
| Product | pom    | parent-artifactid | providers                | Medium     |

|         |     |         |       |         |
|---------|-----|---------|-------|---------|
| Version | pom | version | 2.0.4 | Highest |
|---------|-----|---------|-------|---------|

### Identifiers

- [pkg:maven/org.eclipse.angus/imap@2.0.4](#) (*Confidence:High*)

## mail.zip: angus-mail.jar (shaded: org.eclipse.angus:logging-mailhandler:2.0.4)

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/logging-mailhandler/pom.xml

**MD5:** 0711b1e4cbb2e1b50e7f17e3428f7ae6

**SHA1:** b51bb90174f0e2a47662e5cd5127b9bf0845e6f9

**SHA256:**ba3ab28c7633eba0503755d160d0e09b244bf4ed58ec1b89bc8ff891eaecebea

**Referenced In Project/Scope:** server

### Evidence +

| Type    | Source | Name              | Value                      | Confidence |
|---------|--------|-------------------|----------------------------|------------|
| Vendor  | pom    | artifactid        | logging-mailhandler        | Low        |
| Vendor  | pom    | groupid           | org.eclipse.angus          | Highest    |
| Vendor  | pom    | name              | Angus Mail logging handler | High       |
| Vendor  | pom    | parent-artifactid | all                        | Low        |
| Product | pom    | artifactid        | logging-mailhandler        | Highest    |
| Product | pom    | groupid           | org.eclipse.angus          | Highest    |
| Product | pom    | name              | Angus Mail logging handler | High       |
| Product | pom    | parent-artifactid | all                        | Medium     |
| Version | pom    | version           | 2.0.4                      | Highest    |

### Identifiers

- [pkg:maven/org.eclipse.angus/logging-mailhandler@2.0.4](#) (*Confidence:High*)

## mail.zip: angus-mail.jar (shaded: org.eclipse.angus:pop3:2.0.4)

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/pop3/pom.xml

**MD5:** af34e8ae164e4f64dfca8f725e0f0105

**SHA1:** 9d0a63878e71486ca6bfe4da1219352bf2ff4b45

**SHA256:** ac0712407bab89e2fef06ec09d455221bee73606f03811ae1a412774ab143792

**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source | Name              | Value                    | Confidence |
|---------|--------|-------------------|--------------------------|------------|
| Vendor  | pom    | artifactid        | pop3                     | Low        |
| Vendor  | pom    | groupid           | org.eclipse.angus        | Highest    |
| Vendor  | pom    | name              | Angus Mail pop3 provider | High       |
| Vendor  | pom    | parent-artifactid | providers                | Low        |
| Product | pom    | artifactid        | pop3                     | Highest    |
| Product | pom    | groupid           | org.eclipse.angus        | Highest    |
| Product | pom    | name              | Angus Mail pop3 provider | High       |
| Product | pom    | parent-artifactid | providers                | Medium     |
| Version | pom    | version           | 2.0.4                    | Highest    |

#### Identifiers

- [pkg:maven/org.eclipse.angus/pop3@2.0.4](https://maven.org.eclipse.angus/pop3@2.0.4) (*Confidence:High*)

**mail.zip: angus-mail.jar (shaded: org.eclipse.angus:smtp:2.0.4)**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/smtp/pom.xml

**MD5:** 1ac1221625342393598ca07f164f7d74

**SHA1:** 14c27147014f1e749253c9d9a12975490759cf64

**SHA256:** 8d7f154fa84b483de7e118563cbe3461479b20c2f149ec7099e6b6be69083128

**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source | Name              | Value                    | Confidence |
|---------|--------|-------------------|--------------------------|------------|
| Vendor  | pom    | artifactid        | smtp                     | Low        |
| Vendor  | pom    | groupid           | org.eclipse.angus        | Highest    |
| Vendor  | pom    | name              | Angus Mail smtp provider | High       |
| Vendor  | pom    | parent-artifactid | providers                | Low        |
| Product | pom    | artifactid        | smtp                     | Highest    |

|         |     |                   |                          |         |
|---------|-----|-------------------|--------------------------|---------|
| Product | pom | groupid           | org.eclipse.angus        | Highest |
| Product | pom | name              | Angus Mail smtp provider | High    |
| Product | pom | parent-artifactid | providers                | Medium  |
| Version | pom | version           | 2.0.4                    | Highest |

#### Identifiers

- <pkg:maven/org.eclipse.angus/smtp@2.0.4> (*Confidence:High*)

## mail.zip: angus-mail.jar

### Description:

Angus Mail Provider

### License:

<http://www.eclipse.org/legal/epl-2.0>, <https://www.gnu.org/software/classpath/license.html>, <http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/angus-mail.jar

**MD5:** 5e39c666abac5e0c7837894606af28b8

**SHA1:** 80a49d6e187788d17a23b05e375bad75f56a4a92

**SHA256:** 87301865584bad9170662b3eeef0350aaafea4522483e38e54ae87dc3df3e958

**Referenced In Project/Scope:** server

### Evidence

| Type   | Source   | Name                | Value  | Confidence |
|--------|----------|---------------------|--|------------|
| Vendor | file     | name                | angus-mail   | High       |
| Vendor | jar      | package name        | angus  | Highest    |
| Vendor | jar      | package name        | eclipse  | Highest    |
| Vendor | jar      | package name        | mail   | Highest    |
| Vendor | Manifest | bundle-docurl       | <a href="https://www.eclipse.org">https://www.eclipse.org</a>  | Low        |
| Vendor | Manifest | bundle-symbolicname | org.eclipse.angus.mail   | Medium     |
| Vendor | Manifest | provide-capability  | osgi.serviceloader;osgi.serviceloader="jakarta.mail.util.StreamProvider",osgi.serviceloader;osgi.serviceloader="jakarta.mail.Provider" | Low        |
| Vendor | pom      | artifactid          | angus-mail   | Low        |
| Vendor | pom      | groupid             | org.eclipse.angus  | Highest    |
| Vendor | pom      | name                | Angus Mail Provider  | High       |

|         |          |                     |  |         |
|---------|----------|---------------------|--|---------|
| Vendor  | pom      | parent-artifactid   | all  | Low     |
| Product | file     | name                | angus-mail   | High    |
| Product | jar      | package name        | angus  | Highest |
| Product | jar      | package name        | eclipse  | Highest |
| Product | jar      | package name        | mail   | Highest |
| Product | jar      | package name        | util   | Highest |
| Product | Manifest | bundle-docurl       | https://www.eclipse.org  | Low     |
| Product | Manifest | Bundle-Name         | Angus Mail Provider  | Medium  |
| Product | Manifest | bundle-symbolicname | org.eclipse.angus.mail   | Medium  |
| Product | Manifest | provide-capability  | osgi.serviceloader;osgi.serviceloader="jakarta.mail.util.StreamProvider",osgi.serviceloader;osgi.serviceloader="jakarta.mail.Provider" | Low     |
| Product | pom      | artifactid          | angus-mail   | Highest |
| Product | pom      | groupid             | org.eclipse.angus  | Highest |
| Product | pom      | name                | Angus Mail Provider  | High    |
| Product | pom      | parent-artifactid   | all  | Medium  |
| Version | Manifest | Bundle-Version      | 2.0.4  | High    |
| Version | pom      | version             | 2.0.4  | Highest |

#### Identifiers

- <pkg:maven/org.eclipse.angus/angus-mail@2.0.4> (*Confidence:High*)

### mail.zip: bc-fips.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/bc-fips.jar

**MD5:** 15f31be76203e3659d73e1cac3d7bf91

**SHA1:** c8df3d47f9854f3e9ca57e9fc862da18c9381fa9

**SHA256:** caa427f52062e07d0fd6c36eb7d0975dc5c3fa1376f1b611a57c6a1f9d1548d7

**Referenced In Project/Scope:** server

#### Evidence

| Type   | Source | Name         | Value        | Confidence |
|--------|--------|--------------|--------------|------------|
| Vendor | file   | name         | bc-fips      | High       |
| Vendor | jar    | package name | bouncycastle | Highest    |

|         |          |  |                             |         |
|---------|----------|--|-----------------------------|---------|
| Vendor  | jar      | package name                           | bouncycastle                | Low     |
| Vendor  | jar      | package name                           | fips                        | Highest |
| Vendor  | jar      | package name                           | org                         | Highest |
| Vendor  | jar      | package name                           | provider                    | Highest |
| Vendor  | Manifest | application-library-allowable-codebase | *                           | Low     |
| Vendor  | Manifest | application-name                       | Bouncy Castle FIPS Provider | Medium  |
| Vendor  | Manifest | bundle-requiredexecution               | JavaSE-1.8                  | Low     |
| Vendor  | Manifest | bundle-symbolicname                    | bcfips                      | Medium  |
| Vendor  | Manifest | caller-allowable-codebase              | *                           | Low     |
| Vendor  | Manifest | codebase                               | *                           | Low     |
| Vendor  | Manifest | extension-name                         | org.bouncycastle.bcfips     | Medium  |
| Vendor  | Manifest | Implementation-Vendor                  | BouncyCastle.org            | High    |
| Vendor  | Manifest | Implementation-Vendor-Id               | org.bouncycastle            | Medium  |
| Vendor  | Manifest | multi-release                          | true                        | Low     |
| Vendor  | Manifest | permissions                            | all-permissions             | Low     |
| Vendor  | Manifest | specification-vendor                   | BouncyCastle.org            | Low     |
| Vendor  | Manifest | trusted-library                        | true                        | Low     |
| Product | file     | name                                   | bc-fips                     | High    |
| Product | jar      | package name                           | bouncycastle                | Highest |
| Product | jar      | package name                           | fips                        | Highest |
| Product | jar      | package name                           | org                         | Highest |
| Product | jar      | package name                           | permissions                 | Highest |
| Product | jar      | package name                           | provider                    | Highest |
| Product | Manifest | application-library-allowable-codebase | *                           | Low     |
| Product | Manifest | application-name                       | Bouncy Castle FIPS Provider | Medium  |
| Product | Manifest | Bundle-Name                            | bcfips                      | Medium  |
| Product | Manifest | bundle-requiredexecution               | JavaSE-1.8                  | Low     |
| Product | Manifest | bundle-                                | bcfips                      | Medium  |

## symbolicname

|         |          |                           |                          |         |
|---------|----------|---------------------------|--------------------------|---------|
| Product | Manifest | caller-allowable-codebase | *                        | Low     |
| Product | Manifest | codebase                  | *                        | Low     |
| Product | Manifest | extension-name            | org.bouncycastle.bcfixps | Medium  |
| Product | Manifest | multi-release             | true                     | Low     |
| Product | Manifest | permissions               | all-permissions          | Low     |
| Product | Manifest | trusted-library           | true                     | Low     |
| Version | jar      | package name              | permissions              | Highest |
| Version | Manifest | Bundle-Version            | 2.1.0                    | High    |
| Version | Manifest | Implementation-Version    | 2.1.0                    | High    |

## Related Dependencies

- webserver.zip: bc-fips.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/bc-fips.jar
  - MD5: 15f31be76203e3659d73e1cac3d7bf91
  - SHA1: c8df3d47f9854f3e9ca57e9fc862da18c9381fa9
  - SHA256: caa427f52062e07d0fd6c36eb7d0975dc5c3fa1376f1b611a57c6a1f9d1548d7

## Identifiers

- cpe:2.3:a:bouncycastle:bouncy\_castle\_for\_java:2.1.0:\*\*\*\*:\* (Confidence:Low)

## mail.zip: bcjmail-fips.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/bcjmail-fips.jar

**MD5:** 3b3a2949caf465737f18eba828c82f8d

**SHA1:** 11d1755a9103ae0359a5d8a0e3397d054bf16b0f

**SHA256:** 134bd06e17e66f13319b5e90781695d9c2bd586f4ed1dc3fc6f833279a750bc9

**Referenced In Project/Scope:** server

## Evidence

| Type   | Source | Name | Value        | Confidence |
|--------|--------|------|--------------|------------|
| Vendor | file   | name | bcjmail-fips | High       |



|         |          |  |                                       |         |
|---------|----------|--|---------------------------------------|---------|
| Vendor  | jar      | package name                           | bouncycastle                          | Highest |
| Vendor  | jar      | package name                           | bouncycastle                          | Low     |
| Vendor  | jar      | package name                           | mail                                  | Low     |
| Vendor  | jar      | package name                           | smime                                 | Low     |
| Vendor  | Manifest | application-library-allowable-codebase | *                                     | Low     |
| Vendor  | Manifest | application-name                       | Bouncy Castle FIPS JAKARTA S/MIME API | Medium  |
| Vendor  | Manifest | automatic-module-name                  | org.bouncycastle.fips.bcjmail         | Medium  |
| Vendor  | Manifest | bundle-requiredexecution               | JavaSE-1.8                            | Low     |
| Vendor  | Manifest | bundle-symbolicname                    | bcjmail                               | Medium  |
| Vendor  | Manifest | caller-allowable-codebase              | *                                     | Low     |
| Vendor  | Manifest | codebase                               | *                                     | Low     |
| Vendor  | Manifest | extension-name                         | org.bouncycastle.bcjmail.mail         | Medium  |
| Vendor  | Manifest | Implementation-Vendor                  | BouncyCastle.org                      | High    |
| Vendor  | Manifest | Implementation-Vendor-Id               | org.bouncycastle                      | Medium  |
| Vendor  | Manifest | multi-release                          | true                                  | Low     |
| Vendor  | Manifest | permissions                            | all-permissions                       | Low     |
| Vendor  | Manifest | specification-vendor                   | BouncyCastle.org                      | Low     |
| Vendor  | Manifest | trusted-library                        | true                                  | Low     |
| Product | file     | name                                   | bcjmail-fips                          | High    |
| Product | jar      | package name                           | bouncycastle                          | Highest |
| Product | jar      | package name                           | mail                                  | Low     |
| Product | jar      | package name                           | smime                                 | Low     |
| Product | Manifest | application-library-allowable-codebase | *                                     | Low     |
| Product | Manifest | application-name                       | Bouncy Castle FIPS JAKARTA S/MIME API | Medium  |
| Product | Manifest | automatic-module-name                  | org.bouncycastle.fips.bcjmail         | Medium  |
| Product | Manifest | Bundle-Name                            | bcjmail                               | Medium  |
| Product | Manifest | bundle-requiredexecution               | JavaSE-1.8                            | Low     |

|         |          |                           |                               |        |
|---------|----------|---------------------------|-------------------------------|--------|
| Product | Manifest | bundle-symbolicname       | bcjmail                       | Medium |
| Product | Manifest | caller-allowable-codebase | *                             | Low    |
| Product | Manifest | codebase                  | *                             | Low    |
| Product | Manifest | extension-name            | org.bouncycastle.bcjmail.mail | Medium |
| Product | Manifest | multi-release             | true                          | Low    |
| Product | Manifest | permissions               | all-permissions               | Low    |
| Product | Manifest | trusted-library           | true                          | Low    |
| Version | Manifest | Bundle-Version            | 2.1.6                         | High   |
| Version | Manifest | Implementation-Version    | 2.1.6                         | High   |

#### Identifiers

- [cpe:2.3:a:bouncycastle:bouncy\\_castle\\_for\\_java:2.1.6:\\*:\\*:\\*:\\*:\\*](#) (Confidence: Highest)

suppress

## mail.zip: bcpkg-fips.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/bcpkg-fips.jar

**MD5:** 22924ccba346b696acaa3c72634ea8b5

**SHA1:** 727e087a843f3a5a8143e4f3a7518c8c3517df18

**SHA256:** ea51efee825bd0d61c3d22cff5a127898edc7ca62ba454fbcf4789801031d850

**Referenced In Project/Scope:** server

#### Evidence



| Type   | Source   | Name                                   | Value                          | Confidence |
|--------|----------|--|--------------------------------|------------|
| Vendor | file     | name                                   | bcpkg-fips                     | High       |
| Vendor | jar      | package name                           | bcpkg                          | Highest    |
| Vendor | jar      | package name                           | bouncycastle                   | Highest    |
| Vendor | jar      | package name                           | bouncycastle                   | Low        |
| Vendor | jar      | package name                           | openpgp                        | Highest    |
| Vendor | Manifest | application-library-allowable-codebase | *                              | Low        |
| Vendor | Manifest | application-                           | Bouncy Castle FIPS OpenPGP API | Medium     |

|         |          |  |                                |         |
|---------|----------|--|--------------------------------|---------|
|         |          | name                                   |                                |         |
| Vendor  | Manifest | automatic-module-name                  | org.bouncycastle.fips.pg       | Medium  |
| Vendor  | Manifest | bundle-requiredexecution               | JavaSE-1.8                     | Low     |
| Vendor  | Manifest | bundle-symbolicname                    | bcpq                           | Medium  |
| Vendor  | Manifest | caller-allowable-codebase              | *                              | Low     |
| Vendor  | Manifest | codebase                               | *                              | Low     |
| Vendor  | Manifest | extension-name                         | org.bouncycastle.bcfips.pg     | Medium  |
| Vendor  | Manifest | Implementation-Vendor                  | BouncyCastle.org               | High    |
| Vendor  | Manifest | Implementation-Vendor-Id               | org.bouncycastle               | Medium  |
| Vendor  | Manifest | multi-release                          | true                           | Low     |
| Vendor  | Manifest | permissions                            | all-permissions                | Low     |
| Vendor  | Manifest | specification-vendor                   | BouncyCastle.org               | Low     |
| Vendor  | Manifest | trusted-library                        | true                           | Low     |
| Product | file     | name                                   | bcpq-fips                      | High    |
| Product | jar      | package name                           | bcpq                           | Highest |
| Product | jar      | package name                           | bouncycastle                   | Highest |
| Product | jar      | package name                           | openpgp                        | Highest |
| Product | Manifest | application-library-allowable-codebase | *                              | Low     |
| Product | Manifest | application-name                       | Bouncy Castle FIPS OpenPGP API | Medium  |
| Product | Manifest | automatic-module-name                  | org.bouncycastle.fips.pg       | Medium  |
| Product | Manifest | Bundle-Name                            | bcpq                           | Medium  |
| Product | Manifest | bundle-requiredexecution               | JavaSE-1.8                     | Low     |
| Product | Manifest | bundle-symbolicname                    | bcpq                           | Medium  |
| Product | Manifest | caller-allowable-codebase              | *                              | Low     |
| Product | Manifest | codebase                               | *                              | Low     |
| Product | Manifest | extension-name                         | org.bouncycastle.bcfips.pg     | Medium  |
| Product | Manifest | multi-release                          | true                           | Low     |
| Product | Manifest | permissions                            | all-permissions                | Low     |

|         |          |                        |        |      |
|---------|----------|------------------------|--------|------|
| Product | Manifest | trusted-library        | true   | Low  |
| Version | Manifest | Bundle-Version         | 2.1.11 | High |
| Version | Manifest | Implementation-Version | 2.1.11 | High |

## Identifiers

- [cpe:2.3:a:bouncycastle:bouncy\\_castle\\_for\\_java:2.1.11:\\*\\*\\*\\*:\\*](#) (Confidence: Highest)
- [cpe:2.3:a:openpgp:openpgp:2.1.11:\\*\\*\\*\\*:\\*](#) (Confidence: Highest)

## mail.zip: bcpkix-fips.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/bcpkix-fips.jar

**MD5:** e295dcb91f2cab6403dc434013aa5cf9

**SHA1:** 722eaefa83fd8c53e1fc019bde25e353258ed22b

**SHA256:** c31a4aeeda18f98b06deab50f6c5fa972eb87555ef134268be28eed95fadece7

**Referenced In Project/Scope:** server

## Evidence

| Type   | Source   | Name                                   | Value                       | Confidence |
|--------|----------|--|-----------------------------|------------|
| Vendor | file     | name                                   | bcpkix-fips                 | High       |
| Vendor | jar      | package name                           | bouncycastle                | Highest    |
| Vendor | jar      | package name                           | bouncycastle                | Low        |
| Vendor | jar      | package name                           | pkix                        | Highest    |
| Vendor | Manifest | application-library-allowable-codebase | *                           | Low        |
| Vendor | Manifest | application-name                       | Bouncy Castle FIPS PKIX API | Medium     |
| Vendor | Manifest | automatic-module-name                  | org.bouncycastle.fips.pkix  | Medium     |
| Vendor | Manifest | bundle-requiredexecution               | JavaSE-1.8                  | Low        |
| Vendor | Manifest | bundle-symbolicname                    | bcpkix                      | Medium     |
| Vendor | Manifest | caller-allowable-codebase              | *                           | Low        |
|        |          |  |                             |            |

|         |          |  |                              |         |
|---------|----------|--|------------------------------|---------|
| Vendor  | Manifest | codebase                               | *                            | Low     |
| Vendor  | Manifest | extension-name                         | org.bouncycastle.bcfips.pkix | Medium  |
| Vendor  | Manifest | Implementation-Vendor                  | BouncyCastle.org             | High    |
| Vendor  | Manifest | Implementation-Vendor-Id               | org.bouncycastle             | Medium  |
| Vendor  | Manifest | multi-release                          | true                         | Low     |
| Vendor  | Manifest | permissions                            | all-permissions              | Low     |
| Vendor  | Manifest | specification-vendor                   | BouncyCastle.org             | Low     |
| Vendor  | Manifest | trusted-library                        | true                         | Low     |
| Product | file     | name                                   | bcpkix-fips                  | High    |
| Product | jar      | package name                           | bouncycastle                 | Highest |
| Product | jar      | package name                           | pkix                         | Highest |
| Product | Manifest | application-library-allowable-codebase | *                            | Low     |
| Product | Manifest | application-name                       | Bouncy Castle FIPS PKIX API  | Medium  |
| Product | Manifest | automatic-module-name                  | org.bouncycastle.fips.pkix   | Medium  |
| Product | Manifest | Bundle-Name                            | bcpkix                       | Medium  |
| Product | Manifest | bundle-requiredexecution               | JavaSE-1.8                   | Low     |
| Product | Manifest | bundle-symbolicname                    | bcpkix                       | Medium  |
| Product | Manifest | caller-allowable-codebase              | *                            | Low     |
| Product | Manifest | codebase                               | *                            | Low     |
| Product | Manifest | extension-name                         | org.bouncycastle.bcfips.pkix | Medium  |
| Product | Manifest | multi-release                          | true                         | Low     |
| Product | Manifest | permissions                            | all-permissions              | Low     |
| Product | Manifest | trusted-library                        | true                         | Low     |
| Version | Manifest | Bundle-Version                         | 2.1.9                        | High    |
| Version | Manifest | Implementation-Version                 | 2.1.9                        | High    |

## Related Dependencies



- webserver.zip: bcpkix-fips.jar

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/bcpkix-fips.jar
- MD5: e295dcb91f2cab6403dc434013aa5cf9
- SHA1: 722eaf8a83fd8c53e1fc019bde25e353258ed22b
- SHA256: c31a4aeeda18f98b06deab50f6c5fa972eb87555ef134268be28eed95fadece7

## Identifiers

- cpe:2.3:a:bouncycastle:bouncy\_castle\_for\_java:2.1.9:\*.~\*~\*~\*~\* (Confidence: Highest)

```
[suppress
```

**mail.zip: bcutil-fips.jar**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/bcutil-fips.jar

**MD5:** 9323a42a9772823f806ce7b8d3965175

**SHA1:** 1d37b7a28560684f5b8e4fd65478c9130d4015d0

**SHA256:**e169519e6441fb19cabf633d44fcef211506793e5be499ac9215648bd20634e0

**Referenced In Project/Scope:** server

## Evidence

| Type   | Source   | Name                                   | Value                          | Confidence |
|--------|----------|--|--------------------------------|------------|
| Vendor | file     | name                                   | bcutil-fips                    | High       |
| Vendor | jar      | package name                           | asn1                           | Low        |
| Vendor | jar      | package name                           | bouncycastle                   | Highest    |
| Vendor | jar      | package name                           | bouncycastle                   | Low        |
| Vendor | jar      | package name                           | its                            | Low        |
| Vendor | Manifest | application-library-allowable-codebase | *                              | Low        |
| Vendor | Manifest | application-name                       | Bouncy Castle FIPS Utility API | Medium     |
| Vendor | Manifest | automatic-module-name                  | org.bouncycastle.fips.util     | Medium     |
| Vendor | Manifest | bundle-requiredexecution               | JavaSE-1.8                     | Low        |
| Vendor | Manifest | bundle-symbolicname                    | bcutil                         | Medium     |
| Vendor | Manifest | caller-allowable-codebase              | *                              | Low        |
| Vendor | Manifest | codebase                               | *                              | Low        |

|         |          |  |                                |         |
|---------|----------|--|--------------------------------|---------|
| Vendor  | Manifest | extension-name                         | org.bouncycastle.bcfips.util   | Medium  |
| Vendor  | Manifest | Implementation-Vendor                  | BouncyCastle.org               | High    |
| Vendor  | Manifest | Implementation-Vendor-Id               | org.bouncycastle               | Medium  |
| Vendor  | Manifest | multi-release                          | true                           | Low     |
| Vendor  | Manifest | permissions                            | all-permissions                | Low     |
| Vendor  | Manifest | specification-vendor                   | BouncyCastle.org               | Low     |
| Vendor  | Manifest | trusted-library                        | true                           | Low     |
| Product | file     | name                                   | bcutil-fips                    | High    |
| Product | jar      | package name                           | asn1                           | Low     |
| Product | jar      | package name                           | bouncycastle                   | Highest |
| Product | jar      | package name                           | its                            | Low     |
| Product | Manifest | application-library-allowable-codebase | *                              | Low     |
| Product | Manifest | application-name                       | Bouncy Castle FIPS Utility API | Medium  |
| Product | Manifest | automatic-module-name                  | org.bouncycastle.fips.util     | Medium  |
| Product | Manifest | Bundle-Name                            | bcutil                         | Medium  |
| Product | Manifest | bundle-requiredexecution               | JavaSE-1.8                     | Low     |
| Product | Manifest | bundle-symbolicname                    | bcutil                         | Medium  |
| Product | Manifest | caller-allowable-codebase              | *                              | Low     |
| Product | Manifest | codebase                               | *                              | Low     |
| Product | Manifest | extension-name                         | org.bouncycastle.bcfips.util   | Medium  |
| Product | Manifest | multi-release                          | true                           | Low     |
| Product | Manifest | permissions                            | all-permissions                | Low     |
| Product | Manifest | trusted-library                        | true                           | Low     |
| Version | Manifest | Bundle-Version                         | 2.1.4                          | High    |
| Version | Manifest | Implementation-Version                 | 2.1.4                          | High    |

## Related Dependencies



- webserver.zip: bcutil-fips.jar

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/bcutil-fips.jar
- MD5: 9323a42a9772823f806ce7b8d3965175
- SHA1: 1d37b7a28560684f5b8e4fd65478c9130d4015d0
- SHA256: e169519e6441fb19cabf633d44fcef211506793e5be499ac9215648bd20634e0

#### Identifiers

- [cpe:2.3:a:bouncycastle:bouncy\\_castle\\_for\\_java:2.1.4:\\*:\\*:\\*:\\*:\\*](#) (Confidence: Highest)

suppress

## mail.zip: jakarta.mail-api.jar

#### Description:

Specification API

#### License:

EPL 2.0: <http://www.eclipse.org/legal/epl-2.0>

GPL2 w/ CPE: <https://www.gnu.org/software/classpath/license.html>

EDL 1.0: <http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/jakarta.mail-api.jar

**MD5:** 288a687deb06b87602ce14cd03dddff4

**SHA1:** a327aa5f514ba86e80d54584417d7376ed2bde0e

**SHA256:** 8051b58d75f982f9a5b963b3765426e824b2a64865ef0af17205e455b98db05c

**Referenced In Project/Scope:** server

#### Evidence



| Type   | Source   | Name                    | Value   | Confidence |
|--------|----------|-------------------------|---|------------|
| Vendor | file     | name                    | jakarta.mail-api  | High       |
| Vendor | jar      | package name            | jakarta   | Highest    |
| Vendor | jar      | package name            | mail  | Highest    |
| Vendor | Manifest | bundle-docurl           | <a href="https://www.eclipse.org">https://www.eclipse.org</a> | Low        |
| Vendor | Manifest | bundle-symbolicname     | jakarta.mail-api  | Medium     |
| Vendor | Manifest | extension-name          | jakarta.mail  | Medium     |
| Vendor | Manifest | implementation-build-id | 0f448dc   | Low        |
| Vendor | Manifest | Implementation-Vendor   | Eclipse Foundation  | High       |
| Vendor | Manifest | specification-vendor    | Eclipse Foundation  | Low        |



|         |          |                         |                            |         |
|---------|----------|-------------------------|----------------------------|---------|
| Vendor  | pom      | artifactid              | jakarta.mail-api           | Low     |
| Vendor  | pom      | groupid                 | jakarta.mail               | Highest |
| Vendor  | pom      | name                    | Jakarta Mail API           | High    |
| Vendor  | pom      | parent-artifactid       | project                    | Low     |
| Vendor  | pom      | parent-groupid          | org.eclipse.ee4j           | Medium  |
| Product | file     | name                    | jakarta.mail-api           | High    |
| Product | jar      | package name            | jakarta                    | Highest |
| Product | jar      | package name            | mail                       | Highest |
| Product | Manifest | bundle-docurl           | https://www.eclipse.org    | Low     |
| Product | Manifest | Bundle-Name             | Jakarta Mail API           | Medium  |
| Product | Manifest | bundle-symbolicname     | jakarta.mail-api           | Medium  |
| Product | Manifest | extension-name          | jakarta.mail               | Medium  |
| Product | Manifest | implementation-build-id | 0f448dc                    | Low     |
| Product | Manifest | Implementation-Title    | Jakarta Mail API           | High    |
| Product | Manifest | specification-title     | Jakarta Mail Specification | Medium  |
| Product | pom      | artifactid              | jakarta.mail-api           | Highest |
| Product | pom      | groupid                 | jakarta.mail               | Highest |
| Product | pom      | name                    | Jakarta Mail API           | High    |
| Product | pom      | parent-artifactid       | project                    | Medium  |
| Product | pom      | parent-groupid          | org.eclipse.ee4j           | Medium  |
| Version | Manifest | Bundle-Version          | 2.1.3                      | High    |
| Version | pom      | parent-version          | 2.1.3                      | Low     |
| Version | pom      | version                 | 2.1.3                      | Highest |

#### Identifiers

- <pkg:maven/jakarta.mail/jakarta.mail-api@2.1.3> (*Confidence:High*)

#### mail.zip: mail.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/mail.jar

**MD5:** 676b45974f7c992b19dae285b0a47df1

**SHA1:** 023ae0473256ef3bb78ec4bfecd869d4ca367131

Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | mail                                 | High       |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | mail                                 | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 17:51                     | Low        |
| Vendor  | Manifest | implementation-group     | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | mail                                 | High       |
| Product | jar      | package name             | mail                                 | Highest    |
| Product | jar      | package name             | mail                                 | Low        |
| Product | jar      | package name             | shared                               | Highest    |
| Product | Manifest | built-date               | 2025-10-01 17:51                     | Low        |
| Product | Manifest | implementation-group     | shared                               | Low        |
| Product | Manifest | Implementation-Title     | mail                                 | High       |
| Product | Manifest | specification-title      | mail                                 | Medium     |
| Version | jar      | package name             | shared                               | Highest    |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High       |

Identifiers

- None

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/mail.jar/com/inet/mail/structure/smimeconfig.js

**MD5:** 5bcf984b6f7d3c12903f8e45723c4737

**SHA1:** c0fefbb10badfba57b9dd391e641c1357c10b615

**SHA256:** 0fd57f5869585f955a1274b3e859d7172f1d8c41f26fb647d256207d680c5567

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### main.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/main.js

**MD5:** d79b7693c3fedef6d2701f98bd63395e

**SHA1:** dcb11c632f69f2a29632327c71ce2b36f0ed2da0

**SHA256:** 8c8530e356505da9f829ef1cf582c79f20fdd14cf1bb8491abc354d5e6882334

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### maintenance.reporting.zip: maintenance.reporting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.reporting.zip/maintenance.reporting.jar

**MD5:** 030d10651fc65a1998ae4c4b45154aa4

**SHA1:** 8ba32306c724e1ce5c49db75bf40e7982e413faa

**SHA256:** c411ec7d6f8851df2001baca4676a0a502136eaa53aa51b22fe697c71c1f4770

**Referenced In Project/Scope:** server

## Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | maintenance.reporting                | High       |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | plugins                              | Low        |
| Vendor  | jar      | package name             | report                               | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 18:56                     | Low        |
| Vendor  | Manifest | implementation-group     | reporting                            | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | maintenance.reporting                | High       |
| Product | jar      | package name             | maintenance                          | Highest    |
| Product | jar      | package name             | maintenance                          | Low        |
| Product | jar      | package name             | plugins                              | Low        |
| Product | jar      | package name             | report                               | Low        |
| Product | Manifest | built-date               | 2025-10-01 18:56                     | Low        |
| Product | Manifest | implementation-group     | reporting                            | Low        |
| Product | Manifest | Implementation-Title     | maintenance.reporting                | High       |
| Product | Manifest | specification-title      | maintenance.reporting                | Medium     |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High       |

## Identifiers

- None

**maintenance.zip: maintenance-javadoc.jar**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar  
**MD5:** 4fd1006b79b09888b814baf41269dabf  
**SHA1:** 1122ce1f7fc44132587493b33728d5493a3a3106  
**SHA256:** de5f1d4489332268b607513f210129e450594087ea4c2ce300ea5ea7ad330368  
**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source | Name | Value               | Confidence |
|---------|--------|------|---------------------|------------|
| Vendor  | file   | name | maintenance-javadoc | High       |
| Product | file   | name | maintenance-javadoc | High       |

#### Identifiers

- None

### maintenance.zip: maintenance-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/member-search-index.js  
**MD5:** 93b51609403fe383f95ae75000fd9e09  
**SHA1:** 32a7d291fa90846ef3a1b919485866573b8bd07b  
**SHA256:** 5902db037c53061d68cc19ef2af2e3578c16ce0ec0397438e34dd8119c609087  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### maintenance.zip: maintenance-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/package-search-index.js  
**MD5:** e89f47c422716f6284a74cd96ed0cd3f  
**SHA1:** 658d9c6eebf7c62d01f7808a26b6024b8c39ecf4

**SHA256:**9687f5061532bbd21fa8c795aca6a657bdac71e356eb43f7103a1cd02bd9306d  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**maintenance.zip: maintenance-javadoc.jar: tag-search-index.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/tag-search-index.js

**MD5:** 3236248138000d701400e0346999c1a8

**SHA1:** 565146643a30712208f9299bd94a37566eab76b8

**SHA256:**72960c457566fe509fb1610d2612152b3f78b15485c891197f1053febdf8f8d1

**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Related Dependencies



- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: tag-search-index.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/tag-search-index.js
  - MD5: 3236248138000d701400e0346999c1a8
  - SHA1: 565146643a30712208f9299bd94a37566eab76b8
  - SHA256: 72960c457566fe509fb1610d2612152b3f78b15485c891197f1053febdf8f8d1

Identifiers

- None

**maintenance.zip: maintenance-javadoc.jar: type-search-index.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/type-search-index.js  
**MD5:** 4fc01a884f0b77974cfda0ecd2b9008f  
**SHA1:** d9610bba6879a5a4f88fb61427b75cd69bce1546  
**SHA256:**cb975e5713d5cd570800e6107aceaa23f53deee11f68222408fec819358da987  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**maintenance.zip: maintenance.jar**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar  
**MD5:** 01db45d5b012720319a47e26c987ef51  
**SHA1:** 43746a38ceb385daffbb0bb0ca5f6538d442ef77  
**SHA256:**fe2afb7d1b13626a936db01b63f7754171dd215914715e09143d2e55e657f677  
**Referenced In Project/Scope:** server

Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | maintenance                          | High       |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | maintenance                          | Low        |
| Vendor  | jar      | package name             | server                               | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 17:33                     | Low        |
| Vendor  | Manifest | implementation-group     | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | maintenance                          | High       |

|         |          |                        |                  |         |
|---------|----------|------------------------|------------------|---------|
| Product | jar      | package name           | maintenance      | Highest |
| Product | jar      | package name           | maintenance      | Low     |
| Product | jar      | package name           | server           | Low     |
| Product | Manifest | built-date             | 2025-10-01 17:33 | Low     |
| Product | Manifest | implementation-group   | shared           | Low     |
| Product | Manifest | Implementation-Title   | maintenance      | High    |
| Product | Manifest | specification-title    | maintenance      | Medium  |
| Version | Manifest | Implementation-Version | 25.10.198        | High    |

#### Identifiers

- None

### maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/backup/js/controller.js

**MD5:** eda28b0d3fc75e6df1ec801c4dda1184

**SHA1:** bde7771a725ab5f735940d621e891210d76d746c

**SHA256:** a6b050a5c95270a0c67687822415186d22ee8330dcf39902d53e80d8272effda

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/cache/js/controller.js



**MD5:** aa44ef9d57351256e8288279206e9da0  
**SHA1:** 29d071ac271977ff8019c6031ee24ddabc5fc3f1  
**SHA256:** 4fbd2dbd4693521ea657c6d95d5f20f8128e38208d742ad6388f76e962052fec  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/controller.js

**MD5:** 0ff72e191a3f127973fc5a9381f1e3fb  
**SHA1:** 2ed064d4500a047ef82b23173f0abf1e9813e1a2  
**SHA256:** 6d60b6004b5b228cc1e6fc6ba01afc922d7d6e174f32773dbf32f1993085a0  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/programdata/js/controller.js

**MD5:** fa453d5635f82f0078c224f27dd99a7d  
**SHA1:** 6288a3c4fbff29ee7cc6a8f69149de44c49ef5c6  
**SHA256:** f7902fb5b8dd900a95b90969872c55787e2d4f65f3736d827fcb13c0ebcef46b  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/controller.js

**MD5:** 8761a32cdf4e1e4a7685026230292f7

**SHA1:** c2d0abdc930a08da61c93cf63f310c9a74434f3c

**SHA256:**358479a73183963c1626c72ae92d5c4f7c03b83363c80257ac03dc58eb4285bd

**Referenced In Project/Scope:** server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

maintenance.zip: maintenance.jar: filechooser.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/filechooser.js

**MD5:** e68e2ea53d15557b2fb1deaf06d441d3

**SHA1:** 047d5f2582143536ea470e92aa91fb7b77c7f093

**SHA256:**c44d53718171530ce586b9932fe7126a09de8e6f7bb9e40aaf949483e432e87d

**Referenced In Project/Scope:** server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

## maintenance.zip: maintenance.jar: multieditusers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/multieditusers.js

**MD5:** 9344849a6f020a58c0f0d718e8c76929

**SHA1:** 2d636915befe9bd1db90c54bffe6acfb088d87

**SHA256:** ab73fb84fe0687eaea50fa310992eb630da346b49387ccee829854f6ecc03329

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## mariadb-java-client.jar

### Description:

JDBC driver for MariaDB and MySQL

### License:

LGPL-2.1-or-later

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/mariadb-java-client.jar

**MD5:** 4f5c2cfaf1244e883a91ce1983e6540c

**SHA1:** 8ed7a307cfdb58c7d08983440411e178730cab04

**SHA256:** a129703efd7b0f334564d46753de999f09b3a361489a2eb647e6020390981cc9

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

|        |      |      |                     |      |
|--------|------|------|---------------------|------|
| Vendor | file | name | mariadb-java-client | High |
|--------|------|------|---------------------|------|

|        |     |              |        |         |
|--------|-----|--------------|--------|---------|
| Vendor | jar | package name | client | Highest |
|--------|-----|--------------|--------|---------|

|        |     |              |        |         |
|--------|-----|--------------|--------|---------|
| Vendor | jar | package name | driver | Highest |
|--------|-----|--------------|--------|---------|

|        |     |              |      |         |
|--------|-----|--------------|------|---------|
| Vendor | jar | package name | jdbc | Highest |
|--------|-----|--------------|------|---------|

|         |          |                     |   |         |
|---------|----------|---------------------|---|---------|
| Vendor  | jar      | package name        | mariadb   | Highest |
| Vendor  | jar      | package name        | org   | Highest |
| Vendor  | Manifest | build-jdk-spec      | 21  | Low     |
| Vendor  | Manifest | bundle-developers   | mariadbJdbcDevelopers;name="mariadb jdbc developers"  | Low     |
| Vendor  | Manifest | bundle-docurl       | <a href="https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/">https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/</a> | Low     |
| Vendor  | Manifest | bundle-symbolicname | mariadb-java-client   | Medium  |
| Vendor  | Manifest | multi-release       | true  | Low     |
| Vendor  | pom      | artifactid          | mariadb-java-client   | Low     |
| Vendor  | pom      | developer id        | mariadbJdbcDevelopers   | Medium  |
| Vendor  | pom      | developer name      | mariadb jdbc developers   | Medium  |
| Vendor  | pom      | groupid             | org.mariadb.jdbc  | Highest |
| Vendor  | pom      | name                | mariadb-java-client   | High    |
| Vendor  | pom      | organization name   | mariadb.com   | High    |
| Vendor  | pom      | organization url    | <a href="https://mariadb.com">https://mariadb.com</a>   | Medium  |
| Vendor  | pom      | url                 | <a href="https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/">https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/</a> | Highest |
| Product | file     | name                | mariadb-java-client   | High    |
| Product | jar      | package name        | client  | Highest |
| Product | jar      | package name        | driver  | Highest |
| Product | jar      | package name        | jdbc  | Highest |
| Product | jar      | package name        | mariadb   | Highest |
| Product | jar      | package name        | org   | Highest |
| Product | Manifest | build-jdk-spec      | 21  | Low     |
| Product | Manifest | bundle-developers   | mariadbJdbcDevelopers;name="mariadb jdbc developers"  | Low     |
| Product | Manifest | bundle-docurl       | <a href="https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/">https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/</a> | Low     |
| Product | Manifest | Bundle-Name         | mariadb-java-client   | Medium  |
| Product | Manifest | bundle-symbolicname | mariadb-java-client   | Medium  |
| Product | Manifest | multi-release       | true  | Low     |
| Product | pom      | artifactid          | mariadb-java-client   | Highest |
| Product | pom      | developer id        | mariadbJdbcDevelopers   | Low     |
| Product | pom      | developer name      | mariadb jdbc developers   | Low     |
| Product | pom      | groupid             | org.mariadb.jdbc  | Highest |

|         |          |                   |  |         |
|---------|----------|-------------------|--|---------|
| Product | pom      | name              | mariadb-java-client  | High    |
| Product | pom      | organization name | mariadb.com  | Low     |
| Product | pom      | organization url  | https://mariadb.com  | Low     |
| Product | pom      | url               | https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/ | Medium  |
| Version | Manifest | Bundle-Version    | 3.5.6  | High    |
| Version | pom      | version           | 3.5.6  | Highest |

### Identifiers

- <pkg:maven/org.mariadb.jdbc/mariadb-java-client@3.5.6> (Confidence:High)

## mysql-connector-j.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/mysql-connector-j.jar

**MD5:** a331817ab5c572777e25539a70b51bb6

**SHA1:** 56d34aea30915904b1c883f1cfae731dd2df6029

**SHA256:** 06f14fbd664d0e382347489e66495ca27ab7e6c2e1d9969a496931736197465f

**Referenced In Project/Scope:** server

### Evidence

| Type   | Source               | Name                     | Value             | Confidence |
|--------|----------------------|--------------------------|-------------------|------------|
| Vendor | file                 | name                     | mysql-connector-j | High       |
| Vendor | hint analyzer        | vendor                   | oracle            | Highest    |
| Vendor | hint analyzer (hint) | vendor                   | sun               | Highest    |
| Vendor | jar                  | package name             | cj                | Highest    |
| Vendor | jar                  | package name             | cj                | Low        |
| Vendor | jar                  | package name             | mysql             | Highest    |
| Vendor | jar                  | package name             | mysql             | Low        |
| Vendor | Manifest             | bundle-symbolicname      | com.mysql.cj      | Medium     |
| Vendor | Manifest             | Implementation-Vendor    | Oracle            | High       |
| Vendor | Manifest             | Implementation-Vendor-Id | com.mysql         | Medium     |

|         |                 |                        |  |         |
|---------|-----------------|------------------------|--|---------|
| Vendor  | Manifest        | specification-vendor   | Oracle Corporation                                     | Low     |
| Vendor  | Manifest (hint) | Implementation-Vendor  | sun  | High    |
| Product | file            | name                   | mysql-connector-j                                      | High    |
| Product | hint analyzer   | product                | mysql_connector/j                                      | Highest |
| Product | hint analyzer   | product                | mysql_connector_j                                      | Highest |
| Product | hint analyzer   | product                | mysql_connectors                                       | Highest |
| Product | jar             | package name           | cj   | Highest |
| Product | jar             | package name           | cj   | Low     |
| Product | jar             | package name           | driver   | Highest |
| Product | jar             | package name           | jdbc   | Highest |
| Product | jar             | package name           | mysql  | Highest |
| Product | jar             | package name           | xdevapi  | Highest |
| Product | Manifest        | Bundle-Name            | Oracle Corporation's JDBC and XDevAPI Driver for MySQL | Medium  |
| Product | Manifest        | bundle-symbolicname    | com.mysql.cj   | Medium  |
| Product | Manifest        | Implementation-Title   | MySQL Connector/J                                      | High    |
| Product | Manifest        | specification-title    | JDBC   | Medium  |
| Version | Manifest        | Bundle-Version         | 8.2.0  | High    |
| Version | Manifest        | Implementation-Version | 8.2.0  | High    |

## Identifiers

- [cpe:2.3:a:mysql:mysql:8.2.0:\\*.~\\*~\\*~\\*~\\*~\\*](#) (*Confidence:High*est) suppress
- [cpe:2.3:a:oracle:connectorVj:8.2.0:\\*.~\\*~\\*~\\*~\\*~\\*](#) (*Confidence:High*est) suppress
- [cpe:2.3:a:oracle:jdbc:8.2.0:\\*.~\\*~\\*~\\*~\\*~\\*](#) (*Confidence:High*est) suppress
- [cpe:2.3:a:oracle:mysql\\_connectorVj:8.2.0:\\*.~\\*~\\*~\\*~\\*~\\*](#) (*Confidence:High*est) suppress
- [cpe:2.3:a:oracle:mysql\\_connectors:8.2.0:\\*.~\\*~\\*~\\*~\\*~\\*](#) (*Confidence:High*est) suppress

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/notification.zip/notification.jar  
**MD5:** 7ebe0ee5e3ce26c494150c6d91d46c04  
**SHA1:** 6bbcbaad6bf284886115f29be8616f155898ad11  
**SHA256:**5595b4661af0076ad3513abfec71b20416b7f4adc8b5ed2bf2f31426c62bcd3  
**Referenced In Project/Scope:** server

Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | notification                         | High       |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | notificationui                       | Low        |
| Vendor  | jar      | package name             | server                               | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 17:49                     | Low        |
| Vendor  | Manifest | implementation-group     | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | notification                         | High       |
| Product | jar      | package name             | notificationui                       | Low        |
| Product | jar      | package name             | server                               | Low        |
| Product | Manifest | built-date               | 2025-10-01 17:49                     | Low        |
| Product | Manifest | implementation-group     | shared                               | Low        |
| Product | Manifest | Implementation-Title     | notification                         | High       |
| Product | Manifest | specification-title      | notification                         | Medium     |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High       |

Identifiers

- None

### notification.zip: notification.jar: notification.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification.js

**MD5:** a7914294220b5e8b3455195997e7a654

**SHA1:** 6aa5184b6872c79a90cb0c7db02e4b383ae1d6f0

**SHA256:** 1adacc2b14565423a88959085345d44027d4ca43cb75b2a1dceb5ffdde9c0637

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### notification.zip: notification.jar: notification\_config.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification\_config.js

**MD5:** 323c074408d9e2dc2145230f2f2bec9e

**SHA1:** e6ca6eb13f3c22aedfbd90b0d7306c35cd7d2b28

**SHA256:** c86eed2c4c6b7df65bdebffc00a3ea2d809997c4b7a97cd22d55f7193ebd4b94

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### notification.zip: notification.jar: notification\_taskplanner.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification\_taskplanner.js

**MD5:** 34de69c55375ed77dcc583b60d7682a7



**SHA1:** 61bc262edf6fc6e902bbbc4bbc16c546a01e4f78  
**SHA256:**ddb2f468d7348ce9388681d450895a6e4b5ba6c22d632f3d53bc1e837be83508  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### notification.zip: notification.jar: targetrenderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/targetrenderer.js  
**MD5:** 9207efb9b92d4108c031b3e7f469ccff  
**SHA1:** fc19cd09c51417a29979d39e3a74a2d99fbf9c03  
**SHA256:**c6c83159f063f74a44c1d68bd67a67c4c96023c3eba9f87ce1090b8f994f49bd  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### odbc.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/odbc.jar  
**MD5:** f633114e085fdb90dfc693cadccc9190  
**SHA1:** 4ac12dc234b22614c5a6a2e84ad9a7a0a4830dd0  
**SHA256:**09f8cb6c8cec042361360be8d768ea7156701561fd54ccb1bef33ca6e1501792  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

|         |          |                        |                                      |         |
|---------|----------|------------------------|--------------------------------------|---------|
| Vendor  | file     | name                   | odbc                                 | High    |
| Vendor  | jar      | package name           | inet                                 | Low     |
| Vendor  | jar      | package name           | odbc                                 | Low     |
| Vendor  | Manifest | Implementation-Vendor  | i-net software GmbH, Berlin, Germany | High    |
| Vendor  | Manifest | specification-vendor   | i-net software GmbH, Berlin, Germany | Low     |
| Product | file     | name                   | odbc                                 | High    |
| Product | jar      | package name           | odbc                                 | Highest |
| Product | jar      | package name           | odbc                                 | Low     |
| Product | Manifest | Implementation-Title   | odbc                                 | High    |
| Product | Manifest | specification-title    | odbc                                 | Medium  |
| Version | Manifest | Implementation-Version | 5.0.168                              | High    |

#### Identifiers

- None

## opentest4j-1.3.0.jar

#### License:

The Apache License, Version 2.0

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.opentest4j/opentest4j/1.3.0/152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e/opentest4j-1.3.0.jar

**MD5:** 03c404f727531f3fd3b4c73997899327

**SHA1:** 152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e

**SHA256:** 48e2df636cab6563ced64dcdf8abb2355627cb236ef0bf37598682ddf742f1b

**Referenced In Project/Scope:** server:inetPlugin

#### Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

#### Evidence



| Type   | Source | Name       | Value          | Confidence |
|--------|--------|------------|----------------|------------|
| Vendor | file   | name       | opentest4j     | High       |
| Vendor | gradle | artifactid | opentest4j     | Highest    |
| Vendor | gradle | groupid    | org.opentest4j | Highest    |

|         |          |                        |  |         |
|---------|----------|------------------------|--|---------|
| Vendor  | jar      | package name           | opentest4j                             | Highest |
| Vendor  | jar      | package name           | opentest4j                             | Low     |
| Vendor  | Manifest | build-date             | 2023-07-06                             | Low     |
| Vendor  | Manifest | build-revision         | 214973bfa4e7e9be7d04e623202cc4147c7036 | Low     |
| Vendor  | Manifest | build-time             | 14:25:06.116+0200                      | Low     |
| Vendor  | Manifest | bundle-symbolicname    | org.opentest4j                         | Medium  |
| Vendor  | Manifest | Implementation-Vendor  | opentest4j.org                         | High    |
| Vendor  | Manifest | specification-vendor   | opentest4j.org                         | Low     |
| Product | file     | name                   | opentest4j                             | High    |
| Product | gradle   | artifactid             | opentest4j                             | Highest |
| Product | jar      | package name           | opentest4j                             | Highest |
| Product | Manifest | build-date             | 2023-07-06                             | Low     |
| Product | Manifest | build-revision         | 214973bfa4e7e9be7d04e623202cc4147c7036 | Low     |
| Product | Manifest | build-time             | 14:25:06.116+0200                      | Low     |
| Product | Manifest | Bundle-Name            | opentest4j                             | Medium  |
| Product | Manifest | bundle-symbolicname    | org.opentest4j                         | Medium  |
| Product | Manifest | Implementation-Title   | opentest4j                             | High    |
| Product | Manifest | specification-title    | opentest4j                             | Medium  |
| Version | file     | version                | 1.3.0                                  | High    |
| Version | Manifest | Implementation-Version | 1.3.0                                  | High    |

#### Identifiers

- <pkg:maven/org.opentest4j/opentest4j@1.3.0> (*Confidence*:Highest)

### parser.pdf.zip: PDFParser.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/parser.pdf.zip/PDFParser.jar

**MD5:** 0b345c078ac7b3e15e5b27351d83aac2

**SHA1:** 8657ffd7f2c7229342e22e142a487e1baa38c2ce

**SHA256:** 2d55bbcffb001723194fdc074f9bf21afef6620cb55e96cb393455b305e32512

**Referenced In Project/Scope:** server

## Evidence



| Type    | Source   | Name                                   | Value                                | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor  | file     | name                                   | PDFParser                            | High       |
| Vendor  | jar      | package name                           | inet                                 | Low        |
| Vendor  | jar      | package name                           | pdfview                              | Low        |
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Vendor  | Manifest | built-date                             | 2025-10-01 17:33                     | Low        |
| Vendor  | Manifest | codebase                               | *                                    | Low        |
| Vendor  | Manifest | implementation-group                   | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low        |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low        |
| Vendor  | Manifest | trusted-library                        | false                                | Low        |
| Vendor  | Manifest | trusted-only                           | false                                | Low        |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                                   | PDFParser                            | High       |
| Product | jar      | package name                           | pdfparser                            | Highest    |
| Product | jar      | package name                           | pdfview                              | Low        |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Product | Manifest | built-date                             | 2025-10-01 17:33                     | Low        |
| Product | Manifest | codebase                               | *                                    | Low        |
| Product | Manifest | implementation-group                   | shared                               | Low        |
| Product | Manifest | Implementation-Title                   | PDFParser                            | High       |
| Product | Manifest | permissions                            | all-permissions                      | Low        |
| Product | Manifest | specification-title                    | PDFParser                            | Medium     |
| Product | Manifest | trusted-library                        | false                                | Low        |
| Product | Manifest | trusted-only                           | false                                | Low        |

|         |          |                        |           |      |
|---------|----------|------------------------|-----------|------|
| Version | Manifest | Implementation-Version | 25.10.198 | High |
|---------|----------|------------------------|-----------|------|

#### Identifiers

- None

### parser.pdf.zip: jbig2.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/parser.pdf.zip/jbig2.jar

**MD5:** ab5dd1acc5e6c85903e342dac7998ce7

**SHA1:** a3f4214b62615d4456de761ccef1136cba65a663

**SHA256:** 93e79e795182b4b6e12991046e489c2c0780e867d3e18e4e7ee20973316930d4

**Referenced In Project/Scope:** server

#### Evidence +

| Type    | Source | Name         | Value  | Confidence |
|---------|--------|--------------|--------|------------|
| Vendor  | file   | name         | jbig2  | High       |
| Vendor  | jar    | package name | jbig2  | Low        |
| Vendor  | jar    | package name | jpegal | Low        |
| Product | file   | name         | jbig2  | High       |
| Product | jar    | package name | jbig2  | Low        |
| Version | file   | name         | jbig2  | Medium     |
| Version | file   | version      | 2      | Medium     |

#### Identifiers

- None

### parser.pdf.zip: parser.pdf.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/parser.pdf.zip/parser.pdf.jar

**MD5:** 5f81c39388a43b99f8b1dec284b69c29

**SHA1:** e36a9ec32717e6213aeba5712b5f16000a3a28aa

**SHA256:** 41e89c896e9717166d9932ee193aea428a8e4225a7ee497b6392ec5af4c2df5e

**Referenced In Project/Scope:** server

## Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | parser.pdf                           | High       |
| Vendor  | jar      | package name             | encoder                              | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | pdf                                  | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 17:53                     | Low        |
| Vendor  | Manifest | implementation-group     | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | parser.pdf                           | High       |
| Product | jar      | package name             | encoder                              | Low        |
| Product | jar      | package name             | pdf                                  | Highest    |
| Product | jar      | package name             | pdf                                  | Low        |
| Product | Manifest | built-date               | 2025-10-01 17:53                     | Low        |
| Product | Manifest | implementation-group     | shared                               | Low        |
| Product | Manifest | Implementation-Title     | parser.pdf                           | High       |
| Product | Manifest | specification-title      | parser.pdf                           | Medium     |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High       |

## Identifiers

- None

pdfviewer.zip: pdfjs-dist.jar

Description:

**License:**

Apache-2.0

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfjs-dist.jar

**MD5:** 57149d661792caab7b262b841f199ca0

**SHA1:** 1dd919385c724d3caf7294f870cbfa3fc2185530

**SHA256:**55641dec5fc0d26127af3ec412c80234bc8c76e45639188034793c2205e8718a

**Referenced In Project/Scope:** server

**Evidence**

| Type    | Source   | Name                | Value                      | Confidence |
|---------|----------|---------------------|----------------------------|------------|
| Vendor  | file     | name                | pdfjs-dist                 | High       |
| Vendor  | Manifest | build-jdk-spec      | 1.8                        | Low        |
| Vendor  | Manifest | bundle-symbolicname | org.webjars.npm.pdfjs-dist | Medium     |
| Vendor  | pom      | artifactid          | pdfjs-dist                 | Low        |
| Vendor  | pom      | developer id        | webjars                    | Medium     |
| Vendor  | pom      | groupid             | org.webjars.npm            | Highest    |
| Vendor  | pom      | name                | pdfjs-dist                 | High       |
| Vendor  | pom      | url                 | https://www.webjars.org    | Highest    |
| Product | file     | name                | pdfjs-dist                 | High       |
| Product | Manifest | build-jdk-spec      | 1.8                        | Low        |
| Product | Manifest | Bundle-Name         | pdfjs-dist                 | Medium     |
| Product | Manifest | bundle-symbolicname | org.webjars.npm.pdfjs-dist | Medium     |
| Product | pom      | artifactid          | pdfjs-dist                 | Highest    |
| Product | pom      | developer id        | webjars                    | Low        |
| Product | pom      | groupid             | org.webjars.npm            | Highest    |
| Product | pom      | name                | pdfjs-dist                 | High       |
| Product | pom      | url                 | https://www.webjars.org    | Medium     |
| Version | Manifest | Bundle-Version      | 4.9.155                    | High       |
| Version | pom      | version             | 4.9.155                    | Highest    |

**Identifiers**

- [pkg:maven/org.webjars.npm/pdfjs-dist@4.9.155](https://www.webjars.org/npm/pdfjs-dist@4.9.155) (*Confidence:High*)

## pdfviewer.zip: pdfjs-dist.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfjs-dist.jar/META-INF/resources/webjars/pdfjs-dist/4.9.155/package.json

**MD5:** f65798a4fb5f72545ae76304dcf58ed6

**SHA1:** 9a8fec5d3dbad5400bbbed30a0be7cb07c854f0f4

**SHA256:** 5a3c6c424b00e9d9cc490b0e357197f1b099a2f91cf6aeb4dd5002f77e1155ce

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## pdfviewer.zip: pdfviewer.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar

**MD5:** d76ed4dca94ebba8594549a23f9928df

**SHA1:** 9a5380c9fb6eae0371eeec190ff913b83fc6344f

**SHA256:** 9d9695ee0555f3f2b6f6da9f855e485e8a7d6784c6b1cc79fb4636847edb3a88

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

|        |      |      |           |      |
|--------|------|------|-----------|------|
| Vendor | file | name | pdfviewer | High |
|--------|------|------|-----------|------|

|        |     |              |      |     |
|--------|-----|--------------|------|-----|
| Vendor | jar | package name | inet | Low |
|--------|-----|--------------|------|-----|

|        |     |              |     |     |
|--------|-----|--------------|-----|-----|
| Vendor | jar | package name | pdf | Low |
|--------|-----|--------------|-----|-----|

|        |     |              |        |     |
|--------|-----|--------------|--------|-----|
| Vendor | jar | package name | viewer | Low |
|--------|-----|--------------|--------|-----|

|        |          |            |                  |     |
|--------|----------|------------|------------------|-----|
| Vendor | Manifest | built-date | 2025-10-01 18:59 | Low |
|--------|----------|------------|------------------|-----|

|        |          |                      |           |     |
|--------|----------|----------------------|-----------|-----|
| Vendor | Manifest | implementation-group | reporting | Low |
|--------|----------|----------------------|-----------|-----|

|        |          |                       |                |      |
|--------|----------|-----------------------|----------------|------|
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
|--------|----------|-----------------------|----------------|------|

|        |          |                          |                 |        |
|--------|----------|--------------------------|-----------------|--------|
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
|--------|----------|--------------------------|-----------------|--------|

|        |          |                |                |     |
|--------|----------|----------------|----------------|-----|
| Vendor | Manifest | specification- | i-net software | Low |
|--------|----------|----------------|----------------|-----|



|         |          |                        |                                      |        |
|---------|----------|------------------------|--------------------------------------|--------|
|         |          | vendor                 |                                      |        |
| Vendor  | Manifest | vendor                 | i-net software GmbH, Berlin, Germany | Medium |
| Product | file     | name                   | pdfviewer                            | High   |
| Product | jar      | package name           | pdf                                  | Low    |
| Product | jar      | package name           | viewer                               | Low    |
| Product | Manifest | built-date             | 2025-10-01 18:59                     | Low    |
| Product | Manifest | implementation-group   | reporting                            | Low    |
| Product | Manifest | Implementation-Title   | pdfviewer                            | High   |
| Product | Manifest | specification-title    | pdfviewer                            | Medium |
| Version | Manifest | Implementation-Version | 25.10.198                            | High   |

#### Identifiers

- None

### pdfviewer.zip: pdfviewer.jar: drive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/drive/js/drive.js

**MD5:** a61df90ad012e9d4c83859788ec19151

**SHA1:** 9a3461f7171aa71cb5200a7dd1140a5dd4c1d86a

**SHA256:** b16d712ec3e0e24b89a91b1d6002f61ce094fcd6a2624ff9e67ad9722ee90dfb

**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### pdfviewer.zip: pdfviewer.jar: pdfviewer.angular.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.angular.js  
**MD5:** 1e0d22af5c77627a6485695f2bdd10d6  
**SHA1:** 8b670f76b503826911b1a439f602be0cbfa95133  
**SHA256:**26990964368293ee401c9bec49dc5de654e654ef42b667aa62f12273e9546e3b  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### pdfviewer.zip: pdfviewer.jar: pdfviewer.embedded.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.embedded.js  
**MD5:** 83c45e0d7293b9373aa727b5b46fad6f  
**SHA1:** 501bddea7565a6ddfbcc28dbd28548db4c5e75a2  
**SHA256:**ecb5a921e11426c887e8dfbaff8454aa16e4a7c5f73d59463e951f9ac89d3c9e  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### pdfviewer.zip: pdfviewer.jar: pdfviewer.factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.factory.js  
**MD5:** 039933761f909593c1aee987e2d06a51  
**SHA1:** 2df87d32494141ad03e09e9d69ba84b5b0096caf  
**SHA256:**b8a9e43adf06ee74839d5dc250797aef98f13dbf861baed1adda91032d200d88  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## pdfviewer.zip: pdfviewer.jar: pdfviewer.model.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.model.js

**MD5:** 68901fe5c47acc46479c9e3e5cff6dd3

**SHA1:** 6db0a82aad55b6697eba55421549b8134b0285db

**SHA256:** cbada41244972ed937bfb2b4d69d24e42990e03e3adb0f18c9ce6c36739d7980

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## pdfviewer.zip: pdfviewer.jar: pdfviewer.renderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.renderer.js

**MD5:** ddd835f4c8d2c662689430fa7161fc7d

**SHA1:** 746e4c6a04ea7e9221b177be856702cd3e0d4682

**SHA256:** 911450782519effcc64e39657582415f32ca49ee14febd24142a21a897cdb26

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

## Identifiers

- None

## pdfviewer.zip: pdfviewer.jar: pdfviewer.reporting.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.reporting.js

**MD5:** effb4436a65f704a76dda056e6c68b01

**SHA1:** 91fda57186cd1069c5333898418ec74710978922

**SHA256:** e4ac8228b4f19e1eadb9590c9e030f1c3d805735c93c22be9405ff589ace8236

**Referenced In Project/Scope:** server

## Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

## Identifiers

- None

## persistence.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/persistence/persistence.jar

**MD5:** 4a959a7833676bd6b1b52b422c15e3ad

**SHA1:** 489ba81cab726ad3bbae9264ecbd395371106cae

**SHA256:** 9d4d9c8222a1ac8e80aae10307858d77dcbbba573048f6d0024ff13fecc1569b9

**Referenced In Project/Scope:** server

## Evidence



| Type   | Source   | Name                 | Value            | Confidence |
|--------|----------|----------------------|------------------|------------|
| Vendor | file     | name                 | persistence      | High       |
| Vendor | jar      | package name         | inet             | Low        |
| Vendor | jar      | package name         | persistence      | Low        |
| Vendor | Manifest | built-date           | 2025-10-01 17:41 | Low        |
| Vendor | Manifest | implementation-group | shared           | Low        |

|         |          |                          |                                      |         |
|---------|----------|--------------------------|--------------------------------------|---------|
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low     |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                     | persistence                          | High    |
| Product | jar      | package name             | persistence                          | Highest |
| Product | jar      | package name             | persistence                          | Low     |
| Product | Manifest | built-date               | 2025-10-01 17:41                     | Low     |
| Product | Manifest | implementation-group     | shared                               | Low     |
| Product | Manifest | Implementation-Title     | persistence                          | High    |
| Product | Manifest | specification-title      | persistence                          | Medium  |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High    |

#### Identifiers

- None

### pluginstore.client.zip: pluginstore.client.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar

**MD5:** 301eb4bdedc81c7c32b950508ad69172

**SHA1:** 73a13118dec39748fea64e2c55a53a82e892da36

**SHA256:** 1e4731235af708d0a76dd26b4e5e815fb56c9a5a87a0c25aa36d944db03965f9

**Referenced In Project/Scope:** server

#### Evidence



| Type   | Source   | Name         | Value              | Confidence |
|--------|----------|--------------|--------------------|------------|
| Vendor | file     | name         | pluginstore.client | High       |
| Vendor | jar      | package name | client             | Low        |
| Vendor | jar      | package name | inet               | Low        |
| Vendor | jar      | package name | store              | Low        |
| Vendor | Manifest | built-date   | 2025-10-01 17:51   | Low        |

|         |          |                          |                                      |         |
|---------|----------|--------------------------|--------------------------------------|---------|
| Vendor  | Manifest | implementation-group     | shared                               | Low     |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low     |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                     | pluginstore.client                   | High    |
| Product | jar      | package name             | client                               | Highest |
| Product | jar      | package name             | client                               | Low     |
| Product | jar      | package name             | shared                               | Highest |
| Product | jar      | package name             | store                                | Low     |
| Product | Manifest | built-date               | 2025-10-01 17:51                     | Low     |
| Product | Manifest | implementation-group     | shared                               | Low     |
| Product | Manifest | Implementation-Title     | pluginstore.client                   | High    |
| Product | Manifest | specification-title      | pluginstore.client                   | Medium  |
| Version | jar      | package name             | shared                               | Highest |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High    |

#### Identifiers

- None

### pluginstore.client.zip: pluginstore.client.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/setup/controller.js

**MD5:** b890353af95e8d67ed666d72e55d5583

**SHA1:** cdc7ae95f6ea08ce7051388a5a6487c8a965eec3

**SHA256:** b2efe42a4dfe713e2a079e24a1044fdc777effb0518d6750fdf9a3974ac78936

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/plugin/help/js/pluginstorehelpcontroller.js

**MD5:** 33e0b25623e005ecbba43c00c91b043a

**SHA1:** 6b9855a487458ce85ae48ee1c5a129b26093b289

**SHA256:** a70a95787e2759bf1d43b76947ea5d48e541c6d94c640d25c9efd31ce281e3a7

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/publicstoreconfig.js

**MD5:** 640b897e30bb04f24b310e948f963701

**SHA1:** c4f24830c5130eabd110ac29f1e198ca4f88e35b

**SHA256:** 45bf77256d46306542a6592243af524e1be940c5bef8746be0fd62ec7209eb84

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

### pluginstore.client.zip: pluginstore.client.jar: storecontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storecontroller.js

**MD5:** 512668a61bc16fe85f6442a56f622a9d

**SHA1:** f9bc6cb342455404802657a7c0d1dd1ed6ec7297

**SHA256:** 7f183982c67d73d4a2bfb963dcc5aa8241b3beb2f2acf5d19aaec20357b715d6

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### pluginstore.client.zip: pluginstore.client.jar: storedirectives.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storedirectives.js

**MD5:** ec0e5529e70952af58b9df0ce2bfebb4

**SHA1:** 0b859497e1b59e55936959192636c3fec9bacef5

**SHA256:** 5066f9af1ecc472186f35289ec17fd270e6a0ef404796f1fbe6acdf69c40fe90

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### pluginstore.client.zip: pluginstore.client.jar: storemodel.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storemodel.js  
**MD5:** 79df37a017eb872811c499812d1eb6dc  
**SHA1:** 1765bf02e7673e3559cac97d4e8a8308c3cf7fcb  
**SHA256:**763d9661e237f8406a59f8fbec70549b5f4cf3e70e58b0c038bc233447d29669  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

postgresql.jar

Description:

Java JDBC driver for PostgreSQL database

License:

BSD-2-Clause

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/postgresql.jar  
**MD5:** d5626352279a40e69e863fcff564e2f1  
**SHA1:** 81b840fbfe0a6c0b7aa14c6bd4856108d36ed780  
**SHA256:**2a32a9dcbc42d67a50ad3a0de5efd102c8d2be46720045f2cbd6689f160ab7c7  
**Referenced In Project/Scope:** server

Evidence



| Type   | Source   | Name                  | Value  | Confidence |
|--------|----------|-----------------------|--|------------|
| Vendor | file     | name                  | postgresql   | High       |
| Vendor | jar      | package name          | jdbc   | Highest    |
| Vendor | jar      | package name          | postgresql   | Highest    |
| Vendor | jar      | package name          | postgresql   | Low        |
| Vendor | Manifest | automatic-module-name | org.postgresql.jdbc  | Medium     |
| Vendor | Manifest | bundle-copyright      | Copyright (c) 2003-2024, PostgreSQL Global Development Group | Low        |
| Vendor | Manifest | bundle-docurl         | https://jdbc.postgresql.org/                                 | Low        |
| Vendor | Manifest | bundle-               | org.postgresql.jdbc  | Medium     |

symbolicname

|         |               |                          |  |         |
|---------|---------------|--------------------------|--|---------|
| Vendor  | Manifest      | Implementation-Vendor    | PostgreSQL Global Development Group  | High    |
| Vendor  | Manifest      | Implementation-Vendor-Id | org.postgresql   | Medium  |
| Vendor  | Manifest      | provide-capability       | osgi.service;effective:=active;objectClass="org.osgi.service.jdbc.DataSourceFactory";osgi.jdbc.driver.class="org.postgresql.Driver";osgi.jdbc.driver.name="PostgreSQL JDBC Driver" | Low     |
| Vendor  | Manifest      | specification-vendor     | Oracle Corporation   | Low     |
| Product | file          | name                     | postgresql   | High    |
| Product | hint analyzer | product                  | pgjdbc   | Highest |
| Product | hint analyzer | product                  | postgresql_jdbc_driver   | Highest |
| Product | jar           | package name             | driver   | Highest |
| Product | jar           | package name             | jdbc   | Highest |
| Product | jar           | package name             | osgi   | Highest |
| Product | jar           | package name             | postgresql   | Highest |
| Product | Manifest      | automatic-module-name    | org.postgresql.jdbc  | Medium  |
| Product | Manifest      | bundle-copyright         | Copyright (c) 2003-2024, PostgreSQL Global Development Group   | Low     |
| Product | Manifest      | bundle-docurl            | <a href="https://jdbc.postgresql.org/">https://jdbc.postgresql.org/</a>  | Low     |
| Product | Manifest      | Bundle-Name              | PostgreSQL JDBC Driver   | Medium  |
| Product | Manifest      | bundle-symbolicname      | org.postgresql.jdbc  | Medium  |
| Product | Manifest      | Implementation-Title     | PostgreSQL JDBC Driver   | High    |
| Product | Manifest      | provide-capability       | osgi.service;effective:=active;objectClass="org.osgi.service.jdbc.DataSourceFactory";osgi.jdbc.driver.class="org.postgresql.Driver";osgi.jdbc.driver.name="PostgreSQL JDBC Driver" | Low     |
| Product | Manifest      | specification-title      | JDBC   | Medium  |
| Version | jar           | package name             | driver   | Highest |
| Version | jar           | package name             | jdbc   | Highest |
| Version | jar           | package name             | osgi   | Highest |
| Version | jar           | package name             | postgresql   | Highest |
| Version | Manifest      | Bundle-Version           | 42.7.8   | High    |
| Version | Manifest      | Implementation-Version   | 42.7.8   | High    |

### Identifiers

- cpe:2.3:a:postgresql:postgresql:42.7.8:\*:\*:\*:\*:\* (Confidence:Low) suppress
- cpe:2.3:a:postgresql:postgresql\_jdbc\_driver:42.7.8:\*:\*:\*:\*:\* (Confidence:Low) suppress

## prettify.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - HTML API Doc/scripts/prettify/prettify.js

**MD5:** 709bfcc456c694bfe8ee86d184a1c360

**SHA1:** a4e5934397f97f79b8066984475c90af8a970a36

**SHA256:** e2e576e3bc607cd179ff511947010f645d3441a35313aec0dbd06c4437f83b77

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## processbridge.reporting.zip: processbridge.reporting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/processbridge.reporting.zip/processbridge.reporting.jar

**MD5:** 84b54eea008ab07585338d1354d62cbf

**SHA1:** 91a2c671774147d58d6786b7f10145a039437525

**SHA256:** 73b83b217d54b88416835affed7a9f21aa4288eafd24177307e92d451bbd20d7

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

|        |      |      |                         |      |
|--------|------|------|-------------------------|------|
| Vendor | file | name | processbridge.reporting | High |
|--------|------|------|-------------------------|------|

|        |     |              |      |     |
|--------|-----|--------------|------|-----|
| Vendor | jar | package name | inet | Low |
|--------|-----|--------------|------|-----|

|         |          |                          |                                      |         |
|---------|----------|--------------------------|--------------------------------------|---------|
| Vendor  | jar      | package name             | processbridge                        | Low     |
| Vendor  | jar      | package name             | report                               | Low     |
| Vendor  | Manifest | built-date               | 2025-10-01 18:58                     | Low     |
| Vendor  | Manifest | implementation-group     | reporting                            | Low     |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low     |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                     | processbridge.reporting              | High    |
| Product | jar      | package name             | api                                  | Low     |
| Product | jar      | package name             | processbridge                        | Highest |
| Product | jar      | package name             | processbridge                        | Low     |
| Product | jar      | package name             | report                               | Low     |
| Product | Manifest | built-date               | 2025-10-01 18:58                     | Low     |
| Product | Manifest | implementation-group     | reporting                            | Low     |
| Product | Manifest | Implementation-Title     | processbridge.reporting              | High    |
| Product | Manifest | specification-title      | processbridge.reporting              | Medium  |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High    |

#### Identifiers

- None

### processbridge.zip: processbridge.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/processbridge.zip/processbridge.jar

**MD5:** 095abe845b2d6e806c5781218e4e0bf3

**SHA1:** 126d9212c2a3c6ad52076f40985adb97dbc99ac7

**SHA256:** ed94afe388fb1a4c5ace0bb7ba302598828069b0842aaf208f76813f87352058

**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | processbridge                        | High       |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | processbridge                        | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 17:48                     | Low        |
| Vendor  | Manifest | implementation-group     | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | processbridge                        | High       |
| Product | jar      | package name             | processbridge                        | Highest    |
| Product | jar      | package name             | processbridge                        | Low        |
| Product | Manifest | built-date               | 2025-10-01 17:48                     | Low        |
| Product | Manifest | implementation-group     | shared                               | Low        |
| Product | Manifest | Implementation-Title     | processbridge                        | High       |
| Product | Manifest | specification-title      | processbridge                        | Medium     |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High       |

#### Identifiers

- None

### promptdialog.zip: promptdialog.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar

**MD5:** 0d649d42320758fae2372a72f7e5151a

**SHA1:** 05d9bc3e1947c48c11ab3991eef4619ab525c9b2

**SHA256:** 0a81fd3a173e9c7f7707b694b1bbb6b9a417c921c321feefba077b0bb3edf72

**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | promptdialog                         | High       |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | promptdialog                         | Low        |
| Vendor  | jar      | package name             | report                               | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 18:59                     | Low        |
| Vendor  | Manifest | implementation-group     | reporting                            | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | promptdialog                         | High       |
| Product | jar      | package name             | promptdialog                         | Highest    |
| Product | jar      | package name             | promptdialog                         | Low        |
| Product | jar      | package name             | report                               | Low        |
| Product | jar      | package name             | server                               | Low        |
| Product | Manifest | built-date               | 2025-10-01 18:59                     | Low        |
| Product | Manifest | implementation-group     | reporting                            | Low        |
| Product | Manifest | Implementation-Title     | promptdialog                         | High       |
| Product | Manifest | specification-title      | promptdialog                         | Medium     |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High       |

#### Identifiers

- None

**promptdialog.zip: promptdialog.jar: promptcontroller.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptcontroller.js

**MD5:** 9a1030e31357faa7ff332e07f31b2013  
**SHA1:** 719be987ccdcc3264d5d3d086f00c1aefb24e080  
**SHA256:** 5da72dc8b28b981a4ae5ff12babe1ed24733a8e828f6734da7e32988bc276783  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### promptdialog.zip: promptdialog.jar: promptcustomrenderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptcustomrenderer.js

**MD5:** 4a2ab3e2f8b066e6c2faad02c1bf6c16  
**SHA1:** e78d0c78e0a4222aa77bb5bab99d5686ceef8786  
**SHA256:** 249dece5c3251a2ed48cf1d60b25c93f473b33e22ec83b8980a3907bdf267b47  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### promptdialog.zip: promptdialog.jar: promptfactory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptfactory.js

**MD5:** 8fdae5ff173cebe93a61e37d38b411f5  
**SHA1:** df01371336e4d20ec91101bd4183bda94b5fb6ea  
**SHA256:** 2c84e71877b13721299f62b69e9daf89c9b20db27cb8e8ade6fd4528949b37b8  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### promptdialog.zip: promptdialog.jar: promptpanel.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptpanel.js

**MD5:** 99d16b2383290d43cd354674196e40b0

**SHA1:** 03c6c2111b242719e26e7ebb64a1c5e89e6e540c

**SHA256:**7863b068cfa31af1c989f23a8f888f7858759728968e0d0335b6d5ac7411eea4

**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### promptdialog.zip: promptdialog.jar: promptrenderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptrenderer.js

**MD5:** 61c61ff08c770911316a7fef2450d6ba

**SHA1:** 9ab51332b7278bd9f50630cebbf0064101971b4b

**SHA256:**6ee26567dca9cf9d36e34c332500b735c83732876a89fba13607cf332eb3b715

**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers



• None

## propertieschecker.sample.zip: propertieschecker.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/PropertiesChecker/propertieschecker.sample.zip/propertieschecker.sample.jar

**MD5:** e254b351ac755c4b0c199b5c8c2918ef

**SHA1:** 2a2e01ec310f51a424b805c38ef3f71e0223ce32

**SHA256:** bf8fd135f11f8bd6ce23ce0dcb4544bdb850b79bf3aa9414adac3a1498ab8e31

**Referenced In Project/Scope:** server

### Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | propertieschecker.sample             | High       |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | propertieschecker                    | Low        |
| Vendor  | jar      | package name             | samples                              | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 18:41                     | Low        |
| Vendor  | Manifest | implementation-group     | reporting                            | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | propertieschecker.sample             | High       |
| Product | jar      | package name             | propertieschecker                    | Highest    |
| Product | jar      | package name             | propertieschecker                    | Low        |
| Product | jar      | package name             | samples                              | Low        |
| Product | Manifest | built-date               | 2025-10-01 18:41                     | Low        |
| Product | Manifest | implementation-group     | reporting                            | Low        |
| Product | Manifest | Implementation-Title     | propertieschecker.sample             | High       |
| Product | Manifest | specification-title      | propertieschecker.sample             | Medium     |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High       |

## Identifiers

- None

## propertieschecker.zip: propertieschecker.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/propertieschecker.zip/propertieschecker.sample.jar

**MD5:** f31a607281b90af9d963d6e0344a462d

**SHA1:** 1a67d5011a22b29272b2f2738bf7d7d7b303a0b5

**SHA256:** 11c42a4d91bc77f55199114f15b9ab2eae5ad2e186d322d76eefc1a43d5877dc

**Referenced In Project/Scope:** server

## Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | propertieschecker.sample             | High       |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | propertieschecker                    | Low        |
| Vendor  | jar      | package name             | samples                              | Low        |
| Vendor  | Manifest | built-date               | 2025-09-29 18:42                     | Low        |
| Vendor  | Manifest | implementation-group     | reporting                            | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | propertieschecker.sample             | High       |
| Product | jar      | package name             | propertieschecker                    | Highest    |
| Product | jar      | package name             | propertieschecker                    | Low        |
| Product | jar      | package name             | samples                              | Low        |
| Product | Manifest | built-date               | 2025-09-29 18:42                     | Low        |
| Product | Manifest | implementation-group     | reporting                            | Low        |
| Product | Manifest | Implementation-Title     | propertieschecker                    | High       |

|         |          |                        |                   |        |
|---------|----------|------------------------|-------------------|--------|
| Product | Manifest | specification-title    | propertieschecker | Medium |
| Version | Manifest | Implementation-Version | 25.10.196         | High   |

#### Identifiers

- None

## remotegui.zip: angular-animate.jar

### Description:

WebJar for angular-animate

### License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar

**MD5:** 1dcc988a8392618e7c5127f57b3453d1

**SHA1:** 7ea94213dad8a46ab088e1a3dd6a5def2ecf8e78

**SHA256:** dbbce06145963ef7bfd197c1646722fedfe76a9b54b01f1b6dc7ccf7e8b51163

**Referenced In Project/Scope:** server

### Evidence +

| Type    | Source | Name         | Value                   | Confidence |
|---------|--------|--------------|-------------------------|------------|
| Vendor  | file   | name         | angular-animate         | High       |
| Vendor  | pom    | artifactid   | angular-animate         | Low        |
| Vendor  | pom    | developer id | webjars                 | Medium     |
| Vendor  | pom    | groupid      | org.webjars.npm         | Highest    |
| Vendor  | pom    | name         | angular-animate         | High       |
| Vendor  | pom    | url          | https://www.webjars.org | Highest    |
| Product | file   | name         | angular-animate         | High       |
| Product | pom    | artifactid   | angular-animate         | Highest    |
| Product | pom    | developer id | webjars                 | Low        |
| Product | pom    | groupid      | org.webjars.npm         | Highest    |
| Product | pom    | name         | angular-animate         | High       |
| Product | pom    | url          | https://www.webjars.org | Medium     |
| Version | pom    | version      | 1.8.3                   | Highest    |

## Identifiers

- [pkg:maven/org.webjars/npm/angular-animate@1.8.3](https://pkg:maven/org.webjars/npm/angular-animate@1.8.3) (*Confidence:High*)

## remotegui.zip: angular-animate.jar: angular-animate.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.js

**MD5:** 31312b87e7226c8bf0714fcef0ea5d18

**SHA1:** dc9fb55f2c7f922c5ba83449266239ba1353db45

**SHA256:** 58e79e0e7cbb1e1502d216701e1fae41c405d92320aea1b68a223054096fda93

**Referenced In Project/Scope:** server

## Evidence

| Type    | Source | Name    | Value     | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor  | file   | name    | angularjs | High       |
| Product | file   | name    | angularjs | High       |
| Version | file   | version | 1.8.3     | High       |

## Identifiers

- [pkg:javascript/angularjs@1.8.3](https://pkg:javascript/angularjs@1.8.3) (*Confidence:Highest*)

## remotegui.zip: angular-animate.jar: angular-animate.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.min.js

**MD5:** 5d2d0f42bb7e1b5503e914674f59dad0

**SHA1:** 4c15a58541e53c451c6f946d2048104f88b833c7

**SHA256:** 8e6202b1330a469a61ccdeebbd1cb3a20d0ecd9c8d106f68da5b85e9b67a1cd5

**Referenced In Project/Scope:** server

## Evidence

| Type    | Source | Name | Value     | Confidence |
|---------|--------|------|-----------|------------|
| Vendor  | file   | name | angularjs | High       |
| Product | file   | name | angularjs | High       |

|         |      |         |       |      |
|---------|------|---------|-------|------|
| Version | file | version | 1.8.3 | High |
|---------|------|---------|-------|------|

#### Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

### remotegui.zip: angular-animate.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/index.js

**MD5:** eca59ea32960ae595dd18ad9480185b1

**SHA1:** b8fe1c0a06b723a75c7e596fd8a86d91965f681c

**SHA256:** 7f2f9350e5624bf86e8760d1deae03fae4477949284b49471eb67e2b6498cb7d

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: angular-animate.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/package.json

**MD5:** 13957f0482b591f50a2e9528a5b84330

**SHA1:** 16ec0d9e9e70f179261a1bd672e610b159876ff5

**SHA256:** e2fc9996d890ec0c6601b2c9176a1ada7806e1dcd6eca8549bba9022235877

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

## remotegui.zip: angular-cookies.jar

### Description:

WebJar for angular-cookies

### License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar

**MD5:** 5d743cd15e44b5a942478abaa3a008ae

**SHA1:** 2ebe196f9032e261a470467b5a14632d81d3d4f9

**SHA256:** 0809dd125183f03e6682985208de5f1221478221ed41667545133f7e729dd000

**Referenced In Project/Scope:** server

### Evidence



| Type    | Source | Name         | Value                   | Confidence |
|---------|--------|--------------|-------------------------|------------|
| Vendor  | file   | name         | angular-cookies         | High       |
| Vendor  | pom    | artifactid   | angular-cookies         | Low        |
| Vendor  | pom    | developer id | webjars                 | Medium     |
| Vendor  | pom    | groupid      | org.webjars.npm         | Highest    |
| Vendor  | pom    | name         | angular-cookies         | High       |
| Vendor  | pom    | url          | https://www.webjars.org | Highest    |
| Product | file   | name         | angular-cookies         | High       |
| Product | pom    | artifactid   | angular-cookies         | Highest    |
| Product | pom    | developer id | webjars                 | Low        |
| Product | pom    | groupid      | org.webjars.npm         | Highest    |
| Product | pom    | name         | angular-cookies         | High       |
| Product | pom    | url          | https://www.webjars.org | Medium     |
| Version | pom    | version      | 1.8.3                   | Highest    |

### Identifiers

- <pkg:maven/org.webjars.npm/angular-cookies@1.8.3> (*Confidence:High*)

## remotegui.zip: angular-cookies.jar: angular-cookies.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.js

**MD5:** e17187aea1f0e6dbd25722e34b754915

**SHA1:** 20f43f716b9fef7d72537bc1b0e5aa2bc480cee5

**SHA256:** f3291c552042f6d0c500167769912a78ab3ecec9917128b2d6ea8e7c6714bb97

**Referenced In Project/Scope:** server

### Evidence

| Type    | Source | Name    | Value     | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor  | file   | name    | angularjs | High       |
| Product | file   | name    | angularjs | High       |
| Version | file   | version | 1.8.3     | High       |

### Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence:*Highest)

## remotegui.zip: angular-cookies.jar: angular-cookies.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.min.js

**MD5:** c41aff8423276d46f0d02de6dcb71524

**SHA1:** 7dc53f75d5bf7dd2c770cb50f31242c70193c086

**SHA256:** 926509b494009bea03288bba191a2b238032188e9112377e50fbfe7814c6639b

**Referenced In Project/Scope:** server

### Evidence

| Type    | Source | Name    | Value     | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor  | file   | name    | angularjs | High       |
| Product | file   | name    | angularjs | High       |
| Version | file   | version | 1.8.3     | High       |

### Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence:*Highest)

## remotegui.zip: angular-cookies.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/index.js

**MD5:** 88188b8869bb0cbae63eb86aa6c1059a

**SHA1:** ce388b565b0d0392802138b2a7d4bf393c3d49f9

**SHA256:** b1b8d54ed8400d4f997da0f2fa672e8728d4771a77028d9f495cf1732fcb1e6f

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: angular-cookies.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/package.json

**MD5:** 6785fbb341602e147af808078db0d42b

**SHA1:** a30ac55dae62b1a7c8921c7687a3276dbeeed564

**SHA256:** 81847196d700fe42834ebf82cb0c68267d9c237134566556a466e070659c7222

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: angular-sanitize.jar

**Description:**



WebJar for angular-sanitize

**License:**

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar

**MD5:** f47ca0f7e843acea25d245b34ce30feb

**SHA1:** 8050e163f66fb899645cc67ffa67d92a25096902

**SHA256:** 4de072c9e746b2bf70aee70cc1c9b61350e017002dd71089e5f66a587f7ed92f

**Referenced In Project/Scope:** server

**Evidence**



| Type    | Source | Name         | Value                   | Confidence |
|---------|--------|--------------|-------------------------|------------|
| Vendor  | file   | name         | angular-sanitize        | High       |
| Vendor  | pom    | artifactid   | angular-sanitize        | Low        |
| Vendor  | pom    | developer id | webjars                 | Medium     |
| Vendor  | pom    | groupid      | org.webjars.npm         | Highest    |
| Vendor  | pom    | name         | angular-sanitize        | High       |
| Vendor  | pom    | url          | https://www.webjars.org | Highest    |
| Product | file   | name         | angular-sanitize        | High       |
| Product | pom    | artifactid   | angular-sanitize        | Highest    |
| Product | pom    | developer id | webjars                 | Low        |
| Product | pom    | groupid      | org.webjars.npm         | Highest    |
| Product | pom    | name         | angular-sanitize        | High       |
| Product | pom    | url          | https://www.webjars.org | Medium     |
| Version | pom    | version      | 1.8.3                   | Highest    |

**Identifiers**

- [pkg:maven/org.webjars.npm/angular-sanitize@1.8.3](https://mvnrepository.com/artifact/org.webjars.npm/angular-sanitize/1.8.3) (*Confidence:High*)

**remotegui.zip: angular-sanitize.jar: angular-sanitize.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.js

**MD5:** 0127d7a139abfc8bd45875a9c8ea6348

**SHA1:** 197aea2acc25a0fa821766400950cac58a3627a5

**SHA256:** c84c65250afe5a1265f36a7e16c6010652e55c2ae3a779c351fb68536c42bf64

**Referenced In Project/Scope:** server

## Evidence



| Type    | Source | Name    | Value     | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor  | file   | name    | angularjs | High       |
| Product | file   | name    | angularjs | High       |
| Version | file   | version | 1.8.3     | High       |

## Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

## remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.min.js

**MD5:** f3c62abeec216e9431e7d5b22d8e813b

**SHA1:** 21355ef18c5e1ce2b2c711b9dba21cbea0655646

**SHA256:** cc80a30ad0439c2e9c209b3d7fcffb1d10e6007fd1d00c9cc144f393664a7045

**Referenced In Project/Scope:** server

## Evidence



| Type    | Source | Name    | Value     | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor  | file   | name    | angularjs | High       |
| Product | file   | name    | angularjs | High       |
| Version | file   | version | 1.8.3     | High       |

## Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

## remotegui.zip: angular-sanitize.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/index.js

**MD5:** 796078246b8e97f002ea5c97c4c7de54

**SHA1:** 0ce03000a4c04ae0a8b4353715bda54b8a8e8c69

**SHA256:** 44cbd8c36c3e2818d011eb0dc7d95293730667fa5a98a23449e9b4add369f65b

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: angular-sanitize.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/package.json

**MD5:** 515d23261280a10a4d84ed267c425880

**SHA1:** 84d37bbaefc2117ac59c79b0d87a953a1abd4911

**SHA256:** 5e5c191e41b4e9902cfaeb95878d5b92333585e6dad936588fe1adfd1445af86

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: angular.jar

#### Description:

WebJar for angular

#### License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar

**MD5:** f339a9a66a64c67eebb21ec3b251dfc6

**SHA1:** cff4aee339a9ca4ae2f095079930edeaad6a94ee

**SHA256:**a997eb40987ddb5d3bf64adf3d33afcff3ac2b1eb2e7255b5203a387f8097cd0  
**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source | Name         | Value                   | Confidence |
|---------|--------|--------------|-------------------------|------------|
| Vendor  | file   | name         | angular                 | High       |
| Vendor  | pom    | artifactid   | angular                 | Low        |
| Vendor  | pom    | developer id | webjars                 | Medium     |
| Vendor  | pom    | groupid      | org.webjars.npm         | Highest    |
| Vendor  | pom    | name         | angular                 | High       |
| Vendor  | pom    | url          | https://www.webjars.org | Highest    |
| Product | file   | name         | angular                 | High       |
| Product | pom    | artifactid   | angular                 | Highest    |
| Product | pom    | developer id | webjars                 | Low        |
| Product | pom    | groupid      | org.webjars.npm         | Highest    |
| Product | pom    | name         | angular                 | High       |
| Product | pom    | url          | https://www.webjars.org | Medium     |
| Version | pom    | version      | 1.8.3                   | Highest    |

#### Identifiers

- [pkg:maven/org.webjars.npm/angular@1.8.3](https://mvnrepository.com/artifact/org.webjars/angular/1.8.3) (*Confidence:High*)

### remotegui.zip: angular.jar: angular.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources  
/webjars/angular/1.8.3/angular.js

**MD5:** e09f650a016c24bc1b5a1edc93bfade

**SHA1:** 0f1f7445b761b9bbd5385f9f0b316dbf1ca48696

**SHA256:**fdca889e76f55fdee7ab661920f37ce19233563bf7f4ac8120f8ebc2ac768768

**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source | Name | Value     | Confidence |
|---------|--------|------|-----------|------------|
| Vendor  | file   | name | angularjs | High       |
| Product | file   | name | angularjs | High       |

|         |      |         |       |      |
|---------|------|---------|-------|------|
| Version | file | version | 1.8.3 | High |
|---------|------|---------|-------|------|

#### Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

### remotegui.zip: angular.jar: angular.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.min.js

**MD5:** 967a32633fa8f38f4ac3376c1a37b992

**SHA1:** b53b74d8e0b732dcdb98fbe521146b88299ea2f1

**SHA256:** 396dc1a03d6cc02e9c51a80246e0db53c5c8df9bd07287e3b51bce4a29dab355

**Referenced In Project/Scope:** server

#### Evidence

| Type    | Source | Name    | Value     | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor  | file   | name    | angularjs | High       |
| Product | file   | name    | angularjs | High       |
| Version | file   | version | 1.8.3     | High       |

#### Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

### remotegui.zip: angular.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/index.js

**MD5:** 0d848853205d22ab8be985876aec948a

**SHA1:** a2bfe847bea879ad2775509c4421291c404d8c21

**SHA256:** d469f8e93a4c345f01d81d162a803116de1bc6afd4bfeba8b45951449956b686

**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: angular.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/package.json

**MD5:** c5e0d73dc5121cf479c775248d2ca497

**SHA1:** bc29d1f7c080dfb1f701ad4f1c4ff548916f28e5

**SHA256:** 95ad7872af90c37e7a5597581f5bb2362d59c49fc3f2766dd9f2568a041cf10a

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: codemirror.jar

### Description:

WebJar for codemirror

### License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar

**MD5:** 669061572ba6292cc848f48535366409

**SHA1:** c1c5b1fda926e89ab3204a2b4d2871078ce6d448

**SHA256:** b5f4ff56ec0eb788f4c150fc67b7a127e189e555e2438318742003e01c78282c

**Referenced In Project/Scope:** server

### Evidence



| Type   | Source | Name | Value      | Confidence |
|--------|--------|------|------------|------------|
| Vendor | file   | name | codemirror | High       |

|         |      |              |                         |         |
|---------|------|--------------|-------------------------|---------|
| Vendor  | pom  | artifactid   | codemirror              | Low     |
| Vendor  | pom  | developer id | webjars                 | Medium  |
| Vendor  | pom  | groupid      | org.webjars.npm         | Highest |
| Vendor  | pom  | name         | codemirror              | High    |
| Vendor  | pom  | url          | https://www.webjars.org | Highest |
| Product | file | name         | codemirror              | High    |
| Product | pom  | artifactid   | codemirror              | Highest |
| Product | pom  | developer id | webjars                 | Low     |
| Product | pom  | groupid      | org.webjars.npm         | Highest |
| Product | pom  | name         | codemirror              | High    |
| Product | pom  | url          | https://www.webjars.org | Medium  |
| Version | pom  | version      | 6.65.7                  | Highest |

#### Identifiers

- [pkg:maven/org.webjars.npm/codemirror@6.65.7](#) (Confidence:High)
- [cpe:2.3:a:codemirror:codemirror:6.65.7:\\*.~\\*~\\*~\\*~\\*~\\*](#) (Confidence:High)

suppress

### remotegui.zip: codemirror.jar: CodeMirror.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/CodeMirror.js

**MD5:** d154477df9eebe156a1a493731acb01d

**SHA1:** 69efd74f28f36317a2bb9101dbbaec73f5ca3735

**SHA256:** 258db73a89eb6d88475013d38f4e0e01cc1476788f931058bf470db1ee26ca53

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

## remotegui.zip: codemirror.jar: ContentEditableInput.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/ContentEditableInput.js

**MD5:** 40e61dbb4388425c66403ecd7e9a5a10

**SHA1:** 70cfc8bedef61e8d2f6cbb85ee41d65088d44c53

**SHA256:** 5c07c3caef1fc6122ef3ce8d681afb87d65f86aaead8db5d1ca3466803b57da8

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: codemirror.jar: Display.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/Display.js

**MD5:** bbf05006cf414f786e21cdb02b443aac

**SHA1:** 6bcab3100f9fd46d39f5c47d78b6ad9ad863b464

**SHA256:** 6e26756a9ae829558cf81a83fd9d48dd0f605241c7c7e8028a8bcf94bfa7a9d4

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: codemirror.jar: Doc.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/Doc.js

**MD5:** 66f02c635454d1ae55f7472709417566



**SHA1:** 8799d7becd0b3ee9bfd397c157c43ca6ebb264d0

**SHA256:** 32bf377fa99365b49732f69c5e565c61995fefdf8d0bc6f3404d4fc00ed8ac7f

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: StringStream.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/StringStream.js

**MD5:** d187f08909bf9bb188d04c79f089c26a

**SHA1:** f5c4fc956b8b4de762087204024eb625cb00a790

**SHA256:** 9f1ab50bba4ae102fa5c611d4ef5b056d063a63a7f20cfef59eea64e93c3e04e

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: TextareaInput.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/TextareaInput.js

**MD5:** 87e959dd1978b0e022083d3e5ad65158

**SHA1:** d08b9e7e675368968faf8e93bb1dbaddf9996410

**SHA256:** 48684a26a28a3fd1793a80aa67509c4281b56d6924d25511540a1d19aed72eb9

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: codemirror.jar: active-line.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/active-line.js  
**MD5:** 774e515fe054cbcd6cc869bfd550b17d  
**SHA1:** 3d950f5055286088e93e0ee4c8a1d62eaf8aedac  
**SHA256:**3afbcbf78835c9bdc342e3992c53d9b74286722613bb1a8adc9d140edc8737ee8  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: codemirror.jar: annotatescrollbar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/annotatescrollbar.js  
**MD5:** a9dfd7f9d78bd36c617429ed88cb67e5  
**SHA1:** ad1133e5432a7c65881747c87c84529fed297ecb  
**SHA256:**9041e8d81e3cebc481cabfae90d3b80596f3194de75d98e5526d3bfa44ae3bbc  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

### remotegui.zip: codemirror.jar: anyword-hint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/anyword-hint.js

**MD5:** ba7fa17b24f0937d9431f93b9de2da37

**SHA1:** a87db7c6de5231a1bfd702e26ecf4aa76d822a0a

**SHA256:** e834ad178bd23449476e29179e8cb9f0c1ebaed35dab9059ed9a46b388271f3e

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: apl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/apl/apl.js

**MD5:** c0d55e310ae0a4290d3fcca84bff448

**SHA1:** 006c98d2b17e85168065eebf44c3fdd91b9ff874

**SHA256:** 47e0fdac0a39e0186019064e13b674dda4223b03b2748d34cccc09489fde2674

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: asciiarmor.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asciarmor/asciarmor.js  
**MD5:** 42e5c7f3f48fa085f63bd7708bb204fd  
**SHA1:** b15cdadbf5a869d06a79e6a9e187d0509dca1239  
**SHA256:** bdc6b68c4b0c9dc53b2af587673461a495f123a5b9da8f6be79d97fee2790f9ae  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: asn.1.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asn.1/asn.1.js  
**MD5:** a928fdb102ef88113a9d1c0d9e520114  
**SHA1:** f293930644bd6093dbb02475e8b409fe9794f437  
**SHA256:** 5b50cca4b34820cb3d57c218945ff2d870d57eba83e13c2c66590063e2a23acc  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: asterisk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asterisk/asterisk.js  
**MD5:** 2f4e25e805d878f43b8568609c48dba8

**SHA1:** 109a76d631e43dd32c13cbb0c23ad83e1851ad0a  
**SHA256:** 0849e3a141e967559d752de2205956cb690f1d4ba0a5ace5481c6c565db9b674  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: autorefresh.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/autorefresh.js  
**MD5:** 16b07faa9ef79a1fb79432fb4f4a9e3a  
**SHA1:** 091a2b17758e7c3182542314256139a2247b508c  
**SHA256:** 2ec9d5585bd24d7611f30ebbb1cd8fedf79747cf89c1f83852dd1dd9981f10bd  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: bidi.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/bidi.js  
**MD5:** 22a12be2f1e24a9bfddc5c3b0d187ede  
**SHA1:** ab735d3376e0040172b6dc972f97df663f231dc4  
**SHA256:** 0a4646d7a1214acfc71ad351d021f31795b056ce7a08f80d29857aeca1a5163b  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: codemirror.jar: brace-fold.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/brace-fold.js  
**MD5:** d56849bd7cce8a10ccb842d50f0de179  
**SHA1:** 4103103f28436925442d5397c24425fbaf660fce  
**SHA256:**2907087538a295e5b4f084f8c5ee7eba35cc973db194cbf596ab13a6c97a6834  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: codemirror.jar: brainfuck.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/brainfuck/brainfuck.js  
**MD5:** f3ff733b3609dfb34a49652f6a4a2d09  
**SHA1:** 41a8164ddba5e25fe2401265eb9fd4222e415549  
**SHA256:**67496a83fe1ea3304a3f65a8f8196f3a4a40060ea4febcb60a82c7657205abd  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

#### remotegui.zip: codemirror.jar: browser.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/browser.js

**MD5:** 564eafde7c1566f1b9b0d976cc3ace2f

**SHA1:** 2c592606b3242ac9cf080d138aae3516cc2ef05d

**SHA256:** de647094595511fabe9d548d9e45dacf746d7b83a198cb69b5b8859fa3eccb30

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: change\_measurement.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/change\_measurement.js

**MD5:** 39707c0eb637648efc07d95bb60253d3

**SHA1:** 025a52f620cc5b6edee8fb9c63a3f6ecf4c2284c

**SHA256:** 1d1648706bf317acc33a64673cb4fbc2d2a7db8205bcc1cd9fe52819c13b87f0

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: changes.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/changes.js

**MD5:** 822465b81d600e9a703579605e2147bc

**SHA1:** 1b77f1034de1cac51a8ff50e48f9604bc62556e5

**SHA256:** 13b0b2c417e0181ec9cb012932c1fa167c50171133391c00582e2939206362a0

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: chunk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/chunk.js

**MD5:** 7dd1b45f75341b5a03a01f6607da69a4

**SHA1:** 89dfb21758e8a384033d09678a8d5b1ce8983e6f

**SHA256:** 18f55da6b39c1b12fb5406c7962a88884e00d2122566622784720cbe612fc676

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: clike.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clike/clike.js

**MD5:** 145b41ea6cde47e8889ef8b2214eecde



**SHA1:** d0ae7cc4040a57a76b86265f492f87e251d1cc9d  
**SHA256:** a1ff458a030f8b1db2d901811344f3e178eaceb19b598277d054bf83dacfedc2  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: clojure.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clojure/clojure.js  
**MD5:** 7f3277e322bd000aefbfb172d3edf7e6  
**SHA1:** e701f8e843e3390a0a411700d3c8989dc147780c  
**SHA256:** 86b7b779ab84fa77bc6e461a05fd0887d85a3c8cd42a96576cad973b355bb1b8  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: closebrackets.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closebrackets.js  
**MD5:** 667059f346609f6ad778936b17c43824  
**SHA1:** 248b45be826a8856a0ed0733c8511d9d0c595507  
**SHA256:** 143c3014c29254f3531cc30be6d90205084bcfc36cfa6f9b2a46fd42a40be20  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: codemirror.jar: closetag.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closetag.js  
**MD5:** 744876ab906996c429eef7654278f514  
**SHA1:** 0e0e10e59f93f87c9bc35247b14831091113adb4  
**SHA256:**6fbe2b93cc1744d9e14ad1d613449f7e16df4c2aa2842f658efc17abf662f850  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: codemirror.jar: cmake.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cmake/cmake.js  
**MD5:** fc204bb5f2393f59bcd34a860f1e1a57  
**SHA1:** 73985b80cdb80d12831a7476b740733e3fdd065d  
**SHA256:**6379ded0f75af38659031d1eaa803d2bd5be0fa7cebc216e55ca65d01a35bf1a  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

### remotegui.zip: codemirror.jar: cobol.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cobol/cobol.js

**MD5:** d8a271c0bf27ef5cc2dd8ea19886aa75

**SHA1:** 93072b3c895318fc58f8ed16d68cc213ac7910de

**SHA256:** 0cecf82da2915c20187ab4e29cfc4abbb0078536874b27978726d48371487e4c

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: codemirror-standalone.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror-standalone.js

**MD5:** f1f47322e6af5937de4a14fb10863e3e

**SHA1:** 843d01e1379550e5fed3e64aba1af1a359441e7a

**SHA256:** a18754c4ae17e27b7bba46b338c404d28804e237f41425aed96904c0aa1f49f2

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: codemirror.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/lib/codemirror.js  
**MD5:** 15fc3cdf569fa38b1f91d86ebbea13d  
**SHA1:** c5f9252d9467c2af70c5e6fc579e696648ee242b  
**SHA256:**a4f1c30365d5f85951a22160b07a7ce34048cb640c283545c8192132b46efba8  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: codemirror.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/codemirror.js  
**MD5:** 0d4d22de0bcdf7f7afd8131d4e59f130  
**SHA1:** 819f8c37a4df0c61ef735d5b884c6c598bc0983e  
**SHA256:**b2a1b676605c6428b6dd7ce21a8a0d2509d4652ceb2297be93078ca6d66926dd  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|


#### Identifiers

- None

### remotegui.zip: codemirror.jar: codemirror.node.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror.node.js  
**MD5:** a524724c274d1c038c7984e164428b3d

**SHA1:** 18fd7183236cbf1437175c8d31509ffa6cd4ba64  
**SHA256:**fdc02024dc3845f85b38046ae842b0f572f91adc5f34a6979cd92ead0fe4a0a1  
**Referenced In Project/Scope:** server

Evidence 


| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**remotegui.zip: codemirror.jar: coffeescript-lint.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/coffeescript-lint.js  
**MD5:** e852ea5b9ebb97947ffd169523eca098  
**SHA1:** 58ec1f05cb6893a519fe2d7ad1b9716f15219b89  
**SHA256:**824caa68710a7f931ebd30491fec19dcd2c6fa166c21158f5ccd61321069da2d  
**Referenced In Project/Scope:** server

Evidence 

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

**remotegui.zip: codemirror.jar: coffeescript.js**


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/coffeescript/coffeescript.js  
**MD5:** 438a52e20ca46a26383d4eb6d33a5c6f  
**SHA1:** 8dd398cbd2955bcffcd70180f9fb560f56acf567  
**SHA256:**67792b36933d29b482307761ee03da520a19b3b30ca60f54df9cdef4051db628  
**Referenced In Project/Scope:** server

Evidence 

| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |


remotegui.zip: codemirror.jar: colorize.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/colorize.js  
**MD5:** 626a64f8687ca9576bb017843ab2c30b  
**SHA1:** 4899e8d499849fb02f134afb39711d3ab2c28903  
**SHA256:** 9d39f5267c05d930f079fc4f223b453e8f9fd54cae6cf52db9b5dc3a0b9dd694  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |
| Identifiers  |        |      |       |            |
| • None   |        |      |       |            |

remotegui.zip: codemirror.jar: commands.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/commands.js  
**MD5:** 9f984e904c9556f8e270502eaf1d5a5b  
**SHA1:** d16928b2cc389c46f7b77121beb7376a50f11c35  
**SHA256:** 5f23178d2f8f62f97af955560fb192e5aa898f81153b9c24cee8ed6ac567f658  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |
| Identifiers  |        |      |       |            |

- None

#### remotegui.zip: codemirror.jar: comment-fold.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/comment-fold.js

**MD5:** 3bf750756a24d5a0ba9cf16819bf5cfe

**SHA1:** ad4d1534287f90692567139c0b007be29aac4a9d

**SHA256:** a79d02eb1b425d8a4823f2d962b7b9f49af578fc9042b928b892417c00e7d13a

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: comment.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/comment.js

**MD5:** 18fc449bec0798e43182173ba47455b9

**SHA1:** 29442cfbafce86a08679824a999b87ec1acdf567

**SHA256:** a65c038258c6541658a0e9f24c56c78255e0e20d4cf06aa9ad83342069a589be

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: commonlisp.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/commonlisp/commonlisp.js  
**MD5:** 9449ffe942392a1ad14eaa723578b606  
**SHA1:** c734ecc91ff4949d4cac179a55bec5cee55da153  
**SHA256:** 0efe46913f843f5c335c79e05ae758e60212dde9cd3c45d99fae8066bd13c128  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: continuecomment.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/continuecomment.js  
**MD5:** 174c186ec1902fdb1aa708a9dea1aa4  
**SHA1:** 7c3bb959b0c3befa4395c61ee8fbb3f7f6c6033  
**SHA256:** eb64c50f80cb3080052971bc075bbb421ab50287804af8ce47b0536da5365e9  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: continuelist.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/continuelist.js  
**MD5:** 630509c4379923d8c811b3f1acc931fc



**SHA1:** 09118fd53589fe18289006df5cc57b4818321197  
**SHA256:**6ba9cd9528b74e7f76f4b9ce9ed0677bfed7057d1aade0050185368cfd0ea2e3  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: crystal.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/crystal/crystal.js  
**MD5:** ae980ca83523592958a2c7f8144bd365  
**SHA1:** b52f1f9ec7c854891491f792ae93aae419efd2ac  
**SHA256:**5e6e8458e3fa4079ff438060ac7f93b8b7a160212b1cce92516f1ea9680b57da  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: css-hint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/css-hint.js  
**MD5:** 55823389add79e8c52ffa7df6ba94515  
**SHA1:** 59e0f4c17ecd9595fe88a84bc47fbb994803fab6  
**SHA256:**0e22d6efa1ea084e8316ec6d5e4c809534f0e36f363bbc4156609201d95c6601  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: css-lint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/css-lint.js  
**MD5:** e392cd5f86989535e38b3cbfb5134985  
**SHA1:** 0986b3dc26b02d98a91b91bb38d46065b5c0214d  
**SHA256:**f3fc7474cbefded7f1b06d63efe980d58970785831cb35f29874ec371cb4ece8  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: codemirror.jar: css.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/css/css.js  
**MD5:** 3675078ada8a185a353a6560bda2d5ac  
**SHA1:** 1045cdc88a58fb002511eb21db184ed242730f05  
**SHA256:**60f0689e5c6af7f36c341e8e1341a4f10b4f0a04cebf7341bcbedba9b572b32  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

### remotegui.zip: codemirror.jar: cypher.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cypher/cypher.js

**MD5:** 0439f14eea37e69f9bd0af1b9c57e014

**SHA1:** c65b82f89865edb564d52f00afddafc3d18a8d6b

**SHA256:** 6d8c9c8993fdeb724f1f68e9574fdab0001da1d31196e33ac6112303005d3f63

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: d.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/d/d.js

**MD5:** 0632861907c7e77ea48e0952d2081136

**SHA1:** f000ac2fe16c377837034c69cdace651a45f4e7a

**SHA256:** 8e3994ce4f507e692b65aa73ffbfd58112c4a22771b84b8ad86152578d4e8130

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: dart.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dart/dart.js  
**MD5:** 0bfa12b4210e1faba31c98d2fcbd226f  
**SHA1:** 4caa7d422c3c931f7df5b46e09c9596a9ca19ed0  
**SHA256:** b09be809dc1f9e3ad59374b198b0e5c4992788b9ff524765fccd0b84fde52212  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: deleteNearSelection.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/deleteNearSelection.js  
**MD5:** 813d638d2d4693bd14f7b6490445a417  
**SHA1:** eec62305710c8c0a032933bbe41c3fd45142669  
**SHA256:** dac971ad5b761896b830e95f5e2240e2748fb83c909ef4c5ea4fd1f60ae031fd  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: dialog.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/dialog/dialog.js  
**MD5:** 1b33c63e7d89d740d4738ce9766b19b0

**SHA1:** 14cccbefbfc2f33d928c4a41d854237cda5dd97  
**SHA256:** fd8c925fcc25357617faff21220c026bb91a617b995268d96c5d39232fd42833  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: diff.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/diff/diff.js  
**MD5:** f80746d74770ee6dcf444e99f75d5537  
**SHA1:** 45f65817bf0cfe00f52a620c44e48031e926e5bc  
**SHA256:** 3fd0e844e22f475503415744b7e7af24df4cd0670709c77e5e43e92185ba32fd  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: django.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/django/django.js  
**MD5:** 3c02fcac64b6100a0f369edc8d145f97  
**SHA1:** 9ab00e90ea9a3788178187e9451bdaf61bd311fe  
**SHA256:** 71a3fa0ac63fe080a12097209e509c36abe0fde9c9709610be1656163d25a8bc  
**Referenced In Project/Scope:** server

#### Evidence



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: codemirror.jar: dockerfile.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dockerfile/dockerfile.js  
**MD5:** 35fd7d7d73ad6c400c0afed686a383da  
**SHA1:** b6574f6951c483c563456c9094178769ea733631  
**SHA256:**fca390cea85e1b711389d1a91b99faeccf7b4df0f48e3ceaecf2e517982cb2b7  
**Referenced In Project/Scope:** server

| Evidence    |        |      |       |            |
|-------------|--------|------|-------|------------|
| Type        | Source | Name | Value | Confidence |
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: codemirror.jar: document\_data.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/document\_data.js  
**MD5:** 86420f7d4afaa1aa00313618bff8292f  
**SHA1:** c26428a7245c7ccbc2da6e15ea8071a308efe21e  
**SHA256:**bded28025266e28229d4328e2a4ff6c829e26757b12861ec0c561c495d4b87e5  
**Referenced In Project/Scope:** server

| Evidence    |        |      |       |            |
|-------------|--------|------|-------|------------|
| Type        | Source | Name | Value | Confidence |
| Identifiers |        |      |       |            |

- None

### remotegui.zip: codemirror.jar: dom.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/dom.js

**MD5:** b56830faf8f75c5daea99bdc94508b38

**SHA1:** 6425ef8de5f6d50a057a5cdaced4da9ed166ddfe

**SHA256:** 20275e6018fa90811c51e20246d4803c01d7e744f64434bb9194c7b1df41d1b1

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: drop\_events.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/drop\_events.js

**MD5:** 940690e5c792ff535ef797090cb7ed5d

**SHA1:** 05108fb9bb15e761e86ef290e006cb7c620de955

**SHA256:** 60fa1577514a516587de192c7c779b4447aff1b6d26de0498030340e12945390

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: dtd.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dtd/dtd.js  
**MD5:** eb3e9b71c4e33120225df386c29a0b30  
**SHA1:** c91a19fca8b5bb610ff35e8ea7c9190c9ef996f0  
**SHA256:** 3f04995b147addeee1637bbfd0054676e78d13f7accaf2f589c55837d70148c1  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: dylan.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dylan/dylan.js  
**MD5:** 99e3fa83adb7b3af2e363942a5b720ac  
**SHA1:** 795b6199d3643d0a9eb0b018a02357da66be8f3d  
**SHA256:** 999b862ebc559366e71a731e2a28b2762ae4fe7c7882ba5f6bf20c33a2d737b7  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: ebnf.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ebnf/ebnf.js  
**MD5:** 8d8a62f6874e4e8378d16d02b09ada60



**SHA1:** 84295b3d4f48cd3080508f3c5c12ecca2842dca4  
**SHA256:** 1175e07f831fd02ccf09d4582351c5932a48fa03be5c0eb1028c8f96c051935f  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: ecl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ecl/ecl.js  
**MD5:** 04722d23df4c17765bb397d871875452  
**SHA1:** 63a19016bf2e53ba5c73fde154b9bbc19d96130d  
**SHA256:** c78998872dd14cdb356d5a9bd196f7d3525e3cb03a591133e0e904afaaec11b7  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: eiffel.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/eiffel/eiffel.js  
**MD5:** d202831cfe3aa85bdedffd44534dc98e  
**SHA1:** e5767dbfb329d8e3786acf893d038e1e4dd35c39  
**SHA256:** 183e855f6474cc2c4cf0b6c5e5c40ea7821707d37ac414277dcda294ffae1721  
**Referenced In Project/Scope:** server

#### Evidence



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: codemirror.jar: elm.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/elm/elm.js  
**MD5:** c37089c171d4384ec97f9af66d5ac972  
**SHA1:** e28a667656ac12ff06766d2ee857962dcd9146e2  
**SHA256:**e343ffaaff2dc6fd9c5923228b46c23723c396993459eca6217871f1c087ebc  
**Referenced In Project/Scope:** server

| Evidence    |        |      |       |            |
|-------------|--------|------|-------|------------|
| Type        | Source | Name | Value | Confidence |
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: codemirror.jar: emacs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/emacs.js  
**MD5:** 258e09f1d4cdb812940d869afce12a11  
**SHA1:** fa3b963c38f809ab13c37fd7aa654ac46a39e740  
**SHA256:**af2f42c9f461951f13e9785f634cc9f8e5d63b0c5c2375b331105dea19a71fef  
**Referenced In Project/Scope:** server

| Evidence    |        |      |       |            |
|-------------|--------|------|-------|------------|
| Type        | Source | Name | Value | Confidence |
| Identifiers |        |      |       |            |

- None

### remotegui.zip: codemirror.jar: erlang.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/erlang/erlang.js

**MD5:** 29f92a4be923242d30cf1f4288c89adc

**SHA1:** 45f94b33af2bc74d8c5eed73de27eb8a4047c20

**SHA256:** 2ae29808247e9d6a58a83893b0e8b627c0ca337cfa541ef16fb506edfdb77e

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: event.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/event.js

**MD5:** b700f1676589e7f88e59c943cc209156

**SHA1:** 516c718a9b2f86f68127680267b92d10fbf5a579

**SHA256:** 1b13113fab8763c3c9e2284d1b6bdf1f84ab3424999a2eacffb771ea8b75513

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: factor.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/factor/factor.js  
**MD5:** d497dd1c4f0f85b83245bfb80943e5cc  
**SHA1:** ec2430a02377f3b14692370e329b8f83b017d1b9  
**SHA256:** baf7c16c387e7abfc308dfcb7fcc1ea9ae0a898d13455349083ea72c7bfa4c4a  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: fcl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fcl/fcl.js  
**MD5:** bfa4a30d52fa501346b203c8ab6aa0cc  
**SHA1:** 9befb1efc7f051c189e1c2c7cccd976576bcefca  
**SHA256:** 7c9d372be44c1c418a101885662d80d4bf6104e1b717d36cbdbd05a5956abc70  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: feature\_detection.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/feature\_detection.js  
**MD5:** 3b63813f217d9351f7a1d90edf345310

**SHA1:** f236ad77f54768dfaf4b78905be71b6873691698  
**SHA256:** 4aeaf197f379b3450c8c297f23e449df3795a9954bec48cfcd4b3615d5f371  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: focus.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/focus.js  
**MD5:** 307daeb9d6322c3905fc5b2ba846fa16  
**SHA1:** d1e1cceb41ec90a9b18fd25ae6cad9805e86811d  
**SHA256:** 2f6ad1d093d5d933ad58ded481d34002320d2887b5d06badb35918289338757e  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: foldcode.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldcode.js  
**MD5:** f520bc635201c451609403065b8bacfa  
**SHA1:** 78958ff57ef86b84ac8a8085a4f0923433eea9d3  
**SHA256:** 07f353e02abcc300739b09f31a9d32a958ebe5d2f76959291e5643c6e40a26a5  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: codemirror.jar: foldgutter.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldgutter.js  
**MD5:** 9606e4f3ca8c5ac259c2cf703753017b  
**SHA1:** 2f4f7e099042dcbde74bfd3a8f5856f595326ecd  
**SHA256:**fc85fcd61894dc551a4c7c221ec41b7fa4007d1e33239b1cf8faf56ef1811727  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: codemirror.jar: forth.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/forth/forth.js  
**MD5:** 3e09048506ea36823a8a5e6ad244c7d5  
**SHA1:** ef3e2632de5a4c57f8b14225026940309167d270  
**SHA256:**1c6c0a8fb3572fba544083795b3259f8a35cae81ec2ddb19b4fd7af2a91ab34a  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

### remotegui.zip: codemirror.jar: fortran.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fortran/fortran.js

**MD5:** acf9c5ff78882f6ee77416eb957e881e

**SHA1:** 30130e625c08eadd8d62021c0dc77a71d066fd1d

**SHA256:** b3351c6cd6e696c2ebf0e6ae1ff7925ed65add92947007402e0b3112634f6392

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: fromTextArea.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/fromTextArea.js

**MD5:** a910ea4413c5f8fabb9be57bc80a7cc7

**SHA1:** c2bb053e04c5cc11df632ae7332863f5f0d30c70

**SHA256:** 796a25d1e7f2a7c35ac9289bdb21e9c56c1253779a71c1b9e8a8c04160829e2d

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: fullscreen.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/fullscreen.js  
**MD5:** dffe3df188ef201ff7f04977d0ead894  
**SHA1:** 29d2bbd2368fb2dfc02a06aac6db6aa9691ab330  
**SHA256:** 8e4a21aa77765df8893fc854c4b6be56279e12d9a70cbde913083c307ac769e  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: gas.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gas/gas.js  
**MD5:** 9403b8d57b58f52a0d02efd3d6d99571  
**SHA1:** afdd8ef0502d68ba8020134c780ebce498f65ac9  
**SHA256:** 414899aed81f9bdb726a6729047f1afb538679ee58623beb8fa51dc7412db6e9  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: gfm.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gfm/gfm.js  
**MD5:** da48b005ec4e651d019aa09b3d6d4aac



**SHA1:** ea5f855ce519bf55f09cb2c968dce9660615c698  
**SHA256:** 1fcd9bf9a611c238acf53f906126fba93ae0550d74858efad61d72b8b3ed6e0bc  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: gherkin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gherkin/gherkin.js  
**MD5:** 3d87a67e559ce2d1851c4f1fcca83fe2  
**SHA1:** 289ab840bb7ad7d5cf292406eff4fb8e55ece301  
**SHA256:** 732eb81eccbef7db49729af3f23d477dc8f27a4d9bf2fb2c6bb520d8ec19bddb  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: global\_events.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/global\_events.js  
**MD5:** 288615615004321c6abe2bf66842b8bc  
**SHA1:** 858b4b90c061cf34960b0bd4231a2b7dd7ec5f3b  
**SHA256:** fa803fc7e109d232afd12dfd4d99adea71081cc4b71e547d4b1c2bf46cc9ca2  
**Referenced In Project/Scope:** server


#### Evidence



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: codemirror.jar: go.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/go/go.js  
**MD5:** 51890857b15156f02106103dd73d2b0e  
**SHA1:** ef0de14a73f6656facd0d7355a11b1d17df86b16  
**SHA256:**4e3b08bda2f85c9ef68c03f24c0c5ca3b8ba479127b6cbc50f33cb9593dbaf00  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
| • None      |  |  |  |  |

remotegui.zip: codemirror.jar: groovy.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/groovy/groovy.js  
**MD5:** d6ca518a6aa5ab5b420bbf21d65b2d05  
**SHA1:** 48fb64db46a7408334eeda329d755dd09aec41ec  
**SHA256:**6641a0b1555ee0f1bca36975a4fcadd43d512de7ca814328cc6402e1ce836b4c  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
|-------------|--|--|--|--|

- None

### remotegui.zip: codemirror.jar: gutters.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/gutters.js

**MD5:** af3de2621d2ef402646889be16bcde7b

**SHA1:** 130d94f44dea7f614a15009677e496ad2b853025

**SHA256:** 2143db3d42d9a3408b556eb50068870d138041a9b98ab256d070d982e09346df

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: haml.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haml/haml.js

**MD5:** 7d65bfd39de90f56597eb8e278a39af7

**SHA1:** 7bafda0fd81e500fb2f364d2e657fd9dec939505

**SHA256:** 9e9606fecf19869e51c32a84e18c4447c0d4ad2031730e5690b571f318409022

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: handlebars.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/handlebars/handlebars.js  
**MD5:** efacd8d006bf9f83baec2fc5a8c71feb  
**SHA1:** 7fefb944ec70e00d262252956fdc71f04c1046b2  
**SHA256:**60bac3d6993264e155b5a06f52cda56b7bab2fb5923f3d1cc7e8caf704fca724  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: hardwrap.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/wrap/hardwrap.js  
**MD5:** 049ed63630662fcb8a977fa43f86e058  
**SHA1:** 535a020f7839e52da6fc7b8af3d249f641c5e055  
**SHA256:**bee81aee6222a46b1aeb14d6fc738d3cc09a4e421f808e29b3c6989710ccbfc8  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: haskell-literate.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell-literate/haskell-literate.js  
**MD5:** f0bd7313413cdc35018db90a6522d1ef

**SHA1:** 670b7735a8c85e5251aeadf51f5005d5cf45df44  
**SHA256:** 7519d0b515603244f029c3031a4625fdccac88cb640fcb6e117718ec2c0b3c50  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: haskell.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell/haskell.js  
**MD5:** e4f82d95d10c028eebae3338e678be22  
**SHA1:** 30c46651b2b0b5a7fc70910b22e52e2d1d8687ff  
**SHA256:** 4745a90832e950c9536f0bf498e5bf6fb3753a4a98bea09ec152b92354c0fdaa  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: haxe.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haxe/haxe.js  
**MD5:** 13c21da31a992b536d4f37ee53e09605  
**SHA1:** 6a694b4a0a68b148e0b2e0b761a521a5fa4a0296  
**SHA256:** f3596c7efe948a3331bb1bea299f6fcb8e7733777dc2114a9f2147dfc1c69257  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: codemirror.jar: highlight.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/highlight.js  
**MD5:** d7710bcd63c26c5fdc37c19b15e02d4e  
**SHA1:** cc5bac275e64696339642c6f5a52c254f139fbfd  
**SHA256:**ccf8b3a879acfa0013ee5b11e036b822b68ec5a136c218400775fe2e35a3fd9b  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: codemirror.jar: highlight\_worker.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/highlight\_worker.js  
**MD5:** fc6f314859dad397c1f867ed5d73205f  
**SHA1:** 80e56feeeffb3ad7b76e40dc4577962a60becc11  
**SHA256:**fc9d8bf90534b9a6c7d5a45e8f79a4f8827a661c4271f812776e7c3d2bdc09  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

#### remotegui.zip: codemirror.jar: history.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/history.js

**MD5:** 34cb233d1bf8cc676a0c5fc9e9c24b04

**SHA1:** 4c42d70f020d1fd9397fa16ea34f5cf54487e93d

**SHA256:** 961d52432f8f463614f83e660c2945f9bfbbc9c8fb7767575b9221c3e88821a2

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: html-hint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/html-hint.js

**MD5:** 609fea85a7894f8098719813c58219c5

**SHA1:** f593de64cb802e0e456482b88959a68260e06bff

**SHA256:** 64d3ef9293ed8917e40ed4e8196da6919379a3b4970c007785c7ed27ab9a0478

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: html-lint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/html-lint.js

**MD5:** 0844a30ecec022fb60101fc0cc6a5cfe

**SHA1:** 3ed8b2f11d4c7462cf29fc93b58e579680bcc32f

**SHA256:** ab7827913934f06a8b4d00e41d5954974c90d5085d1295fe02c484c782c75843

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: htmlembdedded.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlembdedded/htmlembdedded.js

**MD5:** e7a464409318dee8c3c6e0b68225d461

**SHA1:** 548ebed43650c26970abca5933aa237b4a1950c5

**SHA256:** 8afc8da4e446322cf92d78bef9940f9444aee339f56c8b9af5452fadfb867601

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: htmlmixed.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlmixed/htmlmixed.js

**MD5:** 4c5a6f44d738b718d1f6164c1c8d6904



**SHA1:** a4f9c3552740fb908e14fb0f47832d10a3f535d6  
**SHA256:** fe5912e1d10f8fecb98bd31e2f957c0bbc9abf6b505d11b6dbcd27542d0fdcad  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: http.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/http/http.js  
**MD5:** 42dcfb1c4b83e85eea0303f75a3f08e1  
**SHA1:** 7fa224e2e3ab674ca61cedd48fd430c5e62e1218  
**SHA256:** 89842864a707564a989a841ce934b61659f34b012f2349e5c4fd9a09c5982f6c  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: idl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/idl/idl.js  
**MD5:** 1ae58242a3b61aae5bdc5665bd5fc2ed  
**SHA1:** c25b0c5644c33ee3993ee3152df8f4c27235e172  
**SHA256:** 7d45bc0899e019f558e68eca684ed84660bf4687cd64fb4ed2c959ad249b763d  
**Referenced In Project/Scope:** server


#### Evidence



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: codemirror.jar: indent-fold.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/indent-fold.js  
**MD5:** 623d14360009d84560611f43b83e6759  
**SHA1:** 731e1d84971dcafb20d1417761c18c55883c3d98  
**SHA256:**a835ed1af176b96a1bf00379622e76573a1f6327bd76b583d9c4757a2c4a4194  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
| • None      |  |  |  |  |

remotegui.zip: codemirror.jar: indent.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/indent.js  
**MD5:** 835649b199c40a992e89a61de3514147  
**SHA1:** e3d98527805fcef17ac4f710d7600fe0da52db33  
**SHA256:**f28260cac8eba83de19891709eb8545ecaa6cfa3ec716e617992e14cd0112404  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
|-------------|--|--|--|--|

- None

#### remotegui.zip: codemirror.jar: input.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/input.js

**MD5:** 8347e0beb43b7f458587e94f323c58bd

**SHA1:** 62cfb278476d7f293b853e92e35bd9221c6d1a1c

**SHA256:**bbfc32c56077171637375314abe257f54f925e8142b3f3a9eb669296ec3f12ff

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: javascript-hint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/javascript-hint.js

**MD5:** de72c8e29800ee9ae93e5c8a43c6c6a4

**SHA1:** e348c54c78f75047c06629a13422c0aee0ee3253

**SHA256:**e4dfa3414b3b9535514737074cec2fb0cbf0bfea7e765307122295c98c5137fb

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: javascript-lint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/javascript-lint.js

**MD5:** 55eb8a1558ef8c9da7d355a32334d62e

**SHA1:** d452acc1222c992a222c6c4bc55c0546eb2a465f

**SHA256:** 69906dbb83d60e0d104ddf395e29dcaf4a05063f24c085975b9c09693dc860c1

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: javascript.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/javascript/javascript.js

**MD5:** 178dfcd5f64c97da22a3d3a62713b7a9

**SHA1:** 969b4a80be53b334612b44a0cc6ef57cfe171a26

**SHA256:** 21fa74c1638c7a4eb3e8cd04b5c8c997181394568330b341c83716da18ffad8e

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: jinja2.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jinja2/jinja2.js

**MD5:** 82ad8f3f5eac62b4012d21c9deabfc69

**SHA1:** f1b92b1cce15292571979194dc1331accc5fb2d9  
**SHA256:** b408eeadec21747f7c4ed41dcb9ec4e540aa1493d0a7971e74aa1eed05049b93  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: json-lint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/json-lint.js  
**MD5:** b01056a065c6df2ed0f61038c88e5ecc  
**SHA1:** 8fcdcb87fd1c9f8fc04f3fc325fa590b27441183  
**SHA256:** cb3522e1bdffb075461c848ba2091cc781b52ef0e69cb39d9a33e1b74dc35ae2  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: jsx.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jsx/jsx.js  
**MD5:** 5dcc6cfebb32872e929bee63d517295e  
**SHA1:** f22b5965deb7b3f6e434d6012b22af7a7ba4c9c6  
**SHA256:** c6babd67df23bb0278d432fba3d2dbd03bb1fb3862d4d70549cda1b0d9953abf  
**Referenced In Project/Scope:** server

#### Evidence



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: codemirror.jar: julia.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/julia/julia.js  
**MD5:** 544d9103cd9877e0a7dbb26dd5a34eea  
**SHA1:** 4d6fef3f38c3c9717b6ac72fa4fa3c6d48ca189f  
**SHA256:**54d93c9a83269af3bd8bc6593be2368f07b4efa4223074b54f3aad44097a4d32  
**Referenced In Project/Scope:** server

| Evidence    |        |      |       |            |
|-------------|--------|------|-------|------------|
| Type        | Source | Name | Value | Confidence |
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: codemirror.jar: jump-to-line.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/jump-to-line.js  
**MD5:** ae33156dd047f75a6d2539b21ac92df9  
**SHA1:** 4b8098d4df0e0bdbda6b27961ffc7bdaac14e85a  
**SHA256:**39b7d80ee80cabe2f5936673b3cadbfd4d260dfe6dc6f936523a334044962ffa  
**Referenced In Project/Scope:** server

| Evidence    |        |      |       |            |
|-------------|--------|------|-------|------------|
| Type        | Source | Name | Value | Confidence |
| Identifiers |        |      |       |            |

- None

#### remotegui.zip: codemirror.jar: key\_events.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/key\_events.js

**MD5:** c299e1b06d3f6ec725718c1dc60141c7

**SHA1:** 09df110e22b2eccc9f3deb5a2dbe0a6fa884d23

**SHA256:** f24d2b392714dc1fe63b23f79d45d01503a1a8860cb7b92dff6e5eb05e35cc69

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: keymap.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keymap.js

**MD5:** 1c8d554d0dfbb08ac3b4ff11303f313a

**SHA1:** bcbddfc0d1411afa8455d75564758dacde1e15d5

**SHA256:** 9be4f88cba00a971a1a007ca4fcc56f244ac84fb8b24f165f6ce2793c2f83a95

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: keynames.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keynames.js  
**MD5:** e4ae7351260c5e7b9f2253e21b5ca9dd  
**SHA1:** 9b6381177e6d4afdd03388c548a00bef7e101b0b  
**SHA256:** 7054358c3e0ad3945e0c3c31fde7b77d1af78874a5fd436a908aa0e8eeab7b03  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: legacy.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/legacy.js  
**MD5:** dfa5acb74b48161d442a6d83e1abbc03  
**SHA1:** 70f5248919c6a806ec8da7a53b9167ea0d28f28e  
**SHA256:** 663e30df9fb1f4994092c95d5a4a2a127d67d59896b4795807ac912773a759a4  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: line\_data.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/line\_data.js  
**MD5:** 0239405c8ea2b45a5a3a2de75bc481b7



**SHA1:** 936ff2393f4614f8fb907274c896d2435d34250d  
**SHA256:** 11203cf446205f30a8eb2f5633369c7a6c00cc778b3cdbf1da16570571937d92  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: line\_numbers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/line\_numbers.js  
**MD5:** 22976744e5315917483bef53cab4d368  
**SHA1:** 32c75bf2e39c2315fd1a1d04cbcbddb666c998e0  
**SHA256:** 2474c6d14659ccbd6664aa88eaac7f1bb5589cc44f5acff4c5d8a22ed5da5d4c  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: line\_widget.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/line\_widget.js  
**MD5:** 2a58b1a6d7eadb596d3968096f1493e4  
**SHA1:** e06ec6ee060c9b180dd6269107c1643618024acf  
**SHA256:** 4557109a8ced89105c13e911cd0d4036a043ce83abcfaefe9b6889ea8d058b16  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: codemirror.jar: lint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/lint.js  
**MD5:** 7930c46b5411e82099bf4d021be44897  
**SHA1:** 9d4fcf298565cd2e6b6234c331113e5ee80a996f  
**SHA256:**7c2e8241383104a6188c43b657b17ff7633e0de89d9b98f7d09df29570341e76  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: codemirror.jar: livescript.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/livescript/livescript.js  
**MD5:** 303cf9371fc666702d07b7892d4d69b8  
**SHA1:** cc1a29423cc292dab8ceccbe8d1d4995426ce11d  
**SHA256:**b9b5f3fca094c735f94174d463746bc39d0930dc42b70bf5004efaed96b080ea  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

### remotegui.zip: codemirror.jar: loadmode.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/loadmode.js

**MD5:** 43a51215f06278be12990128bf16cffa

**SHA1:** 62a2787a4f3b623af185185edaedc7eaed7ffc08

**SHA256:** be81c0312e7041f56c217430a177fea61e572bcb9579a39ca1922a2e4d51abec

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: lua.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/lua/lua.js

**MD5:** ccf279dcbc882c0e99fc9dfda9dd734d

**SHA1:** 13ec1f41c7c723c70f185f6c22e116cdf532d8dd

**SHA256:** 5c702747f50d5d4158ab8c096b33a7e0092529d5682a728a20624b01dfd86e2a

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: main.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/main.js  
**MD5:** cc33d6b2c4f87f24fe91b103cfee3da7  
**SHA1:** 7a267e163871e4d9c505a7dbda69289619573e76  
**SHA256:**2644139a384fcda2ff3bcb59fad7a45a3faa166c443fcd2d05315558dc7d1f99  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mark-selection.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/mark-selection.js  
**MD5:** f2b8639c24afc6cc370f4097eb6bb217  
**SHA1:** 62883a7928526106b19fa78a1195fadf463550b4  
**SHA256:**5b9c6a0031fe895641f2eb2198df2592ec769a6685d6bb10f3f9b92a7822e286  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mark\_text.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/mark\_text.js  
**MD5:** 7611054f886606aed04a7a3f3c4d5a78

**SHA1:** 3e6ac9ae6a89f720e9c148d25746ff37f9207d07  
**SHA256:** b17ada4f3979fa8170a4abc071035badcddd87870a212cd92dc5b0a70fac19e0  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: markdown-fold.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/markdown-fold.js  
**MD5:** e9844099dad7cf95607a804988677f22  
**SHA1:** 400fdaaf493a4d15e10b397553549b6b4e09dc92  
**SHA256:** 6a81721447c7260578e8e306c89b33a49e98edc1c2cb0c52a18ca0e913684d96  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: markdown.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/markdown/markdown.js  
**MD5:** a7326be775e85028373f9236c26a572e  
**SHA1:** c7dda08f12cf129cba6b317f70ee7ce0abf775b9  
**SHA256:** 8fe7b11848f79cc9119b2a239f38a00944f6f2bb764a00bc837ecf8d34cf7690  
**Referenced In Project/Scope:** server

#### Evidence



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: codemirror.jar: match-highlighter.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/match-highlighter.js  
**MD5:** d7d3dd2592e2df81c743b86a46ccc555  
**SHA1:** 21bd58338eb506c53cd367b4e30c6aefa2e7edee  
**SHA256:** 8c3e196f9a5f9e5cf9d7e71751132a05293e7cdb180defacf28be9fe919682cb  
**Referenced In Project/Scope:** server

| Evidence    |        |      |       |            |
|-------------|--------|------|-------|------------|
| Type        | Source | Name | Value | Confidence |
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: codemirror.jar: matchbrackets.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchbrackets.js  
**MD5:** 2d2902edcfd32a8f481124c0957889ff  
**SHA1:** 1555a87118f8082edd03c7b7c1363ebd1daaea45  
**SHA256:** 9d0e5ee4c199fcb487a901860c2cf7d007263852677dd5858098fcaa8580f1e  
**Referenced In Project/Scope:** server

| Evidence    |        |      |       |            |
|-------------|--------|------|-------|------------|
| Type        | Source | Name | Value | Confidence |
| Identifiers |        |      |       |            |

- None

### remotegui.zip: codemirror.jar: matchesonscrollbar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/matchesonscrollbar.js

**MD5:** e005f8b0c7cedc509a29ea1a517cc829

**SHA1:** 73a8bbcf26072f44bc7003faea790d1f3d59096f

**SHA256:** a2deca7f8ca380dc7772929cc7c23b6737109f3cf0a55e7e18832808d98530c8

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: matchtags.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchtags.js

**MD5:** 6e8c7c68653d8d6b912138fe6f155e1f

**SHA1:** 99f7135d209eb1da2c326486eb53ecdd330f0f2c

**SHA256:** 263d752f850b20890f0506fcb277b094b474138692a58b45d7b9bb03e20aa00c

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mathematica.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mathematica/mathematica.js  
**MD5:** a8c37dcebeb98162e29e9d1483edf7c4  
**SHA1:** 82d9653bf7ca5b228759c5ad53845a8237625792  
**SHA256:** a301011fbb5d9ea4f39fc574718c2d27afd9425e31a1a5bf9005617603b45c0a  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mbox.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mbox/mbox.js  
**MD5:** 9ce449eaef8f2c3e6253bb202a3da0d0  
**SHA1:** 6848c5a33d4ea2c76fc6abb4fdc3c9253eedbc9b  
**SHA256:** 9affa80931d9bb09746d08b9b0f90286d2b47f5b16a0bd8a1a06227b496c4b07  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: merge.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/merge/merge.js  
**MD5:** d2a6bc0c40e52723665afdc3b17ab226



**SHA1:** c2c82dc8159b4d4b38ac4e74d88b513cae40be01  
**SHA256:** 916279b765e93236826a1aa71f96924084707d50486739e9b4524a3f773d41ae  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: meta.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/meta.js  
**MD5:** 11f14aa114ed56768aa48301be3b9f03  
**SHA1:** 516781b99334a9aeaed0d9f1b9463d8330d00ab2  
**SHA256:** f95786f9c83e631225fe7866f39892f808aeb015e80ce9d8a58d5a1d4e9c4bb6  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: methods.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/methods.js  
**MD5:** e0aee4bf62e8df22b1edf8c98171c1ff  
**SHA1:** ec9e2b700a1252d5787249b1c8046b5fb0df6073  
**SHA256:** 80aa117e54c13edec48656384e623b81f8ae5ecece3f426ba9b4638872fd88e6  
**Referenced In Project/Scope:** server


#### Evidence



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |


remotegui.zip: codemirror.jar: mirc.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mirc/mirc.js  
**MD5:** 23555fdd21b7305d57c24d1378a03754  
**SHA1:** 373c327846304793f8016feaa0164226d6fd5020  
**SHA256:**ac173799c5f81a8c8813a5b0c20b700b27a1f571d1e70132e67d8451c3efaa5e  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |
| Identifiers  |        |      |       |            |
| • None   |        |      |       |            |

remotegui.zip: codemirror.jar: misc.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/misc.js  
**MD5:** e94bdb7dadf69d57a0baf64df69e7780  
**SHA1:** 7d04fd04c64f91033740df1756ceb180fe1ec38b  
**SHA256:**dec9a3df5d525da109210c8f63bc47ef6270de5d0336e446c54d6c490f45bbfd  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |
| Identifiers  |        |      |       |            |

- None

### remotegui.zip: codemirror.jar: mllike.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mllike/mllike.js

**MD5:** b30e7da7837eee7a5966685fa03522f0

**SHA1:** 648a539e28df2714182163665b797d783cd47d80

**SHA256:** a887947e50c37db0215fa4076c3b211093dd9abf643518a2f304677bef848211

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mode\_state.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/mode\_state.js

**MD5:** ffc05060eaa3b3d89beaaaae86b0483a

**SHA1:** ad4db1fa999cdec7dca274bc0d440b9817706fcb

**SHA256:** 7d986b2f9cea39f7829ffd57fe70a6d891afb68bda46557f3d361fce6abddedb

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: modelica.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/modelica/modelica.js  
**MD5:** 9d173268d73ae885e07741f6a60913ef  
**SHA1:** 2cebfe05d43ff1b9a4608bde365d0e340b9e2b08  
**SHA256:** 96befada89421de8d32f6355c326510128e429167390c60ba81d93dfce4b360a  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: modes.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/modes.js  
**MD5:** bcf367e11e7fac26e7f1668e8f1d1968  
**SHA1:** 26c51a0d675e8420deabe41af39537b98b494f6a  
**SHA256:** faf6b57425b7b95a14650da5da6a488cde013e23c1ca57e4223146ccd369230b  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mouse\_events.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/mouse\_events.js  
**MD5:** 9a8c2a4f4b71ceb0d641c905ea325dfa

**SHA1:** 88d8b3f37ba37358b2f270ac184852f0f53c4e8d  
**SHA256:** 17a6d6d77b3607cfd0ba1d551fef84d161747a62b42ecd9454d7427a1c3da610  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: movement.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/movement.js  
**MD5:** 386a27ecd12315f9eff836ce5ab2091f  
**SHA1:** 3170cd5a925774250a79d9e1c9130040e89a6be8  
**SHA256:** 45f4ab6d34f817b4d945449664a35848a252a87f7aa7e917cbefd5710cc06334  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mscgen.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mscgen/mscgen.js  
**MD5:** 8e06dd81adc9a26c6c708d253868c290  
**SHA1:** d44dd69d6fe4e456417da210928371090d426921  
**SHA256:** 91eff4cccc80f0048d1f7efce0197be483a013dd299e2718b49315639a3d4885  
**Referenced In Project/Scope:** server


#### Evidence



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: codemirror.jar: multiplex.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex.js  
**MD5:** 0bdb637f0ca08689fe55e572cc10ab16  
**SHA1:** c1eb99a3fdd03722c84c78cb9351791428ff0bbe  
**SHA256:** 09ec21386de4e951c1eefe0f1db478a9f57701b202ce18424f2b89d4f74aef5  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
| • None      |  |  |  |  |

remotegui.zip: codemirror.jar: multiplex\_test.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex\_test.js  
**MD5:** 8a377bbbcf33896551524b1ccebcb823f  
**SHA1:** bf15c3dc16b8de593577266b9ef1f5625d67a0ea  
**SHA256:** 73e22c6765036bce1db37e31f8c46d62a56ca232840fb4fb968d17c24c3e8f74  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
|-------------|--|--|--|--|

- None

### remotegui.zip: codemirror.jar: mumps.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mumps/mumps.js

**MD5:** 8e0c6375b6bbe74f633feed856f4283c

**SHA1:** 6944b10c9a28d7097d90291dcae08e9924461140

**SHA256:** 1455108cba483e767bc5072ebda6c4c219395adb574aa70f7d7ec856225c3d42

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: nginx.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nginx/nginx.js

**MD5:** 63e717882de52ba3a4bb62c9e7bef83d

**SHA1:** f008d01cd0b803de9bd5bf1088feec56c6eac9c5

**SHA256:** e35111d1834678cd34bfec04abe169cb11739f39750d1c41ab57c8f2524748fe

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: nsis.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nsis/nsis.js  
**MD5:** 4851ad88c595ddafbe3979f2e47b4d0a  
**SHA1:** c27aea13ecb53b8797926e831d8730099a585d42  
**SHA256:** 5f9aab831632e1de8d8a4f6fcf52dcd75eb704ab8fe47e2c76aac24c8c30fbd7  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: ntriples.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ntriples/ntriples.js  
**MD5:** a21f011183564e5725ea16a6ca11b089  
**SHA1:** 62d7d39e91ecca5bad75c91241aa31421a303ba4  
**SHA256:** d7a1fd7fba26679ecb0a6ac0b67164ed12a37db25d32ece3472920c6f25a74cd  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: octave.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/octave/octave.js  
**MD5:** d830f31f1647efb252a53d0cb1f18aa1



**SHA1:** 1abba38966f306c238e8f9cf168f95db0e16d5a5  
**SHA256:** b6c6966b9a564ceafa2b2c5ddde2f2efb0349cacdab3f61d90fce2544ece8615  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: operation\_group.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/operation\_group.js  
**MD5:** 72f0c675f45f87c9a45b5f5784212fa9  
**SHA1:** 8ca609f3cf238954efccc55c720e733a56f5029d  
**SHA256:** aaa9c34bd1240b164897a412a257d2e693d2ad35bec219cf8959561de6559edb  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: operations.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/operations.js  
**MD5:** f2e13ff94b86a05aa5daff82022da8d2  
**SHA1:** dbbbc8bf0cd26ed344d48e6be8ba83d3a3ad983a  
**SHA256:** 6570698684e4da9507306248649b72c362cb918b63180b3b3571d91ffed78f83  
**Referenced In Project/Scope:** server


#### Evidence



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |


remotegui.zip: codemirror.jar: options.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/options.js  
**MD5:** feecb2723f03f979c8b8c9a85c553a1d  
**SHA1:** 99d3d0aa7ab678573f2970b2273404ed4c7cc73b  
**SHA256:** feb45909b7d01751e0edd20b7156ad016ec045cb2eea8e92b96b1505bf6e2159  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |
| Identifiers  |        |      |       |            |
| • None   |        |      |       |            |

remotegui.zip: codemirror.jar: overlay.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/overlay.js  
**MD5:** 3cb76447dd1f64cc2bb037f3ec8c88a9  
**SHA1:** 1ad72da6c675d9b6074f69404c66118ff24389c7  
**SHA256:** 1b44334e2a04d90f2b473c26847798859039190142e53f72f3b7de0f82696d0e  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |
| Identifiers  |        |      |       |            |

- None

### remotegui.zip: codemirror.jar: oz.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/oz/oz.js

**MD5:** a097901a9fe996b190b9103a64ace0c6

**SHA1:** d49b86c59bab331924fc03e3f680af92a6bd79d5

**SHA256:** 641554f9736e5260ff1aea064749a590cba2a854bad6fc334db8ffa2bc1a6892

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/package.json

**MD5:** e2faa7704d8de49e9d70e7a834d83ae8

**SHA1:** cab269db696fc76be4a9c83dc82f287546253792

**SHA256:** 352f4e90706a839430cb2cee1a2080b0c1a0660243d4d2a544e81a57cf8c006a

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: panel.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/panel.js  
**MD5:** f647c5e58b5c032c1691693333104941  
**SHA1:** 5c8285f946d9888b499ae0266e8e165696947074  
**SHA256:** 2b137f8e8631c717d2af81edc341d436cd3a6debb8e9fdcdc20630296685d3cb  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: pascal.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pascal/pascal.js  
**MD5:** bdc6c5432f1408c29254a933f45ca2e7  
**SHA1:** 541ec18ed0863a528118a8026b6a5aa11a9c5918  
**SHA256:** 5eaac022259857d3b9b127ac0deb76c84d2523dee102d203738293f95ce5086c  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: pegjs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pegjs/pegjs.js  
**MD5:** ad4350eff079b204cd634114959c0904

**SHA1:** 978baa600d3539e1eb05834fd0b7d659f0fed792  
**SHA256:** 8cc7fe980c79a1ded9265d338062c8ecdfe6e0d044fb795bf11eb8d9813dc492  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: perl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/perl/perl.js  
**MD5:** c6a3b40a8b2971690ff06860516bd140  
**SHA1:** 08bb3e219af9990114dda08e2ad935c5992dd39f  
**SHA256:** a614830dc6e71770cb4feabc487dfa1b72e29444789b94d1bcad62490827ca1e  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: php.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/php/php.js  
**MD5:** f2f1668dbc8a4b0fd9f031dceda0e4ab  
**SHA1:** 31d6961d6d4cbe7bf5deb2f0b5ba099c49e5c962  
**SHA256:** 07819ae34d5830a3cf040e1904d4b641cb70142845394211f7fb63c891d80945  
**Referenced In Project/Scope:** server


#### Evidence



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: codemirror.jar: pig.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pig/pig.js  
**MD5:** 40f967482626259f7cdfb972548743cd  
**SHA1:** bd2d7d6522d69e9849f8a6cf3b631ddaf50a091e  
**SHA256:**e9a9ec475aeee8b2f75fd1c8a58ea0a2d0cffd383b1a3fb8bdc460881d612352  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
| • None      |  |  |  |  |

remotegui.zip: codemirror.jar: placeholder.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/placeholder.js  
**MD5:** b5b4d8391f1b94044cda61cc979cc772  
**SHA1:** af7eaa5519c4e0fa823224593b0ae0b7fda73a23  
**SHA256:**44619626e2301fc16ebade252564e2c064113483e02f2fc8d8d262aed2485b9c  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
|-------------|--|--|--|--|

- None

### remotegui.zip: codemirror.jar: pos.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/pos.js

**MD5:** d1fc4bdcc5a93ac92f4c3c9cb34bd220

**SHA1:** 810afb684197135ac8ac6626a4a7eebef9ad5cc3

**SHA256:** b708bfb9ce809d5ce2d1490d806933fad9b471ac63e0f4c72a31ada57e05f9b

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: position\_measurement.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/position\_measurement.js

**MD5:** 6c17908c000f5a7beb67e75b1340c3ef

**SHA1:** c5dd40151e773a61694906cf92f941fe27ce51de

**SHA256:** c5c488b91320e33d6e25fbb8ce4fbd3c28621511328b48e9690f797b81d51c32

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: powershell.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/powershell/powershell.js  
**MD5:** cf3b0559e54ae537a420d86a07b441a5  
**SHA1:** 992cbac5ee6c618eab5f646438ba5fb54f66cfe1  
**SHA256:** 9530fdf52d164be6d021a87de567acb8738f86f6fd98577533a9db3545e873c8  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: properties.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/properties/properties.js  
**MD5:** fdca15c3c811413459ed12fce119db54  
**SHA1:** 715881cc0ccd13302e302dade67f675d37cfdbd4  
**SHA256:** 3f85f36e32edf82eba526ad56edadf04c33864d72bf0cfae2592a490530a4966  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: protobuf.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/protobuf/protobuf.js  
**MD5:** 3e57a349742d01647347b7339572d9fe



**SHA1:** 909346135655b3aacdb909a19acb59876e2810dd  
**SHA256:** 93d1459ed6cc4e2a4701fc17959fe7f56b797d1d35b47f44b8030c0d19adf5b3  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: pug.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF  
/resources/webjars/codemirror/6.65.7/mode/pug/pug.js  
**MD5:** 63473aabe4ad7435cc804132bf743ec3  
**SHA1:** 4e624a3174fd238241f692c1f935ae75d41269f4  
**SHA256:** 1f9e975ab889f6dd9183758bc7b454224dd11859b8e045ce5b98e2c4a05bcf9b  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: puppet.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF  
/resources/webjars/codemirror/6.65.7/mode/puppet/puppet.js  
**MD5:** be03e9aad763ae4b5ee3d6a226aa8c78  
**SHA1:** 7dae96b96e285c5e747624c864be8f1b0cb61e5e  
**SHA256:** 237b966a50a514c6beabddfb83649797f764a29f7f2c7100dac1f411709040af  
**Referenced In Project/Scope:** server


#### Evidence



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: codemirror.jar: python.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/python/python.js  
**MD5:** 9b50648e6f546e4f63f1a8eb25adb039  
**SHA1:** b178c4d31cc4eeefe58e97a60723d47af96b79ed  
**SHA256:** ec56443dfebe73f332cc639289ad2de6921560c8952a3e2127397a0849882657  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
| • None      |  |  |  |  |

remotegui.zip: codemirror.jar: q.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/q/q.js  
**MD5:** ec0a69917f7ff85ef3c89ab34cbd0ee9  
**SHA1:** c52261047f62fbf5a52a2fb36e0e926859505ac3  
**SHA256:** 1fecda8902c9c63fa36833c073370e479c7b8def1b883147c364f81cc6ac9171  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
|-------------|--|--|--|--|

- None

### remotegui.zip: codemirror.jar: r.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/r/r.js  
**MD5:** 32999ceba0af47e9e6b4042314e2cdc0  
**SHA1:** f044c32fe6998d6c6fbf774910766fca456273d5  
**SHA256:** d4b1d1ad4275187d4f371fb61ca77ec10f63deba233644c484667750f934b23c  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: rollup.config.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/rollup.config.js  
**MD5:** 73a1da56a828ad2854d28749fc155632  
**SHA1:** 48bed29223b72a22a9939b57333c2d6e58bdfd39  
**SHA256:** 8c887c6ebd69fc77f4d1690cc0eb5afaaad25f0e18baaa5c7fdb16a6618ee08  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: rpm.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rpm/rpm.js  
**MD5:** 5fbb2d4919f2d396e78074f4c98812c0  
**SHA1:** 719d22639e2bbb16d80df811da20013f3998c42b  
**SHA256:** 5e8a8253eb986b58fb170e2d58bdd134b05fc7dc02a456374a034d7564f77fcb  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: rst.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rst/rst.js  
**MD5:** bd89a589282ae08505026ef31cd4c6ad  
**SHA1:** bfc1dea7ab7b49ed20e4127add87019c8dc56850  
**SHA256:** b50d542cf38074c392f7fde44ef2cbab24b45bbfd178c426cfef6848d6d3e90d  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: ruby.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ruby/ruby.js  
**MD5:** b0b2ef072186390edb0444a0eb2e315f

**SHA1:** d63568f7de026f9c17e0a4124161ad5007c0c709  
**SHA256:**953daad8a24225d56733f77c0c4451cf05436f70ad00e5dd1618486a1d5e01b9  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: rulers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/rulers.js  
**MD5:** 267bb54847534c8bfb41dcf227f7aeb0  
**SHA1:** ef8505818354f0e8e79d6ef7a902ec0feaaa0ed7  
**SHA256:**175d32d6794e2d917f446c4bcc8053c9a9e69eb9fcb3b805daaf015189b6ec03  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: runmode-standalone.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode-standalone.js  
**MD5:** 51867497bb73c2eba5e2e6cd1352f29d  
**SHA1:** 591c22764dd7599a2d443c593bd5d4fd77928e65  
**SHA256:**c1c9bc16a627699da49d9733f93d75963603175081a540b276f11c604739abc9  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: codemirror.jar: runmode-standalone.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode-standalone.js  
**MD5:** 8bb22c65e3d5cb3b6466654c7c6ec4c8  
**SHA1:** 942779dcd636d8372e9d8c9949858ea5b68bfdcf  
**SHA256:**8a06491ff4969718a7bbe2f8ae9d380e9f05f0947d7f5e0d940930e5a929e469  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: codemirror.jar: runmode.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.js  
**MD5:** 6b9c51f3ec2f5a79c75836a0f75569c0  
**SHA1:** 88d7a8053ef7fe9996f63800076992a5f65c4dba  
**SHA256:**920d8eee55e987468236ba7ed2886de0bb8b2fed9d7060383a39ea29924ae885  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

#### remotegui.zip: codemirror.jar: runmode.node.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.node.js

**MD5:** 3847af673a6ae44d53fa8d697df2b8e0

**SHA1:** 91e688f6fc356c47f9bea928ea3768b7c7a57693

**SHA256:** 0d796745f8db549e4ade4132025a45994f45dd6f4765402ee75e4113019edea6

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: runmode.node.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode.node.js

**MD5:** fe41270e99f973a568d5a823cd6e2bfe

**SHA1:** c78b8d45e3db1891ad28f93b64ebd5ec6d0b9c98

**SHA256:** 016bd87dc725d65c80cfa58d2e58033e013e703878cc05f322f938d58ddbcf9e

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: rust.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rust/rust.js  
**MD5:** bfb43032004a8d5d115c6b817cbbe2ba  
**SHA1:** af76d8276b553e168b5fab49108e715452cff07e  
**SHA256:** 797a9abcf8581f192bc49b11434346d3f8014763f4967ae260fbe31f25b2bdfb  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sas.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sas/sas.js  
**MD5:** 46f6d321e806768f9ebbc0155a5f9807  
**SHA1:** 441d94bf2da7c5299662ba76dba352aac7df705a  
**SHA256:** b69f2877e395b89682a4066f62f686c12cb66eac441b6c1d3ee15d5004859f43  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sass.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sass/sass.js  
**MD5:** 0067718b0d6fa922bcf032b58966c3fa



**SHA1:** 1dbee553e6dfa3d57a3aa6548b43a753ccdb7380

**SHA256:** 01ba99f4a91e70d2a5d3ef881c542f14a1f59f3ded58672484bcd56b41921866

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: saw\_special\_spans.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/saw\_special\_spans.js

**MD5:** 72b6184ab657ca37a0d984dc73e7088c

**SHA1:** d84fccefe8c3cd0f1a0b5b2f388de87e57503df3

**SHA256:** fb122060ec500dd99a179c002fbb6a8709eba030bf8f7695d868109b470b31ff

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: scheme.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/scheme/scheme.js

**MD5:** a64f664dcef608b26dea48b1ea52b622

**SHA1:** 1e90715a9ecc9c8cc9500e9b064ffe0defc60b9c

**SHA256:** 0bc81b318e12c7c5bbd94943d9d64cf1a64674c3bcc7057788ed1ade8701ab80

**Referenced In Project/Scope:** server


#### Evidence



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: codemirror.jar: scroll\_events.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scroll\_events.js  
**MD5:** 8c96ad450d94581a7a461c44fa1e7cfd  
**SHA1:** c92034958533fbaa6512c99d715a6032d43355b0  
**SHA256:**b0472dfdc7a904f6a082f064c9384dde3ce1ec95953d9c276216424da03ffa01  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
| • None      |  |  |  |  |

remotegui.zip: codemirror.jar: scrollbars.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrollbars.js  
**MD5:** f06876b47feef8deb64e7cd59d76ab1f  
**SHA1:** 73c1a417818efb800852fec0742136fb1c891c1f  
**SHA256:**11cdf1fc628da528adf11b23bf19cc06072bb573cde470669343d27be9b0ab4  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
|-------------|--|--|--|--|

- None

### remotegui.zip: codemirror.jar: scrolling.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrolling.js

**MD5:** 104c04ec259e68a53516216e4947e9b1

**SHA1:** 54446fd791e3331041e6e9a0874fa66d4794bcb4

**SHA256:** 07f6964d12cb85a698967bcfeca73824a7b602475d488ed6f57e2981879e7487

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: scrollpastend.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/scrollpastend.js

**MD5:** 74be53ff23fb5eda7725c96f1ff683b2

**SHA1:** 1aec49fd4f7f5571fac13fddaad9eb1705cd522d

**SHA256:** 6cd389df1da1ff9ba25728e03afb7f47df3162c3d9bdb5cedd06fc91c6199479

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: search.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/search.js  
**MD5:** aee5a4efc34387df3d1974e09cd2965e  
**SHA1:** aa36dc4a27460ccc0b4b40ee643907303b64a880  
**SHA256:**4949580371fcd81c0ad70164b169dd8bcab2bd9869eddaa0d7e295508bec7a04  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: searchcursor.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/searchcursor.js  
**MD5:** ca8612c41c44b87a10703ffe71d4f750  
**SHA1:** 6bc4c36ea23ce7bf583f95ba4ad49e599bc646a1  
**SHA256:**2c0b8cd8fe7ca5ca2253f4aacc914b390bff5b3cac3475df66c43a9ea8c8ccbe  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: selection-pointer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/selection-pointer.js  
**MD5:** 3ea743f9f1b458692e5258bcd8afbd8

**SHA1:** 4306383d109eb987ee62a6e2defa8926dec870ba  
**SHA256:** fdd7ff53d0ca796c5e3792ceb5063c84d0735bcaf198a1c06c78880f1c664a22  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: selection.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/selection.js  
**MD5:** 34d76a4a0d6602f8d4ff937e499f7906  
**SHA1:** c759ce0c87a62abdd8916125e3bad601e4ce4efe  
**SHA256:** ca2d26085ea9380b686c57d5ef8789e3c3032ed8c5d90ae0e1c9dba69635a89f  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: selection.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection.js  
**MD5:** 8f89f30a603010383e7c118550697100  
**SHA1:** da2d4548c10827c45fd625bdfd1ffdf0e28e0c30  
**SHA256:** 03cb03c86030e258ed013dc958cab854e2978893145cb096468ff8149417502f  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: codemirror.jar: selection\_updates.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection\_updates.js  
**MD5:** 252e2ea7a38323b8d82902e6595d23ae  
**SHA1:** 27719d66e1ff98e650abbc5b48f2f4635f65df13  
**SHA256:**a285a62ec8522c5d8271505b1438dddaf39c3dbfd4dec5ac01971728e21a765  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: codemirror.jar: shell.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/shell/shell.js  
**MD5:** ab0fc779b5fb9bdc1310a28d7dccd379  
**SHA1:** ece7e7661886871cc46ef71248c67ea53a61ac7d  
**SHA256:**24f77cb162ea9d9e9fc79b95ba547a7cc10a0767e3a5a52c786d4c24253736fe  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

### remotegui.zip: codemirror.jar: show-hint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/show-hint.js

**MD5:** c9e3db9bd2540c05ac67b249f8122387

**SHA1:** e8092d9477bb1ad4d17d44522d99cc67ead53b16

**SHA256:** 28d2123fd1c9cf197651c2a0b3cb65762ba06dc073e023c75ec05b1f139b0af5

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sieve.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sieve/sieve.js

**MD5:** 88c6148d955c6542b3f10482b736e553

**SHA1:** 72627a945e27e3044717e5b8db378f3d776ad0fc

**SHA256:** c233866cf4990e2f28f11c96ecedc7e7dc465c19c5b445b30bdc037118f7b65d

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: simple.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/simple.js  
**MD5:** 282f2d54ca2c7b60ab4bc0cd762b943d  
**SHA1:** f08a5e5394568164edb85911dfc452f433bb2483  
**SHA256:**400f49309b31197c0c4ec76519c93647b494ab80f59f96d7f051463e0aa37eb0  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: simplescrollbars.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/simplescrollbars.js  
**MD5:** 34d6903cded2822fb2261678e1a479cc  
**SHA1:** 0707d27834fdde0fe2c32935af79d4575cf9f1ad  
**SHA256:**62b48bff43436bfb8ecc5e3273e6047f0b934c1d873c81e863e13bb462d1e1ab  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: slim.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/slim/slim.js  
**MD5:** 447874e5c5dd225949004c357d17ffe2



**SHA1:** 2cdc3263aa6d9766131d73157afb05fc6767b50  
**SHA256:** a8d555221c610512119f2107d58bb1c57d294cebc91f82638ea6e235286b5c15  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: smalltalk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smalltalk/smalltalk.js  
**MD5:** f6e7ef04f9f907a13604ea5b1938d3d7  
**SHA1:** 57f009cf2b2147f14c530f697fdcbd3ac493e053  
**SHA256:** 9f649668162a61cfa6a3528dbe513d012162932c742c7b0696078bd2a6d3b190  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: smarty.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smarty/smarty.js  
**MD5:** 3ccd6f2129ee79c85ef96a8237f1de7a  
**SHA1:** 5fc274f49b704c0a99e0f0b9030c90f56fc7c1f7  
**SHA256:** 9e95bcd71635efe200c3871c57cbb1c07edc1f8206d173f4552fd2dfbcf9e9af  
**Referenced In Project/Scope:** server


#### Evidence



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |


remotegui.zip: codemirror.jar: solr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/solr/solr.js  
**MD5:** df4ba46ed00e24c144deaef9a817d024  
**SHA1:** c880da8431afd54034ae7fbfedb45d94966638b7  
**SHA256:**17f16060f00cd932914722bf2cd1a01318c402503b62f3bd2bda09bab6b42b85  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |
| Identifiers  |        |      |       |            |
| • None   |        |      |       |            |

remotegui.zip: codemirror.jar: soy.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/soy/soy.js  
**MD5:** 1db8a99a573b2ab07cf30cc58da1bb2a  
**SHA1:** 7c0a178caed0b849f140d0b21de6548a0355f9c1  
**SHA256:**358a1861e92366d238eb240fd5d5cf8ea6f5fe219f389667d277031c0a1a47c5  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |
| Identifiers  |        |      |       |            |

- None

### remotegui.zip: codemirror.jar: spans.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/spans.js

**MD5:** 52150a5a01dd7c56de003aa132f71e25

**SHA1:** 92cc8b4ab38a103a106f574c40d25d16e97d48eb

**SHA256:** 719ad01e720518e7594a76ed4dc4904fec7c495b12d87fc4599b40032975789

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sparql.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sparql/sparql.js

**MD5:** 856d73e41310b4dd6a18f13d64fec0be

**SHA1:** 1669e717cbfb9fa9b30e99415a6e5f7a66feb286

**SHA256:** e646ae1e2796c936a8760af321089f5814d0158ef72aa3f3efb60765430a2e6b

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: spreadsheet.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/spreadsheet/spreadsheet.js  
**MD5:** 370c01bed3c433131f942ef7e6f69187  
**SHA1:** 94b3e4c80f954a378ab94f13068d879e9ab3394b  
**SHA256:** 0807dd557c55f5b6d8579c5c9019c5eddcda9c56ce559190e5f2985b156a00da  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sql-hint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/sql-hint.js  
**MD5:** 8d41549d89ca9bfa3ef068190df379ca  
**SHA1:** 6a2cbde78c9311f75509d3350877a8018499e8c7  
**SHA256:** 60703945eb6cc93d4f47d70b65f955e66ae8a22c0cb1ceefa69cf0890564544d  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sql.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sql/sql.js  
**MD5:** b48a3934b20b392ae812b17df05355f4

**SHA1:** 40d1a558afba1f5043b23131e496de37d8e2dfb4  
**SHA256:**ac23d3f196deb9be25cfcecb966bdc1789b9e177aac683ddccde1420670c4d8a  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: stex.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF  
/resources/webjars/codemirror/6.65.7/mode/stex/stex.js  
**MD5:** c7ef8ac785ee813860cc414ea17dbf6d  
**SHA1:** 3e46d97b4e694c7389cd0df4d13b914697d28c8f  
**SHA256:**edc1f57c69920967a31defb66954aa29f5751fdb2f7ed8e52fa08978ff890e3b  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: stylus.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF  
/resources/webjars/codemirror/6.65.7/mode/stylus/stylus.js  
**MD5:** 7e6d36c0cc269b4e518bd48b9b6342d6  
**SHA1:** ea339b15b178a1082a2acdadae82ef1f4a599f32  
**SHA256:**85683adfef4f0129670fc2e5ee9148ad956213f5fa0c8dd05ac7970ad7f0b337  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: codemirror.jar: sublime.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/sublime.js  
**MD5:** 1d7ea7f929183e76740bd9d98e9cac41  
**SHA1:** 84a64b60b5802e86b0689ccfa95665339347f0c7  
**SHA256:**1d532a67594845cb7163b090a06da9287b896944ab5f22df67f14e176bd434e5  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: codemirror.jar: swift.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/swift/swift.js  
**MD5:** bf859160b6f348fc2d72673fc40b9da9  
**SHA1:** c6b46b402c9b1fc3166712d68eb10ad29c5d01f9  
**SHA256:**939dc67bbef9f0f6847f5bc2a89b0c8f4b411d57fbed4f9d5cc21fabd7e191c  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

### remotegui.zip: codemirror.jar: tcl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tcl/tcl.js

**MD5:** 28a739b5550bd5ad13b47dbec84a9716

**SHA1:** 2ce8afb99f36fece39e1b3df7be02509f77b19ee

**SHA256:** 98552bab94ce9adc9fce5658da2965994a84e852c83098e94564884815b3026

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: tern.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/tern.js

**MD5:** b9418efb9c0d90a3432dff86169fd293

**SHA1:** e4d1225e756d51fcb69c2f14ddce1b09fa2a23b7

**SHA256:** 1ebb5ad38f72115c49865b5537fd9c77da506b7ed2be38bd310306af3c698e44

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: textile.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/textile/textile.js  
**MD5:** d3923b19d37114a9e2a346c191c318e1  
**SHA1:** 979b17e6363d63ac2d1b3a6854ba6196564fc5d4  
**SHA256:**c121fcf3e641a7433b9e328c76aa0b1755aa4c0412e4f59a1d8d6ac24b36df06  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: tiddlywiki.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiddlywiki/tiddlywiki.js  
**MD5:** 3e4fb7a08d9df5cbe9822cb1756bec86  
**SHA1:** 84885a1cb7be096c19a3dfddd70252efcc83960e  
**SHA256:**4b62acf34df4acb1a4bc1a2729edaf221583679761d35e0e9077883810fccbfe  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: tiki.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiki/tiki.js  
**MD5:** 6e4bd43879571d0fdfa79714f550a3bf



**SHA1:** 6fd2ece4b20160c1859f34cb245b173459c21163  
**SHA256:**af92cd0858a99f3c5cacf240874db7eac2704a7b193a3cdfddfc5ba70382a293  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: toml.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/toml/toml.js  
**MD5:** dc2ba16cf830b53759b71306e9473ed5  
**SHA1:** 1a394f9f45c508febc270b7c0a1f72460fc897d9  
**SHA256:**67bbbc2696788633071f2a2b8a1cf6ca4f4ac82213e3d85b7cd183d60b117679  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: tornado.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tornado/tornado.js  
**MD5:** f45c2ec37cc008dc5dbd5f9c077ba666  
**SHA1:** 8b55c6a85279c8f7d6b3f539fa097fed877c16b9  
**SHA256:**d006020d7d093cb4f5ed5088ed151d4c45417fe5ccde69d960eb82cfcb9e0ecc  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: codemirror.jar: trailingspace.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/trailingspace.js  
**MD5:** 43599469275c2b662b7907971147c978  
**SHA1:** de4d3ee3d32f01f94921b8b3944c7383da7ba970  
**SHA256:**a0d2c0196d8f4991cd58f320498f7aece971e502e4811ecf58cb5af8e83007c6  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: codemirror.jar: troff.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/troff/troff.js  
**MD5:** e7f5f0a2bf68a81f0f3e547ab5640627  
**SHA1:** f59246b4ff5ce93afc87a4ed30a0cba0e6ba4775  
**SHA256:**f7714fdc46774467c168e75fc36eca90e6df16e27afd0b608b882b2df769b8c3  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

#### remotegui.zip: codemirror.jar: ttcn-cfg.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn-cfg/ttcn-cfg.js

**MD5:** d847dacea4534ee2841f01f5ac419060

**SHA1:** 0df7a9b8f5e91e2ae8d5a8a02c99bf779e221743

**SHA256:** 22983894e4a3794c9bcf396e7a4119efa5ea07a4f97e060e15f3c13ec2c1a01b

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: ttcn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn/ttcn.js

**MD5:** f94e618b386e8bfd0ffa2252482e9c84

**SHA1:** a463a8817c26dcec47a7d006aa097dacf74b28d1

**SHA256:** 10be6704eac48032ce00890bdfffa03d445aae18e3ef7bd74eb14a26e5867a28

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: turtle.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/turtle/turtle.js  
**MD5:** f36ec21c639822b370b87c63415533f1  
**SHA1:** 9b6341bdf7330b71a5959cde815241b6e7deaf05  
**SHA256:** 0f82b51ecc43b95e55a752f80f719f8a39b607697b86d3fa4523a5e8280d3520  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: twig.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/twig/twig.js  
**MD5:** 09ab2491f1056e9d142e233dbc9dc1de  
**SHA1:** 4cb5eb7c9bf77dce80f92f2498d83af92f3398b8  
**SHA256:** 72b6e091bbd6a7c6eb786db2591c1f6f59c7880ef224ce5365ed39ec786d583b  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: update\_display.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update\_display.js  
**MD5:** 8a51230ca1be6a91aebe25d4d0f7b55a

**SHA1:** 79b7a1faa3bfaa65f28ab4e324fa88b485ed21e2  
**SHA256:** cf96f09d7f210f2cbf0c1912058eca1f96b51e63b1bf7b39016c0156c2b9ffc6  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: update\_line.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update\_line.js  
**MD5:** b9b8f3c5e697e33d73d1044eaaa86dc9  
**SHA1:** 4f7c764ac36b54c918f06b68129b8835b22b55f4  
**SHA256:** 5fafd013fc16591f0c978c6a4bacb3cf054d52f5051becd4325de8c21ba07f7d  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: update\_lines.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update\_lines.js  
**MD5:** c864b2f05d2101a47c52b9c01aad5b47  
**SHA1:** c63e8555c30976387f5904fda11fb55174743a88  
**SHA256:** 80e80a6c8ad664587c2f01128e85c5c931f29cd021381584e2195073a53df45b  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: codemirror.jar: utils.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/utils.js  
**MD5:** 4e9e033cb9daa0702d84b88dfcebae20  
**SHA1:** 8e5257ed7b93a00cb5ecbf544d6a1043f2edac7  
**SHA256:**06220f9e424434492b73e0aea65bebba1fe74fc3002f8b3672d1d0d3a445f20d  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: codemirror.jar: utils\_line.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/utils\_line.js  
**MD5:** 0f6f365b60c1688d8f0fcb8d57a9d9d4  
**SHA1:** 574435cdc400815c829db19a67652b7077b00433  
**SHA256:**a8b39ff57b6d43dfceda786380d6dacef7b1738a81fb6033e7573502501d4b6e  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

### remotegui.zip: codemirror.jar: vb.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vb/vb.js

**MD5:** fa430588a34292ebd66e33fa60217b4a

**SHA1:** a89cb1b315fbcd1886d709d921ae95b216d89fc9

**SHA256:** e8f8e4496baed70b1e6ff44979382bad81b921b9570b7da1a377835e973f28f6

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: vbscript.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vbscript/vbscript.js

**MD5:** 2da61e304ec310d9291e372c53c6b06a

**SHA1:** 9c582c79ac9ef6d1c08850c180f988bf974aedb5

**SHA256:** 77109e0c2218502dac03b5bc3b290cfe0b46ea00f4d267f3dc4378d9abe1bdc9

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: velocity.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/velocity/velocity.js  
**MD5:** be30a2a88271b692c85d7de9744f7c16  
**SHA1:** d45880a6f5d3d4840ed1297d7b3f14ba4c9a4be7  
**SHA256:** 3c076c7bdb1e2d3d25bffa1a682556ae449f1545c3731935306333b5831aa951  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: verilog.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/verilog/verilog.js  
**MD5:** a79b1a94e41866ba625c37e77a76ba16  
**SHA1:** 4818788973bd3f66d3b9e14992710d96a7ec18d4  
**SHA256:** ae7c58b13650019ca08760e04f3ece3315e889eb5aa849a34400f16542610eb1  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: vhdl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vhdl/vhdl.js  
**MD5:** 4f804b6884d0d7c233a0acc15fdab384



**SHA1:** d30d775adce22818b6e3955fae1d653028abb5dc  
**SHA256:** da078efdda01a1245fb8ed5a16cfeb0a51823e5917e3802457041dc48243539  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: view\_tracking.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/view\_tracking.js  
**MD5:** a26525bd629440e84b02128d6eb323b4  
**SHA1:** 2cb6103f9dad13f5ee416f272cc9f8f14084ffc6  
**SHA256:** 077f385b690f0c7af9976cb7b6d2b60a175f762753a77b3060a6db2686a5ee81  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: vim.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/vim.js  
**MD5:** 3a5542b6dabf86e3983f29c5c5a184b6  
**SHA1:** b8afaac94045745d4517c9635a5d0c1c266db7ca  
**SHA256:** c8124370e0ba7e76d5cde3c18d257c5c99e5578d6505f0eeaab5c791673c40e8  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: codemirror.jar: vue.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vue/vue.js  
**MD5:** 9e7dbdd0bcaee6279ed4e77f5ebc36ad  
**SHA1:** dc5c50230fdd556f9c3530f781b7a2b16ad30a20  
**SHA256:**8b9c4f59c1230c537f44f593f5d608a81604e4b3dfd345ea938939d0d62f668e  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: codemirror.jar: wast.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/wast/wast.js  
**MD5:** fb1f6ce81911f07db605e2e5ccf41cf2  
**SHA1:** be86e08e18cc74130b483022c355846d72116c20  
**SHA256:**8e8ae8ab4475c66d2f05960ffda597af6279c8c93f62cdab443407bea74c0091  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

#### remotegui.zip: codemirror.jar: webidl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/webidl/webidl.js

**MD5:** f31e84cde3fcc1fa2efec9889038d7e5

**SHA1:** 0757847217a95faf4defc9685f6821accb9d8988

**SHA256:** a12293542727a69514ae5477a65e33eed4f871fc207c6b275c9d8be1f2177062

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: widgets.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/widgets.js

**MD5:** 675098b5f0aea0bf351a1b5762febfa6

**SHA1:** c922dccdf98c79f92fa086bc2a36d970c76b56df

**SHA256:** 09874ad13a856fad11b3afd084e58411741ee2735e61b4d95fetc060b60bfd65

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: worker.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/worker.js  
**MD5:** c6d16e68bc203e9489fbbd11b5b100ef  
**SHA1:** f8adb9ac9944f88bf6e69048c001f89537f32198  
**SHA256:**80c0e9bc4e2ef9ca9c97199818318429d26fae0d2452a20547b1e458eccf794d  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: xml-fold.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/xml-fold.js  
**MD5:** bcfaae27958026e83cd442b5df731da4  
**SHA1:** 7ad4740f2ecbaa3869b066156b19401075a0315f  
**SHA256:**4ad0fdc2f93882174c9071e9a3c2324d15d4deb0c43fe607f9efe01dda1af9b4  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: xml-hint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/xml-hint.js  
**MD5:** f2651770cad286ae58d12e9f5c4e9e6f

**SHA1:** 17bce6be75e45d7a291a32d0c1e346e4818296db  
**SHA256:** 6b78f04d2137358d5a01e9fa2b3a8f069acc70f925cc7efc39448ebe9599a805  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: xml.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xml/xml.js  
**MD5:** c93fe254ef100aeb5c9dfcda4c91d27f  
**SHA1:** 510c71566cf81560cb5bd1bb25287ed6502dde75  
**SHA256:** dc7e44d410399326f802e2924573cbf6f942a79f647fd0b97f0b607973bc9a09  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: codemirror.jar: xquery.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xquery/xquery.js  
**MD5:** 56cd9562591919c15b7610f13cd112be  
**SHA1:** b294546669da04806196e6aca774914a30a0b3f8  
**SHA256:** 618685277efde78e0e48fd5cf95948ae32a4d57de942038ed0579415f3f2f9dc  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: codemirror.jar: yacas.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yacas/yacas.js  
**MD5:** a70c01cdbd7d4311d4dda287ace27a79  
**SHA1:** e853bda930d5fed1db0bd56ab9426612e759f9b3  
**SHA256:**edab39fac054aaee5ea8ad3d09e0d38f57d5b24f826df7561526b5efb229fc72  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: codemirror.jar: yaml-frontmatter.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml-frontmatter/yaml-frontmatter.js  
**MD5:** c2dc6071833d8d9bf02d81244403cbd6  
**SHA1:** 212780f18d78644233eb826c8c660eee51b6ac70  
**SHA256:**98baa91eee7ba77aaf150a59d7e5146d4964ddb271076cd963cce43f9928b3f8  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

#### remotegui.zip: codemirror.jar: yaml-lint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/yaml-lint.js

**MD5:** 925332d44aefcb89b106d4fe9b32e93d

**SHA1:** 19221be874d11d57582a77dd08fd2f244e9b5500

**SHA256:** ee7249600f6b395c302b24054060f8abe87cbaa68a9f426593ca5e5f3748bbf9

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: yaml.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml/yaml.js

**MD5:** 77fd959da1bbaeff5cdd97689da94570

**SHA1:** 9b206b33cc7b2b5e1e21d39bd177b1c6500e9722

**SHA256:** 3256b4e40302d4488834925a990edb32cef7d431f70a40917c1c5398468d861b

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: z80.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/z80/z80.js  
**MD5:** 85b28ee5eafe8552bf842eeba91325f7  
**SHA1:** 34971fc9b5ed5aa2f8714030186cd3e0056cb2ac  
**SHA256:** 0f501d7b8c9c48942900b4d7131f5bb18130395024e66ea5d98aea480f845e2e  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar

#### Description:

WebJar for crypto-js

#### License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar  
**MD5:** e70e1fdbb3054453cd57ab3368e6bdb9  
**SHA1:** 622835f605f708155af4ffdb1fda1fed2983bccf  
**SHA256:** 9e11775c13feb6a3161844db96974ad007dc36d1f4b3033555f34813a1584270  
**Referenced In Project/Scope:** server

#### Evidence



| Type   | Source   | Name                | Value                     | Confidence |
|--------|----------|---------------------|---------------------------|------------|
| Vendor | file     | name                | crypto-js                 | High       |
| Vendor | Manifest | build-jdk-spec      | 1.8                       | Low        |
| Vendor | Manifest | bundle-symbolicname | org.webjars.npm.crypto-js | Medium     |
| Vendor | pom      | artifactid          | crypto-js                 | Low        |
| Vendor | pom      | developer id        | webjars                   | Medium     |
| Vendor | pom      | groupid             | org.webjars.npm           | Highest    |
| Vendor | pom      | name                | crypto-js                 | High       |



|         |          |                     |                           |         |
|---------|----------|---------------------|---------------------------|---------|
| Vendor  | pom      | url                 | https://www.webjars.org   | Highest |
| Product | file     | name                | crypto-js                 | High    |
| Product | Manifest | build-jdk-spec      | 1.8                       | Low     |
| Product | Manifest | Bundle-Name         | crypto-js                 | Medium  |
| Product | Manifest | bundle-symbolicname | org.webjars.npm.crypto-js | Medium  |
| Product | pom      | artifactid          | crypto-js                 | Highest |
| Product | pom      | developer id        | webjars                   | Low     |
| Product | pom      | groupid             | org.webjars.npm           | Highest |
| Product | pom      | name                | crypto-js                 | High    |
| Product | pom      | url                 | https://www.webjars.org   | Medium  |
| Version | Manifest | Bundle-Version      | 4.2.0                     | High    |
| Version | pom      | version             | 4.2.0                     | Highest |

#### Identifiers

- [pkg:maven/org.webjars.npm/crypto-js@4.2.0](https://maven.org/webjars/npm/crypto-js@4.2.0) (*Confidence:High*)

### remotegui.zip: crypto-js.jar: aes.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/aes.js

**MD5:** da81b91b1b57c279c29b3469649d9b86

**SHA1:** 5441866409bd32d32331c4b4b652057fb90bc298

**SHA256:** d6bb48feacbd63fd455becce7a5528877242f70e73ba1f7838c186ed8f35fd3c

**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: blowfish.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/blowfish.js  
**MD5:** f324783486bb1c6c2bad1faf07c63372  
**SHA1:** abce1a3fd40ce0c3f511fc0ea0be9a5d9006e580  
**SHA256:**dce696d0842412093ec68ceef095d0db470a358628dbc352867bf535ef3edfb6  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: cipher-core.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/cipher-core.js  
**MD5:** b9c2f3c51e3ffe719444390f47c51627  
**SHA1:** fb31443b26eb46eba12f324ff2c567d28e43c9c8  
**SHA256:**1b3331c29f4a1e222ebf7d3b9bd3458a308c2a47fc5e6cccb93f7d2d5c57533d  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: core.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/core.js  
**MD5:** b55ae8027253d4d54c4f1ef3b6254646

**SHA1:** 06951bbea3ba1ca54de91f0feefc13fb62b66f38

**SHA256:**2638bdd7224472f801890636d42df16c144ca46c84229ef3087190d21f935daf

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: crypto-js.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/crypto-js.js

**MD5:** 4b481d280be0331ef01b43c2d9b2a58c

**SHA1:** 4e84b6508f97c27e80a3fdeea2923d489d2b8fc5

**SHA256:**ee02257ffbaf0a9b481c7039b0f3bb20c360c9674fe4be8b38ae709b2ea59bbe

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: enc-base64.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-base64.js

**MD5:** f551ce1340a86e5edbfe4a6aefa798f

**SHA1:** 9e1b1bf75f35833ca2480ee401b4cff8b7eb1fe3

**SHA256:**84b69d1625474179d55622a8333c3aac376dd8bc77de7b06c21695762cb69cab

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: crypto-js.jar: enc-base64url.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-base64url.js  
**MD5:** b87419e0e9ad776b37cfce5433ff5852  
**SHA1:** 24aa5251bd4c6b8ca1bbaf0a5ab838fbd9fcb6ab  
**SHA256:**8747798ddd53f467bebd7101bcd053b3f12ef028b3e6c012aede147732c8a9c6  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: crypto-js.jar: enc-hex.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-hex.js  
**MD5:** efb02f85686d948c69ad13ec6a7d479c  
**SHA1:** 27f6a54ae346ef0a9a63084990591e0f986bea38  
**SHA256:**c7dad9931250921c24508ba9949abb818745b38891da44693359249b11ed143d  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

#### remotegui.zip: crypto-js.jar: enc-latin1.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-latin1.js  
**MD5:** a8c77d13f48479c2f76678c6e7f06ca8  
**SHA1:** 9753af5959867f998f0feffd6f1699e88c92f39e  
**SHA256:** 24dfce2cc51ec0481aad1f62933bd0ae1238c34c5b0e73aeb1729027c913a26b  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: crypto-js.jar: enc-utf16.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-utf16.js  
**MD5:** e24e079fb22a2f7063cb9f856bdf10b  
**SHA1:** 01f29539d0bc1e2c10638d0f3b9af99d978e15f7  
**SHA256:** c35339900b45fa701c390c924009a95270b4b4d91b427e40984f117c2f7ec67d  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: crypto-js.jar: enc-utf8.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-utf8.js  
**MD5:** 5a9aaa6b97e87bf258edf26223bdcf61  
**SHA1:** 16bab2dd76daec10b9b3e2569f3fc1a207b5f726  
**SHA256:** 8c7e44dc2d49b20fd78a44827fa962a28a5e22e0adfe036aa0fdcfc7adb89984  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: evpkdf.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/evpkdf.js  
**MD5:** 7106e06bc97d1f59a9324ef5ef9c14c2  
**SHA1:** 89cccca6c0e5261d31302cb4726a26f21a84ef39  
**SHA256:** 03a8ec00db105b3b813902400ed65169d12ecd382fa13402fd62c55e251caacc  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: format-hex.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/format-hex.js  
**MD5:** e2f78f02b844140cb8763fa7cd8daa45

**SHA1:** a359182575c8d43c6e5381209472f8954e4d5496  
**SHA256:**040a2918bec8cb8ba0a6303fa3c1bbfd899bc8644643e8ac493e3c08a0c09097  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: format-openssl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/format-openssl.js  
**MD5:** 502d6df5aa16084bf5abb0f3077c13b5  
**SHA1:** 7507a0c1ccf7049a8a10bf2ed73f24af5ed00aa3  
**SHA256:**1ffa86862e66b6c0fff35cb96875e97a793aaf86ca749b29381cbc67a0877bba  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: hmac-md5.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-md5.js  
**MD5:** 95b2fb61fbadc00bb3dce9098e37256a  
**SHA1:** 143d92d0c7d56bc57036c318cf78dc50cd72b557  
**SHA256:**d3072014eb4186d02e335c511b3cc6e163a5cfefbaa8c4ae13634af24887078e6  
**Referenced In Project/Scope:** server


#### Evidence



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: crypto-js.jar: hmac-ripemd160.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-ripemd160.js  
**MD5:** 6d51886c1d976bc143c790593cdc0920  
**SHA1:** 29a848612a72b95abd8d8a9ee8d4874939fac6f0  
**SHA256:**28e2bdcb143840e4e01eff312a728e0f652d7dcb0d1bbdceab0bf48ff5cae8ac  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
| • None      |  |  |  |  |

remotegui.zip: crypto-js.jar: hmac-sha1.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha1.js  
**MD5:** 4acf006c1688cf4513ed375d7a94f86e  
**SHA1:** 8fbe2fbecb2caa64f74c0393f9f6641f78e3b732  
**SHA256:**e104acb7379b834bd9249e3cfcb2196acbf90a22bb10947feb2a1fbe30ded105  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
|-------------|--|--|--|--|



- None

#### remotegui.zip: crypto-js.jar: hmac-sha224.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha224.js  
**MD5:** 875a7a330903a92828b279818e6b06b8  
**SHA1:** 586cc496e368eb6f6119e0a6089ef7f8f421dee6  
**SHA256:** 35208e1e4631ff5f9bd83220dbfbef63290eb93e914055b35583fbf19eb76693  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: crypto-js.jar: hmac-sha256.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha256.js  
**MD5:** 69817fc0da86033d4ef559f0febd3d32  
**SHA1:** 84c60e2a1dce8f06c1e4340542199cc9cc9a3454  
**SHA256:** 11d26c11f858b74bf0f106c74ddb579a112d3e7321fd684365a77ba2a7a5dffc  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: crypto-js.jar: hmac-sha3.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha3.js  
**MD5:** ea6cba03f7c6b257b70c1497022b5514  
**SHA1:** 0d8f8002491a9311c7035aaf07d4a0329f38ced0  
**SHA256:** bc63c36741416fb55fbb3c7c4a78b5e056d9b902a471bb16b6f5672fbbacbf8  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: hmac-sha384.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha384.js  
**MD5:** 7afbdf157b81970eb00a50bc421e7ce1  
**SHA1:** 9196d839c46163f6e51c63410ba0076a09ccf178  
**SHA256:** 93494b918b2eb79cd1be66145a41137ac0d65739ed6cb9e04f82bf1d7cdc7019  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: hmac-sha512.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha512.js  
**MD5:** 5d3e9930daf490e45b446cb42b31833e

**SHA1:** 4b07089a6c56852d15ec948b58408d5b5d32cafd  
**SHA256:** 6c2b59ac5e27099986b28d32e425ed3d65a4621c1c6512d03d40b336c6e88a2d  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: hmac.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac.js  
**MD5:** ee162ca0ed3b55dd9b2fe74a3464bb74  
**SHA1:** d68f1ed4e3aed7807fe17a8193fca4775221dfa3  
**SHA256:** c89f8f08ae06990edbc0763cd46853d16c70eaf513de8592b1ffb74a2ad2f7da  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/index.js  
**MD5:** 8181544c4f4842cba38a939989ddb460  
**SHA1:** b4ff6b82e1e72ccc2a5de8f94968c3b82060f61c  
**SHA256:** 7de6a6041ebd1a43ecd79b59708795ac273930bb36265b41fff832d781e7bb27  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: crypto-js.jar: lib-typedarrays.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/lib-typedarrays.js  
**MD5:** b8bac2e22a7a589167e014be77736c72  
**SHA1:** 622fc0f297b3799ff91b08469989e6fe113cbda4  
**SHA256:**a5875f287e6cc6dea0ab64024db32783229a7db55f74deccf6566973bbd76ec9  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: crypto-js.jar: md5.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/md5.js  
**MD5:** fcd0c8cd3533c15bb4f0628f82cf5175  
**SHA1:** ed91751fd5c6009667d6b43c5fd3939993edd568  
**SHA256:**ffce8dc6b782620c6238a5b2280c5a98f6bef8c77fa80e581fac8cce0f08effe  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

### remotegui.zip: crypto-js.jar: mode-cfb.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-cfb.js  
**MD5:** 5847dafc1beecdcd23925f9f4989b2  
**SHA1:** c9972596e02db6c6221ae019dcf1498d30e9ffb4  
**SHA256:** a3626b78fe53d7d32fbcaeaeb92750db305e84e2ccb84e61d735ac7a4dc7345c  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: mode-ctr-gladman.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ctr-gladman.js  
**MD5:** c4bd3b4755cf275747f8e68b0eed7995  
**SHA1:** cabbcc4100b4d363f1b55d42b930ec547ad67dd1  
**SHA256:** fcd6166981435cc01bdfd2fb8f9e2773acfb144ab8c47e0c71473d9bdee755b0  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: mode-ctr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ctr.js  
**MD5:** 6cec0458e4e62c1ff8b534e59f9132ff  
**SHA1:** 591484053ed26919fa6e4cecf7aa723dcade4bb6  
**SHA256:** 9e67161f61922a475b142b2e18cb4470ed7860ef61bc6e7a41f327f7a59be96f  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: mode-ecb.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ecb.js  
**MD5:** 3a84195b8427195dd9c345a0f3aa2313  
**SHA1:** fe621e95709e31a5289c78d114aad4a920f14923  
**SHA256:** 4f563373ba4af442e1b425b7b7dd1030ed84b9babe9821949922d9677bf14701  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: mode-ofb.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ofb.js  
**MD5:** 48f5529799d5eac8fa9f855ba1402737

**SHA1:** 4e97befa1e4d0003cd2fe9d21d85d6636513fdb4  
**SHA256:** b49077bf4bf5e8f2cbb2de0e2d48c4d941a3feba2bc7c629abd51fe2ac8bdb2f  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/package.json  
**MD5:** 2f31b0aec8f5d1c63af62bf46623876c  
**SHA1:** 7316c3382382dee4cc36236a13bf43543b8a855d  
**SHA256:** 011d61589c95ad4e16051c492565f7c19c6a7832580674503cceeeca612e7a6cd  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: pad-ansix923.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-ansix923.js  
**MD5:** ca8ab3266976ddad6e811577212b8c88  
**SHA1:** 505018913484e110aa81842a4511a2a52cbf2231  
**SHA256:** 7d950bc42f262159a2786eea30d1153a3d0bca9aab9acdbcc1a981a8d2854ef7  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: pad-iso10126.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-iso10126.js  
**MD5:** b1c4aa95c8bc79280076e66352b6c219  
**SHA1:** 9c081665a8d0f4399c5f3874f38f811932900d54  
**SHA256:** d3695304e8e7a001cc6e1b84d4b58abd429dd7e3f09514c260bcd3122a3aa685  
**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: pad-iso97971.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-iso97971.js  
**MD5:** 4027c92ac1ed3c95f39e8e2a391500d3  
**SHA1:** b7034e19bcb012cf7549baea65a70d25b8e71480  
**SHA256:** f7f7179b8bea5b6ef4f0891f23b563db8aa530376795cd99ef84942cfc62d328  
**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers



- None

#### remotegui.zip: crypto-js.jar: pad-nopadding.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-nopadding.js  
**MD5:** e288e14e2cd299c3247120114e1178e6  
**SHA1:** af4df0df185ab10e12fe8c01f885027eabe3c8f3  
**SHA256:** a722d1f1486b807b34076ec3277ea3a65f21837db2d9f76eb5daa7de312479a6  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: crypto-js.jar: pad-pkcs7.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-pkcs7.js  
**MD5:** 23c101a5a832bfa8a894b9813323044c  
**SHA1:** d21f12b724eccd65c9f20503bdac2c41eb8ce985  
**SHA256:** 9a3c909e8c3b6604bfd7a48a3c7e61504292744d894bce1266b44691b857c1bc  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: crypto-js.jar: pad-zeropadding.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-zeropadding.js  
**MD5:** 23b4116306620a01bed22b52014c7c65  
**SHA1:** 34360c2d2f9a38e5c3d197223a2f5b6777cbc1e9  
**SHA256:**d99e781985e817da7c6af30d957c45419b1a7e176bf52160424ebbbf970df906  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: pbkdf2.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pbkdf2.js  
**MD5:** 3f2876e100b991885f606065d1342984  
**SHA1:** 006198366f41423a82b05dc582d9882530c3f6e5  
**SHA256:**89cca1be3926c8d89b6f827d70970bb3bc94ae47943342ca8949992faf8d2b60  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: rabbit-legacy.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/rabbit-legacy.js  
**MD5:** 8fdb6b7d8bcf3aef27398d47d13dacb9

**SHA1:** 23dc78f4b418c296ffc166bbcad8c678d6ab2efa

**SHA256:** cf9afefa87b216dd4d8be00524f8904bba1147fbb90273e5e6a7b2824b52e56f

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: rabbit.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/rabbit.js

**MD5:** b3bae9fc93314924cbd6c4283c1e91ef

**SHA1:** 4bd339e3a9e954c2766a07a96cf7ec2547e76cab

**SHA256:** dc93dba650db41783f8a3faba6ba17ad82cb0eb1b6fa84df406f71d520d84b42

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: rc4.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/rc4.js

**MD5:** 846a99f1e90dbcbb5773793c3fe8aa5c

**SHA1:** fbb684811bde18ce2faad2ffbda3aa9c00939e90

**SHA256:** 571eca05c055a26c729f757f83b9f849968ae0dc0ba9870e5be9526019c53a33

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: crypto-js.jar: ripemd160.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/ripemd160.js  
**MD5:** 1d13fd2d4858d87c36c43a0a6436f0d4  
**SHA1:** 9187ea140085390e357f1e7804f95e7a5812d494  
**SHA256:**3d7eea732acb8f27ba7be5ec54cc1c5ea198be2f7b12ae78cf03ce3b87d78da1  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: crypto-js.jar: sha1.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha1.js  
**MD5:** 5fbc23cf1d5cf34e9f7798650d07b333  
**SHA1:** 7401e77dcaff4ecaab8e57fd11fccfaf5f33c75  
**SHA256:**fca2d5560acb8de760ebc94679ff210056722af8193871e75176a61a977ac30f  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

### remotegui.zip: crypto-js.jar: sha224.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha224.js  
**MD5:** bd908518f276d2df58277bb38185b307  
**SHA1:** b10b13e02fadeea29119f6976b346d9b06c84342  
**SHA256:** 542ddc722d9711595c11d57caa9424beca928b3553747a51e3f1c57c2c08ec16  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: sha256.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha256.js  
**MD5:** 561d24c90633fb34c13537a330d12786  
**SHA1:** 7593f14b59ba2099cbb4ffb806e75758fdeb12f5  
**SHA256:** d8074f23cbd27aa6c2f231b8bdad34bbd8d49c7e47ffa0d7cd07a2c4d1d3c798  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: sha3.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha3.js  
**MD5:** 6fe2614bbdfb802fa873f118621c7fb8  
**SHA1:** d977f518e609149d1b51932648669a4be7a97f27  
**SHA256:** 6ee08cd3d69b181cb735011acd0a0d57b6a4a071baf8ecbbbb9aa18cf1e4d6ac  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: sha384.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha384.js  
**MD5:** 6ae085f20325eb927ff673ef20568137  
**SHA1:** 8d7bb4a99b713d53723f8f1ad3442cf9e9edf9a4  
**SHA256:** 8d902216aef6840bb9951117bdd3aa6331078e68ee04987aa1d59c73b5ff3066  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: sha512.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha512.js  
**MD5:** 0e5e8946947671eefe910c58f1272c48

**SHA1:** 7b4efa121b30865b12f7546f1e99e22c6c2a3c40  
**SHA256:** 986ca486a1c9e58e9d8fc38d1db4e652e14c751ba1a6a15fd81439d261efe2b0  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: tripledes.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/tripledes.js  
**MD5:** fcd80fd597ef5e6a0fe34cdf484a8825  
**SHA1:** 94c5615ac7a0f2ee61bb5325e46d61151893dfa6  
**SHA256:** 8d8de06235e08f38ddc855070ef8cb86d7c69a67b3a5278f8cbf2af64b55122d  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: x64-core.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/x64-core.js  
**MD5:** 677577ca38d04508f116ebc977dcb11b  
**SHA1:** 966f596f1adb7e7780021ae463a62890de8b19fc  
**SHA256:** c54130dcd19ae2c7f8c4b4a69cb2038a65d363899cddf7ebaae0102bfc8fe086  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar

#### License:

LGPL 2.1

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar

**MD5:** fb8b1b6b34605a5f009111354952152d

**SHA1:** ecf7ff886113ce62c8b84821517c18eee4ccb552

**SHA256:** fca0ba33cd0ec4300d7aeae8be26a9985578df5090c8e6126a2d8fc40a4bef3d

**Referenced In Project/Scope:** server

#### Evidence

| Type    | Source   | Name       | Value  | Confidence |
|---------|----------|------------|--|------------|
| Vendor  | file     | name       | hugerte-languages                                  | High       |
| Vendor  | Manifest | url        | https://www.tiny.cloud/get-tiny/language-packages/ | Low        |
| Vendor  | pom      | artifactid | hugerte-languages                                  | Low        |
| Vendor  | pom      | groupid    | org.webjars.npm                                    | Highest    |
| Vendor  | pom      | url        | https://www.tiny.cloud/get-tiny/language-packages/ | Highest    |
| Product | file     | name       | hugerte-languages                                  | High       |
| Product | Manifest | url        | https://www.tiny.cloud/get-tiny/language-packages/ | Low        |
| Product | pom      | artifactid | hugerte-languages                                  | Highest    |
| Product | pom      | groupid    | org.webjars.npm                                    | Highest    |
| Product | pom      | url        | https://www.tiny.cloud/get-tiny/language-packages/ | Medium     |
| Version | pom      | version    | 1.0.9  | Highest    |

#### Identifiers

- [pkg:maven/org.webjars.npm/hugerte-languages@1.0.9](https://mvnrepository.com/artifact/org.webjars.npm/hugerte-languages/1.0.9) (Confidence:High)



### remotegui.zip: hugerte-languages.jar: ar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ar.js

**MD5:** 823f9945c776bff8a5d1d33b7d053f76

**SHA1:** dc44a63c5afd84dc271d61e5673fc814e1de20f0

**SHA256:** 16ea01e589d138a6136652e9bbbff6f0a78c7da2c52f777e50c2b1c51b85cf6d

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: ar\_SA.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ar\_SA.js

**MD5:** de0f31d1f1a0932c71125d7baef80a5a

**SHA1:** 29240f1954b11d0cc527d22342d62b23d6be35d7

**SHA256:** df5dea24dc375556b47d00f787af4457a306dce441d7560dc5708926e65196a4

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: az.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/az.js  
**MD5:** 41a5444280dc4fed40bd7007a8734bd1  
**SHA1:** ebff1c1e5fe696a05d5b025cf996239d07e5728a  
**SHA256:**56722b025676cc2a88be8cb111e7d93a1cf5f076e25b57603c9ee34770eb1d21  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: be.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/be.js  
**MD5:** a21eb5c6f25273f8bad1ed7d263c9bb2  
**SHA1:** 029a79f496d18774c6e463c76bb351c5e36d745f  
**SHA256:**38ac39070c67cc3dab2aa62cf3c67f6aae5de17412aadaa7f3a7f0fc07fe1f5f  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: bg\_BG.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/bg\_BG.js  
**MD5:** 801f9914266c7293a3235a7fb0ae7f3c  
**SHA1:** e7a34a80a73fff9be96fb31dc8f0f9d1a3987c59  
**SHA256:**251201625c9f4281c1c290631b000379b84305155f6e36387ff62c21ee8b45f0  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: bn\_BD.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/bn\_BD.js

**MD5:** 220b63a6f7d42943f33d94ba67423a64

**SHA1:** 86740e376336efef54a75384cc7b08ba1dbb8224

**SHA256:** afcae81dc0d30507f943432518ba500a7fbb86b4e215643b400cdd1b1ca219f

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: ca.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ca.js

**MD5:** d44f1cce804fcec692b814e203609991

**SHA1:** 1cf7f636e5e5b04322d9d339da3315384c58548a

**SHA256:** 268e5bd32cafc47a21baae85aece4afd933ca25ec9f9ead891679987c64579d3

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: cs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/cs.js

**MD5:** 79a288d0c7f661ca7f5e3107341e4c9f

**SHA1:** 9aee0c1dcba66150ddb2648fa9a827633e94366

**SHA256:** a3f3b00c1079b33aa9ea1ecde5182c5f1e427931e6cf82e85271d5e8ed85a99c

**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: cy.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/cy.js

**MD5:** aa66134f9a69db8bf5e37e9c00486dc4

**SHA1:** a8e3c6399e8efe5cc72a88bca7d9df33ac016a41

**SHA256:** 7b39d495ecb2ea1eca56270c5591c17475756c9aee5f0178d7dda9fa41201f8b

**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: da.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/da.js

**MD5:** 86be98bf9b1a2028d498158c10d995f6

**SHA1:** 2a88c16d9f97f6fbd64841c4bc7953775aa7c98d

**SHA256:** 5f26a49c249458207d87d14f4a13ea76f9dfe83aa3192d9519aa3564caa5b593

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: de.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/de.js

**MD5:** c2a71fc1e4286824de66f53bd7b82485

**SHA1:** 13afdd59bb4a7ed1d67154bf5b5e8fd4e74ecc31

**SHA256:** 89ecb25e929cb079bd55d7747c46f8c767d0ae6a82d0b5f4b88ed9764d899db7

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: el.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF

/resources/webjars/hugerte/langs/el.js

**MD5:** 915f10cf164e849c6fcebada64b00ef

**SHA1:** 9915d6d53f204fb3098db4fcc6984f3c7aacb5ac

**SHA256:** 023ff4f96e5a56be54b8f5fe60b5dd437e7e0701452a1b2c3cccd9227b6dc35f

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: eo.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF  
/resources/webjars/hugerte/langs/eo.js

**MD5:** 8f0c327a379a1687bd1d79b356e0c6b9

**SHA1:** e8db0b00cf0948cc7912deffc721d91d55b8bed7

**SHA256:** 97e596fdc130fae102a9199bc538546abc46f300728c0f51697391d57aa31e5f

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: es.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF  
/resources/webjars/hugerte/langs/es.js

**MD5:** 033628b467ed06d308c9612dcd5bbdb5

**SHA1:** 09113c6d952a730226b8a1d12cd237b3899789e4

**SHA256:** dade4c15e9cf8d18119ca2fdf6482b3853f5b59cf0f970d089170daf767075f3

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: es\_MX.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/es\_MX.js

**MD5:** 449d6aedeedbdb6381c83d9a5769597

**SHA1:** 5998163f1a11b65a5e7a0ab9c9dce230fd413e76

**SHA256:**bb871036a74c5306485caf250a509025740ee01a01c7423004462fea3cc2be39

**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: et.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/et.js

**MD5:** 091758942df0564e10bebe19a78d313f

**SHA1:** ff025e62b8c42678618820b34d7931c5786b1aea

**SHA256:**6cc07e99a6c3b8c624a76c01a1fa3808711fae8f1f1dc47d2b8080b7522e8223

**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: eu.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/eu.js  
**MD5:** 1485b45393804c99c99314aebbdcc0e6  
**SHA1:** a95f6eae92569b428b700fb12dbe489a0b71a4f5  
**SHA256:** cc21d29d3cb923a4ff36015cbe7bd17dd7a64a5e72fc6ac872e4c945db16241b  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: fa.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/fa.js  
**MD5:** 0dc23c9242a62695e3cbeb9a2f78e139  
**SHA1:** ef67cbd5dc74eab86408aa69634ae8e2067620d2  
**SHA256:** 22e7c7518a2bfad61e9fcbe065ecc02ab03fa8534322980bce9f99ebc63a73a4  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None



## remotegui.zip: hugerte-languages.jar: fi.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/fi.js

**MD5:** b7e0faf1d8fe236d9b2936d625a0fdb7

**SHA1:** 20be70760980449856bb658599c1330a5a8075af

**SHA256:** 4917f9d328011a6ef7ab83ad444289f6f99f83b715427198ba361639dad96bb2

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: fr\_FR.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/fr\_FR.js

**MD5:** dfa01543f5cf0741603c794997fb5d9b

**SHA1:** 635f1e92319d08246c041243dc9095d3c93e1f8b

**SHA256:** bcdfb2da8b8415d7127043dd30676369f9beaec15d3f632bd4c956bf9cd52598

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: ga.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ga.js

**MD5:** 845b69d910adfa4628178f438a718482

**SHA1:** 4943d1679c82f7e96a9336d77cb0d2c3aab1fecf  
**SHA256:**5958b2e476b049ab4baeedc79aba6df32354d77ab53d5d247031c770b1511651  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: gl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/gl.js  
**MD5:** a795d0920b1380017ff30141839551e0  
**SHA1:** f88dcdaa4f1ccc07c852f840f98e2152fef000dd  
**SHA256:**71207713e3e7847c58b60968a99f4a78433badc4fe7e30b72dba09aeca4555c5  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: he\_IL.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/he\_IL.js  
**MD5:** f0c6393b918763fc15eee6d3e0c37466  
**SHA1:** 9b1b2433bdf168dbaa699f013d91e7ea7604e892  
**SHA256:**78083d15ce5a545d77b567697bbf442b183cb251db84479fc6b4170d61dfb246  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte-languages.jar: hr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/hr.js  
**MD5:** 2441d08f559cb16b4d43b9d5105b860f  
**SHA1:** e0482438bc1ebbe8a1d0fa678fba00ef712dbed  
**SHA256:** ce558c44bad214031591a960166ad57e48a3df1829acaaa11f5de44e4b7bf991  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte-languages.jar: hu\_HU.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/hu\_HU.js  
**MD5:** 2911b3d257d0dc7f14333016a7473155  
**SHA1:** 05f276655db6d33333857981a6810cb23c1e4c83  
**SHA256:** 57edd0020ed40bfa8c8bf17d3ce14d9ad3f55ceded462b4455ae9b01612a692d  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

### remotegui.zip: hugerte-languages.jar: hy.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/hy.js  
**MD5:** 39fa7cf899184e065693c210effa166f  
**SHA1:** c1a4ef7965155b0bfe0c94264af6dde949ffb079  
**SHA256:** d917b7cfc80a52e9a36f8b4bd7e234bf946fa052efd0cf3536bcb92cdf092aa  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: id.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/id.js  
**MD5:** ed414a75874cc8ff481bfadbb830ddb3  
**SHA1:** cbca76c07a1123375eea910af43aeadd620e0308  
**SHA256:** 7c1fa631ca44d4e22f9c50b9891fbcca962e0220ef09aee6a40e75d5cdfd1cda  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: is\_IS.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/is\_IS.js  
**MD5:** 9b777beb5d73d767a20f9023e43b95cde  
**SHA1:** 89b10e76a8640b05c60235c2cd14f95fcecc5eee  
**SHA256:** 628c8dc10e2139d038274d9f0df5bc71f07dc761f94ebf2d6b16b26c1d492d81  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: it.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/it.js  
**MD5:** 90e171ba4678a4ed19a31f0e440aee2e  
**SHA1:** ce567152b20166647800c975e326ff77eb80b769  
**SHA256:** b65405201879f02f69f991462a9874c1a3a3cd73789f120e4ce01e0e67ca0711  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: ja.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ja.js  
**MD5:** 9dc6598ea78c3171a5c79d12e9bd0d2b

**SHA1:** 4e7cb9da114814fe1bc798fc51cda71fcd0b38a6  
**SHA256:**f8e09ab0e2d7b205a27ac040fe43756055e49247b706fa7ce3010507111eb2de  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: ka\_GE.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ka\_GE.js  
**MD5:** b23cbf69f2fa02f39ed9086f46d0a527  
**SHA1:** 96a4216380b61acd215df2c2c62ec2cf27506e92  
**SHA256:**60f5880d40ce0196356c7f8f1ccfa77284dfd4e528165e9da1a540570b0e587e  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: kab.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/kab.js  
**MD5:** 3b7ec13af25657f158d12387daaf5ba0  
**SHA1:** 413a6adc6339cff29fc21c8a1ee9d713dd406d01  
**SHA256:**fcbbc32ff3396f8720fa5384f168495f2046b3fa6a38a3415bc6349cbe01933d  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: kk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/kk.js  
**MD5:** bfc0aef232b63aadea153d6169b33886  
**SHA1:** edb0a148549b2481162c47544d83a46c26522f1a  
**SHA256:**3a0eae48e37986a44e71d7aeabcc9048de840262309cb13ca4642b6a8f4c9619  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: ko\_KR.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ko\_KR.js  
**MD5:** 3c1ae38527476e28004119b28e635254  
**SHA1:** 179653599026e2ac4cb9b87c2ad7762b8c792dcd  
**SHA256:**0ad35f07972e8121a88dcf1106a2f502b71998dbb485bd678fbb48adc8a6e3c9  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

#### remotegui.zip: hugerte-languages.jar: ku.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ku.js  
**MD5:** 031a3776060e93cd2fcc2a469982794e  
**SHA1:** bde4d51b40929f76f5517c6381f02ef63beec9fb  
**SHA256:** 4c69b5c3c53f4f9069a26c409eae732e76316c1a39cb50e2b6296b9aee256f41  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte-languages.jar: lt.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/lt.js  
**MD5:** ae38ef0f7d831c5a2c0ebe933fd37040  
**SHA1:** e2267f00cb816718ceec6b265d536f0eb41ea7ad  
**SHA256:** a250c03862616afd2a73875e64c2ddd130c3bda5d565b744ec64e85bc6401cee  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte-languages.jar: lv.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/lv.js  
**MD5:** 5e9a34b9de6fb86881a0c116f445fcf0  
**SHA1:** 9914a2be93fa142736794389a8ef160cc64a8ed3  
**SHA256:** 7068369f71f128d11f274aed093a35b649d6ffe0e33ec5b2cb56ecf5be1c4271  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: nb\_NO.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/nb\_NO.js  
**MD5:** 2b23909699f576ef026ba5fb78ae31da  
**SHA1:** cdbda59aa32791840f8d0428c7cffc54d722b63f  
**SHA256:** e1ee0336aab8a84310f002fbfec4b7636ff074b5646c4552be7a8237593156bc  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: ne.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ne.js  
**MD5:** 885af0f75b6673ac70ef74b275396b8f

**SHA1:** 5cbd5c46bad6c490f79dcfc6a53649cccca0f4b6  
**SHA256:**35322c1614889e08dfc7c46a8998db16efcd4b03ddb32e3c9813084920728b  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: nl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/nl.js  
**MD5:** 0826a3893ffe0dcf835c41f022fa6736  
**SHA1:** 0e3d08a78eb44a9c625d380a05c0995da54f9978  
**SHA256:**42ca9cdc0c09b899c4c31bc9ad8ca252389ef50ad3f19ec09ea8160ca044b751  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: nl\_BE.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/nl\_BE.js  
**MD5:** 81b7362a9af0bacb4f46de26b7258f98  
**SHA1:** 7f4f768b30b547d50dc27670114f1e5bd5a9de2d  
**SHA256:**53578716f41e51150f1ef17e05294fcc4a9c251a05f63c4f9886c650999caef4  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: oc.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/oc.js  
**MD5:** ad364ff6bfb912aaa60afcbe530eeb84  
**SHA1:** 7178d959acb8e51067c6867dbc104d07c7a174ea  
**SHA256:**3dc4b06e29d1d0f9e1337341da3cc6855505b4443dcc505e60c75f0e8cc9d3a9  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: pl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/pl.js  
**MD5:** 73c0a111949ba936650bbca9d70e7f2f  
**SHA1:** e862ea235cff52a45837fd4b80f37e38b9933c47  
**SHA256:**d8630e2cd3a9abe445ed7475635580ecfb02da50ccf4d3534b275d7bcd7d85bc  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

#### remotegui.zip: hugerte-languages.jar: pt\_BR.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/pt\_BR.js  
**MD5:** 4025b9c06a52018128f87471d7536250  
**SHA1:** dcf2f7fe4ef9b75bd76fe24f6a29639d26484e7  
**SHA256:** bcdfab8b8e078ea63af41e912bf9fda8fe5bbb10efccd2fb59b59809dcdb5223  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte-languages.jar: pt\_PT.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/pt\_PT.js  
**MD5:** 9591ec64028ef59a6d4eed3254f77364  
**SHA1:** ed58d2d5a64a1dff28c1083d808405a5437c5971  
**SHA256:** f4687f157cacb710fefe7a234c7513e9c842375dc628fb85e356d7734e649892  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte-languages.jar: ro.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ro.js  
**MD5:** ee5452aead10357b0225b214dd94ba7f  
**SHA1:** ae56e4a834e45614d4f26ddad0d7e0db61441f1d  
**SHA256:** 66ee1e952526d1200d4426df433d3c9342ae28c1f4784715b1e2436cc36bad64  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: ru.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ru.js  
**MD5:** 5f4a09edb41ca0d3656f0d5ce9058860  
**SHA1:** e4aefa0eb5f9f75fd1ea15807021e0867d860b76  
**SHA256:** cc26bc049ef33a17197075266eaabe26a01ad63c304b964efcfc5cee4ceb41cc  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: sk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sk.js  
**MD5:** 46334ad086220eadf9a63d34c0f2c0a1

**SHA1:** 100e6a70a6f05d43ee711601895399b3cbb7921b  
**SHA256:**ff3342881ae9ce3f99283c5bb2874d1222b526ac3636148415f40cddd808d90d  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: sl\_Sl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sl\_Sl.js  
**MD5:** bc7133a87c4c9d0bd8eaf59ef8c874ff  
**SHA1:** 29c1685346e76a3bed36059a6bbea63058969879  
**SHA256:**58b6ab701cf8f0ee76a6fd7300e265ced6102c9acf83ceba8d4cf4b00251ff7  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: sq.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sq.js  
**MD5:** 861c26592664176acb3e275413859f28  
**SHA1:** e5f0e123e4d250d2b6e1ff6ef50f4ea3d7b7aa7c  
**SHA256:**9e266507d00b4e3d55af374d7097e74a66049541f761c93f2402ef941b50d2f6  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: sr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sr.js  
**MD5:** 85a21c38605be1a745a8d91d7d0b650b  
**SHA1:** b42391f82ad5765fa205c62f6c63d1e365690c2c  
**SHA256:**94c18c230ab69fd848a72c3276c91037f7a803859438d69b890395b97e9f1ff0  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: sv\_SE.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sv\_SE.js  
**MD5:** 5ed724e831b0b24b153d2ee7db5b3816  
**SHA1:** f729969fcd547cab963d560acb8da35c1c4  
**SHA256:**1ff7f0f713beb4d59fc3a45704ee9064264eba748dee158024af49ddd7d4ae20  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

#### remotegui.zip: hugerte-languages.jar: ta.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ta.js  
**MD5:** e2088db6edf402bc276bfc8d6856e2d2  
**SHA1:** 42f8f57987cc20025703e0ba4df401d0cc8511b8  
**SHA256:** 2704c32a0eae180c20586f7b3ac7a5d83e777f5d2abe14ce8cab8cf786dc7d1a  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte-languages.jar: tg.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/tg.js  
**MD5:** cdd2d5743671715d8aaff1bda4ad1f94  
**SHA1:** 917638fd2950dd42fef4dbf6627cf078bd2b7aed  
**SHA256:** 1ec107508768200fe55d3c56ca19f91bbcd436ae90d32c62d912f9131064038  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte-languages.jar: th\_TH.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/th\_TH.js  
**MD5:** 75f892fe79cac886b58ba8263b9304ab  
**SHA1:** ced62928d872f509b9112a7be0bd652a028b12b7  
**SHA256:**f09ba8c508eeb7fd2bd0a31ddb0909cde3e701a0c15a7f5dd7caa1aad1b721f2  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: tr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/tr.js  
**MD5:** 705bd62d8012d72d0d4911d3ff5630cf  
**SHA1:** 8d3beb46e6610edf2f362b5fd52cf6aa8763a3b2  
**SHA256:**96dd1e00efec4becd581735af1d6b1467cc9798de54f2e945ece2afb70d43e4c  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: ug.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ug.js  
**MD5:** aaec10538e96e70ff869484f6c747c5e

**SHA1:** e398b581d4d74426689508a414eea025392e6fe8  
**SHA256:**6fcda2bec399a07ae3684fdd4497318ed005eadf33b3ac24ecba3f258007dc0c  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte-languages.jar: uk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF /resources/webjars/hugerte/langs/uk.js  
**MD5:** 99020cb723ec0b122e56170b40053d20  
**SHA1:** 5fab28c63533fd3e3fe00d38cd63ba6f23c32b2d  
**SHA256:**6f3fcb3f5f2d4920b3c5be68509ab140f28c454595cb5cfc3ad02e996146830b  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte-languages.jar: uz.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF /resources/webjars/hugerte/langs/uz.js  
**MD5:** 6efa9afc8b45dcb30d5c20dc2d651a99  
**SHA1:** 4cbfda4fa00dcfef02d859a683f6a2e049a395e4  
**SHA256:**b03c325f76d34d3d62a0de7aed705b4c015c5cef8fe07aa10e28b5261397cd4b  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte-languages.jar: vi.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/vi.js  
**MD5:** 181808a7542470b9901cefad7eb4b5bf  
**SHA1:** be4a2aebc0c2e9fe45f2fbe7e9c19ee5ed78d6f9  
**SHA256:**24622b29a7ad643866d6c8a74277e58f207366f2f3c34b4311b42f93204092c7  
**Referenced In Project/Scope:** server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte-languages.jar: zh\_CN.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/zh\_CN.js  
**MD5:** 7584b32dc413a2d39e5b85d9dafa173a  
**SHA1:** 10dd91679dff2a3160f40ad3188db117b9afa2f  
**SHA256:**9c06f952379981963600a4b3aa40af35eec78c163d3daa9da681107f8c647089  
**Referenced In Project/Scope:** server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

#### remotegui.zip: hugerte-languages.jar: zh\_HK.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/zh\_HK.js  
**MD5:** 1b4894b4e6c2e724475ea8c701568734  
**SHA1:** 552f1316a1cfc565a018ea4fab9129a3825dd6d3  
**SHA256:** ba7fde91f1a45dd5c6901368d6dd18c24683a876629c54b88396222b493c4513  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte-languages.jar: zh\_MO.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/zh\_MO.js  
**MD5:** 90d19ed9a0ebb0b0680ba6ba483804eb  
**SHA1:** 4912da322d65705edd33e0570e81714a7209020c  
**SHA256:** 395ffcd48bad59534174877050ef1f016fc7598382e46e6f2105a44620bcff31  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte-languages.jar: zh\_SG.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF /resources/webjars/hugerte/langs/zh\_SG.js  
**MD5:** e29a6f7769ede1b55b5f96a5eeb2f24e  
**SHA1:** 3407630e6f9c9919f5e7b4d9b74cc652946189b2  
**SHA256:**0d13680b26585e33a31f21153391e341ff5d2c6a0803cb882a621e7dc5231284  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: zh\_TW.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF /resources/webjars/hugerte/langs/zh\_TW.js  
**MD5:** 0a3c9f75e226b3129e8b7f89f7130007  
**SHA1:** c940597951e8d42bafd5602b1801c00fccb1dc47  
**SHA256:**1dd655d41c2ac0bd1e939d787cb4baaf427fcdec6ba22c0f612f765195d548b0  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar

#### Description:

WebJar for hugerte

#### License:

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar

**MD5:** 40e3c36b730763dcffae9299f0a70fa2

**SHA1:** 3e832b2eee0c63d39d757c106d67aedfa531ccf6

**SHA256:** 2447fb813adb57766372cfb1b76e9318dd9022e6bc8eff4752dcd6de2c6651d0

**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source   | Name                | Value                   | Confidence |
|---------|----------|---------------------|-------------------------|------------|
| Vendor  | file     | name                | hugerte                 | High       |
| Vendor  | Manifest | build-jdk-spec      | 1.8                     | Low        |
| Vendor  | Manifest | bundle-symbolicname | org.webjars.npm.hugerte | Medium     |
| Vendor  | pom      | artifactid          | hugerte                 | Low        |
| Vendor  | pom      | developer id        | webjars                 | Medium     |
| Vendor  | pom      | groupid             | org.webjars.npm         | Highest    |
| Vendor  | pom      | name                | hugerte                 | High       |
| Vendor  | pom      | url                 | https://www.webjars.org | Highest    |
| Product | file     | name                | hugerte                 | High       |
| Product | Manifest | build-jdk-spec      | 1.8                     | Low        |
| Product | Manifest | Bundle-Name         | hugerte                 | Medium     |
| Product | Manifest | bundle-symbolicname | org.webjars.npm.hugerte | Medium     |
| Product | pom      | artifactid          | hugerte                 | Highest    |
| Product | pom      | developer id        | webjars                 | Low        |
| Product | pom      | groupid             | org.webjars.npm         | Highest    |
| Product | pom      | name                | hugerte                 | High       |
| Product | pom      | url                 | https://www.webjars.org | Medium     |
| Version | Manifest | Bundle-Version      | 1.0.9                   | High       |
| Version | pom      | version             | 1.0.9                   | Highest    |

#### Identifiers

- [pkg:maven/org.webjars.npm/hugerte@1.0.9](https://www.webjars.org/npm/hugerte@1.0.9) (Confidence:High)

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/ar.js  
**MD5:** f5f0b4553a42a7a74e7be718fc557e2b  
**SHA1:** 302dcb720a73fd97345627a102ef162125fee945  
**SHA256:** 9866698a529f686db8b4222bdeb175003c3e09c142ba130aed9fa98d5aeef08c  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: bg\_BG.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/bg\_BG.js  
**MD5:** e532c81c8e86f9066729809870cff6fc  
**SHA1:** 4e1e104ee689097ff1192decfe90175300e6baf2  
**SHA256:** b884906123ab5b8b1ca1ea4c156a2d6635dc42319b10cf51b4d6e544c8c56867  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: ca.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/ca.js  
**MD5:** abf90dbb77512d6a2bafa26c36c9e068

**SHA1:** 77120a22296fdd4c779f3736396215ad82276065  
**SHA256:** 1f8935be80e07f8b30a9a96f5ba621ecc2f568fc96f69614ab4e073b6b3eeafc  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte.jar: content.inline.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5-dark/content.inline.js  
**MD5:** a8531e7d906f77df4085d9ded150c281  
**SHA1:** b255e033e1b16c6df35859cc23c49a33c3baad8b  
**SHA256:** 7512a420bf16d072edbd796eadc03c74483fe6f5947bb070f517a012b80fc576  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte.jar: content.inline.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5/content.inline.js  
**MD5:** cbf28002f872e95b1e9310dec7df4bdf  
**SHA1:** 22b3e10eb6a88534c75b1dc9be9d6b511eb53e08  
**SHA256:** 8d35969f2fee55d8d2eb61f1aa8a2372dd941c9629379dda6f9f131457132c03  
**Referenced In Project/Scope:** server

Evidence






| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: hugerte.jar: content.inline.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide-dark/content.inline.js  
**MD5:** ac1812f6eb6c6bb8e98918582d3e855a  
**SHA1:** 4681a3ada53a664e69ee64477e735aa371cb5a2f  
**SHA256:**f5433e2fcd731cc793e3c59313f39aecc22aa87dbc0a6b63ed1640ca6961dcf0  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
| • None      |  |  |  |  |

remotegui.zip: hugerte.jar: content.inline.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide/content.inline.js  
**MD5:** 3b6064b7d2242fcadf7c3cd1025eb192  
**SHA1:** 6e92f0f2c271bdeae04920ed292d5385cc91d344  
**SHA256:**ee579e0bb81106269b705dd351fd986dd576b01e418c5d7a9f34a15116163a3a  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
|-------------|--|--|--|--|

- None

#### remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/content/dark/content.js  
**MD5:** 218eb5454658554e8d6094d607ef9f35  
**SHA1:** f784fd4493d88dca9b7c46492a0a95ef16f5c0fb  
**SHA256:** cdd9773b89ccda5cfefbf54982376a2e28ae038d2e24649cba35c88d17991d283  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/content/default/content.js  
**MD5:** 132f74870c5e313c2fdab42f1284c595  
**SHA1:** 1005edec7a293e74d659823370d4fb589b1328ec  
**SHA256:** e7f4d1b242145ee6d6359b90140226a759267a8aa753a2d311545d432900fc10  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/content/document/content.js  
**MD5:** 3b0be7f67904711c70f317ddd089f5c  
**SHA1:** 4ad6d86b14653ae3d62974017cfed4ee5294a695  
**SHA256:**4b45250053780a31fa19ead75e59f56d57d5d1dd6e285856ad5aedd3fc72960  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/content/hugerte-5-dark/content.js  
**MD5:** b982025040e29e7cbbb8d113fedfd69c  
**SHA1:** 4042d2d851ed0b54502fea16c06d9e28159f29a8  
**SHA256:**a28224012e76c4e795e0854f7fce99ec681ef424b589b4661bc8f68885f98e98  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/content/hugerte-5/content.js  
**MD5:** 1130965418bf44c6d085f938cdff6650

**SHA1:** c59de9f12455d9eddfc658b74c28a355f68319db  
**SHA256:** cec00ecbc3b3d3f8afe4586a97d23cb761994002a224c21be3e29057636013a3  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/content/writer/content.js  
**MD5:** e4542246b3519a09b2d632b5197243e8  
**SHA1:** 9573c58453f17a4c921086d5f90938987fe511e8  
**SHA256:** 852f7d5ae9af37997c185bff42937182a79e494089a75b782266882cb4f4f197  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5-dark/content.js  
**MD5:** b7766067e593da14ae6f23d290c9bd6c  
**SHA1:** 6534e3c7ac5b4e5309a7dfc2ea3b0c337d442cc2  
**SHA256:** 45e8515c9c66aa5066577c1d275c586965ba4080a951c292beeb2b3da0d0acbd  
**Referenced In Project/Scope:** server


#### Evidence



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: hugerte.jar: content.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5/content.js  
**MD5:** 9d85292a93c6d2940a80f50d1f0e6966  
**SHA1:** 935d111369099d41bd50a3db11d6563051a634c0  
**SHA256:** aee448e5c016b1143a15ecdee0f43e555f3c9add2bca6af40cc4b36b88cdc588  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
| • None      |  |  |  |  |

remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide-dark/content.js  
**MD5:** add25b66f87fcb7ca581f9f2b953a653  
**SHA1:** 989b6df98ca78608dd8ddcc2c3033bde0de2d8be  
**SHA256:** 0786d0145a5e55b9ae24c45196348cb00c5c91454f75a186d978942739091bea  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
|-------------|--|--|--|--|

- None

#### remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide/content.js  
**MD5:** 76c08495990d174584d15c5f50a8e5c7  
**SHA1:** e75376adbaa0ac5d81908ec178263ada61dada8b  
**SHA256:** 23e53a768bc59564bcf0e8600b187a8fc8822e23c2f175701d760cf5153760a3  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: cs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/cs.js  
**MD5:** 1779aef97fcc89fa4e8c6ae639bec3b  
**SHA1:** 0c798783fa338bcf0b607e19b69a157e5aaf67fd  
**SHA256:** dfaf6a6afa02f7a7da5c27cde37b1074e860982c75ca4a7d8df9a42e8f1ad723  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: da.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/da.js  
**MD5:** e3bcef539406efdba466a679cd9625ba  
**SHA1:** 3529f5c2cb29ac9eb0ef88d41ca2007e5b78fac7  
**SHA256:** 96e1ded7bd90160f1a26e3b4e04128d0c45940c459cc25763a4898d4731e72cc  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: de.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/de.js  
**MD5:** 24268690ce3e0719f04f4d8bc47c1145  
**SHA1:** 57d8098db012b33e240b5816d014960db2d80087  
**SHA256:** f2f2eee6eb358dedbce018731c82def4a43e8343ce331fba26150f7377ebb410  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: el.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/el.js  
**MD5:** 1f775a05597f190dddcbce67b14d4bfaa

**SHA1:** ab9abb40af9aebdd589aeed4b24f3c50771f9d9c  
**SHA256:**f252b51d126cf0ffd18c3c2c68554e4026adcd0c520b1338ae353a0849178450  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: emojiimages.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/emoticons/js/emojiimages.js

**MD5:** 0e1ec31644343aefba41e9bbb5ea2231

**SHA1:** 3235ab996282c236e7bc4c711cada55734fd26d0

**SHA256:**f9a88019c8420a4b97fd84faf58efc5e8924e14c1765b829179e60f23c41893f

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: emojiimages.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/emoticons/js/emojiimages.min.js

**MD5:** e0e428be7a98bedc05200e5df282bb0c

**SHA1:** e858d05289b36fa9b0d43a3460a639498d7109f3

**SHA256:**14e1cee35411960c25902c281791a769024993abbf406388578ce0f974661acd

**Referenced In Project/Scope:** server

#### Evidence





| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte.jar: emojis.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources /webjars/hugerte/1.0.9/plugins/emoticons/js/emojis.js  
**MD5:** 2a49c03ffdf163dec6ad6e104c671170  
**SHA1:** e62bda2b7fa8b932cbcc964ce39767430ebddede  
**SHA256:**59bbd3aff8dc1dc9955c3f30c9e2f15111102eca13251a46e3a825c215253b65  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte.jar: emojis.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources /webjars/hugerte/1.0.9/plugins/emoticons/js/emojis.min.js  
**MD5:** 1eb6671b67d9dfe2947197a7629a0129  
**SHA1:** 42c380fb43ad0289a1d3a5336f9e8ccedb21871e  
**SHA256:**b662b97899d18ec5daf78a78716a0f939b5e6bd8ada678212bf8de2a782b54e0  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

### remotegui.zip: hugerte.jar: en.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/en.js  
**MD5:** 6282ec2e9f83d1acefa2850555212877  
**SHA1:** 853f9a0d2a2191756fed83005fdea7f97b5e41d5  
**SHA256:** 2223298388692bcc135105122d1686322188e6511163860453d791d1243279bc  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: es.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/es.js  
**MD5:** 810a9870708a49348955ead70c5d7009  
**SHA1:** c6e78b5abb4c3cf4d67da9ff7c848caf24861c16  
**SHA256:** dbc1fb0acc05dd8e01e2834f69f5f19fadba93b90e76854063663e5b335fdc3f  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: eu.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/eu.js  
**MD5:** 0d85c3a9cf44223833af08ff51d80e27  
**SHA1:** 2ac31465284e8e4583a8ce69abb64c3ff461114f  
**SHA256:** 5f6c854cf8372351ab402d7fe1f66a5a837c08e979b8072d16f32166edc07b02  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: fa.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/fa.js  
**MD5:** a6809dbb54bf58699540c6a210e3cfde  
**SHA1:** e3c03f38d4b4da86c3e9eb761c9f1a1ed542f436  
**SHA256:** 6c4c3e12ef9d008f12fa5b603658a6a00a0940ca7e85048d87ef80666eb3c36d  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: fi.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/fi.js  
**MD5:** b7f976710075bdcbf5e57ee57acb59b0

**SHA1:** 8a4b373ecc42055da226c1c31ad9d976a10b9a11  
**SHA256:** e67af5c13c21f4421bf7160bd19aab9318e6d19955111c5b9f890a362d0899e6  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte.jar: fr\_FR.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/fr\_FR.js  
**MD5:** d2eb59e6f3de25ac913be0e61a05591c  
**SHA1:** 715dfb82a6e641415c0047f2901b7926ee8179f2  
**SHA256:** 5005b632badb0fc86ceaa196753a4712b1dd76d50b79e0d5d6410efa96f55ebe  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte.jar: he\_IL.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/he\_IL.js  
**MD5:** 57b3dcbaeca69401b1a80d78ddb7d495  
**SHA1:** 95b7e01187222aaf1ea80d0b74f846cc9a4f4764  
**SHA256:** 692233e8906b51c91d1d70882a0502be5dddb2027b5095c07d79c491925ad8fc  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: hugerte.jar: hi.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/hi.js  
**MD5:** 9eea865c5a377f40de2f8b4c41da17a1  
**SHA1:** ddd56f4bd89abe1c502e0a9ead4b913fb1ea00fc  
**SHA256:**9585fc860ca2b1a749f458be9832932118b54d5e2b9591df62191ffa22102592  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: hugerte.jar: hr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/hr.js  
**MD5:** 3279eb68d7116c5e50c2445e392e313f  
**SHA1:** 2b3cb7b1e01fdd84b9a52becf9f310329f4bc61a  
**SHA256:**93300531f9cdd8b934d7a2f421fa0fd36ac20b2eb7f09a0b25ae96b28c3cfd84  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

#### remotegui.zip: hugerte.jar: hu\_HU.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/hu\_HU.js  
**MD5:** 27b9bf10dbe7c9c15b8ea20a44b569aa  
**SHA1:** ca2dddca3514deeadbb45a59877a5498ecb7faea  
**SHA256:** 9d62a3922fb0f24d96143e1a677211fec156bcd53ef0f60b386b8738861efce1  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: hugerte.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/hugerte.js  
**MD5:** d0aa2effd4195d127283b734e149192b  
**SHA1:** 987bb99dfd3f7834343ed9610ad9862c8e465efd  
**SHA256:** 3c3ab278cd6a18aab0b5dabd7794bff0511c36b28128dda21a66e38de04dcee  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: hugerte.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/hugerte.min.js  
**MD5:** 5303f8cde20e4ca7877bf6eed3a30e37  
**SHA1:** f64876d293f88f8184566b1f75be76cb3e3746b5  
**SHA256:**47893b03a0e0dcc89476d85f1e9cddb7af26b67a21d8823d0062632844b337a2  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: icons.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/icons/default/icons.js  
**MD5:** 946e6ff563681f2a84bf542c7d1f835b  
**SHA1:** 57dd9db9f500ae6bbc16c1b39d6871be228c12ec  
**SHA256:**a70cbbbb7c397786fb814a416f691b2d39bbc1856af4c975acaccb27f190bb1e  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: icons.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/icons/default/icons.min.js  
**MD5:** ee63c9a58bfadec7d3f124f01fe865d8

**SHA1:** 04bcdcd2f358ef5f562ff3bf05ded0e86ee39fb1f

**SHA256:**c422b0ee2a8c7c988d377c3455b95fe98b95b07616de53abe547a631cb7845ed

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: id.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/id.js

**MD5:** 559f08d3791f170b18fab02235ec1682

**SHA1:** 3e1621e3d7f2cc26ec7c76e3aad8b10740284c1c

**SHA256:**6b6f28465d15233f2f9d98dfea0ba7e43d983f7c5a616b5cf26185ece8248810

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/icons/default/index.js

**MD5:** 712c532c3b060cd5981af00496091812

**SHA1:** 1f0e1f66069455601e60b07941f412ec8da948d5

**SHA256:**01dcd2e841efaea732b35abab85f9b9c177708377e8a71cca9aa1cbc08ce50fb

**Referenced In Project/Scope:** server

#### Evidence





| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/models/dom/index.js  
**MD5:** bf6538ccd91ff0c8c459ea52568dad68  
**SHA1:** 039492d60bc08eff76200837b005f238a4a4d93b  
**SHA256:** 7e00163f1579c2463df0e1794c7083972c531e65e97e79cc1d3fa5fb79b8e782  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
| • None      |  |  |  |  |

remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/accordion/index.js  
**MD5:** 275d42a50d44665e7c641933489d2fb4  
**SHA1:** 4fe5780ee870d8e4ed3e19b06a6dcba0745951dc  
**SHA256:** cfc10117bda3513b6a8d5fc147c46d599d939188819b053cfe8b037d27aab68  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
|-------------|--|--|--|--|

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/advlist/index.js  
**MD5:** bf1fd55a8b6b4c1288234708e4a63e04  
**SHA1:** 4c00e9817344c41649c8a5692b8a50f46e86ec63  
**SHA256:** 65afd673d4ccdd16025bbea20476e1e97173e975c6907b17a03bbbf3bfdb8e4f  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/anchor/index.js  
**MD5:** f53211f88e234e0b071178c50bb17158  
**SHA1:** 7ce22ad1179e09599e011a9117e17a2b648fd131  
**SHA256:** db1389e04f95143a547eac5a86b8b83ffacae1baa4abae7b1b9c71158745a10e  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autolink/index.js  
**MD5:** e71fe17e37cc448ee08c8073edbd8511  
**SHA1:** 8f90089dd67c4dd2c43ce5bd0c2041957b33814b  
**SHA256:**a8464397c27fa3fc75c53ab84f63daae3c85d7b25106af78b2337752f1e18768  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autoresize/index.js  
**MD5:** 6f84b0950a44436492f038d3aa0ba3e7  
**SHA1:** 4f4bfdbe1b26fa78144a693b7c3dbc4d33f0db94  
**SHA256:**171a9ea14e7b62d3300d5e5d557bd55d366d3ae3a707273898df479c096276eb  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autosave/index.js  
**MD5:** 08ef53866b246c81dfe6ef294869a901

**SHA1:** 431a34505e18811756e55c896308c5b1216fd994  
**SHA256:**421e960cdc5dfa2ed55fabf2223966e7b8ba0fa29b04eb16cd0d1076013e54b0  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/charmap/index.js  
**MD5:** 4c65bd74732eab0ab7e847ecba83b2b8  
**SHA1:** 39b4ed0edd6e1ee5c4636b947e518cd4d07b1c22  
**SHA256:**74c2ee3ce6dae9ab7052f10c47839820e2b8d15a8d82360d76c22adf2e140036  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/code/index.js  
**MD5:** b44ce9c633a47f29ece07d74747d1e06  
**SHA1:** 7ba540f71aa2a39348361b231a3836e247070e84  
**SHA256:**989a665058a05fa887eae0f403aee3207efe08c27adbf298db424ddd877002fe  
**Referenced In Project/Scope:** server


Evidence



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: hugerte.jar: index.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/codesample/index.js  
**MD5:** 90f716db1597b13e7574913db0271635  
**SHA1:** c27fea0504a61d12e50a8064c3c8f76993e57304  
**SHA256:**090fd58bf0e341f935b41011fe6d785674f550720bc4d3d7fbe61b9d7250b573  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
| • None      |  |  |  |  |

remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/directionality/index.js  
**MD5:** f40440b25858539de61515b1dea80954  
**SHA1:** 33d1633c7f24beec0f6d23c6248f0df20a16816e  
**SHA256:**bacf651ffc58e57f22f8f6fb14ffbf696a50ea7b868a1f4af9cd03bd13b3884  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
|-------------|--|--|--|--|

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/emoticons/index.js  
**MD5:** 9c2896100b43bf842537b98ccb1696bd  
**SHA1:** 8a5d6682c000d686462ad08266489d5ef6e4bf6d  
**SHA256:**f6ab4d39b9c01bdb42e11a9aeed2f28e173155d1a8c3744ae766db3820ab6b02  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/fullscreen/index.js  
**MD5:** e187f0117b672a2e8033678f08d2f1f1  
**SHA1:** d303bb5448dc1e0d404f366f07b51cd3f0487c28  
**SHA256:**ea62f70b60de9fca52f2d2fa328391a3bf5d3de2965d40549fd1dbdd74f69d4b  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/index.js  
**MD5:** b5bffc3c2adee9b308f33253c4fe7004  
**SHA1:** b6307cda1e5123ee6c213d4f2c072011c69876c3  
**SHA256:** 9740f6f6ad80924540a5bbf0c2a63cc9dfd8e61794fab7fd0f1b01a25cd6b92f  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/image/index.js  
**MD5:** 095a51c136955dcc74a7e0fd9604e21a  
**SHA1:** e68b5998a5cb615262e6d82f2e823bed40228967  
**SHA256:** c4680d28a23819fd558d0535d085e7362d8cbac560044be6c9236708ee8ccf2f  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|


#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/importcss/index.js  
**MD5:** 5e5f8c0aecc68703ecbbb0e4234e7d27

**SHA1:** 523289fb23e7e4902a037c16885ee32d836f00ac  
**SHA256:**81545fe205f290c3c31c7bfdb4ba83b3081f90ddfccea856d4b6c29ce6944745  
**Referenced In Project/Scope:** server

Evidence 


| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/insertdatetime/index.js  
**MD5:** d8a0567abeb81a32ae97c146b2056f1c  
**SHA1:** 6178edb15029bf8995370971585639e047345aab  
**SHA256:**f5e4e03c4fceeaa5e024fd441d21be9d6f403c124335e0f4430f3cfb6ec4d124  
**Referenced In Project/Scope:** server

Evidence 

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/link/index.js  
**MD5:** 77e9b56d47087efd55f769120600d9e8  
**SHA1:** 75dd165d3fc4f04daa39c21f2ade96fdea9afddd  
**SHA256:**320914e928c5be2837bec40ed93b5b6c536c027e67bdffd9db2119461057b7bd  
**Referenced In Project/Scope:** server

Evidence 



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/lists/index.js

**MD5:** 024e229dcff4a27cfcc170a5410b4843

**SHA1:** 4c554e5bc1d9621a491410c001775da57f879798

**SHA256:**7790a64cb53b91a9153c1b69bc3da83e3b159d20a7af6bdc13d27874a4615168

**Referenced In Project/Scope:** server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

• None

remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/media/index.js

**MD5:** a1da1bf87b3ac65830fd803e9a28c381

**SHA1:** f09ec4275e63ebd377840fad37a65b011ddc6631

**SHA256:**45426a57dc58b349746fec58e3051f139895fdbd818c671f8f7c17443c46b701

**Referenced In Project/Scope:** server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

#### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/nonbreaking/index.js  
**MD5:** 8c1c718293b28a845a15c257772ff932  
**SHA1:** 7fa2acf1e9f7bc30632d71735ef9ed0d2f9fab29  
**SHA256:** 720b764ae93c6103550a9200e0effd11853b564f2d6be45743bd17e4276a23a2  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/pagebreak/index.js  
**MD5:** 165034455e178e0eb99918d3a1421dfa  
**SHA1:** 8af3f0527d7530ef2e63e621e7dea1c3c376162f  
**SHA256:** fff3b308b4a7e7e6756f7c1cd80517f788c8fc0e95cb9b7bb360b6f24892f5f2  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/preview/index.js  
**MD5:** 83bb991d584186dab916e348799e4e2c  
**SHA1:** 263f51c7a0512a1bed20eff7895b6498978532d8  
**SHA256:** 2e7cbeb72f62c23c850b1376295742a5c4908ce80808e8a9b9de214deeb7a72b  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/quickbars/index.js  
**MD5:** 99532be871de2c1e018b2f38fae3f505  
**SHA1:** 4dad183c0694e2b520d32253e332e10179891435  
**SHA256:** 3b0f4ee52d5f152c733aa21e443ddb633517fce8675fdb8b164346e32cea3770  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/save/index.js  
**MD5:** 358e82db36264f8bf5d5f211581d2e12

**SHA1:** 85b2560fe9b4c7dd77be693082e8ca54561d04e2  
**SHA256:** e4ad55ebe0c5dd257c742be63db9f7faa361a03febcd6949b34e50a5958e257  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/searchreplace/index.js  
**MD5:** ed22a1e468fc1241e3e70c8720098442  
**SHA1:** 49ad5ecf24b66612a3e9e8f1258f5fd8d1ac6624  
**SHA256:** 2e9e32ea2edcd011f669cac3b7bf65efd4635a2c24c72a81167a7bf79e6a4c73  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/table/index.js  
**MD5:** a40ed84889ba858c1d78a423a7339067  
**SHA1:** cea53ea715d6b6010912a3bbcec73e7c9501bd4d  
**SHA256:** e23ef84ba7634338aa304fce140296fb95ed92bddfa40e1e8975a2f725de0dc3  
**Referenced In Project/Scope:** server


Evidence



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: hugerte.jar: index.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/template/index.js  
**MD5:** aeb80b7c4b07610c34901a284b372ed9  
**SHA1:** cccdcf94dd46b6ebfff271867bace1d0df8c3255  
**SHA256:**6b6206bca3f79af4262b418278b2b1d44ffbf0c16e618d6daabc3d022e555d6b  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
| • None      |  |  |  |  |

remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/visualblocks/index.js  
**MD5:** 99fbe6ec0ba267d5bd4f4b56834bd6df  
**SHA1:** dee26e00314addaf5d7359e4f672c6fdb309b17e  
**SHA256:**1527138d82593c7a2c56998be7d938c05b1d18dc01590ba8638033f41655dfdf  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
|-------------|--|--|--|--|

- None

#### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/visualchars/index.js

**MD5:** cc4e861499e09f90d3d9214c307a9078

**SHA1:** 058e9ea96642f6d7da84f762a854c9aea27c7a5c

**SHA256:** 09730d585920b1cb562c8e382cb7180101b81d419930364aee24714e1eec37fa

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/wordcount/index.js

**MD5:** 042a01800558e0b5f08e835cabe311ee

**SHA1:** c0efda748192eb1ec1bed53d5d48447899f9e7e1

**SHA256:** 01e372dddf4f6441849ee78e1ded584ebd68d35fa0a7da3abb7c27fee75b90b

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/themes/silver/index.js  
**MD5:** c116e3f9ad1e1e3e232e65a88c76606d  
**SHA1:** 4b21b67afb114f7d741f0c78ff1a8a6d89342806  
**SHA256:** 7a7e4dbaaebca073b2bb9bc3eeeba34ce5496be0a35b62bce19b461b43218911  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: it.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/it.js  
**MD5:** 368a1232972a0c4f634c76db78e5b498  
**SHA1:** dbb121749285ea1340cf147a3f44a3cac915e734  
**SHA256:** 7b9aac4916b04925b60c3ed0c3f65adc48373d479b6d030b216b4f031401e9f8  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: ja.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/ja.js  
**MD5:** 64c8b443274c245de92530cf50ac8706

**SHA1:** f567bfcd4417b6aeae2fc38edf748924b1181efc

**SHA256:** 53276c8771c3de2715c9ad8eb2826d997f0d8830ecf2e333388ff0c27d6ac30f

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: kk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/kk.js

**MD5:** 3f9a7601fd781bb6c65059c58fe96989

**SHA1:** 189054aec78882a40f812d5cb9b300f452872a7f

**SHA256:** 37325ef03f35faca200aca41e278c54b67e437ff81e74147480598470e43b2fc

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: ko\_KR.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/ko\_KR.js

**MD5:** 20ef64c247eff15d94fab02896a15c6

**SHA1:** 4ffbdcd647ae10e4b54b50a1722ea75b8a9e1ad

**SHA256:** 85fe5b45bb8b659b296a16663f03987bf40ec88099d52a4d1d56879665d6da2b

**Referenced In Project/Scope:** server

#### Evidence





| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: hugerte.jar: model.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/models/dom/model.js  
**MD5:** ea92d999d52ff5bc41dab34f3000109a  
**SHA1:** fc7aceba92d2b9489b66227f330abe03b18420ce  
**SHA256:**b0b76ca1ce4789de4cfac034a0268d9d8cbe5385356f826ff44a73c156a4f9ec  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: hugerte.jar: model.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/models/dom/model.min.js  
**MD5:** 38ff76460d7b2cba43647cb8ef80b494  
**SHA1:** 46a2359c0480257d4e8796bceec443f28fc12bfd7  
**SHA256:**cf9379ce9f42b92b2e8a38f3b112b0af2470f25d1f0eb5d77f472964177939c0  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

### remotegui.zip: hugerte.jar: ms.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/ms.js

**MD5:** f0f057fe6321dee6122f9dc1a0aebfeb

**SHA1:** fbcacc7aac260a30a4c6213687aa7f3371995c83

**SHA256:** abff2edcfb4baec1ebd93c681f58fe893a09d56a3a6c9ebe8bd51348dd78925b

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: nb\_NO.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/nb\_NO.js

**MD5:** 776be941e0917d4513e0beb2f8e18e99

**SHA1:** 164b9c95814d8941940485a56e8d5c2144fd2693

**SHA256:** 4e2aa817da52cd69366fdf338b40d6e4284f521156b9e73653b468327431e3df

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: nl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/nl.js  
**MD5:** 5199e61a9d49f51233fa4996003bc1bd  
**SHA1:** 19056a6dd9e7a5ca3f77eb810d821fa14c6b8ba9  
**SHA256:**5620e476f2a53f177ebd3dce0e5e1d0712922784e25f4a4a7e4ebd61133dacfe  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/package.json  
**MD5:** c83739ac586c57e24f48d20412052cc4  
**SHA1:** f9d2fde79d1e57c3ec1fce7df38a5bad6b8802a7  
**SHA256:**4fc3895b1495936c7fd491f87593269b53ec448c0931ee3be0c42848602510ef  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: pl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/pl.js  
**MD5:** ad4d61e73b6f7c576bb2d042b7c6ee83

**SHA1:** d88f3d98055cf7ed05a82402fe97fc5e08c9a2e1  
**SHA256:**9d0dfe442f6fe41f504a97ba8154fcc35d4cfd011c518f5812bf8afc5d2b4552  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources  
/webjars/hugerte/1.0.9/plugins/accordion/plugin.js  
**MD5:** bb9a851a7652a629cbe9014fd0d45353  
**SHA1:** 4e961e043fdb49db615a5fe3604eed67f0514d6  
**SHA256:**0d004a5b325e59fd7d46e708cbe7eff96734d94f2b9b3aa8d9793c822c1a375d  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources  
/webjars/hugerte/1.0.9/plugins/advlist/plugin.js  
**MD5:** 9672017f8cb47a0f8e7a15288f1f8e2d  
**SHA1:** 01400fb213a38c57ab82828cf84662880eff48f  
**SHA256:**4e2b9ea093af00a79a8fcd5b0b6f2b412012efe82e50d6e19233cf1379d08b6a  
**Referenced In Project/Scope:** server


Evidence



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: hugerte.jar: plugin.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/anchor/plugin.js  
**MD5:** 44cbc9c4f90d6fd656d86c827362cf2c  
**SHA1:** 1418c7f38ef3a0b7c46ddf2dd05a1bcc01b19f99  
**SHA256:**8b62f53abc47941cafff332cda969f5954057c402bf46abd0d1352c4269ef218  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
| • None      |  |  |  |  |

remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autolink/plugin.js  
**MD5:** 0ab7a578e466b35723d0ed662415a013  
**SHA1:** 310889d42259d9ff43bca44d38bb8cb3c9773bd5  
**SHA256:**28f7e1b80f1136c6725de1b5ada7cfe3150edb7c245f1b8172911b17d0bc5654  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
|-------------|--|--|--|--|

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autoresize/plugin.js  
**MD5:** 534c91532b22102088a443af10500bcf  
**SHA1:** 756f6efae36d116c0b28d1552e70e35ed165f233  
**SHA256:** f140bee3dcf93b5c14f252f2a813e4bfe993ff6369a3da5bfa3ce9eaff525745  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autosave/plugin.js  
**MD5:** 004b04a41cc83b5d672129bd6db5e5af  
**SHA1:** e361b4009a2a0ba04464b6a48ab2834265f62948  
**SHA256:** 3731d6e377a3845ff76f2f100892b189a6e02209d38818c944a38fd01a18b11b  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/charmap/plugin.js  
**MD5:** bde87f7ae6a5f2c09924f31b072a9f08  
**SHA1:** 7a846c883f204aff2c0b485460e9f9c943569d69  
**SHA256:** 6d1f628c4a4898db9874963d77e4982a9377edefd717acd4d053361f4c50aaca  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/code/plugin.js  
**MD5:** 2b1923091da88983782a7233383e71ca  
**SHA1:** 32a2e8c7030f13d09f529e205ad3eddf085fbf30  
**SHA256:** ec2ddf573680eedd8614a74554284c260f234cda60d7151ccd86148ba7b03852  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/codesample/plugin.js  
**MD5:** e452f1703dd40fa5005075de1b8c4bc1

**SHA1:** 6998084c2f46aa53c290a14a55ce29e9ca7adb8e  
**SHA256:**f661d7710dfdaf1f16daa611c0b795cbe49dff01624419d99c01b52367b02c20  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/directionality/plugin.js  
**MD5:** 218e4936d3eaa2e92fb7c20cd912ed79  
**SHA1:** 7779f79b46260adf35ab6d585ae2138b6cd843dc  
**SHA256:**9e219f89c0d2a6f31ccfb55590846079b0bb2c3fc90c7a4509f62bd4ab9edf68  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/emoticons/plugin.js  
**MD5:** e5acf963ed401e7ce50d92caaf8ffcb3  
**SHA1:** 7b23a4251aaf63bc1fc4f843de9a87e8b4422a6c  
**SHA256:**f90b9cfecfa9124f228adc778b1a385b203ab980a4dc4d962401ad4245ede9e1  
**Referenced In Project/Scope:** server

Evidence





| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/fullscreen/plugin.js  
**MD5:** a7190f52e2a2ac9a54ebcc4ed4589bf2  
**SHA1:** 12440a7193c2ab61a55bd9fb19b4247504ea781e  
**SHA256:**03b026188abaefd15805519f58aeb88e3ad091523fd4c8cd85bad758a908e5a0  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
| • None      |  |  |  |  |

remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/plugin.js  
**MD5:** 1357da7329d4cf33cedf33a0d40bb6a5  
**SHA1:** 01ebc257cef3efdfb2c909121a4c4f72c7b72d94  
**SHA256:**2ce9d07771aa38674cb7f3c2eba96ce89c5f50b3cfaf0e441e61b70d47359d81  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
|-------------|--|--|--|--|

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/image/plugin.js  
**MD5:** d8f13a4068dcc563ea9b18ead5de9012  
**SHA1:** 1a89b6d2f03d5d8ce023ba2d86953469d395d3a0  
**SHA256:** 9019eda1d1613d6db8aa7bf0159e1b86ce8f29570f00707ad8bd5ca483bafa83  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/importcss/plugin.js  
**MD5:** 672c399c9623bb568183592a7a952aac  
**SHA1:** 9d587e0d6b87ac561a7ca2286f02926baeba515f  
**SHA256:** 7e935a56695f19cd1c494633d8facedafce666bda736ecd37836e69f8ce9087f  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/insertdatetime/plugin.js  
**MD5:** be4fb6445ed89ee977689961aa9b496e  
**SHA1:** e5594d16ff829fe0b94532b90d9eff74371ecce2  
**SHA256:** e92c219053318a85f82e9077a4b5bc88450b362d0784c119166917e9cf4d451b  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/link/plugin.js  
**MD5:** b06badd72663095e10be856258f46fe5  
**SHA1:** d5217fc363ba0eefc40494597b95fb2ebd74c320  
**SHA256:** d358673ca0a1ed6f3dbff46949f242639dc75c0ed9c066edabdf2167f6bce1a7  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/lists/plugin.js  
**MD5:** 37a02adc5b441e24a0675686a97fa40b

**SHA1:** 5c494dce06dde1ec60ea34f714d90a51345184ab  
**SHA256:**94851d8dd5848b11dac8a04a7cd0e4be932dde7904730879aff797d4f29523f5  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources  
/webjars/hugerte/1.0.9/plugins/media/plugin.js  
**MD5:** 79e41e725b87125f58681f0b66cd9758  
**SHA1:** 594fdfabaa7ccac14e88f539875597d0b27ba3a9  
**SHA256:**b1796e52348418770c353b661f7791f0267c55e28a4b619bf5ad78e408af2fd9  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources  
/webjars/hugerte/1.0.9/plugins/nonbreaking/plugin.js  
**MD5:** c9b9b0b37ac4387187e0528129af0593  
**SHA1:** 9b6bd5d34beee839b7de482db5c62da6ecabb179  
**SHA256:**dd8a18e24375ae9bf05d10986dc0716a1512f06079388c30fb2976cbca8bf56c  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/pagebreak/plugin.js  
**MD5:** 4c0768968e5bdec1b021efd551650427  
**SHA1:** 8857714337a7fd3d605271d30cec692cb18c1130  
**SHA256:**f12553a9e8b8ef4e7f469eff0db21317997c35bf360481f972c3b0959ddb8e16  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/preview/plugin.js  
**MD5:** a28b9a72f10d3b604840aafe2e172953  
**SHA1:** 9a82bdfbf5fe053993ce408ea828159a601f5b38  
**SHA256:**63fd32916b397f82e07d3d88697e7a4e55e069ba6055e3cb4f6a8e2e2d50ca29  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

#### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/quickbars/plugin.js  
**MD5:** 9f18ced48cedf30e140d69ae1e793c5f  
**SHA1:** ac07614d0d9ebe34e79382a97e7a80eca56465da  
**SHA256:** 883c60721cdb06e30d33c24034f7177343fed69bcca2b4e0e27218188cfa4dfb  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/save/plugin.js  
**MD5:** c30e3938d1e31a890241c2fe2763e891  
**SHA1:** 227006428928fb2414080dcead17534ba6994285  
**SHA256:** 069cab9616c94fe0eb6028a01db61a79d55a7088368c4b96b6831064dfa796a  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/searchreplace/plugin.js  
**MD5:** d1cfae03ecfe36f136fdde332d800d22  
**SHA1:** 89faa9d53eda9df05dbc67af41afe5176a952364  
**SHA256:** 7a2b6ee2f04f81933352b6c69e8af8831cf978c650249501733cc3d00d65f7ae  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/table/plugin.js  
**MD5:** 72d3502b85e9cfe665a17dae1f75f8b6  
**SHA1:** b1d4d1bbc0051878e274cb1e0261b1ada46cec2b  
**SHA256:** 8b1b59e1fa2c07d3c998fa07acdfc0253e802101c44ad84289578547d4924b5f  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/template/plugin.js  
**MD5:** e160b39a3f84d978b8c3f5f505ee2ecf

**SHA1:** 6eb9eaac47b0c292d5b5a9c40c390dce8bbd00b1  
**SHA256:**1384e7fd322ef044199c17bbb4fa068700c34419f02aec5bd70fe8012e5865a4  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/visualblocks/plugin.js  
**MD5:** f4080011127a6b83a27d8cc09cd09385  
**SHA1:** 90117ab6546f501e835a25ea584ae52e36ce3c8a  
**SHA256:**e669b24c7917beca7a6c743554e83fbfa99c0f20b9e5fcc5dc24bc0b957de7bc  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/visualchars/plugin.js  
**MD5:** 6d530b4958f8e328ae3158c91f85319c  
**SHA1:** 9925e6273be20da795b51a96a1d4bf8b33208b74  
**SHA256:**188934dfbdef9cce8445d474eb462a47f07e0d6537af4ae80498c9b76640c5a9  
**Referenced In Project/Scope:** server

Evidence






| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: hugerte.jar: plugin.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/wordcount/plugin.js  
**MD5:** 73f8125bd8632aa20b27348410935f0f  
**SHA1:** 2f1660dda2c4468063a3d77dfdbafee5bc246716  
**SHA256:**e8e593dac4ffca3f0f70d92caac136f759492ddba2212e2ee0b603fcda9117c  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
| • None      |  |  |  |  |

remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/accordion/plugin.min.js  
**MD5:** af5f50c03d18bc7e20527c879cd39b5d  
**SHA1:** 6ddf83c7b6913eb1f62eb752ad8a9b59e8acf3e2  
**SHA256:**e1d095e2fe0edc89f2e75be7807d7e1e401fc91a7b7869b8daad9fdbda72768a  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
|-------------|--|--|--|--|

- None

#### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/advlist/plugin.min.js

**MD5:** 0fc3aedcd87b363a6fd16ae3f0f448e5

**SHA1:** aa6bce57ce4454a12bf2436d998bf50602d7bcef

**SHA256:** 12c18485e809b0515c0030f25b969c1baa5c2f6ef4bd6bd8b9e27d177b76109b

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/anchor/plugin.min.js

**MD5:** 296ce02af3e17a6c04fc286e22531027

**SHA1:** 537ef2a71a668e2cebb955d4a21fc6e0630f1f03

**SHA256:** 58814a2b194ab60f8a4491be47ec2fa6589c4bbb497ea8758dc05aa16842caca

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autolink/plugin.min.js  
**MD5:** 3dd3680eb8ac6b1522deccfe504ab10d  
**SHA1:** c78c9611e4d93c910a1b1829a0193b3643a431c5  
**SHA256:** 077956a523118b659a2e495e04b4f6dac6125cc53cea087c6534450ee0cc0be2  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autoresize/plugin.min.js  
**MD5:** 1b8174e2fec6b9358892617d3b5cbd12  
**SHA1:** 08a7d0eaeb27d40b8712510f8c134bdc27e4421f  
**SHA256:** 44607b4db38864c672f26be755d462711256397a2e8f69816ed82d07b721e617  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/autosave/plugin.min.js  
**MD5:** 30f756aa108275a41c95577648f1fe88

**SHA1:** 5a340724636283fdce725641daf17ea7ea3f3383  
**SHA256:**9019d96afd235741b329b097b636b08fcc35da2840f7088230f830de4e3a6eea  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources  
/webjars/hugerte/1.0.9/plugins/charmap/plugin.min.js  
**MD5:** fbbfb4b28f9cbf556a78769e552abc8  
**SHA1:** 6b1dace5c1c01271011e8c5184beb885e5c8c06a  
**SHA256:**da81a7ebc1fe81239a90892c397ffa9ff27ab20ae04b8b12604c7556e71b3daf  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources  
/webjars/hugerte/1.0.9/plugins/code/plugin.min.js  
**MD5:** 28cb6cc3a793740f4e98ec345e80f982  
**SHA1:** 84ae9d76be67b6e32022f81c940a8ee8d715975a  
**SHA256:**bb9f782bfd003de87dd3838a45aab43b3801f8c639c7310a6b1b2daeb964bdc6  
**Referenced In Project/Scope:** server

Evidence



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/codesample/plugin.min.js

**MD5:** 86a3ac56e7b162caaa338833c76fa5e8

**SHA1:** c86fa66cebbef28a7f9a285f61d95ff6b21b9927

**SHA256:**0678f1ff9480a55aa70779c441a47bfefc5c2aaa3cdba1ae5456b2671d91b1a4

**Referenced In Project/Scope:** server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

• None

remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/directionality/plugin.min.js

**MD5:** 7a02d96b0bf1b1d44cd5430453c48d70

**SHA1:** 9b2bed06d7be9b56d375607a988646d41914812a

**SHA256:**aa8b957cd2ed156806d83e0a7d601c216e7357caf092d852efaf86ab414fdb61

**Referenced In Project/Scope:** server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

#### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/emoticons/plugin.min.js  
**MD5:** 4a765ef6fd236c066e435bd1a28f0ebc  
**SHA1:** 3e3e638005cba8f301aef6e0b028c4d9e1458556  
**SHA256:** 0acfcfd26e907e747ef2701b349cad859b61481954969e9c47fe2fbf38c60f08  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/fullscreen/plugin.min.js  
**MD5:** 04cf813b1d99091d4d8f40e3158bd34b  
**SHA1:** be3404a4993b120a1f7c4fe40bda2e64915eb8c0  
**SHA256:** 851aeeb1bcf6a79767c34dc0647b6d849c21715b9bb3d5a4dea86761cd423b21  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/plugin.min.js  
**MD5:** cb27dad39aeaf6aeef8ff1f3bdfb9573  
**SHA1:** fd1a81740ca5dc2c35454c0f7aa928b4a1d17b8f  
**SHA256:** 94f67342d256d9bb5fec1d897fcf5a7bbe5e4d99a2ddb4bf869c7f6052db68f0  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/image/plugin.min.js  
**MD5:** 1fe9a377f894004a7b629b37f1b77dea  
**SHA1:** 593d3b35896ce3f36be640c5212f93d2982de43e  
**SHA256:** 81f173695205496c86ccc55042a2c2a3592ce75e05fc8b3d005ba40c20b0b056  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/importcss/plugin.min.js  
**MD5:** 73836b9a7227181bf394f2a7bb4eb453

**SHA1:** 72eede5c9963aff923e031af376e9191ebed5f70  
**SHA256:** 9ea80ba59015ed17efd9b1754849ea2e6281e4fb1e47fec7b06af3966ab25046  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/insertdatetime/plugin.min.js  
**MD5:** 4ce0194911ef36bd044c2c48969ba336  
**SHA1:** d193ccf7cbdaa4bcaf91f169719e5844e90b9343  
**SHA256:** 3584a493f4ba8344c339be4d52301036b38396a1075de13d399c29cf6ead6b15  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/link/plugin.min.js  
**MD5:** 88d088b9879d32b5e9f9abfbccfc19b8  
**SHA1:** 4442826baeb0f0db889ba4edf256cfc15ec5abe2  
**SHA256:** cf4d8dd094010546d89c0104e6752269f0321030b64d4ccca1c1a5e1fb598e38  
**Referenced In Project/Scope:** server

#### Evidence





| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/lists/plugin.min.js

**MD5:** a147d1f6055555cbc9218a559e52dca9

**SHA1:** cb82eec3ce89b43005a037f2692e5ad8217152ca

**SHA256:**8b0504947d5352cda41d75f61632b8fc463bda763ec7138f90c709bc29392643

**Referenced In Project/Scope:** server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

• None

remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/media/plugin.min.js

**MD5:** c9d30db6cfcae0f8329a3a307e57f946

**SHA1:** b3e6d8f97020ba8279d637d9b5cba1aea8fb7e5a

**SHA256:**88e6907d4f03102d90ca0f4fd52924b8dd074df828ec243a10238fb52f3c58f4

**Referenced In Project/Scope:** server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

#### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/nonbreaking/plugin.min.js  
**MD5:** 799d4853b7e0a74449e210b5c201a9cd  
**SHA1:** 11c23865a4cc1ba76fff218ddb77de28ce7db22c  
**SHA256:** 08d04ac77fcdc8d0907bc9cb8a5ff20c5643cda76a923af4bcdef6584e47e053  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/pagebreak/plugin.min.js  
**MD5:** 7026eab8948154643bbc854eadf451d4  
**SHA1:** 21fb56117402314f6a17c1a3c9a64e152bdac9cb  
**SHA256:** 65313838c5ea0c2ff825c397ee6ad9a9ae348f024323bbfcb89b217537078461  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/preview/plugin.min.js  
**MD5:** d65638c7bc519b719f52fd24893efac2  
**SHA1:** 3db54502850be0110b251c9eb2c2e3f328bd0baa  
**SHA256:** 837ea53213b3b42c71d8ba07c756cc966cdad2e6a7fbada3d648f52173959690  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/quickbars/plugin.min.js  
**MD5:** 629e065354a83c678e655754f4abce87  
**SHA1:** 5b6e78078aa4880c5a8afc8d9b43bee0efaece01  
**SHA256:** c2f087936cc6a4a87fa2527344cc8b2d9ea3adab588b3c8c7fb34fe6cadf094b  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/save/plugin.min.js  
**MD5:** 7544d08ffa546ade48cc557266590257

**SHA1:** 9a7335d02aa8b6daec50e5bf822269c60b55f5dc  
**SHA256:** daaf725f29520c4b84a62345b0af4b6a1abb8b051f669a544833439d622ba6ae  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources  
/webjars/hugerte/1.0.9/plugins/searchreplace/plugin.min.js  
**MD5:** 8ac32c3f364f15375ab1520374e96e49  
**SHA1:** cee1ac61ce7165708695a82a4b3fb4c8f3617fd6  
**SHA256:** 420206bed53f715b8d9dd3b4ebc7545b44c5f759c7f9d23f155d75ad1e1f6ddb  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources  
/webjars/hugerte/1.0.9/plugins/table/plugin.min.js  
**MD5:** 140f00e5460acc860c2f373461de4e41  
**SHA1:** 1258e5bbccfc562eda0a4963babd34e5568011a5  
**SHA256:** dae1998ce26e0f58cd70583c022ce6f12e3ac58c2f357778fbc21677401e3d76  
**Referenced In Project/Scope:** server


Evidence



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: hugerte.jar: plugin.min.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/template/plugin.min.js  
**MD5:** 74e903340c0a66dfd2966123531d5205  
**SHA1:** e31bcb852bc753dfbea00e778415fc30e4aaa524  
**SHA256:** eeb8b11b6d4fec6454972736588fbb8f5a2406da593de22513c92c9f6cc73f7b  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
| • None      |  |  |  |  |

remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/visualblocks/plugin.min.js  
**MD5:** 9f3e3da30322efdf83c810de7d9d059c  
**SHA1:** bd408215541e85224629f030aa63c50be6564b77  
**SHA256:** e010f187ff5397dfab6005908d65e960efa1ced77380083b786617a9a2691f50  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
|-------------|--|--|--|--|

- None

#### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/visualchars/plugin.min.js

**MD5:** 05813e3f1db884fa38b34b10320c5bb7

**SHA1:** a8cf2a93182bde05505c450e52ff2c68e0a4cded

**SHA256:** 3968990fb774d1123b0c8ed0662c70b836b1bae6489f29a3bd154f0af075879e

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/wordcount/plugin.min.js

**MD5:** 76a353a89523b53f3a28f4f95b24b93d

**SHA1:** e8b3e5ccded8e726ce69f5e4db6b3176ad2337e3

**SHA256:** 125d0140a670a6a7d59c95804c2ea50d81dba90c1b59637fc6db73a29769df88

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: pt\_BR.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/pt\_BR.js  
**MD5:** ca7a4eeff4a8529a84f3ff5e7f1fbd4d  
**SHA1:** 301b5e181620e9a86b8e0521cc3f56835f98a0e9  
**SHA256:** 571938497a73a22fdc5ad20de30a0d6051b489ac787659a73dd6927f73bf813f  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: pt\_PT.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/pt\_PT.js  
**MD5:** 98c786e104869984b866baa8ed1cc414  
**SHA1:** 70386a8fcd314249ce73542a259404019f40fe56  
**SHA256:** f9fcbf81468c7312fd52504380f411df09c2f59cb2a1647c6d0cab5f3f414b9c  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: ro.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/ro.js  
**MD5:** 954a4ab723e0f927235bcd3020c8e0e7

**SHA1:** eeb3638b56c77058c31193b95ae72b4811ca2e92  
**SHA256:** 1e0e4e94519949b7e750007e7193e3d3a20855f57b5ff982a985edb0718f885d  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: ru.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/ru.js  
**MD5:** 1d302511d2a9b1a0a765358559e6ed8c  
**SHA1:** dc2960bf5917645f7f007fdc082efedce924e695  
**SHA256:** 019be56e2cd8f3a4b7bc028535cabaf69c075744666652bcd40edd8483d543a6  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: sk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/sk.js  
**MD5:** fe4a80d8945887d8dcf20af8a3c1352e  
**SHA1:** 36a21dd701f08b0d0acfb8294f006762fc424dde  
**SHA256:** b259ee9a894fa2cc41a7900fa637a2aa8e4224be1f4ef842b541f977240f903f  
**Referenced In Project/Scope:** server

#### Evidence





| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte.jar: skin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5-dark/skin.js  
**MD5:** 33bfe3e522c9bcc81a0ac4a754d0fa01  
**SHA1:** 822a6e8c4751f9dda822f84703ee522f7ce0ccc1  
**SHA256:**bbf5986c65426afbf26be7c0e5de03fa8e68d8f2219e2919001f1a10b173a952  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte.jar: skin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5/skin.js  
**MD5:** e955f1a8b28d4fc0e3ff9437a54cf3f0  
**SHA1:** 7523ca2c72f80f957cce1cff4c6f697266e0b425  
**SHA256:**963a34799e5790f24ddf1824583cd10f3ba9c39db04e5ec60a5cf11ece7fca31  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

### remotegui.zip: hugerte.jar: skin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide-dark/skin.js

**MD5:** f1e6180bbc9af02f6eadd4fb72053f8c

**SHA1:** 58a5ea6b0767562cf4db3aa7b4f4e8bb1cc53dcf

**SHA256:** 5048d4c092234ee6ca7dc7cc764f9539b3dd8579355f4b64a30eaff4d05bf654

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: skin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide/skin.js

**MD5:** eb819709d0ce9c502c5b7ad421407d60

**SHA1:** 9f75d43603bdcd46cc03bdfb67071160409dc91b

**SHA256:** 5a3d4132dbd49631dff83665fdc93242175673ee02a44c25303038edd70b7037

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: skin.shadowdom.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5-dark/skin.shadowdom.js  
**MD5:** d738bf552b3156b0a77176ee6602cca5  
**SHA1:** 268465839d61adf3a0b0672f8ffdecedfaafb053  
**SHA256:** d24a492050fb69964cdb38329571b9fddd1b0834d3e7dbdb408ddd58493ca2e  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: skin.shadowdom.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/hugerte-5/skin.shadowdom.js  
**MD5:** 20b5197219c55275d0b70c53fba64ed4  
**SHA1:** 1e2c40c61236d680b9a79abc119fe7e9a0134f81  
**SHA256:** afb05e588c7480e5fe4659e23d1455fcf4d50d88ceee199989022fe3af1fba44  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: skin.shadowdom.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide-dark/skin.shadowdom.js  
**MD5:** 1e892ba61cc3e6d5bfec63dc9cec18c3

**SHA1:** 84dbd80ba099e183e44debb25fd01890797707cc  
**SHA256:**60f0ac19cbb0903f7fd4bc8a1fadb16e818d45b1908db27a89679aadf6fd6332  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: skin.shadowdom.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/skins/ui/oxide/skin.shadowdom.js  
**MD5:** 731f24060ee9a8c936071b8765cdde89  
**SHA1:** 21f37b358ef16cc9fab3344261a2236b0260ac0d  
**SHA256:**bea22e87cbf4ff22524e43516d28e285d0f096409d7891fb6e91aae8fdf56eda  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: sl\_SI.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/sl\_SI.js  
**MD5:** ac35121257bf831e811f75c28c471dcb  
**SHA1:** 5e2e75c81c74714798f3ab92f1cbf4889a705830  
**SHA256:**f001ce48bbaaa6e711eda1b603d13edc38f0c2db5592f0f8cb3b798f001b6e17  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: hugerte.jar: sv\_SE.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/sv\_SE.js  
**MD5:** b24075bd395a8abe5e100788bba0a74a  
**SHA1:** 699908a684581883ca84b7f43db273ee83d68245  
**SHA256:**24e435fe459e6a809eb78b0b66c0146226482f29cf4caf7c84d6a09889a5ae25  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: hugerte.jar: th\_TH.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/th\_TH.js  
**MD5:** 0f0c790204d30c81b6645735545d20ec  
**SHA1:** 5fee086306a6157bfa9758380c9da89040dcfaa4  
**SHA256:**38e2e42abab10f72d5ea1f17714112c287f350fcbca05c5906ced9d3595c16aa  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

#### remotegui.zip: hugerte.jar: theme.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/themes/silver/theme.js

**MD5:** 572e0af60c2c23c429300c543010c5e1

**SHA1:** e861f1c638b5a6ebfb64587ea661c6d783c6475a

**SHA256:** d225e3128037cd8fa703099ae69d7a98b3ea53db30d2711ca109f0a00b8f1c79

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: theme.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/themes/silver/theme.min.js

**MD5:** 51bb8b3ef0c08ea6787f781d4365114e

**SHA1:** 01b6b750a96e094c7cf4ad3c9dec2952dbf66381

**SHA256:** cad2d699287302619ff3ea721e748af7e8854677cb431e02af2c4e5c09c8a2c4

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: tr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/tr.js  
**MD5:** 4543135c90640b64ea11bd4ca58192b3  
**SHA1:** 93c8cbd63e67d56b8943946634ebc319efcc8302  
**SHA256:** fa1b123a9dc42af696b525c76386e38f2abaab07b29d29fca957a3d82feb9170  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: uk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/uk.js  
**MD5:** 64c0553a6c8b19667964e263a03dab26  
**SHA1:** 998a732ac0b403137b79178d83163accdbbcad27  
**SHA256:** 0d63c3d3ef18445fa032a6b4f8d6c80c26bebc6eacb71dc934d7b5666453b2a5  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: hugerte.jar: vi.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/vi.js  
**MD5:** 85d7f56b3ae07bedcadde6e04251dc9a

**SHA1:** 5333ccaa75ac528e70e6d3a50bc47a46573dd353  
**SHA256:**a8fd67b418a1d1225ded5342c6cb7ab53606818c22b7a964148c74cebfabd0ff  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte.jar: zh\_CN.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/zh\_CN.js  
**MD5:** 93f3f1526fb8af6be6fea9c9d4cac78e  
**SHA1:** dbd189b2ee499e1be666408ccd83b41c7ee84bb5  
**SHA256:**5f3a261a4604bf1e7116dbdb1602f87bb93e324849b64227398c8b93113a38ac  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: hugerte.jar: zh\_TW.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.9/plugins/help/js/i18n/keynav/zh\_TW.js  
**MD5:** e3325e4ccd2fbabf42e18053b168428f  
**SHA1:** 6c105cd27982cba07413ba280b946ea010c9ea5f  
**SHA256:**5f8f7d1e97005d84e3f868727db6c36baf3096f1cd4d14effb7ecd33ae0ccb1b  
**Referenced In Project/Scope:** server

Evidence





| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

## remotegui.zip: jquery-ui.jar

### Description:

WebJar for jQuery UI

### License:

MIT License: <https://github.com/jquery/jquery-ui/blob/master/LICENSE.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar

**MD5:** 9ce7e600d17800cdae8476eb3dcf1789

**SHA1:** c1122cd36f9bab512ddb4ab072d84fba5ad0e2a

**SHA256:** 0ce631a38c140f67c210a407ead84ac6ef88d82aaf1cde4c8b8e210b92f2b59d

**Referenced In Project/Scope:** server

### Evidence



| Type    | Source   | Name            | Value   | Confidence |
|---------|----------|-----------------|---|------------|
| Vendor  | file     | name            | jquery-ui   | High       |
| Vendor  | Manifest | build-jdk-spec  | 21  | Low        |
| Vendor  | pom      | artifactid      | jquery-ui   | Low        |
| Vendor  | pom      | developer email | james@jamesward.org                                 | Low        |
| Vendor  | pom      | developer id    | jamesward   | Medium     |
| Vendor  | pom      | developer name  | James Ward  | Medium     |
| Vendor  | pom      | groupid         | org.webjars   | Highest    |
| Vendor  | pom      | name            | jQuery UI   | High       |
| Vendor  | pom      | url             | <a href="http://webjars.org">http://webjars.org</a> | Highest    |
| Product | file     | name            | jquery-ui   | High       |
| Product | Manifest | build-jdk-spec  | 21  | Low        |
| Product | pom      | artifactid      | jquery-ui   | Highest    |
| Product | pom      | developer email | james@jamesward.org                                 | Low        |
| Product | pom      | developer id    | jamesward   | Low        |
| Product | pom      | developer name  | James Ward  | Low        |

|         |     |         |                    |         |
|---------|-----|---------|--------------------|---------|
| Product | pom | groupid | org.webjars        | Highest |
| Product | pom | name    | jQuery UI          | High    |
| Product | pom | url     | http://webjars.org | Medium  |
| Version | pom | version | 1.14.1             | Highest |

#### Identifiers

- [pkg:maven/org.webjars/jquery-ui@1.14.1](https://pkg:maven/org.webjars/jquery-ui@1.14.1) (*Confidence:High*)

### remotegui.zip: jquery-ui.jar: jquery-ui.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/jquery-ui.js  
**MD5:** 0c983553a5edeaffb408e27b4bc526ad  
**SHA1:** 01510c553ab12baa303a09fb5820e49807037389  
**SHA256:**f739630caa44fe643199a47857670655a43b6ab17709c5f16abbe0afb4a3f147  
**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: jquery-ui.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/jquery-ui.min.js  
**MD5:** 12c28b31a1369383b3549abf958b01fe  
**SHA1:** 8b7a32df053a6b24e568f20908e47a90e9a3c852  
**SHA256:**0254e2768f39b973e54b2c9a64db23257782b34ede4afdebe3793209573c0a12  
**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: jquery-ui.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/package.json

**MD5:** 79f59c9c2d3b9b7f4b95c47c355c7d12

**SHA1:** 2aa7dc3ced6d8ca3dae2d05030bf6d67dd83c417

**SHA256:** 02f0804ebb96cdb18ecdb1fcdc511d96a8f8ec9463bc33b847cd38f50180d06

**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: jquery-ui.jar: webjars-requirejs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/webjars-requirejs.js

**MD5:** 2b45f24ce91f8c0d5c764e705b1eed88

**SHA1:** 03056311ea772e4b7b09a70f108cb2733ae13766

**SHA256:** a0f18ed7e4b55b53dcf2752e99573c9f7363fd4ba7d98f14a65c36cf34fe1ec3

**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: jquery.jar

### Description:

WebJar for jQuery

### License:

MIT License: <https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery.jar

**MD5:** 4af65e569248d8a2411f66498d720280

**SHA1:** c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab

**SHA256:** de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6

**Referenced In Project/Scope:** server

### Evidence



| Type    | Source | Name            | Value   | Confidence |
|---------|--------|-----------------|---|------------|
| Vendor  | file   | name            | jquery  | High       |
| Vendor  | pom    | artifactid      | jquery  | Low        |
| Vendor  | pom    | developer email | james@jamesward.org                                 | Low        |
| Vendor  | pom    | developer id    | jamesward   | Medium     |
| Vendor  | pom    | developer name  | James Ward  | Medium     |
| Vendor  | pom    | groupid         | org.webjars   | Highest    |
| Vendor  | pom    | name            | jquery  | High       |
| Vendor  | pom    | url             | <a href="http://webjars.org">http://webjars.org</a> | Highest    |
| Product | file   | name            | jquery  | High       |
| Product | pom    | artifactid      | jquery  | Highest    |
| Product | pom    | developer email | james@jamesward.org                                 | Low        |
| Product | pom    | developer id    | jamesward   | Low        |
| Product | pom    | developer name  | James Ward  | Low        |
| Product | pom    | groupid         | org.webjars   | Highest    |
| Product | pom    | name            | jquery  | High       |
| Product | pom    | url             | <a href="http://webjars.org">http://webjars.org</a> | Medium     |
| Version | pom    | version         | 2.2.4   | Highest    |

### Identifiers

- [pkg:javascript/jquery@2.2.4](#) (Confidence: Highest)

- [pkg:maven/org.webjars/jquery@2.2.4](https://mvnrepository.com/artifact/org.webjars/jquery/2.2.4) (Confidence:High)

### remotegui.zip: jquery.jar: webjars-requirejs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery.jar/META-INF/resources/webjars/jquery/2.2.4/webjars-requirejs.js

**MD5:** 30e1a7f167b667001f50e32ea87bf7b5

**SHA1:** d18dc733350ad3549af2df096599e824c10f777e

**SHA256:**daca7b23bc4d8302a8961373b92b78d36d5c85d730fc14130e29d55d976aa420

**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar

#### Description:

WebJar for moment-timezone

#### License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar

**MD5:** b67a7dc1dcd1cde774e16ea7295f7a7a

**SHA1:** d6ffe442fb3dcdee42878d04c1b4d976b7cd20ca

**SHA256:**49205ba9340f3485b3e34bdda5b108f5e569c633cb58e19eff52fefcc28399de

**Referenced In Project/Scope:** server

#### Evidence

| Type   | Source   | Name                | Value                           | Confidence |
|--------|----------|---------------------|---------------------------------|------------|
| Vendor | file     | name                | moment-timezone                 | High       |
| Vendor | Manifest | build-jdk-spec      | 1.8                             | Low        |
| Vendor | Manifest | bundle-symbolicname | org.webjars.npm.moment-timezone | Medium     |

|         |          |                     |                                 |         |
|---------|----------|---------------------|---------------------------------|---------|
| Vendor  | pom      | artifactid          | moment-timezone                 | Low     |
| Vendor  | pom      | developer id        | webjars                         | Medium  |
| Vendor  | pom      | groupid             | org.webjars.npm                 | Highest |
| Vendor  | pom      | name                | moment-timezone                 | High    |
| Vendor  | pom      | url                 | https://www.webjars.org         | Highest |
| Product | file     | name                | moment-timezone                 | High    |
| Product | Manifest | build-jdk-spec      | 1.8                             | Low     |
| Product | Manifest | Bundle-Name         | moment-timezone                 | Medium  |
| Product | Manifest | bundle-symbolicname | org.webjars.npm.moment-timezone | Medium  |
| Product | pom      | artifactid          | moment-timezone                 | Highest |
| Product | pom      | developer id        | webjars                         | Low     |
| Product | pom      | groupid             | org.webjars.npm                 | Highest |
| Product | pom      | name                | moment-timezone                 | High    |
| Product | pom      | url                 | https://www.webjars.org         | Medium  |
| Version | Manifest | Bundle-Version      | 0.5.46                          | High    |
| Version | pom      | version             | 0.5.46                          | Highest |

#### Identifiers

- <pkg:maven/org.webjars.npm/moment-timezone@0.5.46> (*Confidence:High*)

### remotegui.zip: moment-timezone.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/index.js

**MD5:** 16b10b9be0471f35921bc17b645c6fcd

**SHA1:** 7e9c41f04cff37b876169e1e5108b5b757305822

**SHA256:**b93bc1a0ab15d56e12f0e281bf005d39166952d9208b828e8d056563f3ff1fd1

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

#### remotegui.zip: moment-timezone.jar: moment-timezone-utils.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/moment-timezone-utils.js

**MD5:** 90654a904bb09ecee1bb69826888a5d

**SHA1:** d06ace28682186b95e8c77ccac6be2c6b78e2af9

**SHA256:** 2308979235e0b497edfe99b6d8e26f73741116759cc94146b8eb3f5f4330b9e9

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-10-year-range.js

**MD5:** 5c7411391c96d7a9407d012ad63feb21

**SHA1:** 7cf2adfb51070ff78c591c68dd6ca2cb590380d2

**SHA256:** 1a7b3990451f312b3740f47e1e3f87786238be17c2cbaa6d3550873051e7bf42

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-10-year-range.min.js

**MD5:** d5aeae4a577010e7c15ddcd154274d2b

**SHA1:** 4ae699e9510e9618df20ed048f6fd0331146de51

**SHA256:** c03a6809ab0f5c7f1f6ef0425ac96517d78de1112f26f3ae9de8064bdfdefd1b

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-1970-2030.js

**MD5:** f82a24e0aa5d8afcf2b7a3c1a7b4bfcd

**SHA1:** 6a6e43fdeddbed946fed9519ccd79faefaeedaae

**SHA256:** 661b21dfa5f1ada53fb2213cd08db079ce356c2a4ce854ce7a97ccbb4cafc87

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.min.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-1970-2030.min.js  
**MD5:** e06ec12b8553baf30ff6e85ce8d10964  
**SHA1:** 34c1a456edc895eb873ffd479e54e08a7a74bee2  
**SHA256:** 769d4a0ebe9a9bfba668de05ba0981f0ec387f0f79da4c4e98648762cf40f20c  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-2012-2022.js  
**MD5:** 6da99be351d53c831a06d6d7317d4d60  
**SHA1:** 7adf9fa72a350e9caf2e7a81632b68976a446de8  
**SHA256:** e35b085c0170469205050f559c0bdffa06443a48769d1ba730221d83bad2cf38  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-2012-2022.min.js  
**MD5:** f356ef2c04a62c0e75c97be41dade934  
**SHA1:** 75639764d95ffcc67d8b504d057fbf3e81141980  
**SHA256:** 52cf16914f9e1d6513783cd3d0ca694210108b5b7b07f754375e3b554eba96b1  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data.js

**MD5:** b5b482e4b444b7d90addbf0d37eea19f

**SHA1:** 8a17c35adb3b76b5bd6d73d61fdd43c285769574

**SHA256:** 71f92c899d20ad2218587d86dfab051adbcc75a29dfd8491cfd6461142afffa0

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data.min.js

**MD5:** 0f804300030c5469cc61b626ed611aca

**SHA1:** 7b8f841bd2c3164c4875faa5c2f43b03db6ed346

**SHA256:** 841048af54bda7e255160dc05c6b1d527c2454a4a7aab021e71330c9486822cf

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/moment-timezone.js

**MD5:** 86d592243f72b1cdc5e7b6b76a813771

**SHA1:** 8ae2cd2ad133ae4f4110731b6eba9006d550c02f

**SHA256:** 7094d157b8819a2c51d9f43a4a278ff8f99e51bcbef23adfc0954fbe47f063cd

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone.min.js

**MD5:** 0241a5d39425af1420371aa287a5a983

**SHA1:** 5fcf85ba0aba14d8ab9f083e27e803b2f2fe6a6b

**SHA256:** 4609240cd6b8f3830421bcc16b761a2852a219a919dfb2b8c5283880e0650c3a

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/package.json

**MD5:** 110931c82b0ed1700693a3adc127b31b

**SHA1:** 257d60a4a93567698cff76f4ab43a745ade67e7c

**SHA256:** 3c13f23eaecb30aa04a119df2d1a2d78ea662cc890816f740b676b3a91b0d84a

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: momentjs.jar

### Description:

WebJar for Moment.js

### License:

MIT License: <http://opensource.org/licenses/MIT>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar

**MD5:** 72ad6b420b3b741d7def80f4837682f5

**SHA1:** 6087f9eb29294249887afa1eb4ec8308657c35f1

**SHA256:** 71f0cbc7e4d2c943077dc758f7c8f0c7d48e1ddc7f9e7cfd27aecbc12712cfcd

**Referenced In Project/Scope:** server

### Evidence



| Type   | Source | Name            | Value               | Confidence |
|--------|--------|-----------------|---------------------|------------|
| Vendor | file   | name            | momentjs            | High       |
| Vendor | pom    | artifactid      | momentjs            | Low        |
| Vendor | pom    | developer email | james@jamesward.org | Low        |
| Vendor | pom    | developer id    | jamesward           | Medium     |
| Vendor | pom    | developer name  | James Ward          | Medium     |
| Vendor | pom    | groupid         | org.webjars         | Highest    |

|         |      |                 |                     |         |
|---------|------|-----------------|---------------------|---------|
| Vendor  | pom  | name            | Moment.js           | High    |
| Vendor  | pom  | url             | http://webjars.org  | Highest |
| Product | file | name            | momentjs            | High    |
| Product | pom  | artifactid      | momentjs            | Highest |
| Product | pom  | developer email | james@jamesward.org | Low     |
| Product | pom  | developer id    | jamesward           | Low     |
| Product | pom  | developer name  | James Ward          | Low     |
| Product | pom  | groupid         | org.webjars         | Highest |
| Product | pom  | name            | Moment.js           | High    |
| Product | pom  | url             | http://webjars.org  | Medium  |
| Version | pom  | version         | 2.29.4              | Highest |

#### Identifiers

- <pkg:maven/org.webjars/momentjs@2.29.4> (*Confidence:High*)

### remotegui.zip: momentjs.jar: af.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/af.js

**MD5:** abbd3f78270e280c248535ca3e3b3e3b

**SHA1:** 489ddba9b2a2f15e2a8d59d751a45c5ed7041f14

**SHA256:** c59e2f2d09098829d00f5dab85e6ec623f6aa9e70285ec2aac12030a014e4161

**Referenced In Project/Scope:** server

#### Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ar-dz.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-dz.js  
**MD5:** 10e8f6da8f425e389f9dd462018dcece  
**SHA1:** d638dc753916f10981ce562c7e7543944aa5755e  
**SHA256:** 2fcf1465ad9fcb33a1ee00188d0d8cb19e0d9094da9e27f56444b67e50c6810c  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ar-kw.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-kw.js  
**MD5:** 5ad9681e194f33543d33a588e2a21f09  
**SHA1:** da190c4671145eb702d41ee980b985a9816bc9c5  
**SHA256:** ebcd2afd129890e49aa91cbd6718916ceb743122a4d264c681a533d8066de673  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ar-ly.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ly.js  
**MD5:** 293c5c572f1e70336fb5a5cab29faded  
**SHA1:** d969dc63c258a2c5587efa0cb2ac80034c44a5f3  
**SHA256:** 0a70bf3f66b074d68453af125059d60f1ce4d5a96d3401b0bb7f013fb7a56696  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: momentjs.jar: ar-ma.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ma.js

**MD5:** 6f5179b883bce68003df4d2c99caa156

**SHA1:** 3af849ad551cc126ea26fe472770b0f2c86363b2

**SHA256:** ae28a7c4d994a1d4059f2dc1e6385182f3d5aab262d637a6bdfc80f3e3f5471e

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: momentjs.jar: ar-sa.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-sa.js

**MD5:** 92455d26a00821fe9aba7ea8e23ec89c

**SHA1:** 18d22d6e22b460fb0d248426001e4cbfd9a69393

**SHA256:** 4913900a380ed33b662fc5299fda05cfba74367870ba23f3d9db5dfd0775c876

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: momentjs.jar: ar-tn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-tn.js

**MD5:** bf6b33329fd589f8b3b393f6e64717d4

**SHA1:** adf2dc833a46ad99f030b5761a7e6a97497ca764

**SHA256:** 2b6a611f7d21a0752d9101347b22943dcdd91293f7e09ac11c3b04cee41f594f

**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: momentjs.jar: ar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar.js

**MD5:** b0110c65e23d25860762820db7d2150e

**SHA1:** 249cc300a99b9cdc47ff3fd70c9b4cb22f0aed61

**SHA256:** 73485f16cb9317f156bab05ba8a3233fa87513cf1cb52728fefc53703ffd5b3e

**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None



## remotegui.zip: momentjs.jar: az.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/az.js

**MD5:** ec1a4acd4aa555dd71722c2639df4db6

**SHA1:** 49b4198f1b008f9deeb9aa5d33e27647e812f0df

**SHA256:** 21cfe14e920b3edc4bc394709929f61aa5f2f9e51d3ca0c6edd1e51f29d7e3c9

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: momentjs.jar: be.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/be.js

**MD5:** 5c38f8d3d5da2b1b930f109553918781

**SHA1:** 181a1762773de78de3e2d21696e77a49a9e188a5

**SHA256:** aa0657f4f1e9f9ef3a3ce289bc882f5971195e4681499f02409486ed985e1407

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: momentjs.jar: bg.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF

/resources/webjars/momentjs/2.29.4/locale/bg.js

**MD5:** ebd43c527dac81f273926142beec5553

**SHA1:** 46101d46348f560c622895e9e65465dd26e92d6a

**SHA256:** 0d034309eedbd03f17e22dbd963c8cc8d490c8e877f39c6c4081636d1cd28fca

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: bm.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF  
/resources/webjars/momentjs/2.29.4/locale/bm.js

**MD5:** 2ef1c37399931e14e2a4471ebc57bd21

**SHA1:** 1e10777797f13333027873cf0a1e05e52c2a9264

**SHA256:** 1f3217d69f6512ea3984fb7428e1afe0c7779cf3822582c52e6eaa8982ac23b1

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: bn-bd.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF  
/resources/webjars/momentjs/2.29.4/locale/bn-bd.js

**MD5:** f2988fa9e29bc5573603a8140b321051

**SHA1:** ddca0b09ab220aa3e7d8b6d01e98b06071942e4a

**SHA256:** 87296cd8b904b633d89b0a72b779aaf04e8d625fd8ed772e3227046b3a3acf80

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: bn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn.js

**MD5:** f5037a3495a3febf37d9456b6745537a

**SHA1:** 5d8e28e5703371e674a9b2947426e23a1429455a

**SHA256:**a43f974ec15f638e67cec9d73cb33c339ce7cb35bb7041b478a930197977a890

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: bo.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bo.js

**MD5:** 7dc25ead6d51909386b03c060b891690

**SHA1:** 5b47f8a1cd1b1dad8e8ae1c6f408dadda7cd6983

**SHA256:**dbf83d196ab69149d5f056a2b44e06441626f1e5d3c3aa1a300e64dc5150565f

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: br.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/br.js  
**MD5:** 65949057a5632b430fce65f65c89ace7  
**SHA1:** eda5bd14e942c85896b263b137e2e14f161836e6  
**SHA256:** 35b4113f7552400639dc76ea40d55f1be6f44af2eaf4289e7c37e4e657522ba4  
**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: bs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bs.js  
**MD5:** fac80361cb7d5e0c44f8956063e8eb07  
**SHA1:** e0f831af87ad28205b93fbe4d7ef9001227eb1e4  
**SHA256:** 1d185f2b71c18bb14d0e5db063d59912396d42a04aec97cfbbec19a5bb8bb5ec  
**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

## remotegui.zip: momentjs.jar: ca.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ca.js

**MD5:** 9c6c8738154552a40a29505cf41311af

**SHA1:** 65eee9703d130c7a90d085214ee60c4e087b9d1d

**SHA256:** c0ebe3bb033ce8f82c66a46dd297c19b30c80ba64036c721aca36a7f86f1b234

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: momentjs.jar: cs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cs.js

**MD5:** 8f0a7bef088e6698b6a090a6f6fe22de

**SHA1:** b137a5adfe662d0b1c258fe7bb2b73b971e2268e

**SHA256:** 0dcf511c06f565a917e4718cce467392bf898ba60af2b3fdb032b1910599ebc5

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: momentjs.jar: cv.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cv.js

**MD5:** baf681a1e97ac68186325a98d5ef1861

**SHA1:** c0433a02791bafe8efe6945a4ae0370c6d8d55b6  
**SHA256:** 231b3a65bc4beb4d6f0920962dafc82611403df4979655cea53d9740d2986904  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: cy.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cy.js  
**MD5:** 868cca92c4392ae5b0627f305f9633b4  
**SHA1:** 9c0f75132a2eaa3fdf0631a08f210f0e29208501  
**SHA256:** 05d100692e8cdd4a6b3b0eb56eb37c9c64dacab3254aaeba18c24689b18a6cf8  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: da.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/da.js  
**MD5:** 47fe4d0a5079542391abdcd125b4cb60  
**SHA1:** 423a66383275eaf3f441f384c69b2d6e2cf905d1  
**SHA256:** 891e90544d1061ea578b51173a2dc4638c0e9af95cc2986f1f89ad5008e301e7  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: momentjs.jar: de-at.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-at.js  
**MD5:** c2df366205b041e50b0dc27fe427c54d  
**SHA1:** c52be9218cfbe8ae8d51f78af3494d3a2ed5d35f  
**SHA256:**0575c8ba66974f2eb3d7d74e16a265c40dbfe7802cefdecc9f196f92c0ecee97  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: momentjs.jar: de-ch.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-ch.js  
**MD5:** 1f9bf40d5d392a14bb758de02e9d98df  
**SHA1:** 838d95c91f39f7e28483c660e6f5005921d3da11  
**SHA256:**b3c3d71abc98200d579cbbef89d470a6cbb272c4faa71e31232a68ef6451edd4  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

### remotegui.zip: momentjs.jar: de.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de.js

**MD5:** 260cdaa4a123af8e02f5aa4001cceaac

**SHA1:** b928a076571a81fde7fc1fd4a2adb45d9a9a2279

**SHA256:** 20fb0d0967e2720d135a6894165bf96e327b42bdedcbf45a9b2f9e44da7986dc

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: dv.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/dv.js

**MD5:** b3ac7e877fac1116b8759c6e7384e86d

**SHA1:** 3321dfc6f7147d148167b23a3642212fb10b1b89

**SHA256:** 94a1563faab9fe61f359a515042f56e2672886200e084de98bbd98769f71ba69

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: el.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/el.js  
**MD5:** 7a1966e1fd7848aabcbeafa28ff2a445e  
**SHA1:** 29af743b2dd9c09d9962080c3a5b4cdac2b09409  
**SHA256:**a73fa8b59dd099d28a7824980577379437273f6ef35a90409cf36492bc2b3600  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: en-au.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-au.js  
**MD5:** fc0b9a852c77ef21ee6deb24d95769f8  
**SHA1:** 829e7b64e421cc91fbb306243b31d71f06fabdc2  
**SHA256:**6a84d80e99d57f1ca1faa1dcca9f48e9925de4013ac5ceab52cbf20b059cff8c  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: en-ca.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ca.js  
**MD5:** b6f095c75787cb0eb2421b32b2e9ea14

**SHA1:** 415ffbaa1c99a53d233979f5e907e83b59d54c9a  
**SHA256:**d7b47d71cd5b63a0cd7bc3945ca1799d9345ba9dc3e85356231dbb4f6becdd01  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: en-gb.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-gb.js  
**MD5:** 5ebfadfe47485b65c484822391d0aad1  
**SHA1:** 4154fff794c0118f1c280d4e3c222b0b3f96a6eb  
**SHA256:**46e86bfd873ce2ba61885faa9e0ba2ae1a510574f698d6a3aba7da49d1505eb9  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: en-ie.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ie.js  
**MD5:** f5175b64f4c382500e7a00ed4113c3a3  
**SHA1:** 12cf24c0dcfa4f82be14783a2889022043fe1f80  
**SHA256:**41a3d03fb561db37dc1e3a63cba10467c0bcabb2ab7e788329f86b6be6f72d9e  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: momentjs.jar: en-il.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-il.js  
**MD5:** 8f131247f11cf746d1b477c75de2e0a2  
**SHA1:** f1fbc068a029ca0fcb5755fc5211ae43c9b2dd00  
**SHA256:**494c5f26d0a16c8c1645d70cfc327e19086831ce78bc98599f4e5abc321db7d7  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: momentjs.jar: en-in.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-in.js  
**MD5:** 2d5a9ac86d2a83833aec6a68bc8947ae  
**SHA1:** 64d4492b47eac3212f09a9dd1fdfe2afc9721142  
**SHA256:**290dd53cb6262cfc22c961faf969851adfa8c38b30c80c496b8c8f19232a13e8  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

#### remotegui.zip: momentjs.jar: en-nz.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-nz.js

**MD5:** 3a68b41d7982ae7bbc8a396d23e9d1a1

**SHA1:** 0c30117c176ae1c60d35e54c3c0cd47b5104e28e

**SHA256:** 9590cf61d2ab1b83f793be9f074340397e639fbb112a80c8bb7d2e3a77c45448

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: en-sg.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-sg.js

**MD5:** d32a209c24b07b617c68fb03e081061c

**SHA1:** 34729febed76ec17cccafdc06ce4f51902daaf42

**SHA256:** e3b29449d67e5d53d3420b5f4ec207dbd70f651380573b59f39aee2b1b9ca52d

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: eo.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eo.js  
**MD5:** f19d7f5dae34785b6ffd82971ff01712  
**SHA1:** 8a6937235d4219a192ae127506cca9479097abdf  
**SHA256:** 823d3e21f85f9d3801f7004cc5cde82d5f45d98e977979322543a65908411e4c  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: es-do.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-do.js  
**MD5:** 3f09c253c2e7ed72706b062bdb3ecee6  
**SHA1:** 3bcd2f7f697c4241a5f47985835b0190a643630a  
**SHA256:** a1d29019dcff0ce2a11cdf97018c20e99fbc739163c059ad8bf2408f77d3161  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: es-mx.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-mx.js  
**MD5:** d16f10cddba51c3467b316318e592f22

**SHA1:** 4cc238005f4d59b4e3877449babf5cc8b3595f38  
**SHA256:**a233573f641cc9c93c87b555fc5564c2e5ebb97e251338e971ba76e74d512646  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: es-us.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-us.js  
**MD5:** 276e7c3c7756f9e962f6141f5048894d  
**SHA1:** bab0d54cfa34f527dcf6960f5379aeef05cc66c8  
**SHA256:**3923c6bd6137387d5edc62f6dc0174cc9eef8363238c16eef78bd9d9c69bfafe  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: es.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es.js  
**MD5:** 0e92f45548e01672fc6a2f73979c397e  
**SHA1:** 6e6385cb5f6e39ed9ba95ebc1fb66526e2c3371a  
**SHA256:**2a8f1790d492fc338933a032a862f99998f31bcaf7a0e4fc298b6a3cb04cdf7e  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: momentjs.jar: et.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/et.js  
**MD5:** 8b5c6c8136c1bcb3dd35ff204c28b1fc  
**SHA1:** 82ecebf743869c8231a6ef06cf5959e5cdbc7fc9  
**SHA256:**95c974679dba419b7d835fa51340c430bd0066bdc38a7a139caa575b67389d7e  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: momentjs.jar: eu.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eu.js  
**MD5:** 1f0f32ac558d6bf2591f0e7c59b09e88  
**SHA1:** e8989f9da9ff458c51d7d4c21f9bfc99ddcd72a7  
**SHA256:**ecbc07cdb215cf9996405fa56ef306761ec6a9383e19a53c2b45d6a1c5c4dc68  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

#### remotegui.zip: momentjs.jar: fa.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fa.js

**MD5:** bad9e9e51e7cd982360114a2d6b9a03a

**SHA1:** 7285494b159552cdee8bb7050d1278144da80b04

**SHA256:** 15ca66ce1faa865c68998fcc8ab1160207636b9161ad76f7cf7acd0d7c0ebd1f

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: fi.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fi.js

**MD5:** 08d74def02ac724471fce607ab87f4af

**SHA1:** 7f40cb04e95803f706af5caf5a983f7aa3f2365b

**SHA256:** 1339d4170019588a6764a56236c2a7c5b2389ace52a9ec5e8c09f1997935741f

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: fil.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fil.js  
**MD5:** fbc9e6bd5b49897ba8503d27e2d061ec  
**SHA1:** 2121d4a7333acb3b7b120c1580a809a8a5927dc6  
**SHA256:** d24cac0d0069d89c48b4c8cee34cddcb7e39892c91f07b884574fe0cafb66ef7  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fo.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fo.js  
**MD5:** 85d4a1a25dd5c3fa021f9e6f63fd01ac  
**SHA1:** 95d11e45e86f344a148706df7f5c86019e02ae30  
**SHA256:** 6338de573601e330030918569b8d2f80f98a57754e748a03ff56e3672fa25be7  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fr-ca.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ca.js  
**MD5:** c0ef60f7029fe6ab773c090320f0a66e

**SHA1:** 8970ff163faa9c8702be24f65f95e94b962d8622  
**SHA256:**59c5acfbba5605fa641721bf16123300164ccc043f4bad6009aa8d880b159124a  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: fr-ch.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ch.js  
**MD5:** 3345c9d13645ae5fb2964c17559326f5  
**SHA1:** d0cd4c6466797300434db0d6c8028bf46fe35bc0  
**SHA256:**b32f50aa3d147ba5441d7728a45bce592125fd0a97117ca4b93b32c6393d847d  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: fr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr.js  
**MD5:** 775f1eb59d6f597b1c398036002ae329  
**SHA1:** e6f1741f5598b62a83bb071459d9e8cae4b3a127  
**SHA256:**d87b4eb850bc7742c104557450d0a70d18a48a917335221af08d23850667523e  
**Referenced In Project/Scope:** server


Evidence



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: momentjs.jar: fy.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fy.js  
**MD5:** a54d9827ca1a619a839a15c94b7893a0  
**SHA1:** 66863e3aaff531e89e83acd8844ca87f8516cf38  
**SHA256:**c33ae59d9a05aca0dbe86d74bffa25eb44d04ee97b738034fcb72a21b73ec1cf1  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
| • None      |  |  |  |  |

remotegui.zip: momentjs.jar: ga.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ga.js  
**MD5:** 264a960fc2850670387b1cc90dc29dbb  
**SHA1:** ddd261054362b16567ba858afae968cf2380bb6c  
**SHA256:**fc6d5d441553b23b5ebc3c79896499a093a3285f1e6134a680b8899b5cca4c86  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
|-------------|--|--|--|--|

- None

### remotegui.zip: momentjs.jar: gd.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gd.js  
**MD5:** 0f3b98fcc8a06995436819446130320f  
**SHA1:** 0050fa33180aa1f35c739cecb397846bff7d24e4  
**SHA256:** efa1d779f65671809a63f900479c69bed19c262f2fe7936076793bd13deda080  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: gl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gl.js  
**MD5:** 0d346a7ad989c39c04631e181056acb5  
**SHA1:** 74c436284f15589fd53c9d4c090a4f75ff8376aa  
**SHA256:** 825e6fad55094c13118d2cada0b6c5945a97ea9b647686c2b00dc6980bea4608  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: gom-deva.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-deva.js  
**MD5:** 6d2091e4ba1b31399eb4f1f3d92acaa2  
**SHA1:** 9e27b24c4f8ff43da0373ca75738e0322cc1bd77  
**SHA256:** ff5ebf00d100f610caa956ea22c45584e34067f762c2e9811326d5903ccd819c  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: gom-latn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-latn.js  
**MD5:** 45f0c567784f534e16f304dd625682ad  
**SHA1:** fc4b281f7d57696decbf3bd5e8c572f4191c9289  
**SHA256:** caa6b3cafb8d463c7cb0b47783b84d7f7637f685b8d33d1224548f7f9a124cd5  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: gu.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gu.js  
**MD5:** e108958bf473fcc52349ecba7dcff10e

**SHA1:** 977667ee217d20d2ff2338dfa6ea9bda2e0c13d5  
**SHA256:** 5155f3aa5fe43b18c7b06cf02ff6e9d6c157d7da822c658fbd8e2f0edceef161  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: he.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/he.js  
**MD5:** f5e7fb20bbb7618d95e4928fee094f7e  
**SHA1:** cbcd69bf9fa2cc2493d086af3a5cb15e893c7d64  
**SHA256:** 93b540d4f1bc21d5668854475e8efd2d6fcaa2f596704752a586ce07d471d475  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: hi.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hi.js  
**MD5:** 10451c28a31c032807f1fbf1bea5c32f  
**SHA1:** 8ab3e8fd6823a63a2348cca98ca4eba215ad01a9  
**SHA256:** 482f9289851cc5add17895787d427259acf8d9467db37000d383021aa097a1e3  
**Referenced In Project/Scope:** server


#### Evidence



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |


remotegui.zip: momentjs.jar: hr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hr.js  
**MD5:** bfeb6da022ce8f5d4610a485f6063935  
**SHA1:** 0e475a985f8f3612c397a07781933bc4235be646  
**SHA256:** 4af37cc6b498a4c3418f0b5d90efe5354422b3d158681454dc2eedee31ce1469  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |
| Identifiers  |        |      |       |            |
| • None   |        |      |       |            |

remotegui.zip: momentjs.jar: hu.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hu.js  
**MD5:** d485a763ba31196c55bafddc763cf98e  
**SHA1:** 83c283112870db2a37b8d6a96e2ff423f27addac  
**SHA256:** 518c3c1b849d41be9ef9673726ac3c71290096a727ff29c9edfb0f7489e3253f  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |
| Identifiers  |        |      |       |            |

- None

### remotegui.zip: momentjs.jar: hy-am.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hy-am.js

**MD5:** 8fedcd99fde263a8a5a906b27de70605

**SHA1:** 3fbec521a9f7cddb7576fb37a3f35ba2705e88

**SHA256:** 2c3bf5ef8c5162c7c4ed0ce4b144fad24eefd691911d7c8b86c21cab84f3bfe6

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: id.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/id.js

**MD5:** 3000b8d8d73e16384fd2a13aa7259d3e

**SHA1:** 1bcd369482f53edce0c1d34aeb15a918f3c7af7c

**SHA256:** 036154641aa4cba94ac8a65b98af75d2fa0ec29156674947d1148fa146689dc3

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: is.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/is.js  
**MD5:** 0f5a457d3457dfb1c5d256436b5e442  
**SHA1:** af0c0c6573bb9628ee8c97479651f65571d6a56e  
**SHA256:**6943c853ee0ad65ad2e3e38baecc90dc8088071f10406ee8a5ad995d7cf5f6e6  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: it-ch.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it-ch.js  
**MD5:** 0c0cd69247909aeca5d78d255b30a617  
**SHA1:** 71631e4e4ce3a8466d80d4960a86605634a713dd  
**SHA256:**9670e2244dd63556408fc20671fd763fb91be52041eee92934710e75e2b3b7fa  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: it.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it.js  
**MD5:** 1abd9a8f32e7930bbdebd23a2bfa4afb

**SHA1:** 40cc21bf11475c48c1681ebc18a63a2bea4b8962  
**SHA256:** 2fe7346bd6fdf02aee19fde76bd2ca0b5e65903ddd45d097be2342ee7b0b9470  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ja.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ja.js  
**MD5:** f39b4bc3b33715242a84fed53b50d596  
**SHA1:** 8bebb66d25df95fc67d48f4ebc4b519fbc7d9482  
**SHA256:** 9720de4592dd94861f2fabb51110533fe44620f517e50448dd828a7f2eef7009  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: jv.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/jv.js  
**MD5:** 307628de0dbfe42c1aedc98c3afc1aae  
**SHA1:** 7620cfee82f0241100b34de89cefd40412456ef6  
**SHA256:** 707617faac7459e5d5c39ff3ea4a5e5da0cf398384902c1cd5975cbd1a113cd  
**Referenced In Project/Scope:** server


#### Evidence



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: momentjs.jar: ka.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ka.js  
**MD5:** 629be6bde33738ff66f7119b3b617798  
**SHA1:** 02209d78bf7dfa3b5e585e64ebfc61ce561e5f3d  
**SHA256:** 2c15068d2ceb1f34e4b92f95710b181bd1034410b8a96ae15dd11ee24d0ff0fa  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
| • None      |  |  |  |  |

remotegui.zip: momentjs.jar: kk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kk.js  
**MD5:** 4532f947979a50597d1c82a42f0facb8  
**SHA1:** 9a8cad32d8e4350e40184813f4d19aa05882a8c9  
**SHA256:** 430c86f6c0ea0199d8622045883048b35875bea37b44424663bbe573056ec981  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
|-------------|--|--|--|--|

- None

### remotegui.zip: momentjs.jar: km.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/km.js

**MD5:** f73d0c92be21341d171e019c00173f3d

**SHA1:** 6adb747842bb733d90ce2b7dcf4963f1d62a7a4b

**SHA256:** 01b837409a1ee03d8269886915f10ae1b9460b2cc42cc5f6fac862f7360ba103

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: kn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kn.js

**MD5:** 72e237c519a91674447b268b61983bbe

**SHA1:** d72624462d7dbcf362ccc15385d5cb5a124304c2

**SHA256:** 9673f6d7a10086cda8228f1c080ec032e8f34e3a3de2f1413582e0a6cc6f2128

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ko.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ko.js  
**MD5:** 14369b837e9e15378938754b04bd2189  
**SHA1:** 9c886434ef46530e25cea737272027ac505b6adc  
**SHA256:** f15f592b5d7d5bbbd061c5ad31d4c45f462ad43acad74808c6a7105b108ec0eb  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ku.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ku.js  
**MD5:** ba513eb127fa22206ca1a67ad8467da2  
**SHA1:** 45c0c079a209932f8a8be25a94f0fb97be8ebf84  
**SHA256:** 816c9c27f4237f1fa595c5be0a60b7e5c58ec0336d5a908e03f73fd8596e1caf  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ky.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ky.js  
**MD5:** 68f9c0556546367a8c25903bb8348b80

**SHA1:** 5bc99ba86f969c07cd1b0dc62510c572707adb64  
**SHA256:**d3c35f2c47610c7c921268cb98cf398599068d24d51e7a89167707130c85ad59  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: lb.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF  
/resources/webjars/momentjs/2.29.4/locale/lb.js  
**MD5:** 474c1a2279d961b67a8329372fb54367  
**SHA1:** c6acf49c446bb128ce8aa5f980664107e92523cd  
**SHA256:**cecd52da4e3f3a7a69d4cde1692c90d000a3726772f8e00a9c232faf4d6ff985  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: lo.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF  
/resources/webjars/momentjs/2.29.4/locale/lo.js  
**MD5:** 629f0195acb5feb16432ffc78b6418d0  
**SHA1:** 10730e85c79a5c325f30a5f0fd1b83928918cde2  
**SHA256:**83c284d16d40e861cd01c28683acf77475813993b2a17201f17127e238e5bcd6  
**Referenced In Project/Scope:** server


Evidence



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |


remotegui.zip: momentjs.jar: locales.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.js  
**MD5:** 3aabc3a57ff7796110a9d427e6e61280  
**SHA1:** 59155d41e1b7a2f651f26f8db2768c42206bc4b7  
**SHA256:**a6d8d341af2a118463f8dbec697f3b5210552997ef51e0d9a77c84235f2eb2dd  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |
| Identifiers  |        |      |       |            |
| • None   |        |      |       |            |

remotegui.zip: momentjs.jar: locales.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.min.js  
**MD5:** 5d62f0a64211c2d3e0d009cc69c48202  
**SHA1:** 4c6bb9ae2e43259229cc16e9eb7ef70f3c8cea12  
**SHA256:**1a3224b3cabca0fa92ca56e14da46d7f209ed28ce68ed50940b4fa6ed2ffd254  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |
| Identifiers  |        |      |       |            |

- None

### remotegui.zip: momentjs.jar: lt.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lt.js  
**MD5:** fc931f5db9a4d5b832e7c53985cfb233  
**SHA1:** 6d5575d2ab06036bb29e50e7b4607985b0c10aec  
**SHA256:** a02ce50203e4cc9e85db77632d41f489f14c893f986199c8dd04191199924094  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: lv.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lv.js  
**MD5:** bc6f1396c4b85e2b01b4b2fca550c0b7  
**SHA1:** a18e4175ecd49b5e3382dac1bbcdc48c3279c60f  
**SHA256:** e4f68dbe7147bdc76d7614102eb525f9a5d8dacc690dd661091412b0c9505cb1  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: me.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/me.js  
**MD5:** 4b76ccc2617dfc9bd6a54643659bec05  
**SHA1:** 924aea795ae1a9581ed184b384806891ce336e27  
**SHA256:**24103df1e95500b3fdc4aa60b933c66d2cf33aa4ff8d2401ae847c516285679e  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: mi.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mi.js  
**MD5:** 89179085b30d2752584c4f4e9c3ac04a  
**SHA1:** dbf999f790c8e7f99c27c55d8184cb46d1f0ee85  
**SHA256:**9cc67dce66cf3f0f9a57ce732af6878cc23fedcf256fd5302c6cf57df87eac3a  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: mk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mk.js  
**MD5:** 7a6a2a4ae623481704f78bb0ed6e1968

**SHA1:** 3d984281f4acbb38920919c47916a0ecc46d8d82  
**SHA256:** c38140b5408a91d9632765d23f4368f0cc98dfb6aafb0fcce452b6b4bfa93efd  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ml.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ml.js  
**MD5:** adaeaf5c9b5995567c7723ded581c647  
**SHA1:** 3cbb01a59dbfdd3b86caf1b30938598c52e1dac8  
**SHA256:** d45ac595a918393ae8f76838688fcd569c917b945e9c53861ec4a1f11f20aed2  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: mn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mn.js  
**MD5:** 2229e9c27b35b688a4211bad4d7574eb  
**SHA1:** 7fb0c3b04afb903aaa0a3a1b4b478a8b2d9d6bf3  
**SHA256:** 0f1f5bbc9eaf020931f8cb54ae085e51c41c0761ffc7fd265dbb60cbe7d84076  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: momentjs.jar: moment-with-locales.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.js  
**MD5:** d07131713d356424c14481ed9e77ced2  
**SHA1:** 6ef93c81041412f1b60d1254595cb04b53f8ec39  
**SHA256:**f37cad4429c2815e53699ca98abd4e8773737f696fff554c63a58f4d6589200b  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: momentjs.jar: moment-with-locales.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.min.js  
**MD5:** d458b68730a7330653700489333a7837  
**SHA1:** 4059aeca1d0b99aec8006b37a927f09d9c0e794d  
**SHA256:**430725b95468277dcbccc27e08e3d873276c0082737310b0b1ad330392511847  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

#### remotegui.zip: momentjs.jar: moment.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/moment.js

**MD5:** 6e5aa6783efbeff584f4292398326b32

**SHA1:** 450696675b814c89ec016901b570c05891ca2c04

**SHA256:** c33f09a4e1230f3075be8d2a94081108d52f62d3c30b9a238941fe80790267c6

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: moment.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment.min.js

**MD5:** 6c0a2330b0d8d6ea185d4669a0eddeab

**SHA1:** d4f50308961144876b2b5fa57684b737694a4b04

**SHA256:** f343aa319a17a3fc372ee6ad5af482b9bf6a298cb22652b4aa7502604821071f

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: mr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mr.js  
**MD5:** cd715ac0f919538bf79acdb4a477763e  
**SHA1:** 467bc9f9b59ee399af6ef3f89886c150f74ae52a  
**SHA256:** f6347f442281844a205245620f9e469f52cacb7dd41640ef67d32a94f2c583d0  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ms-my.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms-my.js  
**MD5:** cb7a91cedb211e85abf06a4683d39800  
**SHA1:** 05754f446f94d9b0d34885bdb0dd40d08df23295  
**SHA256:** fa77f6b23884ace43199d189a596c8cd436ab20b2b6966599dd9fd589e51548f  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ms.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms.js  
**MD5:** 3f2df63e4e8e99e5f3a23b44e135f90a

**SHA1:** 7e8563a8e513fb3f2f711395992fb34d6039e841

**SHA256:**6b6301d42544281a07e51e517a1acd2e498e6289b29e74817433a86751761f71

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: mt.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mt.js

**MD5:** 3cc610e1a28bb045e3f21adfa96614ce

**SHA1:** f22377dc419295b8cf22ca6459df3f834475ddf9

**SHA256:**6af1d3643bd218941f30da0f6ba7bd64d4c2d0c49336876308af3af0387b0440

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: my.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/my.js

**MD5:** 1de06907d41a2fbf6861958ee0eaaba6

**SHA1:** 1b5eaf3d04d7a45a9e93db791963bfa0cf999383

**SHA256:**92732cb26a774bc3e049c7e212d8ef1425413d63522ccca1fb1b0696854da4ad

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: momentjs.jar: nb.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nb.js  
**MD5:** ee293037089769cbdbbf9f2dba3e01e6  
**SHA1:** bfed5520bb401c83f0b391cf09ab1907e4362f2e  
**SHA256:**36f088dce675389ff1b12afe35703b6d166cef8df8a24e1e1d6ecfcf7be84fd5  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: momentjs.jar: ne.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ne.js  
**MD5:** f09e1496b96096e594254145053e777d  
**SHA1:** 601e6b5e8ead8fac21d661c4cb1f5aee22c96755  
**SHA256:**804bbd6c30dc3b74de711a44f9019db06210323a0db31e53ce730feab5ea6275  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

### remotegui.zip: momentjs.jar: nl-be.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl-be.js

**MD5:** e50c24ded5247900814470d1a6cc8854

**SHA1:** 73d12dfe3645a5ea9e0b6c4d5b2a5f28ac022af2

**SHA256:** 2bd27e18811c7363a1b46b815173d626102523a2f76854792885166f4a99eb5f

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: nl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl.js

**MD5:** 843085f588379356ba9556d93aa9ccdb

**SHA1:** afe70913fffce08e256c3c9ffe350272bcb791a0

**SHA256:** 037e055b18b4376112d853e3d357b217dcc0bfd3990e0155b980ff622b4ff8d9

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: nn.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nn.js  
**MD5:** 7c29b42f21ff6b7e0b1f16ebb20d2a5a  
**SHA1:** 9464502746665d34779fd3e7c9c05212db534556  
**SHA256:** 66007f84c945a3475100a3024d5fa3d430d6e11e64de81849e50ea73e3f390be  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: oc-lnc.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/oc-lnc.js  
**MD5:** 16a8d7288d0007906a6ebb39fd954265  
**SHA1:** 5442e9e7ee72e6f2ed438139d5779ddcfaaf471c  
**SHA256:** 1e03cd598c495e4dca3bae56e3822cacde57333ab5a85f555c582e104f54261c  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: pa-in.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pa-in.js  
**MD5:** 8247ac1929cfdcc902a77542e9fa470c

**SHA1:** a0270710978d4f03b32a4d5cd38065d6d274729a  
**SHA256:** 5ba548ba7844a1c5c4a7f003337237f940b5e8aa67254fb90e1a05a66f2b43ac  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: package.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.js  
**MD5:** a26087930b5278aa21fd79491b952ac0  
**SHA1:** ea880b139fa5aad30129356d4c2b61c7acad7452  
**SHA256:** 6334f70497c6d8fd22adb3089eec30bf1e2b3dacf92508df52eaa7a8aee12bba  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.json  
**MD5:** f1965dc95e9d5ef4816ffbb597d484ab  
**SHA1:** fa7b033b3a1adcb85370480289e6a60cfd21ac89  
**SHA256:** 25f5d25a676dda5763fea169d93a31dc12bd0a6d5d7f352379c8afcb1e3d794e  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: momentjs.jar: pl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pl.js  
**MD5:** ea2f9b5ff7c97f62603f1e8786708d7a  
**SHA1:** a9b097f9c1dfe0872befdf47995602029bbd22c9  
**SHA256:**5435a1265dacc269403f275095e24a63ff3b8bb0f95908f7a2a987fbe2ab9e43  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: momentjs.jar: pt-br.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt-br.js  
**MD5:** b70a96c3353ca41f14b5628aaeef6461  
**SHA1:** 02e3841b0ed1fbf086a5b8bc1be8cf835cc9d8c2  
**SHA256:**8a8b165be42795d9e945e7494f38ea353ee2f7eee7eab123073f3a42ce755687  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

### remotegui.zip: momentjs.jar: pt.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt.js

**MD5:** 71f120e6f7682b0e80a9d5982b8a4711

**SHA1:** 49494f7c1cdb36294b6d640a524c2cf19eed12b5

**SHA256:** 89e4c2f2d351ad7e2fefec9332778b16cd4a31858ded9ad6fece12fd9db94ac2

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ro.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ro.js

**MD5:** 84b1a53a794d8749061a53eb558110f3

**SHA1:** c2241e36357a248cdc870a8f83c19d12a031b479

**SHA256:** f66bcaadde14018ffb3bce26ea8ffc3ce36cc65c4c1e9ef9ed6cb321b7ae9481

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ru.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ru.js  
**MD5:** c66d22693e1e950330471ed9de408aaa  
**SHA1:** 3f4b2156029a26bc408cdfccf5812bd125c760cd  
**SHA256:** 47b9c98d906ddc3d7b7f40e604d793fff2e142f7d788f6ac0deac5030458ef5  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: sd.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sd.js  
**MD5:** 115132c218de16cbea034b2762b9df9d  
**SHA1:** ff940a6362744a8258e15cb09c4e4b46c48f3ec9  
**SHA256:** e5f27127927a41eb82e45491e52bd6a529d3db5e6cd519c48f7473268909f6c3  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: se.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/se.js  
**MD5:** d63f9c00eb2beeff26eabfea1406a3bc

**SHA1:** 8fc07d6276adf84ab94a1d352d55c105769f9017  
**SHA256:**424ed10805d004f217b44ff6a0da5bad51d8f3b25577306f6e1f59c387525da2  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: si.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/si.js  
**MD5:** 0bdd326bd6fe7e94a1c3fed06cf79cdb  
**SHA1:** 6dc83c8bee2af014c11994abd5f0718ed9c4dc64  
**SHA256:**8e7582efb99ff00bb7aeb6de0bfa65792592a5b4e81ae6caa7bf8cd8cb3180de  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: sk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sk.js  
**MD5:** 0d4c93cc1adf0c2fe5bdcd7b1cca213  
**SHA1:** 17c72fd3b31573f097f962b851fc82db22f217c1  
**SHA256:**7685c076b71fd8e36c2cb84c645bb3a75d84566f26c3682a2792f0113b4d9b16  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: sl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sl.js  
**MD5:** 11bbdf40343f7ee615144b2c3df93d54  
**SHA1:** 853a6dcfaa15df6205729d754739633de7e3f667  
**SHA256:**ff2e8352962c2d13d114356c863701f2473651f6491639e1826ab417d0377f90  
**Referenced In Project/Scope:** server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: momentjs.jar: sq.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sq.js  
**MD5:** f5c6cad85947f97d184ce17397145e3c  
**SHA1:** 1817cdeeb3261b7f03f13902a7d8adfe46c36a65  
**SHA256:**9d7d061c245349d6897732c90ad57841c9132b9b556be07a24dc76ff17cf75a0  
**Referenced In Project/Scope:** server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

### remotegui.zip: momentjs.jar: sr-cyrl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr-cyrl.js  
**MD5:** 403a704d0b31d44f5d43a05f060f879d  
**SHA1:** fe545c0831b16a2393a771221f2daf3f8af50cf8  
**SHA256:** e62567ebcb6434f8652b1867386d7324c06d1f226fe9fad0517e658503ab496a  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: sr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr.js  
**MD5:** b5752681e826802ad4578a65d446d2ab  
**SHA1:** 18c79b7064d378b578c83facf15be80314e34581  
**SHA256:** 307eb8be823a2997ce88c5ad8c3ca19e7a6345f116331fe3856659665de0d453  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ss.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ss.js  
**MD5:** e61a001b0c3ea5bebde2d4d96d7c19c6  
**SHA1:** a26e124883144d6ac990722d7915ceb80a44f7c8  
**SHA256:** 0d8a08574cc28602738aca72bed6364e88dd93fb2131a20c06630e3dd7565945  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: sv.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sv.js  
**MD5:** a276c85890a03d5a55715768969516fc  
**SHA1:** 135396ef7e63b71af3df1cbafc5b060a32aeea4e  
**SHA256:** 08f8dbba970b89522adaabe609f47a3f20857c0985967888124f9204f4c3e2f0  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: sw.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sw.js  
**MD5:** b9e0ae98f621d6f9a622fe09225978cf

**SHA1:** 42f76f09c8d7049758fcf8f78e30881e6681c40e  
**SHA256:**d6056ac79071a9f60793825357dac3ecf35c43acf10e02a65f1892f1fd9cc0c1  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ta.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ta.js  
**MD5:** 2b48e3a057ec1ecf49d4e16d56263ed8  
**SHA1:** 94a700dff6eda352ad3a2c4d7f5a4dc5e6219321  
**SHA256:**2dae88a3138adda69fdec54914461ec28d4fa5e720d7626ddb3fb91a74a2ab6b  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: te.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/te.js  
**MD5:** 39e36c17c46798dfdcf0ddae92610807  
**SHA1:** 1168038e9d7c735ac44fc0eca95796067ca7b51b  
**SHA256:**2cc07292a2ab5702d8e1e849ae3b28cca5c6194d0d150ec637c6289d9d864e32  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: momentjs.jar: tests.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/tests.js  
**MD5:** d39f31787b27fc1bb028ef80e699cd7c  
**SHA1:** 4c0335c7f8c19e26ecdd2f9f0ed08323507031d7  
**SHA256:**895d3ab9bb945f1f86903438a18c9fb308e84a912e4859da39fd1bb08da63e44  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: momentjs.jar: tet.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tet.js  
**MD5:** 0a6f7fbd649b280c8fff433d32591867  
**SHA1:** 15f108397be93776a1c232f3de813e27f305550e  
**SHA256:**d80dcb236c671594af031c93d32ed883c322a6f32bd25637d454d7b9d9e81593  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

### remotegui.zip: momentjs.jar: tg.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tg.js  
**MD5:** 83e93f32f7f488c26def6938e280b716  
**SHA1:** 59886e50e9d7e53beb111b317d5195ee0382050e  
**SHA256:** 24c8928619c471831467afc05aca6f0299e40b418b78bb30b4d66942d872d2bb  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: th.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/th.js  
**MD5:** e14a3488b2c85b54f65262d6fcc6b1b5  
**SHA1:** 7697e04cbe08eefdc5ad4cefca7ea7ef42cac791  
**SHA256:** 9911634c353a7ce63a81139f914552fc80a499029a803ced8b32b6af88c53bf4  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tk.js  
**MD5:** c01b5d264b1cfa34c4723e995439ebb9  
**SHA1:** 8445ede8c1ce77556495f9a5469ead5d3b2b3ee8  
**SHA256:** fc6654229cf3f6e6bb2aeb5b70dc4e6adf7f307575af9d15b7a31aab897a9988  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tl-ph.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tl-ph.js  
**MD5:** aefa584c5d3e7690a710b144fc505a7d  
**SHA1:** ccc8535e56aeb0b2c2991ec7c2c232a16334f09b  
**SHA256:** e324f1791432534af3ada36c185637db02eaf3d3ed8f88ddf143538dc484cc3a  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tlh.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tlh.js  
**MD5:** 59508c37879615bd0a0beee8f69a28da

**SHA1:** 15324b9edf1a3e7bbc52b1e510ac53def8ce02ef  
**SHA256:** dccea1319a2e92d9bf373e1d8dadcd4a130e1fa2457d7a66dd035c3cb93601cd  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tr.js  
**MD5:** 0cf5765f4f245b2cd8a21dee0c3c92ba  
**SHA1:** 7eb8afffa83fb85eba987c80a934c6ad30a23b23  
**SHA256:** e8af125b0bdb3c15ff5ef2eb171bfe698507a026a9cab54bedb0770cdca34fb2  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tzl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzl.js  
**MD5:** a2587bce05b5fa3015dce4ccedbdc802  
**SHA1:** b9c4bb7a9f9ad9dd515bb9de82be90d0d4932fe6  
**SHA256:** 393e6424d498fd2abbf646217a197b61c4c57706e6b29ec2873ab20e7bdf6970  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: momentjs.jar: tzm-latn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm-latn.js  
**MD5:** 582198d314e9ced1007620d4e7701734  
**SHA1:** 17859d3345ae82ce39d5d036649c1976b9e4474a  
**SHA256:**7909cef0eb3080599c24794c079e05ba07af565f198450df0ad411c85be45030  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: momentjs.jar: tzm.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm.js  
**MD5:** 69d71f7f7674fd7f8b35f14dc179339b  
**SHA1:** b5166e0443eb54c38185227e954cd5cc2b1f589b  
**SHA256:**e6f3a2e2e3ca86953e2c06ca562607a95d2b5129e751e5e0905270f3e56a1f52  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

#### remotegui.zip: momentjs.jar: ug-cn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ug-cn.js

**MD5:** aad8845e8fb63517d21b322fef4a3545

**SHA1:** aff6b2361311a6475b9fd755bf63d23e3e6132b1

**SHA256:** 58de2ad653876b1eb27ceaffb0037ddb0e4fb7917e111fa7a88ef8ab01fd041d

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: uk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uk.js

**MD5:** fbe69f339b236b654b3e41d8d8b56536

**SHA1:** d9fdc9224f535c1338048858a9e457558f95349e

**SHA256:** 725764b2851d3db79d8fb20b96ce7708cd1dc60c6ca6f37bac4df2350f3ccbf4

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: ur.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ur.js  
**MD5:** 3da71179953500680163984295abe43d  
**SHA1:** 2fdee5b33f8d29a565d84927fd333a2d9d41e5b2  
**SHA256:**c89fc485a14cb20c0576ff20bc3d157e1296f2b2ddfa8035f71e8b58f61a29a4  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: uz-latn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz-latn.js  
**MD5:** 75ce0ce4c28806c32575c4f28ded6185  
**SHA1:** 2648a6adc3ebb4dc12b070a5cc0a126050cf685a  
**SHA256:**3943e946fcad9c965f147c50e08da71d3270239175de530d1f48be6fb44956ed  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: uz.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz.js  
**MD5:** 3d11efeaad9c7b7f344eb8beb691a2d3

**SHA1:** 73ce197519648ecb5e6756bb2fb953688b42af2a  
**SHA256:** 9f22344f9ff69b1cf5546c975fd8847884bb032216d15054ea267cb964a09b08  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: vi.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/vi.js  
**MD5:** 28c7ec0c4bf82120245da0d15112f4b0  
**SHA1:** 1470d1969733e49331f2e435910b045e6a0a518b  
**SHA256:** c5db03ae438e4c55a6edfa004540aaf1def14fe0968f9ed3e03fe7dd7c3faf03  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: webjars-requirejs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/webjars-requirejs.js  
**MD5:** 34b1a7dcca0ee03eed1432670ed9c472  
**SHA1:** 9de80e951270f04bbafd39d9d7822df4f7d08839  
**SHA256:** 197295e6af66b25f2aaa0909c6911f7c1c76e24eaf170d9cba2d84644146bfeb  
**Referenced In Project/Scope:** server


#### Evidence



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: momentjs.jar: x-pseudo.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/x-pseudo.js  
**MD5:** 18b5b8d8f2f327f6d5ec947e550f35e0  
**SHA1:** acc470244b95f709e4b68e7ab94b2c645f929f47  
**SHA256:**ca8ab052a09b2f320574c71c472609e026b4aa72c87a06f204ff33670249e2bf  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
| • None      |  |  |  |  |

remotegui.zip: momentjs.jar: yo.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/yo.js  
**MD5:** 42b28f7a2ea67c7b5a342c87ef0a5771  
**SHA1:** 84f6d714e3aadf74ab8a755b465df7ec8215fada  
**SHA256:**d80655b604558af2855f5b67b21b28ec5770985b67fde59e94e1168e5f4795c8  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
|-------------|--|--|--|--|

- None

### remotegui.zip: momentjs.jar: zh-cn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-cn.js  
**MD5:** 49fa27dd7c374122f336369f30a87973  
**SHA1:** 768eeb42e5372200634e8825680c6e18b0c8db8d  
**SHA256:** 53138532aad7c571af10cf6b17a678552e9a9e7ef5014d250f97af8dc61ae6e1  
**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: zh-hk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-hk.js  
**MD5:** 9338eb6ad8e887a63be4fbba05cab197  
**SHA1:** 92340e4f48872df241a47bf9bd13647092fd25c9  
**SHA256:** c6d7de0d1f5544a1d3bb64c7eb27481b30316766f1214fbb5b1c6be358a4b921  
**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: zh-mo.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-mo.js  
**MD5:** a986f68bda18d9751f6bedd7356e6e7c  
**SHA1:** 6cac0e5b7b9e15ea799ce6a1575be93df4832c87  
**SHA256:** 874ca3806f556c5809842613ba410c965111ea9441fb949a32abe2a7c3bf7f8a  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: momentjs.jar: zh-tw.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-tw.js  
**MD5:** 94fb46a7c1ce21f0a91512b170d4fdea  
**SHA1:** cb69c6ca687ace454432d994ae5b624ba9011b62  
**SHA256:** 62fb1b36d24050120cadf807b975ffe9d7986aeb41a0f4ac218c3ad23a1c9b1a  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar  
**MD5:** 97ef479f8a4d457b702b27152b733e40  
**SHA1:** cef48819c2de2fec05db176e3dd21e5b84e46d76  
**SHA256:** d270e9e14c8f67e8ccefd7862b8e688ca2689caf62bee035f07718dc3068afd8  
**Referenced In Project/Scope:** server

## Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | remotegui                            | High       |
| Vendor  | jar      | package name             | gui                                  | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | remote                               | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 17:19                     | Low        |
| Vendor  | Manifest | implementation-group     | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | remotegui                            | High       |
| Product | jar      | package name             | gui                                  | Low        |
| Product | jar      | package name             | remote                               | Low        |
| Product | jar      | package name             | shared                               | Highest    |
| Product | Manifest | built-date               | 2025-10-01 17:19                     | Low        |
| Product | Manifest | implementation-group     | shared                               | Low        |
| Product | Manifest | Implementation-Title     | remotegui                            | High       |
| Product | Manifest | specification-title      | remotegui                            | Medium     |
| Version | jar      | package name             | shared                               | Highest    |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High       |

## Identifiers

- None

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/angularwebsocket/angular-websocket.js  
**MD5:** 40cf028986784d5006d57219f6dbe0a8  
**SHA1:** 40efa9ba93f90c2933ea22c767a0b1439e10303d  
**SHA256:** eb77f7788e6b757192f2bf8c6af6560731c3539b06fdf7d476e92b989ca50b0  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/app.js  
**MD5:** 6f61e39f7ed0928ce2046d44760db061  
**SHA1:** 1a79dd0d084db06894770d115b3b808a0d8c0ecb  
**SHA256:** bd0c38131628418202bc8a896fcee79fc4933ac37da60263562ddb37ede2f26  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/login/js/app.js  
**MD5:** d9a96ed732439b0dc0417d960d30b667  
**SHA1:** a7b2247fb71c27e9eacc8f24859fb993be8d95d1  
**SHA256:** 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93  
**Referenced In Project/Scope:** server

## Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

## Related Dependencies



- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/app.js
  - MD5: d9a96ed732439b0dc0417d960d30b667
  - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
  - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/app.js
  - MD5: d9a96ed732439b0dc0417d960d30b667
  - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
  - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/passwordreset/js/app.js
  - MD5: d9a96ed732439b0dc0417d960d30b667
  - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
  - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/app.js
  - MD5: d9a96ed732439b0dc0417d960d30b667
  - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
  - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/app.js
  - MD5: d9a96ed732439b0dc0417d960d30b667
  - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
  - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93

## Identifiers

- None

## remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/app.js



**MD5:** 6ad83588ff8ae2fca8a22a9973c9a22e  
**SHA1:** e34a66c038feb5d7eaaebe6f5641ff754ba2133a  
**SHA256:** 171ea457d3942a068d637c9c416f4314d2e337896c4c06466d5048d1b207964c  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/app.js

**MD5:** a92b24ddb292c48b2b37f8f612dcf510  
**SHA1:** 4fb6c8ec1c639068e82cea773e346402bee5db6b  
**SHA256:** f9a5dfaf43cc245a92f3da0e6a6a05df73027571f820767630c897274510e125  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: appbadge.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/appbadge.service.js

**MD5:** 4fd729dbd4e3e172e18625eeeb1d21f3  
**SHA1:** bda842fc94e89b87c8ac7ab1fda990058708c679  
**SHA256:** 8ba199a5047196dec59a090d09d62628d962bd4827c6f58491688405af98bf20  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: authInterceptor.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/authInterceptor.service.js

**MD5:** 7fa3864d221a30bc7380c1d61fd0127d

**SHA1:** 7711e764bb81e7518be8f1582ba36c0bcaffbc12

**SHA256:** 78a5ae26f5463a9ffaa3aba943dcc4a6852dafea4e6a161a77db4e57e57c9565

**Referenced In Project/Scope:** server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: avatarcard.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarcard.directive.js

**MD5:** 42e2eeddd15b1c78fa69908f6680ee70

**SHA1:** 700e560ae973d1bc7fc1533f10000bff031ae452

**SHA256:** 1f84952e5877f9a0a2bb6de1db33baec5f4bc55d5aba12f70cb4f7a6f79729d0

**Referenced In Project/Scope:** server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

#### remotegui.zip: remotegui.jar: avatardetails.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatardetails.directive.js

**MD5:** 1736536ca17f8949cfbcea3546666700

**SHA1:** c6d2b53e9caa1ad5b19f0063a4c7f88c31784ccc

**SHA256:** 5bedc4c3e7b3be6a29f2c85fbd2881b935f24172fd42d5f893f221c1972bdc5e

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: avatarimage.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimage.directive.js

**MD5:** 70e2255c02822aec0a74da3386baa781

**SHA1:** 927e3a72f635deb32b6dd3bd1e3deea711b73521

**SHA256:** 9c3a64b8c4c5e6bdeadd27b840e1835d240e7e291b2499e331545d0f3d6fb3da

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: avatarimagedetails.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimagedetails.directive.js  
**MD5:** 30a2af71a10ee42a8e840c52dc445a33  
**SHA1:** 2767a8c4d10f738a7cbc2f0166473a721724465c  
**SHA256:** 4c5603e04daff5cb4de37b3a8e120e0049036ea10683980c3062c96919d1521e  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: basic.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/basic.js  
**MD5:** 6ce37bb0cdbc3e8dfb60502a14fe7566  
**SHA1:** b5cf170633b03bb7e703f0fe1369c71a0d451dae  
**SHA256:** de45f22f52903c15f3869bbbf9856da834d7a0d535bc5138832434984996079  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: bootstrap-colorpicker.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/colorpicker/bootstrap-colorpicker.js  
**MD5:** 66fc7adafdc312da33c1610ddb02650  
**SHA1:** c0fe35fdc3e1a7b23415601264ee3f5f8b6408ba

**SHA256:**359ac587e9aac88dcb26774fea01a3b04b89ff8f8d49c36b0dff82d0ca3f2a9  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui  
/angular/datetimepicker/js/bootstrap-datetimepicker.js

**MD5:** f99cb51a76e41db0a93720a7ab76f79a

**SHA1:** 811d10b8029074990b4328164ea5645759789a5e

**SHA256:**3ae825ea00eae0f2169e66d6574fa1e8323b51bf253091bb5a66df76663d37ef

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: browsercheck.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui  
/angular/weblib/inet/js/browsercheck.js

**MD5:** 2a66f45992dabf075363ec46a8f1913e

**SHA1:** 6dd5a0ea9f6b8471d5133f32a13090af611156a5

**SHA256:**9591b9925bdfd5c199c34417db703dda37c469646adfe38409453527af025015

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: changeavatar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatar.js

**MD5:** 8d2dac6b040a8c19644f32bf31bd71a5

**SHA1:** 71bf152e7bc6f067ea04a5b3aa1cca0a77af4b2e

**SHA256:** 2dee1dc75f9ea3da5c18de2d3f7ab5da477c1b0e29952f28f14ec488140c3d0d

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatarcontroller.controller.js

**MD5:** f4c8b7a6dadbe05f4e359733f723d5f6

**SHA1:** 119cdcaf2e65398e1f02c279bc915fb748c851e7

**SHA256:** f6cdf51e77bf2b01b8d6d81d62929f453e651b07cecf5ec1a592556855c297d3

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: changeavatar.service.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatar.service.service.js

**MD5:** 0867b1420c57ea1bd0df6b217d0f0a27

**SHA1:** 3b540de9bd01aa2d887ff4690636a46d59e54ac0

**SHA256:** a4e383e6b3971ae28b1ab569fb9bd73553c7155615dd6684f9eb1db4c28f9ca8

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: clearreports.controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/clearreports.controller.js

**MD5:** 3e7fceb2b9ef747bc218cb75a43c2f00

**SHA1:** e73d081fea644eb31534bca4d63d8e37a5f2239f

**SHA256:** 565b256ba888e792b1e08f6775f46d4db5f3e7cabbc6e07b61321a8f8b207053

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: collapse.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/collapse.directive.js  
**MD5:** c1382e5bab1e0095998e5b19ac91f381  
**SHA1:** 2bfacf81cdcdbc9919f24433ada8d3d78ff826a  
**SHA256:** f09aeeb80d0d0811b4e6c9ae46d2a975cfa372d339236dc1f74e238218a60be4  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: colorPicker.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/colorPicker.directive.js  
**MD5:** 21ef7608799862ae50c2c74f78d0a9fc  
**SHA1:** 747b3d2b2615c51fda36d4177ff6742a3f254784  
**SHA256:** ecdde453424a6164c70d2a8ae42bbd0e2f36aa424dda81a021daddfc3be97cda  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: connectionstate.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/connectionstate.js  
**MD5:** 4a6174bd421f26ebbcfee0cd497cb818  
**SHA1:** dd1fd437528d6680073b6ec992627e58a7117d1d  
**SHA256:** 4b755f8f5c4c823a55df73cda77ecfaad11829b5945c0f60e9c3be0de7ffcaee  
**Referenced In Project/Scope:** server



### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: remotegui.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/controller.js

**MD5:** 8886375e9fdbaea08407ec6d19efb81a

**SHA1:** 1e0b4d981a4a8cefe6737624ea1f4ab9636116e9

**SHA256:** dd9f87011fd0cb0ed630d3f392e7527a62dc516584014a2169a411d783d683e3

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: remotegui.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/invalidlicense/js/controller.js

**MD5:** ca1979cf2df78c9a22c96f3478247107

**SHA1:** 6b8bd8aa94a41d55d9b5c11f37a6e0a2a25a5a5e

**SHA256:** 2e689b5bdc728198ed225e4e7634d0bc374f6d5f0190f706808d3c1857b1591c

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: remotegui.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/vetomessage/js/controller.js

**MD5:** b3d1cbd2470d7a37317a1a3b2f731b76

**SHA1:** 8be451bf390bbc31e274d966fa238675d192598d

**SHA256:** d478572d76089fa663779be7fb47933ca9c7bec7f97ada36dd8d7ca80f6f4eb5

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: remotegui.jar: controllerAbout.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/about/controllerAbout.js

**MD5:** 80b4da64ffedbe3c3523b55e2bf326

**SHA1:** df84d88eb510b8e820880297404310f5a8795f4f

**SHA256:** 48bbb094dfff3f6b7dcf787d12214c26dafedc27cd37003b651e1ce179026029

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

### remotegui.zip: remotegui.jar: controllerShortcuts.controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shortcuts/controllerShortcuts.controller.js

**MD5:** 9be25409fea8e060b32a3ed16afa0496

**SHA1:** 36808df213a842d807c44b517fcdabd52c7479ac

**SHA256:** 18169a2a57beb8edc203674e334cd2eccaf262635e4cea0b408e2f8608338008

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllerUserTheme.controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usertheme/controllerUserTheme.controller.js

**MD5:** 3f22da2a31a50aae9eca2ddf181a32e6

**SHA1:** 92ef56f938fd823a8d2d234190af4aff18ce8223

**SHA256:** e3b5b9c6ba45a9f4e7ea82817ad2e4eebfa514eb88f0056ed61741a37917049a

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui

/modules/login/js/controllers.js

**MD5:** a8ac2709cc86b403df12e2112b1c50da

**SHA1:** 344a480dca6074c311786b03a13aeaff5cfb58a3

**SHA256:** 3efd28cc6f37f33f4c99fcd534349933d13c07cfbb85ae6b424c7d0889e968fc

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui  
/modules/logout/js/controllers.js

**MD5:** 72df17aceff55a08379e0d53b414a348

**SHA1:** e3364d95d630e8ee2831c6f8c043e380892303de

**SHA256:** fde8f9a6bd901c3a4fb1eff6e1b28cd70ed29ecd1ca0eb4d516fe8257b10866d

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui  
/modules/masterlogin/js/controllers.js

**MD5:** b7ce1065cd78fdac56af02a9c2990479

**SHA1:** bb6e0f303c2a2601864542d89f2e2f5da4cc582d

**SHA256:** b062b60f3c71cca9147df8429acfeaf1333646ebed0a49abfd57e828594969bd

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/passwordreset/js/controllers.js

**MD5:** 4dbf4bd5e209bcf9da2dbea374055b93

**SHA1:** 87bc7d80e618d023de04a942c4bcf78a0f63ef94

**SHA256:** c4fc820510883428e8b7f8cc620917ad024a053406fc8e06a1f5d291e7cb8277

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/controllers.js

**MD5:** f0eae135a9846e9583286cd7e26e16c1

**SHA1:** 2ebb1635a8de2bf5a5b733d22be21e702b12b72c

**SHA256:** 03bece9cc5a2def46cb9af89cf57416e825bc861f4bef8e388418e2e2f7fd2fe

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/controllers.js

**MD5:** 258465212e0911f69571bb053df33a43

**SHA1:** 91a7f8521507ac4c7f3694cf5dd955417828e559

**SHA256:** f3cd796047cab32758bcd5425fddda63249ccf268422094f9bafb9183d52a13b

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/controllers.js

**MD5:** 17128560e8941aedb7e852204f4a179f

**SHA1:** bafe38ec75526c6f24a08468efcb54b174af8a12

**SHA256:** c86e24d128397562391debe2cda9c5a59382ed887ce040fdd950fba13307b093

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

## remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/controllers.js

**MD5:** 3451d3dc4466d917bdaaeca802ffedae

**SHA1:** cf35aaaad9461c21764024842d788d1ffdd36bd

**SHA256:** 81ee322dec22a872c1c1b2cbdeb032036fb825c53bb8d0fee0270318ed49dae1

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: remotegui.jar: currencyNumber.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyNumber.directive.js

**MD5:** baae690d1879d5770a785db43c416078

**SHA1:** 6652a3fc50dbfeff6d2c3ba5d163b6198d48952a

**SHA256:** c6cf472a9ba060122120b728e7f034a46b42e3b035ef56144ff482bfe5092cf4

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: remotegui.jar: currencyValidator.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyValidator.directive.js

**MD5:** 73a660a1b69b3c877a80104908dcd0fe

**SHA1:** f452a6e6a90eafec046f8364e92e8991639fc0e3

**SHA256:** a54b14192bdf0b13eb46a513c0de90d2217df002a87b69aff4a97a2b438e78a

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigItemRenderer.directive.js

**MD5:** 614bca272bedcbaa6f867d223c67ca6b

**SHA1:** 158169ab1d6de578cf3d3157b44fc5568a0dff9d

**SHA256:** 38d245ad840d4d01acece7fb531bfaf683e40367b70e1965761df25378601795

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigRenderer.directive.js

**MD5:** 646c45383035b8a172b1e3cea4462065

**SHA1:** ccd25b4652f738ffd5db41da6f2c01b9bf2e8fdc

**SHA256:** 366ac5823f773c9420495a3f7cceb31703515e7840963340d9b088a9a280b8c

**Referenced In Project/Scope:** server

#### Evidence





| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: remotegui.jar: customemojiupload.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customemojiupload.js  
**MD5:** 5ab9bc583256cb4bf16a2ed2611a694c  
**SHA1:** 8aa95d9a6f7aa446ca449dd06a22ec766e011c3e  
**SHA256:**10c1b4c00e9ea48d9216001bfde435ad3d978dc7924328afcde5985e31cc5052  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: remotegui.jar: data-test.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/data-test.js  
**MD5:** 0bf0cab1b86930641a40d2973ec43f5a  
**SHA1:** 1b7a4fe37b3c6e007214f9c723db5b3d0ca7878a  
**SHA256:**4d4a8637b7d7ccdc780a838e6524a1ef9d1ab35b425359d03aa08db039d69660  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

#### remotegui.zip: remotegui.jar: dataservice.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/dataservice.js

**MD5:** 78f781249b28482d2e48cc15713b8fb5

**SHA1:** be00284d2473c6eec88a36d5b121f40e90f812ea

**SHA256:** a0f7b276a906aa54b6d0431fd525c527d2dfdd25fe0146cc1cae822fdca12a75

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: dataservice.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dataservice.service.js

**MD5:** a0abf2ba0adab44349a929fa37dc4c1b

**SHA1:** fbc197759253e4eb2a469ff121ec4dfdba229889

**SHA256:** 79fbb725896e7a3d0af0df980d6348d8d4ff3a4d8e197469651f67fe8f93fe4

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: datepicker-de.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/jquery/i18n/datepicker-de.js  
**MD5:** 797fabcb912b0290ab3e259ffab24855  
**SHA1:** 46bdb9bae4acf4a0f014121d0f9eaf2d5c15cc63  
**SHA256:** 1bd259fc9bb5d2965296710ef6ea072f59c2ad669173e47958f672d0ee98de1f  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: debug.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/debug.directive.js  
**MD5:** af5e64405e9df914078db9c21e2d6cd2  
**SHA1:** 9daecb829ec4ef49f5ff9415f03c1130b97cdfa9  
**SHA256:** 7e8f60d4320fb77c329b93858e2cb2435b756cc939395dcb0259f9324667cb25  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: dialogservice.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dialogservice.service.js  
**MD5:** ff3705252f1a1e7205abc5305b16d24d

**SHA1:** 5d137431c4fecf3c36e40aa0024d48f64c0f3b9a  
**SHA256:** c030948a627465a777ae0f4a631c5cee1339c36a6fd57b5feb86cccf2b57569f  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: directives.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/directives.js  
**MD5:** 19f28ec5f19f91bee0b1c9e74e173dc1  
**SHA1:** 8f3d5294a051eabba98d8b9ceada4b2411210e58  
**SHA256:** 0543ab08833d1e44de5f6c23d230703cea6ad2cb637577549e308d185afea1fb  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: dropdown.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dropdown.directive.js  
**MD5:** 34a62e5850a9c548493cfacae2971677  
**SHA1:** 72304276999b43f29dd0ba3cd13829e7208c6d65  
**SHA256:** 575b84426322c7c3724e5aac3bdacee5d92bcd2ddaecb017ff9bad91e1a714b9  
**Referenced In Project/Scope:** server

#### Evidence



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: remotegui.jar: emojiModel.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiModel.service.js  
**MD5:** 38564647d31b6797536db5765411e4ed  
**SHA1:** 48fd70c8edf0adcf125823e861e4a139a381cbcf  
**SHA256:**d22736cdec4e2e645ac67859b8dd33c6af37c304f60a2d1da1d4faefb33f087e  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
| • None      |  |  |  |  |

remotegui.zip: remotegui.jar: emojiselector.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiselector.directive.js  
**MD5:** cf4481407a72642bb8f659e8b1811a6d  
**SHA1:** f5b4d06097e39d132c2e341005a5f37945e6d25b  
**SHA256:**c9b023b87ba265d2fbc5af9dfaf4d739f2a5445ba1368d9fdf02f7cc0e07e307  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
|-------------|--|--|--|--|

- None

#### remotegui.zip: remotegui.jar: errorservice.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/errorservice.js

**MD5:** 785c07e4d15b2f2a72b41c819a95cff6

**SHA1:** 00face8e88e24ab885ca5bc0ef14948c87bcbb87

**SHA256:** 23319ffbf9167f0a5945db9b9b2c730b84a90d9a58660c76c6e7dc24d2d395f3

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: errorservice.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/errorservice.service.js

**MD5:** 360281c6620553158495b0209b5f061b

**SHA1:** 5b97c5e92c061efde53949663bdac202c1621e8f

**SHA256:** 176a28354cdf47070b01c03759f35cc1c4ddfd293367421a058ffaa68647ede7

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: eventemitter.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/eventemitter.js  
**MD5:** 3e9e49ddf3534bc5e1ff95b7f17367c1  
**SHA1:** 56913966a816d180fc0215fbb438e7e6fe9517c1  
**SHA256:** e7e4248b578d827250e51c12ab9c4e806195260c1750aa92c16aa02989ec9adc  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: filechooser.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/filechooser.service.js  
**MD5:** 5e0b478b81135a47200d26a4a107206b  
**SHA1:** 3d4059f43cb16ae92568642a830284b20cdeeea0  
**SHA256:** 0e01b0b88c94036b3237e64cc2115f2a7a8331fbaf7714fdea8885598887325a  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: fixNumber.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumber.directive.js  
**MD5:** 4012901ce3b8c0dd2c30de58b4010f93

**SHA1:** 2f74672bcb93cbc5a5ad537ab900e5ea2993244c

**SHA256:** df68e84e582a52b12400fdb1ef79d935013e189579795a435a6ed8055573c35

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: fixNumberValidator.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumberValidator.directive.js

**MD5:** cd63efa13934af29deb8ebaa34d99d16

**SHA1:** 6b6c6bb19f785f4cddf2aced9381c3578a3213f5

**SHA256:** 8d6e9515be7e1db5f56dfe91a1e96c91b8ca536f4ffdc31614a30a5a7e7dad88

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: floatNumber.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumber.directive.js

**MD5:** 0b5378d3a8d7f79543eefb43bd125bcb

**SHA1:** 0c50d5b03526ee6a4b5ecafca50e139183e64bf6

**SHA256:** e1e487d744826c96b46a8e946a32892ee07520f3f29e421d243df51291f729f6

**Referenced In Project/Scope:** server

#### Evidence





| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: remotegui.jar: floatNumberValidator.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumberValidator.directive.js  
**MD5:** cf0422e6f9e9d1503247ff475d10d3d2  
**SHA1:** c0d2a9c1ba8905a8853b7880e484fd2546bd91cc  
**SHA256:**f64676d8ca0e5be8cdbcdce1658d71f18608aeee7229a43e8076139ddf5d7f15  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: remotegui.jar: globalactionservice.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/globalactionservice.service.js  
**MD5:** 6d4f2194f51d48cc3b21f9526f7fee57  
**SHA1:** 30f480f24b629a9dd3a93fe04dca7eb04a20b677  
**SHA256:**8c1f6dd7a7ecd6472d75748edd38d98783b20e103c898220b2e3b25f4090f6a2  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

#### remotegui.zip: remotegui.jar: hdField.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdField.directive.js

**MD5:** eb473c0da5fce407a8585e0ecce20bc8

**SHA1:** 3f2b16de362bb37d19bdd9147b03dc59f1036b18

**SHA256:** 6e58cc4e6bd4b86833f4d7eb154a422d0ea77f2481cebb41cf784722eafa2548

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: hdMandatory.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdMandatory.directive.js

**MD5:** 5ebb609350c6d0ae645e8ac20cbb32b9

**SHA1:** 15bb7b61dcc2a479beee7e0162796788565fafc4

**SHA256:** 593ebe1d558142ea9e12a998fba8034c5539267794d3f1ae01fa61cc30103e2d

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: hdNeedchange.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdNeedchange.directive.js  
**MD5:** c3abe040e55d2f09b03b6ff4a839b795  
**SHA1:** 4ba516326ef10cdbac82bfeca2ef5a82122c27b9  
**SHA256:** 49e8d8b1fe5a2d491a81412531fe794b9b32dccad6536f9b06041e7931f83a8b  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hdValidate.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdValidate.directive.js  
**MD5:** e6e8c3e26ad3be54df16ec1bb887bb70  
**SHA1:** 4b1e88e7eed9dade1052f00086c2c09f18a0be32  
**SHA256:** 18040f9661212ce2406d973b0431fd3c320033bd4d6b931db124aeca515873f1  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hdattachment.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdattachment.js  
**MD5:** 16e85502191f7fe25433de5ad6c746f9

**SHA1:** 712909937e6a4ad47396146d4e79e4a3dd0b32e4

**SHA256:** b59d7f8b2225790fa30812d87d012f6668ecf1ce2d3a0cba04d987812ad2cd4b

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hdfupload.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdfupload.js

**MD5:** 75a66761b717a6997b593736a3636c7f

**SHA1:** c7dcef33b520474109257a31e81c13967de4fd70

**SHA256:** 1e85e4d3ca53baf4a8da1008aaaf7bf0b048d078a08e8bae3fa8628804dbe5b4

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hsimp.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.min.js

**MD5:** 31da02c3356fe92d686f09c9e9a2d3b5

**SHA1:** 77c9d1aae30a77bb4f4ff1015d9886a9fb2bad93

**SHA256:** 44cdb7ca377e6793dac301775332a628e89b3624b6330964a9e2592d1f5b0389

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: hsimp.renderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.renderer.js  
**MD5:** 5f06f676ed65e93315ba629f480077b0  
**SHA1:** 213a052ff56e4e0cce58b108a93995300b7f21b7  
**SHA256:**a6741fb1ac97dd1d59dcfb635c018a4fc51ee6bcbecf8f0928fb76019cf3658  
**Referenced In Project/Scope:** server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remotegui.zip: remotegui.jar: html5modeurls.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/html5modeurls.js  
**MD5:** 784c54f58e8351e6821785bdeaa852fd  
**SHA1:** 945f8e892ff235c347b61d726cbca71c51cfa0ec  
**SHA256:**3cb5e8d76193fd52fe4672a8510546b527e84df68876952b6965e146d816f97a  
**Referenced In Project/Scope:** server

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

#### remotegui.zip: remotegui.jar: htmleditor.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditor.directive.js

**MD5:** dc39ff4d4ed88e924ec83375565732e6

**SHA1:** e0296d02f1d6e4760c430fa1bd2b63513bdc6415

**SHA256:** 16ee6814ddf609aec305ff499ce9d3aee696fe42a59be2e31fbd4c4ceaa0da64

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: htmleditorFactory.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditorFactory.service.js

**MD5:** ae7cf9f1949727b0b0abbe02d00322a3

**SHA1:** 8f6ca76d2a1d16c23d015e5fc99c0b5eba633ca0

**SHA256:** ada0a0081829c6575f5107ad1f2b857976454e420b33fb4e11caa971d23243b9

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: htmleditorModel.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmlEditorModel.service.js  
**MD5:** 5065e5c03040fe00e77e7c35c9491459  
**SHA1:** a07cd621341d26b6a8af98193dad1b028e518a16  
**SHA256:** e4eb54f0aa3b0f5e3b015668ac05a9410b2fe4e2af0f796f3b9a9c1dc68de3e1  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: icons.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/customhugerte/icons/inet/icons.js  
**MD5:** 81ce9691eda2df21f0904f09079b80e7  
**SHA1:** b4a46ece9a2ab75c6aa0753ca006bc8b01d0169d  
**SHA256:** 870a4c211fd913aaee81fddc05c555949806ad233f9bdd1e5151b3b20a370fbc  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: indexed-db.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/indexed-db.js  
**MD5:** 8e18eb72cdab27b9f50d8be736fb5d3a

**SHA1:** 9a0e5e9098ca6fb8c1ff37a52cd41493b9c5b765  
**SHA256:** 8a7b578a09e75c8abf3b5c7796a3a9fdd812f0e1fe1b9cb2dde13c8ca4dec439  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: initUsernameField.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/initUsernameField.directive.js  
**MD5:** f3f6879a5d27234809f195e8361367fb  
**SHA1:** 24d20461bd9e38654b9feb17b07291ac539c186b  
**SHA256:** ce03423bc27bf8ae5f2a0ee43236549dedb25ae612839b3e645bc11849b5113f  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: introduction.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/introduction.js  
**MD5:** 89901332f1495e0cd0ee5b86914cedb1  
**SHA1:** 35a849463bb5de9d8fc94de631c5641743d37abf  
**SHA256:** afee3a22ebd23a8eac80d546a023e642c33409bc80ed5340e4372fc91cc30360  
**Referenced In Project/Scope:** server

#### Evidence





| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: remotegui.jar: jquery.fileupload.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/jquery.fileupload.js  
**MD5:** 240236292f36eca6c17aeac05fd73d61  
**SHA1:** fac06f570617460bbc6f377136ee040bebad8828  
**SHA256:**16d6dd6c899f13098e81e50b8f75ef74df0da97ed95cd2759933a13d53dc876b  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: remotegui.jar: keyservice.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/keyservice.service.js  
**MD5:** f23478b8dd57156641a72835c4ba157d  
**SHA1:** e8f8d906c18d20e47d651a64680a20db7f7eea0e  
**SHA256:**c584eaf3c626b046c9c592fc813efc7831d9420fef68fdc6fac95999519180d2  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

### remotegui.zip: remotegui.jar: kytos-attribute.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-attribute.js

**MD5:** 5bb6035188c4e1c54d61442a810f8248

**SHA1:** 931d5b4f58c1ed00341c31bd7cc6a2e39fd95faa

**SHA256:** 3820432cd3db58e325157b9493754079feda4fab4db08d38296df413c6a72c30

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: kytos-data.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-data.js

**MD5:** 79b7f23bbce604a15a1e9f8b28e321c7

**SHA1:** ebd7b9ea49d5d6f8da732a89a7d9850c0b8614a7

**SHA256:** a0c941c8ba1f69e19b7afd1c952228244b235a61f0d82b474f1ef9b934483af9

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: kytos-dropdown.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/kytos-dropdown.js  
**MD5:** 51af44834d6aa24a2375a5dd37a08854  
**SHA1:** d24606878b7f5acceac8ff0b7b000fe02f9532df  
**SHA256:** 6e955549f49e3d628b44f498e50f1f5874042980f6a26780ae880f77713357a6  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: kytos-element.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-element.js  
**MD5:** 7376f629e24a94902eb928e3011dea03  
**SHA1:** 3de4895fcb745fac4bd15fb5499c7acd097319d9  
**SHA256:** 4c56e12ca9499ae2dbaf1841456752da1b2dc5fce177e312a3079514cba5958c  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: kytos-i18n-placeholder.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-i18n-placeholder.js  
**MD5:** c2ddf4ebfc98c053b2cf38e316d67a9e

**SHA1:** 558b0eda02d143df94aa87ba51c55a282eb1730f  
**SHA256:**1594fbfcf0410acad583b620fd613364af498faa76530bc2eecce247abab1f14  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: kytos-i18n.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-i18n.js  
**MD5:** f828085d946fa2ec5043d11bc31123eb  
**SHA1:** ed02dcbce2e6de89f5431c21dd4e2fae658e07ef  
**SHA256:**2dd438f05fe18415e72341be8681e913d3b291482a6db53fc8190a9c09ebb7db  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: kytos-on.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/kytos-on.js  
**MD5:** 15063ae2298fdcbc06f0d553980ad33e  
**SHA1:** 1dacb61e604f894bcb4ef23c2d146d9872eda47a  
**SHA256:**268c59e78abaa34e119f9e33f0478b97905cd60dc25c95e22006aa309a673f60  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: remotegui.jar: kytos-repeat.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-repeat.js  
**MD5:** 79e3a5e2634666f50d40cb4841d5e564  
**SHA1:** bca7b3ef1c01355797d3e7a66e08781e9a55f497  
**SHA256:**62b3500eeb92de0ded700ea5b2ce8ce3d3fe30819347026c0db9ef00debd6e90  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: remotegui.jar: kytos-src.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-src.js  
**MD5:** 668154cbece972e8c4538e661daf0efb  
**SHA1:** 48ad7d4e2246f6016e16e26c5a2e88c31a512c28  
**SHA256:**227f9b2e149db2ef20aa3e66832f35e006bbbe52e7cfd3958b027a01c1e4645a  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

#### remotegui.zip: remotegui.jar: kytos.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos.js

**MD5:** ec6c9c49dd82ce9e1d04e7a5676bca53

**SHA1:** 35f2b6a2f7ba2bcaa10cb39b0e1bb6a8e54c07c9

**SHA256:** 4948dce62c0fdb2562088c264153582874da88e82268203fbe47b1c6a133ab3e

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: localfilesystem.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/localfilesystem.service.js

**MD5:** 277d95afddcd590e0d141b2d577b5e62

**SHA1:** 20bcb984e60bdb0a2939939f52951e728a4f0af7

**SHA256:** 07ed33c8a8d0f7931367e1c0138049de8105adefde3fa138dd50e4c7a31f8aae

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: locationservice.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui /angular/weblib/inet/js/location.service.service.js  
**MD5:** 62ff5fc8eaa864ac3784bf03692532c1  
**SHA1:** 53ddc25f9c7f713a3102e0f0de0535072c0020dc  
**SHA256:** 0fb76cfbf05c00b400df4f87dd0f5753d89e68c65bd9b39d89107101321440aa  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: modal.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui /angular/weblib/inet/js/modal.directive.js  
**MD5:** 8b4f5159c55d2de4f772c61b5bf7dcc3  
**SHA1:** 6d4df793d2fbad75c24f62e005eefa9ed62954cb  
**SHA256:** 2a5553a5186b68c5f299d2e1f274ba754bf9af25bcea981725d472dd762d9e42  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: modalservice.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui /angular/weblib/inet/js/modalservice.service.js  
**MD5:** 4acca3d003e0b03b3f5e384003755de3

**SHA1:** 1e0cae788079de22547aabb02d319de12adcaeef  
**SHA256:** 0ff64d3810936ecaa504005327a4ce6b1d113fc762a15ad24874427cd51fe144  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: moduledragdrop.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/moduledragdrop.js  
**MD5:** 3958a1734972672ba1c124b1ed886668  
**SHA1:** 4eb0ba0abaf32269baf7023edcaf12cc623783d3  
**SHA256:** 10d5980e1ab5d292009b20fd37d4d53367a0f76a55bd04b545074ece66d20a25  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: my-test.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/my-test.js  
**MD5:** 663dbecfca84238754bd85b54ca72706  
**SHA1:** 9a92853adf7e5c8ceb8e948a07124ef3780c5d9f  
**SHA256:** fa76b5d51cc673d4abd904d0947d04d9258fd8a04bed04e4f9c565ce7546af79  
**Referenced In Project/Scope:** server

#### Evidence





| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: remotegui.jar: navtaboverflow.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/navtaboverflow.directive.js  
**MD5:** 0ce7f7b7b6a5a148404b16e1962caf60  
**SHA1:** 8ef17d2fe2fe1832fa5c49d6d65b6ef5fb1b7bdf  
**SHA256:**b3557a1661a5cb1508bb1654d46bf5938bacaad8b4dcce03cf86d729793bd47e  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: remotegui.jar: ng-hugerte.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/nghugerte/ng-hugerte.js  
**MD5:** d62cf052e63074e92faf5f0c7ffa8876  
**SHA1:** b4c035d46a81de2db06cfa7183889f4a2b0e4f03  
**SHA256:**88e8c189a593f1bb43af4af96b91abe4a87af72307eba9d0a4b704d73a02171c  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

#### remotegui.zip: remotegui.jar: ng-i18n.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ng-i18n.js  
**MD5:** f70ed5b4b0d12a1df931521a5bfd4d55  
**SHA1:** 2f141a8d67bb4381b248e0292c2b566eb17d6ea8  
**SHA256:** f8c9dd393e16101f533ed78c9c7d84eb60aeadd228f3573950b0930221c6425f  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: numberUtil.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/numberUtil.js  
**MD5:** fc50f41d150aa956d3405cf5538d0ef8  
**SHA1:** 36dd5feae806c1dff8a67fd8ae4c4b4ac8d590b1  
**SHA256:** 0a6ba6dc2719ab3741995db471ebc7e94594f837227eaad277bec79785ff9eb5  
**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: numberValidatorUtil.factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/numberValidatorUtil.factory.js  
**MD5:** 5cfcc7ddeb5ee5abe9b657cb4c4aad1b  
**SHA1:** 3e1befb49a7e3de749bbf7c11db74fad428ac1a0  
**SHA256:**b098b08a665832d5ec3cc30a813f3ac471cc62b9f9362125b8fbc879d5d6be66  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ocLazyLoad.jsloader.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ocLazyLoad.jsloader.js  
**MD5:** 6efc2b278388ff3b8fd01d214f68de95  
**SHA1:** 1d366d752be481f2502ad6e928bf443dc1bbc11e  
**SHA256:**7c22d04e3e40f316fe62e2df4c73ffe9ca1fc552117386466972ad8a524b4154  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ocLazyLoad.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ocLazyLoad.min.js  
**MD5:** f2d4908265b909369078aed0cfafffa3

**SHA1:** 2d19edef03246ca520c6b3d658e75fad0d791695

**SHA256:** a5f7c8f4292aba0f63174bbb86fef9e919d97ed72f80857e83065c66ddbc5a4

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/pageablenavbaractiondropdown.directive.js

**MD5:** d1feb482374e4058601ab2f7b89adab6

**SHA1:** 3c5f495653d3856460bcd8ff62dc530292fe91a5

**SHA256:** ef9d71d87d4a4d8f2222fb5ce1f9030667e65a51b42e7a65ab47139193909983

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: paged.filter.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/paged.filter.js

**MD5:** 620885e608d87c0af2184057fa716019

**SHA1:** 99aab6b764bd796a4fad0b23da057c07f0a173bd

**SHA256:** 7838a62ddb112a36d3f6b3ca85606aa02bc913e5551e40a1d37a2a7411f67c88

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: remotegui.jar: pagination.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/pagination.directive.js  
**MD5:** 9072dd128b777cbe8c9a3f5cff6d1ffc  
**SHA1:** 9aff2deccd8bd06b84530f2759b5d3708496680c  
**SHA256:**fe2e2a1a9bd791563352ef8b3350fc0bde4b50ae191a675e4a0fb5d592389778  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remotegui.zip: remotegui.jar: piechart.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/piechart.directive.js  
**MD5:** 57b1a6b4c82b90c7ae6728361bfd83aa  
**SHA1:** c4010db7bf32f2263f721e7d0642b0e4e99b7e2c  
**SHA256:**514ec005ce503ed102e409c830b71a04afda4dec41d04cf23e4a80f6e1def184  
**Referenced In Project/Scope:** server

### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

#### remotegui.zip: remotegui.jar: popover.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/popover.js

**MD5:** 24e950e89aace08f1aaa17fd06bb396c

**SHA1:** 1b794fe5f9c1c3015159425162f6b3b167ff1665

**SHA256:** 4deedf673d7fc514627d7ebca5d4595a76c7d11d9cf3bdeb720dd6f663666c6

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: pwa-service-worker.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa-service-worker.js

**MD5:** 95a33b245d3237810fe50090f6719728

**SHA1:** 1092e1c782d256a86ba9034dfc86b2af50d31117

**SHA256:** 933121280fca1f5ea88c243ffecbf998a62fdc3b62b5ca70875a990c18c9edd

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: pwa.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remotegui/angular/weblib/inet/js/pwa/pwa.js  
**MD5:** d5f6fdc8eb151d3a71ca5eefe74f6dd9  
**SHA1:** e7e28c16da057e3d23295da872a11d99239f67cb  
**SHA256:** cd0a4ccc24239ef74ccf067d2eac8ac8989524fc41b0e7ce4946295f92a75b72  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: qrcode.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remotegui/modules/reporterror/js/qrcode.min.js  
**MD5:** 4b36f8e71a871112384d908a90471a76  
**SHA1:** f103f61ed24f3dd86bbee1aecb91ad4ff0a15282  
**SHA256:** 6afbe1ebc2ba9b4bb0833f9f55c4eb80edb582903ea9611a9be49633a7aa3b09  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: rangeSlider.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remotegui/angular/weblib/inet/js/rangeSlider.directive.js  
**MD5:** 8f0195ad048023303ca75052988a2958

**SHA1:** f30f14dce0300f317db5ad815d452dccf20c6726  
**SHA256:** 20efc1b10baaf76c2d287f11553ab7650017d266804f3c8859c8abbfd89e3766f  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: resizableDivider.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/resizableDivider.js  
**MD5:** 92155894052072c1b3585f3f378ed64c  
**SHA1:** 284e63d9a8d92f3227dabbba220ce81b406fd5f7  
**SHA256:** 46db0e3c06217214be457419fa2e4a0df6dfbfa6424e163b2c9315162a9711a7  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/scrollabledropdownmenu.directive.js  
**MD5:** 6ccf4fe00949b9ba0161679c557720b7  
**SHA1:** ded14570028ed526c18dba9174881e0dd4c60ae3  
**SHA256:** aea1486dfd6055925eaceaed65bbe26260cb5a9fa6bf17acfb4655308e34d1c  
**Referenced In Project/Scope:** server

#### Evidence






| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: remotegui.jar: search-panel.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/search-panel.js  
**MD5:** 62e0a4cb45cdf5cbb82f93ee7c43f679  
**SHA1:** c9bece27698f9e7c6f272a2b83425f6e4d73c0ef  
**SHA256:**e93b61232ebe9eae031c84bccd6eb15b7fb360a8ddd65b7c910ccc93ded13ece  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
| • None      |  |  |  |  |

remotegui.zip: remotegui.jar: selectInput.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/selectInput.directive.js  
**MD5:** 94814e3d56c2235cb31d6bc6ed5f92d7  
**SHA1:** 4619d613f58383a0bc148f0da510fdc6a4a32fee  
**SHA256:**53afd5593d387bb8bb0730e2625220a66c60b62106d730f9177f84963ecda0e7  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
|-------------|--|--|--|--|

- None

### remotegui.zip: remotegui.jar: shadowLogger.factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shadowLogger.factory.js  
**MD5:** fa91436385b8994b55a7d310d63aae1b  
**SHA1:** 6dcf22bc7bc7561e394ab64f4cd68935378b77cb  
**SHA256:** 99d32693c3484880d4e331ee348efbf9a6c37f657a63045a1f50ef3e8dd3d60c  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: sidenavigation.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/sidenavigation.js  
**MD5:** 41e61e3b773bf6851e57056ebf4cbd3e  
**SHA1:** ccf7dd4e2a531856e99cc4865ae92a4ce80db8f4  
**SHA256:** ccf467b7d7629f106d0bf698be444ba56a7a1545c5118e5bdad132c177241323  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: takeoutDataController.controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataController.controller.js  
**MD5:** 82d1cec699a839f96167893738956807  
**SHA1:** b0c88a87252c6c7c558b366e8f8c8b85179cd354  
**SHA256:** 48b31ddfabb8b1f4607a020ba89e0cc44d41fa7d29e440224d794f494186a70d6  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataFactory.factory.js  
**MD5:** 4c2e4791571aa7c4beef1d13e162b700  
**SHA1:** 72b5880e8daf6c9ff20aa30132fe79c7f4868ca8  
**SHA256:** 7cd1066a0db5c12af802b239d6d2b1d0afa29c5417460189ae5c22f5c6c3484e  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: takeoutDataModel.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataModel.service.js  
**MD5:** 6bcf8a37b4157e9c59412040d832b2e9

**SHA1:** 12b1e7fb37e1533e850a261eb24e5260e42368f8

**SHA256:** 9a256e7e32f5971e086b0aa0e02d74c9b128fa2b2700a957af0282d8a1387d72

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: timelInput.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timelInput.directive.js

**MD5:** ba7319d83a3bcc33e0019d36fdfef0d9

**SHA1:** 019c707edf3c03914faea76cc116043f51a55ca2

**SHA256:** ae9ff67469f81911d87d69f7e89d7651b2517673b0a1538f04fb64076f5d0c70

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: timelInputContainer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timelInputContainer.directive.js

**MD5:** fbc7a8c9f4e3a3cc38d7659d83a6c29e

**SHA1:** 6b62e43062fdea0d9a6d7dc537e8be85787990a0

**SHA256:** 13eb8eba0cfd94da346f8cd131a4f90c98261fd83473d80c6c4b98529dcb7e1c

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeMeridiemContainer.directive.js

**MD5:** e1458f3e6ea63204589509e5237f5c31

**SHA1:** 0a3f9057c78f591a1bb4086e1910af248290e689

**SHA256:** b9663e93c6051a50803d0425bf1da08bb6079b7eaedfbbb88f073880cd833088

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: toastservice.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/toastservice.js

**MD5:** d4d58312cf60d3ba47d98e1ab289db6c

**SHA1:** 963249daf9fa96bb66be31a2f0ed817de83eed52

**SHA256:** d70b11b0d47fe3dec7cf9e1f19c2cbd080d7410c4c160da6c68fd9854cca6788

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: translate.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/translate.js

**MD5:** 061e99802cbbcc1f551b74ad18d8f5e5

**SHA1:** 941904c2d0237f7941cd16a088d3cf943a8628d7

**SHA256:**eecc08ab9f22b266c4c1ca774958609372959797bcb2ef9be0d68f9beac88ced

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: unitFixNumber.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFixNumber.directive.js

**MD5:** 29d24835a3a3f09d56371f64a9e5501d

**SHA1:** 74508076d24cd85f342390ee1809e2bb70f48839

**SHA256:**6a20d4eca5c69740c0fa2f99c209aed92ffa49c48848e3ff63ab6fc9b2f6ac32

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: unitFloatNumber.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFloatNumber.directive.js  
**MD5:** 1d3c2d9b2853e77c53b7f755e4f82bc0  
**SHA1:** 56134dad87141744f8fee3574ebde43a96484ce5  
**SHA256:**dde76e45fa7be7de9e04b3eb5a33954d8c2470636fa945458c08031b593b7492  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: userservice.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/userdetails/userservice.js  
**MD5:** 8b519101d8b11cdf9b3981d47452b48e  
**SHA1:** fa4b18f4979b804b3a6312eb8c851f050789e244  
**SHA256:**87668f5830e7c8ce1c26eae7c671a78e3c3116971e6f11c18d7bd6c3ae7ba8d  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: usersorgroupsselection.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/usersorgroupsselection/usersorgroupsselection.js  
**MD5:** ba532f7f8d9ad9ddcd5e43589c875a9f

**SHA1:** 878776cbfda46c3ba5b5c4c2340576fbab6ea109  
**SHA256:** 7e213a45192881f06c8f3d521d02f32a8c380bb2c4551c6d1c527f4afceba266  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: usestrict.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usestrict.js  
**MD5:** 8e742d11d6b24c401e35f3b516726584  
**SHA1:** 89b72153bd7e6390415ba25b9b5fbe750e6e16d5  
**SHA256:** 8e8cc72e61ff6f6c0c945a976756d112732c499cd64fc5b207bb213fc84a1e40  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: remotegui.jar: websitedownload.renderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/website/js/websitedownload.renderer.js  
**MD5:** 997a09bf4e3740f123d6933770b57ed1  
**SHA1:** d59541fedeba1aa388dc41757bccde3f35324d1a  
**SHA256:** 53a3d1d2454b0730a885b126c853b9ee7a53ff1e01266fc2aae4b758fa1dd7a3  
**Referenced In Project/Scope:** server

#### Evidence





| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |

remotegui.zip: remotegui.jar: websocketdataservice.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketdataservice.js  
**MD5:** 1cc96c975f832a236c163c562ffaf922  
**SHA1:** 414e1e26600a6b724a30d9270560ee8e0e51ef8e  
**SHA256:** ad0eaa536d38b479cd06ed54e6f630fe029710af48ddd47c7ec63796be119cbd  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
| • None      |  |  |  |  |

remotegui.zip: remotegui.jar: websocketkeepaliveworker.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketkeepaliveworker.js  
**MD5:** b378595229f68cdd9acc7775a85e3746  
**SHA1:** 5eb59a40044f9cfb861f3c39cf4969cb7e969323  
**SHA256:** d695e751ea4e77b998aefab636299872246f04af2b189623dde151cce2fca67d  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |

|             |  |  |  |  |
|-------------|--|--|--|--|
| Identifiers |  |  |  |  |
|-------------|--|--|--|--|

- None

### remotegui.zip: remotegui.jar: windowdatastore.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/windowdatastore.js  
**MD5:** f9cf627d8040037181eed0b792258784  
**SHA1:** b308fd5ef5d759a9891870ce0b9ae57e62fe338b  
**SHA256:** c80f708b2a3dcd3c44dabdc44165276c349e1226024fc40683a5ba68f03035  
**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remotegui.zip: twemoji.jar

#### License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/twemoji.jar  
**MD5:** af9b535ef495075dfb0a7d5bec95eee6  
**SHA1:** 0a559adee289b6b855ad1294b17dd71d9f3d21eb  
**SHA256:** 9ce4f61ef563851b37c3918c54a876a865d2f66fda5f80dd2bfecebb2d7e386f  
**Referenced In Project/Scope:** server

#### Evidence

| Type   | Source   | Name       | Value  | Confidence |
|--------|----------|------------|--|------------|
| Vendor | file     | name       | twemoji  | High       |
| Vendor | Manifest | url        | https://github.com/twitter/twemoji/blob/master/LICENSE | Low        |
| Vendor | pom      | artifactid | twemoji-null   | Low        |
| Vendor | pom      | groupid    | lib  | Highest    |
| Vendor | pom      | url        | twitter/twemoji/blob/master/LICENSE                    | Highest    |

|         |          |            |  |         |
|---------|----------|------------|--|---------|
| Product | file     | name       | twemoji  | High    |
| Product | Manifest | url        | https://github.com/twitter/twemoji/blob/master/LICENSE | Low     |
| Product | pom      | artifactid | twemoji-null   | Highest |
| Product | pom      | groupid    | lib  | Highest |
| Product | pom      | url        | twitter/twemoji/blob/master/LICENSE                    | High    |
| Version | pom      | version    | 1.0  | Highest |

#### Identifiers

- [pkg:maven/lib/twemoji-null@1.0](#) (Confidence:High)

### remoteprinting.zip: remoteprinting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar

**MD5:** 0866d54e37ba60bbb99cd294c4384ff1

**SHA1:** 65b8614cd7663943f78736394d4fc9285d8f6670

**SHA256:** 3e77d2536c7433323b031367f8d4feaaa19d09763274c8a018799cf61296615b

**Referenced In Project/Scope:** server

#### Evidence

| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | remoteprinting                       | High       |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | remoteprinting                       | Low        |
| Vendor  | jar      | package name             | report                               | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 18:56                     | Low        |
| Vendor  | Manifest | implementation-group     | reporting                            | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | remoteprinting                       | High       |
| Product | jar      | package name             | remoteprinting                       | Highest    |

|         |          |                        |                  |        |
|---------|----------|------------------------|------------------|--------|
| Product | jar      | package name           | remoteprinting   | Low    |
| Product | jar      | package name           | report           | Low    |
| Product | Manifest | built-date             | 2025-10-01 18:56 | Low    |
| Product | Manifest | implementation-group   | reporting        | Low    |
| Product | Manifest | Implementation-Title   | remoteprinting   | High   |
| Product | Manifest | specification-title    | remoteprinting   | Medium |
| Version | Manifest | Implementation-Version | 25.10.198        | High   |

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: RemotePrintingRenderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/usersandgroups/ui/RemotePrintingRenderer.js

**MD5:** 311da5e94edd3b1633ef74f41d8535c4

**SHA1:** 82d52fb3ffbc3f7d740a5577b2e008ef5b14e9cf

**SHA256:** 8e874308aebd3107ccbaa1e31261df485993743305fcde33f26eb70b4396353c

**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: app.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/app.js

**MD5:** e9d58ab93114f2f8c4846419ad3cb610

**SHA1:** be2fba1f2b2bb90a425e152468d58c4c3dad1fa4

**SHA256:**b5093c6a851aea8903fbea75bc7017fbf41db5a2af493c54ab990f3e43b7455c  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remoteprinting.zip: remoteprinting.jar: htmlviewer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/htmlviewer.js

**MD5:** 2a3040ebe6be31144a6c18dd266493b8

**SHA1:** 830bfecfc5bb6ccaa82b258089d7c805385446b6

**SHA256:**c355fe9bda5e2d30ed2828f4699935c5f185224260e91f108a17f3bfb8ec5f51

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### remoteprinting.zip: remoteprinting.jar: pdfviewer.angular.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/pdfviewer.angular.js

**MD5:** d60d18a2dca3c15d611f1456193c3c11

**SHA1:** 0b6623f3d7e631aa00b4d8a2e21b60fd2fcf8869

**SHA256:**7cf145f10067d00f2f10e9d630f406c786b8e0982ca83926afbb60dae89b65a8

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remoteprinting.zip: remoteprinting.jar: remoteprinting.factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.factory.js

**MD5:** c2d54900f0269c6d6014cfddd17b2eb4

**SHA1:** c7e01abe54655b7e94276834bcdf211425bf5b71

**SHA256:** 70edbfc77a2eabbbdbe35cd95ec2a666b9a3eab65345a262be3674f34d91971

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remoteprinting.zip: remoteprinting.jar: remoteprinting.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.js

**MD5:** 16a56a1a971953b07d0095d52081f748

**SHA1:** 24aea6fb2289f6031482fe451ff7edb2c33272ab

**SHA256:** a837a1b694adb622c3a74c148ebfee89e1e502a2544f57f4b56a076a8c1ca4a4

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remoteprinting.zip: remoteprinting.jar: remoteprinting.model.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.model.js

**MD5:** 434c0bfe160b59fa89c7c39e0352b205

**SHA1:** 7ecff74133eab2fa44190e6d93ff8f44b92a66e7

**SHA256:** 52159b25c45bbcb73ce401e498ad886b7a4376531bf845598420fbaf573d4d66

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## remoteprinting.zip: remoteprinting.jar: remoteprinting.renderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.renderer.js

**MD5:** 4cdf7ac9afdd2a1c7265643e2919560f

**SHA1:** 259f22c23b948bd7290d4044a26f69afdc6de13b

**SHA256:** 2b4ed3f2ff1ac406e3b87818b80b6dad3fcb8a191432cbef5bf556fadb057d8e

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## reporting.zip: jcommon.jar

## Description:

JCommon is a free general purpose Java class library that is used in several projects at [www.jfree.org](http://www.jfree.org), including JFreeChart and JFreeReport.

## License:

GNU Lesser General Public Licence: <http://www.gnu.org/licenses/lgpl.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/jcommon.jar

**MD5:** 3872e82627df950d40a949144a93e491

**SHA1:** d5016f7703896c38f9e511f8a9edda2585cbac8b

**SHA256:** 13e2596044935f76694cce65a22d1df908907ddcba0da2b49ff030930262d417

**Referenced In Project/Scope:** server

## Evidence



| Type    | Source | Name              | Value   | Confidence |
|---------|--------|-------------------|---|------------|
| Vendor  | file   | name              | jcommon   | High       |
| Vendor  | jar    | package name      | jcommon   | Highest    |
| Vendor  | jar    | package name      | jfree   | Highest    |
| Vendor  | jar    | package name      | jfree   | Low        |
| Vendor  | jar    | package name      | library   | Highest    |
| Vendor  | jar    | package name      | ui  | Low        |
| Vendor  | pom    | artifactid        | jcommon   | Low        |
| Vendor  | pom    | developer email   | dave@jfree.org  | Low        |
| Vendor  | pom    | developer name    | David Gilbert   | Medium     |
| Vendor  | pom    | developer org     | Object Refinery Limited   | Medium     |
| Vendor  | pom    | developer org URL | <a href="http://www.object-refinery.com">http://www.object-refinery.com</a> | Medium     |
| Vendor  | pom    | groupid           | org.jfree   | Highest    |
| Vendor  | pom    | name              | JCommon   | High       |
| Vendor  | pom    | organization name | JFree.org   | High       |
| Vendor  | pom    | organization url  | <a href="http://www.jfree.org/">http://www.jfree.org/</a>                   | Medium     |
| Vendor  | pom    | url               | <a href="http://www.jfree.org/jcommon/">http://www.jfree.org/jcommon/</a>   | Highest    |
| Product | file   | name              | jcommon   | High       |
| Product | jar    | package name      | jcommon   | Highest    |
| Product | jar    | package name      | jfree   | Highest    |
| Product | jar    | package name      | library   | Highest    |
| Product | jar    | package name      | ui  | Low        |
| Product | pom    | artifactid        | jcommon   | Highest    |



|         |     |                   |                                |         |
|---------|-----|-------------------|--------------------------------|---------|
| Product | pom | developer email   | dave@jfree.org                 | Low     |
| Product | pom | developer name    | David Gilbert                  | Low     |
| Product | pom | developer org     | Object Refinery Limited        | Low     |
| Product | pom | developer org URL | http://www.object-refinery.com | Low     |
| Product | pom | groupid           | org.jfree                      | Highest |
| Product | pom | name              | JCommon                        | High    |
| Product | pom | organization name | JFree.org                      | Low     |
| Product | pom | organization url  | http://www.jfree.org/          | Low     |
| Product | pom | url               | http://www.jfree.org/jcommon/  | Medium  |
| Version | pom | version           | 1.0.24                         | Highest |

#### Identifiers

- <pkg:maven/org.jfree/jcommon@1.0.24> (*Confidence:High*)

### reporting.zip: jfreechartCC.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/jfreechartCC.jar

**MD5:** bba9bca1d49264ea9432858628be0b29

**SHA1:** 72908ad142f2b7989c1fde7e1e486ea31e5f8f3f

**SHA256:** dbb02ff0b9767672c3fda88f90971bf7cbac7c6c7439f8610e7c4c4e515a339f

**Referenced In Project/Scope:** server

#### Evidence

| Type   | Source   | Name                     | Value            | Confidence |
|--------|----------|--------------------------|------------------|------------|
| Vendor | file     | name                     | jfreechartCC     | High       |
| Vendor | jar      | package name             | chart            | Low        |
| Vendor | jar      | package name             | inet             | Low        |
| Vendor | jar      | package name             | jfree            | Low        |
| Vendor | Manifest | built-date               | 2025-10-01 18:39 | Low        |
| Vendor | Manifest | implementation-group     | reporting        | Low        |
| Vendor | Manifest | Implementation-Vendor    | i-net software   | High       |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware  | Medium     |

|         |          |                        |                                      |        |
|---------|----------|------------------------|--------------------------------------|--------|
| Vendor  | Manifest | specification-vendor   | i-net software                       | Low    |
| Vendor  | Manifest | vendor                 | i-net software GmbH, Berlin, Germany | Medium |
| Product | file     | name                   | jfreechartCC                         | High   |
| Product | jar      | package name           | chart                                | Low    |
| Product | jar      | package name           | jfree                                | Low    |
| Product | Manifest | built-date             | 2025-10-01 18:39                     | Low    |
| Product | Manifest | implementation-group   | reporting                            | Low    |
| Product | Manifest | Implementation-Title   | jfreechartCC                         | High   |
| Product | Manifest | specification-title    | jfreechartCC                         | Medium |
| Version | Manifest | Implementation-Version | 25.10.198                            | High   |

#### Identifiers

- None

### reporting.zip: reporting-javadoc.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar

**MD5:** 5cbf64c52f73f71eacced34be8cc2807

**SHA1:** 657e3f8dcac4ae22854939f8e9cf89478396d8f5

**SHA256:** 2dbba12dbe23561ce1bf6659c2a33cbb7e84e0777c49adff7154ec53ca5c2354

**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source | Name | Value             | Confidence |
|---------|--------|------|-------------------|------------|
| Vendor  | file   | name | reporting-javadoc | High       |
| Product | file   | name | reporting-javadoc | High       |

#### Identifiers

- None

### reporting.zip: reporting-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/member-search-index.js

**MD5:** 4e156314aab662d8bd20e04d1e7051b4

**SHA1:** 513dc09a501c027f8a199108eca2742b6b0137cf

**SHA256:** 80a6415178fb8e4ed93b07032a47eb453a3e350e3257497ba928c5c6fbfecbd3

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### reporting.zip: reporting-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/package-search-index.js

**MD5:** 2c0f8742f3f9b12b580ebbb1d05b246c

**SHA1:** 4ab261d1781d9f77c131e641ec031d38e39a0444

**SHA256:** 40e580f6c42f5eaad108580601b9279ee0d06eb1b35574573d0d2a3798580d82

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### reporting.zip: reporting-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/type-search-index.js

**MD5:** 8008687a1ad6ed821adc84cca8826520  
**SHA1:** a21713c3a63548a6651afc41259760ad85b6226d  
**SHA256:**a9e4cb81069076017cfaf4566173432128024441225b5c4d9bc20a04637f5416  
**Referenced In Project/Scope:** server

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

reporting.zip: reporting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar  
**MD5:** c081c1afa8de96e5b624051c371c3fd2  
**SHA1:** 36769d82bccdef3945d9887616a1b53c3e721dab  
**SHA256:**0bf0ee493de08b376c6098651afe96dcd0a36f4748c8ff9c06da86a8eef1f9dd  
**Referenced In Project/Scope:** server

Evidence



| Type   | Source   | Name                                   | Value            | Confidence |
|--------|----------|--|------------------|------------|
| Vendor | file     | name                                   | reporting        | High       |
| Vendor | jar      | package name                           | i                | Highest    |
| Vendor | jar      | package name                           | inet             | Low        |
| Vendor | jar      | package name                           | report           | Low        |
| Vendor | Manifest | application-library-allowable-codebase | *                | Low        |
| Vendor | Manifest | built-date                             | 2025-10-01 18:42 | Low        |
| Vendor | Manifest | codebase                               | *                | Low        |
| Vendor | Manifest | implementation-group                   | reporting        | Low        |
| Vendor | Manifest | Implementation-Vendor                  | i-net software   | High       |
| Vendor | Manifest | Implementation-Vendor-Id               | de.inetsoftware  | Medium     |
| Vendor | Manifest | permissions                            | all-permissions  | Low        |

|         |          |  |                                      |         |
|---------|----------|--|--------------------------------------|---------|
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low     |
| Vendor  | Manifest | trusted-library                        | false                                | Low     |
| Vendor  | Manifest | trusted-only                           | false                                | Low     |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                                   | reporting                            | High    |
| Product | jar      | package name                           | permissions                          | Highest |
| Product | jar      | package name                           | report                               | Low     |
| Product | jar      | package name                           | reporting                            | Highest |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low     |
| Product | Manifest | built-date                             | 2025-10-01 18:42                     | Low     |
| Product | Manifest | codebase                               | *                                    | Low     |
| Product | Manifest | implementation-group                   | reporting                            | Low     |
| Product | Manifest | Implementation-Title                   | reporting                            | High    |
| Product | Manifest | permissions                            | all-permissions                      | Low     |
| Product | Manifest | specification-title                    | reporting                            | Medium  |
| Product | Manifest | trusted-library                        | false                                | Low     |
| Product | Manifest | trusted-only                           | false                                | Low     |
| Version | jar      | package name                           | permissions                          | Highest |
| Version | jar      | package name                           | reporting                            | Highest |
| Version | Manifest | Implementation-Version                 | 25.10.198                            | High    |

#### Identifiers

- None

### reporting.zip: reporting.jar: events.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/events.js

**MD5:** 867af7b9527093452195d3057166a9ca

**SHA1:** e4856efc3e95a20f25beff5da4ce9b907c3a1575

**SHA256:** c342986741d1c87b03bfc899d7640ab9267f3e95c5a744e75c5ee12c321f2408

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### reporting.zip: reporting.jar: export.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/export.js

**MD5:** 25d677f9db7379990f234c6e0e8a3eca

**SHA1:** 36c595def0ffb9bd0f3d8d648cf3d68c9bd8a70e

**SHA256:** 31874fa566bc0532b344ede59518de718ec056b5fccff2b30bfc5130d1ec0d7d

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### reporting.zip: reporting.jar: functions.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/functions.js

**MD5:** 4cd489d3699e18018f4ee1c88710a066

**SHA1:** 1fea1856f278aa8a929db3b5dca00fc44bc6de0d

**SHA256:** 31dd7b3daef9e4ca25bf78e180523407ff4d332f987eb9223b63e36ef4d7f93e

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## reporting.zip: reporting.jar: generator.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/generator.js  
**MD5:** d98c2ca06a72837183dc17a3eeec0039  
**SHA1:** cfa6d7f381d3cb43b6702884df53b0fa08149fc8  
**SHA256:**b865ad0a07fa5779ed8ae8610cf3129c95c79337b20cbe479477b13d2c83d876  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## reporting.zip: reporting.jar: grouptree.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/grouptree.js  
**MD5:** 03effe09b42d19447ffc8cb035ef827f  
**SHA1:** 3c8c2af60ab10e237af37bbf3a0a2d6106870cde  
**SHA256:**9cbd9e01ec128a9fd563ee1dbe271e644b68b75f50cabf37a6312b21ed61f6a3  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

### reporting.zip: reporting.jar: htmlreportextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/htmlreportextension.js

**MD5:** 4a91827e853ef0bf19cf06f343e18e98

**SHA1:** fda14009355a1098b25c75a307900e27d43a5e09

**SHA256:** 004b3358d2bc621a7bb7c3b3f7e350876ed7904cd41c4d51d88533babf4cf590

**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### reporting.zip: reporting.jar: jstorage.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/jstorage.js

**MD5:** 8078b278235f9eb8cf63b1474a1362db

**SHA1:** feb74af17fb5ba7b01c4ad997759ec21ac685ad5

**SHA256:** 9d86bf1ad26f873ca615b15fc8cab964e332fa363317b8569c3f624fc947d8a8

**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### reporting.zip: reporting.jar: keylistener.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/keylistener.js  
**MD5:** 54d50496c4b43d4c78c30facfd01809d  
**SHA1:** 9e29b6d13b0478339596ac131e214c605e10fa0d  
**SHA256:** 29f7a3a51b8d139109d0165111d062e6e9ecd2c2d90de1e99b539da6c2e966bf  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### reporting.zip: reporting.jar: menubar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/menubar.js  
**MD5:** e26148c5b4c16d3da8a96dea494c4593  
**SHA1:** 51cfaf2c4e1813b5512e500513da3d32e7ad7b61  
**SHA256:** 28ec27cd322d861cb53ad7eb536618f64a33ba0e16b16392d22bf9609c35042a  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### reporting.zip: reporting.jar: page.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/page.js  
**MD5:** 214a1cd3653bb9aa3cec9078e6ee3316

**SHA1:** edb8d66493699591d0202d1a14b8f34af49daa75

**SHA256:** c559154fab98f5343d44cb8c02a2203f800eabd9e13d1fd9dd926440ee5fe825

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### reporting.zip: reporting.jar: pagecount.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/pagecount.js

**MD5:** c6823ab782e12fa9e9c0325321ab0011

**SHA1:** facbdd75d7176e5809cebd5d5702cfbb0bf677ac

**SHA256:** 5d189f3efc0e10f5c5e85964e89ffde18c81a1279c9132c64453f2a149423a5e

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### reporting.zip: reporting.jar: popup.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/popup.js

**MD5:** c3941efe0d33e1e9b046fccd239033cb

**SHA1:** 53951b79a3c0e93768dd4043b3d16d884fc2c7ca

**SHA256:** 0ed137328526d278076dcab6bfac9792717dadda6c0776cc839710fa0f1e49a3

**Referenced In Project/Scope:** server


#### Evidence



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |


reporting.zip: reporting.jar: print.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/print.js  
**MD5:** f8fec5b39e4c5055f35e01c926e8b959  
**SHA1:** b4f6666f078b60a130ec12b993d2884b2d3f81e7  
**SHA256:** 2e3276591241b179642f2159147f317f020fc03df408dfbe6f8d370cd04f5824  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |
| Identifiers  |        |      |       |            |
| • None   |        |      |       |            |

reporting.zip: reporting.jar: prompts.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/prompts.js  
**MD5:** 2f5c5a5ef5cb256a9821ea4d1d6419c0  
**SHA1:** 06cbaf426406533188f8071ebb9bb7d393c7b0fe  
**SHA256:** cbe5282d8ec16c52ca33a3ab53f17eca55024fb744c06f489d61d7579f124fea  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |
| Identifiers  |        |      |       |            |

- None

### reporting.zip: reporting.jar: prototype.array.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.array.js  
**MD5:** c69ba575e53ba415b800f18386ce2d65  
**SHA1:** 968d437fa28bd784a3dac6a58d090027bf8e0563  
**SHA256:** 6dcde95b98fa808923a311e7b4a345da4c1b3df17ea2554294d6ef47e871dad5  
**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### reporting.zip: reporting.jar: prototype.element.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.element.js  
**MD5:** b51b2dd46fafbff64c30ff2e731c814d  
**SHA1:** ea525bae8dd23860d1b8202869a316626af91c26  
**SHA256:** bd28001d8f95e450a5aed4bcd72851bbc126f9f5efb13feba698c034774a06ff  
**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### reporting.zip: reporting.jar: prototype.string.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.string.js  
**MD5:** f0bb166a036ca364a6c047d345fc9a0e  
**SHA1:** d491f3851e9aa5d8fd70d4139669635eb5cdd1b0  
**SHA256:** fd0fc8d93a6bce3d07ec8a7db922110e3d15f5f0a7a66562599f9b369b6f6f30  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### reporting.zip: reporting.jar: renderreportextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/renderreportextension.js  
**MD5:** e4f2d17c10a193f2e46e30c80de52d09  
**SHA1:** d37d5dc99e12ada04ae0737c180ced7fef7450c7  
**SHA256:** ddf8e053d7cd180056fdd26cd15e3e269b917ce948d11b7a487dd6d000dc5051  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### reporting.zip: reporting.jar: reorder.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/reorder.js  
**MD5:** c2f6f517d3d3f572c54fe096339ff49d

**SHA1:** a429dd95146869f4ab9b00c3611947ddf6b91d1a  
**SHA256:** d4dbc3e3b8d16c84dc14e11b1e02ed413473d7d8da48b2c733f8c7024179f7fd  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### reporting.zip: reporting.jar: report.export.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.export.js  
**MD5:** 11b5592b08b3a2f21b98843222cb5c99  
**SHA1:** d2b4b4fd948c46fbb8d18d5f26ddbdfc243b676d  
**SHA256:** 95bfb6ccb730c142642ebafe6267fb4f2d94703b26c26084ac9073d75f14ebed  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### reporting.zip: reporting.jar: report.exportdialog.controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportdialog.controller.js  
**MD5:** 33165ad89f5e1337a51632847b2d0e27  
**SHA1:** 5d2c08233db36cafec84fdf42311ea706c186980  
**SHA256:** 2e5f124cbc095e6af716907a4f7a2222563c5f198f7b80c115807d3dd20293a5  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## reporting.zip: reporting.jar: report.exportdialog.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportdialog.service.js  
**MD5:** e0c64da7a618e8b61743ab3f796e480f  
**SHA1:** b3f3b1820ac805200784c2a04a8e9e0c5c6a773d  
**SHA256:**e57c19851718e326461b09834966d70d0de3d3ce09f1656d16afe7f88f2807e7  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## reporting.zip: reporting.jar: report.exportframe.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportframe.js  
**MD5:** 2c9f57a3ef5d760bc9f1fe6d344384da  
**SHA1:** a2562e63bc825ea8eeaaea75a98e09c2a6be7186  
**SHA256:**f4417bf8d9d1430364d95d6e8eebffa28cc97c6cb34346e78d0612d5842d02a  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

### reporting.zip: reporting.jar: script.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/script.js

**MD5:** 9237075ecd44006d5ab48177001c5314

**SHA1:** fe08bb48bf207cdcf0ff4e2d776b59672f965518

**SHA256:** bf5ee8cda7861d90ae35343c6233ccb210da8860285def9b47d20057685f97ba

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### reporting.zip: reporting.jar: search.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/search.js

**MD5:** faa3f4fb9604ed70bec53256b055ffa6

**SHA1:** 892688617be684946fa39098413d0c55d9e769cc

**SHA256:** ea1c42a5640880562ea7639e1c6ff2bb1af2496964ce572c64fa7735b51a5f6f

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### reporting.zip: reporting.jar: serverping.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/serverping.js  
**MD5:** 6124f0f67286f7e3fbf239bdc4988d95  
**SHA1:** aa0bb794c4e5c40bf4a7e580e251c2d15ae09e1d  
**SHA256:**f688956f4c5cba792d04903423d249f8eeeaaffe37e3537b723f10572cf0d66d8  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### reporting.zip: reporting.jar: stacktrace.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/stacktrace.js  
**MD5:** e9687f11beba8f607c0c98af4eb0cc94  
**SHA1:** f92f65d1f27fad2febcc8ad23824f10f51cc722b  
**SHA256:**0b4e8ce367ded3ec4d68ff2fa931958f8e3d99d649e7175b4a1e62f27cf15701  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### reporting.zip: reporting.jar: tabbar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/tabbar.js  
**MD5:** fdb707b4dc212e365bff1fa637bbfa32

**SHA1:** 14e364be23b61f3f94427a79ce8c0f87bb186c04  
**SHA256:** f9e18e41672898499dd50f0e802618952e153ddb40c052148dff9edce742a0ba  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### sampleapplication.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/src/com/inet/application/currenttime/sampleapplication.js  
**MD5:** a0b6ce01eb88d27464c409bd56d4fa65  
**SHA1:** c23569535b8a3fb31880228a5e8c3efd42555175  
**SHA256:** 8d80f1c43ca8a4dba57c52e977bd61d92acae6cfdb8655b68fbc7102b021905  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Related Dependencies



- application.currenttime.sample.zip: sampleapplication.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.sample.zip/src/com/inet/application/currenttime/sampleapplication.js
  - MD5: a0b6ce01eb88d27464c409bd56d4fa65
  - SHA1: c23569535b8a3fb31880228a5e8c3efd42555175
  - SHA256: 8d80f1c43ca8a4dba57c52e977bd61d92acae6cfdb8655b68fbc7102b021905

#### Identifiers

- None

**sampledatabase.zip:** sampledatabase.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/sampledatabase.zip/sampledatabase.jar  
**MD5:** f968d5ab73825825cc9ce3f5e88b241d  
**SHA1:** 225c1dc9b30175a8088ff13371e9c7556f4c7ab9  
**SHA256:** 1fbf59bf63f14536c5bfa11e5177aeeedadd5c071c541aa070d828dc94b92ae7  
**Referenced In Project/Scope:** server

## Evidence



| Type    | Source   | Name                                   | Value                                | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor  | file     | name                                   | sampledatabase                       | High       |
| Vendor  | jar      | package name                           | designer                             | Low        |
| Vendor  | jar      | package name                           | inet                                 | Low        |
| Vendor  | jar      | package name                           | sampledatabase                       | Low        |
| Vendor  | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Vendor  | Manifest | built-date                             | 2025-10-01 18:55                     | Low        |
| Vendor  | Manifest | codebase                               | *                                    | Low        |
| Vendor  | Manifest | implementation-group                   | reporting                            | Low        |
| Vendor  | Manifest | Implementation-Vendor                  | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id               | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | permissions                            | all-permissions                      | Low        |
| Vendor  | Manifest | specification-vendor                   | i-net software                       | Low        |
| Vendor  | Manifest | trusted-library                        | false                                | Low        |
| Vendor  | Manifest | trusted-only                           | false                                | Low        |
| Vendor  | Manifest | vendor                                 | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                                   | sampledatabase                       | High       |
| Product | jar      | package name                           | designer                             | Low        |
| Product | jar      | package name                           | sampledatabase                       | Highest    |
| Product | jar      | package name                           | sampledatabase                       | Low        |
| Product | Manifest | application-library-allowable-codebase | *                                    | Low        |
| Product | Manifest | built-date                             | 2025-10-01 18:55                     | Low        |
| Product | Manifest | codebase                               | *                                    | Low        |
|         |          |  |                                      |            |

|         |          |                        |                 |        |
|---------|----------|------------------------|-----------------|--------|
| Product | Manifest | implementation-group   | reporting       | Low    |
| Product | Manifest | Implementation-Title   | sampledatabase  | High   |
| Product | Manifest | permissions            | all-permissions | Low    |
| Product | Manifest | specification-title    | sampledatabase  | Medium |
| Product | Manifest | trusted-library        | false           | Low    |
| Product | Manifest | trusted-only           | false           | Low    |
| Version | Manifest | Implementation-Version | 25.10.198       | High   |

#### Identifiers

- None

### sampledatabase.zip: smallsql.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/sampledatabase.zip/smallsql.jar

**MD5:** a85e63aac9630d46b06baaf8e405085a

**SHA1:** bc3097212ad32b21b2fd14ec0fa68e369a6e17f0

**SHA256:** fdc0c0d1883046fd8b0b8155ce94b2e1d6642679d51842ccc1c5b5343f9519a4

**Referenced In Project/Scope:** server

#### Evidence +

| Type    | Source | Name         | Value    | Confidence |
|---------|--------|--------------|----------|------------|
| Vendor  | file   | name         | smallsql | High       |
| Vendor  | jar    | package name | database | Low        |
| Vendor  | jar    | package name | smallsql | Low        |
| Product | file   | name         | smallsql | High       |
| Product | jar    | package name | database | Low        |

#### Identifiers

- None

## samlereports.zip: samlereports.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/samlereports.zip/samlereports.jar

**MD5:** 298fff72298b54c8fe6f41b39770b603

**SHA1:** f35802ea49a5360da887e622b73fc2d4c742da2f

**SHA256:** 00eca729283979466f292a48208861ea8180be4f645b1af056b1b2510c1310cf

**Referenced In Project/Scope:** server

### Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | samlereports                         | High       |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | report                               | Low        |
| Vendor  | jar      | package name             | samples                              | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 18:56                     | Low        |
| Vendor  | Manifest | implementation-group     | reporting                            | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | samlereports                         | High       |
| Product | jar      | package name             | report                               | Low        |
| Product | jar      | package name             | samples                              | Low        |
| Product | Manifest | built-date               | 2025-10-01 18:56                     | Low        |
| Product | Manifest | implementation-group     | reporting                            | Low        |
| Product | Manifest | Implementation-Title     | samlereports                         | High       |
| Product | Manifest | specification-title      | samlereports                         | Medium     |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High       |

### Identifiers

- None

## search-worker.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/search-worker.js

**MD5:** 5e2f2f2ecf39ab1197fa1f33bb73dce9

**SHA1:** fdf200a9954128e900e26e11749fc5c9250ba4eb

**SHA256:**422e115f5fd7829299546902847141ff52b972eca6c6b040bc7dbb81dcc79b89

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## security.zip: security.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/security.zip/security.jar

**MD5:** d0119188912057110163d42dd1223319

**SHA1:** 44be1c83c474e38bc896d63a9f804e9b880262f3

**SHA256:**a2ee17bc5c195e3dbb11610596411be0ddcdbce0b373e01b20714ce8616416fb

**Referenced In Project/Scope:** server

### Evidence



| Type   | Source   | Name                     | Value            | Confidence |
|--------|----------|--------------------------|------------------|------------|
| Vendor | file     | name                     | security         | High       |
| Vendor | jar      | package name             | inet             | Low        |
| Vendor | jar      | package name             | security         | Low        |
| Vendor | jar      | package name             | server           | Low        |
| Vendor | Manifest | built-date               | 2025-10-01 17:50 | Low        |
| Vendor | Manifest | implementation-group     | shared           | Low        |
| Vendor | Manifest | Implementation-Vendor    | i-net software   | High       |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware  | Medium     |
|        |          |                          |                  |            |

|         |          |                        |                                      |         |
|---------|----------|------------------------|--------------------------------------|---------|
| Vendor  | Manifest | specification-vendor   | i-net software                       | Low     |
| Vendor  | Manifest | vendor                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                   | security                             | High    |
| Product | jar      | package name           | security                             | Highest |
| Product | jar      | package name           | security                             | Low     |
| Product | jar      | package name           | server                               | Low     |
| Product | Manifest | built-date             | 2025-10-01 17:50                     | Low     |
| Product | Manifest | implementation-group   | shared                               | Low     |
| Product | Manifest | Implementation-Title   | security                             | High    |
| Product | Manifest | specification-title    | security                             | Medium  |
| Version | Manifest | Implementation-Version | 25.10.198                            | High    |

Identifiers

- None

sessiondatasource.sample.zip: sessiondatasource.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/SessionDatasource/sessiondatasource.sample.zip/sessiondatasource.sample.jar

**MD5:** 01475d790a3197f470c9c2547c73c118

**SHA1:** fcdb25049f9f2b9c59b12548b407acbd34e4d62

**SHA256:** ab16d96e79727f6be5e3e1d994ecb635d5f89e7b54cc5485dda5d556e3c1de61

**Referenced In Project/Scope:** server

Evidence



| Type   | Source   | Name                 | Value                    | Confidence |
|--------|----------|----------------------|--------------------------|------------|
| Vendor | file     | name                 | sessiondatasource.sample | High       |
| Vendor | jar      | package name         | inet                     | Low        |
| Vendor | jar      | package name         | samples                  | Low        |
| Vendor | jar      | package name         | session                  | Low        |
| Vendor | Manifest | built-date           | 2025-10-01 18:41         | Low        |
| Vendor | Manifest | implementation-group | reporting                | Low        |
|        |          |                      |                          |            |

|         |          |                          |                                      |        |
|---------|----------|--------------------------|--------------------------------------|--------|
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High   |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low    |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium |
| Product | file     | name                     | sessiondatasource.sample             | High   |
| Product | jar      | package name             | datasource                           | Low    |
| Product | jar      | package name             | samples                              | Low    |
| Product | jar      | package name             | session                              | Low    |
| Product | Manifest | built-date               | 2025-10-01 18:41                     | Low    |
| Product | Manifest | implementation-group     | reporting                            | Low    |
| Product | Manifest | Implementation-Title     | sessiondatasource.sample             | High   |
| Product | Manifest | specification-title      | sessiondatasource.sample             | Medium |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High   |

#### Identifiers

- None

### sessiondatasource.zip: sessiondatasource.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/sessiondatasource.zip/sessiondatasource.sample.jar

**MD5:** 054fcd0446df4d0dd2ee0c33147f716f

**SHA1:** a34f2587c33cbd3e09411c1c67a62930e0a57649

**SHA256:** 459521c5536c151a6c9f4b0dd6c03ef636650824d940356f04ab3bed8f827acf

**Referenced In Project/Scope:** server

#### Evidence



| Type   | Source | Name         | Value                    | Confidence |
|--------|--------|--------------|--------------------------|------------|
| Vendor | file   | name         | sessiondatasource.sample | High       |
| Vendor | jar    | package name | inet                     | Low        |
| Vendor | jar    | package name | samples                  | Low        |
| Vendor | jar    | package name | session                  | Low        |



|         |          |                          |                                      |        |
|---------|----------|--------------------------|--------------------------------------|--------|
| Vendor  | Manifest | built-date               | 2025-09-29 18:42                     | Low    |
| Vendor  | Manifest | implementation-group     | reporting                            | Low    |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High   |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low    |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium |
| Product | file     | name                     | sessiondatasource.sample             | High   |
| Product | jar      | package name             | datasource                           | Low    |
| Product | jar      | package name             | samples                              | Low    |
| Product | jar      | package name             | session                              | Low    |
| Product | Manifest | built-date               | 2025-09-29 18:42                     | Low    |
| Product | Manifest | implementation-group     | reporting                            | Low    |
| Product | Manifest | Implementation-Title     | sessiondatasource                    | High   |
| Product | Manifest | specification-title      | sessiondatasource                    | Medium |
| Version | Manifest | Implementation-Version   | 25.10.196                            | High   |

#### Identifiers

- None

### setuplauncher.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/setuplauncher.jar

**MD5:** d42266a148e10aaa8d7d44694eb31f94

**SHA1:** 7feb495fc07471c52d99a777f30253f376faf7cd

**SHA256:** 5156b8d707f4819cc9c7d8c0c7f815c59288ee26f2b20d2cace88b3e434401c2

**Referenced In Project/Scope:** server

#### Evidence



| Type   | Source | Name | Value         | Confidence |
|--------|--------|------|---------------|------------|
| Vendor | file   | name | setuplauncher | High       |

|         |          |                          |                                      |         |
|---------|----------|--------------------------|--------------------------------------|---------|
| Vendor  | jar      | package name             | inet                                 | Low     |
| Vendor  | jar      | package name             | setuplauncher                        | Low     |
| Vendor  | Manifest | built-date               | 2025-10-01 17:33                     | Low     |
| Vendor  | Manifest | implementation-group     | shared                               | Low     |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low     |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                     | setuplauncher                        | High    |
| Product | jar      | package name             | setuplauncher                        | Highest |
| Product | jar      | package name             | setuplauncher                        | Low     |
| Product | Manifest | built-date               | 2025-10-01 17:33                     | Low     |
| Product | Manifest | implementation-group     | shared                               | Low     |
| Product | Manifest | Implementation-Title     | setuplauncher                        | High    |
| Product | Manifest | specification-title      | setuplauncher                        | Medium  |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High    |

#### Identifiers

- None

## slf4j-api-2.0.16.jar

### Description:

The slf4j API

### License:

<http://www.opensource.org/licenses/mit-license.php>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.slf4j/slf4j-api/2.0.16/172931663a09a1fa515567af5fbef00897d3c04/slf4j-api-2.0.16.jar

**MD5:** c8de8f5d740584cb24b5652cfba8b3c4

**SHA1:** 0172931663a09a1fa515567af5fbef00897d3c04

**SHA256:** a12578dde1ba00bd9b816d388a0b879928d00bab3c83c240f7013bf4196c579a

**Referenced In Projects/Scopes:**

- server
- server:inetPlugin

**Included by:** pkg:maven/clear-reports/server@25.10

## Evidence



| Type    | Source   | Name                 | Value                | Confidence |
|---------|----------|----------------------|----------------------|------------|
| Vendor  | file     | name                 | slf4j-api            | High       |
| Vendor  | gradle   | artifactid           | slf4j-api            | Highest    |
| Vendor  | gradle   | groupid              | org.slf4j            | Highest    |
| Vendor  | jar      | package name         | slf4j                | Highest    |
| Vendor  | Manifest | build-jdk-spec       | 21                   | Low        |
| Vendor  | Manifest | bundle-docurl        | http://www.slf4j.org | Low        |
| Vendor  | Manifest | bundle-symbolicname  | slf4j.api            | Medium     |
| Vendor  | Manifest | multi-release        | true                 | Low        |
| Vendor  | pom      | artifactid           | slf4j-api            | Low        |
| Vendor  | pom      | groupid              | org.slf4j            | Highest    |
| Vendor  | pom      | name                 | SLF4J API Module     | High       |
| Vendor  | pom      | parent-artifactid    | slf4j-parent         | Low        |
| Vendor  | pom      | url                  | http://www.slf4j.org | Highest    |
| Product | file     | name                 | slf4j-api            | High       |
| Product | gradle   | artifactid           | slf4j-api            | Highest    |
| Product | jar      | package name         | slf4j                | Highest    |
| Product | Manifest | build-jdk-spec       | 21                   | Low        |
| Product | Manifest | bundle-docurl        | http://www.slf4j.org | Low        |
| Product | Manifest | Bundle-Name          | SLF4J API Module     | Medium     |
| Product | Manifest | bundle-symbolicname  | slf4j.api            | Medium     |
| Product | Manifest | Implementation-Title | slf4j-api            | High       |
| Product | Manifest | multi-release        | true                 | Low        |
| Product | pom      | artifactid           | slf4j-api            | Highest    |
| Product | pom      | groupid              | org.slf4j            | Highest    |
| Product | pom      | name                 | SLF4J API Module     | High       |
| Product | pom      | parent-artifactid    | slf4j-parent         | Medium     |
| Product | pom      | url                  | http://www.slf4j.org | Medium     |
| Version | file     | version              | 2.0.16               | High       |

|         |          |                        |        |         |
|---------|----------|------------------------|--------|---------|
| Version | gradle   | version                | 2.0.16 | Highest |
| Version | Manifest | Bundle-Version         | 2.0.16 | High    |
| Version | Manifest | Implementation-Version | 2.0.16 | High    |
| Version | pom      | version                | 2.0.16 | Highest |

## Related Dependencies

- facturx.zip: slf4j-api.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/slf4j-api.jar
  - MD5: c8de8f5d740584cb24b5652cfba8b3c4
  - SHA1: 0172931663a09a1fa515567af5fbef00897d3c04
  - SHA256: a12578dde1ba00bd9b816d388a0b879928d00bab3c83c240f7013bf4196c579a
  - [pkg:maven/org.slf4j/slf4j-api@2.0.16](#)
- slf4j-api.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/slf4j-api.jar
  - MD5: c8de8f5d740584cb24b5652cfba8b3c4
  - SHA1: 0172931663a09a1fa515567af5fbef00897d3c04
  - SHA256: a12578dde1ba00bd9b816d388a0b879928d00bab3c83c240f7013bf4196c579a

## Identifiers

- [pkg:maven/org.slf4j/slf4j-api@2.0.16](#) (*Confidence:High*)

## statistics.reporting.zip: statistics.reporting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.reporting.zip/statistics.reporting.jar

**MD5:** db26662fddc33f83269aa0ba79ce9d3e

**SHA1:** c0a8bc14188fceaf5380004ff2fe8cf29a5ff49e

**SHA256:** b483b5cfc9cf369352874641f5283fc1141bec15f9802ed3eba2e30744f1149

**Referenced In Project/Scope:** server

## Evidence

| Type   | Source | Name         | Value                | Confidence |
|--------|--------|--------------|----------------------|------------|
| Vendor | file   | name         | statistics.reporting | High       |
| Vendor | jar    | package name | inet                 | Low        |
| Vendor | jar    | package name | report               | Low        |
| Vendor | jar    | package name | statistics           | Low        |
|        |        |              |                      |            |

|         |          |                          |                                      |         |
|---------|----------|--------------------------|--------------------------------------|---------|
| Vendor  | Manifest | built-date               | 2025-10-01 18:56                     | Low     |
| Vendor  | Manifest | implementation-group     | reporting                            | Low     |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low     |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                     | statistics.reporting                 | High    |
| Product | jar      | package name             | report                               | Low     |
| Product | jar      | package name             | reports                              | Low     |
| Product | jar      | package name             | statistics                           | Highest |
| Product | jar      | package name             | statistics                           | Low     |
| Product | Manifest | built-date               | 2025-10-01 18:56                     | Low     |
| Product | Manifest | implementation-group     | reporting                            | Low     |
| Product | Manifest | Implementation-Title     | statistics.reporting                 | High    |
| Product | Manifest | specification-title      | statistics.reporting                 | Medium  |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High    |

#### Identifiers

- None

### statistics.zip: statistics.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar

**MD5:** 4021a225b550c508d2b4d8d16dd76e73

**SHA1:** b894e570b5c2ba2b558233faf376067e9ed13aa1

**SHA256:** ddeec8d0ac596a5e59b15d9c024724f42147d510ff1c0e5689e0c5f25e57bb43

**Referenced In Project/Scope:** server

#### Evidence



| Type   | Source | Name | Value      | Confidence |
|--------|--------|------|------------|------------|
| Vendor | file   | name | statistics | High       |

|         |          |                          |                                      |         |
|---------|----------|--------------------------|--------------------------------------|---------|
| Vendor  | jar      | package name             | inet                                 | Low     |
| Vendor  | jar      | package name             | shared                               | Low     |
| Vendor  | jar      | package name             | statistics                           | Low     |
| Vendor  | Manifest | built-date               | 2025-10-01 17:45                     | Low     |
| Vendor  | Manifest | implementation-group     | shared                               | Low     |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low     |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                     | statistics                           | High    |
| Product | jar      | package name             | server                               | Low     |
| Product | jar      | package name             | shared                               | Highest |
| Product | jar      | package name             | shared                               | Low     |
| Product | jar      | package name             | statistics                           | Highest |
| Product | jar      | package name             | statistics                           | Low     |
| Product | Manifest | built-date               | 2025-10-01 17:45                     | Low     |
| Product | Manifest | implementation-group     | shared                               | Low     |
| Product | Manifest | Implementation-Title     | statistics                           | High    |
| Product | Manifest | specification-title      | statistics                           | Medium  |
| Version | jar      | package name             | shared                               | Highest |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High    |

#### Identifiers

- None

**statistics.zip: statistics.jar: controller.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar/com/inet/shared/statistics/resources/js/controller.js

**MD5:** ab7003fe861953c6abc66b27b1f6e824

**SHA1:** 6a93b0087442f8107d7b3b7613a2f9590e264037

**SHA256:**285c12f5de09df31da0a1efaa067d54d97faf702a8be779957584ee65099c05b

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### statistics.zip: statistics.jar: embeddedstatisticsapp.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar/com/inet/shared/statistics/server/embeddingapi/embeddedstatisticsapp.js

**MD5:** c479caec82cfc22aa3d0d006a413cad2

**SHA1:** 5774a48ac9d363bebc83f21d510b590686c874e3

**SHA256:**5364a3cc82eaf8046de8d6e89a4c14b4de33b2269e07c2606faee105d690e11d

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### statistics.zip: statistics.jar: flotr2.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar/com/inet/shared/statistics/resources/js/flotr2.min.js

**MD5:** c55df5101903c061ab8d0d65a61cb89e

**SHA1:** 08f86a4f4c443157e3428d2c0f1167d9ecc074b4

**SHA256:**3811dd70eb5d41c7b58c6f6493bbe5e236e53ee69e3e93f2a547f014e74f1698

**Referenced In Project/Scope:** server


#### Evidence



| Type        | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers |        |      |       |            |
| • None      |        |      |       |            |


statistics.zip: statistics.jar: rendererstatistics.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar/com/inet/shared/statistics/resources/js/rendererstatistics.js  
**MD5:** 075f725509143c82fa410fdebb2b5264  
**SHA1:** 5e800728830be4d13c9d089984e9b107283cd590  
**SHA256:**f5aafb40f1f084c51c2d951c960af49d87da5e3f2766eac7915491dcbd3489fb  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |
| Identifiers  |        |      |       |            |
| • None   |        |      |       |            |

statistics.zip: statistics.jar: statisticsFactory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar/com/inet/shared/statistics/resources/js/statisticsFactory.js  
**MD5:** b15faeabe2108ee761c4a0603022d068  
**SHA1:** cacefd7bf9b20be1e15931cd570e91317ecc7814  
**SHA256:**bcae83a33d627c9699155e9690523b20e31364bffb1784aa5b9eb48e05ee410b  
**Referenced In Project/Scope:** server

| Evidence  |        |      |       |            |
|--|--------|------|-------|------------|
| Type   | Source | Name | Value | Confidence |
| Identifiers  |        |      |       |            |



- None

## svgSalamander.jar

### Description:

A tool for displaying and playing SVG content using the Java2D.

### License:

BSD License: <https://opensource.org/licenses/BSD-2-Clause>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/svgSalamander.jar

**MD5:** ec89e47e9c1e331577b9f37132643030

**SHA1:** 2834461bf9d561fbf8b8531503e5718c582ae800

**SHA256:** ad12ea694ebec5b50b10322e72b7e2cfb6d1689f5ba0bcd58b08f02c1f50c765

**Referenced In Project/Scope:** server

### Evidence



| Type    | Source | Name              | Value   | Confidence |
|---------|--------|-------------------|---|------------|
| Vendor  | file   | name              | svgSalamander   | High       |
| Vendor  | jar    | package name      | a   | Highest    |
| Vendor  | jar    | package name      | kitfox  | Highest    |
| Vendor  | jar    | package name      | kitfox  | Low        |
| Vendor  | jar    | package name      | svg   | Highest    |
| Vendor  | jar    | package name      | svg   | Low        |
| Vendor  | pom    | artifactid        | svgSalamander   | Low        |
| Vendor  | pom    | developer email   | mark@kitfox.com   | Low        |
| Vendor  | pom    | developer name    | Mark McKay  | Medium     |
| Vendor  | pom    | developer org     | kitfox.com  | Medium     |
| Vendor  | pom    | developer org URL | <a href="http://www.kitfox.com">http://www.kitfox.com</a> | Medium     |
| Vendor  | pom    | groupid           | guru.nidi.com.kitfox                                      | Highest    |
| Vendor  | pom    | name              | com.kitfox:svgSalamander                                  | High       |
| Vendor  | pom    | url               | blackears/svgSalamander                                   | Highest    |
| Product | file   | name              | svgSalamander   | High       |
| Product | jar    | package name      | a   | Highest    |
| Product | jar    | package name      | kitfox  | Highest    |
| Product | jar    | package name      | svg   | Highest    |
| Product | jar    | package name      | svg   | Low        |

|         |     |                   |                          |         |
|---------|-----|-------------------|--------------------------|---------|
| Product | pom | artifactid        | svgSalamander            | Highest |
| Product | pom | developer email   | mark@kitfox.com          | Low     |
| Product | pom | developer name    | Mark McKay               | Low     |
| Product | pom | developer org     | kitfox.com               | Low     |
| Product | pom | developer org URL | http://www.kitfox.com    | Low     |
| Product | pom | groupid           | guru.nidi.com.kitfox     | Highest |
| Product | pom | name              | com.kitfox:svgSalamander | High    |
| Product | pom | url               | blackears/svgSalamander  | High    |
| Version | pom | version           | 1.1.3                    | Highest |

### Identifiers

- [pkg:maven/guru.nidi.com.kitfox/svgSalamander@1.1.3](#) (Confidence:High)
- [cpe:2.3:a:kitfox:svg\\_salamander:1.1.3:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Low) suppress

## taskplanner.logaction.sample.zip: taskplanner.logaction.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/TaskPlanner/LogActionPlugin/taskplanner.logaction.sample.zip/taskplanner.logaction.sample.jar

**MD5:** a38f175443afd29e1e6d305e969325e1

**SHA1:** 3ef0f4dce2b4294bbc257eaf8ca5b9a5a1c01c73

**SHA256:** 2beaf0bfbd00cc3eb0d8dffafee123f46408356a01a3894f7b8c4078fa85135b

**Referenced In Project/Scope:** server

### Evidence

| Type   | Source   | Name                  | Value                        | Confidence |
|--------|----------|-----------------------|------------------------------|------------|
| Vendor | file     | name                  | taskplanner.logaction.sample | High       |
| Vendor | jar      | package name          | inet                         | Low        |
| Vendor | jar      | package name          | logaction                    | Low        |
| Vendor | jar      | package name          | taskplanner                  | Low        |
| Vendor | Manifest | built-date            | 2025-10-01 17:48             | Low        |
| Vendor | Manifest | implementation-group  | shared                       | Low        |
| Vendor | Manifest | Implementation-Vendor | i-net software               | High       |
| Vendor | Manifest | Implementation-       | de.inetsoftware              | Medium     |

## Vendor-Id

|         |          |                        |                                      |         |
|---------|----------|------------------------|--------------------------------------|---------|
| Vendor  | Manifest | specification-vendor   | i-net software                       | Low     |
| Vendor  | Manifest | vendor                 | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                   | taskplanner.logaction.sample         | High    |
| Product | jar      | package name           | logaction                            | Highest |
| Product | jar      | package name           | logaction                            | Low     |
| Product | jar      | package name           | taskplanner                          | Highest |
| Product | jar      | package name           | taskplanner                          | Low     |
| Product | Manifest | built-date             | 2025-10-01 17:48                     | Low     |
| Product | Manifest | implementation-group   | shared                               | Low     |
| Product | Manifest | Implementation-Title   | taskplanner.logaction.sample         | High    |
| Product | Manifest | specification-title    | taskplanner.logaction.sample         | Medium  |
| Version | Manifest | Implementation-Version | 25.10.198                            | High    |

## Identifiers

- None

## taskplanner.openweathermap.sample.zip: taskplanner.openweathermap.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/TaskPlanner/OpenWeatherMapPlugin/taskplanner.openweathermap.sample.zip/taskplanner.openweathermap.sample.jar

**MD5:** 2e292f6874a005555503536b91387768

**SHA1:** 2996642d1fe24f9910770b6ba6441d11d13bab69

**SHA256:** 08194afb6246d28aceba6a29f25b40a05331b806ac7f98bb8a871f9008eaf984

**Referenced In Project/Scope:** server

## Evidence



| Type   | Source | Name         | Value                             | Confidence |
|--------|--------|--------------|-----------------------------------|------------|
| Vendor | file   | name         | taskplanner.openweathermap.sample | High       |
| Vendor | jar    | package name | inet                              | Low        |
| Vendor | jar    | package name | openweathermap                    | Low        |
| Vendor | jar    | package name | taskplanner                       | Low        |
|        |        |              |                                   |            |

|         |          |                          |                                      |         |
|---------|----------|--------------------------|--------------------------------------|---------|
| Vendor  | Manifest | built-date               | 2025-10-01 17:48                     | Low     |
| Vendor  | Manifest | implementation-group     | shared                               | Low     |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low     |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                     | taskplanner.openweathermap.sample    | High    |
| Product | jar      | package name             | openweathermap                       | Highest |
| Product | jar      | package name             | openweathermap                       | Low     |
| Product | jar      | package name             | taskplanner                          | Highest |
| Product | jar      | package name             | taskplanner                          | Low     |
| Product | Manifest | built-date               | 2025-10-01 17:48                     | Low     |
| Product | Manifest | implementation-group     | shared                               | Low     |
| Product | Manifest | Implementation-Title     | taskplanner.openweathermap.sample    | High    |
| Product | Manifest | specification-title      | taskplanner.openweathermap.sample    | Medium  |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High    |

#### Identifiers

- None

### taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar

**MD5:** 520d40f3ed4097af9c11b14c969bc250

**SHA1:** d62696d97e97de382a89fea753c3a5022f71ac42

**SHA256:** 18a31dd47039399ed7d297834bcd37503914d20b4f06a27a4a7bff01a5fb62bc

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

|         |      |      |                               |      |
|---------|------|------|-------------------------------|------|
| Vendor  | file | name | taskplanner.reporting-javadoc | High |
| Product | file | name | taskplanner.reporting-javadoc | High |

#### Identifiers

- None

### taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/member-search-index.js

**MD5:** de0f18bbc2da1ad408139283b4db3733

**SHA1:** f68de53642127720d1963b4ab6c535d15ed552d7

**SHA256:** 0d1f6e53fd3c81e1f4fb21e5950525b18aac5b2d0d386897590336f6def7a528

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/package-search-index.js

**MD5:** 53fb7ab8ab8de6b33f33254e2c32fbc9

**SHA1:** f9bac0ca4dca6228416bed44f903f85acc19d969

**SHA256:** 4dc686e5e4b0138073c3ffc1106bea2df96559da6d6e7d7ec2273bb12978c8ed

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

#### taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/type-search-index.js

**MD5:** b0dcdeedc2201c62287cfb168bca35f5

**SHA1:** aabb00fe2be134923fb716b9b6d1909e247d0dfa

**SHA256:** c655265fb2ffb91913da0407621313cf8139ee6bf04a9374cde419395878e64e

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### taskplanner.reporting.zip: taskplanner.reporting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting.jar

**MD5:** 8fa3f1c83e495645d1a3eb51b65c0184

**SHA1:** 3430907921fffd320dead18578cb403057093fd2

**SHA256:** f223d140f55597ec39262257c8a6653b027afb0d5f1504ad5334ed916c3c3835

**Referenced In Project/Scope:** server

##### Evidence



| Type   | Source   | Name                 | Value                 | Confidence |
|--------|----------|----------------------|-----------------------|------------|
| Vendor | file     | name                 | taskplanner.reporting | High       |
| Vendor | jar      | package name         | inet                  | Low        |
| Vendor | jar      | package name         | report                | Low        |
| Vendor | jar      | package name         | taskplanner           | Low        |
| Vendor | Manifest | built-date           | 2025-10-01 18:56      | Low        |
| Vendor | Manifest | implementation-group | reporting             | Low        |

|         |          |                          |                                      |         |
|---------|----------|--------------------------|--------------------------------------|---------|
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High    |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium  |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low     |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium  |
| Product | file     | name                     | taskplanner.reporting                | High    |
| Product | jar      | package name             | report                               | Low     |
| Product | jar      | package name             | taskplanner                          | Highest |
| Product | jar      | package name             | taskplanner                          | Low     |
| Product | Manifest | built-date               | 2025-10-01 18:56                     | Low     |
| Product | Manifest | implementation-group     | reporting                            | Low     |
| Product | Manifest | Implementation-Title     | taskplanner.reporting                | High    |
| Product | Manifest | specification-title      | taskplanner.reporting                | Medium  |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High    |

#### Identifiers

- None

### taskplanner.reporting.zip: taskplanner.reporting.jar: crttaskplanner.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting.jar/com/inet/report/taskplanner/client/crttaskplanner.js

**MD5:** ea3fd5ef6a70616ed664aaeb73227b89

**SHA1:** 38cee119cd4daac08a3949a972643854a1b2acc5

**SHA256:** 83b12efacba175acc1938d90d8bdb8f3f94802f94d39fc11dbd5a08417ef03e0

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

## taskplanner.zip: commons-cli.jar

### Description:

Apache Commons CLI provides a simple API for presenting, processing, and validating a Command Line Interface.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/commons-cli.jar

**MD5:** ef66360f30909f8372d6358dfc5d1b6c

**SHA1:** e1cdfa8bf40ccbb7440b2d1232f9f45bb20a1844

**SHA256:** d3d530d0f28fd0fbbffe2b0b338f70e8cb96f1605579e2e3abd4db29cac24e69

**Referenced In Project/Scope:** server

### Evidence



| Type   | Source   | Name                     | Value   | Confidence |
|--------|----------|--------------------------|---|------------|
| Vendor | file     | name                     | commons-cli   | High       |
| Vendor | jar      | package name             | apache  | Highest    |
| Vendor | jar      | package name             | cli   | Highest    |
| Vendor | jar      | package name             | commons   | Highest    |
| Vendor | Manifest | build-jdk-spec           | 17  | Low        |
| Vendor | Manifest | bundle-docurl            | <a href="https://commons.apache.org/proper/commons-cli/">https://commons.apache.org/proper/commons-cli/</a> | Low        |
| Vendor | Manifest | bundle-symbolicname      | org.apache.commons.cli  | Medium     |
| Vendor | Manifest | Implementation-Vendor    | The Apache Software Foundation  | High       |
| Vendor | Manifest | Implementation-Vendor-Id | org.apache  | Medium     |
| Vendor | Manifest | multi-release            | true  | Low        |
| Vendor | Manifest | specification-vendor     | The Apache Software Foundation  | Low        |
| Vendor | pom      | artifactid               | commons-cli   | Low        |
| Vendor | pom      | developer email          | bob@werken.com  | Low        |
| Vendor | pom      | developer email          | chtompki@apache.org   | Low        |
| Vendor | pom      | developer email          | ebourg@apache.org   | Low        |
| Vendor | pom      | developer email          | ggregory at apache.org  | Low        |
|        |          |                          |   |            |



|         |      |                   |   |         |
|---------|------|-------------------|---|---------|
| Vendor  | pom  | developer email   | jbjk@mac.com  | Low     |
| Vendor  | pom  | developer email   | jstrachan@apache.org  | Low     |
| Vendor  | pom  | developer email   | roxspring@imapmail.org  | Low     |
| Vendor  | pom  | developer email   | tn@apache.org   | Low     |
| Vendor  | pom  | developer id      | bob   | Medium  |
| Vendor  | pom  | developer id      | chtompki  | Medium  |
| Vendor  | pom  | developer id      | ebourg  | Medium  |
| Vendor  | pom  | developer id      | ggregory  | Medium  |
| Vendor  | pom  | developer id      | jkeyes  | Medium  |
| Vendor  | pom  | developer id      | jstrachan   | Medium  |
| Vendor  | pom  | developer id      | roxspring   | Medium  |
| Vendor  | pom  | developer id      | tn  | Medium  |
| Vendor  | pom  | developer name    | Bob McWhirter   | Medium  |
| Vendor  | pom  | developer name    | Emmanuel Bourg  | Medium  |
| Vendor  | pom  | developer name    | Gary Gregory  | Medium  |
| Vendor  | pom  | developer name    | James Strachan  | Medium  |
| Vendor  | pom  | developer name    | John Keyes  | Medium  |
| Vendor  | pom  | developer name    | Rob Oxspring  | Medium  |
| Vendor  | pom  | developer name    | Rob Tompkins  | Medium  |
| Vendor  | pom  | developer name    | Thomas Neidhart   | Medium  |
| Vendor  | pom  | developer org     | Ariane Software   | Medium  |
| Vendor  | pom  | developer org     | Indigo Stone  | Medium  |
| Vendor  | pom  | developer org     | integral Source   | Medium  |
| Vendor  | pom  | developer org     | SpiritSoft, Inc.  | Medium  |
| Vendor  | pom  | developer org     | The Apache Software Foundation  | Medium  |
| Vendor  | pom  | developer org     | Werken  | Medium  |
| Vendor  | pom  | developer org URL | <a href="https://www.apache.org/">https://www.apache.org/</a>   | Medium  |
| Vendor  | pom  | groupid           | commons-cli   | Highest |
| Vendor  | pom  | name              | Apache Commons CLI  | High    |
| Vendor  | pom  | parent-artifactid | commons-parent  | Low     |
| Vendor  | pom  | parent-groupid    | org.apache.commons  | Medium  |
| Vendor  | pom  | url               | <a href="https://commons.apache.org/proper/commons-cli/">https://commons.apache.org/proper/commons-cli/</a> | Highest |
| Product | file | name              | commons-cli   | High    |
| Product | jar  | package name      | apache  | Highest |
|         |      |                   |   |         |

|         |          |                      |   |         |
|---------|----------|----------------------|---|---------|
| Product | jar      | package name         | cli   | Highest |
| Product | jar      | package name         | commons   | Highest |
| Product | Manifest | build-jdk-spec       | 17  | Low     |
| Product | Manifest | bundle-docurl        | <a href="https://commons.apache.org/proper/commons-cli/">https://commons.apache.org/proper/commons-cli/</a> | Low     |
| Product | Manifest | Bundle-Name          | Apache Commons CLI  | Medium  |
| Product | Manifest | bundle-symbolicname  | org.apache.commons.cli  | Medium  |
| Product | Manifest | Implementation-Title | Apache Commons CLI  | High    |
| Product | Manifest | multi-release        | true  | Low     |
| Product | Manifest | specification-title  | Apache Commons CLI  | Medium  |
| Product | pom      | artifactid           | commons-cli   | Highest |
| Product | pom      | developer email      | bob@werken.com  | Low     |
| Product | pom      | developer email      | chtompki@apache.org   | Low     |
| Product | pom      | developer email      | ebourg@apache.org   | Low     |
| Product | pom      | developer email      | ggregory at apache.org  | Low     |
| Product | pom      | developer email      | jbjk@mac.com  | Low     |
| Product | pom      | developer email      | jstrachan@apache.org  | Low     |
| Product | pom      | developer email      | roxspring@imapmail.org  | Low     |
| Product | pom      | developer email      | tn@apache.org   | Low     |
| Product | pom      | developer id         | bob   | Low     |
| Product | pom      | developer id         | chtompki  | Low     |
| Product | pom      | developer id         | ebourg  | Low     |
| Product | pom      | developer id         | ggregory  | Low     |
| Product | pom      | developer id         | jkeyes  | Low     |
| Product | pom      | developer id         | jstrachan   | Low     |
| Product | pom      | developer id         | roxspring   | Low     |
| Product | pom      | developer id         | tn  | Low     |
| Product | pom      | developer name       | Bob McWhirter   | Low     |
| Product | pom      | developer name       | Emmanuel Bourg  | Low     |
| Product | pom      | developer name       | Gary Gregory  | Low     |
| Product | pom      | developer name       | James Strachan  | Low     |
| Product | pom      | developer name       | John Keyes  | Low     |
| Product | pom      | developer name       | Rob Oxspring  | Low     |
| Product | pom      | developer name       | Rob Tompkins  | Low     |
| Product | pom      | developer name       | Thomas Neidhart   | Low     |

|         |          |                        |   |         |
|---------|----------|------------------------|---|---------|
| Product | pom      | developer org          | Ariane Software   | Low     |
| Product | pom      | developer org          | Indigo Stone  | Low     |
| Product | pom      | developer org          | integral Source   | Low     |
| Product | pom      | developer org          | SpiritSoft, Inc.  | Low     |
| Product | pom      | developer org          | The Apache Software Foundation  | Low     |
| Product | pom      | developer org          | Werken  | Low     |
| Product | pom      | developer org URL      | <a href="https://www.apache.org/">https://www.apache.org/</a>   | Low     |
| Product | pom      | groupid                | commons-cli   | Highest |
| Product | pom      | name                   | Apache Commons CLI  | High    |
| Product | pom      | parent-artifactid      | commons-parent  | Medium  |
| Product | pom      | parent-groupid         | org.apache.commons  | Medium  |
| Product | pom      | url                    | <a href="https://commons.apache.org/proper/commons-cli/">https://commons.apache.org/proper/commons-cli/</a> | Medium  |
| Version | Manifest | Bundle-Version         | 1.9.0   | High    |
| Version | Manifest | Implementation-Version | 1.9.0   | High    |
| Version | pom      | parent-version         | 1.9.0   | Low     |
| Version | pom      | version                | 1.9.0   | Highest |

#### Identifiers

- <pkg:maven/commons-cli/commons-cli@1.9.0> (*Confidence:High*)

## taskplanner.zip: cron-utils.jar

### Description:

A Java library to parse, migrate and validate crons as well as describe them in human readable language

### License:

Apache 2.0: <http://www.apache.org/licenses/LICENSE-2.0.html>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/cron-utils.jar

**MD5:** 4c27537eecc6fa37ed5740b5383643c8

**SHA1:** 5d3738bc7a2eaa45a94a76c6e87af54a95414637

**SHA256:** 02af0e8b2fe93c9fa6eef97b53b39faae14c5b996356edb132e9fe620013744

**Referenced In Project/Scope:** server

## Evidence



| Type    | Source   | Name                  | Value                    | Confidence |
|---------|----------|-----------------------|--------------------------|------------|
| Vendor  | file     | name                  | cron-utils               | High       |
| Vendor  | jar      | package name          | cron                     | Highest    |
| Vendor  | jar      | package name          | cronutils                | Highest    |
| Vendor  | jar      | package name          | utils                    | Highest    |
| Vendor  | Manifest | automatic-module-name | com.cronutils            | Medium     |
| Vendor  | Manifest | build-jdk-spec        | 1.8                      | Low        |
| Vendor  | Manifest | bundle-symbolicname   | com.cronutils.cron-utils | Medium     |
| Vendor  | pom      | artifactid            | cron-utils               | Low        |
| Vendor  | pom      | developer id          | jmrozanec                | Medium     |
| Vendor  | pom      | groupid               | com.cronutils            | Highest    |
| Vendor  | pom      | name                  | cron-utils               | High       |
| Vendor  | pom      | url                   | http://cron-parser.com/  | Highest    |
| Product | file     | name                  | cron-utils               | High       |
| Product | jar      | package name          | cron                     | Highest    |
| Product | jar      | package name          | cronutils                | Highest    |
| Product | jar      | package name          | utils                    | Highest    |
| Product | Manifest | automatic-module-name | com.cronutils            | Medium     |
| Product | Manifest | build-jdk-spec        | 1.8                      | Low        |
| Product | Manifest | Bundle-Name           | cron-utils               | Medium     |
| Product | Manifest | bundle-symbolicname   | com.cronutils.cron-utils | Medium     |
| Product | pom      | artifactid            | cron-utils               | Highest    |
| Product | pom      | developer id          | jmrozanec                | Low        |
| Product | pom      | groupid               | com.cronutils            | Highest    |
| Product | pom      | name                  | cron-utils               | High       |
| Product | pom      | url                   | http://cron-parser.com/  | Medium     |
| Version | Manifest | Bundle-Version        | 9.2.1                    | High       |
| Version | pom      | version               | 9.2.1                    | Highest    |

## Identifiers

- [pkg:maven/com.cronutils/cron-utils@9.2.1](https://maven.com.cronutils/cron-utils@9.2.1) (Confidence:High)

- [cpe:2.3:a:cron-utils\\_project:cron-utils:9.2.1:\\*:\\*:\\*:\\*:\\*](#) (Confidence: Highest) suppress
- [cpe:2.3:a:utils\\_project:utils:9.2.1:\\*:\\*:\\*:\\*:\\*](#) (Confidence: Highest) suppress

## taskplanner.zip: guava.jar

### Description:

Guava is a suite of core and expanded libraries that include utility classes, Google's collections, I/O classes, and much more.

### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/guava.jar

**MD5:** 72920caab34426c5815e3b00f80e3b01

**SHA1:** e70a3268e6cd3e7d458aa15787ce6811c34e96ae

**SHA256:** f3d7f57f67fd622f4d468dfdd692b3a5e3909246c28017ac3263405f0fe617ed

**Referenced In Project/Scope:** server

### Evidence

| Type    | Source   | Name                | Value   | Confidence |
|---------|----------|---------------------|---|------------|
| Vendor  | file     | name                | guava   | High       |
| Vendor  | jar      | package name        | google  | Highest    |
| Vendor  | Manifest | build-jdk-spec      | 11  | Low        |
| Vendor  | Manifest | bundle-docurl       | <a href="https://github.com/google/guava/">https://github.com/google/guava/</a> | Low        |
| Vendor  | Manifest | bundle-symbolicname | com.google.guava  | Medium     |
| Vendor  | Manifest | multi-release       | true  | Low        |
| Vendor  | pom      | artifactid          | guava   | Low        |
| Vendor  | pom      | groupid             | com.google.guava  | Highest    |
| Vendor  | pom      | name                | Guava: Google Core Libraries for Java   | High       |
| Vendor  | pom      | parent-artifactid   | guava-parent  | Low        |
| Vendor  | pom      | url                 | <a href="https://github.com/google/guava/">google/guava</a>                     | Highest    |
| Product | file     | name                | guava   | High       |
| Product | jar      | package name        | google  | Highest    |
| Product | Manifest | build-jdk-spec      | 11  | Low        |
| Product | Manifest | bundle-docurl       | <a href="https://github.com/google/guava/">https://github.com/google/guava/</a> | Low        |
| Product | Manifest | Bundle-Name         | Guava: Google Core Libraries for Java   | Medium     |

|         |          |                     |                                       |         |
|---------|----------|---------------------|---------------------------------------|---------|
| Product | Manifest | bundle-symbolicname | com.google.guava                      | Medium  |
| Product | Manifest | multi-release       | true                                  | Low     |
| Product | pom      | artifactid          | guava                                 | Highest |
| Product | pom      | groupid             | com.google.guava                      | Highest |
| Product | pom      | name                | Guava: Google Core Libraries for Java | High    |
| Product | pom      | parent-artifactid   | guava-parent                          | Medium  |
| Product | pom      | url                 | google/guava                          | High    |
| Version | pom      | version             | 33.4.8-jre                            | Highest |

#### Identifiers

- [pkg:maven/com.google.guava/guava@33.4.8-jre](#) (*Confidence:High*)
- [cpe:2.3:a:google:guava:33.4.8:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

### taskplanner.zip: taskplanner-javadoc.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar

**MD5:** 1c7c8b79b7a25bc962859dacf4a2fa75

**SHA1:** 2d27f6450e758a61ce55e57b8b3d4a70ab55b6dd

**SHA256:** 7ca49129e0e23fc51aa1cd7bca6baa457f93c48c7ff7b053b148056d0e243b20

**Referenced In Project/Scope:** server

#### Evidence +

| Type    | Source | Name | Value               | Confidence |
|---------|--------|------|---------------------|------------|
| Vendor  | file   | name | taskplanner-javadoc | High       |
| Product | file   | name | taskplanner-javadoc | High       |

#### Identifiers

- None

### taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/member-search-index.js  
**MD5:** 2c85a0e81afba508978fadcba5aa3460  
**SHA1:** cb85238fca040dcfa240b4e4fbac2481b9befe54  
**SHA256:**9643a71d4723befc56eb12c0202aa16dcc65c8ba1d822b54df799a66dbd3444c  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/package-search-index.js  
**MD5:** 664e97ca24dfa41c9d227a21aa0d43c5  
**SHA1:** 4594dfafaa4e3780974c8476ea5a1ea1b9898f41  
**SHA256:**d5638352f038b195118792e06962bd06f15b8ca6ebd6df9db669aa096012ec0d  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/type-search-index.js  
**MD5:** 403c03a0b80f39466847272fb5b2af44  
**SHA1:** da5ea9b74d65f24c1b01b22f303270920f068cc0  
**SHA256:**6088624051edbd4398386cc066f7ef45d12fad739cafc76734b688ccd26fa4c8  
**Referenced In Project/Scope:** server

## Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

## Identifiers

- None

## taskplanner.zip: taskplanner.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar

**MD5:** c77dd0c043b0d2259009cae4339cb81d

**SHA1:** e4dfd18548410483e11ac295da0afadc8afba429

**SHA256:** cedee2bb7ba0cf9ae2373212c4a02af3f05460cc2ca971655729ad2317c17727

**Referenced In Project/Scope:** server

## Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | taskplanner                          | High       |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | server                               | Low        |
| Vendor  | jar      | package name             | taskplanner                          | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 17:22                     | Low        |
| Vendor  | Manifest | implementation-group     | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | taskplanner                          | High       |
| Product | jar      | package name             | api                                  | Low        |
| Product | jar      | package name             | server                               | Low        |
| Product | jar      | package name             | taskplanner                          | Highest    |
| Product | jar      | package name             | taskplanner                          | Low        |



|         |          |                        |                  |        |
|---------|----------|------------------------|------------------|--------|
| Product | Manifest | built-date             | 2025-10-01 17:22 | Low    |
| Product | Manifest | implementation-group   | shared           | Low    |
| Product | Manifest | Implementation-Title   | taskplanner      | High   |
| Product | Manifest | specification-title    | taskplanner      | Medium |
| Version | Manifest | Implementation-Version | 25.10.198        | High   |

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: app.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/app.js

**MD5:** 22be8e86a9121096b162ff523e37842e

**SHA1:** cc6010fdc028f0b9c5c95def16c69e3bab116bf0

**SHA256:** 511c001c378b9f9e28f261cafaa88892acb5a29743c50d5daf15dd869357bc0c

**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: boolean.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/boolean.directive.js

**MD5:** 8dcdbd2299e9082c7d30047c62d84fa7d

**SHA1:** 46e20aa1bd139542182a754edf0eaa8fa8684782

**SHA256:** f28e377c325d8ac419426606ae56bbb78e523210087910b9a595d87235d4eed0

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: colorField.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/colorField.directive.js

**MD5:** 6befac83d2b0754235fb738ada07b8db

**SHA1:** fa581823e83812639dd7a834b580619472492cff

**SHA256:** 299ff7b917c507bb852d4c8f7a305e545c214806ae816b47aa9f2b37928a5154

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/controller.js

**MD5:** 031cd3c1515d58fe90d61e8905e65d2e

**SHA1:** 0fe2d71ec83e6822e066eb8ba9aecea629185b7b

**SHA256:** 6b9c7f1dbbe8280f9c67f96989edc4c1530630ef12d00bbfe2fded24094f0521

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/factory.js

**MD5:** 2b26329c1c444c0c0c16d739621cd7f2

**SHA1:** 6c985723b3fa48ad6d46458232f1d16df14797c7

**SHA256:** 41c2f7a18fdd00f11f848cd0e6a5ecfa8e3a0b6765299293e3f48f258b55efb1

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/filechooserAddonButton.directive.js

**MD5:** 1dbc17a2a4e1fc7930dda7d5d3e4630a

**SHA1:** 350be18d05b89c69fa3167a09822876d21a42143

**SHA256:** 140100d27da0900d67a30dadcf9971ed9eff5c2787aa5814b930f986615c6abb

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

### taskplanner.zip: taskplanner.jar: model.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/model.js

**MD5:** 97d28d6942b4bc22b121b554b5b9d36f

**SHA1:** 25ad1c5dac475ab3a13df6e6a2792d52e9fd29ca

**SHA256:** 7bdd9f9c01104aa2dec6ba649ad42a0617e31cdb655b1a5920934fdd0a75519b

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: numberRange.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberRange.directive.js

**MD5:** e98f0aec3fd059575c390f4488396764

**SHA1:** 5fb36b30f1022112f5da2a9373fa562859a8f05d

**SHA256:** 2164d0a1c06a1750c41b3be860ade120946d0091f3f6c512241235601c3f74b6

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: numberWrapper.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberWrapper.directive.js

**MD5:** c71128c3dac942fc1d5d488562b727a0  
**SHA1:** 51e1419abd22f7f48debceb976752bfec46e36f4  
**SHA256:** 3c3f6b8e5bcc8bf32a3cf2192a10de8472100d195cc2b08c4ff860a0dcb9bacf  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: passwordTextField.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/passwordTextField.directive.js

**MD5:** 3c1bcad68930caf2fa88697134624473  
**SHA1:** 6c25ac7bd32b0c40b2202c9dc43f83842c55f846  
**SHA256:** 4620ce8c28a46c1675c50490a25f14d481e8910a7b3687a4bb712d73c80f3d73  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: renderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/renderer.directive.js

**MD5:** 3e232b940bcd532e99c88f5b95bf60b2  
**SHA1:** a051ce6df82ad9673fc1b23bafc3670d70bb4cac  
**SHA256:** b930dc86802f4307b5f6d4671f27dac5bd85d5766f32567f5479ecc9077bf5a3  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: simpleCurrencyField.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleCurrencyField.directive.js

**MD5:** 54ae56c2f76e7b601b9e9785dc51a623

**SHA1:** af05845b893807b4460bc65fa189700abcb4dc82

**SHA256:**847d6da58f5887edac53896e6bec4dde5b293a08a8ac6e421aa2847991f3b877

**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleDateTimeField.directive.js

**MD5:** 53d33b9956ea6ffea7cb1fef5e878961

**SHA1:** 2388423f76a1b38cb2e5729e57a113245e1d3f2d

**SHA256:**7cbb2507fe22dfec607af8d76d85317a395c3ebb98e31ec9be26e73350dbcd9f

**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

#### taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleFileFolderField.directive.js

**MD5:** 76de6683bc2d43547059d2f746b9524f

**SHA1:** c6ce84f2d2a89f07c4f05e95137abcdade89cec5

**SHA256:** 7e15aca0687784f1221b8c76328af4d013a0a1573a56232d880c4b60cd3311a0

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### taskplanner.zip: taskplanner.jar: simpleGroup.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleGroup.directive.js

**MD5:** d69a3c1dd5569172999325602506517f

**SHA1:** 780808312f5a19e0b6726453655b1911dde585bc

**SHA256:** 4eada3908c9db4213e058eb378f9f7f28e7e96e0ee3de2817f5d408b88176dc5

**Referenced In Project/Scope:** server

##### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

##### Identifiers

- None

#### taskplanner.zip: taskplanner.jar: simpleLabel.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLabel.directive.js

**MD5:** ecbe7da1cc7d51e0bd4e73e7c2fad4df

**SHA1:** d16a32bb34f1ff4d0f4740a06660ed72f4eca1fc

**SHA256:** 2b533fa13f74789de6b02fb037bfd7eae3b8b6e7d0f851a66f57739f565fd453

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: simpleLink.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLink.directive.js

**MD5:** 525dc45cb1886c4808186e1094480bba

**SHA1:** 7198a40b645128e0495d6d04c008b31b37faf827

**SHA256:** 7f2b60bda8c8e3938f9e8762c000606909ba0411aa784a202c93a1b2371cd82e

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: simpleSelect.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleSelect.directive.js

**MD5:** e54a750acec037585e380229a6b74b39

**SHA1:** a6323f355bb4da4cdcac24be2572fec96332bfa8



**SHA256:**39d6b66fe24beb027a1445157af449f17a51069e0887603b4eaf624474b5ee6c  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: simpleTextField.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleTextField.directive.js

**MD5:** 998a4b2340386c5ff39fd74451642547

**SHA1:** b0025705125d1a18bec3624d0eb34176bb332c9d

**SHA256:**8a7ad2a61dbd1c78565a7626a8c100523c97984be77d431929041f19e2f24c1c

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: stringTable.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/stringTable.directive.js

**MD5:** 2731ad8625d24769bc3f9727361b4d6f

**SHA1:** d0c7a2e05d815252c80a51064ffe4d66f0d18843

**SHA256:**db785a8486fd5f45ef2a56d1d977afa0b445bf4491e1b429a9863c46e5a2d35a

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: taskplanner\_maintenance.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/maintenance/taskplanner\_maintenance.js

**MD5:** c4330ed5aced8829454f0e8893f8725c

**SHA1:** 178b4ecba1c10e50c162c7e09dc5f4b643303508

**SHA256:** 3ba039d8a74f4fd350441ef7a9f1f98322eb951887ee1635c7d78c66c8908b53

**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: textAreaField.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/textAreaField.directive.js

**MD5:** 46bf6266b3aa8c7d331c34aa58185b2d

**SHA1:** f6348f31ef689122ec81b2dac2455e15f4b561e6

**SHA256:** 4f679ccc7d9fdb172764575fb3e9fdffb3cb21d370b3adcf06b17fd7326f877b

**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

theme.zip: theme.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/theme.jar  
**MD5:** 91b815f361ecc3eea24760df7dfd0b8a  
**SHA1:** 125b3f6b76a92611d9594027ee734d79c7a4d619  
**SHA256:**c2913e19398bf564d275db6e5c2dd1ef6cf45b0952f39d77334113ffed48274f  
**Referenced In Project/Scope:** server

Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | theme                                | High       |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | server                               | Low        |
| Vendor  | jar      | package name             | theme                                | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 17:16                     | Low        |
| Vendor  | Manifest | implementation-group     | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | theme                                | High       |
| Product | jar      | package name             | server                               | Low        |
| Product | jar      | package name             | theme                                | Highest    |
| Product | jar      | package name             | theme                                | Low        |
| Product | Manifest | built-date               | 2025-10-01 17:16                     | Low        |
| Product | Manifest | implementation-group     | shared                               | Low        |
| Product | Manifest | Implementation-Title     | theme                                | High       |
| Product | Manifest | specification-title      | theme                                | Medium     |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High       |

Identifiers

- None

urlcookie.sample.zip: urlcookie.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication  
/UrlCookiePlugin/urlcookie.sample.zip/urlcookie.sample.jar  
**MD5:** 3860d8e547e709d6658ede382d415517  
**SHA1:** a76fe33c53059ced56eb1528ba1b7d83bc102067  
**SHA256:**21f0969b4599598efce6e0c1791e60cc2b9b78da8825d205c68ef07c26513419  
**Referenced In Project/Scope:** server

Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | urlcookie.sample                     | High       |
| Vendor  | jar      | package name             | authentication                       | Low        |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | urlcookie                            | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 17:48                     | Low        |
| Vendor  | Manifest | implementation-group     | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | urlcookie.sample                     | High       |
| Product | jar      | package name             | authentication                       | Low        |
| Product | jar      | package name             | urlcookie                            | Highest    |
| Product | jar      | package name             | urlcookie                            | Low        |
| Product | Manifest | built-date               | 2025-10-01 17:48                     | Low        |
| Product | Manifest | implementation-group     | shared                               | Low        |
| Product | Manifest | Implementation-Title     | urlcookie.sample                     | High       |
| Product | Manifest | specification-title      | urlcookie.sample                     | Medium     |
|         |          |                          |                                      |            |

|         |          |                        |           |      |
|---------|----------|------------------------|-----------|------|
| Version | Manifest | Implementation-Version | 25.10.198 | High |
|---------|----------|------------------------|-----------|------|

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar

**MD5:** f513ad3b07747268120e6313d0b6f378

**SHA1:** 88680679582ca3d8815c0fe5f1bb3abec48c0960

**SHA256:** 6313d8c020e3caeac44f0c5488b65eaf7ab39af4f88634794b469a0753c302dc

**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | usersandgroupsmanager                | High       |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | server                               | Low        |
| Vendor  | jar      | package name             | usersandgroupsmanager                | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 17:41                     | Low        |
| Vendor  | Manifest | implementation-group     | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | usersandgroupsmanager                | High       |
| Product | jar      | package name             | server                               | Low        |
| Product | jar      | package name             | usersandgroupsmanager                | Highest    |
| Product | jar      | package name             | usersandgroupsmanager                | Low        |
| Product | Manifest | built-date               | 2025-10-01 17:41                     | Low        |
| Product | Manifest | implementation-group     | shared                               | Low        |

|         |          |                        |                       |        |
|---------|----------|------------------------|-----------------------|--------|
| Product | Manifest | Implementation-Title   | usersandgroupsmanager | High   |
| Product | Manifest | specification-title    | usersandgroupsmanager | Medium |
| Version | Manifest | Implementation-Version | 25.10.198             | High   |

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeAccountSettingsRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer  
/fieldtypeAccountSettingsRenderer.directive.js

**MD5:** 136a634e0236a238529acf990312d10e

**SHA1:** 75518847c3c3aa3737e31149c6834bb6c40f4606

**SHA256:** 9901a11fad82515fe2425d4f07163b716e8dfa8233196e7fcdc8f21b3aca6817

**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeBooleanRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer  
/fieldtypeBooleanRenderer.directive.js

**MD5:** e6bb2b0218c39ede42d1779e09d0b306

**SHA1:** bfedb33d3a2d6896458956fdc4209692d43e0d02

**SHA256:** 7e4281e4831ef87da9cf9e032009349bcf48c35a0b2769e742a978cdda8de750

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeCommaSeparatedRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer  
/fieldtypeCommaSeparatedRenderer.directive.js  
**MD5:** c951e088eb99044087cb876a2ad80f5c  
**SHA1:** f2b74d24949b8a35f38a36bbff7f12a73c939305  
**SHA256:** fffae5f607dd4f6b565ae943bb15075423a58f6601346c1fc670985cd1da7f9b  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeCurrencyRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer  
/fieldtypeCurrencyRenderer.directive.js  
**MD5:** 64550819586104467e438b403590e32a  
**SHA1:** e6c4957a7648c8baa484227d04cad8a186aac008  
**SHA256:** e8d9d2cffbcd1355ea33fe7d3615a95c3cef34b5be3445be5fe9bddd1b54b38f  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeDateRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/rendererer/fieldtypeDateRenderer.directive.js

**MD5:** 44f37b8866281fc7c293da24a2c85a70

**SHA1:** 90bf5ee3414c0b14352fece7ff49252f0993ee34

**SHA256:** 3cd49a8b48976c1456092476ff9e09678ade7ec6909c5e0f59f6f570b92c4256

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeDoubleRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/rendererer/fieldtypeDoubleRenderer.directive.js

**MD5:** 65ddc17ce6fe22f66db3066174836be4

**SHA1:** a6f9bedc7c489f3e0f3b4ff366e2f892a08bf29c

**SHA256:** ec52f2531296ff86fda9a20858daf87e52ac3dfaf1bc942daae33c7513fac7e4

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|



### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeHintRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldTypeHintRenderer.directive.js

**MD5:** 9c0f5b5dde50569ef2e9efb5feef050

**SHA1:** 3793878df0a194ac7445ae9076fd1f235cf26a42

**SHA256:** d4a42152b9ce8527dc853e66f110464f038f4c885cf1df7fe415203dbcb8148b

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeIntegerRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldTypeIntegerRenderer.directive.js

**MD5:** fb567b3054e16ecd92115183e677f194

**SHA1:** a956bb37b828d2b0016c3e63df573291cf3a65c1

**SHA256:** a25204639ecdb47cfdeaaba8461fe9caedc30b4fa3afa5865b502880c4c3fb80

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeLinkRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeLinkRenderer.directive.js

**MD5:** b4e5347a3fc15cee057d292ac2fe7d91

**SHA1:** 70fba39954e7947be220792ce9d792ecfec06748

**SHA256:** 33ad47fd4a0e7943e9a39fdf239becc5fd54c4a1b9be4c727c27daf720b0d1e7

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeLoginsRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeLoginsRenderer.directive.js

**MD5:** 77e510f9e074e3104df3096deb39cd91

**SHA1:** 68e57a5859aa1073fdb62dd1102867d0c7db3c9f

**SHA256:** 70fdfe453166ed5a8bae30f56d71e5e52c58c98db676853519a0d35dd71de650

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
fieldtypeMembersRenderer.directive.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer  
/fieldtypeMembersRenderer.directive.js  
**MD5:** 110c0a60b3a8824c7cf38b3cfd38423b  
**SHA1:** b130d47d83af3073663f95cfe0392d9c055d06cd  
**SHA256:** e34d1d921aada8085754efea61b320506608504a2332d0b186031e7beba524f2  
**Referenced In Project/Scope:** server

**Evidence**



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
fieldtypeMultilineRenderer.directive.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer  
/fieldtypeMultilineRenderer.directive.js  
**MD5:** 5b24949676b9be3413f73641882f7125  
**SHA1:** 1b5266b7516f4a6f4e1b25dc128969f10b0a8c09  
**SHA256:** 698d88b748ec45a4e7bdd87b1c97472d8868165551ae5ecf7d0159925c92ed71  
**Referenced In Project/Scope:** server

**Evidence**



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
fieldtypePermissionRenderer.directive.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypePermissionRenderer.directive.js

**MD5:** cf56b95e7c81bb7bb0027f214dde9847

**SHA1:** b098c8143c168614aac2a46fda4bf02078b31f9e

**SHA256:** c8f403974591a2b05c630a7117596fd64540d53205808bee40d6ede27a166790

**Referenced In Project/Scope:** server

**Evidence**



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeSelectRenderer.  
directive.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeSelectRenderer.directive.js

**MD5:** eff35ed2335d82f48e0f301bbe002c13

**SHA1:** 33c6717aeac4415d8fd2b3e573c2c4c067344351

**SHA256:** ff2a7f5c982515dbdf6a16e2205866e1b5a8f45df37e0297357daf27aa4ac042

**Referenced In Project/Scope:** server

**Evidence**



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
fieldtypeStayLoggedInSessionsRenderer.directive.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer  
/fieldtypeStayLoggedInSessionsRenderer.directive.js  
**MD5:** 8f7246a8c4620515a714dd858c7b0847  
**SHA1:** bab49440daa202026ce7fdb25d3c3ab7d0ac2473  
**SHA256:** 85a66f84209b323ddf4e87ee26891210234ea42bfc20d6befdc3074cde326595  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStringListRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer  
/fieldtypeStringListRenderer.directive.js  
**MD5:** ecfa08e9586484891e935de461582539  
**SHA1:** 128276640372b4e442f5c63c643c908710c7fedf  
**SHA256:** aff8a656bfc2d940c02a861b600e4a95cefa61453508fb2b8659fe42582bccea  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStringRenderer. directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip

/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeStringRenderer.directive.js  
**MD5:** 6e46d5a536692ff278cf276eeb7151bb  
**SHA1:** 11b326f65d25098d5d02c6077e20b867d5c331ec  
**SHA256:** b2158332ea8f76ceee5435e803e4def4b559a3216ce6eae90e0385d1554d3924  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeTimeRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeTimeRenderer.directive.js  
**MD5:** 8513454094f6efb43b4257acfab955f  
**SHA1:** 56784b3ea31cc21416f65da1661b7c18b8e9eb5e  
**SHA256:** 3758a9259a963b155469b4d6b979fd30fee14edcaca155910f20b33b7d2a9d7f  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeTimerangeRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeTimerangeRenderer.directive.js  
**MD5:** 8ca11f921f530ae3c6d14011f1026be2

**SHA1:** 123f12b6375637b6819435453cbfc089589514d6

**SHA256:** 3e31b81046fd3a24c691fc82c45f4779912d02b3bad3ca52366670c31042edfe

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: membershipentry.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/membershipentry.directive.js

**MD5:** 84693fc1ef165371ef27b1475ee7408c

**SHA1:** d49e9b44b5d99f5b63a93dcb031d51aea068ca3c

**SHA256:** f3fecadbb3c511b7c006eb44006d5203c16f180a1cbb260c756f0b3b670a55d8

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: membershiplist.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/membershiplist.directive.js

**MD5:** 9de8f2f539c79244aa95473d497004db

**SHA1:** dab0863017fbaf80d7da94770dbb17d87cff3a80

**SHA256:** 2939b841bcd7d14e9874e99c72e4c0f58e7c8f5b485fe04158782c2b0d3cdcd1

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: nonmembershiplist.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/nonmembershiplist.directive.js

**MD5:** 22269c6c1e32356a15788a694358c895

**SHA1:** c4909db34c175ff0621e17f241f66994e0516bc6

**SHA256:** 1f276cac3365d03c06572f9325217ffc7c65db411b5d40035f818c4890e66ffc

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: permissionCheckboxRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/permissionCheckboxRenderer.directive.js

**MD5:** f43b62e6ec19922b603e65ac0d9811bc

**SHA1:** b82e36201fade72e6423ba980d5351e13c657bbb

**SHA256:** e3d32df00dc3c4d43110a9a8f277ce1383c133b6912f0154626190931c6daff7

**Referenced In Project/Scope:** server

### Evidence





| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: permissionRadiobuttonRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer  
/permissionRadiobuttonRenderer.directive.js

**MD5:** b2674a06f9fcfb8cab9196229817a52c

**SHA1:** 2816becffb93dad552e07d80fb7e5042e13f1d26

**SHA256:** 07270db8fca85c74ed49ae3f2345692c66443c01ef0be67234cc3d01e0873675

**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagercontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagercontroller.  
js

**MD5:** 3966dde5288327ce4a7664ffa146425f

**SHA1:** 9f1156c2c726e731d362aff1b4bf1f611da47c70

**SHA256:** bf3ede557a367f1cca803b9a259d1cc6c8f4109e6b381d08ea43c1360e7f9598

**Referenced In Project/Scope:** server

#### Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdetailscontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdetailscontroller.js  
**MD5:** cd4b90a897c42eb0c1a38f660153f739  
**SHA1:** c582f35a31ed251b2b02456bf79fcb8e6edbf9dc  
**SHA256:** 656c50c31f9f812740468c695b10f58d1e54b770765a25e7be047e661e305870  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdialogcontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdialogcontroller.js  
**MD5:** e35a43fa1eb935369c4e018ff1ee7640  
**SHA1:** d239261c725a4ba6e6efa911b48e4909c5372d69  
**SHA256:** 3625665593e42ba14b5b40999ac21bdaaeaa0baa80831182e221207a5019b541  
**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdirectives.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js  
/usersandgroupsmanagerdirectives.js

**MD5:** e1d11e0ea312cfb6b0e395077779112b

**SHA1:** 3d63a2c1282afd900c5d74643ba4c1e61bb4118a

**SHA256:** 98f7717de0a411a3513e01b7126c19ad53f28a4b4d62183b77083195660ed7ab

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagereffectivepermissionscontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js  
/usersandgroupsmanagereffectivepermissionscontroller.js

**MD5:** e38beee6d03d93074acba84010e4c176

**SHA1:** d27284aae10d28fac162196094e0196c7c2486cf

**SHA256:** c2c9dd56c576d23e8038048090751071a5b29f53bb9fbbba03d42cedb31d927d0

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
usersandgroupsmanagerfactory.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerfactory.js  
**MD5:** 94ac82f47d59b465f5bfc271f16543f3  
**SHA1:** eeb9fff4352ecf04ab487cf0168b7c2911b2d01b  
**SHA256:** 3bcc388d9d2174651a443c62b5a7dde3f08f38ff8a918c9c154277660be520eb  
**Referenced In Project/Scope:** server

**Evidence**



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
usersandgroupsmanagermodel.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagermodel.js  
**MD5:** 6a3ab01b9cf9fe9c45e4228f3f0a449e  
**SHA1:** 2bfe0e4bf86ed5c09f3e70231a4f30f64cf930d2  
**SHA256:** 01056b1c5b989974d14013791592960bc20677ef95883092a6d52f78a2a44503  
**Referenced In Project/Scope:** server

**Evidence**



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

**Identifiers**

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
usersandgroupsmanagerpredeletionwarning.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js  
/usersandgroupsmanagerpredeletionwarning.js  
**MD5:** 2e963c8f1de1c02f2a9c062f03aff6a5  
**SHA1:** 1f5065e679fefcb1e927248cecf6d615950df2d1f  
**SHA256:** 8cea620f3d0600315b5b8296a91d5b5826093ee4c728d432dd1f00460347aff5  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerrenderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerrenderer.  
js  
**MD5:** 66a9eef845301ec92243566a8a8a5fd0  
**SHA1:** 07cdb6a5a6e3d559c7e69fc37aeb1261d9e8c54b  
**SHA256:** b8aba3f0ce4c611245296998ca48c1ba116b76a9aedef381e7ccfa69411b8b4bc  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerstatisticscontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js  
/usersandgroupsmanagerstatisticscontroller.js  
**MD5:** 15db7d8e1d9c9102dff09a6540eacfdc  
**SHA1:** 0ca6006da11c419453850c3ec9ec855c42e7b58b  
**SHA256:** 6d215333ea6f212da404f333e073a3ca4ab48c921f75f159950694913b1b17bf  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagertakeoutcontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js  
/usersandgroupsmanagertakeoutcontroller.js  
**MD5:** aecb7916c7ddc1ab36bb620e0bba61aa  
**SHA1:** e98561144eeaf1048f88096ef4adeb4de63d971f  
**SHA256:** cdb865f01764972194727fb6a715369b4353c620ecfdbbeadc40021144b7361c  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### webapi.core.zip: swagger-models.jar

#### Description:

swagger-models

**License:**

"Apache License 2.0";link="http://www.apache.org/licenses/LICENSE-2.0.html"

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/swagger-models.jar

**MD5:** f17667842889d8671d785b92e248a76e

**SHA1:** 00b7e1973dee1b69f8df24013c7468b830a42dec

**SHA256:**25ee351c9646ba391167a88b15c2214a6c29cf4bcebeafa52ea93dd79a13759e

**Referenced In Project/Scope:** server

**Evidence**

| Type    | Source   | Name                  | Value  | Confidence |
|---------|----------|-----------------------|--|------------|
| Vendor  | file     | name                  | swagger-models   | High       |
| Vendor  | jar      | package name          | io   | Highest    |
| Vendor  | jar      | package name          | oas  | Highest    |
| Vendor  | jar      | package name          | swagger  | Highest    |
| Vendor  | jar      | package name          | v3   | Highest    |
| Vendor  | Manifest | automatic-module-name | io.swagger.v3.oas.models   | Medium     |
| Vendor  | Manifest | build-jdk-spec        | 11   | Low        |
| Vendor  | Manifest | bundle-developers     | frantuma;email="frantuma@yahoo.com";name="Francesco Tumanischvili",fehgyu;email="fehgyu@gmail.com";name="Tony Tam",webron;email="webron@gmail.com";name="Ron Ratovsky" | Low        |
| Vendor  | Manifest | bundle-docurl         | https://github.com/swagger-api/swagger-core/modules/swagger-models   | Low        |
| Vendor  | Manifest | bundle-symbolicname   | io.swagger.core.v3.swagger-models  | Medium     |
| Vendor  | Manifest | mode                  | development  | Low        |
| Vendor  | Manifest | url                   | https://github.com/swagger-api/swagger-core/modules/swagger-models   | Low        |
| Vendor  | pom      | artifactid            | swagger-models   | Low        |
| Vendor  | pom      | groupid               | io.swagger.core.v3   | Highest    |
| Vendor  | pom      | name                  | swagger-models   | High       |
| Vendor  | pom      | parent-artifactid     | swagger-project  | Low        |
| Product | file     | name                  | swagger-models   | High       |
| Product | jar      | package name          | io   | Highest    |
| Product | jar      | package name          | oas  | Highest    |
| Product | jar      | package name          | swagger  | Highest    |
| Product | jar      | package name          | v3   | Highest    |
| Product | Manifest | automatic-module-name | io.swagger.v3.oas.models   | Medium     |

|         |          |                        |   |         |
|---------|----------|------------------------|---|---------|
| Product | Manifest | build-jdk-spec         | 11  | Low     |
| Product | Manifest | bundle-developers      | frantuma;email="frantuma@yahoo.com"; name="Francesco Tumanischvili",fehgy; email="fehgy@gmail.com";name="Tony Tam",webron;email="webron@gmail.com"; name="Ron Ratovsky" | Low     |
| Product | Manifest | bundle-docurl          | https://github.com/swagger-api/swagger-core/modules/swagger-models  | Low     |
| Product | Manifest | Bundle-Name            | swagger-models  | Medium  |
| Product | Manifest | bundle-symbolicname    | io.swagger.core.v3.swagger-models   | Medium  |
| Product | Manifest | mode                   | development   | Low     |
| Product | Manifest | url                    | https://github.com/swagger-api/swagger-core/modules/swagger-models  | Low     |
| Product | pom      | artifactid             | swagger-models  | Highest |
| Product | pom      | groupid                | io.swagger.core.v3  | Highest |
| Product | pom      | name                   | swagger-models  | High    |
| Product | pom      | parent-artifactid      | swagger-project   | Medium  |
| Version | Manifest | Bundle-Version         | 2.2.27  | High    |
| Version | Manifest | implementation-version | 2.2.27  | High    |
| Version | pom      | version                | 2.2.27  | Highest |

## Related Dependencies



- webapi.core.zip: swagger-annotations.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/swagger-annotations.jar
  - MD5: b4bb05bf9161df53de9e26ef05f21a64
  - SHA1: 4e37522be663224e6a7ed22e49e889bac0be3f16
  - SHA256: 3a7317e9b44f1517df5ce8b66db5ee54e9b4e28668059e76388d4a910f19e21e
  - [pkg:maven/io.swagger.core.v3/swagger-annotations@2.2.27](#)

## Identifiers

- [pkg:maven/io.swagger.core.v3/swagger-models@2.2.27](#) (*Confidence:High*)
- cpe:2.3:a:http-swagger\_project:http-swagger:2.2.27:\*.\*\*\*.\*.\* (*Confidence:Low*)

suppress

webapi.core.zip: webapi.core.jar



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar

**MD5:** 8041b3764311807f85a7db36c6ae4f65

**SHA1:** eb99fcfae637c33cd6cc5139b538ab00ec6a62a0

**SHA256:** 9c7dbdeaff9ae4630915d0afa306a9ec6f29d8c95ebc7b129bb5012fbb01ea2f

**Referenced In Project/Scope:** server

## Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | webapi.core                          | High       |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | plugin                               | Low        |
| Vendor  | jar      | package name             | webapi                               | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 17:18                     | Low        |
| Vendor  | Manifest | implementation-group     | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | webapi.core                          | High       |
| Product | jar      | package name             | plugin                               | Low        |
| Product | jar      | package name             | server                               | Low        |
| Product | jar      | package name             | webapi                               | Highest    |
| Product | jar      | package name             | webapi                               | Low        |
| Product | Manifest | built-date               | 2025-10-01 17:18                     | Low        |
| Product | Manifest | implementation-group     | shared                               | Low        |
| Product | Manifest | Implementation-Title     | webapi.core                          | High       |
| Product | Manifest | specification-title      | webapi.core                          | Medium     |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High       |

## Identifiers

- None

### webapi.core.zip: webapi.core.jar: shared.factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/shared.factory.js

**MD5:** 71ebae03129e5cfe9a365b5e720e3490

**SHA1:** ea9693443bf3c22859304d80e0211f93bf497cae

**SHA256:** 241a674b73b581ebcf526dec899352c4c538d0d7fd8f70cf9d4e8e9090ed889e

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### webapi.core.zip: webapi.core.jar: webapi.codemirror.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.codemirror.js

**MD5:** e37705cda1cd7e6eb4408e5d4fe774fa

**SHA1:** 1c74dd696c40608ba0a369d96c27365c327b64a2

**SHA256:** 4cb0f58de26541e79a05e5c326492f4650175cebd514d7fb797acd90c89b6e0e

**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### webapi.core.zip: webapi.core.jar: webapi.core.editor.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.core.editor.js  
**MD5:** 0f186644fa1082401ecc910c0be91f51  
**SHA1:** 569dbaab077a37a1ea1121afa06aeefac2c945e3  
**SHA256:** fb23237975712b0dc682ec16c872107c0f3226cfc1872bda4c8da6e4a010b560  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### webapi.core.zip: webapi.core.jar: webapi.core.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.core.js  
**MD5:** 0c00e5e824de4b6038adbe1bcb6ee87f  
**SHA1:** 02fe68638167ae36cf137419f1db2364d1141faf  
**SHA256:** 35421bda275eb1ea8a4b87517a5bee5b3ba8c1a61094e276198530b875a5c64b  
**Referenced In Project/Scope:** server

#### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

#### Identifiers

- None

### webserver.defender.zip: webserver.defender.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.defender.zip/webserver.defender.jar  
**MD5:** feb7bbcc1381c2a226927c00af73a4fc  
**SHA1:** 5d6a5c3efe0a93f2de776683060f97942d98cbeb  
**SHA256:** 08cb3a01cc58823a9201e4ca0b4986f6ed6748cee604f7d0ba021eb5963e8b67  
**Referenced In Project/Scope:** server

## Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | webserver.defender                   | High       |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | webserverdefender                    | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 17:50                     | Low        |
| Vendor  | Manifest | implementation-group     | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | webserver.defender                   | High       |
| Product | jar      | package name             | webserverdefender                    | Low        |
| Product | Manifest | built-date               | 2025-10-01 17:50                     | Low        |
| Product | Manifest | implementation-group     | shared                               | Low        |
| Product | Manifest | Implementation-Title     | webserver.defender                   | High       |
| Product | Manifest | specification-title      | webserver.defender                   | Medium     |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High       |

## Identifiers

- None

## webserver.zip: acme4j-client.jar

### Description:

ACME client for Java

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/acme4j-client.jar

**MD5:** 7dc0b1c03b3cc50a9a4ff57198d681e5

**SHA1:** 61a9eac083a03d76d16bef326e2141e84ebfe36f

#### Evidence



| Type    | Source   | Name              | Value                | Confidence |
|---------|----------|-------------------|----------------------|------------|
| Vendor  | file     | name              | acme4j-client        | High       |
| Vendor  | jar      | package name      | acme4j               | Highest    |
| Vendor  | jar      | package name      | shredzone            | Highest    |
| Vendor  | Manifest | build-jdk-spec    | 17                   | Low        |
| Vendor  | pom      | artifactid        | acme4j-client        | Low        |
| Vendor  | pom      | groupid           | org.shredzone.acme4j | Highest    |
| Vendor  | pom      | name              | acme4j Client        | High       |
| Vendor  | pom      | parent-artifactid | acme4j               | Low        |
| Product | file     | name              | acme4j-client        | High       |
| Product | jar      | package name      | acme4j               | Highest    |
| Product | jar      | package name      | shredzone            | Highest    |
| Product | Manifest | build-jdk-spec    | 17                   | Low        |
| Product | pom      | artifactid        | acme4j-client        | Highest    |
| Product | pom      | groupid           | org.shredzone.acme4j | Highest    |
| Product | pom      | name              | acme4j Client        | High       |
| Product | pom      | parent-artifactid | acme4j               | Medium     |
| Version | pom      | version           | 3.5.1                | Highest    |

#### Identifiers

- [pkg:maven/org.shredzone.acme4j/acme4j-client@3.5.1](https://maven.org.shredzone.acme4j/acme4j-client@3.5.1) (Confidence:High)

### webserver.zip: jetty-websocket-core-client.jar

#### Description:

Jetty module for Core :: Websocket :: Client

#### License:

EPL-2.0 OR Apache-2.0  
<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-websocket-core-client.jar  
**MD5:** 52525e57454634e825e15c45e2a5795e  
**SHA1:** 63427023464d99ae107239fdd706334c3477fe8c  
**SHA256:** 3a252c8301d0bf599f2345320d921fbc639871bc2d82e20a50576d9de46fe7c9  
**Referenced In Project/Scope:** server

## Evidence



| Type    | Source   | Name                  | Value  | Confidence |
|---------|----------|-----------------------|--|------------|
| Vendor  | file     | name                  | jetty-websocket-core-client                                | High       |
| Vendor  | jar      | package name          | core   | Highest    |
| Vendor  | jar      | package name          | eclipse  | Highest    |
| Vendor  | jar      | package name          | jetty  | Highest    |
| Vendor  | jar      | package name          | websocket  | Highest    |
| Vendor  | Manifest | build-jdk-spec        | 22   | Low        |
| Vendor  | Manifest | bundle-copyright      | Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others. | Low        |
| Vendor  | Manifest | bundle-docurl         | https://jetty.org/   | Low        |
| Vendor  | Manifest | bundle-symbolicname   | org.eclipse.jetty.websocket.core.client                    | Medium     |
| Vendor  | Manifest | Implementation-Vendor | Eclipse Jetty Project                                      | High       |
| Vendor  | Manifest | url                   | https://jetty.org/   | Low        |
| Vendor  | pom      | artifactid            | jetty-websocket-core-client                                | Low        |
| Vendor  | pom      | groupid               | org.eclipse.jetty.websocket                                | Highest    |
| Vendor  | pom      | name                  | Core :: Websocket :: Client                                | High       |
| Vendor  | pom      | parent-artifactid     | jetty-websocket  | Low        |
| Product | file     | name                  | jetty-websocket-core-client                                | High       |
| Product | jar      | package name          | core   | Highest    |
| Product | jar      | package name          | eclipse  | Highest    |
| Product | jar      | package name          | jetty  | Highest    |
| Product | jar      | package name          | websocket  | Highest    |
| Product | Manifest | build-jdk-spec        | 22   | Low        |
| Product | Manifest | bundle-copyright      | Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others. | Low        |
| Product | Manifest | bundle-docurl         | https://jetty.org/   | Low        |
| Product | Manifest | Bundle-Name           | Core :: Websocket :: Client                                | Medium     |
| Product | Manifest | bundle-symbolicname   | org.eclipse.jetty.websocket.core.client                    | Medium     |
| Product | Manifest | url                   | https://jetty.org/   | Low        |

|         |          |                        |                             |         |
|---------|----------|------------------------|-----------------------------|---------|
| Product | pom      | artifactid             | jetty-websocket-core-client | Highest |
| Product | pom      | groupid                | org.eclipse.jetty.websocket | Highest |
| Product | pom      | name                   | Core :: Websocket :: Client | High    |
| Product | pom      | parent-artifactid      | jetty-websocket             | Medium  |
| Version | Manifest | Bundle-Version         | 12.1.1                      | High    |
| Version | Manifest | Implementation-Version | 12.1.1                      | High    |
| Version | pom      | version                | 12.1.1                      | Highest |

## Related Dependencies



- webserver.zip: jetty-client.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-client.jar
  - MD5: c93314fa3dfc7e54ef4874706302563c
  - SHA1: 0c66e6f01e9b9f116e695c9d2918bbb2d2df0bb1
  - SHA256: be2f92c4adf10d33ce1d3f88586487283fb00407733a7ab0aed38f728348a20a
  - [pkg:maven/org.eclipse.jetty/jetty-client@12.1.1](https://pkg:maven/org.eclipse.jetty/jetty-client@12.1.1)
- webserver.zip: jetty-ee11-servlet.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee11-servlet.jar
  - MD5: 46651669e1b3a8874c2d76dd124194b7
  - SHA1: bf7af720977c3f93dbbbf4f4a34f5cc63c454b13
  - SHA256: a4b424daca8c4010468c92e21c420975e29fbd1af1aebc774ffdeefef87e1538
  - [pkg:maven/org.eclipse.jetty.ee11/jetty-ee11-servlet@12.1.1](https://pkg:maven/org.eclipse.jetty.ee11/jetty-ee11-servlet@12.1.1)
- webserver.zip: jetty-ee11-servlets.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee11-servlets.jar
  - MD5: d0a5246d58fef54f3744c6370245c3a7
  - SHA1: 9065ec1ac75738f2cd4ea459a39be2004eba1759
  - SHA256: 7fd44169b6c4200eb290f0949778b93de5cc1b0089869ad057b86b1fd4d1d870
  - [pkg:maven/org.eclipse.jetty.ee11/jetty-ee11-servlets@12.1.1](https://pkg:maven/org.eclipse.jetty.ee11/jetty-ee11-servlets@12.1.1)
- webserver.zip: jetty-ee11-websocket-jakarta-client.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee11-websocket-jakarta-client.jar
  - MD5: 0544e8bb7c6bd8418414960675543469
  - SHA1: 8f47b8be4bba56dd2deb89c5bdcad80f4000a4a4
  - SHA256: 904d2701f94919b43991339feb9efbbf736708afb15dd2e1f018b67f0a1e4ce8
  - [pkg:maven/org.eclipse.jetty.ee11.websocket/jetty-ee11-websocket-jakarta-client@12.1.1](https://pkg:maven/org.eclipse.jetty.ee11.websocket/jetty-ee11-websocket-jakarta-client@12.1.1)
- webserver.zip: jetty-ee11-websocket-jakarta-common.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee11-websocket-jakarta-common.jar
  - MD5: 44a6b9e3daeb93793aff18fba1248953
  - SHA1: 8ab5c9af89229b1395938416bb9ba713ef425609
  - SHA256: 231c31072aa8d292db875d6d9e2128cc1eae012c706a0d27094e4b6037f82937
  - [pkg:maven/org.eclipse.jetty.ee11.websocket/jetty-ee11-websocket-jakarta-common@12.1.1](https://pkg:maven/org.eclipse.jetty.ee11.websocket/jetty-ee11-websocket-jakarta-common@12.1.1)
- webserver.zip: jetty-ee11-websocket-servlet.jar

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee11-websocket-servlet.jar
- MD5: 8e6015678c208a2c5b3fec37d542f2c2
- SHA1: 716f194ab560a449a3043c351e140daf44874df4
- SHA256: a38ea0dca80c68ce7c1ffd72a8d7342adb69999766a71ed950e6e7b1726158a3
- [pkg:maven/org.eclipse.jetty/jetty-ee11-websocket/jetty-ee11-websocket-servlet@12.1.1](https://pkg:maven/org.eclipse.jetty/jetty-ee11-websocket/jetty-ee11-websocket-servlet@12.1.1)
- webserver.zip: jetty-http.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-http.jar
  - MD5: 82130b042a086fe7aa870adca9d4fef0
  - SHA1: 4c087942e5cdaf4b716146312f9ff4c5a1e289d9
  - SHA256: 8f99ae73ffb40e1c0a0d8448fac41116551a9d49e0c1e1931bd4b0e8f8825d98
  - [pkg:maven/org.eclipse.jetty/jetty-http@12.1.1](https://pkg:maven/org.eclipse.jetty/jetty-http@12.1.1)
- webserver.zip: jetty-http2-common.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-http2-common.jar
  - MD5: f1c364f18a3ee47b0157498f4b611d39
  - SHA1: 4bd97d16a33890e29db1a4f5247b6bd0cc364681
  - SHA256: 77724404b64aba40999dabfad3e5e6de6130c5adc16358c29da01189db307ac1
  - [pkg:maven/org.eclipse.jetty/http2/jetty-http2-common@12.1.1](https://pkg:maven/org.eclipse.jetty/http2/jetty-http2-common@12.1.1)
- webserver.zip: jetty-http2-hpack.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-http2-hpack.jar
  - MD5: 258754bbec9d0cd4a2649b40db76d9ce
  - SHA1: 9ba61fa5f598a3990852a385336378def4e81f48
  - SHA256: 016bde6cf66d1e0d8d1149ed04e6ddbe2c6be69686f680a27f696526f11f41ff
  - [pkg:maven/org.eclipse.jetty/http2/jetty-http2-hpack@12.1.1](https://pkg:maven/org.eclipse.jetty/http2/jetty-http2-hpack@12.1.1)
- webserver.zip: jetty-io.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-io.jar
  - MD5: 6973a71a508473027261696ad26139c3
  - SHA1: f9efcb4d69ee757721c5f0f3bf4cd55b48a44b48
  - SHA256: c69bd0dee2e804a22d622935951837091c538b1590777a5cb9648041d7f56ac8
  - [pkg:maven/org.eclipse.jetty/jetty-io@12.1.1](https://pkg:maven/org.eclipse.jetty/jetty-io@12.1.1)
- webserver.zip: jetty-security.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-security.jar
  - MD5: 204762a773012338465913d0f65d802d
  - SHA1: 089c47852a9ac216e66b2d3d2e12b8721b9b8ca2
  - SHA256: 5b2cebf0bcfa8af1398b9210ab941af52d2e6ae94d29f47457aaaaea458d1bffe
  - [pkg:maven/org.eclipse.jetty/jetty-security@12.1.1](https://pkg:maven/org.eclipse.jetty/jetty-security@12.1.1)
- webserver.zip: jetty-session.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-session.jar
  - MD5: 8fe4506dbb8cace96181bbbbac4becac
  - SHA1: 7db390e7856c75e001b1ade978e27397dcbc97eb
  - SHA256: f9351eaa7b1a7fc4c3dd6fd952c85933c7509c40115c492c7b1d6a31e8c8912d
  - [pkg:maven/org.eclipse.jetty/jetty-session@12.1.1](https://pkg:maven/org.eclipse.jetty/jetty-session@12.1.1)
- webserver.zip: jetty-util.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-util.jar
  - MD5: 39dbb670c35410b3dee208ff5642927d
  - SHA1: 582a66cbad2b577ad11b7945e434bd5732c1e45d
  - SHA256: 154dad60f8c442bfc314fb5df573e172b9c2dadd85ea7d66968a8d7b2b32a120
  - [pkg:maven/org.eclipse.jetty/jetty-util@12.1.1](https://pkg:maven/org.eclipse.jetty/jetty-util@12.1.1)
- webserver.zip: jetty-websocket-core-common.jar



- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-websocket-core-common.jar
- MD5: 5121b367b711988947e71cd3e7f1794a
- SHA1: 79d60ad83dcf76fbfe260a4f70e6c0969d044e75
- SHA256: 6dd6cdd55465ed6d5b02bf679f176ce3d736cc6126a7221edb2f8d123261d183
- [pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-common@12.1.1](https://pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-common@12.1.1)
- webserver.zip: jetty-websocket-jetty-api.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-websocket-jetty-api.jar
  - MD5: a8de3eb8305a27fa3e88c42a86dc773b
  - SHA1: 0160aa74d18b992cdd2a02e9b477309b1e6c2bbe
  - SHA256: 4a86e9f0d2f4f5608a72a9897c6090ecff6aacc8c38d8ed0ec48d100612ced76
  - [pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-jetty-api@12.1.1](https://pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-jetty-api@12.1.1)

## Identifiers

- [pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-client@12.1.1](https://pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-client@12.1.1) (Confidence: High)
- [cpe:2.3:a:eclipse:jetty:12.1.1:\\*:\\*:\\*:\\*](https://cpe:2.3:a:eclipse:jetty:12.1.1:*:*:*:*:*) (Confidence: Highest) suppress
- [cpe:2.3:a:jetty:jetty:12.1.1:\\*:\\*:\\*](https://cpe:2.3:a:jetty:jetty:12.1.1:*:*:*:*) (Confidence: Highest) suppress
- [cpe:2.3:a:mortbay:jetty:12.1.1:\\*:\\*:\\*](https://cpe:2.3:a:mortbay:jetty:12.1.1:*:*:*:*) (Confidence: Highest) suppress

## webserver.zip: jetty-websocket-core-server.jar

### Description:

Jetty module for Core :: Websocket :: Server

### License:

EPL-2.0 OR Apache-2.0  
<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-websocket-core-server.jar

**MD5:** ac5602b8e7c4eb8aaeb5356337d08e50

**SHA1:** 02d881478a7d75ad8d715baad2e46b9aa566ef92

**SHA256:** 0b3b2db8c775d4d530661c275c3eeb0d24499f655f38f5304d801bc6b531d2a0

**Referenced In Project/Scope:** server

## Evidence

| Type   | Source | Name         | Value                       | Confidence |
|--------|--------|--------------|-----------------------------|------------|
| Vendor | file   | name         | jetty-websocket-core-server | High       |
| Vendor | jar    | package name | core                        | Highest    |
| Vendor | jar    | package name | eclipse                     | Highest    |
| Vendor | jar    | package name | jetty                       | Highest    |

|         |          |                        |  |         |
|---------|----------|------------------------|--|---------|
| Vendor  | jar      | package name           | websocket  | Highest |
| Vendor  | Manifest | build-jdk-spec         | 22   | Low     |
| Vendor  | Manifest | bundle-copyright       | Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others. | Low     |
| Vendor  | Manifest | bundle-docurl          | https://jetty.org/   | Low     |
| Vendor  | Manifest | bundle-symbolicname    | org.eclipse.jetty.websocket.core.server                    | Medium  |
| Vendor  | Manifest | Implementation-Vendor  | Eclipse Jetty Project                                      | High    |
| Vendor  | Manifest | url                    | https://jetty.org/   | Low     |
| Vendor  | pom      | artifactid             | jetty-websocket-core-server                                | Low     |
| Vendor  | pom      | groupid                | org.eclipse.jetty.websocket                                | Highest |
| Vendor  | pom      | name                   | Core :: Websocket :: Server                                | High    |
| Vendor  | pom      | parent-artifactid      | jetty-websocket  | Low     |
| Product | file     | name                   | jetty-websocket-core-server                                | High    |
| Product | jar      | package name           | core   | Highest |
| Product | jar      | package name           | eclipse  | Highest |
| Product | jar      | package name           | jetty  | Highest |
| Product | jar      | package name           | websocket  | Highest |
| Product | Manifest | build-jdk-spec         | 22   | Low     |
| Product | Manifest | bundle-copyright       | Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others. | Low     |
| Product | Manifest | bundle-docurl          | https://jetty.org/   | Low     |
| Product | Manifest | Bundle-Name            | Core :: Websocket :: Server                                | Medium  |
| Product | Manifest | bundle-symbolicname    | org.eclipse.jetty.websocket.core.server                    | Medium  |
| Product | Manifest | url                    | https://jetty.org/   | Low     |
| Product | pom      | artifactid             | jetty-websocket-core-server                                | Highest |
| Product | pom      | groupid                | org.eclipse.jetty.websocket                                | Highest |
| Product | pom      | name                   | Core :: Websocket :: Server                                | High    |
| Product | pom      | parent-artifactid      | jetty-websocket  | Medium  |
| Version | Manifest | Bundle-Version         | 12.1.1   | High    |
| Version | Manifest | Implementation-Version | 12.1.1   | High    |
| Version | pom      | version                | 12.1.1   | Highest |

## Related Dependencies



- webserver.zip: jetty-alpn-java-server.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-alpn-java-server.jar
  - MD5: 9e88dc8510079c770024c1f3dc839135
  - SHA1: 9d0a08d2264a3b69f0ac4d469758f4cc9b7e6575
  - SHA256: b330cd25fe152be48d7420f9ffc18d9c92cc141b7156d4fe3b95a7f80ed72ea5
  - [pkg:maven/org.eclipse.jetty/jetty-alpn-java-server@12.1.1](https://pkg:maven/org.eclipse.jetty/jetty-alpn-java-server@12.1.1)
- webserver.zip: jetty-alpn-server.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-alpn-server.jar
  - MD5: 485dbd91719f2a4ef682097f15498578
  - SHA1: 1105f4ef22a16d41da37f8fa48e7f623c2711d02
  - SHA256: dca18bddfa5f9cbe3c501d42040f766de33ee6bdc67e8eb2a8ae4ef4dec8a7ce
  - [pkg:maven/org.eclipse.jetty/jetty-alpn-server@12.1.1](https://pkg:maven/org.eclipse.jetty/jetty-alpn-server@12.1.1)
- webserver.zip: jetty-ee11-websocket-jakarta-server.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee11-websocket-jakarta-server.jar
  - MD5: c966ac9eff34bba34f36323e681bf412
  - SHA1: d431bbc6d53df84f267319b78f6d3a4699ead3bf
  - SHA256: e0ce24fdd6244c2249903466c682b6c1167dbaaa94f987a0d4df3348238589b5
  - [pkg:maven/org.eclipse.jetty.jetty-ee11.websocket/jetty-ee11-websocket-jakarta-server@12.1.1](https://pkg:maven/org.eclipse.jetty.jetty-ee11.websocket/jetty-ee11-websocket-jakarta-server@12.1.1)
- webserver.zip: jetty-ee11-websocket-jetty-server.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee11-websocket-jetty-server.jar
  - MD5: 7ed2053e1aef63e8454f1ab33d09d99a
  - SHA1: 701be98c587f4a07c786538ba98443ba3e990ac2
  - SHA256: 9caa1c782a127fe1e30f386038ee6dff121b1058c4d0248fbe945995996f8db9
  - [pkg:maven/org.eclipse.jetty.jetty-ee11.websocket/jetty-ee11-websocket-jetty-server@12.1.1](https://pkg:maven/org.eclipse.jetty.jetty-ee11.websocket/jetty-ee11-websocket-jetty-server@12.1.1)
- webserver.zip: jetty-http2-server.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-http2-server.jar
  - MD5: 1851d705f2a09698940a210a64013d17
  - SHA1: 332ed5808b8c24e38d4cd4e9125fa476b802de97
  - SHA256: 4fe519109807ec1624ce3c96891fc706ef24520187092d2fc4ae56cdb046985f
  - [pkg:maven/org.eclipse.jetty.http2/jetty-http2-server@12.1.1](https://pkg:maven/org.eclipse.jetty.http2/jetty-http2-server@12.1.1)
- webserver.zip: jetty-server.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-server.jar
  - MD5: bd113dba304192f1cfabfa1a844e0c0f
  - SHA1: 4a34529a4737bcc4868186914a72a097edee1a52
  - SHA256: 965f94a66b1258955d7f32663d4d42d8d922387132516eeda2e199d41d872bd2
  - [pkg:maven/org.eclipse.jetty/jetty-server@12.1.1](https://pkg:maven/org.eclipse.jetty/jetty-server@12.1.1)

## Identifiers

- [pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-server@12.1.1](https://pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-server@12.1.1) (*Confidence: High*)
- [cpe:2.3:a:eclipse:jetty:12.1.1:\\*:\\*:\\*:\\*](https://cpe:2.3:a:eclipse:jetty:12.1.1:*:*:*:*:*) (*Confidence: Highest*) suppress
- [cpe:2.3:a:jetty:jetty:12.1.1:\\*:\\*:\\*:\\*](https://cpe:2.3:a:jetty:jetty:12.1.1:*:*:*:*:*) (*Confidence: Highest*) suppress
- [cpe:2.3:a:jetty:jetty\\_http\\_server:12.1.1:\\*:\\*:\\*:\\*](https://cpe:2.3:a:jetty:jetty_http_server:12.1.1:*:*:*:*:*) (*Confidence: Low*) suppress
- [cpe:2.3:a:mortbay:jetty:jetty:12.1.1:\\*:\\*:\\*](https://cpe:2.3:a:mortbay:jetty:jetty:12.1.1:*:*:*:*) (*Confidence: Highest*) suppress

## webserver.zip: jose4j.jar

### Description:

The jose4j library is a robust and easy to use open source implementation of JSON Web Token (JWT) and the JOSE specification suite (JWS, JWE, and JWK).

It is written in Java and relies solely on the JCA APIs for cryptography.

Please see [https://bitbucket.org/b\\_c/jose4j/wiki/Home](https://bitbucket.org/b_c/jose4j/wiki/Home) for more info, examples, etc..

### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jose4j.jar

**MD5:** f57cb91efc5beaa940029f5515a888c2

**SHA1:** 357a3836bb5da16f314f3a1e954518e5468cd915

**SHA256:** 7314af50cde9c99e8eaf43eee617a23edcc6bb43036221064355094999d837ef

**Referenced In Project/Scope:** server

### Evidence



| Type   | Source   | Name                  | Value   | Confidence |
|--------|----------|-----------------------|---|------------|
| Vendor | file     | name                  | jose4j  | High       |
| Vendor | jar      | package name          | jca   | Highest    |
| Vendor | jar      | package name          | jose4j  | Highest    |
| Vendor | jar      | package name          | json  | Highest    |
| Vendor | jar      | package name          | jwe   | Highest    |
| Vendor | jar      | package name          | jwk   | Highest    |
| Vendor | jar      | package name          | jws   | Highest    |
| Vendor | jar      | package name          | jwt   | Highest    |
| Vendor | jar      | package name          | use   | Highest    |
| Vendor | Manifest | automatic-module-name | org.jose4j  | Medium     |
| Vendor | Manifest | bundle-symbolicname   | org.bitbucket.b_c.jose4j  | Medium     |
| Vendor | pom      | artifactid            | jose4j  | Low        |
| Vendor | pom      | developer email       | brian.d.campbell@gmail.com  | Low        |
| Vendor | pom      | developer name        | Brian Campbell  | Medium     |
| Vendor | pom      | groupid               | org.bitbucket.b_c   | Highest    |
| Vendor | pom      | name                  | jose4j  | High       |
| Vendor | pom      | url                   | <a href="https://bitbucket.org/b_c/jose4j/">https://bitbucket.org/b_c/jose4j/</a> | Highest    |

|         |          |                       |                                   |         |
|---------|----------|-----------------------|-----------------------------------|---------|
| Product | file     | name                  | jose4j                            | High    |
| Product | jar      | package name          | jca                               | Highest |
| Product | jar      | package name          | jose4j                            | Highest |
| Product | jar      | package name          | json                              | Highest |
| Product | jar      | package name          | jwe                               | Highest |
| Product | jar      | package name          | jwk                               | Highest |
| Product | jar      | package name          | jws                               | Highest |
| Product | jar      | package name          | jwt                               | Highest |
| Product | jar      | package name          | use                               | Highest |
| Product | Manifest | automatic-module-name | org.jose4j                        | Medium  |
| Product | Manifest | Bundle-Name           | jose4j                            | Medium  |
| Product | Manifest | bundle-symbolicname   | org.bitbucket.b_c.jose4j          | Medium  |
| Product | pom      | artifactid            | jose4j                            | Highest |
| Product | pom      | developer email       | brian.d.campbell@gmail.com        | Low     |
| Product | pom      | developer name        | Brian Campbell                    | Low     |
| Product | pom      | groupid               | org.bitbucket.b_c                 | Highest |
| Product | pom      | name                  | jose4j                            | High    |
| Product | pom      | url                   | https://bitbucket.org/b_c/jose4j/ | Medium  |
| Version | Manifest | Bundle-Version        | 0.9.6                             | High    |
| Version | pom      | version               | 0.9.6                             | Highest |

#### Identifiers

- [pkg:maven/org.bitbucket.b\\_c/jose4j@0.9.6](#) (*Confidence:High*)
- [cpe:2.3:a:jose4j\\_project:jose4j:0.9.6:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

### webserver.zip: webserver.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/webserver.jar

**MD5:** 8d5be823bfb136a1385ec5d4f10219b

**SHA1:** 97a1f94fc5e59e14e906fb66db33fe8e7b5a143e

**SHA256:** 818bc9b27949ddc260d62792c1989c897004103377c7feac1d2f3ddab5a881f1

**Referenced In Project/Scope:** server

#### Evidence



| Type    | Source   | Name                     | Value                                | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor  | file     | name                     | webserver                            | High       |
| Vendor  | jar      | package name             | inet                                 | Low        |
| Vendor  | jar      | package name             | webserver                            | Low        |
| Vendor  | Manifest | built-date               | 2025-10-01 17:29                     | Low        |
| Vendor  | Manifest | implementation-group     | shared                               | Low        |
| Vendor  | Manifest | Implementation-Vendor    | i-net software                       | High       |
| Vendor  | Manifest | Implementation-Vendor-Id | de.inetsoftware                      | Medium     |
| Vendor  | Manifest | specification-vendor     | i-net software                       | Low        |
| Vendor  | Manifest | vendor                   | i-net software GmbH, Berlin, Germany | Medium     |
| Product | file     | name                     | webserver                            | High       |
| Product | jar      | package name             | webserver                            | Highest    |
| Product | jar      | package name             | webserver                            | Low        |
| Product | Manifest | built-date               | 2025-10-01 17:29                     | Low        |
| Product | Manifest | implementation-group     | shared                               | Low        |
| Product | Manifest | Implementation-Title     | webserver                            | High       |
| Product | Manifest | specification-title      | webserver                            | Medium     |
| Version | Manifest | Implementation-Version   | 25.10.198                            | High       |

#### Identifiers

- None

## Suppressed Vulnerabilities



**adhoc.zip: adhoc-javadoc.jar: jquery-ui.min.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/script-dir/jquery-ui.min.js

**MD5:** 32059df39c14a910ccc2325f6a3cd62f

**SHA1:** d3289f1b527a3f054d303ec769402e037fbcf4b  
**SHA256:** 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424  
**Referenced In Project/Scope:** server

Evidence +

| Type    | Source | Name    | Value     | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor  | file   | name    | jquery-ui | High       |
| Product | file   | name    | jquery-ui | High       |
| Version | file   | version | 1.13.1    | High       |

Related Dependencies +

- authentication.oauth.zip: authentication.oauth-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

Suppressed Identifiers

- None

## Suppressed Vulnerabilities



### [CVE-2022-31160](#) suppressed

jQuery UI is a curated set of user interface interactions, effects, widgets, and themes built on top of jQuery. Versions prior to 1.13.2 are potentially vulnerable to cross-site scripting. Initializing a checkboxradio widget on an input enclosed within a label makes that parent label contents considered as the input label. Calling `.checkboxradio( "refresh" )` on such a widget and the initial HTML contained encoded HTML entities will make them erroneously get decoded. This can lead to potentially executing JavaScript code. The bug has been patched in jQuery UI 1.13.2. To remediate the issue, someone who can change the initial HTML can wrap all the non-input contents of the `label` in a `span`.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-h6gj-6jjq-h8g9>
- info - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fc96bf5862c5646c787020ba3f9>
- info - <https://github.com/jquery/jquery-ui/issues/2101>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2022-31160>
- security-advisories@github.com - [EXPLOIT,MITIGATION,RELEASE\\_NOTES,THIRD\\_PARTY\\_ADVISORY](#)
- security-advisories@github.com - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- security-advisories@github.com - [PATCH,THIRD\\_PARTY\\_ADVISORY](#)
- security-advisories@github.com - [RELEASE\\_NOTES,VENDOR\\_ADVISORY](#)
- security-advisories@github.com - [THIRD\\_PARTY\\_ADVISORY](#)
- security-advisories@github.com - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.0:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.1:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.2:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.3:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:jqueryui:jquery\_ui:\*:\*:\*:\*:jquery:\*:\* versions up to (excluding) 1.13.2
- cpe:2.3:a:netapp:oncommand\_insight:\*:\*:\*:\*:\*:

## decoder.svg.zip: xmlgraphics-commons.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/xmlgraphics-commons.jar

**MD5:** ec712218e2391e64672fd8ed1e9e1d71

**SHA1:** 336ddd6d0a244cdebf26a298fb7c3a5fd45449db

**SHA256:** 1fe37a1927bdd699730f0ad39f50a699c9ab4dff0ad047dff1e846cb120ae2b1

**Referenced In Project/Scope:** server

### Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|



|         |          |                        |  |         |
|---------|----------|------------------------|--|---------|
| Vendor  | file     | name                   | xmlgraphics-commons  | High    |
| Vendor  | jar      | package name           | apache   | Highest |
| Vendor  | jar      | package name           | apache   | Low     |
| Vendor  | jar      | package name           | xmlgraphics  | Highest |
| Vendor  | jar      | package name           | xmlgraphics  | Low     |
| Vendor  | Manifest | Implementation-Vendor  | The Apache Software Foundation<br>(http://xmlgraphics.apache.org/) | High    |
| Product | file     | name                   | xmlgraphics-commons  | High    |
| Product | jar      | package name           | apache   | Highest |
| Product | jar      | package name           | xmlgraphics  | Low     |
| Product | Manifest | Implementation-Title   | Apache XML Graphics Commons  | High    |
| Version | Manifest | build-id               | 20220112-112401-GMT  | Medium  |
| Version | Manifest | Implementation-Version | 2.7  | High    |

### Suppressed Identifiers

- [cpe:2.3:a:apache:commons\\_net:2.7:\\*:\\*:\\*:\\*:\\*](#) suppressed (*Confidence:Low*)
  - Notes: XML Graphics Common has a false positive match on Apache Commons Net

### Suppressed Vulnerabilities

#### [CVE-2021-37533](#) suppressed

Prior to Apache Commons Net 3.9.0, Net's FTP client trusts the host from PASV response by default. A malicious server can redirect the Commons Net code to use a different host, but the user has to connect to the malicious server in the first place. This may lead to leakage of information about services running on the private network of the client. The default in version 3.9.0 is now false to ignore such hosts, as cURL does. See <https://issues.apache.org/jira/browse/NET-711>.

CWE-20 Improper Input Validation

CVSSv3:

- MEDIUM (6.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:N/A:N/E:2.8/RC:R/MAV:A

References:

- [security@apache.org](mailto:security@apache.org) - [ISSUE\\_TRACKING,MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- [security@apache.org](mailto:security@apache.org) - [ISSUE\\_TRACKING,MAILING\\_LIST,VENDOR\\_ADVISORY](#)
- [security@apache.org](mailto:security@apache.org) - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- [security@apache.org](mailto:security@apache.org) - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions:

- [cpe:2.3:a:apache:commons\\_net:\\*:\\*:\\*:\\*:\\*](#) versions up to (excluding) 3.9.0

## docfx.vendor.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.vendor.js

**MD5:** e546d4a3ac43d85422e9c43bf9488c88

**SHA1:** 7387f5bf1a3382308d646560039243629968f137

**SHA256:** 4dfa2ef41a41c02b0cd0cb18b5c3ee71dd40cdc060271f0d832235e7a1c72c34

**Referenced In Project/Scope:** server

### Evidence

| Type    | Source | Name    | Value     | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor  | file   | name    | bootstrap | High       |
| Product | file   | name    | bootstrap | High       |
| Version | file   | version | 3.4.1     | High       |

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities

#### CVE-2025-1647 (RETIREJS) suppressed

Notes: file name: docfx.vendor.js This is a dependency by a third-party tool DocFX that can not be updated. Used exclusively in the .NET API documentation within the SDK.

Unscored:

- Severity: medium

References:

- info - <https://lists.debian.org/debian-lts-announce/2025/06/msg00001.html>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-1647>

Vulnerable Software & Versions (RETIREJS):

#### Bootstrap before 4.0.0 is end-of-life and no longer maintained. (RETIREJS) suppressed

Bootstrap before 4.0.0 is end-of-life and no longer maintained.

Notes: file name: docfx.vendor.js This is a dependency by a third-party tool DocFX that can not be updated. Used exclusively in the .NET API documentation within the SDK.

Unscored:

- Severity: low

References:

- info - <https://github.com/twbs/bootstrap/issues/20631>
- retid - 72

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular-animate.jar: angular-animate.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.js

**MD5:** 31312b87e7226c8bf0714fcef0ea5d18

**SHA1:** dc9fb55f2c7f922c5ba83449266239ba1353db45

**SHA256:** 58e79e0e7cbb1e1502d216701e1fae41c405d92320aea1b68a223054096fda93

**Referenced In Project/Scope:** server

### Evidence

| Type    | Source | Name    | Value     | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor  | file   | name    | angularjs | High       |
| Product | file   | name    | angularjs | High       |
| Version | file   | version | 1.8.3     | High       |

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.

**Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:\*:\*:\*:\*:\*

**CVE-2024-21490** suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to `@angular/core` (<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.3.0

**CVE-2022-25869** suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of `<textarea>` elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\*

#### [CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST\\_THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

#### [CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST\\_THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

#### [CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

## CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-gwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:\* node.js:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**CVE-2025-2336** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-4690** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular-animate.jar: angular-animate.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.min.js

**MD5:** 5d2d0f42bb7e1b5503e914674f59dad0

**SHA1:** 4c15a58541e53c451c6f946d2048104f88b833c7

**SHA256:** 8e6202b1330a469a61ccdeebbd1cb3a20d0ecdfe8d106f68da5b85e9b67a1cd5

**Referenced In Project/Scope:** server

### Evidence +

| Type    | Source | Name    | Value     | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor  | file   | name    | angularjs | High       |
| Product | file   | name    | angularjs | High       |
| Version | file   | version | 1.8.3     | High       |

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities -



## [CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:\*:\*:\*:\*:\*

## [CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\* versions from (including) 1.3.0

## [CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN LINK](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

#### CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

#### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

#### **CVE-2024-8373** suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

#### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

#### **CVE-2025-2336** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

#### Unscored:

- Severity: medium

#### References:

- info - <https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

#### Vulnerable Software & Versions (RETIREJS):

#### **CVE-2025-4690** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021** (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular-cookies.jar: angular-cookies.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.js

**MD5:** e17187aea1f0e6dbd25722e34b754915

**SHA1:** 20f43f716b9fef7d72537bc1b0e5aa2bc480cee5

**SHA256:** f3291c552042f6d0c500167769912a78ab3ecec9917128b2d6ea8e7c6714bb97

**Referenced In Project/Scope:** server

## Evidence



| Type    | Source | Name    | Value     | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor  | file   | name    | angularjs | High       |
| Product | file   | name    | angularjs | High       |
| Version | file   | version | 1.8.3     | High       |

## Suppressed Identifiers

- None

## Suppressed Vulnerabilities



### [CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:-:\*:\*:\*:\*:

### [CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [\[@angular/core\]](https://www.npmjs.com/package/@angular/core) (<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)



- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3



## [CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

## [CVE-2024-8373](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqgm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**CVE-2025-2336 (RETIREJS)** suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-4690 (RETIREJS)** suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716 (RETIREJS)** suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>

- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular-cookies.jar: angular-cookies.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.min.js

**MD5:** c41aff8423276d46f0d02de6dcb71524

**SHA1:** 7dc53f75d5bf7dd2c770cb50f31242c70193c086

**SHA256:** 926509b494009bea03288bba191a2b238032188e9112377e50fbfe7814c6639b

**Referenced In Project/Scope:** server

### Evidence

| Type    | Source | Name    | Value     | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor  | file   | name    | angularjs | High       |
| Product | file   | name    | angularjs | High       |
| Version | file   | version | 1.8.3     | High       |

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
\*\*Note:\*\* 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>

- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:\*:\*:\*:\*:\*:

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to `@angular/core` (<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of `<textarea>` elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\*

## [CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

## [CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

## [CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:\* node.js:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

## NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**CVE-2025-2336** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-4690** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>

- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular-sanitize.jar: angular-sanitize.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.js

**MD5:** 0127d7a139abfc8bd45875a9c8ea6348

**SHA1:** 197aea2acc25a0fa821766400950cac58a3627a5

**SHA256:** c84c65250afe5a1265f36a7e16c6010652e55c2ae3a779c351fb68536c42bf64

**Referenced In Project/Scope:** server

### Evidence +

| Type    | Source | Name    | Value     | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor  | file   | name    | angularjs | High       |
| Product | file   | name    | angularjs | High       |
| Version | file   | version | 1.8.3     | High       |

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities -

[CVE-2022-25844](#) suppressed



The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

#### CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:\*:\*:\*:\*:\*

#### [CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [angular/core](https://www.npmjs.com/package/@angular/core).

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\* versions from (including) 1.3.0

#### [CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

## CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>

- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>

- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

**CVE-2024-8373** suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**CVE-2025-2336** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaxx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-4690** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

#### References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

#### Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

#### Unscored:

- Severity: low

#### References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

#### Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021** (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

#### Unscored:

- Severity: low

#### References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

#### Vulnerable Software & Versions (RETIREJS):

### remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.min.js

**MD5:** f3c62abeec216e9431e7d5b22d8e813b

**SHA1:** 21355ef18c5e1ce2b2c711b9dba21cbea0655646

**SHA256:** cc80a30ad0439c2e9c209b3d7fcffb1d10e6007fd1d00c9cc144f393664a7045

**Referenced In Project/Scope:** server

#### Evidence

| Type   | Source | Name | Value     | Confidence |
|--------|--------|------|-----------|------------|
| Vendor | file   | name | angularjs | High       |

|         |      |         |           |      |
|---------|------|---------|-----------|------|
| Product | file | name    | angularjs | High |
| Version | file | version | 1.8.3     | High |

## Suppressed Identifiers

- None

## Suppressed Vulnerabilities

### [CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:\*:\*:\*:\*:\*

### [CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):



- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

#### [CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

#### [CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

#### [CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .



This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status>.

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing).

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status>.

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

[CVE-2025-2336 \(RETIREJS\)](#) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYxX/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-4690** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021** (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular.jar

### Description:

WebJar for angular

### License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar

**MD5:** f339a9a66a64c67eebb21ec3b251dfc6

**SHA1:** cff4aee339a9ca4ae2f095079930edeaad6a94ee

**SHA256:** a997eb40987ddb5d3bf64adf3d33afc3ac2b1eb2e7255b5203a387f8097cd0

**Referenced In Project/Scope:** server

### Evidence



| Type    | Source | Name         | Value                   | Confidence |
|---------|--------|--------------|-------------------------|------------|
| Vendor  | file   | name         | angular                 | High       |
| Vendor  | pom    | artifactid   | angular                 | Low        |
| Vendor  | pom    | developer id | webjars                 | Medium     |
| Vendor  | pom    | groupid      | org.webjars.npm         | Highest    |
| Vendor  | pom    | name         | angular                 | High       |
| Vendor  | pom    | url          | https://www.webjars.org | Highest    |
| Product | file   | name         | angular                 | High       |
| Product | pom    | artifactid   | angular                 | Highest    |
| Product | pom    | developer id | webjars                 | Low        |
| Product | pom    | groupid      | org.webjars.npm         | Highest    |
| Product | pom    | name         | angular                 | High       |
| Product | pom    | url          | https://www.webjars.org | Medium     |
| Version | pom    | version      | 1.8.3                   | Highest    |

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities



**CVE-2022-25844** (OSSINDEX) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
\*\*Note:\*\* 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2022-25844> for details

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- OSSINDEX - [\[CVE-2022-25844\] CWE-1333](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2022-25844>
- OSSIndex - <https://www.tenable.com/cve/CVE-2022-25844>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:\*:\*:\*:\*:\*

**CVE-2021-4231** (OSSINDEX) suppressed

A vulnerability was found in Angular up to 11.0.4/11.1.0-next.2. It has been classified as problematic. Affected is the handling of comments. The manipulation leads to cross site scripting. It is possible to launch the attack remotely but it might require an authentication first. Upgrading to version 11.0.5 and 11.1.0-next.3 is able to address this issue. The name of the patch is ba8da742e3b243e8f43d4c63aa842b44e14f2b09. It is recommended to upgrade the affected component.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2021-4231> for details

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.400000095367432)
- CVSS:3.1/AV:N/AC:L/PR:L/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2021-4231\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2021-4231>
- OSSIndex - <https://github.com/angular/angular/pull/40136>
- OSSIndex - <https://github.com/angular/angular/pull/40525>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:\*:\*:\*:\*:\*

**CVE-2023-26116** (OSSINDEX) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

## CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.300000190734863)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- OSSINDEX - [\[CVE-2023-26116\] CWE-1333](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2023-26116>
- OSSIndex - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- OSSIndex - <https://stackblitz.com/edit/angularjs-vulnerability-angular-copy-redos?file=index.js>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:\*\*\*\*\*.\*

**CVE-2023-26118** (OSSINDEX) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2023-26118> for details

## CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.300000190734863)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- OSSINDEX - [\[CVE-2023-26118\] CWE-1333](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2023-26118>
- OSSIndex - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- OSSIndex - <https://stackblitz.com/edit/angularjs-vulnerability-inpur-url-validation-redos?file=index.js>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:\*\*\*\*\*.\*

## remotegui.zip: angular.jar: angular.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.js

**MD5:** e09f650a016c24bc1b5a1edc93bfbade

**SHA1:** 0f1f7445b761b9bbd5385f9f0b316dbf1ca48696

**SHA256:** fdca889e76f55fdee7ab661920f37ce19233563bf7f4ac8120f8ebc2ac768768

**Referenced In Project/Scope:** server

Evidence



| Type    | Source | Name    | Value     | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor  | file   | name    | angularjs | High       |
| Product | file   | name    | angularjs | High       |
| Version | file   | version | 1.8.3     | High       |

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities



#### [CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*node.js:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:\*:\*:\*:\*:\*

#### [CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3



## [CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

## [CVE-2024-8373](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqgm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**CVE-2025-2336** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-4690** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021** (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>

- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular.jar: angular.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.min.js

**MD5:** 967a32633fa8f38f4ac3376c1a37b992

**SHA1:** b53b74d8e0b732dcdb98f521146b88299ea2f1

**SHA256:** 396dc1a03d6cc02e9c51a80246e0db53c5c8df9bd07287e3b51bce4a29dab355

**Referenced In Project/Scope:** server

### Evidence

| Type    | Source | Name    | Value     | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor  | file   | name    | angularjs | High       |
| Product | file   | name    | angularjs | High       |
| Version | file   | version | 1.8.3     | High       |

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
\*\*Note:\*\* 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>

- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:\*:\*:\*:\*:\*:

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to `@angular/core` (<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of `<textarea>` elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\*

## [CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

## [CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

## [CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:\* node.js:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

## NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**CVE-2025-2336** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-4690** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>

- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: jquery.jar

### Description:

WebJar for jQuery

### License:

MIT License: <https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery.jar

**MD5:** 4af65e569248d8a2411f66498d720280

**SHA1:** c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab

**SHA256:** de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6

**Referenced In Project/Scope:** server

### Evidence +

| Type   | Source | Name            | Value               | Confidence |
|--------|--------|-----------------|---------------------|------------|
| Vendor | file   | name            | jquery              | High       |
| Vendor | pom    | artifactid      | jquery              | Low        |
| Vendor | pom    | developer email | james@jamesward.org | Low        |
| Vendor | pom    | developer id    | jamesward           | Medium     |
| Vendor | pom    | developer name  | James Ward          | Medium     |
| Vendor | pom    | groupid         | org.webjars         | Highest    |
| Vendor | pom    | name            | jquery              | High       |
| Vendor | pom    | url             | http://webjars.org  | Highest    |
|        |        |                 |                     |            |



|         |      |                 |                     |         |
|---------|------|-----------------|---------------------|---------|
| Product | file | name            | jquery              | High    |
| Product | pom  | artifactid      | jquery              | Highest |
| Product | pom  | developer email | james@jamesward.org | Low     |
| Product | pom  | developer id    | jamesward           | Low     |
| Product | pom  | developer name  | James Ward          | Low     |
| Product | pom  | groupid         | org.webjars         | Highest |
| Product | pom  | name            | jquery              | High    |
| Product | pom  | url             | http://webjars.org  | Medium  |
| Version | pom  | version         | 2.2.4               | Highest |

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities



#### CVE-2016-10707 (OSSINDEX) suppressed

jquery - Uncontrolled Resource Consumption

The software does not properly restrict the size or amount of resources that are requested or influenced by an actor, which can be used to consume more resources than intended.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2016-10707> for details

CWE-400 Uncontrolled Resource Consumption

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- OSSINDEX - [\[CVE-2016-10707\] CWE-400: Uncontrolled Resource Consumption \('Resource Exhaustion'\)](#)
- OSSIndex - <https://github.com/advisories/GHSA-mhpp-875w-9cpv>
- OSSIndex - <https://github.com/jquery/jquery/issues/3133>
- OSSIndex - <https://github.com/jquery/jquery/issues/3371>
- OSSIndex - <https://github.com/jquery/jquery/pull/2916>
- OSSIndex - <https://github.com/jquery/jquery/pull/3134>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:\*:\*:\*:\*:\*

#### CVE-2019-11358 (OSSINDEX) suppressed

jQuery before 3.4.0, as used in Drupal, Backdrop CMS, and other products, mishandles jQuery.extend(true, {}, ...) because of Object.prototype pollution. If an unsanitized source object

contained an enumerable `__proto__` property, it could extend the native `Object.prototype`.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2019-11358> for details

CWE-1321 Improperly Controlled Modification of Object Prototype Attributes ('Prototype Pollution')

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:

- MEDIUM (6.0999999904632568)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2019-11358\] CWE-1321](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2019-11358>
- OSSIndex - <https://blog.jquery.com/2019/04/10/jquery-3-4-0-released/>
- OSSIndex - <https://github.com/cbeust/testng/issues/2150>
- OSSIndex - <https://github.com/jquery/jquery/pull/4333>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:\*:\*:\*:\*:\*

**CVE-2020-11023** (OSSINDEX) suppressed

In jQuery versions greater than or equal to 1.0.3 and before 3.5.0, passing HTML containing `<option>` elements from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. `.html()`, `.append()`, and others) may execute untrusted code. This problem is patched in jQuery 3.5.0.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:

- MEDIUM (6.0999999904632568)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2020-11023\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2020-11023>
- OSSIndex - <https://github.com/advisories/GHSA-jpcq-cgw6-v4j6>
- OSSIndex - <https://jquery.com/upgrade-guide/3.5/>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:\*:\*:\*:\*:\*

This report contains data retrieved from the [National Vulnerability Database](#).

This report may contain data retrieved from the [CISA Known Exploited Vulnerability Catalog](#).

This report may contain data retrieved from the [Github Advisory Database \(via NPM Audit API\)](#).

This report may contain data retrieved from [RetireJS](#).

This report may contain data retrieved from the [Sonatype OSS Index](#).