



Dependency-Check is an open source tool performing a best effort analysis of 3rd party dependencies; false positives and false negatives may exist in the analysis performed by the tool. Use of the tool and the reporting provided constitutes acceptance for use in an AS IS condition, and there are NO warranties, implied or otherwise, with regard to the analysis or its use. Any use of the tool and the reporting provided is at the user's risk. In no event shall the copyright holder or OWASP be held liable for any damages whatsoever arising out of or in connection with the use of this tool, the analysis performed, or the resulting report.

[How to read the report](#) | [Suppressing false positives](#) | [Getting Help: github issues](#)

 [Sponsor](#)

Project: project ':designer-installer'

clear-reports:designer-installer:25.10

Scan Information ([show all](#)):

- *dependency-check version:* 10.0.3
- *Report Generated On:* Wed, 5 Nov 2025 18:07:34 +0100
- *Dependencies Scanned:* 255 (237 unique)
- *Vulnerable Dependencies:* 0
- *Vulnerabilities Found:* 0
- *Vulnerabilities Suppressed:* 2 ([show](#))
- ...
- *NVD API Last Checked:* 2025-11-05T17:05:23Z
- *NVD API Last Modified:* 2024-09-18T11:15:10Z
- *NVD Cache Last Checked:* 2025-11-05T17:05:23Z
- *NVD Cache Last Modified:* 2024-09-18T11:15:10Z

Summary

Display: [Showing Vulnerable Dependencies \(click to show all\)](#)

Dependency	Vulnerability IDs	Package	Highest Severity	CVE Count	Confiden
Merlia-0.jar		pkg:maven/lib/Merlia@0		0	
ReportViewer.jar	cpe:2.3:a:inetsoftware:clear_reports:25.10.233:*:*:*:*:* cpe:2.3:a:inetsoftware:i-net_clear_reports:25.10.233:*:*:*:*			0	Medium
adhoc.zip: adhoc-javadoc.jar				0	
adhoc.zip: adhoc-javadoc.jar: jquery-3.6.1.min.js				0	
adhoc.zip: adhoc-javadoc.jar: jquery-ui.min.js		pkg:javascript/jquery-ui@1.13.1		0	
adhoc.zip: adhoc-javadoc.jar: member-search-index.				0	

js					
adhoc.zip: adhoc-javadoc.jar: module-search-index.js				0	
adhoc.zip: adhoc-javadoc.jar: package-search-index.js				0	
adhoc.zip: adhoc-javadoc.jar: script.js				0	
adhoc.zip: adhoc-javadoc.jar: search.js				0	
adhoc.zip: adhoc-javadoc.jar: tag-search-index.js				0	
adhoc.zip: adhoc-javadoc.jar: type-search-index.js				0	
adhoc.zip: adhoc.jar				0	
adhoc.zip: adhoc.jar: adhoc.ai.panel.js				0	
adhoc.zip: adhoc.jar: adhoc.chartresizeobserver.js				0	
adhoc.zip: adhoc.jar: adhoc.componentresizeobserver.js				0	
adhoc.zip: adhoc.jar: adhoc.openfiledropzone.js				0	
adhoc.zip: adhoc.jar: adhoc.pageheadertoolbar.js				0	
adhoc.zip: adhoc.jar: adhoc.reportcomponentview.js				0	
adhoc.zip: adhoc.jar: adhoc.reportpropertiesarea.js				0	
adhoc.zip: adhoc.jar: adhoc.reportproperty.js				0	
adhoc.zip: adhoc.jar: adhoc.reportproperty.printconverter.js				0	
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.access.js				0	
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.boolean.js				0	
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.color.js				0	

adhoc.zip: adhoc.jar: adhoc.reportproperty. renderer.colorscheme.js				0	
adhoc.zip: adhoc.jar: adhoc.reportproperty. renderer.columns.js				0	
adhoc.zip: adhoc.jar: adhoc.reportproperty. renderer.filter.js				0	
adhoc.zip: adhoc.jar: adhoc.reportproperty. renderer.image.select.js				0	
adhoc.zip: adhoc.jar: adhoc.reportproperty. renderer.logo.js				0	
adhoc.zip: adhoc.jar: adhoc.reportproperty. renderer.select.js				0	
adhoc.zip: adhoc.jar: adhoc.reportproperty. renderer.slider.js				0	
adhoc.zip: adhoc.jar: adhoc.reportproperty. renderer.source.js				0	
adhoc.zip: adhoc.jar: adhoc.reportproperty. renderer.templatesource. js				0	
adhoc.zip: adhoc.jar: adhoc.reportproperty. renderer.text.js				0	
adhoc.zip: adhoc.jar: adhoc.reportview.js				0	
adhoc.zip: adhoc.jar: adhoc.toolbar.js				0	
adhoc.zip: adhoc.jar: adhoccontroller.js				0	
adhoc.zip: adhoc.jar: adhocfactory.js				0	
adhoc.zip: adhoc.jar: adhocmodel.js				0	
adhoc.zip: adhoc.jar: configuration.adhoc. templates.edit.js				0	
adhoc.zip: adhoc.jar: configuration.adhoc. templates.js				0	
adhoc.zip: adhoc.jar: configuration.adhoc. themes.edit.js				0	
adhoc.zip: adhoc.jar:				0	

configuration.adhoc.themes.js					
adhoc.zip: echarts.jar		pkg:maven/org.webjars.npm/echarts@6.0.0		0	
adhoc.zip: echarts.jar: echarts.min.js				0	
annotations-3.0.1.jar (shaded: com.google.code.findbugs:jsr305:3.0.1)		pkg:maven/com.google.code.findbugs/jsr305@3.0.1		0	
annotations-3.0.1.jar		pkg:maven/com.google.code.findbugs/annotations@3.0.1		0	
collation.sample.zip: collation.sample.jar				0	
crsetupwizard.zip: crsetupwizard.jar				0	
customformulas.sample.zip: customformulas.sample.jar				0	
datasource.cassandra.zip: config.jar				0	
datasource.cassandra.zip: datasource.cassandra.jar				0	
datasource.cassandra.zip: java-driver-core.jar	cpe:2.3:a:apache:cassandra:4.17.0:*:*:*:*:*:*	pkg:maven/com.datastax.oss/java-driver-core@4.17.0		0	Low
datasource.cassandra.zip: java-driver-shaded-guava.jar	cpe:2.3:a:apache:cassandra:25.1:*:*:*:*:*:*	pkg:maven/com.datastax.oss/java-driver-shaded-guava@25.1-jre-graal-sub-1		0	Low
datasource.cassandra.zip: native-protocol.jar		pkg:maven/com.datastax.oss/native-protocol@1.5.2		0	
datasource.cassandra.zip: netty-common.jar (shaded: org.jctools:jctools-core:4.0.5)		pkg:maven/org.jctools/jctools-core@4.0.5		0	
datasource.cassandra.zip: netty-transport.jar	cpe:2.3:a:netty:netty:4.2.5:*:*:*:*:*	pkg:maven/io.netty/netty-transport@4.2.5.Final		0	Highest
datasource.mongodb.zip: bson.jar	cpe:2.3:a:mongodb:bson:5.5.1:*:*:*:*:*			0	Medium
datasource.mongodb.zip:				0	

datasource.mongodb.jar					
datasource.mongodb.zip: mongodb-driver-core.jar				0	
datasource.mongodb.zip: mongodb-driver-sync.jar				0	
datasource.zip: datasource.jar				0	
datasource.zip: datasource.jar: datasources-edit- controller.js				0	
datasource.zip: datasource.jar: datasources-main- controller.js				0	
datasource.zip: datasource.jar: factory.js				0	
datasource.zip: datasource.jar: model.js				0	
datasource.zip: datasource.jar: renderer- permissions.js				0	
datasource.zip: datasource.jar: renderer- urlauth.js				0	
datasource.zip: datasource.jar: renderer.js				0	
decoder.svg.zip: batik- anim-inet_patched.jar				0	
decoder.svg.zip: batik- awt-util-inet_patched.jar				0	
decoder.svg.zip: batik- bridge-inet_patched.jar				0	
decoder.svg.zip: batik- codec-inet_patched.jar				0	
decoder.svg.zip: batik- constants-inet_patched.jar				0	
decoder.svg.zip: batik- css-inet_patched.jar				0	
decoder.svg.zip: batik- dom-inet_patched.jar				0	
decoder.svg.zip: batik-ext- inet_patched.jar				0	
decoder.svg.zip: batik- extension-inet_patched.jar				0	
decoder.svg.zip: batik-gui- util-inet_patched.jar				0	
decoder.svg.zip: batik-gvt-				0	

inet_patched.jar					
decoder.svg.zip: batik-i18n-inet_patched.jar	cpe:2.3:a:inet:inet:18:*:*:*:*:*			0	High
decoder.svg.zip: batik-parser-inet_patched.jar				0	
decoder.svg.zip: batik-script-inet_patched.jar				0	
decoder.svg.zip: batik-slideshow-inet_patched.jar				0	
decoder.svg.zip: batik-svg-dom-inet_patched.jar				0	
decoder.svg.zip: batik-svggen-inet_patched.jar				0	
decoder.svg.zip: batik-svgpp-inet_patched.jar				0	
decoder.svg.zip: batik-swing-inet_patched.jar				0	
decoder.svg.zip: batik-transcoder-inet_patched.jar				0	
decoder.svg.zip: batik-ttf2svg-inet_patched.jar	cpe:2.3:a:inet:inet:2:*:*:*:*			0	High
decoder.svg.zip: batik-util-inet_patched.jar				0	
decoder.svg.zip: batik-xml-inet_patched.jar				0	
decoder.svg.zip: decoder.svg.jar				0	
decoder.svg.zip: jsvg.jar				0	
decoder.svg.zip: xml-apis-ext.jar				0	
decoder.svg.zip: xmlgraphics-commons.jar	cpe:2.3:a:apache:xmlgraphics_commons:2.7:*:*:*:*			0	Low
designer.zip: CCGuiLib.jar				0	
designer.zip: JnlpDesigner.jar				0	
designer.zip: SBSTutorial.jar				0	
designer.zip: TableLayout.jar				0	
designer.zip: designer.jar				0	
designer.zip: designer.jar: app.js				0	
designer.zip: designer.jar:				0	

opendesignerextension.js					
designer.zip: designer.jar: remotedesigner.js				0	
designer.zip: inetswingcore.jar				0	
diagnostics.reporting.zip: diagnostics.reporting.jar				0	
diagnostics.reporting.zip: diagnostics.reporting.jar: connectionPool.js				0	
diagnostics.reporting.zip: diagnostics.reporting.jar: reportcache.js				0	
diagnostics.reporting.zip: diagnostics.reporting.jar: server-datasource.js				0	
enginefactory.sample.zip: enginefactory.sample.jar				0	
facturx.zip: Saxon-HE.jar				0	
facturx.zip: facturx.jar				0	
facturx.zip: istack-commons-runtime.jar		pkg:maven/com.sun.istack/istack-commons-runtime@4.2.0		0	
facturx.zip: jakarta.activation-api.jar		pkg:maven/jakarta.activation/jakarta.activation-api@2.1.3		0	
facturx.zip: jakarta.xml.bind-api.jar		pkg:maven/jakarta.xml.bind/jakarta.xml.bind-api@4.0.2		0	
facturx.zip: jaxb-core.jar		pkg:maven/org.glassfish.jaxb/jaxb-core@4.0.5		0	
facturx.zip: jaxb-runtime.jar		pkg:maven/org.glassfish.jaxb/jaxb-runtime@4.0.5		0	
facturx.zip: ph-collection.jar		pkg:maven/com.helger/commons/ph-collection@11.2.6		0	
facturx.zip: ph-commons.jar		pkg:maven/com.helger/commons/ph-commons@11.2.6		0	

facturx.zip: ph-jaxb.jar		pkg:maven/com.helger.commons/ph-jaxb@11.2.6		0	
facturx.zip: ph-schematron-api.jar		pkg:maven/com.helger.schematron/ph-schematron-api@8.0.6		0	
facturx.zip: ph-schematron-pure.jar		pkg:maven/com.helger.schematron/ph-schematron-pure@8.0.6		0	
facturx.zip: ph-schematron-schxslt.jar		pkg:maven/com.helger.schematron/ph-schematron-schxslt@8.0.6		0	
facturx.zip: ph-schematron-validator.jar		pkg:maven/com.helger.schematron/ph-schematron-validator@8.0.6		0	
facturx.zip: ph-schematron-xslt.jar		pkg:maven/com.helger.schematron/ph-schematron-xslt@8.0.6		0	
facturx.zip: ph-xml.jar		pkg:maven/com.helger.commons/ph-xml@11.2.6		0	
facturx.zip: ph-xsds-xml.jar		pkg:maven/com.helger.xsd/ph-xsds-xml@3.0.0		0	
facturx.zip: txw2.jar		pkg:maven/org.glassfish.jaxb/txw2@4.0.5		0	
facturx.zip: xmlresolver.jar				0	
hamcrest-3.0.jar		pkg:maven/org.hamcrest/hamcrest@3.0		0	
htmlviewer.printpdf.sample.zip: extension.js				0	
htmlviewer.printpdf.sample.zip: htmlviewer.printpdf.sample.jar				0	
htmlviewer.printpdf.sample.zip: htmlviewer.printpdf.sample.jar: extension.js				0	
htmlviewer.toolbar.zip:				0	

htmlviewer.toolbar.jar				0	
htmlviewer.toolbar.zip: htmlviewer.toolbar.jar: htmlviewer.angular.js				0	
htmlviewerextension.sample.zip: extension.js				0	
htmlviewerextension.sample.zip: htmlviewerextension.sample.jar				0	
htmlviewerextension.sample.zip: htmlviewerextension.sample.jar: extension.js				0	
inetcore-25.10-tools.jar		pkg:maven/shared/inetcore@25.10		0	
inetcore-25.10.jar (shaded: com.inet.shared:inetcore:null)				0	
inetcore-25.10.jar		pkg:maven/shared/inetcore@25.10		0	
java-21-jre-x64-linux.tar.gz: java-21-jre-x64-linux.tar: jrt-fs.jar	cpe:2.3:a:eclipse:platform:21.0.8:***.*.*.*.*			0	Medium
jcip-annotations-1.0.jar		pkg:maven/net.jcip/jcip-annotations@1.0		0	
jlessc-1.14.jar		pkg:maven/de.inetsoftware/jlessc@1.14		0	
jsr305-3.0.2.jar		pkg:maven/com.google.code.findbugs/jsr305@3.0.2		0	
junit-4.13.2.jar	cpe:2.3:a:junit:junit4:4.13.2:***.*.*.*.*	pkg:maven/junit/junit@4.13.2		0	Highest
junit-jupiter-5.13.4.jar		pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4		0	
junit-jupiter-api-5.13.4.jar		pkg:maven/org.junit.jupiter/junit-jupiter-api@5.13.4		0	
junit-jupiter-engine-5.13.4.jar		pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4		0	
junit-jupiter-params-		pkg:maven/org.		0	

[5.13.4.jar](#)

[junit.jupiter/junit-jupiter-params@5.13.4](#)

[junit-platform-commons-1.13.4.jar](#)

[pkg:maven/org.junit.platform/junit-platform-commons@1.13.4](#)

0

[junit-platform-engine-1.13.4.jar](#)

[pkg:maven/org.junit.platform/junit-platform-engine@1.13.4](#)

0

[junit-platform-launcher-1.13.4.jar](#)

[pkg:maven/org.junit.platform/junit-platform-launcher@1.13.4](#)

0

[junit-platform-suite-1.13.4.jar](#)

[pkg:maven/org.junit.platform/junit-platform-suite@1.13.4](#)

0

[junit-platform-suite-api-1.13.4.jar](#)

[pkg:maven/org.junit.platform/junit-platform-suite-api@1.13.4](#)

0

[junit-platform-suite-commons-1.13.4.jar](#)

[pkg:maven/org.junit.platform/junit-platform-suite-commons@1.13.4](#)

0

[junit-platform-suite-engine-1.13.4.jar](#)

[pkg:maven/org.junit.platform/junit-platform-suite-engine@1.13.4](#)

0

[junit-vintage-engine-5.13.4.jar](#)

[pkg:maven/org.junit.vintage/junit-vintage-engine@5.13.4](#)

0

[maintenance.reporting.zip: maintenance.reporting.jar](#)

0

[opentest4j-1.3.0.jar](#)

[pkg:maven/org.opentest4j/opentest4j@1.3.0](#)

0

[pdfviewer.zip: pdfjs-dist.jar](#)

[pkg:maven/org.webjars.npm/pdfjs-dist@4.9.155](#)

0

[pdfviewer.zip: pdfjs-dist.jar: package.json](#)

0

[pdfviewer.zip: pdfviewer.jar](#)

0

pdfviewer.zip: pdfviewer.jar: drive.js				0	
pdfviewer.zip: pdfviewer.jar: pdfviewer.angular.js				0	
pdfviewer.zip: pdfviewer.jar: pdfviewer.embedded.js				0	
pdfviewer.zip: pdfviewer.jar: pdfviewer.factory.js				0	
pdfviewer.zip: pdfviewer.jar: pdfviewer.model.js				0	
pdfviewer.zip: pdfviewer.jar: pdfviewer.renderer.js				0	
pdfviewer.zip: pdfviewer.jar: pdfviewer.reporting.js				0	
processbridge.reporting.zip: processbridge.reporting.jar				0	
promptdialog.zip: promptdialog.jar				0	
promptdialog.zip: promptdialog.jar: promptcontroller.js				0	
promptdialog.zip: promptdialog.jar: promptcustomrenderer.js				0	
promptdialog.zip: promptdialog.jar: promptfactory.js				0	
promptdialog.zip: promptdialog.jar: promptpanel.js				0	
promptdialog.zip: promptdialog.jar: promptrenderer.js				0	
propertieschecker.sample.zip: propertieschecker.sample.jar				0	
remoteprinting.zip: remoteprinting.jar				0	
remoteprinting.zip: remoteprinting.jar: RemotePrintingRenderer.js				0	
remoteprinting.zip: remoteprinting.jar: app.js				0	
remoteprinting.zip: remoteprinting.jar: htmlviewer.js				0	

remoteprinting.zip: remoteprinting.jar: pdfviewer.angular.js				0	
remoteprinting.zip: remoteprinting.jar: remoteprinting.factory.js				0	
remoteprinting.zip: remoteprinting.jar: remoteprinting.js				0	
remoteprinting.zip: remoteprinting.jar: remoteprinting.model.js				0	
remoteprinting.zip: remoteprinting.jar: remoteprinting.renderer.js				0	
reporting.zip: jcommon.jar		pkg:maven/org.jfree/jcommon@1.0.24		0	
reporting.zip: jfreechartCC.jar				0	
reporting.zip: reporting-javadoc.jar				0	
reporting.zip: reporting-javadoc.jar: member-search-index.js				0	
reporting.zip: reporting-javadoc.jar: package-search-index.js				0	
reporting.zip: reporting-javadoc.jar: tag-search-index.js				0	
reporting.zip: reporting-javadoc.jar: type-search-index.js				0	
reporting.zip: reporting.jar				0	
reporting.zip: reporting.jar: events.js				0	
reporting.zip: reporting.jar: export.js				0	
reporting.zip: reporting.jar: functions.js				0	
reporting.zip: reporting.jar: generator.js				0	
reporting.zip: reporting.jar: grouptree.js				0	
reporting.zip: reporting.jar: htmlreportextension.js				0	
reporting.zip: reporting.jar: jstorage.js				0	

reporting.zip: reporting.jar: keylistener.js				0	
reporting.zip: reporting.jar: menubar.js				0	
reporting.zip: reporting.jar: page.js				0	
reporting.zip: reporting.jar: pagecount.js				0	
reporting.zip: reporting.jar: popup.js				0	
reporting.zip: reporting.jar: print.js				0	
reporting.zip: reporting.jar: prompts.js				0	
reporting.zip: reporting.jar: prototype.array.js				0	
reporting.zip: reporting.jar: prototype.element.js				0	
reporting.zip: reporting.jar: prototype.string.js				0	
reporting.zip: reporting.jar: renderreportextension.js				0	
reporting.zip: reporting.jar: reorder.js				0	
reporting.zip: reporting.jar: report.export.js				0	
reporting.zip: reporting.jar: report.exportdialog.controller.js				0	
reporting.zip: reporting.jar: report.exportdialog.service.js				0	
reporting.zip: reporting.jar: report.exportframe.js				0	
reporting.zip: reporting.jar: script.js				0	
reporting.zip: reporting.jar: search.js				0	
reporting.zip: reporting.jar: serverping.js				0	
reporting.zip: reporting.jar: stacktrace.js				0	
reporting.zip: reporting.jar: tabbar.js				0	
sampledatabase.zip: sampledatabase.jar				0	

sampledatabase.zip: smallsql.jar				0	
samplereports.zip: samplereports.jar				0	
sessiondatasource. sample.zip: sessiondatasource. sample.jar				0	
slf4j-api-2.0.16.jar		pkg:maven/org. slf4j/slf4j- api@2.0.16		0	
statistics.reporting.zip: statistics.reporting.jar				0	
taskplanner.reporting.zip: taskplanner.reporting- javadoc.jar				0	
taskplanner.reporting.zip: taskplanner.reporting- javadoc.jar: member- search-index.js				0	
taskplanner.reporting.zip: taskplanner.reporting- javadoc.jar: package- search-index.js				0	
taskplanner.reporting.zip: taskplanner.reporting- javadoc.jar: tag-search- index.js				0	
taskplanner.reporting.zip: taskplanner.reporting- javadoc.jar: type-search- index.js				0	
taskplanner.reporting.zip: taskplanner.reporting.jar				0	
taskplanner.reporting.zip: taskplanner.reporting.jar: crtaskplanner.js				0	

Dependencies (vulnerable)

Merlia-0.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/lib/Merlia/0/e4af937135679cc07f99529ee7ca127519bd3a06/Merlia-0.jar

MD5: 3eb81fb3cc977f1a3eb1fb26b2b38666

SHA1: e4af937135679cc07f99529ee7ca127519bd3a06

SHA256: b1d1878d936c27b010e6f3c123d8d7f2f7f6960a53e5b01b1b1c3d104c29b0a8

Referenced In Project/Scope: designer-installer:inetPlugin

Included by: pkg:maven/clear-reports/designer-installer@25.10

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	Merlia-0	High
Vendor	gradle	artifactid	Merlia	Highest
Vendor	gradle	groupid	lib	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	tds	Low
Product	file	name	Merlia-0	High
Product	gradle	artifactid	Merlia	Highest
Product	jar	package name	tds	Low
Version	file	name	Merlia-0	Medium
Version	file	version	0	Medium
Version	gradle	version	0	Highest
Version	Manifest	driver-version	8.13	Medium

Identifiers

- [pkg:maven/lib/Merlia@0](#) (*Confidence*:Highest)

ReportViewer.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/ReportViewer.jar

MD5: 69942b708a46f2ae50b11410e1573c6f

SHA1: adcfa651894f22f19929c6c3dcdf5fdf954e0098

SHA256: 5e0d6b86354b4f0c18199fe5488c88680c091213c01ac32b1c29dbf8bcd2ab27

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	ReportViewer	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	viewer	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-	i-net Clear Reports	Medium

name

Vendor	Manifest	built-date	2025-11-05 17:22	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ReportViewer	High
Product	jar	package name	i	Highest
Product	jar	package name	reportviewer	Highest
Product	jar	package name	viewer	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net Clear Reports	Medium
Product	Manifest	built-date	2025-11-05 17:22	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	ReportViewer	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	ReportViewer	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- [cpe:2.3:a:inetsoftware:clear_reports:25.10.233.*:*:*:*:*](#) (Confidence:Medium)
- [cpe:2.3:a:inetsoftware:i-net_clear_reports:25.10.233.*:*:*:*](#) (Confidence:Medium)

adhoc.zip: adhoc-javadoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar

MD5: 07c66a72222ef504e742681e052593e9

SHA1: e8f3630f1cd75065622e8faf0eac54d9b224bbf5

SHA256: da1b0a75412aba267ed13fce9117c8f7a9dc465bcd320c4e5218de1e45b9d7f

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	adhoc-javadoc	High
Product	file	name	adhoc-javadoc	High

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: jquery-3.6.1.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar/script-dir/jquery-3.6.1.min.js

MD5: 00727d1d5d9c90f7de826f1a4a9cc632

SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2

SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- reporting.zip: reporting-javadoc.jar: jquery-3.6.1.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-3.6.1.min.js
 - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
 - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
 - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-3.6.1.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir/jquery-3.6.1.min.js
 - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
 - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
 - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar/script-dir/jquery-ui.min.js

MD5: 32059df39c14a910ccc2325f6a3cd62f

SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b

SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.13.1	High

Related Dependencies

- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
 - [pkg:javascript/jquery-ui@1.13.1](https://jquery.com/download/)
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-ui.min.js

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir/jquery-ui.min.js
- MD5: 32059df39c14a910ccc2325f6a3cd62f
- SHA1: d3289f1b527a3f054d303ec769402e037fbcf4b
- SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- [pkg:javascript/jquery-ui@1.13.1](#)

Identifiers

- [pkg:javascript/jquery-ui@1.13.1](#) (*Confidence*:Highest)

adhoc.zip: adhoc-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar/member-search-index.js

MD5: a11a003432f42524d56629b19a1483b3

SHA1: 8cffaec74a440180929e2b2de7d62f57243aabf7

SHA256: b57d8acb20e1bbe3c9de51666f29072c04cf9ad2a2146f3e2c4408f9e2a80367

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: module-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar/module-search-index.js

MD5: a33da0f469acbd03f77bf407bac505f5

SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8

SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- reporting.zip: reporting-javadoc.jar: module-search-index.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/module-search-index.js
 - MD5: a33da0f469acbd03f77bf407bac505f5
 - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
 - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: module-search-index.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/module-search-index.js
 - MD5: a33da0f469acbd03f77bf407bac505f5
 - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
 - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar/package-search-index.js

MD5: 443c6de8c51f57bb46f9edf936be4831

SHA1: 8ab16f7861b9adc0d4e5e4534a0b9944ddba22a0

SHA256: 1b37c4985983a5e016aa6710ac4705e886ea68722beaaf977f638efa5ab3b704

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: script.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar/script.js
MD5: baf9d9e16237acbdce975a33c54ee8ae
SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- reporting.zip: reporting-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/script.js
 - MD5: baf9d9e16237acbdce975a33c54ee8ae
 - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
 - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script.js
 - MD5: baf9d9e16237acbdce975a33c54ee8ae
 - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
 - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: search.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar/search.js
MD5: cb277f670590ffec20a12745260518dc
SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- reporting.zip: reporting-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/search.js
 - MD5: cb277f670590ffec20a12745260518dc
 - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
 - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/search.js
 - MD5: cb277f670590ffec20a12745260518dc
 - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
 - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: tag-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar/tag-search-index.js

MD5: acda0a4d961a2dbb052cf81694d1c50b

SHA1: 4853e0d2a022b5098359e59d740952ee1e187c04

SHA256: 4394bc27c97d0c9018c2fb763bfc045db14433b160e3c1fec16795d1d1967aaf

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar/type-

search-index.js
MD5: 35601b6ef3d0d29583b9fd84fa024e11
SHA1: d6778f941634eea1e7531383aa3d61199a5169b5
SHA256:e41d5f216525aa5f8dd4034163d890d31e4aac6e5e7f4d5847b596e5e27ebe77
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar
MD5: 10bd632021381b9ae3ca548403cfbc37
SHA1: b9848d28fdfe9f8a00933f73afd85e362af83881
SHA256:5cd592a965b8e939a5aa0b6037562d3021e67b58541de64281dc7b6c9d3c5e43
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	adhoc	High
Vendor	jar	package name	adhoc	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-11-05 17:44	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	adhoc	High
Product	jar	package name	adhoc	Highest

Product	jar	package name	adhoc	Low
Product	jar	package name	report	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2025-11-05 17:44	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	adhoc	High
Product	Manifest	specification-title	adhoc	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.ai.panel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.ai.panel.js

MD5: c9621818e2fa2105a73d09882414f2b2

SHA1: 592226c5494aa756bfb304dbbc8d933fc2ceb7f

SHA256: a271f3f74b7245c3ab110554a37a613e0ef9c0ef31c90ef8e5983655da33e41c

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.chartresizeobserver.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.chartresizeobserver.js

MD5: 2353f6ab5c7683c4f071cb593ea217b6
SHA1: 08d6eba3020002ca0a114ffbe02c6c3b015e77a4
SHA256: 909ec3c7da69961a59c995c8e9d648ed211c434ad884054eac946c44e3e0cac9
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.componentresizeobserver.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.componentresizeobserver.js

MD5: e456cb79474b1658f85e888026638cc9
SHA1: 8a3dbb6395ed6bfd0daabd706cc3eff68b69db88
SHA256: 9dd8d55582f0fcc3da01c52225fdf9feb0a013053e7fe284a05e02a529bec7
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.openfiledropzone.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.openfiledropzone.js

MD5: 8e84aa7ab7e98c0dec8019701658d2b4
SHA1: bdad0809b3e268ae1b0c610b95b1156104550a6d
SHA256: 67d5e615c4b54f10c8dde13f257d1a700522bf15d9d5629758d10a58b8292b7b
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.pageheadertoolbar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.pageheadertoolbar.js

MD5: 3db0f95df6f62025ca4806507d4f0f43

SHA1: fbe797943666cf95d624757a2fd20061ad8a46ec

SHA256: 52b002248c5ee906fffd1d9dcbde2fbd9879ae541cb6ecbec575fa6d0c20213b

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportcomponentview.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportcomponentview.js

MD5: 1183a925e74bcd44507fdb81ac32726

SHA1: 3283ed287bfc7d8130e7b40e27e59f256c47feca

SHA256: e79219570e282ad7f72c1691fe5a6f6be0b6cd679991113a3dd82ef5534101ca

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportpropertiesarea.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportpropertiesarea.js

MD5: 66e39cbb1c1a68f71d5d8644b757ce94

SHA1: 267aed374d6ed69510ce8dfa22e53514c0b37ba7

SHA256: 9fd5b15728af631f2004b4ddd85943bcaa2978c9c2601626b8daba6a02731534

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.js

MD5: b983a3cfd912512fbc60090e89711a79

SHA1: 5ee3a9659326fa2c537a989847992beeba94a732

SHA256: a990433c893aab0121361a967244ca651adabdd7fcc466c6fe7aa0b929241fff

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.printconverter.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.printconverter.js

MD5: 0156e3fbc45f0b07b8a5804b7e13afc7

SHA1: a5b87c150ed5c97c87ad474b8658b8cbaec3d1c7

SHA256: 03b11b97d110dfc75c6ea6f3a3a9daa057ae468452b0de8abd957e2335ce1e5f

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.access.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.access.js

MD5: 3c3cc1f827d6dbcf0ac4c5a51c4ab89f

SHA1: 67d3370998c83d720424474dfd3fcc1fa772148c

SHA256: 0482946023e643fb686feffd6a17471305f135f4c37bc5dc4b425b5c16e237cd

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.boolean.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.boolean.js

MD5: 8dc62791382904705c86dd5b30dd6057

SHA1: 0dd574f611b4a9e778e2eb5d35f6eb053b2ff9b6

SHA256:92f8f5f2b8ea2dc1144577404450c4a027a3ad58acffe5bc40d148ec60dd1b63
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.color.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.color.js

MD5: 57bb880e05f35d1266a05d8cd42ab23b

SHA1: 3865d3959ace7c0e8df9939bd2491f2caaf7eeae

SHA256:054ab0edc0c5e1778c1770fee484d0dc431fb605b808b2f7fd3a363ea1349a4b

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.colorscheme.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.colorscheme.js

MD5: bf076d6942b679343e59e02dfbca5c78

SHA1: 44cff0512ae4f820e2b94c42f7bb426714a6dfc9

SHA256:b5db1a6088d0bd4b13feb52ef897b8e1ba664cc81b0394eaf879838a912f0f61

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.columns.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.columns.js

MD5: 7ffacc002e6cdae40f70dfaea37e518d

SHA1: d13751863b1fe6b6e60af34d5bfaaf4705e6527b

SHA256: 7e8c7575a4cacbbb7934f75c0ec9ac9e1285bfa1d7806c8aa5cd057eab42f67a

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.filter.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.filter.js

MD5: c8237bd10054b17297f16dc23ce7a899

SHA1: 2c719ce1417e8cabd7b6cb6f57799bcadb2cb96d

SHA256: 895d41a74d20c5a948d83f682478a3d1b24e3dfefc60693c2c38c74077327e55

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.image.select.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.image.select.js

MD5: 4e4c9d65d59a92adf877a61a71756393

SHA1: 8e676f076cc14ef4622a8ed65a410e61fd992c1e

SHA256: 584cb6b59493fd20bb1eb9b59c90c84ee9dc61bc078fc61cd2ab2d012e2902c1

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.logo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.logo.js

MD5: ecaff58fb7d486379c09558c67b6adb4

SHA1: 3e5d9e14b525ca20c60d1ec4ffccfd73fc3dbbf3

SHA256: 8d8650c4d2ddab25549397f8f300bd9323e6676a51ed34b393c801a749f7ca43

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.select.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.select.js
MD5: e12653dce1fcfdebe5f0a28fe0774de8
SHA1: 5406aa37b19e568b6d06193e2cb542d6519e642f
SHA256: 9dcfcd925a87edf3a76fdb79763d868dbbfdac56db00f2bfdb834cb6bede1f7
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.slider.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.slider.js
MD5: 4b5d05e2c310201701297eadad19abca
SHA1: c30e2757675ca8316173a36d3c39765226175de2
SHA256: abccfa14c95c8403913d4a9729fd9881a1adc29ca4da9860268a26fd5459550d
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.source.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.source.js
MD5: 37e9c9f9a348ccae2f8df7af5d3725bd
SHA1: 6764850e9d7eb9171bff7d89446b04eb266ca1e8
SHA256: 5cb78eed4c3a7a38da62d8f6c08673a671e46c904a3c013c64c08cb768df225f
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.templatesource.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.templatesource.js

MD5: 3528a62f71a82a0be2b78f8a64de3497

SHA1: 4029d60d787120027ca739895ee0bb362fc671f6

SHA256: 358a1d431f2ab4433d121b476af854e744d7b1121ed25afe405b59238b041563

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.text.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.text.js

MD5: 63f0e10a167f83195cb68fd0e882fb88

SHA1: cf7819683de9726f187028f9f5a632f264796467

SHA256: 2b9e194cb44834c7f9a47202dd485f5be9eff7103a8f28fc52bde01c7eb685c8

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportview.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportview.js

MD5: 4cec8eccc919777d50efe977de091d0f

SHA1: a5994488ccaa84f20f789ba5cbb22f9a9ae64cad

SHA256: 34259fd56daa2c9d20578f0378bcb5c415935568827f3d02831d3f21e0f1c83b

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.toolbar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.toolbar.js

MD5: 2f5139e8bb9230a5c2389e256e6d93ba

SHA1: adb1e443a91992bf905d820bf5b2417dcfb41f59

SHA256: f82cf1c1bb706977a407a487c7180d2771dcc68f571653d6649872ec49ba8f9f

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhoccontroller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoccontroller.js

MD5: d2eaf43d02534b5ea7d88e14058e1775

SHA1: 857732821d93db487a110221ee71b56e37535b46

SHA256: 4cb72e884445cf953f4ec79a5013cdf02dc2d86b5cc1c47c2bd8f42bbf77fd57

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhocfactory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhocfactory.js

MD5: 0e71269ca93b2ab765041523a51cdc0b

SHA1: 0402abcf93b128f26b7485ef3d3624c62381a32d

SHA256: 7b3b28dc0bab13d0c4147ced5188d594c4ca4f5d5a7c4756dbcd4ecd380d2320

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: adhocmodel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report

/adhoc/webgui/js/adhocmodel.js

MD5: 008d5ecd29740c8300f9159489739151

SHA1: 6b48d6f72417311904460d3f4a4f279d4d129849

SHA256:80d035ab11fd1a9b182e8197d2a2ff0df2b1dbc94104f20d16b88e49e8cf76fe

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: configuration.adhoc.templates.edit.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report
/adhoc/webgui/configuration/templates/configuration.adhoc.templates.edit.js

MD5: 5fde177e1fe760a873bc1eec6790c747

SHA1: ea09c1b8b425b11dabdadfa340733cead4fb391f

SHA256:005ffffac2bdb1e7afb2f4a96d05ce6bd9e50e7aa90dfa59b67d07c3092a6a2

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: configuration.adhoc.templates.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report
/adhoc/webgui/configuration/templates/configuration.adhoc.templates.js

MD5: 7003e616506cf628e25ee3debe27264a

SHA1: 60eb9aae8ed4419008acd4bb4cfe03baa87ea843

SHA256:f13a5f0c5d6f68e16eb54a6904ccb00f6df6ff19e0605369558c6afe25ac2e6c

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: configuration.adhoc.themes.edit.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/themes/configuration.adhoc.themes.edit.js

MD5: 5bcdbe57c2457045ede2e7e59a72a12e

SHA1: e72b708ddd576b5731ab3bc5a5098ea604c98fb5

SHA256:796e44d380350305a4be59f45a11a0aedbf691866cae7ba8217f1bee118beb0a

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: adhoc.jar: configuration.adhoc.themes.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/themes/configuration.adhoc.themes.js

MD5: b1ad812c14dcd1fe5e2b7062268f571c

SHA1: a708eae13369c42e13a88f6eccd2a803b68414b5

SHA256:90f2459efc98b028e092fe336c9db4c2169abac3a9a3df01afdda00011340c09

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

adhoc.zip: echarts.jar

Description:

WebJar for echarts

License:

Apache-2.0

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/echarts.jar

MD5: f1b0daa0d7a67341f1803381e1d4185a

SHA1: 1600ea69559037bf4fc553e97e72c6aa4c1b1822

SHA256: 99333b79cba4fde148702ae3bbf26d30752a44944f1015e8ce7e7d2da692e515

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	echarts	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.echarts	Medium
Vendor	pom	artifactid	echarts	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	echarts	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	echarts	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	echarts	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.echarts	Medium
Product	pom	artifactid	echarts	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	echarts	High
Product	pom	url	https://www.webjars.org	Medium

Version	Manifest	Bundle-Version	6.0.0	High
Version	pom	version	6.0.0	Highest

Identifiers

- pkg:maven/org.webjars/npm/echarts@6.0.0 (*Confidence:High*)

adhoc.zip: echarts.jar: echarts.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/echarts.jar/META-INF/resources/webjars/echarts/6.0.0/dist/echarts.min.js

MD5: 13a384552589b88e84f7bf0c757a66ac

SHA1: d8c844c3d7c681edb8c6b7f72464373cff593c98

SHA256: baa8dfe7e1d9336b98e8986ba7e20ea15e7cdbea1ef42a59d59478632fa45a1d

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

annotations-3.0.1.jar (shaded: com.google.code.findbugs:jsr305:3.0.1)

Description:

JSR305 Annotations for Findbugs

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/annotations/3.0.1/fc019a2216218990d64dfe756e7aa20f0069dea2/annotations-3.0.1.jar/META-INF/maven/com.google.code.findbugs/jsr305/pom.xml

MD5: d08567d16867a0b79bc8149683918452

SHA1: d04690f71f3393e23f30998d9534365274fa5f9f

SHA256: 4170a761dc5bfd3981a8e6f7aab9e2acdce82d34fd5aa9bb11e3c090d25314ce

Referenced In Project/Scope: designer-installer:inetPlugin

Evidence

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	jsr305	Low
Vendor	pom	groupid	com.google.code.findbugs	Highest
Vendor	pom	name	FindBugs-jsr305	High
Vendor	pom	url	http://findbugs.sourceforge.net/	Highest
Product	pom	artifactid	jsr305	Highest
Product	pom	groupid	com.google.code.findbugs	Highest
Product	pom	name	FindBugs-jsr305	High
Product	pom	url	http://findbugs.sourceforge.net/	Medium
Version	pom	version	3.0.1	Highest

Identifiers

- <pkg:maven/com.google.code.findbugs/jsr305@3.0.1> (*Confidence:High*)

annotations-3.0.1.jar

Description:

Annotation the FindBugs tool supports

License:

GNU Lesser Public License: <http://www.gnu.org/licenses/lgpl.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/annotations/3.0.1/fc019a2216218990d64dfe756e7aa20f0069dea2/annotations-3.0.1.jar

MD5: fc4f102f22ba4f1df3f1d7cc6b202152

SHA1: fc019a2216218990d64dfe756e7aa20f0069dea2

SHA256: 6b47ff0a6de0ce17cbcdc3abb0828ca5bce3009d53ea47b3723ff023c4742f79

Referenced In Project/Scope: designer-installer:inetPlugin

Included by: pkg:maven/de.inetsoftware/jlessc@1.14

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	annotations	High
Vendor	gradle	artifactid	annotations	Highest
Vendor	gradle	groupid	com.google.code.findbugs	Highest
Vendor	jar	package name	annotation	Highest
Vendor	jar	package name	annotations	Highest

Vendor	jar	package name	findbugs	Highest
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	findbugsAnnotations	Medium
Vendor	pom	artifactid	annotations	Low
Vendor	pom	developer email	Loskutov@gmx.de	Low
Vendor	pom	developer email	pugh at cs.umd.edu	Low
Vendor	pom	developer id	al	Medium
Vendor	pom	developer id	bp	Medium
Vendor	pom	developer name	Andrey Loskutov	Medium
Vendor	pom	developer name	Bill Pugh	Medium
Vendor	pom	developer name	Keith Lea	Medium
Vendor	pom	groupid	com.google.code.findbugs	Highest
Vendor	pom	name	FindBugs-Annotations	High
Vendor	pom	url	http://findbugs.sourceforge.net/	Highest
Product	file	name	annotations	High
Product	gradle	artifactid	annotations	Highest
Product	jar	package name	annotation	Highest
Product	jar	package name	annotations	Highest
Product	jar	package name	findbugs	Highest
Product	Manifest	Bundle-Name	FindBugs-Annotations	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	findbugsAnnotations	Medium
Product	pom	artifactid	annotations	Highest
Product	pom	developer email	Loskutov@gmx.de	Low
Product	pom	developer email	pugh at cs.umd.edu	Low
Product	pom	developer id	al	Low
Product	pom	developer id	bp	Low
Product	pom	developer name	Andrey Loskutov	Low
Product	pom	developer name	Bill Pugh	Low
Product	pom	developer name	Keith Lea	Low
Product	pom	groupid	com.google.code.findbugs	Highest
Product	pom	name	FindBugs-Annotations	High
Product	pom	url	http://findbugs.sourceforge.net/	Medium

Version	file	version	3.0.1	High
Version	gradle	version	3.0.1	Highest
Version	Manifest	Bundle-Version	3.0.1	High
Version	pom	version	3.0.1	Highest

Identifiers

- <pkg:maven/com.google.code.findbugs/annotations@3.0.1> (*Confidence:High*)

collation.sample.zip: collation.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/collation.sample.zip/collation.sample.jar

MD5: 7849eb7699c7bfdcfcc7991e02b104db

SHA1: 9c10bfaf3cc7d367169b02bb40bc6b96911b61e6

SHA256: 141dd599a6f8b16d7f27ec0a14e5c24334d7d20b5ef0c09d361abc68a136db1b

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	collation.sample	High
Vendor	jar	package name	collation	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2025-11-05 17:28	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	collation.sample	High
Product	jar	package name	collation	Highest
Product	jar	package name	collation	Low
Product	jar	package name	collationserverplugin	Low

Product	jar	package name	samples	Low
Product	Manifest	built-date	2025-11-05 17:28	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	collation.sample	High
Product	Manifest	specification-title	collation.sample	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

crsetupwizard.zip: crsetupwizard.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/crsetupwizard.zip/crsetupwizard.jar

MD5: 7b1a2494fd7fa12b1d864ed736998804

SHA1: 411a1b4c96494c763ff2994a8e589fbe82d52627

SHA256:d1d304112bcc5f95b16b93f2ebe50071a55cc45ffb3347ac7e07315b518c2d5d

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	crsetupwizard	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	setupwizard	Low
Vendor	Manifest	built-date	2025-11-05 17:52	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	crsetupwizard	High
Product	jar	package name	report	Low
Product	jar	package name	setupwizard	Low
Product	jar	package name	steps	Low
Product	Manifest	built-date	2025-11-05 17:52	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	crsetupwizard	High
Product	Manifest	specification-title	crsetupwizard	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

customformulas.sample.zip: customformulas.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/customformulas.sample.zip
/customformulas.sample.jar

MD5: a965011e0b7f5ee09803a2bc2451d56c

SHA1: 86b8baa86e5c088eab7ae5e878fe9701a289cca1

SHA256: 0008d974f9dc70167dc134db882f6ea32bf8d6aab1c75ef0ecf6e8ae9f0a43e8

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	customformulas.sample	High
Vendor	jar	package name	formula	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2025-11-05 17:28	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	customformulas.sample	High
Product	jar	package name	formula	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2025-11-05 17:28	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	customformulas.sample	High
Product	Manifest	specification-title	customformulas.sample	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

datasource.cassandra.zip: config.jar

Description:

configuration library for JVM languages using HOCON files

License:

<https://www.apache.org/licenses/LICENSE-2.0;description=Apache-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/config.jar

MD5: 47850cb01b8fffebd12c5e21b25f77da

SHA1: f19816be89ef80f9106535828ba32fd4cd8e6b77

SHA256: ab16decc45cc678b0cf17fb9668f380a73bdf11b75af1fa1ddec5da82805aea

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	config	High
Vendor	jar	package name	config	Highest
Vendor	jar	package name	config	Low
Vendor	jar	package name	impl	Low

Vendor	jar	package name	typesafe	Highest
Vendor	jar	package name	typesafe	Low
Vendor	Manifest	automatic-module-name	typesafe.config	Medium
Vendor	Manifest	bundle-symbolicname	com.typesafe.config	Medium
Vendor	Manifest	implementation-url	https://github.com/lightbend/config	Low
Vendor	Manifest	Implementation-Vendor	com.typesafe	High
Vendor	Manifest	Implementation-Vendor-Id	com.typesafe	Medium
Vendor	Manifest	specification-vendor	com.typesafe	Low
Product	file	name	config	High
Product	jar	package name	config	Highest
Product	jar	package name	config	Low
Product	jar	package name	impl	Low
Product	jar	package name	typesafe	Highest
Product	Manifest	automatic-module-name	typesafe.config	Medium
Product	Manifest	Bundle-Name	config	Medium
Product	Manifest	bundle-symbolicname	com.typesafe.config	Medium
Product	Manifest	Implementation-Title	config	High
Product	Manifest	implementation-url	https://github.com/lightbend/config	Low
Product	Manifest	specification-title	config	Medium
Version	jar	package name	config	Highest
Version	Manifest	Bundle-Version	1.4.4	High
Version	Manifest	Implementation-Version	1.4.4	High

Identifiers

- None

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip
/datasource.cassandra.jar
MD5: d60956dd6c80180c42b0f889696d1dcd
SHA1: b707e5ecfe43bf739759f245a6009c5d64ef16aa
SHA256: 13a668235d548d3b39e46892f6eb776acedcbc475ba0055083d8f188d2d00a5e
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	datasource.cassandra	High
Vendor	jar	package name	cassandra	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-11-05 17:47	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	datasource.cassandra	High
Product	jar	package name	cassandra	Highest
Product	jar	package name	cassandra	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2025-11-05 17:47	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	datasource.cassandra	High
Product	Manifest	specification-title	datasource.cassandra	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

datasource.cassandra.zip: java-driver-core.jar

Description:

A driver for Apache Cassandra(R) 2.1+ that works exclusively with the Cassandra Query Language version 3 (CQL3) and Cassandra's native protocol versions 3 and above.

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/java-driver-core.jar

MD5: 22ea44c19ec6538456500a991e61ecfb

SHA1: 3d619c4ecb214ac091006ff06ab32198a260f977

SHA256: 445e1c91e3f7512c1c0686700ec1e3d77d89131a2711ce66062909a7d88e8cd3

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	java-driver-core	High
Vendor	jar	package name	datastax	Highest
Vendor	jar	package name	driver	Highest
Vendor	jar	package name	oss	Highest
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	com.datastax.oss.driver.core	Medium
Vendor	pom	artifactid	java-driver-core	Low
Vendor	pom	groupid	com.datastax.oss	Highest
Vendor	pom	name	DataStax Java driver for Apache Cassandra (R) - core	High
Vendor	pom	parent-artifactid	java-driver-parent	Low
Product	file	name	java-driver-core	High
Product	jar	package name	datastax	Highest
Product	jar	package name	driver	Highest
Product	jar	package name	oss	Highest
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	DataStax Java driver for Apache Cassandra (R) - core	Medium
Product	Manifest	bundle-symbolicname	com.datastax.oss.driver.core	Medium
Product	pom	artifactid	java-driver-core	Highest

Product	pom	groupid	com.datastax.oss	Highest
Product	pom	name	DataStax Java driver for Apache Cassandra (R) - core	High
Product	pom	parent-artifactid	java-driver-parent	Medium
Version	Manifest	Bundle-Version	4.17.0	High
Version	pom	version	4.17.0	Highest

Identifiers

- [pkg:maven/com.datastax.oss/java-driver-core@4.17.0](#) (*Confidence:High*)
- [cpe:2.3:a:apache:cassandra:4.17.0:****:*](#) (*Confidence:Low*) suppress

datasource.cassandra.zip: java-driver-shaded-guava.jar

Description:

Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®

License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/java-driver-shaded-guava.jar

MD5: b7b9ffdbca6117c0aaa13787da02f96d

SHA1: 522771d14d6b7dba67056a39db33f205ffbed6a4

SHA256: 8d1e57ab48ff4cc09b1a1f033218ad50f96cf92922f732cf333ec386c9e5c9ae

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	java-driver-shaded-guava	High
Vendor	jar	package name	datastax	Highest
Vendor	jar	package name	driver	Highest
Vendor	jar	package name	oss	Highest
Vendor	jar	package name	shaded	Highest
Vendor	Manifest	bundle-symbolicname	com.datastax.oss.driver.shaded.guava	Medium
Vendor	Manifest	originally-created-by	Apache Maven 3.6.2	Low
Vendor	pom	artifactid	java-driver-shaded-guava	Low

Vendor	pom	developer name	Various	Medium
Vendor	pom	developer org	DataStax	Medium
Vendor	pom	groupid	com.datastax.oss	Highest
Vendor	pom	name	Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®	High
Vendor	pom	url	datastax/java-driver-shaded-guava	Highest
Product	file	name	java-driver-shaded-guava	High
Product	jar	package name	datastax	Highest
Product	jar	package name	driver	Highest
Product	jar	package name	oss	Highest
Product	jar	package name	shaded	Highest
Product	Manifest	Bundle-Name	Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®	Medium
Product	Manifest	bundle-symbolicname	com.datastax.oss.driver.shaded.guava	Medium
Product	Manifest	originally-created-by	Apache Maven 3.6.2	Low
Product	pom	artifactid	java-driver-shaded-guava	Highest
Product	pom	developer name	Various	Low
Product	pom	developer org	DataStax	Low
Product	pom	groupid	com.datastax.oss	Highest
Product	pom	name	Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®	High
Product	pom	url	datastax/java-driver-shaded-guava	High
Version	pom	version	25.1-jre-graal-sub-1	Highest

Identifiers

- [pkg:maven/com.datastax.oss/java-driver-shaded-guava@25.1-jre-graal-sub-1](#) (*Confidence:High*)
- cpe:2.3:a:apache:cassandra:25.1:*:*:*:*:* (*Confidence:Low*) suppress

datasource.cassandra.zip: native-protocol.jar

Description:

A set of Java types representing the frames and messages of the Apache Cassandra® native protocol, with the associated serialization and deserialization logic (this is a third-party implementation, not related to the Apache Cassandra project)

License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/native-protocol.jar

MD5: 2a2dd96d7b887bbaa1f9d7ecaeeeb6f6

SHA1: b4b083024837ad9e581b82397b4cabfb8f2daa8e

SHA256: 190dc40f3c63d6d803c48f90d457e06c65e6c5d955e47d4735dc9954a6743655

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	native-protocol	High
Vendor	jar	package name	datastax	Highest
Vendor	jar	package name	oss	Highest
Vendor	jar	package name	protocol	Highest
Vendor	Manifest	automatic-module-name	com.datastax.oss.protocol	Medium
Vendor	Manifest	bundle-symbolicname	com.datastax.oss.protocol	Medium
Vendor	pom	artifactid	native-protocol	Low
Vendor	pom	developer name	Various	Medium
Vendor	pom	developer org	DataStax	Medium
Vendor	pom	groupid	com.datastax.oss	Highest
Vendor	pom	name	An implementation of the Apache Cassandra® native protocol	High
Vendor	pom	url	datastax/native-protocol	Highest
Product	file	name	native-protocol	High
Product	jar	package name	datastax	Highest
Product	jar	package name	oss	Highest
Product	jar	package name	protocol	Highest
Product	Manifest	automatic-module-name	com.datastax.oss.protocol	Medium
Product	Manifest	Bundle-Name	An implementation of the Apache Cassandra® native protocol	Medium
Product	Manifest	bundle-symbolicname	com.datastax.oss.protocol	Medium
Product	pom	artifactid	native-protocol	Highest

Product	pom	developer name	Various	Low
Product	pom	developer org	DataStax	Low
Product	pom	groupid	com.datastax.oss	Highest
Product	pom	name	An implementation of the Apache Cassandra® native protocol	High
Product	pom	url	datastax/native-protocol	High
Version	Manifest	Bundle-Version	1.5.2	High
Version	pom	version	1.5.2	Highest

Identifiers

- pkg:maven/com.datastax.oss/native-protocol@1.5.2 (*Confidence:High*)

datasource.cassandra.zip: netty-common.jar (shaded: org.jctools:jctools-core:4.0.5)

Description:

Java Concurrency Tools Core Library

License:

Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-common.jar/META-INF/maven/org.jctools/jctools-core/pom.xml

MD5: 5d5135397b920a7dcbca5c1fb0576cf2

SHA1: eaa05d6ad937464312a2681a3236c0e06602bbb7

SHA256: a69897b8ff0c2198b4b8cd7d4f93fde6d42b8e9dbfc95553585e27587b24e211

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	jctools-core	Low
Vendor	pom	groupid	org.jctools	Highest
Vendor	pom	name	Java Concurrency Tools Core Library	High
Vendor	pom	url	JCTools	Highest
Product	pom	artifactid	jctools-core	Highest
Product	pom	groupid	org.jctools	Highest
Product	pom	name	Java Concurrency Tools Core Library	High
Product	pom	url	JCTools	High

Version	pom	version	4.0.5	Highest
---------	-----	---------	-------	---------

Identifiers

- <pkg:maven/org.jctools/jctools-core@4.0.5> (Confidence:High)

datasource.cassandra.zip: netty-transport.jar

Description:

Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

License:

<https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-transport.jar

MD5: b969acbf7321cba7e0fcf99a4f6d95e9

SHA1: 6598457ae8af1b5e830445b60d3479ddb2af2d43

SHA256: 02b4e9aace1260b10d00d7816fb42ea23fb05686ed7b7fb8e6ad4ecf3da61fff

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	netty-transport	High
Vendor	jar	package name	io	Highest
Vendor	jar	package name	netty	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	https://netty.io/	Low
Vendor	Manifest	bundle-symbolicname	io.netty.transport	Medium
Vendor	Manifest	implementation-url	https://netty.io/netty-transport/	Low
Vendor	Manifest	Implementation-Vendor	The Netty Project	High
Vendor	Manifest	Implementation-Vendor-Id	io.netty	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Netty Project	Low
Vendor	pom	artifactid	netty-transport	Low

Vendor	pom	groupid	io.netty	Highest
Vendor	pom	name	Netty/Transport	High
Vendor	pom	parent-artifactid	netty-parent	Low
Product	file	name	netty-transport	High
Product	jar	package name	11	Highest
Product	jar	package name	io	Highest
Product	jar	package name	netty	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://netty.io/	Low
Product	Manifest	Bundle-Name	Netty/Transport	Medium
Product	Manifest	bundle-symbolicname	io.netty.transport	Medium
Product	Manifest	Implementation-Title	Netty/Transport	High
Product	Manifest	implementation-url	https://netty.io/netty-transport/	Low
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Netty/Transport	Medium
Product	pom	artifactid	netty-transport	Highest
Product	pom	groupid	io.netty	Highest
Product	pom	name	Netty/Transport	High
Product	pom	parent-artifactid	netty-parent	Medium
Version	Manifest	Bundle-Version	4.2.5.Final	High
Version	Manifest	Implementation-Version	4.2.5.Final	High
Version	pom	version	4.2.5.Final	Highest

Related Dependencies



- datasource.cassandra.zip: netty-buffer.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-buffer.jar
 - MD5: 410c641a69bc1e321d955985f67a2d14
 - SHA1: ec2a90c9909190759c0e4a6101efae52a7947ada
 - SHA256: dd747c293bf682eafb2c39b1ef88661d03aed542d8408a69e78f7c06ce9bd57b
 - [pkg:maven/io.netty/netty-buffer@4.2.5.Final](https://mvnrepository.com/artifact/io.netty/netty-buffer/4.2.5.Final)
- datasource.cassandra.zip: netty-codec-base.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-codec-base.jar
 - MD5: 11f763b23c9813c2f0c78111b8fdc2f5
 - SHA1: 021d10a714c0ae95ec575ae36b715ebb41b03107

- SHA256: 65ebecb5914577f67994feb0dd4b1d54d77e02587823870103910093df1756ca
- [pkg:maven/io.netty/netty-codec-base@4.2.5.Final](#)
- datasource.cassandra.zip: netty-codec-compression.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-codec-compression.jar
 - MD5: 5919441a5422c62050189eca0512a3d2
 - SHA1: e27c388e9fa6887f016c9e04e81085179ca4387a
 - SHA256: 1a394b2211a319643100900db3e57ebae015dd3929fae575986b1aa695b17e03
 - [pkg:maven/io.netty/netty-codec-compression@4.2.5.Final](#)
- datasource.cassandra.zip: netty-codec.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-codec.jar
 - MD5: 4b2dcf45819541f18e95d6e546e958e1
 - SHA1: b72947abb359665685054bfa987db0524b53280b
 - SHA256: 95d79f9f2ae7ce90090fa0e12200808d9e4ada6280c516f9c5b15b81b7384527
 - [pkg:maven/io.netty/netty-codec@4.2.5.Final](#)
- datasource.cassandra.zip: netty-common.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-common.jar
 - MD5: f3da5f531eee718de8466008634f695b
 - SHA1: da799ee8e1a5766d8b72475e1c51e221203cd3df
 - SHA256: 4b04c6f906908ea7100117d7529e055ba4e8facf626d3925295a2da223b13a4d
 - [pkg:maven/io.netty/netty-common@4.2.5.Final](#)
- datasource.cassandra.zip: netty-handler.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-handler.jar
 - MD5: 4c6bee1a8ec182d11bed9f8b88f013bc
 - SHA1: 8598e3b5c42e123c62afd2ce0fc95da8344024c2
 - SHA256: 54f0c4e7afe64b027a8e44cfa9d82c5acca4942163b6580feacf4de2da6417c8
 - [pkg:maven/io.netty/netty-handler@4.2.5.Final](#)
- datasource.cassandra.zip: netty-resolver.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-resolver.jar
 - MD5: 89fac071e86d2b7edeca8325caf65d74
 - SHA1: 301e2a663e66367f945832381a159fbb0de02dd2
 - SHA256: 7fe46823602bb7e4e966f5d3097d499e639fb260ac6c2101ee000ba999561275
 - [pkg:maven/io.netty/netty-resolver@4.2.5.Final](#)

Identifiers

- [pkg:maven/io.netty/netty-transport@4.2.5.Final](#) (Confidence:High)
- [cpe:2.3:a:netty:netty:4.2.5:*:*:*:*:*](#) (Confidence:Highest) suppress

datasource.mongodb.zip: bson.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.mongodb.zip/bson.jar
MD5: 762e85d4cc6da6619fdb4803342b5e25

SHA1: 58d899dce48b970ee25995802f78d828bae4a1b6
SHA256:99fd39f8b313ca5f39cb1a2e62454283a592dc4227c9010909e3652ef578a274
Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bson	High
Vendor	jar	package name	bson	Highest
Vendor	jar	package name	bson	Low
Vendor	Manifest	automatic-module-name	org.mongodb.bson	Medium
Vendor	Manifest	bundle-symbolicname	org.mongodb.bson	Medium
Product	file	name	bson	High
Product	jar	package name	bson	Highest
Product	Manifest	automatic-module-name	org.mongodb.bson	Medium
Product	Manifest	Bundle-Name	bson	Medium
Product	Manifest	bundle-symbolicname	org.mongodb.bson	Medium
Version	Manifest	build-version	5.5.1	Medium
Version	Manifest	Bundle-Version	5.5.1	High

Identifiers

- [cpe:2.3:a:mongodb:bson:5.5.1:*:*:*:*:*](#) (Confidence:Medium) suppress

datasource.mongodb.zip: datasource.mongodb.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.mongodb.zip/datasource.mongodb.jar
MD5: ce5a4d3be0a69692a10faef28daf66ef
SHA1: f6117ce6dab57efb6d7745a78b2eb646e2a3a894
SHA256:6c1d5f800cbb83071e17e9e11a0f2fb83e6513b5629006cc42a5f25809a108c9
Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence

Vendor	file	name	datasource.mongodb	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	mongodb	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-11-05 17:47	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	datasource.mongodb	High
Product	jar	package name	mongodb	Highest
Product	jar	package name	mongodb	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2025-11-05 17:47	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	datasource.mongodb	High
Product	Manifest	specification-title	datasource.mongodb	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

datasource.mongodb.zip: mongodb-driver-core.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.mongodb.zip/mongodb-driver-core.jar

MD5: eda912af57291d623e2402c4124a3aed

SHA1: 8e4056228072c05edec24f325cca34194983ad84

SHA256: 9bd21650f6c0688461a5de30000efb67ec1d5d81a1e80c5c4928bb50bbca3f16

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	mongodb-driver-core	High
Vendor	jar	package name	internal	Low
Vendor	jar	package name	mongodb	Highest
Vendor	jar	package name	mongodb	Low
Vendor	Manifest	automatic-module-name	org.mongodb.driver.core	Medium
Vendor	Manifest	bundle-symbolicname	org.mongodb.driver.core	Medium
Product	file	name	mongodb-driver-core	High
Product	jar	package name	internal	Low
Product	jar	package name	mongodb	Highest
Product	Manifest	automatic-module-name	org.mongodb.driver.core	Medium
Product	Manifest	Bundle-Name	mongodb-driver-core	Medium
Product	Manifest	bundle-symbolicname	org.mongodb.driver.core	Medium
Version	Manifest	build-version	5.5.1	Medium
Version	Manifest	Bundle-Version	5.5.1	High

Identifiers

- None

datasource.mongodb.zip: mongodb-driver-sync.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.mongodb.zip/mongodb-driver-sync.jar

MD5: 84bff743029ebe7b223a7ebe8f2409e8

SHA1: 7e8d22f9567868a73eede1bcb281e4f87537626c

SHA256: 10fbba300aca76d6996ea8a842226e78bcaaf108c908687940c991885be5e875

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	mongodb-driver-sync	High

Vendor	jar	package name	client	Highest
Vendor	jar	package name	client	Low
Vendor	jar	package name	internal	Low
Vendor	jar	package name	mongodb	Highest
Vendor	jar	package name	mongodb	Low
Vendor	Manifest	automatic-module-name	org.mongodb.driver.sync.client	Medium
Vendor	Manifest	bundle-symbolicname	org.mongodb.driver-sync	Medium
Product	file	name	mongodb-driver-sync	High
Product	jar	package name	client	Highest
Product	jar	package name	client	Low
Product	jar	package name	internal	Low
Product	jar	package name	mongodb	Highest
Product	Manifest	automatic-module-name	org.mongodb.driver.sync.client	Medium
Product	Manifest	Bundle-Name	mongodb-driver-sync	Medium
Product	Manifest	bundle-symbolicname	org.mongodb.driver-sync	Medium
Version	Manifest	build-version	5.5.1	Medium
Version	Manifest	Bundle-Version	5.5.1	High

Identifiers

- None

datasource.zip: datasource.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar

MD5: a293fcf918f38b7d876ff4afee3d4edf

SHA1: 51e1593ca66966fc3763714877c74129d73d3637

SHA256: 11ebc9590221f1168b9824d57e64541aa4c00d15e5ae9993bfcdcc758cc0e1a4

Referenced In Project/Scope: designer-installer

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	datasource	High

Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-11-05 17:44	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	datasource	High
Product	jar	package name	datasources	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2025-11-05 17:44	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	datasource	High
Product	Manifest	specification-title	datasource	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

datasource.zip: datasource.jar: datasources-edit-controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/datasources-edit-controller.js

MD5: d3aff1bc5dbed650a47549c6b4b2d71c

SHA1: 352026dbf86cae5e886f46a566fa6b0c44f45fa3

SHA256: ed7edb89ba9e0274ca35afc162057de9dcfafdc635dabdc5c24e757ea3014e48

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

datasource.zip: datasource.jar: datasources-main-controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/datasources-main-controller.js

MD5: eba454f1868f794c9fc60b246f466f3a

SHA1: 74d2a3a3f9f46c9ec9cbfe7a1538913440063f22

SHA256: a0631ec130bf7bb4824532d3c989d56db03ef8b0176fbcac0c1dba94c922052

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

datasource.zip: datasource.jar: factory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/factory.js

MD5: 5cd410b5a8e33d67ccb3d324a3471059

SHA1: a49a0928fee80e0fca7878cc0137171376da3204

SHA256: 03295f6bac34a5ae47c6d53b8dd02835787143132184017143a37171b332cd29

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

datasource.zip: datasource.jar: model.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/model.js

MD5: 04165d3227639dfb6ce29a8399f878b7

SHA1: 42b89aea0509b5b672f1a1228e7144ff615bbb99

SHA256: b322d19691f4bceec36a37e1c473cca376a780fa40292f7e664a83dff8695b4cc

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

datasource.zip: datasource.jar: renderer-permissions.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/renderer-permissions.js

MD5: 564716c3303396ed66ee273c97d5f73a

SHA1: ea2464e98a9d3d9ec6b44032ca1969721759348a

SHA256: d8534ea47db8738b7efb497bcbfdb341a4c9e361df28a3ecda043cc33771c620

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

datasource.zip: datasource.jar: renderer-urlauth.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/renderer-urlauth.js

MD5: 7df8d0472e16ec50a02b78c7f807a027

SHA1: 8371ea18c1ebbd030f4c50768f09a151254cca58

SHA256: 6702c065e1dda17c555b4c43c98201d2a7ac43b0e44f8981b8e03ce2b5e5296a

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

datasource.zip: datasource.jar: renderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/renderer.js

MD5: 0afd2459886777254bf1ec76840f3dfd

SHA1: 2c5395e8a49e432b5a30e1ee6515e73b2601de48

SHA256: 069ab5b85efecc0d59a768da0f00f45faee95102bc5bb78c795875a9e63bc7cf

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

decoder.svg.zip: batik-anim-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-anim-inet_patched.jar

MD5: ca9b7e3470ec4fae98f63e1176598fd8

SHA1: df67336085c962bf3974ae7c8e0684ede311b1c6

SHA256:76906fb573f46895285d778672f5cc6bf866f75697ffe58eee83b01d1e09d871

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-anim-inet_patched	High
Vendor	jar	package name	anim	Low
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Product	file	name	batik-anim-inet_patched	High
Product	jar	package name	anim	Low
Product	jar	package name	batik	Low
Product	jar	package name	dom	Low

Identifiers

- None

decoder.svg.zip: batik-awt-util-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-awt-util-inet_patched.jar

MD5: 78d0f951cf21d193bb3019ced508670f

SHA1: 9a5dc6cea00c6f1dfe375fd0b6a6f5fd68f03920

SHA256:c235d7d09615f88df71d682442247725cdd17dac6be7bfe679ffeacfc218824b

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-awt-util-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	ext	Low
Product	file	name	batik-awt-util-inet_patched	High
Product	jar	package name	awt	Low
Product	jar	package name	batik	Low

Product	jar	package name	ext	Low
---------	-----	--------------	-----	-----

Identifiers

- None

decoder.svg.zip: batik-bridge-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-bridge-inet_patched.jar

MD5: cd9b26662448c977f32a01ae076153ec

SHA1: 69eb5e16d985e4b3e145ad2020346d9371c4112d

SHA256: 3529283783068bd71b6932333dc30d45fb7f7de665731cab47d5a148e7f0ed04

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-bridge-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	bridge	Low
Product	file	name	batik-bridge-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	bridge	Low

Identifiers

- None

decoder.svg.zip: batik-codec-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-codec-inet_patched.jar

MD5: 5e9f873b4c078f8e4129966c1db692bc

SHA1: 009427d5c286ce0ea63eaea73f678e6e1316d114

SHA256: b1359159577318d3793f46d9661b680edec76a936f6143bda670dc4c4b106542

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-codec-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	ext	Low
Product	file	name	batik-codec-inet_patched	High
Product	jar	package name	awt	Low
Product	jar	package name	batik	Low
Product	jar	package name	ext	Low

Identifiers

- None

decoder.svg.zip: batik-constants-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-constants-inet_patched.jar

MD5: 7ab5c8bdd3bffd8080327304340f808f

SHA1: 3d7521c16503666312e5ab3dda04e42040813ae8

SHA256: 400ad29a7300f5d71b765e9248bce8ce7e18ee77d02a07957ce977ff03e71284

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-constants-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	constants	Low
Product	file	name	batik-constants-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	constants	Low

Product	jar	package name	xmlconstants	Low
---------	-----	--------------	--------------	-----

Identifiers

- None

decoder.svg.zip: batik-css-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-css-inet_patched.jar

MD5: efe6d51256dfe90595905b466f50cb1d

SHA1: 59720f3521ef86920b1bee7ecad8f774b0291a00

SHA256: f9eeb49d41a69114371bbc4ce585e54e4b4de2b529bcb406f44e14e4a01d8dc8

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-css-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	css	Low
Product	file	name	batik-css-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	css	Low
Product	jar	package name	engine	Low

Identifiers

- None

decoder.svg.zip: batik-dom-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-dom-inet_patched.jar

MD5: 20ea7779e512f8c4bfa6531e062efd48

SHA1: 836eabda80a9a6b924aea09b9493c44e3bb413b6
SHA256:dcf5a79d65a595a73d17b6fb0339f9ac0248da957d311960fcedd33ae4cefe1d
Referenced In Project/Scope: designer-installer

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-dom-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	dom	Low
Product	file	name	batik-dom-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	dom	Low

Identifiers

- None

decoder.svg.zip: batik-ext-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-ext-inet_patched.jar
MD5: 91711138884f8af1a08990da41b61af5
SHA1: 8195fd069a560ad76239f1d9fd803a4d39f7f1f3
SHA256:cd7a2cc67f833586efd1026651f2a66b608d32e6d0a2a9875fce05b998a35afe
Referenced In Project/Scope: designer-installer

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-ext-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	w3c	Low
Product	file	name	batik-ext-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	dom	Low
Product	jar	package name	w3c	Low

Identifiers

- None

decoder.svg.zip: batik-extension-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-extension-inet_patched.jar

MD5: 04d7a025623894e24609572a4a95c827

SHA1: 254337ea5358ce3660ce8063bf576ddfcfd828c

SHA256: a67c190c69325fdd4f0afd147fac54734540659ec2b70061609d779a8b434c07

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-extension-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	extension	Low
Product	file	name	batik-extension-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	extension	Low
Product	jar	package name	svg	Low

Identifiers

- None

decoder.svg.zip: batik-gui-util-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-gui-util-inet_patched.jar

MD5: d4f5c11c2ef0e885edf427ba341bb43a

SHA1: e3d52600773e327e718226ba885ba4240d1f5708

SHA256: de10ba6c89374b3bbc0391808c9a52343ed1f9341a979d9c5d29acb6a2a4ae35

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-gui-util-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	util	Low
Product	file	name	batik-gui-util-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	gui	Low
Product	jar	package name	util	Low

Identifiers

- None

decoder.svg.zip: batik-gvt-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-gvt-inet_patched.jar

MD5: 531c7350c3df1c016703d2f26d4656f5

SHA1: bbbfd0825b068e7a5636505c9d3ed2c1803c1f44

SHA256: d933774b59c569e30989072a6df247d28e639a1d206a530bc24f89b9162d133a

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-gvt-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	gvt	Low
Product	file	name	batik-gvt-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	gvt	Low

Identifiers

- None

decoder.svg.zip: batik-i18n-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-i18n-inet_patched.jar

MD5: 1650351fc520b589f64f25bbb10014eb

SHA1: e20373bfbefb8e38c877ba55da0fd6f88b1a898c

SHA256: 87af44a58672b07600aea66ac280ac68d60d7a8edbc9bd855bd5d06242af357b

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-i18n-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	i18n	Low
Product	file	name	batik-i18n-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	i18n	Low
Version	file	name	batik-i18n-inet_patched	Medium
Version	file	version	18	Medium

Identifiers

- [cpe:2.3:a:inet:inet:18:*:*:*:*:*](#) (Confidence:High) suppress

decoder.svg.zip: batik-parser-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-parser-inet_patched.jar

MD5: ec8662e2761223a07c1c5cd352760762

SHA1: c93a4fa23c50b6fc598c196bf818ae990b33c8f9

SHA256: ad5e96d9367b6a100f42dfef99b9e81f23bbd74d881f098eb6d448fdcf62d331

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-parser-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	parser	Low
Product	file	name	batik-parser-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	parser	Low

Identifiers

- None

decoder.svg.zip: batik-script-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-script-inet_patched.jar

MD5: ed9d79818286c08b981f7e735f2ebbf2

SHA1: fe5fbc17f4d45b81fa8c888458e48538f46dfb90

SHA256: defa2b26e8f7ffd05b58e544b4f66d34a79a3b8b0d92970742db0015cdb9d074

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-script-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	script	Low
Product	file	name	batik-script-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	script	Low

Identifiers

- None

decoder.svg.zip: batik-slideshow-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-slideshow-inet_patched.jar

MD5: 4d7ff121bc7e6740a613f240cc0777de

SHA1: 20d91541127828edfc0b6ee7dd0252002f87c4ea

SHA256: aeacbbf5eacd1ba408cd72a363204c5430161a1d3a687b7c6b117845d3f99c79

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-slideshow-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	apps	Low
Vendor	jar	package name	batik	Low
Product	file	name	batik-slideshow-inet_patched	High
Product	jar	package name	apps	Low
Product	jar	package name	batik	Low
Product	jar	package name	slideshow	Low

Identifiers

- None

decoder.svg.zip: batik-svg-dom-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-svg-dom-inet_patched.jar

MD5: b20d5f86935e8dd59d3fb3f5708cac47

SHA1: 2e031b04335b7e61b0de6fedd5533037123ce81d

SHA256:680d15d7d60f06bcfa0b04ef41b3141114bf5f7915f2160db2c80ad3cb067da9

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-svg-dom-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	dom	Low
Product	file	name	batik-svg-dom-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	dom	Low
Product	jar	package name	svg	Low

Identifiers

- None

decoder.svg.zip: batik-svggen-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-svggen-inet_patched.jar

MD5: 6d9a3465bc61d02429b4eb0c65c770e7

SHA1: f8c3849db028b84c4e82d0adbcadc54bf24b8eb67

SHA256:bb6afbba9cf1ac7d72abaef461aec401251cfb80690ebebdb47f3371840866

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-svggen-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	svggen	Low
Product	file	name	batik-svggen-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	svggen	Low

Identifiers

- None

decoder.svg.zip: batik-svgpp-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-svgpp-inet_patched.jar

MD5: 2ce45f43360285cfee6f2f3061af1bab

SHA1: 521eac762ffb626752a4f606b23f9d5c934c4ec0

SHA256: 1c5bddd5d34b87ddb29bf314963b6d73b50ce177071907ec9fc27ebffda235cb

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-svgpp-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	apps	Low
Vendor	jar	package name	batik	Low
Product	file	name	batik-svgpp-inet_patched	High
Product	jar	package name	apps	Low
Product	jar	package name	batik	Low
Product	jar	package name	svgpp	Low

Identifiers

- None

decoder.svg.zip: batik-swing-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-swing-inet_patched.jar

MD5: 17abc0c5ca14b602d7ed885527fc829c

SHA1: 6d37ed715d5842e3754dada7a67325b654fd42bd

SHA256: d160b143743345ce02e9d62e45ff883f0677af8e702eefce4e8105411e52482c

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-swing-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	swing	Low
Product	file	name	batik-swing-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	svg	Low
Product	jar	package name	swing	Low

Identifiers

- None

decoder.svg.zip: batik-transcoder-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-transcoder-inet_patched.jar

MD5: 0cdad6039646ea411d4510d8a20507fa

SHA1: e0546ab18ed8343e039e4ccf1b88c34dfe6c1b7d

SHA256: bbbcb22884bf981fe96b6653951a882cd1e7ba073193242aaf58d1d31c2c1d27c

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-transcoder-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	transcoder	Low
Product	file	name	batik-transcoder-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	transcoder	Low

Identifiers

- None

decoder.svg.zip: batik-ttf2svg-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-ttf2svg-inet_patched.jar

MD5: 6f0b1bf368468dc8a8227b3f401afa52

SHA1: ba2b2e3d95123857e71c60d49a9a221b4fc36db3

SHA256: 1de125604d22826d9e5d3868d95e57ee4c8fa010ee528200cd18c52cf5a5e54e

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-ttf2svg-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	apps	Low
Vendor	jar	package name	batik	Low
Product	file	name	batik-ttf2svg-inet_patched	High
Product	jar	package name	apps	Low
Product	jar	package name	batik	Low
Product	jar	package name	ttf2svg	Low
Version	file	name	batik-ttf2svg-inet_patched	Medium
Version	file	version	2	Medium

Identifiers

- [cpe:2.3:a:inet:inet:2:*:*:*:*:*](#) (Confidence:High) suppress

decoder.svg.zip: batik-util-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-util-inet_patched.jar
MD5: 183dac6411b205b38957a11d234906ca
SHA1: 86236e20930356d458ddd067c8c4308dc5932e56
SHA256: 2268de559d12e0cbaad3019318d86d8e312fbf48508aa4c6dfb5f3dadc20b442
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-util-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	util	Low
Product	file	name	batik-util-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	util	Low

Identifiers

- None

decoder.svg.zip: batik-xml-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-xml-inet_patched.jar
MD5: 2ee7b66eaa72669fdbbdc1ccf5a532cf
SHA1: c81c9b2f41a01688c55ea47d7add3789bdc9f71d
SHA256: fa08baff608e74d3a721fcf42e334c53a864b027def7a1307837b790a8f65783
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-xml-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	xml	Low
Product	file	name	batik-xml-inet_patched	High

Product	jar	package name	batik	Low
Product	jar	package name	xml	Low

Identifiers

- None

decoder.svg.zip: decoder.svg.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/decoder.svg.jar

MD5: c1f00b7eb6b4532d04c4fd95975dfe71

SHA1: f386d370d8df6e0af3bbc7fe85c0875d43a0c951

SHA256: 17cecbec1fb7dc74c53b6e02bf4f3682e9f9e1f433dfa1ed8e090e1eb9b34098

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	decoder.svg	High
Vendor	jar	package name	encode	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-11-05 17:43	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	decoder.svg	High
Product	jar	package name	encode	Low
Product	jar	package name	report	Low
Product	jar	package name	svg	Highest
Product	jar	package name	svg	Low
Product	Manifest	built-date	2025-11-05 17:43	Low

Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	decoder.svg	High
Product	Manifest	specification-title	decoder.svg	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

decoder.svg.zip: jsvg.jar

License:

MIT

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/jsvg.jar

MD5: be6ca7686f4ca1320fec8b22762805a3

SHA1: cff25678c920dbd657bce96e9245e4fb54f852e6

SHA256: a215cf2a11dca182da9bc578ca6ab7c3e1728282df3a56f39ec8302f2c7895ef

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jsvg	High
Vendor	jar	package name	github	Highest
Vendor	jar	package name	github	Low
Vendor	jar	package name	jsvg	Highest
Vendor	jar	package name	jsvg	Low
Vendor	jar	package name	weisj	Highest
Vendor	jar	package name	weisj	Low
Vendor	Manifest	Implementation-Vendor	JSVG	High
Vendor	Manifest	Implementation-Vendor-Id	com.github.weisj	Medium
Vendor	Manifest	specification-vendor	JSVG	Low
Product	file	name	jsvg	High

Product	jar	package name	jsvg	Highest
Product	jar	package name	jsvg	Low
Product	jar	package name	weisj	Low
Product	Manifest	Implementation-Title	jsvg	High
Product	Manifest	specification-title	JSVG	Medium
Version	Manifest	Implementation-Version	1.3.0	High

Identifiers

- None

decoder.svg.zip: xml-apis-ext.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/xml-apis-ext.jar

MD5: bcb07d3b8d2397db7a3013b6465d347b

SHA1: 41a8b86b358e87f3f13cf46069721719105aff66

SHA256: d0b4887dc34d57de49074a58affad439a013d0baffa1a8034f8ef2a5ea191646

Referenced In Project/Scope: designer-installer

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	xml-apis-ext	High
Vendor	jar	package name	dom	Low
Vendor	jar	package name	svg	Low
Vendor	jar	package name	w3c	Low
Vendor	manifest org /w3c /css /sac/	Implementation- Vendor	World Wide Web Consortium	Medium
Vendor	manifest org /w3c /dom /smil/	Implementation- Vendor	World Wide Web Consortium	Medium
Vendor	manifest org /w3c /dom /svg/	Implementation- Vendor	World Wide Web Consortium	Medium

Product	file	name	xml-apis-ext	High
Product	jar	package name	css	Highest
Product	jar	package name	dom	Highest
Product	jar	package name	dom	Low
Product	jar	package name	sac	Highest
Product	jar	package name	smil	Highest
Product	jar	package name	svg	Highest
Product	jar	package name	svg	Low
Product	jar	package name	w3c	Highest
Product	manifest org /w3c /css /sac/	Implementation- Title	org.w3c.css.sac	Medium
Product	manifest org /w3c /css /sac/	Specification- Title	Simple API for CSS	Medium
Product	manifest org /w3c /dom /smil/	Implementation- Title	org.w3c.dom.smil	Medium
Product	manifest org /w3c /dom /smil/	Specification- Title	Document Object Model (DOM) for Synchronized Multimedia Integration Language (SMIL)	Medium
Product	manifest org /w3c /dom /svg/	Implementation- Title	org.w3c.dom.svg	Medium
Product	manifest org /w3c /dom /svg/	Specification- Title	Document Object Model (DOM) for Scalable Vector Graphics (SVG)	Medium
Version	manifest org /w3c /css /sac/	Implementation- Version	1.3	Medium
Version	manifest org /w3c /dom /svg/	Implementation- Version	1.1	Medium

Identifiers

- None

decoder.svg.zip: xmlgraphics-commons.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/xmlgraphics-commons.jar

MD5: ec712218e2391e64672fd8ed1e9e1d71

SHA1: 336ddd6d0a244cdebf26a298fb7c3a5fd45449db

SHA256: 1fe37a1927bdd699730f0ad39f50a699c9ab4dff0ad047dff1e846cb120ae2b1

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	xmlgraphics-commons	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	apache	Low
Vendor	jar	package name	xmlgraphics	Highest
Vendor	jar	package name	xmlgraphics	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation (http://xmlgraphics.apache.org/)	High
Product	file	name	xmlgraphics-commons	High
Product	jar	package name	apache	Highest
Product	jar	package name	xmlgraphics	Low
Product	Manifest	Implementation-Title	Apache XML Graphics Commons	High
Version	Manifest	build-id	20220112-112401-GMT	Medium
Version	Manifest	Implementation-Version	2.7	High

Identifiers

- cpe:2.3:a:apache:xmlgraphics_commons:2.7:*:*:*:*:* (Confidence:Low)

suppress

designer.zip: CCGuiLib.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/CCGuiLib.jar
MD5: 891a1cad5651066df868b0ab5cb7075e
SHA1: b2e9d0326c7e3fa1f603319d1f6786c5a7f22a08
SHA256:6b4752673ecc4ac0653c796413f3b0f92603ff2a6eb1625cc46a05ae359068cd
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	CCGuiLib	High
Vendor	jar	package name	guilib	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-11-05 17:25	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	CCGuiLib	High
Product	jar	package name	guilib	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-11-05 17:25	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	CCGuiLib	High

Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	CCGuiLib	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

designer.zip: JnlpDesigner.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/JnlpDesigner.jar

MD5: b32ee7af6bfc0aa124235c4afeb4e105

SHA1: e7431c33cb0a27ac9d66c544df74a059231543c3

SHA256: ce105084b35734b73a82f27c9bfbe19634b4b8819978d58aefa907eec0c49573

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	JnlpDesigner	High
Vendor	jar	package name	designer	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	loader	Low
Vendor	jar	package name	shared	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	i-net Remote Designer	Medium
Vendor	Manifest	built-date	2025-11-05 17:46	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-	de.inetsoftware	Medium

Vendor-Id

Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	JnlpDesigner	High
Product	jar	package name	designer	Highest
Product	jar	package name	jnlpdesigner	Highest
Product	jar	package name	loader	Low
Product	jar	package name	shared	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net Remote Designer	Medium
Product	Manifest	built-date	2025-11-05 17:46	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	JnlpDesigner	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	JnlpDesigner	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

designer.zip: SBSTutorial.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/SBSTutorial.jar
MD5: 5e2a9290c88fe830cd909e96f5c799d9
SHA1: 542d34a9c34bbbedb395963cdbad5a9bd0efcf9b9
SHA256:b995e7ba1765952b44fc3802ca5fe6c9debf4d571c9cc85de8e895420d984307
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	SBSTutorial	High
Vendor	jar	package name	anormalmedia	Low
Vendor	jar	package name	de	Low
Vendor	jar	package name	sbstutorial	Low
Product	file	name	SBSTutorial	High
Product	jar	package name	anormalmedia	Low
Product	jar	package name	gui	Low
Product	jar	package name	sbstutorial	Low

Identifiers

- None

designer.zip: TableLayout.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/TableLayout.jar
MD5: 1e432e776e18d71f12dd72b7d235a965
SHA1: 62ffa1cca3e71f94d0bdce85ea97ea7083fdb1b
SHA256:13e73cf77a93f0c52184e5a5557d7dbba081bf54904edfdb84645b5daf7dd18
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	TableLayout	High
Vendor	jar	package name	clearthought	Low
Vendor	jar	package name	info	Low
Vendor	jar	package name	layout	Low
Product	file	name	TableLayout	High

Product	jar	package name	clearthought	Low
Product	jar	package name	layout	Low

Identifiers

- None

designer.zip: designer.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/designer.jar

MD5: c043df91f739e66a1f443df583930fc2

SHA1: d526ebc56a707bd8901e50859bee0c7cf4f4941e

SHA256: e1f40f098868035790476af2fabecd98eebc059ae1285e6503c5df2f75207522

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	designer	High
Vendor	jar	package name	designer	Low
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-11-05 17:45	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	designer	High
Product	jar	package name	designer	Highest
Product	jar	package name	designer	Low
Product	Manifest	built-date	2025-11-05 17:45	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-	designer	High

Title

Product	Manifest	specification-title	designer	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

designer.zip: designer.jar: app.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/designer.jar/com/inet/designer/plugin/module/js/app.js

MD5: 166cf806b8a80aeb525c6227997dbb67

SHA1: ad98fea47d6520742c5d53b264f35617f9e93205

SHA256: 1723232334ea1520fcbb4e388a48386444bb0dd6a650a7f253ab91c1f2a17f9c

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

designer.zip: designer.jar: opendesignerextension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/designer.jar/com/inet/designer/plugin/repository/drive/client/js/opendesignerextension.js

MD5: 4ffa073261ffba0499b501bfe0c011e8

SHA1: 49d507d0039f67d9402a17be9a3bd188e39d5778

SHA256: a6393af45de96155785e5d8fa03a5e8c25e82f7e01f2f09855dd04a66a318f4b

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

designer.zip: designer.jar: remotedesigner.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/designer.jar/com/inet/designer/plugin/module/js/remotedesigner.js

MD5: 636aa57b17582002507695eb51151b40

SHA1: 0c4c63514279a159369d7f3d04b748cb3077f4a5

SHA256: 187e4aedb6834259a1b86981c479cf670040d20b0700347f52261d32bdbdbdaf

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

designer.zip: inetswingcore.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/inetswingcore.jar

MD5: a415f7dab4d1c42deff526d871e96195

SHA1: 623f07eca68d2df0fdf6029512976bcc435468dc

SHA256: 249e6dbef0ff55ed064a3a9a173e9a72b1f6e5b1a7a199a87b4dcd579896d1e

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetswingcore	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	swing	Low
Vendor	Manifest	built-date	2025-11-05 16:07	Low
Vendor	Manifest	implementation-	shared	Low

group

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetswingcore	High
Product	jar	package name	swing	Low
Product	Manifest	built-date	2025-11-05 16:07	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetswingcore	High
Product	Manifest	specification-title	inetswingcore	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

diagnostics.reporting.zip: diagnostics.reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar

MD5: 9422aea18f956f7fef6a52b87838c7de

SHA1: f1510cd33b252e7b6463a230c8de1af9b3bc2b6b

SHA256: 29379cc9ea92d0adbb690e2976373e5c9c538b527d3b58e3141f9a0b2f5c5f40

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	diagnostics.reporting	High
Vendor	jar	package name	diagnostics	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-11-05 17:44	Low

Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	diagnostics.reporting	High
Product	jar	package name	diagnostics	Highest
Product	jar	package name	diagnostics	Low
Product	jar	package name	report	Low
Product	jar	package name	widgets	Low
Product	Manifest	built-date	2025-11-05 17:44	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	diagnostics.reporting	High
Product	Manifest	specification-title	diagnostics.reporting	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

diagnostics.reporting.zip: diagnostics.reporting.jar: connectionPool.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/diagnostics.reporting.zip
/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/connectionpool/resources/connectionPool.js

MD5: f53d87419cca81933623ab8325b500e4

SHA1: 5d4d1ae1f0f86f84711e9090df767880dacd62f0

SHA256: 0276fb918e86662478f9fe2f51a4ea88862d48c2b848059cfbca686f96a9dd87

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.reporting.zip: diagnostics.reporting.jar: reportcache.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/reportcache/resources/reportcache.js

MD5: 69cf1345e403fa8c11c27e3fa01fb71b

SHA1: e9ae6aca9c42c00ad18a935a7f84a3d2d59d0384

SHA256: b25ec00b6d64bcc7db7b3c3c9ca17ac561f5b7658d986a9d28cbb7ed6cbf3e41

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.reporting.zip: diagnostics.reporting.jar: server-datasource.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/benchmark/datasource/server-datasource.js

MD5: 7ff5a1d205b088435a55eebe6b299af9

SHA1: f34ca1847e716ee3d759eef5ea0c1dd0a409ac6c

SHA256: 8f5ea4bc5b949a0626b8e5f715b8c7c2a55e9a6e043d110dc5e583e18bb6595c

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

enginefactory.sample.zip: enginefactory.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/enginefactory.sample.zip/enginefactory.sample.jar
MD5: 5905be1e47e8f0094678d864b2ce8c61
SHA1: 65f1da950a81680460706162c43b7b62bb5d7457
SHA256:d2c55d26ece70c28d1f301603781c88e7610ba6e1404e8431f6406498e49fd39
Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	enginefactory.sample	High
Vendor	jar	package name	factory	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2025-11-05 17:28	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	enginefactory.sample	High
Product	jar	package name	factory	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2025-11-05 17:28	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	enginefactory.sample	High
Product	Manifest	specification-title	enginefactory.sample	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

facturx.zip: Saxon-HE.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/Saxon-HE.jar
MD5: 0b0a3b9339752d6fba2ea1e8a837880f
SHA1: 40c34c6bee61f74b9583e3c4a0fee8c98852a8b4
SHA256: 58220adcb289dbebe0053e7a73ee70c97545c88f4886943d64241bf24701b72a
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	Saxon-HE	High
Vendor	jar	package name	net	Low
Vendor	jar	package name	saxon	Low
Vendor	jar	package name	sf	Low
Product	file	name	Saxon-HE	High
Product	jar	package name	saxon	Low
Product	jar	package name	sf	Low

Identifiers

- None

facturx.zip: facturx.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/facturx.jar
MD5: 0342960ca334b2893fc4f73020a44ff3
SHA1: b351d88345654ec63943bae0c7d561661af53e2f
SHA256: 6b9a53b871a31a8289a1546411e23b9e604ca8a8c665f38799f15589fb1f3884
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	facturx	High

Vendor	jar	package name	facturx	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	profiles	Low
Vendor	Manifest	built-date	2025-11-05 17:46	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	facturx	High
Product	jar	package name	facturx	Highest
Product	jar	package name	facturx	Low
Product	jar	package name	profiles	Low
Product	Manifest	built-date	2025-11-05 17:46	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	facturx	High
Product	Manifest	specification-title	facturx	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

facturx.zip: istack-commons-runtime.jar

Description:

istack common utility code

License:

<http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/istack-commons-runtime.

jar

MD5: 669f50fb835d86fcb3a9523a729f4d5e

SHA1: 131351109ff27c4aa0958a988bb273e879687232

SHA256: 21025b7a096ef93f74de659c1be5990fa0c24e59a0f98a706e392e7088725ff6

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	istack-commons-runtime	High
Vendor	jar	package name	istack	Highest
Vendor	jar	package name	sun	Highest
Vendor	jar (hint)	package name	oracle	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	com.sun.istack.common.runtime	Medium
Vendor	Manifest	implementation-build-id	4.2.0 - 19e68d9	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	com.sun.istack	Medium
Vendor	pom	artifactid	istack-commons-runtime	Low
Vendor	pom	groupid	com.sun.istack	Highest
Vendor	pom	name	istack common utility code runtime	High
Vendor	pom	parent-artifactid	istack-commons	Low
Product	file	name	istack-commons-runtime	High
Product	jar	package name	istack	Highest
Product	jar	package name	sun	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	istack common utility code runtime	Medium
Product	Manifest	bundle-symbolicname	com.sun.istack.common.runtime	Medium
Product	Manifest	implementation-build-id	4.2.0 - 19e68d9	Low
Product	pom	artifactid	istack-commons-runtime	Highest
Product	pom	groupid	com.sun.istack	Highest
Product	pom	name	istack common utility code runtime	High
Product	pom	parent-artifactid	istack-commons	Medium
Version	Manifest	Bundle-Version	4.2.0	High

Version	Manifest	implementation-build-id	4.2.0	Low
Version	pom	version	4.2.0	Highest

Identifiers

- pkg:maven/com.sun.istack/istack-commons-runtime@4.2.0 (*Confidence:High*)

facturx.zip: jakarta.activation-api.jar

Description:

Specification

License:

EDL 1.0: <http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/jakarta.activation-api.jar

MD5: 76e7b680375ea9f40f3ddbd702efcd25

SHA1: fa165bd70cda600368eee31555222776a46b881f

SHA256: 01b176d718a169263e78290691fc479977186bcc6b333487325084d6586f4627

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.activation-api	High
Vendor	jar	package name	activation	Highest
Vendor	jar	package name	jakarta	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Vendor	Manifest	extension-name	jakarta.activation	Medium
Vendor	Manifest	implementation-build-id	7f7d358	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.activation-api	Low
Vendor	pom	developer email	bill.shannon@oracle.com	Low
Vendor	pom	developer id	shannon	Medium

Vendor	pom	developer name	Bill Shannon	Medium
Vendor	pom	developer org	Oracle	Medium
Vendor	pom	groupid	jakarta.activation	Highest
Vendor	pom	name	Jakarta Activation API	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Vendor	pom	url	jakartaee/jaf-api	Highest
Vendor	pom (hint)	developer org	sun	Medium
Product	file	name	jakarta.activation-api	High
Product	jar	package name	activation	Highest
Product	jar	package name	jakarta	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Activation API	Medium
Product	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Product	Manifest	extension-name	jakarta.activation	Medium
Product	Manifest	implementation-build-id	7f7d358	Low
Product	Manifest	Implementation-Title	Jakarta Activation API	High
Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	jakarta.activation-api	Highest
Product	pom	developer email	bill.shannon@oracle.com	Low
Product	pom	developer id	shannon	Low
Product	pom	developer name	Bill Shannon	Low
Product	pom	developer org	Oracle	Low
Product	pom	groupid	jakarta.activation	Highest
Product	pom	name	Jakarta Activation API	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	jakartaee/jaf-api	High
Version	Manifest	Bundle-Version	2.1.3	High
Version	pom	parent-version	2.1.3	Low
Version	pom	version	2.1.3	Highest

Identifiers

- <pkg:maven/jakarta.activation/jakarta.activation-api@2.1.3> (*Confidence:High*)

facturx.zip: jakarta.xml.bind-api.jar

Description:

Jakarta XML Binding API 4.0 Design Specification

License:

<http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/jakarta.xml.bind-api.jar

MD5: 0c8f9991081def819435c3ff36e4d93f

SHA1: 6cd5a999b834b63238005b7144136379dc36cad2

SHA256: 0d6bcfe47763e85047acf7c398336dc84ff85ebcad0a7cb6f3b9d3e981245406

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.xml.bind-api	High
Vendor	jar	package name	bind	Highest
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	xml	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.xml.bind-api	Medium
Vendor	Manifest	extension-name	jakarta.xml.bind	Medium
Vendor	Manifest	implementation-build-id	ca43d8b	Low
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.xml.bind-api	Low
Vendor	pom	groupid	jakarta.xml.bind	Highest
Vendor	pom	name	Jakarta XML Binding API	High
Vendor	pom	parent-artifactid	jakarta.xml.bind-api-parent	Low
Product	file	name	jakarta.xml.bind-api	High
Product	jar	package name	bind	Highest
Product	jar	package name	jakarta	Highest

Product	jar	package name	xml	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta XML Binding API	Medium
Product	Manifest	bundle-symbolicname	jakarta.xml.bind-api	Medium
Product	Manifest	extension-name	jakarta.xml.bind	Medium
Product	Manifest	implementation-build-id	ca43d8b	Low
Product	pom	artifactid	jakarta.xml.bind-api	Highest
Product	pom	groupid	jakarta.xml.bind	Highest
Product	pom	name	Jakarta XML Binding API	High
Product	pom	parent-artifactid	jakarta.xml.bind-api-parent	Medium
Version	Manifest	Bundle-Version	4.0.2	High
Version	Manifest	Implementation-Version	4.0.2	High
Version	pom	version	4.0.2	Highest

Identifiers

- <pkg:maven/jakarta.xml.bind/jakarta.xml.bind-api@4.0.2> (*Confidence:High*)

facturx.zip: jaxb-core.jar

Description:

JAXB Core module. Contains sources required by XJC, JXC and Runtime modules.

License:

<http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/jaxb-core.jar

MD5: ab09aef6bebd4438b0a02707881801e4

SHA1: 007b4b11ea5542eea4ad55e1080b23be436795b3

SHA256: ad3fd9bf00de3eda9859f70b6cfb011e2fe9904804e16a2665092888ece0fdca

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jaxb-core	High
Vendor	jar	package name	core	Highest

Vendor	jar	package name	glassfish	Highest
Vendor	jar	package name	jaxb	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	org.glassfish.jaxb.core	Medium
Vendor	Manifest	git-revision	cb19596	Low
Vendor	Manifest	implementation-build-id	4.0.5 - cb19596	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.glassfish.jaxb	Medium
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jaxb-core	Low
Vendor	pom	groupid	org.glassfish.jaxb	Highest
Vendor	pom	name	JAXB Core	High
Vendor	pom	parent-artifactid	jaxb-parent	Low
Vendor	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Vendor	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Highest
Product	file	name	jaxb-core	High
Product	jar	package name	core	Highest
Product	jar	package name	glassfish	Highest
Product	jar	package name	jaxb	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	JAXB Core	Medium
Product	Manifest	bundle-symbolicname	org.glassfish.jaxb.core	Medium
Product	Manifest	git-revision	cb19596	Low
Product	Manifest	implementation-build-id	4.0.5 - cb19596	Low
Product	Manifest	Implementation-Title	Eclipse Implementation of JAXB	High
Product	Manifest	specification-title	Jakarta XML Binding	Medium
Product	pom	artifactid	jaxb-core	Highest
Product	pom	groupid	org.glassfish.jaxb	Highest
Product	pom	name	JAXB Core	High
Product	pom	parent-artifactid	jaxb-parent	Medium
Product	pom	parent-groupid	com.sun.xml.bind.mvn	Medium

Product	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Medium
Version	Manifest	build-version	4.0.5	Medium
Version	Manifest	Bundle-Version	4.0.5	High
Version	Manifest	implementation-build-id	4.0.5	Low
Version	pom	version	4.0.5	Highest

Identifiers

- [pkg:maven/org.glassfish.jaxb/jaxb-core@4.0.5](https://maven.org/glassfish/jaxb/jaxb-core@4.0.5) (*Confidence:High*)

facturx.zip: jaxb-runtime.jar

Description:

JAXB (JSR 222) Reference Implementation

License:

<http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/jaxb-runtime.jar

MD5: c7384f1f95b8a8e15291485ff9dbe4f3

SHA1: ca84c2a7169b5293e232b9d00d1e4e36d4c3914a

SHA256: 485d8940e76373a7f300815ea5504bf5b726c234425ad30971019d133124cca4

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jaxb-runtime	High
Vendor	jar	package name	glassfish	Highest
Vendor	jar	package name	jaxb	Highest
Vendor	jar	package name	runtime	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	org.glassfish.jaxb.runtime	Medium
Vendor	Manifest	git-revision	cb19596	Low
Vendor	Manifest	implementation-build-id	4.0.5 - cb19596	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High

Vendor	Manifest	Implementation-Vendor-Id	org.glassfish.jaxb	Medium
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.xml.bind.JAXBContextFactory"	Low
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jaxb-runtime	Low
Vendor	pom	groupid	org.glassfish.jaxb	Highest
Vendor	pom	name	JAXB Runtime	High
Vendor	pom	parent-artifactid	jaxb-runtime-parent	Low
Vendor	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Vendor	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Highest
Product	file	name	jaxb-runtime	High
Product	jar	package name	glassfish	Highest
Product	jar	package name	jaxb	Highest
Product	jar	package name	runtime	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	JAXB Runtime	Medium
Product	Manifest	bundle-symbolicname	org.glassfish.jaxb.runtime	Medium
Product	Manifest	git-revision	cb19596	Low
Product	Manifest	implementation-build-id	4.0.5 - cb19596	Low
Product	Manifest	Implementation-Title	Eclipse Implementation of JAXB	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.xml.bind.JAXBContextFactory"	Low
Product	Manifest	specification-title	Jakarta XML Binding	Medium
Product	pom	artifactid	jaxb-runtime	Highest
Product	pom	groupid	org.glassfish.jaxb	Highest
Product	pom	name	JAXB Runtime	High
Product	pom	parent-artifactid	jaxb-runtime-parent	Medium
Product	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Product	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Medium
Version	Manifest	build-version	4.0.5	Medium
Version	Manifest	Bundle-Version	4.0.5	High
Version	Manifest	implementation-build-id	4.0.5	Low
Version	pom	version	4.0.5	Highest

Identifiers

- [pkg:maven/org.glassfish.jaxb/jaxb-runtime@4.0.5](https://maven.org/glassfish/jaxb/jaxb-runtime@4.0.5) (*Confidence:High*)

facturx.zip: ph-collection.jar

Description:

Special Java 1.8+ Library with extended collection related functionality

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-collection.jar

MD5: 6f8f4284f8465d91cae2e26ad6039148

SHA1: fc137aef9a414747c416b86aaa462cfb36afec45

SHA256: 8e48518fff99621c1664ca540be4aceb897877a4c9c19d93004b975114d9f154

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-collection	High
Vendor	jar	package name	collection	Highest
Vendor	jar	package name	helger	Highest
Vendor	Manifest	automatic-module-name	com.helger.collection	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-collection	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-collection	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-collection	High
Vendor	pom	organization	Philip Helger	High

		name		
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-collection	Highest
Product	file	name	ph-collection	High
Product	jar	package name	collection	Highest
Product	jar	package name	helger	Highest
Product	Manifest	automatic-module-name	com.helger.collection	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-collection	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-collection	Medium
Product	Manifest	Implementation-Title	ph-collection	High
Product	pom	artifactid	ph-collection	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-collection	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-collection	High
Version	Manifest	Bundle-Version	11.2.6	High
Version	Manifest	Implementation-Version	11.2.6	High
Version	pom	version	11.2.6	Highest

Identifiers

- [pkg:maven/com.helger.commons/ph-collection@11.2.6](https://maven.com.helger.commons/ph-collection@11.2.6) (*Confidence:High*)

Description:

Java 1.8+ Library with tons of utility classes required in all projects

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-commons.jar

MD5: 1608abe7e963d88e9535788c812e7516

SHA1: 5fd4f53ef252567f418219fa4e81bf51c87133aa

SHA256: bafc2ec5d7bc4b0087c071456438246cea6e8d674a55805fd96e865519be8f0d

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	ph-commons	High
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	helger	Highest
Vendor	Manifest	automatic-module-name	com.helger.commons	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-commons	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.equals.IEqualsImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.hashcode.IHashCodeImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.serialize.convert.ISerializationConverterRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.typeconvert.ITypeConverterRegistrarSPI"	Low
Vendor	pom	artifactid	ph-commons	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest

Vendor	pom	name	ph-commons	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-commons	Highest
Product	file	name	ph-commons	High
Product	jar	package name	commons	Highest
Product	jar	package name	convert	Highest
Product	jar	package name	equals	Highest
Product	jar	package name	hashCode	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	iequalsimplementationregistrarspi	Highest
Product	jar	package name	ihashcodeimplementationregistrarspi	Highest
Product	jar	package name	ithirdpartymoduleproviderspi	Highest
Product	jar	package name	itypeconverterregistrarspi	Highest
Product	jar	package name	serialize	Highest
Product	jar	package name	thirdparty	Highest
Product	jar	package name	typeconvert	Highest
Product	Manifest	automatic-module-name	com.helger.commons	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-commons	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-commons	Medium
Product	Manifest	Implementation-Title	ph-commons	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.equals.IEqualsImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.hashCode.IHashCodeImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.serialize.convert.ISerializationConverterRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.typeconvert.ITypeConverterRegistrarSPI"	Low
Product	pom	artifactid	ph-commons	Highest

Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-commons	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-commons	High
Version	Manifest	Bundle-Version	11.2.6	High
Version	Manifest	Implementation-Version	11.2.6	High
Version	pom	version	11.2.6	Highest

Identifiers

- <pkg:maven/com.helger.commons/ph-commons@11.2.6> (*Confidence:High*)

facturx.zip: ph-jaxb.jar

Description:

Special Java 1.8+ Library with extended JAXB support

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-jaxb.jar

MD5: 77772cf3996abb2f48f5ba7d014f384d

SHA1: 9b9ddd5903f82246d74e7ec774e3d5fb0397ec37

SHA256: 4be8e625a74fdc36c7a6d638eda7bd9a04c158a83449fcc39a9a99c2dc712b5

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-jaxb	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	jaxb	Highest

Vendor	Manifest	automatic-module-name	com.helger.jaxb	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-jaxb	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-jaxb	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-jaxb	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-jaxb	Highest
Product	file	name	ph-jaxb	High
Product	jar	package name	helger	Highest
Product	jar	package name	jaxb	Highest
Product	Manifest	automatic-module-name	com.helger.jaxb	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-jaxb	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-jaxb	Medium
Product	Manifest	Implementation-Title	ph-jaxb	High
Product	pom	artifactid	ph-jaxb	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-jaxb	High
Product	pom	organization name	Philip Helger	Low

Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-jaxb	High
Version	Manifest	Bundle-Version	11.2.6	High
Version	Manifest	Implementation-Version	11.2.6	High
Version	pom	version	11.2.6	Highest

Identifiers

- [pkg:maven/com.helger.commons/ph-jaxb@11.2.6](https://maven.com.helger.commons/ph-jaxb@11.2.6) (*Confidence:High*)

facturx.zip: ph-schematron-api.jar

Description:

Base API for the library for validating XML documents with Schematron

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-schematron-api.jar

MD5: 61f285bcc5594b46c4ed17a8c10f952a

SHA1: 20a33cd7e30fb670ab3e932bbe6801f0b2beb738

SHA256: dee9d2b0e863fb0e3204dc6f4bc73bfb25dcb6834c51e27f9bc14a6a5dff5ff

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-api	High
Vendor	jar	package name	api	Highest
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-api	Medium
Vendor	Manifest	Implementation-	Philip Helger	High

		Vendor		
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI"	Low
Vendor	pom	artifactid	ph-schematron-api	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-api	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-api	Highest
Product	file	name	ph-schematron-api	High
Product	jar	package name	api	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	Manifest	automatic-module-name	com.helger.schematron	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-api	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-api	Medium
Product	Manifest	Implementation-Title	ph-schematron-api	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI"	Low
Product	pom	artifactid	ph-schematron-api	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-api	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low

Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-api	High
Version	Manifest	Bundle-Version	8.0.6	High
Version	Manifest	Implementation-Version	8.0.6	High
Version	pom	version	8.0.6	Highest

Identifiers

- [pkg:maven/com.helger.schematron/ph-schematron-api@8.0.6](https://maven.com.helger.schematron/ph-schematron-api@8.0.6) (*Confidence:High*)

facturx.zip: ph-schematron-pure.jar

Description:

This package contains the 'Pure' Schematron implementation

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-schematron-pure.jar

MD5: cbbd08a503aa8cb93dda892f855b0632

SHA1: fd748971e2419c5323f6235451872168fa5ac137

SHA256: ffeb689ba500ee80b1b9442b4625dbf79937fbbd82fef631f7b1e699d994a712

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-pure	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	pure	Highest
Vendor	jar	package name	schematron	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.pure	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-pure	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High

Vendor	pom	artifactid	ph-schematron-pure	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-pure	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-pure	Highest
Product	file	name	ph-schematron-pure	High
Product	jar	package name	helger	Highest
Product	jar	package name	pure	Highest
Product	jar	package name	schematron	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.pure	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-pure	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-pure	Medium
Product	Manifest	Implementation-Title	ph-schematron-pure	High
Product	pom	artifactid	ph-schematron-pure	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-pure	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-pure	High
Version	Manifest	Bundle-Version	8.0.6	High
Version	Manifest	Implementation-Version	8.0.6	High

Version pom version 8.0.6 Highest

Identifiers

- <pkg:maven/com.helger.schematron/ph-schematron-pure@8.0.6> (Confidence:High)

facturx.zip: ph-schematron-schxslt.jar

Description:

Library for validating XML documents using the SchXslt implementation

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-schematron-schxslt.jar

MD5: 007d2d5e3c31cfb44064b03a5c7165cc

SHA1: 774654cf39bea29a23e20dbb32d02fff5ffcdf2

SHA256: 9d2339d69f21011877bff9a7b79b4a091717a808e32f975e113e141aa509eea1

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-schxslt	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	jar	package name	schxslt	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.schxslt	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-schxslt	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI"	Low
Vendor	pom	artifactid	ph-schematron-schxslt	Low
Vendor	pom	developer email	ph(at)helger.com	Low

Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-schxslt	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-schxslt	Highest
Product	file	name	ph-schematron-schxslt	High
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	jar	package name	schxslt	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.schxslt	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-schxslt	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-schxslt	Medium
Product	Manifest	Implementation-Title	ph-schematron-schxslt	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI"	Low
Product	pom	artifactid	ph-schematron-schxslt	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-schxslt	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-schxslt	High
Version	Manifest	Bundle-Version	8.0.6	High
Version	Manifest	Implementation-Version	8.0.6	High

Version pom version 8.0.6 Highest

Identifiers

- <pkg:maven/com.helger.schematron/ph-schematron-schxslt@8.0.6> (*Confidence:High*)

facturx.zip: ph-schematron-validator.jar

Description:

Base POM to build the ph-schematron projects

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-schematron-validator.jar

MD5: b6587849a94f8c1fb697e86a4bb082ee

SHA1: bc566065aa6c93d7dd8c817a3bc87eaa2f078478

SHA256: 478bdef4db33386ae6ccbcf23b66fb8c447a76ed35b879a89ecaf90235524b4b

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-validator	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	jar	package name	validator	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.validator	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-validator	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-schematron-validator	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium

Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-validator	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-validator	Highest
Product	file	name	ph-schematron-validator	High
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	jar	package name	validator	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.validator	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-validator	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-validator	Medium
Product	Manifest	Implementation-Title	ph-schematron-validator	High
Product	pom	artifactid	ph-schematron-validator	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-validator	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-validator	High
Version	Manifest	Bundle-Version	8.0.6	High
Version	Manifest	Implementation-Version	8.0.6	High
Version	pom	version	8.0.6	Highest

Identifiers

- [pkg:maven/com.helger.schematron/ph-schematron-validator@8.0.6](https://maven.com.helger.schematron/ph-schematron-validator@8.0.6) (Confidence:High)

facturx.zip: ph-schematron-xslt.jar

Description:

Library for validating XML documents using the original Schematron implementation

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-schematron-xslt.jar

MD5: 56f6ea1431c16d881e760882d931c9f7

SHA1: 754ef0e56ad3818cdb235561deb128079a5be90a

SHA256: eac96bfab38187cfc22bb98b227f4e515beffb8ebf24a8bbcb38b392c41d169b

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-xslt	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	jar	package name	xslt	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.xslt	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-xslt	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-schematron-xslt	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-xslt	High
Vendor	pom	organization name	Philip Helger	High

Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-xslt	Highest
Product	file	name	ph-schematron-xslt	High
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	jar	package name	xslt	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.xslt	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-xslt	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-xslt	Medium
Product	Manifest	Implementation-Title	ph-schematron-xslt	High
Product	pom	artifactid	ph-schematron-xslt	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-xslt	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-xslt	High
Version	Manifest	Bundle-Version	8.0.6	High
Version	Manifest	Implementation-Version	8.0.6	High
Version	pom	version	8.0.6	Highest

Identifiers

- [pkg:maven/com.helger.schematron/ph-schematron-xslt@8.0.6](https://maven.com.helger.schematron/ph-schematron-xslt@8.0.6) (*Confidence:High*)

facturx.zip: ph-xml.jar

Description:

Java 1.8+ Library with XML handling routines

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-xml.jar

MD5: b699e92d4cc57c6109c6777a1ae0cf88

SHA1: db0c367d1807de26aefc95ccb526c5783f03a493

SHA256: 7924fb44aed6c8f619737fd8cbe737cea8edc9d3852e05e169138ae68e005c58

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-xml	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	xml	Highest
Vendor	Manifest	automatic-module-name	com.helger.xml	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-xml	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.xml.microdom.convert.IMicroTypeConverterRegistrarSPI"	Low
Vendor	pom	artifactid	ph-xml	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-xml	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-xml	Highest
Product	file	name	ph-xml	High

Product	jar	package name	convert	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	microdom	Highest
Product	jar	package name	xml	Highest
Product	Manifest	automatic-module-name	com.helger.xml	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-xml	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-xml	Medium
Product	Manifest	Implementation-Title	ph-xml	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.xml.microdom.convert.IMicroTypeConverterRegistrarSPI"	Low
Product	pom	artifactid	ph-xml	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-xml	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-xml	High
Version	Manifest	Bundle-Version	11.2.6	High
Version	Manifest	Implementation-Version	11.2.6	High
Version	pom	version	11.2.6	Highest

Identifiers

- [pkg:maven/com.helger.commons/ph-xml@11.2.6](#) (*Confidence:High*)

Description:

XML.xsd wrapped in JAXB

License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-xsds-xml.jar

MD5: f5d0d9170cce23fc050a0cb8e2fc8b94

SHA1: e1f471db4b77cb7c5804129746fcbad2dd57a28a

SHA256: de03d6b1d320e851d0f8a664346799447a5ec2163395a324c13a059d664e0c73

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	ph-xsds-xml	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	xml	Highest
Vendor	jar	package name	xsds	Highest
Vendor	Manifest	automatic-module-name	com.helger.xsds.xml	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	http://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.xsd.ph-xsds-xml	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-xsds-xml	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.xsd	Highest
Vendor	pom	name	ph-xsds-xml	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	http://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-xsds-parent-pom	Low
Vendor	pom	url	phax/ph-xsds/ph-xsds-xml	Highest
Product	file	name	ph-xsds-xml	High
Product	jar	package name	helger	Highest

Product	jar	package name	xml	Highest
Product	jar	package name	xsd	Highest
Product	Manifest	automatic-module-name	com.helger.xsd.xml	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	http://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-xsd.xml	Medium
Product	Manifest	bundle-symbolicname	com.helger.xsd.ph-xsd.xml	Medium
Product	Manifest	Implementation-Title	ph-xsd.xml	High
Product	pom	artifactid	ph-xsd.xml	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.xsd	Highest
Product	pom	name	ph-xsd.xml	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	http://www.helger.com	Low
Product	pom	parent-artifactid	ph-xsd-parent-pom	Medium
Product	pom	url	phax/ph-xsd/ph-xsd.xml	High
Version	Manifest	Bundle-Version	3.0.0	High
Version	Manifest	Implementation-Version	3.0.0	High
Version	pom	version	3.0.0	Highest

Identifiers

- <pkg:maven/com.helger.xsd/ph-xsd.xml@3.0.0> (*Confidence:High*)

facturx.zip: txw2.jar

Description:

TXW is a library that allows you to write XML documents.

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/txw2.jar
MD5: 2f5aa7dbd5e326562cff6ce720a1485a
SHA1: f36a4ef12120a9bb06d766d6a0e54b144fd7ed98
SHA256: 917355bc451481f30d043b24d123110517966af34383901773882810dca480e5
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	txw2	High
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	txw	Highest
Vendor	jar	package name	txw2	Highest
Vendor	jar	package name	xml	Highest
Vendor	jar (hint)	package name	oracle	Highest
Vendor	Manifest	git-revision	cb19596	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.eclipse	Medium
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	txw2	Low
Vendor	pom	groupid	org.glassfish.jaxb	Highest
Vendor	pom	name	TXW2 Runtime	High
Vendor	pom	parent-artifactid	jaxb-txw-parent	Low
Vendor	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Vendor	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Highest
Product	file	name	txw2	High
Product	jar	package name	sun	Highest
Product	jar	package name	txw	Highest
Product	jar	package name	txw2	Highest
Product	jar	package name	xml	Highest
Product	Manifest	git-revision	cb19596	Low
Product	Manifest	Implementation-Title	Eclipse Implementation of JAXB	High
Product	Manifest	specification-title	Jakarta XML Binding	Medium
Product	pom	artifactid	txw2	Highest

Product	pom	groupid	org.glassfish.jaxb	Highest
Product	pom	name	TXW2 Runtime	High
Product	pom	parent-artifactid	jaxb-txw-parent	Medium
Product	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Product	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Medium
Version	Manifest	build-version	4.0.5	Medium
Version	pom	version	4.0.5	Highest

Identifiers

- <pkg:maven/org.glassfish.jaxb/txw2@4.0.5> (Confidence:High)

facturx.zip: xmlresolver.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/xmlresolver.jar

MD5: ca44ebf8abcf16222ba638df806f961c

SHA1: 98ea0f8cb61bf69857581e083416d632da0d0759

SHA256: cfd1c4ee70cd2f0421de7e6a30c5198a3949dab4c3280c74729dc8679d5b7719

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	xmlresolver	High
Vendor	jar	package name	xmlresolver	Highest
Vendor	jar	package name	xmlresolver	Low
Vendor	Manifest	automatic-module-name	org.xmlresolver.xmlresolver	Medium
Vendor	Manifest	Implementation-Vendor	Norman Walsh	High
Product	file	name	xmlresolver	High
Product	jar	package name	resolver	Highest
Product	jar	package name	xmlresolver	Highest
Product	Manifest	automatic-module-name	org.xmlresolver.xmlresolver	Medium
Product	Manifest	Implementation-Title	XML Resolver	High
Version	Manifest	Implementation-Version	6.0.11	High

Identifiers

- None

hamcrest-3.0.jar

License:

BSD-3-Clause

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.hamcrest/hamcrest/3.0/8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7/hamcrest-3.0.jar

MD5: 781023c38b054e9cf1c818c77895e1eb

SHA1: 8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7

SHA256: 5d66b6a4a680755cb6ed7cb104fa7835ef644667586ff0737adeb977c39ecdbc

Referenced In Project/Scope: designer-installer:inetPlugin

Included by: pkg:maven/clear-reports/designer-installer@25.10

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	hamcrest	High
Vendor	gradle	artifactid	hamcrest	Highest
Vendor	gradle	groupid	org.hamcrest	Highest
Vendor	jar	package name	hamcrest	Highest
Vendor	jar	package name	hamcrest	Low
Vendor	Manifest	automatic-module-name	org.hamcrest	Medium
Vendor	Manifest	bundle-symbolicname	org.hamcrest	Medium
Vendor	Manifest	Implementation-Vendor	hamcrest.org	High
Product	file	name	hamcrest	High
Product	gradle	artifactid	hamcrest	Highest
Product	jar	package name	hamcrest	Highest
Product	Manifest	automatic-module-name	org.hamcrest	Medium
Product	Manifest	Bundle-Name	org.hamcrest	Medium
Product	Manifest	bundle-symbolicname	org.hamcrest	Medium
Product	Manifest	Implementation-	hamcrest	High

		Title		
Version	file	version	3.0	High
Version	Manifest	Implementation-Version	3.0	High

Identifiers

- <pkg:maven/org.hamcrest/hamcrest@3.0> (Confidence: Highest)

htmlviewer.printpdf.sample.zip: extension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewer.printpdf.sample.zip/src/com/inet/htmlviewer/printpdf/extension.js

MD5: 7d8be1ef58947852666766c1db348644

SHA1: 26c37af43002d8764dbd80914476c548ce2354a5

SHA256: c1500120eb6dca3b71c481ec3f9d66367e13a10c755306f58a449a0f648d2696

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

htmlviewer.printpdf.sample.zip: htmlviewer.printpdf.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewer.printpdf.sample.zip/htmlviewer.printpdf.sample.jar

MD5: d1c304709162dbb171e1e6ed5cea3d09

SHA1: 24e68abd2faaf89ed42f081e387e15ad512db2bb

SHA256: 1f8963fbc6635a176ea07c561e8e32725ba438d105c5bca4af6304c6dbd19df3

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	htmlviewer.printpdf.sample	High
--------	------	------	----------------------------	------

Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	printpdf	Low
Vendor	Manifest	built-date	2025-11-05 17:28	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlviewer.printpdf.sample	High
Product	jar	package name	htmlviewer	Highest
Product	jar	package name	htmlviewer	Low
Product	jar	package name	htmlviewerprintviapdfplugin	Low
Product	jar	package name	printpdf	Highest
Product	jar	package name	printpdf	Low
Product	Manifest	built-date	2025-11-05 17:28	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	htmlviewer.printpdf.sample	High
Product	Manifest	specification-title	htmlviewer.printpdf.sample	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

htmlviewer.printpdf.sample.zip: htmlviewer.printpdf.sample.jar: extension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewer.printpdf.sample.zip/htmlviewer.printpdf.sample.jar/com/inet/htmlviewer/printpdf/extension.js

MD5: 3022fd9f69e0cf051844a2fea5b69ce2

SHA1: 529ef29a67d8f97b139ea763ee1a050cfbfe821a
SHA256: e0df7af37a0640b759ccc1985cfa973e49416121cc4d60656f8aef2f590a8d8d
Referenced In Project/Scope: designer-installer

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

htmlviewer.toolbar.zip: htmlviewer.toolbar.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewer.toolbar.zip/htmlviewer.toolbar.jar
MD5: 8b6b04aefe98e6414d33b95a0ee4a470
SHA1: 530fd03eee1e79c3d63423edd8c968ce8a4d1aa8
SHA256: c6b626eaeef03d39a2cba60096e98dbfda2e27a1d644b41b24210c6f58ee05966
Referenced In Project/Scope: designer-installer

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	htmlviewer.toolbar	High
Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-11-05 17:46	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlviewer.toolbar	High
Product	jar	package name	htmlviewer	Highest
Product	jar	package name	htmlviewer	Low

Product	Manifest	built-date	2025-11-05 17:46	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	htmlviewer.toolbar	High
Product	Manifest	specification-title	htmlviewer.toolbar	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

htmlviewer.toolbar.zip: htmlviewer.toolbar.jar: htmlviewer.angular.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewer.toolbar.zip/htmlviewer.toolbar.jar/com/inet/htmlviewer/client/htmlviewer.angular.js

MD5: 3d4ffd97b4b2889874ab2c25fd81dfd0

SHA1: ea87dcc7a044e2517277934bea09c98994d3134f

SHA256: 74009939b76ca622b76ee6abefb1cbe3632398f76f7282f51b90ccd1ca9998d3

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

htmlviewerextension.sample.zip: extension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewerextension.sample.zip/src/com/inet/samples/htmlviewer/extension.js

MD5: bdd6fdaab122479103c1bcba3692f01e

SHA1: 72aa61085dce74ce094f905354878ce744caede8

SHA256: 3c52759a05de925fb38d7aec3875b55a1a1ed6ce7f3b88044a96e527d9e4204a

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

htmlviewerextension.sample.zip: htmlviewerextension.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewerextension.sample.zip/htmlviewerextension.sample.jar

MD5: e0501d4906cc05eefa2caa00b0c6c831

SHA1: b8923320b5eecb5f380768f1ded567e1ddb6e2a9

SHA256: 79b4885b95c481fae2e4c195cc7dbfba6edf18f840fd4568e51acf45557744c

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlviewerextension.sample	High
Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2025-11-05 17:28	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlviewerextension.sample	High
Product	jar	package name	htmlviewer	Low
Product	jar	package name	htmlviewerextensionplugin	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2025-11-05 17:28	Low

Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	htmlviewerextension.sample	High
Product	Manifest	specification-title	htmlviewerextension.sample	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

htmlviewerextension.sample.zip: htmlviewerextension.sample.jar: extension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewerextension.sample.zip
 /htmlviewerextension.sample.jar/com/inet/samples/htmlviewer/extension.js
MD5: 858b53692be0235091614a2af9a32edb
SHA1: 7e1e6b70bcf8364873201f3a776e5ace1ca3c19c
SHA256: 0ee681c533fcf2b58de3ccb61aaaa52dd541cf029b856aaf2dd78a7c4c563bbc
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

inetcore-25.10-tools.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.10/aec88ccb8535bf3516275b97b9ce8d3f1a41c66/inetcore-25.10-tools.jar
MD5: 988583a8393c1b1b4afd2f9872ede7df
SHA1: aec88ccb8535bf3516275b97b9ce8d3f1a41c66
SHA256: 4e8019a0b3dc05444fe7f63af6e21fac9e18d5a47d5a87ed47a73f7eb052f43b
Referenced In Project/Scope: designer-installer:inetPlugin
Included by: pkg:maven/clear-reports/designer-installer@25.10

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	test	Low
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Version	file	name	inetcore	Medium
Version	file	version	25.10	High
Version	gradle	version	25.10	Highest

Identifiers

- [pkg:maven/shared/inetcore@25.10](#) (*Confidence*:Highest)

inetcore-25.10.jar (shaded: com.inet.shared:inetcore:null)

Description:

A blend composite defines the rule according to which a drawing primitive (known as the source) is mixed with existing graphics (known as the destination.)

ColorUtilities contains a set of tools to perform common color operations easily.

License:

LGPL: <http://www.gnu.org/licenses/lgpl.txt>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.10/d236e2554f326012d1e0690a61c1c690cb547ed0/inetcore-25.10.jar/META-INF/com/inet/shared/Utils/BlendComposite/pom.xml

MD5: 15e3963148212192804e2b1a2b73ad1c

SHA1: 1095ba4522949a04590ab9c98b7f684e92579ef9

SHA256: e5556987ad0b1ede84a994741147dadf6de0cb7d80b845f530e2a96505b79151

Referenced In Project/Scope: designer-installer:inetPlugin

Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	inetcore	Low
Vendor	pom	developer email	contact@inetsoftware.de	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer id	inetsoftware	Medium

Vendor	pom	developer id	romainguy	Medium
Vendor	pom	developer id	sun	Medium
Vendor	pom	developer name	i-net /// software	Medium
Vendor	pom	developer name	Romain Guy	Medium
Vendor	pom	developer name	Sun	Medium
Vendor	pom	developer org	Sun	Medium
Vendor	pom	groupid	com.inet.shared	Highest
Vendor	pom	name	BlendComposite and ColorUtilities	High
Vendor	pom (hint)	developer id	oracle	Medium
Vendor	pom (hint)	developer name	oracle	Medium
Vendor	pom (hint)	developer org	oracle	Medium
Product	pom	artifactid	inetcore	Highest
Product	pom	developer email	contact@inetsoftware.de	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer id	inetsoftware	Low
Product	pom	developer id	romainguy	Low
Product	pom	developer id	sun	Low
Product	pom	developer name	i-net /// software	Low
Product	pom	developer name	Romain Guy	Low
Product	pom	developer name	Sun	Low
Product	pom	developer org	Sun	Low
Product	pom	groupid	com.inet.shared	Highest
Product	pom	name	BlendComposite and ColorUtilities	High

Identifiers

- None

inetcore-25.10.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.10/d236e2554f326012d1e0690a61c1c690cb547ed0/inetcore-25.10.jar
MD5: 055b5bf33a775fdb46ee9d2b2bbc572
SHA1: d236e2554f326012d1e0690a61c1c690cb547ed0

SHA256:0cf2583fab2957e4fc05ff03bcc59545dc9fbabe67cece66c0191d69f92f23c1

Referenced In Project/Scope: designer-installer:inetPlugin

Included by: pkg:maven/clear-reports/designer-installer@25.10

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-11-05 15:36	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	shared	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-11-05 15:36	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low

Product	Manifest	Implementation-Title	inetcore	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetcore	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	file	name	inetcore	Medium
Version	file	version	25.10	High
Version	gradle	version	25.10	Highest
Version	jar	package name	permissions	Highest
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- [pkg:maven/shared/inetcore@25.10](#) (*Confidence*:Highest)

java-21-jre-x64-linux.tar.gz: java-21-jre-x64-linux.tar: jrt-fs.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/java-21-jre-x64-linux.tar.gz/java-21-jre-x64-linux.tar/jre-11/lib/jrt-fs.jar

MD5: fd232b1a93c699d86f56595d88cc54da

SHA1: 5c034ec23e7858f7e3a5be3970833e12a9555f11

SHA256: ca81222a25fccfd0ecc9ef5c3d1efee0634e7938ab3c245e69b5bc0a55019028

Referenced In Project/Scope: designer-installer

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	jrt-fs	High
Vendor	jar	package name	internal	Low
Vendor	jar	package name	jdk	Low
Vendor	jar	package name	jimage	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Adoptium	High
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	jrt-fs	High

Product	jar	package name	internal	Low
Product	jar	package name	jimage	Low
Product	Manifest	Implementation-Title	Java Runtime Environment	High
Product	Manifest	specification-title	Java Platform API Specification	Medium
Version	Manifest	Implementation-Version	21.0.8	High

Identifiers

- [cpe:2.3:a:eclipse:platform:21.0.8:*:*:*:*:*](#) (Confidence:Medium) suppress

jcip-annotations-1.0.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/net.jcip/jcip-annotations/1.0

/afba4942caaeaf46aab0b976afd57cc7c181467e/jcip-annotations-1.0.jar

MD5: 9d5272954896c5a5d234f66b7372b17a

SHA1: afba4942caaeaf46aab0b976afd57cc7c181467e

SHA256: be5805392060c71474bf6c9a67a099471274d30b83eef84bfc4e0889a4f1dcc0

Referenced In Project/Scope: designer-installer:inetPlugin

Included by: pkg:maven/de.inetsoftware/jlessc@1.14

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jcip-annotations	High
Vendor	gradle	artifactid	jcip-annotations	Highest
Vendor	gradle	groupid	net.jcip	Highest
Vendor	jar	package name	annotations	Low
Vendor	jar	package name	jcip	Low
Vendor	jar	package name	net	Low
Product	file	name	jcip-annotations	High
Product	gradle	artifactid	jcip-annotations	Highest
Product	jar	package name	annotations	Low
Product	jar	package name	jcip	Low
Version	file	name	jcip-annotations	Medium
Version	file	version	1.0	High
Version	gradle	version	1.0	Highest

Identifiers

- <pkg:maven/net.jcip/jcip-annotations@1.0> (*Confidence*:Highest)

jlessc-1.14.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/de.inetsoftware/jlessc/1.14/5b2789630acdc41bab5c86da8937ffef3811a3c3/jlessc-1.14.jar

MD5: 73ef6dc09f0efda918ffcf67677ad2b0

SHA1: 5b2789630acdc41bab5c86da8937ffef3811a3c3

SHA256: 5445ebb2231d943301b977e2b30451fc704835ea9b5f96fa64618c608938cb52

Referenced In Project/Scope: designer-installer:inetPlugin

Included by: pkg:maven/clear-reports/designer-installer@25.10

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jlessc	High
Vendor	gradle	artifactid	jlessc	Highest
Vendor	gradle	groupid	de.inetsoftware	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	less	Low
Vendor	jar	package name	lib	Low
Vendor	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Vendor	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Vendor	Manifest	Implementation-Vendor	i-net software GmbH, Berlin, Germany	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Product	file	name	jlessc	High
Product	gradle	artifactid	jlessc	Highest
Product	jar	package name	less	Low
Product	jar	package name	lib	Low
Product	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Product	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Product	Manifest	Implementation-	JLessC, a Less CSS compiler	High

		Title		
Version	file	version	1.14	High
Version	Manifest	Implementation-Version	1.14	High

Identifiers

- <pkg:maven/de.inetsoftware/jlessc@1.14> (*Confidence: Highest*)

jsr305-3.0.2.jar

Description:

JSR305 Annotations for Findbugs

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/jsr305/3.0.2/25ea2e8b0c338a877313bd4672d3fe056ea78f0d/jsr305-3.0.2.jar

MD5: dd83accb899363c32b07d7a1b2e4ce40

SHA1: 25ea2e8b0c338a877313bd4672d3fe056ea78f0d

SHA256: 766ad2a0783f2687962c8ad74ceecc38a28b9f72a2d085ee438b7813e928d0c7

Referenced In Project/Scope: designer-installer:inetPlugin

Included by: pkg:maven/de.inetsoftware/jlessc@1.14

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jsr305	High
Vendor	gradle	artifactid	jsr305	Highest
Vendor	gradle	groupid	com.google.code.findbugs	Highest
Vendor	Manifest	bundle-symbolicname	org.jsr-305	Medium
Vendor	pom	artifactid	jsr305	Low
Vendor	pom	groupid	com.google.code.findbugs	Highest
Vendor	pom	name	FindBugs-jsr305	High
Vendor	pom	url	http://findbugs.sourceforge.net/	Highest
Product	file	name	jsr305	High
Product	gradle	artifactid	jsr305	Highest
Product	Manifest	Bundle-Name	FindBugs-jsr305	Medium
Product	Manifest	bundle-	org.jsr-305	Medium

symbolicname

Product	pom	artifactid	jsr305	Highest
Product	pom	groupid	com.google.code.findbugs	Highest
Product	pom	name	FindBugs-jsr305	High
Product	pom	url	http://findbugs.sourceforge.net/	Medium
Version	file	version	3.0.2	High
Version	gradle	version	3.0.2	Highest
Version	Manifest	Bundle-Version	3.0.2	High
Version	pom	version	3.0.2	Highest

Identifiers

- <pkg:maven/com.google.code.findbugs/jsr305@3.0.2> (*Confidence:High*)

junit-4.13.2.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/junit/junit/4.13.2

/8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12/junit-4.13.2.jar

MD5: d98a9a02a99a9acd22d7653cbcc1f31f

SHA1: 8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12

SHA256: 8e495b634469d64fb8acfa3495a065cbacc8a0fff55ce1e31007be4c16dc57d3

Referenced In Project/Scope: designer-installer:inetPlugin

Included by: pkg:maven/clear-reports/designer-installer@25.10

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit	High
Vendor	gradle	artifactid	junit	Highest
Vendor	gradle	groupid	junit	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	Manifest	automatic-module-name	junit	Medium
Vendor	Manifest	implementation-url	http://junit.org	Low
Vendor	Manifest	Implementation-Vendor	JUnit	High
Vendor	Manifest	Implementation-Vendor-Id	junit	Medium

Product	file	name	junit	High
Product	gradle	artifactid	junit	Highest
Product	jar	package name	junit	Highest
Product	Manifest	automatic-module-name	junit	Medium
Product	Manifest	Implementation-Title	JUnit	High
Product	Manifest	implementation-url	http://junit.org	Low
Version	file	version	4.13.2	High
Version	Manifest	Implementation-Version	4.13.2	High

Identifiers

- [pkg:maven/junit/junit@4.13.2](#) (Confidence: Highest)
- [cpe:2.3:a:junit:junit4:4.13.2:*:*:*:*:*](#) (Confidence: Highest) suppress

junit-jupiter-5.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter/5.13.4/93547b3eca48a61f65f735c1898d3ec196e34149/junit-jupiter-5.13.4.jar

MD5: 3f4e38bdbea73c98a50f08b7c6e33426

SHA1: 93547b3eca48a61f65f735c1898d3ec196e34149

SHA256: b960f79217dd01c863031b678f07df4730bbf1eac650c74ad6b0c61faad78379

Referenced In Project/Scope: designer-installer:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/clear-reports/designer-installer@25.10
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter	High
Vendor	gradle	artifactid	junit-jupiter	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low

Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter	High
Product	gradle	artifactid	junit-jupiter	Highest
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter	Medium
Product	Manifest	Implementation-Title	junit-jupiter	High
Product	Manifest	specification-title	junit-jupiter	Medium
Version	file	version	5.13.4	High
Version	Manifest	Implementation-Version	5.13.4	High

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4](https://maven.org/junit/jupiter/junit-jupiter@5.13.4) (*Confidence: Highest*)

junit-jupiter-api-5.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-api/5.13.4/2817f736551fe4949b79924715ef6f594ee072f4/junit-jupiter-api-5.13.4.jar

MD5: d9981621212d598a4ba380342094c92f

SHA1: 2817f736551fe4949b79924715ef6f594ee072f4

SHA256: d1bb81abfd9e03418306b4e6a3390c8db52c58372e749c2980ac29f0c08278f1

Referenced In Project/Scope: designer-installer:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-api	High
Vendor	gradle	artifactid	junit-jupiter-api	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	api	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-api	High
Product	gradle	artifactid	junit-jupiter-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter API	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Product	Manifest	Implementation-Title	junit-jupiter-api	High
Product	Manifest	specification-title	junit-jupiter-api	Medium
Version	file	version	5.13.4	High
Version	Manifest	Implementation-Version	5.13.4	High

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-api@5.13.4](#) (*Confidence: Highest*)

junit-jupiter-engine-5.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-engine/5.13.4/d29fc8b6a28d21b8741f299ae4deb3e3aa68b2e8/junit-jupiter-engine-5.13.4.jar

MD5: 3416ff6cff3dd4ea789b92338a49b9b2

SHA1: d29fc8b6a28d21b8741f299ae4deb3e3aa68b2e8

SHA256: 027404a92fe618b72465792a257951495c503a7d5751e2791e0f51c87f67f5bc

Referenced In Project/Scope: designer-installer:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/clear-reports/designer-installer@25.10
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-engine	High
Vendor	gradle	artifactid	junit-jupiter-engine	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.13.4"	Low
Vendor	Manifest	specification-	junit.org	Low

vendor

Product	file	name	junit-jupiter-engine	High
Product	gradle	artifactid	junit-jupiter-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Engine	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Product	Manifest	Implementation-Title	junit-jupiter-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.13.4"	Low
Product	Manifest	specification-title	junit-jupiter-engine	Medium
Version	file	version	5.13.4	High
Version	Manifest	Implementation-Version	5.13.4	High

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4](https://maven.org/junit/jupiter/junit-jupiter-engine@5.13.4) (*Confidence*:Highest)

junit-jupiter-params-5.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-params/5.13.4/c8930eb7fcfbcd0b191703ab53f48475a75bd17/junit-jupiter-params-5.13.4.jar

MD5: a1db21cc54b627a085918626a3908c9e

SHA1: 0c8930eb7fcfbcd0b191703ab53f48475a75bd17

SHA256: 3a8c6365716dbb698c0d49a05456c1e1ad05c406613c550f9dd50037872efc41

Referenced In Project/Scope: designer-installer:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-params	High
Vendor	gradle	artifactid	junit-jupiter-params	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	jar	package name	params	Highest
Vendor	jar	package name	params	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-params	High
Product	gradle	artifactid	junit-jupiter-params	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	jar	package name	params	Highest
Product	jar	package name	params	Low
Product	jar	package name	shadow	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Params	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Product	Manifest	Implementation-Title	junit-jupiter-params	High
Product	Manifest	specification-title	junit-jupiter-params	Medium

Version	file	version	5.13.4	High
Version	Manifest	Implementation-Version	5.13.4	High

Identifiers

- <pkg:maven/org.junit.jupiter/junit-jupiter-params@5.13.4> (*Confidence: Highest*)

junit-platform-commons-1.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-commons/1.13.4/8f63c7ed05b473d95cc63d1082054d7bfcf9c0e5/junit-platform-commons-1.13.4.jar

MD5: 7c39b85780e5bec0a23408959ac83fa9

SHA1: 8f63c7ed05b473d95cc63d1082054d7bfcf9c0e5

SHA256: 1c25ca641ebaae44ff3ad21ca1b2ef68d0dd84bfeb07c4805ba7840899b77408

Referenced In Project/Scope: designer-installer:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-commons	High
Vendor	gradle	artifactid	junit-platform-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	commons	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	org	Highest
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Vendor	Manifest	Implementation-	junit.org	High

		Vendor		
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-commons	High
Product	gradle	artifactid	junit-platform-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-commons	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	junit-platform-commons	Medium
Version	file	version	1.13.4	High
Version	Manifest	Implementation-Version	1.13.4	High

Identifiers

- pkg:maven/org.junit.platform/junit-platform-commons@1.13.4 (*Confidence*:Highest)

junit-platform-engine-1.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-engine/1.13.4/cdd49063ae6e25494d1a9a08f4a9ab5de2b73bcb/junit-platform-engine-1.13.4.jar

MD5: 736aa9e83f7ba2b54adb5f86821fd4dd

SHA1: cdd49063ae6e25494d1a9a08f4a9ab5de2b73bcb

SHA256: 390c5f77b84283a64b644f88251b397e0b0debb80bdcc50f899881aecff43a5a

Referenced In Project/Scope: designer-installer:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4

- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-engine	High
Vendor	gradle	artifactid	junit-platform-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-engine	High
Product	gradle	artifactid	junit-platform-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	support	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Engine API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Product	Manifest	Implementation-	junit-platform-engine	High

		Title		
Product	Manifest	specification-title	junit-platform-engine	Medium
Version	file	version	1.13.4	High
Version	Manifest	Implementation-Version	1.13.4	High

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-engine@1.13.4](https://maven.org/junit.platform/junit-platform-engine@1.13.4) (Confidence: Highest)

junit-platform-launcher-1.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-launcher/1.13.4/e72a4d00af6177569fd57df4c8c4bb241c6aa4b6/junit-platform-launcher-1.13.4.jar

MD5: bdfea9c8c038752c70631934b2067073

SHA1: e72a4d00af6177569fd57df4c8c4bb241c6aa4b6

SHA256: 0b0beaeb6880a31149641d2d848b863712885469670c12099586d7f798522564

Referenced In Project/Scope: designer-installer:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-launcher	High
Vendor	gradle	artifactid	junit-platform-launcher	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	launcher	Highest
Vendor	jar	package name	launcher	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-launcher	Medium

Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.13.4"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-launcher	High
Product	gradle	artifactid	junit-platform-launcher	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	launcher	Highest
Product	jar	package name	launcher	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Launcher	Medium
Product	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Product	Manifest	Implementation-Title	junit-platform-launcher	High
Product	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.13.4"	Low
Product	Manifest	specification-title	junit-platform-launcher	Medium
Version	file	version	1.13.4	High
Version	Manifest	Implementation-Version	1.13.4	High

Identifiers

- <pkg:maven/org.junit.platform/junit-platform-launcher@1.13.4> (*Confidence: Highest*)

junit-platform-suite-1.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite/1.13.4/7af47cc4d0fbbd9a940644799a69f1f4c3ec4ee7/junit-platform-suite-1.13.4.jar

MD5: 378c01f6aba4143235fcd78ee5e1490f

SHA1: 7af47cc4d0fbbd9a940644799a69f1f4c3ec4ee7

SHA256:8088a80b47f5a7e73fa107f466dfa6a86776ca496fc2e7724aba65202d467913
Referenced In Project/Scope: designer-installer:inetPlugin
Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/clear-reports/designer-installer@25.10
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite	High
Vendor	gradle	artifactid	junit-platform-suite	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite	High
Product	gradle	artifactid	junit-platform-suite	Highest
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Product	Manifest	Implementation-Title	junit-platform-suite	High
Product	Manifest	specification-title	junit-platform-suite	Medium
Version	file	version	1.13.4	High
Version	Manifest	Implementation-Version	1.13.4	High

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite@1.13.4](https://maven.org/junit.platform/junit-platform-suite@1.13.4) (Confidence: Highest)

junit-platform-suite-api-1.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-api/1.13.4/7e29167859b8b66ae9bc60f63f33202b1c8b77e3/junit-platform-suite-api-1.13.4.jar

MD5: 53ff3dfddb5bc864217e7442ca0a8243

SHA1: 7e29167859b8b66ae9bc60f63f33202b1c8b77e3

SHA256: 9a05bf77e128371f5b3e25ffc89f7af467a9f68dd365fdced469ebcf533abc9

Referenced In Project/Scope: designer-installer:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-api	High
Vendor	gradle	artifactid	junit-platform-suite-api	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-api	High
Product	gradle	artifactid	junit-platform-suite-api	Highest
Product	jar	package name	api	Highest

Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-api	High
Product	Manifest	specification-title	junit-platform-suite-api	Medium
Version	file	version	1.13.4	High
Version	Manifest	Implementation-Version	1.13.4	High

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-api@1.13.4](#) (*Confidence*:Highest)

junit-platform-suite-commons-1.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-commons/1.13.4/65f946a08a21ddec266dd3010977111bbc84043/junit-platform-suite-commons-1.13.4.jar

MD5: ecab6fa371485191490729865ca59fba

SHA1: 65f946a08a21ddec266dd3010977111bbc84043

SHA256: e7dacfcfa3bc692c0a7a413cefd5f51ae420415a14d39091bdf88aebfdbba70b6

Referenced In Project/Scope: designer-installer:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-commons	High

Vendor	gradle	artifactid	junit-platform-suite-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-commons	High
Product	gradle	artifactid	junit-platform-suite-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-commons	High
Product	Manifest	specification-title	junit-platform-suite-commons	Medium
Version	file	version	1.13.4	High
Version	Manifest	Implementation-	1.13.4	High

Version

Identifiers

- <pkg:maven/org.junit.platform/junit-platform-suite-commons@1.13.4> (*Confidence: Highest*)

junit-platform-suite-engine-1.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-engine/1.13.4/b888a7a9e00b25cc19b4d45dbd4dcfe0b3a4f6ca/junit-platform-suite-engine-1.13.4.jar

MD5: 69e03866f05f55ea65268adc36fa3fc0

SHA1: b888a7a9e00b25cc19b4d45dbd4dcfe0b3a4f6ca

SHA256: 3b34fd8172d70d0d7c59155e487bd8e77d43bdbfdcf1d78c2b4eea55e9acb92

Referenced In Project/Scope: designer-installer:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-engine	High
Vendor	gradle	artifactid	junit-platform-suite-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-	junit.org	Low

vendor

Product	file	name	junit-platform-suite-engine	High
Product	gradle	artifactid	junit-platform-suite-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Engine	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-engine	High
Product	Manifest	specification-title	junit-platform-suite-engine	Medium
Version	file	version	1.13.4	High
Version	Manifest	Implementation-Version	1.13.4	High

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-engine@1.13.4](https://maven.org/junit.platform/junit-platform-suite-engine@1.13.4) (*Confidence*:Highest)

junit-vintage-engine-5.13.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.vintage/junit-vintage-engine/5.13.4/9fa3f512a7b8de3013eb63e51623c9e73f8d0e34/junit-vintage-engine-5.13.4.jar

MD5: 77270af1c5e9ea55a3705683f261eddd

SHA1: 9fa3f512a7b8de3013eb63e51623c9e73f8d0e34

SHA256: 066b702d850ebcde36f2a8181b46a2f0f1416129d1dc63c3a1e1531006e74739

Referenced In Project/Scope: designer-installer:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/clear-reports/designer-installer@25.10
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-vintage-engine	High
Vendor	gradle	artifactid	junit-vintage-engine	Highest
Vendor	gradle	groupid	org.junit.vintage	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	vintage	Highest
Vendor	jar	package name	vintage	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.13.4"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-vintage-engine	High
Product	gradle	artifactid	junit-vintage-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	vintage	Highest
Product	jar	package name	vintage	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Vintage Engine	Medium
Product	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Product	Manifest	Implementation-	junit-vintage-engine	High

		Title		
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:\Version="5.13.4"	Low
Product	Manifest	specification-title	junit-vintage-engine	Medium
Version	file	version	5.13.4	High
Version	Manifest	Implementation-Version	5.13.4	High

Identifiers

- pkg:maven/org.junit.vintage/junit-vintage-engine@5.13.4 (*Confidence*:Highest)

maintenance.reporting.zip: maintenance.reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/maintenance.reporting.zip
/maintenance.reporting.jar

MD5: c6b134975aaf72eea8c436824298d4a4

SHA1: 5c95403cbba7d899583f8726416d322451bca092

SHA256: 83a706c19b15bd94d8ba26e043079fdee7c76ddb39bd985509ea79161da11bc9

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-11-05 17:43	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance.reporting	High

Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2025-11-05 17:43	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	maintenance.reporting	High
Product	Manifest	specification-title	maintenance.reporting	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

opentest4j-1.3.0.jar

License:

The Apache License, Version 2.0

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.opentest4j/opentest4j/1.3.0

/152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e/opentest4j-1.3.0.jar

MD5: 03c404f727531f3fd3b4c73997899327

SHA1: 152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e

SHA256: 48e2df636cab6563ced64dcdff8abb2355627cb236ef0bf37598682ddf742f1b

Referenced In Project/Scope: designer-installer:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	opentest4j	High
Vendor	gradle	artifactid	opentest4j	Highest
Vendor	gradle	groupid	org.opentest4j	Highest
Vendor	jar	package name	opentest4j	Highest
Vendor	jar	package name	opentest4j	Low
Vendor	Manifest	build-date	2023-07-06	Low

Vendor	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Vendor	Manifest	build-time	14:25:06.116+0200	Low
Vendor	Manifest	bundle-symbolicname	org.opentest4j	Medium
Vendor	Manifest	Implementation-Vendor	opentest4j.org	High
Vendor	Manifest	specification-vendor	opentest4j.org	Low
Product	file	name	opentest4j	High
Product	gradle	artifactid	opentest4j	Highest
Product	jar	package name	opentest4j	Highest
Product	Manifest	build-date	2023-07-06	Low
Product	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Product	Manifest	build-time	14:25:06.116+0200	Low
Product	Manifest	Bundle-Name	opentest4j	Medium
Product	Manifest	bundle-symbolicname	org.opentest4j	Medium
Product	Manifest	Implementation-Title	opentest4j	High
Product	Manifest	specification-title	opentest4j	Medium
Version	file	version	1.3.0	High
Version	Manifest	Implementation-Version	1.3.0	High

Identifiers

- [pkg:maven/org.opentest4j/opentest4j@1.3.0](https://maven.org.opentest4j/opentest4j@1.3.0) (Confidence: Highest)

pdfviewer.zip: pdfjs-dist.jar

Description:

WebJar for pdfjs-dist

License:

Apache-2.0

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfjs-dist.jar

MD5: 57149d661792caab7b262b841f199ca0

SHA1: 1dd919385c724d3caf7294f870cbfa3fc2185530

SHA256:55641dec5fc0d26127af3ec412c80234bc8c76e45639188034793c2205e8718a
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfjs-dist	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.pdfjs-dist	Medium
Vendor	pom	artifactid	pdfjs-dist	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	pdfjs-dist	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	pdfjs-dist	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	pdfjs-dist	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.pdfjs-dist	Medium
Product	pom	artifactid	pdfjs-dist	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	pdfjs-dist	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	4.9.155	High
Version	pom	version	4.9.155	Highest

Identifiers

- <pkg:maven/org.webjars.npm/pdfjs-dist@4.9.155> (*Confidence:High*)

pdfviewer.zip: pdfjs-dist.jar: package.json

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfjs-dist.jar/META-INF/resources/webjars/pdfjs-dist/4.9.155/package.json
MD5: f65798a4fb5f72545ae76304dcf58ed6

SHA1: 9a8fec5d3dbad5400bbbed30a0be7cb07c854f0f4
SHA256:5a3c6c424b00e9d9cc490b0e357197f1b099a2f91cf6aeb4dd5002f77e1155ce
Referenced In Project/Scope: designer-installer

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfviewer.jar
MD5: 8c2b95b3742bb7d03ca84339d912b038
SHA1: c2bc42fc980f671f66b2bdfafada7158c2c0da58
SHA256:23312305f1626b779ff40c032c21b7a7c01215bbea14b1244182b567022876d0
Referenced In Project/Scope: designer-installer

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	pdfviewer	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdf	Low
Vendor	jar	package name	viewer	Low
Vendor	Manifest	built-date	2025-11-05 17:47	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfviewer	High
Product	jar	package name	pdf	Low
Product	jar	package name	viewer	Low

Product	Manifest	built-date	2025-11-05 17:47	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	pdfviewer	High
Product	Manifest	specification-title	pdfviewer	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: drive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/drive/js/drive.js

MD5: a61df90ad012e9d4c83859788ec19151

SHA1: 9a3461f7171aa71cb5200a7dd1140a5dd4c1d86a

SHA256: b16d712ec3e0e24b89a91b1d6002f61ce094fcd6a2624ff9e67ad9722ee90dfb

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: pdfviewer.angular.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.angular.js

MD5: 1e0d22af5c77627a6485695f2bdd10d6

SHA1: 8b670f76b503826911b1a439f602be0cbfa95133

SHA256: 26990964368293ee401c9bec49dc5de654e654ef42b667aa62f12273e9546e3b

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: pdfviewer.embedded.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.embedded.js

MD5: 83c45e0d7293b9373aa727b5b46fad6f

SHA1: 501bddea7565a6ddfbcc28dbd28548db4c5e75a2

SHA256: ecb5a921e11426c887e8dfbaff8454aa16e4a7c5f73d59463e951f9ac89d3c9e

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: pdfviewer.factory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.factory.js

MD5: 70c61569c527fd7737957b471de5dd07

SHA1: 947a14d0e216a84e51575e6cc582df68c443ad1c

SHA256: 06b6d8369b50776cdb25f6a92a488a63b7abe3f529d8a0e4529070fa4a2f5404

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: pdfviewer.model.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.model.js

MD5: 65061f85ec23077b6c98875be7b46164

SHA1: 1bebe940057d69c75870d43e93b52806a127a040

SHA256: bac57cd12d9ba31c7e012c761b10c4764df23e8b132bd102cc640f8995ec1695

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: pdfviewer.renderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.renderer.js

MD5: d34b04e30b4d0d71a176ac708274aae7

SHA1: 485cbf2519f98dd3bec1159904ff4bc771dd7360

SHA256: ab00a5aa599e0c984409db9756b2bf415c6df469f0ccf92e0a59d1123237d62f

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: pdfviewer.reporting.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.reporting.js

MD5: da48dd4655e68609c373107cb5448021

SHA1: 85f7795753fd05c86b7f28417219a72258418869

SHA256: 58a1fd3c9e8fbb4803b10157f30292e58b9f418dc35409a616971280a3840552

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

processbridge.reporting.zip: processbridge.reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/processbridge.reporting.zip/processbridge.reporting.jar

MD5: 348ae781690854f8774f0c5a76441f36

SHA1: 926ddfc711c7dff31e3ccd505d60cb1f48313c34

SHA256: 2042beba9d1bec5d63b9e4f97861adddefa86f4a05fce30d23f3239258349b97

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	processbridge.reporting	High
--------	------	------	-------------------------	------

Vendor	jar	package name	inet	Low
--------	-----	--------------	------	-----

Vendor	jar	package name	processbridge	Low
--------	-----	--------------	---------------	-----

Vendor	jar	package name	report	Low
--------	-----	--------------	--------	-----

Vendor	Manifest	built-date	2025-11-05 17:46	Low
--------	----------	------------	------------------	-----

Vendor	Manifest	implementation-group	reporting	Low
--------	----------	----------------------	-----------	-----

Vendor	Manifest	Implementation-Vendor	i-net software	High
--------	----------	-----------------------	----------------	------

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
--------	----------	--------------------------	-----------------	--------

Vendor	Manifest	specification-	i-net software	Low
--------	----------	----------------	----------------	-----

		vendor		
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	processbridge.reporting	High
Product	jar	package name	api	Low
Product	jar	package name	processbridge	Highest
Product	jar	package name	processbridge	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2025-11-05 17:46	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	processbridge.reporting	High
Product	Manifest	specification-title	processbridge.reporting	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

promptdialog.zip: promptdialog.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/promptdialog.zip/promptdialog.jar

MD5: 3a0266d13ffb06ae234d84894310e611

SHA1: 1ddecb95adc4f20a0b4e62e664c05c1ec999a813

SHA256: 6f19f3e4ca54360b62c2dc4d7452c2b8182c64c7a2b98c5fda91f78cd2ca836b

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	promptdialog	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	promptdialog	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-11-05 17:47	Low
Vendor	Manifest	implementation-group	reporting	Low

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	promptdialog	High
Product	jar	package name	promptdialog	Highest
Product	jar	package name	promptdialog	Low
Product	jar	package name	report	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2025-11-05 17:47	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	promptdialog	High
Product	Manifest	specification-title	promptdialog	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptcontroller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/promptdialog.zip/promptdialog.jar
/com/inet/report/promptdialog/client/js/promptcontroller.js

MD5: 9a1030e31357faa7ff332e07f31b2013

SHA1: 719be987ccd3264d5d3d086f00c1aefb24e080

SHA256: 5da72dc8b28b981a4ae5ff12babe1ed24733a8e828f6734da7e32988bc276783

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptcustomrenderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptcustomrenderer.js

MD5: 4a2ab3e2f8b066e6c2faad02c1bf6c16

SHA1: e78d0c78e0a4222aa77bb5bab99d5686ceef8786

SHA256: 249dece5c3251a2ed48cf1d60b25c93f473b33e22ec83b8980a3907bdf267b47

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptfactory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptfactory.js

MD5: 8fdaefff173cebe93a61e37d38b411f5

SHA1: df01371336e4d20ec91101bd4183bda94b5fb6ea

SHA256: 2c84e71877b13721299f62b69e9daf89c9b20db27cb8e8ade6fd4528949b37b8

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptpanel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptpanel.js

MD5: 99d16b2383290d43cd354674196e40b0

SHA1: 03c6c2111b242719e26e7ebb64a1c5e89e6e540c

SHA256: 7863b068cfa31af1c989f23a8f888f7858759728968e0d0335b6d5ac7411eea4

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptrenderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptrenderer.js

MD5: 61c61ff08c770911316a7fef2450d6ba

SHA1: 9ab51332b7278bd9f50630cebbf0064101971b4b

SHA256: 6ee26567dca9cf9d36e34c332500b735c83732876a89fba13607cf332eb3b715

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

propertieschecker.sample.zip: propertieschecker.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/propertieschecker.sample.zip/propertieschecker.sample.jar

MD5: dbc1f030ed2548c8230abbe54f71ca0e

SHA1: 3407cb198aefc0abe77408910803edeb27bbe174

SHA256: 7cba9a5ece1b35d770314556f0495e22898df6b8f62d1d69abbe1757590a880f

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	propertieschecker.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	propertieschecker	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2025-11-05 17:28	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	propertieschecker.sample	High
Product	jar	package name	propertieschecker	Highest
Product	jar	package name	propertieschecker	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2025-11-05 17:28	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	propertieschecker.sample	High
Product	Manifest	specification-title	propertieschecker.sample	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

remoteprinting.zip: remoteprinting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar
MD5: e9c6c1930bbe2dfdc1a57ef971d77dd3
SHA1: bef957a6792829d38a4fc4fae1a8902a1ff75160
SHA256:f55b635562d37b33e5a8b76921286f890dc2bfb2355b75d6e44ac1987e28bdaf
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	remoteprinting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remoteprinting	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-11-05 17:44	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	remoteprinting	High
Product	jar	package name	remoteprinting	Highest
Product	jar	package name	remoteprinting	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2025-11-05 17:44	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	remoteprinting	High
Product	Manifest	specification-title	remoteprinting	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: RemotePrintingRenderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/usersandgroups/ui/RemotePrintingRenderer.js

MD5: 311da5e94edd3b1633ef74f41d8535c4

SHA1: 82d52fb3ffbc3f7d740a5577b2e008ef5b14e9cf

SHA256: 8e874308aebd3107ccbaa1e31261df485993743305fcde33f26eb70b4396353c

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: app.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/app.js

MD5: e9d58ab93114f2f8c4846419ad3cb610

SHA1: be2fba1f2b2bb90a425e152468d58c4c3dad1fa4

SHA256: b5093c6a851aea8903fbea75bc7017fbf41db5a2af493c54ab990f3e43b7455c

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: htmlviewer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar

/com/inet/report/remoteprinting/resources/js/htmlviewer.js

MD5: 2a3040ebe6be31144a6c18dd266493b8

SHA1: 830bfecfc5bb6ccaa82b258089d7c805385446b6

SHA256: c355fe9bda5e2d30ed2828f4699935c5f185224260e91f108a17f3bfb8ec5f51

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: pdfviewer.angular.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar
/com/inet/report/remoteprinting/resources/js/pdfviewer.angular.js

MD5: d60d18a2dca3c15d611f1456193c3c11

SHA1: 0b6623f3d7e631aa00b4d8a2e21b60fd2fcf8869

SHA256: 7cf145f10067d00f2f10e9d630f406c786b8e0982ca83926afbb60dae89b65a8

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: remoteprinting.factory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar
/com/inet/report/remoteprinting/resources/js/remoteprinting.factory.js

MD5: c2d54900f0269c6d6014cfddd17b2eb4

SHA1: c7e01abe54655b7e94276834bcdf211425bf5b71

SHA256: 70edbfc77a2eabbbdbe35cd95ec2a666b9a3eab65345a262be3674f34d91971

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: remoteprinting.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.js

MD5: 16a56a1a971953b07d0095d52081f748

SHA1: 24aea6fb2289f6031482fe451ff7edb2c33272ab

SHA256:a837a1b694adb622c3a74c148ebfee89e1e502a2544f57f4b56a076a8c1ca4a4

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: remoteprinting.model.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.model.js

MD5: 434c0bfe160b59fa89c7c39e0352b205

SHA1: 7ecff74133eab2fa44190e6d93ff8f44b92a66e7

SHA256:52159b25c45bbcb73ce401e498ad886b7a4376531bf845598420fbaf573d4d66

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: remoteprinting.renderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar
/com/inet/report/remoteprinting/resources/js/remoteprinting.renderer.js

MD5: 4cdf7ac9afdd2a1c7265643e2919560f

SHA1: 259f22c23b948bd7290d4044a26f69afdc6de13b

SHA256: 2b4ed3f2ff1ac406e3b87818b80b6dad3fcb8a191432cbef5bf556fadb057d8e

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: jcommon.jar

Description:

JCommon is a free general purpose Java class library that is used in several projects at www.jfree.org, including JFreeChart and JFreeReport.

License:

GNU Lesser General Public Licence: <http://www.gnu.org/licenses/lgpl.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/jcommon.jar

MD5: 3872e82627df950d40a949144a93e491

SHA1: d5016f7703896c38f9e511f8a9edda2585cbac8b

SHA256: 13e2596044935f76694cce65a22d1df908907ddcba0da2b49ff030930262d417

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jcommon	High

Vendor	jar	package name	jcommon	Highest
Vendor	jar	package name	jfree	Highest
Vendor	jar	package name	jfree	Low
Vendor	jar	package name	library	Highest
Vendor	jar	package name	ui	Low
Vendor	pom	artifactid	jcommon	Low
Vendor	pom	developer email	dave@jfree.org	Low
Vendor	pom	developer name	David Gilbert	Medium
Vendor	pom	developer org	Object Refinery Limited	Medium
Vendor	pom	developer org URL	http://www.object-refinery.com	Medium
Vendor	pom	groupid	org.jfree	Highest
Vendor	pom	name	JCommon	High
Vendor	pom	organization name	JFree.org	High
Vendor	pom	organization url	http://www.jfree.org/	Medium
Vendor	pom	url	http://www.jfree.org/jcommon/	Highest
Product	file	name	jcommon	High
Product	jar	package name	jcommon	Highest
Product	jar	package name	jfree	Highest
Product	jar	package name	library	Highest
Product	jar	package name	ui	Low
Product	pom	artifactid	jcommon	Highest
Product	pom	developer email	dave@jfree.org	Low
Product	pom	developer name	David Gilbert	Low
Product	pom	developer org	Object Refinery Limited	Low
Product	pom	developer org URL	http://www.object-refinery.com	Low
Product	pom	groupid	org.jfree	Highest
Product	pom	name	JCommon	High
Product	pom	organization name	JFree.org	Low
Product	pom	organization url	http://www.jfree.org/	Low
Product	pom	url	http://www.jfree.org/jcommon/	Medium
Version	pom	version	1.0.24	Highest

Identifiers

- [pkg:maven/org.jfree/jcommon@1.0.24](https://maven.org/jfree/jcommon@1.0.24) (Confidence:High)

reporting.zip: jfreechartCC.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/jfreechartCC.jar

MD5: 989ad2bd2fa66eab83855a03404b7099

SHA1: ff190f7843bdf3a125ab146bea80c8e7a3e72641

SHA256: d6cf347284c2b661924a5870b4e92f8632d877b1c1e5fa9f0dced5ddfc41d955

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jfreechartCC	High
Vendor	jar	package name	chart	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	jfree	Low
Vendor	Manifest	built-date	2025-11-05 17:26	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	jfreechartCC	High
Product	jar	package name	chart	Low
Product	jar	package name	jfree	Low
Product	Manifest	built-date	2025-11-05 17:26	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	jfreechartCC	High
Product	Manifest	specification-title	jfreechartCC	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

reporting.zip: reporting-javadoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar

MD5: 1ae5c0c249fdcabaf8801ad16be216f8

SHA1: fc0eda3a06101c72412df2467490db2f16b6c6d4

SHA256: e41efc41ee1e6c95bce7bd0998e156419380bb1117370fe01c189b3669e445eb

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	reporting-javadoc	High
Product	file	name	reporting-javadoc	High

Identifiers

- None

reporting.zip: reporting-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/member-search-index.js

MD5: 4e156314aab662d8bd20e04d1e7051b4

SHA1: 513dc09a501c027f8a199108eca2742b6b0137cf

SHA256: 80a6415178fb8e4ed93b07032a47eb453a3e350e3257497ba928c5c6fbfecbd3

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/package-search-index.js

MD5: 2c0f8742f3f9b12b580ebbb1d05b246c

SHA1: 4ab261d1781d9f77c131e641ec031d38e39a0444

SHA256: 40e580f6c42f5eaad108580601b9279ee0d06eb1b35574573d0d2a3798580d82

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting-javadoc.jar: tag-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/tag-search-index.js

MD5: 95810a7878ddd3f49d938eb6b5c0f1b2

SHA1: 4d0358e131242bfb1a29d1db368e9e24381ad979

SHA256: e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/type-search-index.js
MD5: 8008687a1ad6ed821adc84cca8826520
SHA1: a21713c3a63548a6651afc41259760ad85b6226d
SHA256:a9e4cb81069076017cfaf4566173432128024441225b5c4d9bc20a04637f5416
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar
MD5: d01816c4fbd6e8cc6590a56289d30ddc
SHA1: 6b89fbfb95d024cd5bc3ffe971dcb28337b14f21
SHA256:5e0acb24085d68ebeac51972568097563032359e8218b49b25f54828a0ad0f8d
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	reporting	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-11-05 17:29	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	reporting	High
Product	jar	package name	permissions	Highest
Product	jar	package name	report	Low
Product	jar	package name	reporting	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-11-05 17:29	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	reporting	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	reporting	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	permissions	Highest
Version	jar	package name	reporting	Highest
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

reporting.zip: reporting.jar: events.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/events.js
MD5: 867af7b9527093452195d3057166a9ca

SHA1: e4856efc3e95a20f25beff5da4ce9b907c3a1575
SHA256: c342986741d1c87b03bfc899d7640ab9267f3e95c5a744e75c5ee12c321f2408
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: export.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/export.js
MD5: 25d677f9db7379990f234c6e0e8a3eca
SHA1: 36c595def0ffb9bd0f3d8d648cf3d68c9bd8a70e
SHA256: 31874fa566bc0532b344ede59518de718ec056b5fccff2b30bfc5130d1ec0d7d
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: functions.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/functions.js
MD5: 4cd489d3699e18018f4ee1c88710a066
SHA1: 1fea1856f278aa8a929db3b5dca00fc44bc6de0d
SHA256: 31dd7b3daef9e4ca25bf78e180523407ff4d332f987eb9223b63e36ef4d7f93e
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: generator.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/generator.js
MD5: d98c2ca06a72837183dc17a3eeec0039
SHA1: cfa6d7f381d3cb43b6702884df53b0fa08149fc8
SHA256:b865ad0a07fa5779ed8ae8610cf3129c95c79337b20cbe479477b13d2c83d876
Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: grouptree.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/grouptree.js
MD5: 03effe09b42d19447ffc8cb035ef827f
SHA1: 3c8c2af60ab10e237af37bbf3a0a2d6106870cde
SHA256:9cbd9e01ec128a9fd563ee1dbe271e644b68b75f50cabf37a6312b21ed61f6a3
Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: htmlreportextension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/htmlreportextension.js

MD5: 4a91827e853ef0bf19cf06f343e18e98

SHA1: fda14009355a1098b25c75a307900e27d43a5e09

SHA256: 004b3358d2bc621a7bb7c3b3f7e350876ed7904cd41c4d51d88533babf4cf590

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: jstorage.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/jstorage.js

MD5: 8078b278235f9eb8cf63b1474a1362db

SHA1: feb74af17fb5ba7b01c4ad997759ec21ac685ad5

SHA256: 9d86bf1ad26f873ca615b15fc8cab964e332fa363317b8569c3f624fc947d8a8

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: keylistener.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/keylistener.js
MD5: 54d50496c4b43d4c78c30facfd01809d
SHA1: 9e29b6d13b0478339596ac131e214c605e10fa0d
SHA256: 29f7a3a51b8d139109d0165111d062e6e9ecd2c2d90de1e99b539da6c2e966bf
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: menubar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/menubar.js
MD5: e26148c5b4c16d3da8a96dea494c4593
SHA1: 51cfaf2c4e1813b5512e500513da3d32e7ad7b61
SHA256: 28ec27cd322d861cb53ad7eb536618f64a33ba0e16b16392d22bf9609c35042a
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: page.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/page.js
MD5: 214a1cd3653bb9aa3cec9078e6ee3316

SHA1: edb8d66493699591d0202d1a14b8f34af49daa75
SHA256: c559154fab98f5343d44cb8c02a2203f800eabd9e13d1fd9dd926440ee5fe825
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: pagecount.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/pagecount.js
MD5: c6823ab782e12fa9e9c0325321ab0011
SHA1: facbdd75d7176e5809cebd5d5702cfbb0bf677ac
SHA256: 5d189f3efc0e10f5c5e85964e89ffde18c81a1279c9132c64453f2a149423a5e
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: popup.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/popup.js
MD5: c3941efe0d33e1e9b046fccd239033cb
SHA1: 53951b79a3c0e93768dd4043b3d16d884fc2c7ca
SHA256: 0ed137328526d278076dcab6bfac9792717dadda6c0776cc839710fa0f1e49a3
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: print.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/print.js
MD5: f8fec5b39e4c5055f35e01c926e8b959
SHA1: b4f6666f078b60a130ec12b993d2884b2d3f81e7
SHA256:2e3276591241b179642f2159147f317f020fc03df408dfbe6f8d370cd04f5824
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: prompts.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/prompts.js
MD5: 2f5c5a5ef5cb256a9821ea4d1d6419c0
SHA1: 06cbaf426406533188f8071ebb9bb7d393c7b0fe
SHA256:cbe5282d8ec16c52ca33a3ab53f17eca55024fb744c06f489d61d7579f124fea
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: prototype.array.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.array.js

MD5: c69ba575e53ba415b800f18386ce2d65

SHA1: 968d437fa28bd784a3dac6a58d090027bf8e0563

SHA256: 6dcde95b98fa808923a311e7b4a345da4c1b3df17ea2554294d6ef47e871dad5

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: prototype.element.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.element.js

MD5: b51b2dd46fafbff64c30ff2e731c814d

SHA1: ea525bae8dd23860d1b8202869a316626af91c26

SHA256: bd28001d8f95e450a5aed4bcd72851bbc126f9f5efb13feba698c034774a06ff

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: prototype.string.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.string.js
MD5: f0bb166a036ca364a6c047d345fc9a0e
SHA1: d491f3851e9aa5d8fd70d4139669635eb5cdd1b0
SHA256: fd0fc8d93a6bce3d07ec8a7db922110e3d15f5f0a7a66562599f9b369b6f6f30
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: renderreportextension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/renderreportextension.js
MD5: e4f2d17c10a193f2e46e30c80de52d09
SHA1: d37d5dc99e12ada04ae0737c180ced7fef7450c7
SHA256: ddf8e053d7cd180056fdd26cd15e3e269b917ce948d11b7a487dd6d000dc5051
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: reorder.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/reorder.js
MD5: c2f6f517d3d3f572c54fe096339ff49d

SHA1: a429dd95146869f4ab9b00c3611947ddf6b91d1a
SHA256: d4dbc3e3b8d16c84dc14e11b1e02ed413473d7d8da48b2c733f8c7024179f7fd
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: report.export.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.export.js
MD5: 11b5592b08b3a2f21b98843222cb5c99
SHA1: d2b4b4fd948c46fbb8d18d5f26ddbdfc243b676d
SHA256: 95bfb6ccb730c142642ebafe6267fb4f2d94703b26c26084ac9073d75f14ebed
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: report.exportdialog.controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportdialog.controller.js
MD5: 33165ad89f5e1337a51632847b2d0e27
SHA1: 5d2c08233db36cafec84fdf42311ea706c186980
SHA256: 2e5f124cbc095e6af716907a4f7a2222563c5f198f7b80c115807d3dd20293a5
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: report.exportdialog.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportdialog.service.js
MD5: e0c64da7a618e8b61743ab3f796e480f
SHA1: b3f3b1820ac805200784c2a04a8e9e0c5c6a773d
SHA256:e57c19851718e326461b09834966d70d0de3d3ce09f1656d16afe7f88f2807e7
Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: report.exportframe.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportframe.js
MD5: 2c9f57a3ef5d760bc9f1fe6d344384da
SHA1: a2562e63bc825ea8eeaaea75a98e09c2a6be7186
SHA256:f4417bf8d9d1430364d95d6e8eebffa28cc97c6cb34346e78d0612d5842d02a
Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: script.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/script.js

MD5: 9237075ecd44006d5ab48177001c5314

SHA1: fe08bb48bf207cdc0ff4e2d776b59672f965518

SHA256: bf5ee8cda7861d90ae35343c6233ccb210da8860285def9b47d20057685f97ba

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: search.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/search.js

MD5: faa3f4fb9604ed70bec53256b055ffa6

SHA1: 892688617be684946fa39098413d0c55d9e769cc

SHA256: ea1c42a5640880562ea7639e1c6ff2bb1af2496964ce572c64fa7735b51a5f6f

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: serverping.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/serverping.js
MD5: 6124f0f67286f7e3fbf239bdc4988d95
SHA1: aa0bb794c4e5c40bf4a7e580e251c2d15ae09e1d
SHA256:f688956f4c5cba792d04903423d249f8eeaeffe37e3537b723f10572cf0d66d8
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: stacktrace.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/stacktrace.js
MD5: e9687f11beba8f607c0c98af4eb0cc94
SHA1: f92f65d1f27fad2febcc8ad23824f10f51cc722b
SHA256:0b4e8ce367ded3ec4d68ff2fa931958f8e3d99d649e7175b4a1e62f27cf15701
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: tabbar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/tabbar.js
MD5: fdb707b4dc212e365bff1fa637bbfa32

SHA1: 14e364be23b61f3f94427a79ce8c0f87bb186c04
SHA256:f9e18e41672898499dd50f0e802618952e153ddb40c052148dff9edce742a0ba
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

sampledatabase.zip: sampledatabase.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/sampledatabase.zip
/sampledatabase.jar
MD5: f8485dbe2b738d5a7e408938dfc0231c
SHA1: 615ddc2c9c9ae9f97f5122ed543ef241ba218b6f
SHA256:7b45499524d69476a63d69bdaf3204c4c66fa68722cc55cbc2ba90397d58215b
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	sampledatabase	High
Vendor	jar	package name	designer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	sampledatabase	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-11-05 17:43	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	sampldatabase	High
Product	jar	package name	designer	Low
Product	jar	package name	sampldatabase	Highest
Product	jar	package name	sampldatabase	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-11-05 17:43	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	sampldatabase	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	sampldatabase	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

sampledatabase.zip: smallsql.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/sampledatabase.zip/smallsql.jar

MD5: a85e63aac9630d46b06baaf8e405085a

SHA1: bc3097212ad32b21b2fd14ec0fa68e369a6e17f0

SHA256: fdc0c0d1883046fd8b0b8155ce94b2e1d6642679d51842ccc1c5b5343f9519a4

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	smallsql	High
Vendor	jar	package name	database	Low
Vendor	jar	package name	smallsql	Low
Product	file	name	smallsql	High
Product	jar	package name	database	Low

Identifiers

- None

samlereports.zip: samlereports.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/samlereports.zip/samlereports.jar

MD5: 40998d12afbcb9d331dc9401a1c37aaa

SHA1: 5f66ae413821320bd04ea4d9bd5723d466fd0a4d

SHA256: 8b3d8e4ac40d4c58c514083d0a9ff2d307d40811cbade86e3ed898ebda8321b6

Referenced In Project/Scope: designer-installer

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	samlereports	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2025-11-05 17:43	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	samlereports	High
Product	jar	package name	report	Low

Product	jar	package name	samples	Low
Product	Manifest	built-date	2025-11-05 17:43	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	samlereports	High
Product	Manifest	specification-title	samlereports	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

sessiondatasource.sample.zip: sessiondatasource.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/sessiondatasource.sample.zip
/sessiondatasource.sample.jar

MD5: 4a78b8633e9c01c496a4f32080a39639

SHA1: 6aa288300fc5786843010d70d8bedab9e4e8b522

SHA256:1d5d2716a67785c93d4269cdadc518a79f34629dd77d055584b0ef85c1d60ff9

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	sessiondatasource.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	jar	package name	session	Low
Vendor	Manifest	built-date	2025-11-05 17:28	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	sessiondatasource.sample	High
Product	jar	package name	datasource	Low
Product	jar	package name	samples	Low
Product	jar	package name	session	Low
Product	Manifest	built-date	2025-11-05 17:28	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	sessiondatasource.sample	High
Product	Manifest	specification-title	sessiondatasource.sample	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

slf4j-api-2.0.16.jar

Description:

The slf4j API

License:

<http://www.opensource.org/licenses/mit-license.php>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.slf4j/slf4j-api/2.0.16/172931663a09a1fa515567af5fbef00897d3c04/slf4j-api-2.0.16.jar

MD5: c8de8f5d740584cb24b5652cfba8b3c4

SHA1: 0172931663a09a1fa515567af5fbef00897d3c04

SHA256: a12578dde1ba00bd9b816d388a0b879928d00bab3c83c240f7013bf4196c579a

Referenced In Projects/Scopes:

- designer-installer
- designer-installer:inetPlugin

Included by: pkg:maven/clear-reports/designer-installer@25.10

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	slf4j-api	High
Vendor	gradle	artifactid	slf4j-api	Highest
Vendor	gradle	groupid	org.slf4j	Highest

Vendor	jar	package name	slf4j	Highest
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	http://www.slf4j.org	Low
Vendor	Manifest	bundle-symbolicname	slf4j.api	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	slf4j-api	Low
Vendor	pom	groupid	org.slf4j	Highest
Vendor	pom	name	SLF4J API Module	High
Vendor	pom	parent-artifactid	slf4j-parent	Low
Vendor	pom	url	http://www.slf4j.org	Highest
Product	file	name	slf4j-api	High
Product	gradle	artifactid	slf4j-api	Highest
Product	jar	package name	slf4j	Highest
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	http://www.slf4j.org	Low
Product	Manifest	Bundle-Name	SLF4J API Module	Medium
Product	Manifest	bundle-symbolicname	slf4j.api	Medium
Product	Manifest	Implementation-Title	slf4j-api	High
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	slf4j-api	Highest
Product	pom	groupid	org.slf4j	Highest
Product	pom	name	SLF4J API Module	High
Product	pom	parent-artifactid	slf4j-parent	Medium
Product	pom	url	http://www.slf4j.org	Medium
Version	file	version	2.0.16	High
Version	gradle	version	2.0.16	Highest
Version	Manifest	Bundle-Version	2.0.16	High
Version	Manifest	Implementation-Version	2.0.16	High
Version	pom	version	2.0.16	Highest

Related Dependencies



- facturx.zip: slf4j-api.jar

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/slf4j-api.jar
- MD5: c8de8f5d740584cb24b5652cfba8b3c4
- SHA1: 0172931663a09a1fa515567af5fbef00897d3c04
- SHA256: a12578dde1ba00bd9b816d388a0b879928d00bab3c83c240f7013bf4196c579a
- pkg:maven/org.slf4j/slf4j-api@2.0.16

Identifiers

- pkg:maven/org.slf4j/slf4j-api@2.0.16 (Confidence:High)

statistics.reporting.zip: statistics.reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/statistics.reporting.zip/statistics.reporting.jar

MD5: b1fbb368d3bee31f062b19506b5c4598

SHA1: dad24cdd321a8fa1ace14c8cd8a4773682c7e4c6

SHA256: 6d34f7f3dd5cff8ace537e8576d3702a3d6945b7c8a65a855b8c5395bf1bd50b

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	statistics.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	statistics	Low
Vendor	Manifest	built-date	2025-11-05 17:43	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	statistics.reporting	High
Product	jar	package name	report	Low
Product	jar	package name	reports	Low
Product	jar	package name	statistics	Highest

Product	jar	package name	statistics	Low
Product	Manifest	built-date	2025-11-05 17:43	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	statistics.reporting	High
Product	Manifest	specification-title	statistics.reporting	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar
MD5: 0870c25a56e012ffa521850ea17f3c50
SHA1: 7143d168f79bf3353e3293834f7047e3ce676c80
SHA256: d082ca36f722df5a47feffe41c6d6105c5dea15f825be3e49748299caf3ecf87
Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.reporting-javadoc	High
Product	file	name	taskplanner.reporting-javadoc	High

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/member-search-index.js

MD5: de0f18bbc2da1ad408139283b4db3733
SHA1: f68de53642127720d1963b4ab6c535d15ed552d7
SHA256: 0d1f6e53fd3c81e1f4fb21e5950525b18aac5b2d0d386897590336f6def7a528
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/package-search-index.js

MD5: 53fb7ab8ab8de6b33f33254e2c32fbc9
SHA1: f9bac0ca4dca6228416bed44f903f85acc19d969
SHA256: 4dc686e5e4b0138073c3ffc1106bea2df96559da6d6e7d7ec2273bb12978c8ed
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: tag-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/tag-search-index.js

MD5: 3236248138000d701400e0346999c1a8
SHA1: 565146643a30712208f9299bd94a37566eab76b8
SHA256: 72960c457566fe509fb1610d2612152b3f78b15485c891197f1053febdf8f8d1
Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/type-search-index.js

MD5: b0dcdeedc2201c62287cfb168bca35f5

SHA1: aabb00fe2be134923fb716b9b6d1909e247d0dfa

SHA256:c655265fb2ffb91913da0407621313cf8139ee6bf04a9374cde419395878e64e

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting.jar

MD5: c35491dcfe3019ea6a7b325062f4c261

SHA1: 1efc1ef7fe69a9ec714f70abc2f7d422eb5f609

SHA256:67a1fd72179919c4f3f40c6de17ebdaf8739234c73e8bb9ded0380a46757f3af

Referenced In Project/Scope: designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low

Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2025-11-05 17:44	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.reporting	High
Product	jar	package name	report	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2025-11-05 17:44	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	taskplanner.reporting	High
Product	Manifest	specification-title	taskplanner.reporting	Medium
Version	Manifest	Implementation-Version	25.10.233	High

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting.jar: crttaskplanner.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip
 /taskplanner.reporting.jar/com/inet/report/taskplanner/client/crttaskplanner.js

MD5: ea3fd5ef6a70616ed664aaeb73227b89

SHA1: 38cee119cd4daac08a3949a972643854a1b2acc5

SHA256: 83b12efacba175acc1938d90d8bdb8f3f94802f94d39fc11dbd5a08417ef03e0

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

Suppressed Vulnerabilities



adhoc.zip: adhoc-javadoc.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar/script-dir/jquery-ui.min.js

MD5: 32059df39c14a910ccc2325f6a3cd62f

SHA1: d3289f1b527a3f054d303ec769402e037fbcf4b

SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.13.1	High

Related Dependencies



- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir/jquery-ui.min.js
 - MD5: 32059df39c14a910ccc2325f6a3cd62f
 - SHA1: d3289f1b527a3f054d303ec769402e037fbcf4b
 - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2022-31160](#) suppressed

jQuery UI is a curated set of user interface interactions, effects, widgets, and themes built on top of jQuery. Versions prior to 1.13.2 are potentially vulnerable to cross-site scripting. Initializing a checkboxradio widget on an input enclosed within a label makes that parent label contents considered as the input label. Calling `.checkboxradio("refresh")` on such a widget and the initial HTML contained encoded HTML entities will make them erroneously get decoded. This can lead to potentially executing JavaScript code. The bug has been patched in jQuery UI 1.13.2. To remediate the issue, someone who can change the initial HTML can wrap all the non-input contents of the `label` in a `span`.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-h6gj-6jjq-h8g9>
- info - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fcf96bf5862c5646c787020ba3f9>
- info - <https://github.com/jquery/jquery-ui/issues/2101>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2022-31160>
- security-advisories@github.com - [EXPLOIT,MITIGATION,RELEASE_NOTES,THIRD_PARTY_ADVISORY](#)
- security-advisories@github.com - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)
- security-advisories@github.com - [PATCH,THIRD_PARTY_ADVISORY](#)
- security-advisories@github.com - [RELEASE_NOTES,VENDOR_ADVISORY](#)
- security-advisories@github.com - [THIRD_PARTY_ADVISORY](#)
- security-advisories@github.com - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.0:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.1:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.2:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.3:*:*:*:*:drupal:*:*
- cpe:2.3:a:jqueryui:jquery:*:*:*:*:jquery:*:* versions up to (excluding) 1.13.2
- cpe:2.3:a:netapp:oncommand_insight:*:*:*:*:*:netapp:*:*

decoder.svg.zip: xmlgraphics-commons.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/xmlgraphics-commons.jar

MD5: ec712218e2391e64672fd8ed1e9e1d71

SHA1: 336ddd6d0a244cdebf26a298fb7c3a5fd45449db

SHA256: 1fe37a1927bdd699730f0ad39f50a699c9ab4dff0ad047dff1e846cb120ae2b1

Referenced In Project/Scope: designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	xmlgraphics-commons	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	apache	Low
Vendor	jar	package name	xmlgraphics	Highest
Vendor	jar	package name	xmlgraphics	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation (http://xmlgraphics.apache.org/)	High
Product	file	name	xmlgraphics-commons	High
Product	jar	package name	apache	Highest
Product	jar	package name	xmlgraphics	Low
Product	Manifest	Implementation-Title	Apache XML Graphics Commons	High
Version	Manifest	build-id	20220112-112401-GMT	Medium
Version	Manifest	Implementation-Version	2.7	High

Suppressed Identifiers

- cpe:2.3:a:apache:commons_net:2.7:*:*:*:*:* **suppressed** (*Confidence:Low*)
 - Notes: XML Graphics Common has a false positive match on Apache Commons Net

Suppressed Vulnerabilities

[CVE-2021-37533](#) **suppressed**

Prior to Apache Commons Net 3.9.0, Net's FTP client trusts the host from PASV response by default. A malicious server can redirect the Commons Net code to use a different host, but the user has to connect to the malicious server in the first place. This may lead to leakage of information about services running on the private network of the client. The default in version 3.9.0 is now false to ignore such hosts, as cURL does. See <https://issues.apache.org/jira/browse/NET-711>.

CWE-20 Improper Input Validation

CVSSv3:

- MEDIUM (6.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:N/A:N/E:2.8/RC:R/MAV:A

References:

- security@apache.org - [ISSUE_TRACKING,MAILING_LIST,THIRD_PARTY_ADVISORY](#)
- security@apache.org - [ISSUE_TRACKING,MAILING_LIST,VENDOR_ADVISORY](#)
- security@apache.org - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)
- security@apache.org - [THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions:

- [cpe:2.3:a:apache:commons_net:*:*:*:*:* versions up to \(excluding\) 3.9.0](#)

This report contains data retrieved from the [National Vulnerability Database](#).

This report may contain data retrieved from the [CISA Known Exploited Vulnerability Catalog](#).

This report may contain data retrieved from the [Github Advisory Database \(via NPM Audit API\)](#).

This report may contain data retrieved from [RetireJS](#).

This report may contain data retrieved from the [Sonatype OSS Index](#).