



Dependency-Check is an open source tool performing a best effort analysis of 3rd party dependencies; false positives and false negatives may exist in the analysis performed by the tool. Use of the tool and the reporting provided constitutes acceptance for use in an AS IS condition, and there are NO warranties, implied or otherwise, with regard to the analysis or its use. Any use of the tool and the reporting provided is at the user's risk. In no event shall the copyright holder or OWASP be held liable for any damages whatsoever arising out of or in connection with the use of this tool, the analysis performed, or the resulting report.

[How to read the report](#) | [Suppressing false positives](#) | [Getting Help: github issues](#)

Project: project ':server'

clear-reports:server:26.4

Scan Information ([show all](#)):

- *dependency-check version*: 12.2.1
- *Report Generated On*: Fri, 7 Aug 2026 18:38:05 +0200
- *Dependencies Scanned*: 1604 (1498 unique)
- *Vulnerable Dependencies*: 0
- *Vulnerabilities Found*: 0
- *Vulnerabilities Suppressed*: 140 ([show](#))
- ...
- *NVD API Last Checked*: 2026-08-07T16:34:41Z
- *NVD API Last Modified*: 2026-08-06T22:18:33Z
- *NVD Cache Last Checked*: 2026-08-07T16:34:41Z
- *NVD Cache Last Modified*: 2026-08-06T22:18:33Z

Summary

Summary of Vulnerable Dependencies ([click to show all](#))

Dependency	Vulnerability IDs	Package	Highest Severity
BarcodePDF417Bean.jar			
Fositex.jar			
ICSharpCode.SharpZipLib.dll	cpe:2.3:a:sharpziplib_project:sharpziplib:1.4.2:*:*:*:*:*	pkg:generic/ICSharpCode.SharpZipLib@1.4.2	
JBarcodeBean.jar			
JGaugeBean.jar			
Merlia-0.jar		pkg:maven/lib/Merlia@0	
Oranxo.jar			
ReportViewer.jar	cpe:2.3:a:inetsoftware:clear_reports:26.4.321:*:*:*:*:* cpe:2.3:a:inetsoftware:inet_clear_reports:26.4.321:*:*:*:*:*		

[ReportViewerWinForms.csproj](#)

[ReportViewerWinFormsTests.csproj](#)

[Syto.jar](#)

[ZxingBarCodes.jar](#)

[adhoc.zip: adhoc-javadoc.jar](#)

[adhoc.zip: adhoc-javadoc.jar: jquery-3.7.1.min.js](#)

[adhoc.zip: adhoc-javadoc.jar: jquery-ui.min.js](#)

[adhoc.zip: adhoc-javadoc.jar: member-search-index.js](#)

[adhoc.zip: adhoc-javadoc.jar: module-search-index.js](#)

[adhoc.zip: adhoc-javadoc.jar: package-search-index.js](#)

[adhoc.zip: adhoc-javadoc.jar: script.js](#)

[adhoc.zip: adhoc-javadoc.jar: search-page.js](#)

[adhoc.zip: adhoc-javadoc.jar: search.js](#)

[adhoc.zip: adhoc-javadoc.jar: tag-search-index.js](#)

[adhoc.zip: adhoc-javadoc.jar: type-search-index.js](#)

[adhoc.zip: adhoc.jar](#)

[adhoc.zip: adhoc.jar: adhoc.ai.panel.js](#)

[adhoc.zip: adhoc.jar: adhoc.chartresizeobserver.js](#)

[adhoc.zip: adhoc.jar: adhoc.componentresizeobserver.js](#)

[adhoc.zip: adhoc.jar: adhoc.openfiledropzone.js](#)

[adhoc.zip: adhoc.jar: adhoc.pageheadertoolbar.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportcomponentview.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportpropertiesarea.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.printconverter.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.access.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.boolean.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.color.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.colorscheme.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.columns.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.filter.js](#)

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer. image.select.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer. logo.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer. select.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer. slider.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer. source.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer. templatesource.js			
adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer. text.js			
adhoc.zip: adhoc.jar: adhoc.reportview.js			
adhoc.zip: adhoc.jar: adhoc.toolbar.js			
adhoc.zip: adhoc.jar: adhoccontroller.js			
adhoc.zip: adhoc.jar: adhocfactory.js			
adhoc.zip: adhoc.jar: adhocmodel.js			
adhoc.zip: adhoc.jar: configuration.adhoc.templates. edit.js			
adhoc.zip: adhoc.jar: configuration.adhoc.templates.js			
adhoc.zip: adhoc.jar: configuration.adhoc.themes.edit. js			
adhoc.zip: adhoc.jar: configuration.adhoc.themes.js			
adhoc.zip: adhoc.jar: dashboard-widget-adhoc.js			
adhoc.zip: adhoc.jar: openadhocextension.js			
adhoc.zip: adhoc.jar: renderadhocextension.js			
adhoc.zip: adhoc.jar: ui-dashboard- adhocomponentselection.js			
ai.zip: ai.jar			
ai.zip: ai.jar: aiprovider_config.js			
ai.zip: ai.jar: aiworkingpanel.js			
annotations-3.0.1.jar (shaded: com.google.code. findbugs/jsr305:3.0.1)		pkg:maven/com. google.code. findbugs/jsr305@3. 0.1	
annotations-3.0.1.jar		pkg:maven/com. google.code. findbugs /annotations@3.0.1	
application.currenttime.sample.zip: application. currenttime.sample.jar			
application.currenttime.sample.zip: application.			

currenttime.sample.jar: sampleapplication.js			
application.embedded.sample.zip: application.embedded.sample.jar			
application.embedded.sample.zip: application.embedded.sample.jar: embeddedMode.js			
application.googleanalytics.sample.zip: application.googleanalytics.sample.jar			
application.googleanalytics.sample.zip: application.googleanalytics.sample.jar: googleanalytics.js			
application.googleanalytics.sample.zip: application.googleanalytics.sample.jar: jquery.cookiebar.js			
application.helloworld.sample.zip: application.helloworld.sample.jar			
authentication.ldap.zip: authentication.ldap.jar			
authentication.oauth.ex.sample.zip: authentication.oauth.ex.sample.jar			
authentication.oauth.zip: authentication.oauth-javadoc.jar			
authentication.oauth.zip: authentication.oauth-javadoc.jar: member-search-index.js			
authentication.oauth.zip: authentication.oauth-javadoc.jar: package-search-index.js			
authentication.oauth.zip: authentication.oauth-javadoc.jar: tag-search-index.js			
authentication.oauth.zip: authentication.oauth-javadoc.jar: type-search-index.js			
authentication.oauth.zip: authentication.oauth.jar			
authentication.oauth.zip: jjwt-api.jar		pkg:maven/io.jsonwebtoken/jjwt-api@0.13.0	
authentication.oauth.zip: jjwt-impl.jar		pkg:maven/io.jsonwebtoken/jjwt-impl@0.13.0	
authentication.pam.zip: authentication.pam.jar			
authentication.passwordfile.sample.zip: authentication.passwordfile.sample.jar			
authentication.product.zip: authentication.product.jar			
authentication.token.zip: authentication.token.jar			
authentication.token.zip: authentication.token.jar: tokenauthentication.js			
authentication.windows.zip: authentication.windows.jar			
authentication.windows.zip: caffeine.jar			
authentication.windows.zip: jna-platform.jar			
authentication.windows.zip: waffle-jna-jakarta.jar	cpe:2.3:a:4d:4d:3.5.1.*:	pkg:maven/com.	

github.waffle/waffle-jna-jakarta@3.5.1

collation.sample.zip: collation.sample.jar			
commons-logging.jar		pkg:maven/commons-logging/commons-logging@1.3.4	
configuration.automaticconfigrestore.sample.zip: configuration.automaticconfigrestore.sample.jar			
configuration.zip: configuration.jar			
configuration.zip: configuration.jar: authenticationItemRenderer.directive.js			
configuration.zip: configuration.jar: authenticationRenderer.directive.js			
configuration.zip: configuration.jar: boolean.directive.js			
configuration.zip: configuration.jar: booleanButton.directive.js			
configuration.zip: configuration.jar: colorInput.directive.js			
configuration.zip: configuration.jar: controller.js			
configuration.zip: configuration.jar: datafactory.js			
configuration.zip: configuration.jar: fileUploadRenderer.directive.js			
configuration.zip: configuration.jar: filesystemFileInputOrUpload.directive.js			
configuration.zip: configuration.jar: filesystemInputButton.directive.js			
configuration.zip: configuration.jar: filesystemInputDirectory.directive.js			
configuration.zip: configuration.jar: filesystemInputFile.directive.js			
configuration.zip: configuration.jar: iconDropRenderer.directive.js			
configuration.zip: configuration.jar: inlinerenderer.directive.js			
configuration.zip: configuration.jar: keyLabelText.directive.js			
configuration.zip: configuration.jar: labelLink.directive.js			
configuration.zip: configuration.jar: labelText.directive.js			
configuration.zip: configuration.jar: licenseKeyItemRenderer.directive.js			
configuration.zip: configuration.jar: licenseKeyRenderer.directive.js			
configuration.zip: configuration.jar: listItemRenderer.			

[directive.js](#)

[configuration.zip: configuration.jar: logopreview.directive.js](#)

[configuration.zip: configuration.jar: multiLineCode.directive.js](#)

[configuration.zip: configuration.jar: multiLineText.directive.js](#)

[configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js](#)

[configuration.zip: configuration.jar: passwordText.directive.js](#)

[configuration.zip: configuration.jar: reloadSelectInputsTrigger.directive.js](#)

[configuration.zip: configuration.jar: renderer.directive.js](#)

[configuration.zip: configuration.jar: repoDbRenderer.directive.js](#)

[configuration.zip: configuration.jar: repoFsRenderer.directive.js](#)

[configuration.zip: configuration.jar: repositoryItemRenderer.directive.js](#)

[configuration.zip: configuration.jar: repositoryRenderer.directive.js](#)

[configuration.zip: configuration.jar: selectEditText.directive.js](#)

[configuration.zip: configuration.jar: selectFilteredText.directive.js](#)

[configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js](#)

[configuration.zip: configuration.jar: selectSimpleText.directive.js](#)

[configuration.zip: configuration.jar: simpleDate.directive.js](#)

[configuration.zip: configuration.jar: simpleSlider.directive.js](#)

[configuration.zip: configuration.jar: simpleText.directive.js](#)

[configuration.zip: configuration.jar: tableRenderer.directive.js](#)

[configuration.zip: configuration.jar: treeRenderer.directive.js](#)

[configuration.zip: configuration.jar: usersandgroupselect.directive.js](#)

[core.jar](#)

pkg:maven/com.google.zxing/core@3.5.4

[crsetupwizard.zip: crsetupwizard.jar](#)

[customformulas.sample.zip: customformulas.sample.jar](#)

[dashboard-widget-openweathermap.js](#)

[dashboard.openweathermap.sample.zip: dashboard.openweathermap.sample.jar](#)

[dashboard.openweathermap.sample.zip: dashboard.openweathermap.sample.jar: dashboard-widget-openweathermap.js](#)

[dashboard.zip: dashboard.jar](#)

[dashboard.zip: dashboard.jar: abstract-dashboard-widget.js](#)

[dashboard.zip: dashboard.jar: dashboard-panel.js](#)

[dashboard.zip: dashboard.jar: dashboard-settings.js](#)

[dashboard.zip: dashboard.jar: dashboard-toolbar.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-chart.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-edit.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-error.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-image.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-memo.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-progress.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-rating.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-table.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-trafficlight.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-value.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget.js](#)

[dashboard.zip: dashboard.jar: dashboard.js](#)

[dashboard.zip: dashboard.jar: dashboardcontroller.js](#)

[dashboard.zip: dashboard.jar: dashboardfactory.js](#)

[dashboard.zip: dashboard.jar: ui-dashboard-bgimage.js](#)

[dashboard.zip: dashboard.jar: ui-dashboard-colorpalettechooser.js](#)

[dashboard.zip: dashboard.jar: ui-dashboard-integrations.js](#)

[dashboard.zip: dashboard.jar: ui-dashboard-](#)

[permissions.js](#)

[dashboard.zip: dashboard.jar: ui-dashboard-trafficlightcolorrange.js](#)

[dashboard.zip: dashboard.jar: ui-dashboard-valuehighlights.js](#)

[dashboard.zip: dashboard.jar: user-selection.js](#)

[dashboard.zip: dashboard.jar: widget-chooser.js](#)

[dashboard.zip: dashboard.jar: widget-paste-area.js](#)

[dashboard.zip: dashboard.jar: widget-placeholder.js](#)

[dashboard.zip: dashboard.jar: widget-settings.js](#)

[datasource.cassandra.zip: config.jar](#)

[datasource.cassandra.zip: datasource.cassandra.jar](#)

[datasource.cassandra.zip: java-driver-core.jar](#)

cpe:2.3:a:apache:
cassandra:4.17.0:*:*:*:*
:*:*

pkg:maven/com.
datastax.oss/java-
driver-core@4.17.0

[datasource.cassandra.zip: java-driver-shaded-guava.jar](#)

cpe:2.3:a:apache:
cassandra:25.1:*:*:*:*
:*

pkg:maven/com.
datastax.oss/java-
driver-shaded-
guava@25.1-jre-
graal-sub-1

[datasource.cassandra.zip: native-protocol.jar](#)

pkg:maven/com.
datastax.oss/native-
protocol@1.5.2

[datasource.cassandra.zip: netty-common.jar \(shaded: org.jctools:jctools-core:4.0.6\)](#)

pkg:maven/org.
jctools/jctools-
core@4.0.6

[datasource.cassandra.zip: netty-transport.jar](#)

[cpe:2.3:a:netty:netty:
4.2.16:*:*:*:*](#)

pkg:maven/io.netty
/netty-transport@4.
2.16.Final

[datasource.mongodb.zip: bson.jar](#)

[cpe:2.3:a:mongodb:
bson:5.6.2:*:*:*:*](#)

[datasource.mongodb.zip: datasource.mongodb.jar](#)

[datasource.mongodb.zip: mongodb-driver-core.jar](#)

[datasource.mongodb.zip: mongodb-driver-sync.jar](#)

[datasource.zip: datasource.jar](#)

[datasource.zip: datasource.jar: datasources-edit-controller.js](#)

[datasource.zip: datasource.jar: datasources-main-controller.js](#)

[datasource.zip: datasource.jar: factory.js](#)

[datasource.zip: datasource.jar: model.js](#)

[datasource.zip: datasource.jar: renderer-permissions.js](#)

[datasource.zip: datasource.jar: renderer-urlauth.js](#)

[datasource.zip: datasource.jar: renderer.js](#)

decoder.svg.zip: decoder.svg.jar			
decoder.svg.zip: jsvg.jar			
designer.zip: CCGuiLib.jar			
designer.zip: JnlpDesigner.jar			
designer.zip: SBSTutorial.jar			
designer.zip: TableLayout.jar			
designer.zip: designer.jar			
designer.zip: designer.jar: app.js			
designer.zip: designer.jar: opendesignerextension.js			
designer.zip: designer.jar: remotedesigner.js			
designer.zip: inetswingcore.jar			
diagnostics.reporting.zip: diagnostics.reporting.jar			
diagnostics.reporting.zip: diagnostics.reporting.jar: connectionPool.js			
diagnostics.reporting.zip: diagnostics.reporting.jar: reportcache.js			
diagnostics.reporting.zip: diagnostics.reporting.jar: server-datasource.js			
diagnostics.zip: diagnostics.jar			
diagnostics.zip: diagnostics.jar: MemoryPieChart.js			
diagnostics.zip: diagnostics.jar: MemoryUsageChart.js			
diagnostics.zip: diagnostics.jar: WebServerErrorChart.js			
diagnostics.zip: diagnostics.jar: benchmarkCtrl.js			
diagnostics.zip: diagnostics.jar: client-server.js			
diagnostics.zip: diagnostics.jar: contact-support-files.js			
diagnostics.zip: diagnostics.jar: contact-support-loader.js			
diagnostics.zip: diagnostics.jar: contact-support-panel.js			
diagnostics.zip: diagnostics.jar: contact-support-selection.js			
diagnostics.zip: diagnostics.jar: contact-support.js			
diagnostics.zip: diagnostics.jar: contactCtrl.js			
diagnostics.zip: diagnostics.jar: controller.js			
diagnostics.zip: diagnostics.jar: cpu.js			
diagnostics.zip: diagnostics.jar: cpuspeed.js			
diagnostics.zip: diagnostics.jar: directives.js			

[diagnostics.zip: diagnostics.jar: errorHistoryChart.js](#)

[diagnostics.zip: diagnostics.jar: global.js](#)

[diagnostics.zip: diagnostics.jar: harddisk.js](#)

[diagnostics.zip: diagnostics.jar: heapdumpCtrl.js](#)

[diagnostics.zip: diagnostics.jar: informationCtrl.js](#)

[diagnostics.zip: diagnostics.jar: intArrayUtils.js](#)

[diagnostics.zip: diagnostics.jar: iospeed.js](#)

[diagnostics.zip: diagnostics.jar: jobs.js](#)

[diagnostics.zip: diagnostics.jar: logging.js](#)

[diagnostics.zip: diagnostics.jar: memory.js](#)

[diagnostics.zip: diagnostics.jar: overviewCtrl.js](#)

[diagnostics.zip: diagnostics.jar: pde.diagnostics.js](#)

[diagnostics.zip: diagnostics.jar: timeformat.js](#)

[diagnostics.zip: diagnostics.jar: usermenu.js](#)

[docfx.js](#)

[docfx.vendor.min.js](#)

[drive.zip: commons-compress.jar](#)

[cpe:2.3:a:apache:commons_compress:1.28.0:*****](#)

pkg:maven/org.apache.commons/commons-compress@1.28.0

[drive.zip: commons-io.jar](#)

[cpe:2.3:a:apache:commons_io:2.21.0:*.***](#)

pkg:maven/commons-io/commons-io@2.21.0

[drive.zip: drive.jar](#)

[drive.zip: drive.jar: actions.js](#)

[drive.zip: drive.jar: actions.service.js](#)

[drive.zip: drive.jar: contentextension.js](#)

[drive.zip: drive.jar: controller.js](#)

[drive.zip: drive.jar: drivecleanup.js](#)

[drive.zip: drive.jar: drivecontroller.js](#)

[drive.zip: drive.jar: drivefactory.js](#)

[drive.zip: drive.jar: drivemodel.js](#)

[drive.zip: drive.jar: dropzone.directive.js](#)

[drive.zip: drive.jar: entryactions.directive.js](#)

[drive.zip: drive.jar: fileconfig.directive.js](#)

[drive.zip: drive.jar: folderlist.directive.js](#)

[drive.zip: drive.jar: linkdialog.js](#)

drive.zip: drive.jar: locationchooser.js			
drive.zip: drive.jar: mountdialog.js			
drive.zip: drive.jar: myshareextension.js			
drive.zip: drive.jar: permissionsextension.js			
drive.zip: drive.jar: progress.service.js			
drive.zip: drive.jar: progresspanel.directive.js			
drive.zip: drive.jar: resolve.service.js			
drive.zip: drive.jar: responsivetoolbar.directive.js			
drive.zip: drive.jar: selectedextension.js			
drive.zip: drive.jar: shareextension.js			
drive.zip: drive.jar: shareextension.js			
drive.zip: drive.jar: thumbnailextension.js			
drive.zip: drive.jar: toolbaraction.directive.js			
drive.zip: drive.jar: unzipextension.js			
drive.zip: drive.jar: zipextension.js			
embeddedMode.js			
enginefactory.sample.zip: enginefactory.sample.jar			
errorhandler.zip: errorhandler.jar			
exceljconnect.jar			
extension.js			
extension.js			
facturx.zip: Saxon-HE.jar			
facturx.zip: facturx.jar			
facturx.zip: istack-commons-runtime.jar		pkg:maven/com.sun.istack/istack-commons-runtime@4.2.0	
facturx.zip: jakarta.activation-api.jar		pkg:maven/jakarta.activation/jakarta.activation-api@2.1.3	
facturx.zip: jakarta.xml.bind-api.jar		pkg:maven/jakarta.xml.bind/jakarta.xml.bind-api@4.0.4	
facturx.zip: jaxb-core.jar		pkg:maven/org.glassfish.jaxb/jaxb-core@4.0.6	
facturx.zip: jaxb-runtime.jar		pkg:maven/org.glassfish.jaxb/jaxb-runtime@4.0.6	
facturx.zip: ph-base.jar		pkg:maven/com.helger.commons	

/ph-base@12.1.1

[facturx.zip: ph-cache.jar](#)

pkg:maven/com.
helger.commons
/ph-cache@12.1.1

[facturx.zip: ph-collection.jar](#)

pkg:maven/com.
helger.commons
/ph-collection@12.
1.1

[facturx.zip: ph-commons.jar](#)

pkg:maven/com.
helger.commons
/ph-commons@12.
1.1

[facturx.zip: ph-datetime.jar](#)

pkg:maven/com.
helger.commons
/ph-datetime@12.
1.1

[facturx.zip: ph-diagnostics.jar](#)

pkg:maven/com.
helger.commons
/ph-
diagnostics@12.1.1

[facturx.zip: ph-io.jar](#)

pkg:maven/com.
helger.commons
/ph-io@12.1.1

[facturx.zip: ph-jaxb-adapter.jar](#)

pkg:maven/com.
helger.commons
/ph-jaxb-
adapter@12.1.1

[facturx.zip: ph-jaxb.jar](#)

pkg:maven/com.
helger.commons
/ph-jaxb@12.1.1

[facturx.zip: ph-mime.jar](#)

pkg:maven/com.
helger.commons
/ph-mime@12.1.1

[facturx.zip: ph-schematron-api.jar](#)

pkg:maven/com.
helger.schematron
/ph-schematron-
api@9.1.1

[facturx.zip: ph-schematron-pure.jar](#)

pkg:maven/com.
helger.schematron
/ph-schematron-
pure@9.1.1

[facturx.zip: ph-schematron-schxslt.jar](#)

pkg:maven/com.
helger.schematron
/ph-schematron-
schxslt@9.1.1

[facturx.zip: ph-schematron-validator.jar](#)

pkg:maven/com.
helger.schematron
/ph-schematron-
validator@9.1.1

[facturx.zip: ph-schematron-xslt.jar](#)

pkg:maven/com.
helger.schematron
/ph-schematron-
xslt@9.1.1

[facturx.zip: ph-statistics.jar](#)

pkg:maven/com.

		helger.commons /ph-statistics@12.1.1	
facturx.zip: ph-text.jar		pkg:maven/com.helger.commons /ph-text@12.1.1	
facturx.zip: ph-xml.jar		pkg:maven/com.helger.commons /ph-xml@12.1.1	
facturx.zip: ph-xsds-xml.jar		pkg:maven/com.helger.xsd/ph-xsds-xml@4.1.0	
facturx.zip: txw2.jar		pkg:maven/org.glassfish.jaxb /txw2@4.0.6	
facturx.zip: xmlresolver.jar			
googleanalytics.js			
hamcrest-3.0.jar		pkg:maven/org.hamcrest /hamcrest@3.0	
help.zip: commons-beanutils.jar	cpe:2.3:a:apache:commons-beanutils:1.11.0:*****	pkg:maven/commons-beanutils /commons-beanutils@1.11.0	
help.zip: commons-digester3.jar		pkg:maven/org.apache.commons /commons-digester3@3.2	
help.zip: help.jar			
help.zip: help.jar: ai-search.js			
help.zip: help.jar: app.js			
help.zip: help.jar: controller.js			
help.zip: help.jar: shared.factory.js			
help.zip: help.jar: shared.highlighter.js			
help.zip: jsoup.jar	cpe:2.3:a:jsoup:jsoup:1.22.1:*****	pkg:maven/org.jsoup/jsoup@1.22.1	
hsqldb.jar			
htmlengine.zip: JWebEngine.jar			
htmlengine.zip: htmlengine.jar			
htmlviewer.printpdf.sample.zip: htmlviewer.printpdf.sample.jar			
htmlviewer.printpdf.sample.zip: htmlviewer.printpdf.sample.jar: extension.js			
htmlviewer.toolbar.zip: htmlviewer.toolbar.jar			
htmlviewer.toolbar.zip: htmlviewer.toolbar.jar:			

htmlviewer.angular.js			
htmlviewerextension.sample.zip: htmlviewerextension.sample.jar			
htmlviewerextension.sample.zip: htmlviewerextension.sample.jar: extension.js			
inetcore-26.4-tools.jar		pkg:maven/shared/inetcore@26.4	
inetcore-26.4.jar (shaded: com.inet.shared:inetcore:null)			
inetcore-26.4.jar		pkg:maven/shared/inetcore@26.4	
inetloggeradapter.jar			
inetsoftware.Reporting.dll		pkg:generic/inetsoftware.Reporting@26.4.321.0	
inetsoftware.Reporting.dll			
jackcess.jar		pkg:maven/io.github.spannm/jackcess@5.1.2	
jakarta.servlet-api.jar		pkg:maven/jakarta.servlet/jakarta.servlet-api@6.1.0	
jakarta.websocket-api.jar		pkg:maven/jakarta.websocket/jakarta.websocket-api@2.2.0	
jakarta.websocket-client-api.jar		pkg:maven/jakarta.websocket/jakarta.websocket-client-api@2.2.0	
java-25-jre-x64-linux.tar.gz: java-25-jre-x64-linux.tar:jrt-fs.jar	cpe:2.3:a:eclipse:platform:25.0.4:****.*:***.*		
javase.jar		pkg:maven/com.google.zxing/javase@3.5.4	
jcip-annotations-1.0.jar		pkg:maven/net.jcip/jcip-annotations@1.0	
jeuclid-core.jar		pkg:maven/net.sourceforge.jeuclid/jeuclid-core@3.0.3	
jlessc-1.15.jar		pkg:maven/de.inetsoftware/jlessc@1.15	
jna.jar	cpe:2.3:a:oracle:java_se:5.18.1:****.*:***.*		
jna.jar: jnidispatch.dll			

jna.jar: jnidispatch.dll			
jna.jar: jnidispatch.dll			
jpeg2000.zip: asm.jar			
jpeg2000.zip: con crt140.dll			
jpeg2000.zip: imageio-openjpeg.jar		pkg:maven/de.digitalcollections.imageio/imageio-openjpeg@0.6.8	
jpeg2000.zip: jffi-native.jar			
jpeg2000.zip: jffi-native.jar: jffi-1.2.dll			
jpeg2000.zip: jffi-native.jar: jffi-1.2.dll			
jpeg2000.zip: jffi-native.jar: jffi-1.2.dll			
jpeg2000.zip: jffi.jar		pkg:maven/com.github.jnr/jffi@1.3.14	
jpeg2000.zip: jnr-ffi.jar		pkg:maven/com.github.jnr/jnr-ffi@2.2.18	
jpeg2000.zip: jpeg2000.jar			
jpeg2000.zip: msvcp140.dll			
jpeg2000.zip: msvcp140_1.dll			
jpeg2000.zip: msvcp140_2.dll			
jpeg2000.zip: msvcp140_atomic_wait.dll			
jpeg2000.zip: msvcp140_codecvt_ids.dll			
jpeg2000.zip: openjp2.dll			
jpeg2000.zip: vcruntime140.dll			
jpeg2000.zip: vcruntime140_1.dll			
jquery.cookiebar.js			
jquery.twbsPagination.js			
jquery.twbsPagination.min.js			
jsr305-3.0.2.jar		pkg:maven/com.google.code.findbugs/jsr305@3.0.2	
junit-4.13.2.jar	cpe:2.3:a:junit:junit4:4.13.2:*:*:*:*:*	pkg:maven/junit/junit@4.13.2	
junit-jupiter-5.14.0.jar		pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0	
junit-jupiter-api-5.14.0.jar		pkg:maven/org.junit.jupiter/junit-jupiter-api@5.14.0	

junit-jupiter-engine-5.14.0.jar		pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0	
junit-jupiter-params-5.14.0.jar		pkg:maven/org.junit.jupiter/junit-jupiter-params@5.14.0	
junit-platform-commons-1.14.0.jar	cpe:2.3:a:fan_platform_project:fan_platform:1.14.0:*:*:*:*:*	pkg:maven/org.junit.platform/junit-platform-commons@1.14.0	
junit-platform-engine-1.14.0.jar	cpe:2.3:a:fan_platform_project:fan_platform:1.14.0:*:*:*:*:*	pkg:maven/org.junit.platform/junit-platform-engine@1.14.0	
junit-platform-launcher-1.14.0.jar	cpe:2.3:a:fan_platform_project:fan_platform:1.14.0:*:*:*:*:*	pkg:maven/org.junit.platform/junit-platform-launcher@1.14.0	
junit-platform-suite-1.14.0.jar	cpe:2.3:a:fan_platform_project:fan_platform:1.14.0:*:*:*:*:*	pkg:maven/org.junit.platform/junit-platform-suite@1.14.0	
junit-platform-suite-api-1.14.0.jar	cpe:2.3:a:fan_platform_project:fan_platform:1.14.0:*:*:*:*:*	pkg:maven/org.junit.platform/junit-platform-suite-api@1.14.0	
junit-platform-suite-commons-1.14.0.jar	cpe:2.3:a:fan_platform_project:fan_platform:1.14.0:*:*:*:*:*	pkg:maven/org.junit.platform/junit-platform-suite-commons@1.14.0	
junit-platform-suite-engine-1.14.0.jar	cpe:2.3:a:fan_platform_project:fan_platform:1.14.0:*:*:*:*:*	pkg:maven/org.junit.platform/junit-platform-suite-engine@1.14.0	
junit-vintage-engine-5.14.0.jar	cpe:2.3:a:fan_platform_project:fan_platform:5.14.0:*:*:*:*:*	pkg:maven/org.junit.vintage/junit-vintage-engine@5.14.0	
lang-css.js			
linenumber.js			
mail.zip: angus-activation.jar		pkg:maven/org.eclipse.angus/angus-activation@2.0.3	
mail.zip: angus-mail.jar (shaded: org.eclipse.angus:angus-core:2.0.5)	cpe:2.3:a:eclipse:angus_mail:2.0.5:*:*:*:*:*	pkg:maven/org.eclipse.angus/angus-core@2.0.5	
mail.zip: angus-mail.jar (shaded: org.eclipse.angus:imap:2.0.5)	cpe:2.3:a:eclipse:angus_mail:2.0.5:*:*:*:*:*	pkg:maven/org.eclipse.angus/imap@2.0.5	
mail.zip: angus-mail.jar (shaded: org.eclipse.angus:logging-mailhandler:2.0.5)	cpe:2.3:a:eclipse:angus_mail:2.0.5:*:*:*:*:*	pkg:maven/org.eclipse.angus/logging-mailhandler@2.0.5	

mail.zip: angus-mail.jar (shaded: org.eclipse.angus:pop3:2.0.5)	cpe:2.3:a:eclipse:angus_mail:2.0.5:****:***	pkg:maven/org.eclipse.angus/pop3@2.0.5	
mail.zip: angus-mail.jar (shaded: org.eclipse.angus:smtp:2.0.5)	cpe:2.3:a:eclipse:angus_mail:2.0.5:****:***	pkg:maven/org.eclipse.angus/smtp@2.0.5	
mail.zip: angus-mail.jar	cpe:2.3:a:eclipse:angus_mail:2.0.5:****:***	pkg:maven/org.eclipse.angus/angus-mail@2.0.5	
mail.zip: bc-fips.jar	cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.2:*****:*		
mail.zip: bcjmail-fips.jar	cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.6:*****:*		
mail.zip: bcpkg-fips.jar	cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.11:*****:* cpe:2.3:a:openpgp:openpgp:2.1.11:*****:***		
mail.zip: bcpkix-fips.jar	cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.10:*****:*		
mail.zip: bcutil-fips.jar	cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.5:*****:*		
mail.zip: jakarta.activation-api.jar		pkg:maven/jakarta.activation/jakarta.activation-api@2.1.4	
mail.zip: jakarta.mail-api.jar	cpe:2.3:a:eclipse:jakarta_mail:2.1.5:****:***	pkg:maven/jakarta.mail/jakarta.mail-api@2.1.5	
mail.zip: mail.jar			
mail.zip: mail.jar: smimeconfig.js			
main.js			
maintenance.reporting.zip: maintenance.reporting.jar			
maintenance.zip: maintenance-javadoc.jar			
maintenance.zip: maintenance-javadoc.jar: member-search-index.js			
maintenance.zip: maintenance-javadoc.jar: package-search-index.js			
maintenance.zip: maintenance-javadoc.jar: tag-search-index.js			
maintenance.zip: maintenance-javadoc.jar: type-search-index.js			
maintenance.zip: maintenance.jar			

maintenance.zip: maintenance.jar: controller.js			
maintenance.zip: maintenance.jar: controller.js			
maintenance.zip: maintenance.jar: controller.js			
maintenance.zip: maintenance.jar: controller.js			
maintenance.zip: maintenance.jar: controller.js			
maintenance.zip: maintenance.jar: filechooser.js			
maintenance.zip: maintenance.jar: multieditusers.js			
mariadb-java-client.jar		pkg:maven/org.mariadb.jdbc/mariadb-java-client@3.5.7	
mysql-connector-j.jar	cpe:2.3:a:mysql:mysql:26.7.0:***** cpe:2.3:a:oracle:connectorVj:26.7.0:***** cpe:2.3:a:oracle:jdbc:26.7.0:***** cpe:2.3:a:oracle:mysql_connectorVj:26.7.0:***** cpe:2.3:a:oracle:mysql_connectors:26.7.0:*****		
notification.zip: notification.jar			
notification.zip: notification.jar: notification.js			
notification.zip: notification.jar: notification_config.js			
notification.zip: notification.jar: notification_taskplanner.js			
notification.zip: notification.jar: targetrenderer.js			
odbc.jar			
opentest4j-1.3.0.jar		pkg:maven/org.opentest4j/opentest4j@1.3.0	
parser.pdf.zip: PDFParser.jar			
parser.pdf.zip: jbig2.jar			
parser.pdf.zip: parser.pdf.jar			
pdfviewer.zip: pdfjs-dist.jar		pkg:maven/org.webjars.npm/pdfjs-dist@5.4.530	
pdfviewer.zip: pdfjs-dist.jar: openjpeg_nowasm_fallback.js			
pdfviewer.zip: pdfjs-dist.jar: package.json			
pdfviewer.zip: pdfviewer.jar			
pdfviewer.zip: pdfviewer.jar: drive.js			

pdfviewer.zip: pdfviewer.jar: pdfviewer.angular.js			
pdfviewer.zip: pdfviewer.jar: pdfviewer.embedded.js			
pdfviewer.zip: pdfviewer.jar: pdfviewer.factory.js			
pdfviewer.zip: pdfviewer.jar: pdfviewer.model.js			
pdfviewer.zip: pdfviewer.jar: pdfviewer.renderer.js			
pdfviewer.zip: pdfviewer.jar: pdfviewer.reporting.js			
persistence.jar			
pluginstore.client.zip: pluginstore.client.jar			
pluginstore.client.zip: pluginstore.client.jar: controller.js			
pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js			
pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js			
pluginstore.client.zip: pluginstore.client.jar: storecontroller.js			
pluginstore.client.zip: pluginstore.client.jar: storedirectives.js			
pluginstore.client.zip: pluginstore.client.jar: storemodel.js			
postgresql.jar	cpe:2.3:a:postgresql: postgresql:42.7.13:*:*:* *:*:* cpe:2.3:a:postgresql: postgresql_jdbc_driver: 42.7.13:*:*:*:*:*		
prettify.js			
processbridge.reporting.zip: processbridge.reporting.jar			
processbridge.zip: processbridge.jar			
promptdialog.zip: promptdialog.jar			
promptdialog.zip: promptdialog.jar: promptcontroller.js			
promptdialog.zip: promptdialog.jar: promptcustomrenderer.js			
promptdialog.zip: promptdialog.jar: promptfactory.js			
promptdialog.zip: promptdialog.jar: promptpanel.js			
promptdialog.zip: promptdialog.jar: promptrenderer.js			
propertieschecker.sample.zip: propertieschecker.sample.jar			
remotegui.zip: angular-animate.jar		pkg:maven/org. webjars/npm /angular- animate@1.8.3	
remotegui.zip: angular-animate.jar: angular-animate.js		pkg:javascript /angularjs@1.8.3	

remotegui.zip: angular-animate.jar: angular-animate.min.js		pkg:javascript/angularjs@1.8.3	
remotegui.zip: angular-animate.jar: index.js			
remotegui.zip: angular-animate.jar: package.json			
remotegui.zip: angular-cookies.jar		pkg:maven/org.webjars/npm/angular-cookies@1.8.3	
remotegui.zip: angular-cookies.jar: angular-cookies.js		pkg:javascript/angularjs@1.8.3	
remotegui.zip: angular-cookies.jar: angular-cookies.min.js		pkg:javascript/angularjs@1.8.3	
remotegui.zip: angular-cookies.jar: index.js			
remotegui.zip: angular-cookies.jar: package.json			
remotegui.zip: angular-sanitize.jar		pkg:maven/org.webjars/npm/angular-sanitize@1.8.3	
remotegui.zip: angular-sanitize.jar: angular-sanitize.js		pkg:javascript/angularjs@1.8.3	
remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js		pkg:javascript/angularjs@1.8.3	
remotegui.zip: angular-sanitize.jar: index.js			
remotegui.zip: angular-sanitize.jar: package.json			
remotegui.zip: angular.jar		pkg:maven/org.webjars/npm/angular@1.8.3	
remotegui.zip: angular.jar: angular.js		pkg:javascript/angularjs@1.8.3	
remotegui.zip: angular.jar: angular.min.js		pkg:javascript/angularjs@1.8.3	
remotegui.zip: angular.jar: index.js			
remotegui.zip: angular.jar: package.json			
remotegui.zip: codemirror.jar	cpe:2.3:a:codemirror:codemirror:6.65.7:*:*:*:*:*	pkg:maven/org.webjars/npm/codemirror@6.65.7	
remotegui.zip: codemirror.jar: CodeMirror.js			
remotegui.zip: codemirror.jar: ContentEditableInput.js			
remotegui.zip: codemirror.jar: Display.js			
remotegui.zip: codemirror.jar: Doc.js			
remotegui.zip: codemirror.jar: StringStream.js			
remotegui.zip: codemirror.jar: TextareaInput.js			
remotegui.zip: codemirror.jar: active-line.js			

[remotegui.zip: codemirror.jar: annotatescrollbar.js](#)

[remotegui.zip: codemirror.jar: anyword-hint.js](#)

[remotegui.zip: codemirror.jar: apl.js](#)

[remotegui.zip: codemirror.jar: asciiarmor.js](#)

[remotegui.zip: codemirror.jar: asn.1.js](#)

[remotegui.zip: codemirror.jar: asterisk.js](#)

[remotegui.zip: codemirror.jar: autorefresh.js](#)

[remotegui.zip: codemirror.jar: bidi.js](#)

[remotegui.zip: codemirror.jar: brace-fold.js](#)

[remotegui.zip: codemirror.jar: brainfuck.js](#)

[remotegui.zip: codemirror.jar: browser.js](#)

[remotegui.zip: codemirror.jar: change_measurement.js](#)

[remotegui.zip: codemirror.jar: changes.js](#)

[remotegui.zip: codemirror.jar: chunk.js](#)

[remotegui.zip: codemirror.jar: clike.js](#)

[remotegui.zip: codemirror.jar: clojure.js](#)

[remotegui.zip: codemirror.jar: closebrackets.js](#)

[remotegui.zip: codemirror.jar: closetag.js](#)

[remotegui.zip: codemirror.jar: cmake.js](#)

[remotegui.zip: codemirror.jar: cobol.js](#)

[remotegui.zip: codemirror.jar: codemirror-standalone.js](#)

[remotegui.zip: codemirror.jar: codemirror.js](#)

[remotegui.zip: codemirror.jar: codemirror.js](#)

[remotegui.zip: codemirror.jar: codemirror.node.js](#)

[remotegui.zip: codemirror.jar: coffeescript-lint.js](#)

[remotegui.zip: codemirror.jar: coffeescript.js](#)

[remotegui.zip: codemirror.jar: colorize.js](#)

[remotegui.zip: codemirror.jar: commands.js](#)

[remotegui.zip: codemirror.jar: comment-fold.js](#)

[remotegui.zip: codemirror.jar: comment.js](#)

[remotegui.zip: codemirror.jar: commonlisp.js](#)

[remotegui.zip: codemirror.jar: continuecomment.js](#)

[remotegui.zip: codemirror.jar: continuelist.js](#)

[remotegui.zip: codemirror.jar: crystal.js](#)

[remotegui.zip: codemirror.jar: css-hint.js](#)

remotegui.zip: codemirror.jar: css-lint.js			
remotegui.zip: codemirror.jar: css.js			
remotegui.zip: codemirror.jar: cypher.js			
remotegui.zip: codemirror.jar: d.js			
remotegui.zip: codemirror.jar: dart.js			
remotegui.zip: codemirror.jar: deleteNearSelection.js			
remotegui.zip: codemirror.jar: dialog.js			
remotegui.zip: codemirror.jar: diff.js			
remotegui.zip: codemirror.jar: django.js			
remotegui.zip: codemirror.jar: dockerfile.js			
remotegui.zip: codemirror.jar: document_data.js			
remotegui.zip: codemirror.jar: dom.js			
remotegui.zip: codemirror.jar: drop_events.js			
remotegui.zip: codemirror.jar: dtd.js			
remotegui.zip: codemirror.jar: dylan.js			
remotegui.zip: codemirror.jar: ebnf.js			
remotegui.zip: codemirror.jar: ecl.js			
remotegui.zip: codemirror.jar: eiffel.js			
remotegui.zip: codemirror.jar: elm.js			
remotegui.zip: codemirror.jar: emacs.js			
remotegui.zip: codemirror.jar: erlang.js			
remotegui.zip: codemirror.jar: event.js			
remotegui.zip: codemirror.jar: factor.js			
remotegui.zip: codemirror.jar: fcl.js			
remotegui.zip: codemirror.jar: feature_detection.js			
remotegui.zip: codemirror.jar: focus.js			
remotegui.zip: codemirror.jar: foldcode.js			
remotegui.zip: codemirror.jar: foldgutter.js			
remotegui.zip: codemirror.jar: forth.js			
remotegui.zip: codemirror.jar: fortran.js			
remotegui.zip: codemirror.jar: fromTextArea.js			
remotegui.zip: codemirror.jar: fullscreen.js			
remotegui.zip: codemirror.jar: gas.js			
remotegui.zip: codemirror.jar: gfm.js			
remotegui.zip: codemirror.jar: gherkin.js			

[remotegui.zip: codemirror.jar: global_events.js](#)

[remotegui.zip: codemirror.jar: go.js](#)

[remotegui.zip: codemirror.jar: groovy.js](#)

[remotegui.zip: codemirror.jar: gutters.js](#)

[remotegui.zip: codemirror.jar: haml.js](#)

[remotegui.zip: codemirror.jar: handlebars.js](#)

[remotegui.zip: codemirror.jar: hardwrap.js](#)

[remotegui.zip: codemirror.jar: haskell-literate.js](#)

[remotegui.zip: codemirror.jar: haskell.js](#)

[remotegui.zip: codemirror.jar: haxe.js](#)

[remotegui.zip: codemirror.jar: highlight.js](#)

[remotegui.zip: codemirror.jar: highlight_worker.js](#)

[remotegui.zip: codemirror.jar: history.js](#)

[remotegui.zip: codemirror.jar: html-hint.js](#)

[remotegui.zip: codemirror.jar: html-lint.js](#)

[remotegui.zip: codemirror.jar: htmlembedded.js](#)

[remotegui.zip: codemirror.jar: htmlmixed.js](#)

[remotegui.zip: codemirror.jar: http.js](#)

[remotegui.zip: codemirror.jar: idl.js](#)

[remotegui.zip: codemirror.jar: indent-fold.js](#)

[remotegui.zip: codemirror.jar: indent.js](#)

[remotegui.zip: codemirror.jar: input.js](#)

[remotegui.zip: codemirror.jar: javascript-hint.js](#)

[remotegui.zip: codemirror.jar: javascript-lint.js](#)

[remotegui.zip: codemirror.jar: javascript.js](#)

[remotegui.zip: codemirror.jar: jinja2.js](#)

[remotegui.zip: codemirror.jar: json-lint.js](#)

[remotegui.zip: codemirror.jar: jsx.js](#)

[remotegui.zip: codemirror.jar: julia.js](#)

[remotegui.zip: codemirror.jar: jump-to-line.js](#)

[remotegui.zip: codemirror.jar: key_events.js](#)

[remotegui.zip: codemirror.jar: keymap.js](#)

[remotegui.zip: codemirror.jar: keynames.js](#)

[remotegui.zip: codemirror.jar: legacy.js](#)

[remotegui.zip: codemirror.jar: line_data.js](#)

remotegui.zip: codemirror.jar: line_numbers.js			
remotegui.zip: codemirror.jar: line_widget.js			
remotegui.zip: codemirror.jar: lint.js			
remotegui.zip: codemirror.jar: livescript.js			
remotegui.zip: codemirror.jar: loadmode.js			
remotegui.zip: codemirror.jar: lua.js			
remotegui.zip: codemirror.jar: main.js			
remotegui.zip: codemirror.jar: mark-selection.js			
remotegui.zip: codemirror.jar: mark_text.js			
remotegui.zip: codemirror.jar: markdown-fold.js			
remotegui.zip: codemirror.jar: markdown.js			
remotegui.zip: codemirror.jar: match-highlighter.js			
remotegui.zip: codemirror.jar: matchbrackets.js			
remotegui.zip: codemirror.jar: matchesonscrollbar.js			
remotegui.zip: codemirror.jar: matchtags.js			
remotegui.zip: codemirror.jar: mathematica.js			
remotegui.zip: codemirror.jar: mbox.js			
remotegui.zip: codemirror.jar: merge.js			
remotegui.zip: codemirror.jar: meta.js			
remotegui.zip: codemirror.jar: methods.js			
remotegui.zip: codemirror.jar: mirc.js			
remotegui.zip: codemirror.jar: misc.js			
remotegui.zip: codemirror.jar: mllike.js			
remotegui.zip: codemirror.jar: mode_state.js			
remotegui.zip: codemirror.jar: modelica.js			
remotegui.zip: codemirror.jar: modes.js			
remotegui.zip: codemirror.jar: mouse_events.js			
remotegui.zip: codemirror.jar: movement.js			
remotegui.zip: codemirror.jar: mscgen.js			
remotegui.zip: codemirror.jar: multiplex.js			
remotegui.zip: codemirror.jar: multiplex_test.js			
remotegui.zip: codemirror.jar: mumps.js			
remotegui.zip: codemirror.jar: nginx.js			
remotegui.zip: codemirror.jar: nsis.js			
remotegui.zip: codemirror.jar: ntriples.js			

[remotegui.zip: codemirror.jar: octave.js](#)

[remotegui.zip: codemirror.jar: operation_group.js](#)

[remotegui.zip: codemirror.jar: operations.js](#)

[remotegui.zip: codemirror.jar: options.js](#)

[remotegui.zip: codemirror.jar: overlay.js](#)

[remotegui.zip: codemirror.jar: oz.js](#)

[remotegui.zip: codemirror.jar: package.json](#)

[remotegui.zip: codemirror.jar: panel.js](#)

[remotegui.zip: codemirror.jar: pascal.js](#)

[remotegui.zip: codemirror.jar: pegjs.js](#)

[remotegui.zip: codemirror.jar: perl.js](#)

[remotegui.zip: codemirror.jar: php.js](#)

[remotegui.zip: codemirror.jar: pig.js](#)

[remotegui.zip: codemirror.jar: placeholder.js](#)

[remotegui.zip: codemirror.jar: pos.js](#)

[remotegui.zip: codemirror.jar: position_measurement.js](#)

[remotegui.zip: codemirror.jar: powershell.js](#)

[remotegui.zip: codemirror.jar: properties.js](#)

[remotegui.zip: codemirror.jar: protobuf.js](#)

[remotegui.zip: codemirror.jar: pug.js](#)

[remotegui.zip: codemirror.jar: puppet.js](#)

[remotegui.zip: codemirror.jar: python.js](#)

[remotegui.zip: codemirror.jar: q.js](#)

[remotegui.zip: codemirror.jar: r.js](#)

[remotegui.zip: codemirror.jar: rollup.config.js](#)

[remotegui.zip: codemirror.jar: rpm.js](#)

[remotegui.zip: codemirror.jar: rst.js](#)

[remotegui.zip: codemirror.jar: ruby.js](#)

[remotegui.zip: codemirror.jar: rulers.js](#)

[remotegui.zip: codemirror.jar: runmode-standalone.js](#)

[remotegui.zip: codemirror.jar: runmode-standalone.js](#)

[remotegui.zip: codemirror.jar: runmode.js](#)

[remotegui.zip: codemirror.jar: runmode.node.js](#)

[remotegui.zip: codemirror.jar: runmode.node.js](#)

[remotegui.zip: codemirror.jar: rust.js](#)

remotegui.zip: codemirror.jar: sas.js			
remotegui.zip: codemirror.jar: sass.js			
remotegui.zip: codemirror.jar: saw_special_spans.js			
remotegui.zip: codemirror.jar: scheme.js			
remotegui.zip: codemirror.jar: scroll_events.js			
remotegui.zip: codemirror.jar: scrollbars.js			
remotegui.zip: codemirror.jar: scrolling.js			
remotegui.zip: codemirror.jar: scrollpastend.js			
remotegui.zip: codemirror.jar: search.js			
remotegui.zip: codemirror.jar: searchcursor.js			
remotegui.zip: codemirror.jar: selection-pointer.js			
remotegui.zip: codemirror.jar: selection.js			
remotegui.zip: codemirror.jar: selection.js			
remotegui.zip: codemirror.jar: selection_updates.js			
remotegui.zip: codemirror.jar: shell.js			
remotegui.zip: codemirror.jar: show-hint.js			
remotegui.zip: codemirror.jar: sieve.js			
remotegui.zip: codemirror.jar: simple.js			
remotegui.zip: codemirror.jar: simplescrollbars.js			
remotegui.zip: codemirror.jar: slim.js			
remotegui.zip: codemirror.jar: smalltalk.js			
remotegui.zip: codemirror.jar: smarty.js			
remotegui.zip: codemirror.jar: solr.js			
remotegui.zip: codemirror.jar: soy.js			
remotegui.zip: codemirror.jar: spans.js			
remotegui.zip: codemirror.jar: sparql.js			
remotegui.zip: codemirror.jar: spreadsheet.js			
remotegui.zip: codemirror.jar: sql-hint.js			
remotegui.zip: codemirror.jar: sql.js			
remotegui.zip: codemirror.jar: stex.js			
remotegui.zip: codemirror.jar: stylus.js			
remotegui.zip: codemirror.jar: sublime.js			
remotegui.zip: codemirror.jar: swift.js			
remotegui.zip: codemirror.jar: tcl.js			
remotegui.zip: codemirror.jar: tern.js			

[remotegui.zip: codemirror.jar: textile.js](#)

[remotegui.zip: codemirror.jar: tiddlywiki.js](#)

[remotegui.zip: codemirror.jar: tiki.js](#)

[remotegui.zip: codemirror.jar: toml.js](#)

[remotegui.zip: codemirror.jar: tornado.js](#)

[remotegui.zip: codemirror.jar: trailingspace.js](#)

[remotegui.zip: codemirror.jar: troff.js](#)

[remotegui.zip: codemirror.jar: ttcn-cfg.js](#)

[remotegui.zip: codemirror.jar: ttcn.js](#)

[remotegui.zip: codemirror.jar: turtle.js](#)

[remotegui.zip: codemirror.jar: twig.js](#)

[remotegui.zip: codemirror.jar: update_display.js](#)

[remotegui.zip: codemirror.jar: update_line.js](#)

[remotegui.zip: codemirror.jar: update_lines.js](#)

[remotegui.zip: codemirror.jar: utils.js](#)

[remotegui.zip: codemirror.jar: utils_line.js](#)

[remotegui.zip: codemirror.jar: vb.js](#)

[remotegui.zip: codemirror.jar: vbscript.js](#)

[remotegui.zip: codemirror.jar: velocity.js](#)

[remotegui.zip: codemirror.jar: verilog.js](#)

[remotegui.zip: codemirror.jar: vhdl.js](#)

[remotegui.zip: codemirror.jar: view_tracking.js](#)

[remotegui.zip: codemirror.jar: vim.js](#)

[remotegui.zip: codemirror.jar: vue.js](#)

[remotegui.zip: codemirror.jar: wast.js](#)

[remotegui.zip: codemirror.jar: webidl.js](#)

[remotegui.zip: codemirror.jar: widgets.js](#)

[remotegui.zip: codemirror.jar: worker.js](#)

[remotegui.zip: codemirror.jar: xml-fold.js](#)

[remotegui.zip: codemirror.jar: xml-hint.js](#)

[remotegui.zip: codemirror.jar: xml.js](#)

[remotegui.zip: codemirror.jar: xquery.js](#)

[remotegui.zip: codemirror.jar: yacas.js](#)

[remotegui.zip: codemirror.jar: yaml-frontmatter.js](#)

[remotegui.zip: codemirror.jar: yaml-lint.js](#)

remotegui.zip: codemirror.jar: yaml.js			
remotegui.zip: codemirror.jar: z80.js			
remotegui.zip: crypto-js.jar		pkg:maven/org.webjars.npm/crypto-js@4.2.0	
remotegui.zip: crypto-js.jar: aes.js			
remotegui.zip: crypto-js.jar: blowfish.js			
remotegui.zip: crypto-js.jar: cipher-core.js			
remotegui.zip: crypto-js.jar: core.js			
remotegui.zip: crypto-js.jar: crypto-js.js			
remotegui.zip: crypto-js.jar: enc-base64.js			
remotegui.zip: crypto-js.jar: enc-base64url.js			
remotegui.zip: crypto-js.jar: enc-hex.js			
remotegui.zip: crypto-js.jar: enc-latin1.js			
remotegui.zip: crypto-js.jar: enc-utf16.js			
remotegui.zip: crypto-js.jar: enc-utf8.js			
remotegui.zip: crypto-js.jar: evpkdf.js			
remotegui.zip: crypto-js.jar: format-hex.js			
remotegui.zip: crypto-js.jar: format-openssl.js			
remotegui.zip: crypto-js.jar: hmac-md5.js			
remotegui.zip: crypto-js.jar: hmac-ripemd160.js			
remotegui.zip: crypto-js.jar: hmac-sha1.js			
remotegui.zip: crypto-js.jar: hmac-sha224.js			
remotegui.zip: crypto-js.jar: hmac-sha256.js			
remotegui.zip: crypto-js.jar: hmac-sha3.js			
remotegui.zip: crypto-js.jar: hmac-sha384.js			
remotegui.zip: crypto-js.jar: hmac-sha512.js			
remotegui.zip: crypto-js.jar: hmac.js			
remotegui.zip: crypto-js.jar: index.js			
remotegui.zip: crypto-js.jar: lib-typedarrays.js			
remotegui.zip: crypto-js.jar: md5.js			
remotegui.zip: crypto-js.jar: mode-cfb.js			
remotegui.zip: crypto-js.jar: mode-ctr-gladman.js			
remotegui.zip: crypto-js.jar: mode-ctr.js			
remotegui.zip: crypto-js.jar: mode-ecb.js			
remotegui.zip: crypto-js.jar: mode-ofb.js			

remotegui.zip: crypto-js.jar: package.json			
remotegui.zip: crypto-js.jar: pad-ansix923.js			
remotegui.zip: crypto-js.jar: pad-iso10126.js			
remotegui.zip: crypto-js.jar: pad-iso97971.js			
remotegui.zip: crypto-js.jar: pad-nopadding.js			
remotegui.zip: crypto-js.jar: pad-pkcs7.js			
remotegui.zip: crypto-js.jar: pad-zeropadding.js			
remotegui.zip: crypto-js.jar: pbkdf2.js			
remotegui.zip: crypto-js.jar: rabbit-legacy.js			
remotegui.zip: crypto-js.jar: rabbit.js			
remotegui.zip: crypto-js.jar: rc4.js			
remotegui.zip: crypto-js.jar: ripemd160.js			
remotegui.zip: crypto-js.jar: sha1.js			
remotegui.zip: crypto-js.jar: sha224.js			
remotegui.zip: crypto-js.jar: sha256.js			
remotegui.zip: crypto-js.jar: sha3.js			
remotegui.zip: crypto-js.jar: sha384.js			
remotegui.zip: crypto-js.jar: sha512.js			
remotegui.zip: crypto-js.jar: tripledes.js			
remotegui.zip: crypto-js.jar: x64-core.js			
remotegui.zip: echarts.jar		pkg:maven/org.webjars/npm/echarts@6.1.0	
remotegui.zip: echarts.jar: echarts.min.js			
remotegui.zip: hugerte-languages.jar		pkg:maven/org.webjars/npm/hugerte-languages@1.0.10	
remotegui.zip: hugerte-languages.jar: ar.js			
remotegui.zip: hugerte-languages.jar: ar_SA.js			
remotegui.zip: hugerte-languages.jar: az.js			
remotegui.zip: hugerte-languages.jar: be.js			
remotegui.zip: hugerte-languages.jar: bg_BG.js			
remotegui.zip: hugerte-languages.jar: bn_BD.js			
remotegui.zip: hugerte-languages.jar: ca.js			
remotegui.zip: hugerte-languages.jar: cs.js			
remotegui.zip: hugerte-languages.jar: cy.js			
remotegui.zip: hugerte-languages.jar: da.js			

[remotegui.zip: hugerte-languages.jar: de.js](#)

[remotegui.zip: hugerte-languages.jar: el.js](#)

[remotegui.zip: hugerte-languages.jar: eo.js](#)

[remotegui.zip: hugerte-languages.jar: es.js](#)

[remotegui.zip: hugerte-languages.jar: es_MX.js](#)

[remotegui.zip: hugerte-languages.jar: et.js](#)

[remotegui.zip: hugerte-languages.jar: eu.js](#)

[remotegui.zip: hugerte-languages.jar: fa.js](#)

[remotegui.zip: hugerte-languages.jar: fi.js](#)

[remotegui.zip: hugerte-languages.jar: fr_FR.js](#)

[remotegui.zip: hugerte-languages.jar: ga.js](#)

[remotegui.zip: hugerte-languages.jar: gl.js](#)

[remotegui.zip: hugerte-languages.jar: he_IL.js](#)

[remotegui.zip: hugerte-languages.jar: hr.js](#)

[remotegui.zip: hugerte-languages.jar: hu_HU.js](#)

[remotegui.zip: hugerte-languages.jar: hy.js](#)

[remotegui.zip: hugerte-languages.jar: id.js](#)

[remotegui.zip: hugerte-languages.jar: is_IS.js](#)

[remotegui.zip: hugerte-languages.jar: it.js](#)

[remotegui.zip: hugerte-languages.jar: ja.js](#)

[remotegui.zip: hugerte-languages.jar: ka_GE.js](#)

[remotegui.zip: hugerte-languages.jar: kab.js](#)

[remotegui.zip: hugerte-languages.jar: kk.js](#)

[remotegui.zip: hugerte-languages.jar: ko_KR.js](#)

[remotegui.zip: hugerte-languages.jar: ku.js](#)

[remotegui.zip: hugerte-languages.jar: lt.js](#)

[remotegui.zip: hugerte-languages.jar: lv.js](#)

[remotegui.zip: hugerte-languages.jar: nb_NO.js](#)

[remotegui.zip: hugerte-languages.jar: ne.js](#)

[remotegui.zip: hugerte-languages.jar: nl.js](#)

[remotegui.zip: hugerte-languages.jar: nl_BE.js](#)

[remotegui.zip: hugerte-languages.jar: oc.js](#)

[remotegui.zip: hugerte-languages.jar: pl.js](#)

[remotegui.zip: hugerte-languages.jar: pt_BR.js](#)

[remotegui.zip: hugerte-languages.jar: pt_PT.js](#)

[illegible]

[illegible]

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: it.js](#)

[remotegui.zip: hugerte.jar: ja.js](#)

[remotegui.zip: hugerte.jar: kk.js](#)

[remotegui.zip: hugerte.jar: ko_KR.js](#)

[remotegui.zip: hugerte.jar: model.js](#)

[remotegui.zip: hugerte.jar: model.min.js](#)

[remotegui.zip: hugerte.jar: ms.js](#)

[remotegui.zip: hugerte.jar: nb_NO.js](#)

[remotegui.zip: hugerte.jar: nl.js](#)

[remotegui.zip: hugerte.jar: package.json](#)

remotegui.zip: hugerte.jar: pl.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.min.js			
remotegui.zip: hugerte.jar: plugin.min.js			
remotegui.zip: hugerte.jar: plugin.min.js			
remotegui.zip: hugerte.jar: plugin.min.js			

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: pt_BR.js](#)

[remotegui.zip: hugerte.jar: pt_PT.js](#)

[remotegui.zip: hugerte.jar: ro.js](#)

[remotegui.zip: hugerte.jar: ru.js](#)

[remotegui.zip: hugerte.jar: sk.js](#)

[remotegui.zip: hugerte.jar: skin.js](#)

[remotegui.zip: hugerte.jar: skin.js](#)

[remotegui.zip: hugerte.jar: skin.js](#)

[remotegui.zip: hugerte.jar: skin.js](#)

remotegui.zip: hugerte.jar: skin.shadowdom.js			
remotegui.zip: hugerte.jar: skin.shadowdom.js			
remotegui.zip: hugerte.jar: skin.shadowdom.js			
remotegui.zip: hugerte.jar: skin.shadowdom.js			
remotegui.zip: hugerte.jar: sl_SI.js			
remotegui.zip: hugerte.jar: sv_SE.js			
remotegui.zip: hugerte.jar: th_TH.js			
remotegui.zip: hugerte.jar: theme.js		pkg:javascript /DOMPurify@3.2.4	
remotegui.zip: hugerte.jar: theme.min.js			
remotegui.zip: hugerte.jar: tr.js			
remotegui.zip: hugerte.jar: uk.js			
remotegui.zip: hugerte.jar: vi.js			
remotegui.zip: hugerte.jar: zh_CN.js			
remotegui.zip: hugerte.jar: zh_TW.js			
remotegui.zip: jquery-ui.jar		pkg:maven/org. webjars/jquery- ui@1.14.1	
remotegui.zip: jquery-ui.jar: jquery-ui.js			
remotegui.zip: jquery-ui.jar: jquery-ui.min.js			
remotegui.zip: jquery-ui.jar: package.json			
remotegui.zip: jquery-ui.jar: webjars-requirejs.js			
remotegui.zip: jquery.jar		pkg:javascript /jquery@2.2.4 pkg:maven/org. webjars/jquery@2. 2.4	
remotegui.zip: jquery.jar: webjars-requirejs.js			
remotegui.zip: moment-timezone.jar		pkg:maven/org. webjars.npm /moment- timezone@0.6.0	
remotegui.zip: moment-timezone.jar: index.js			
remotegui.zip: moment-timezone.jar: moment- timezone-utils.js			
remotegui.zip: moment-timezone.jar: moment- timezone-with-data-10-year-range.js			
remotegui.zip: moment-timezone.jar: moment- timezone-with-data-10-year-range.min.js			
remotegui.zip: moment-timezone.jar: moment- timezone-with-data-1970-2030.js			
remotegui.zip: moment-timezone.jar: moment- timezone-with-data-1970-2030.min.js			

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js			
remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js			
remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js			
remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js			
remotegui.zip: moment-timezone.jar: moment-timezone.js			
remotegui.zip: moment-timezone.jar: moment-timezone.min.js			
remotegui.zip: moment-timezone.jar: package.json			
remotegui.zip: momentjs.jar		pkg:maven/org.webjars/momentjs@2.29.4	
remotegui.zip: momentjs.jar: af.js			
remotegui.zip: momentjs.jar: ar-dz.js			
remotegui.zip: momentjs.jar: ar-kw.js			
remotegui.zip: momentjs.jar: ar-ly.js			
remotegui.zip: momentjs.jar: ar-ma.js			
remotegui.zip: momentjs.jar: ar-sa.js			
remotegui.zip: momentjs.jar: ar-tn.js			
remotegui.zip: momentjs.jar: ar.js			
remotegui.zip: momentjs.jar: az.js			
remotegui.zip: momentjs.jar: be.js			
remotegui.zip: momentjs.jar: bg.js			
remotegui.zip: momentjs.jar: bm.js			
remotegui.zip: momentjs.jar: bn-bd.js			
remotegui.zip: momentjs.jar: bn.js			
remotegui.zip: momentjs.jar: bo.js			
remotegui.zip: momentjs.jar: br.js			
remotegui.zip: momentjs.jar: bs.js			
remotegui.zip: momentjs.jar: ca.js			
remotegui.zip: momentjs.jar: cs.js			
remotegui.zip: momentjs.jar: cv.js			
remotegui.zip: momentjs.jar: cy.js			
remotegui.zip: momentjs.jar: da.js			
remotegui.zip: momentjs.jar: de-at.js			

[remotegui.zip: momentjs.jar: de-ch.js](#)

[remotegui.zip: momentjs.jar: de.js](#)

[remotegui.zip: momentjs.jar: dv.js](#)

[remotegui.zip: momentjs.jar: el.js](#)

[remotegui.zip: momentjs.jar: en-au.js](#)

[remotegui.zip: momentjs.jar: en-ca.js](#)

[remotegui.zip: momentjs.jar: en-gb.js](#)

[remotegui.zip: momentjs.jar: en-ie.js](#)

[remotegui.zip: momentjs.jar: en-il.js](#)

[remotegui.zip: momentjs.jar: en-in.js](#)

[remotegui.zip: momentjs.jar: en-nz.js](#)

[remotegui.zip: momentjs.jar: en-sg.js](#)

[remotegui.zip: momentjs.jar: eo.js](#)

[remotegui.zip: momentjs.jar: es-do.js](#)

[remotegui.zip: momentjs.jar: es-mx.js](#)

[remotegui.zip: momentjs.jar: es-us.js](#)

[remotegui.zip: momentjs.jar: es.js](#)

[remotegui.zip: momentjs.jar: et.js](#)

[remotegui.zip: momentjs.jar: eu.js](#)

[remotegui.zip: momentjs.jar: fa.js](#)

[remotegui.zip: momentjs.jar: fi.js](#)

[remotegui.zip: momentjs.jar: fil.js](#)

[remotegui.zip: momentjs.jar: fo.js](#)

[remotegui.zip: momentjs.jar: fr-ca.js](#)

[remotegui.zip: momentjs.jar: fr-ch.js](#)

[remotegui.zip: momentjs.jar: fr.js](#)

[remotegui.zip: momentjs.jar: fy.js](#)

[remotegui.zip: momentjs.jar: ga.js](#)

[remotegui.zip: momentjs.jar: gd.js](#)

[remotegui.zip: momentjs.jar: gl.js](#)

[remotegui.zip: momentjs.jar: gom-deva.js](#)

[remotegui.zip: momentjs.jar: gom-latn.js](#)

[remotegui.zip: momentjs.jar: gu.js](#)

[remotegui.zip: momentjs.jar: he.js](#)

[remotegui.zip: momentjs.jar: hi.js](#)

remotegui.zip: momentjs.jar: hr.js			
remotegui.zip: momentjs.jar: hu.js			
remotegui.zip: momentjs.jar: hy-am.js			
remotegui.zip: momentjs.jar: id.js			
remotegui.zip: momentjs.jar: is.js			
remotegui.zip: momentjs.jar: it-ch.js			
remotegui.zip: momentjs.jar: it.js			
remotegui.zip: momentjs.jar: ja.js			
remotegui.zip: momentjs.jar: jv.js			
remotegui.zip: momentjs.jar: ka.js			
remotegui.zip: momentjs.jar: kk.js			
remotegui.zip: momentjs.jar: km.js			
remotegui.zip: momentjs.jar: kn.js			
remotegui.zip: momentjs.jar: ko.js			
remotegui.zip: momentjs.jar: ku.js			
remotegui.zip: momentjs.jar: ky.js			
remotegui.zip: momentjs.jar: lb.js			
remotegui.zip: momentjs.jar: lo.js			
remotegui.zip: momentjs.jar: locales.js			
remotegui.zip: momentjs.jar: locales.min.js			
remotegui.zip: momentjs.jar: lt.js			
remotegui.zip: momentjs.jar: lv.js			
remotegui.zip: momentjs.jar: me.js			
remotegui.zip: momentjs.jar: mi.js			
remotegui.zip: momentjs.jar: mk.js			
remotegui.zip: momentjs.jar: ml.js			
remotegui.zip: momentjs.jar: mn.js			
remotegui.zip: momentjs.jar: moment-with-locales.js			
remotegui.zip: momentjs.jar: moment-with-locales.min.js			
remotegui.zip: momentjs.jar: moment.js			
remotegui.zip: momentjs.jar: moment.min.js			
remotegui.zip: momentjs.jar: mr.js			
remotegui.zip: momentjs.jar: ms-my.js			
remotegui.zip: momentjs.jar: ms.js			
remotegui.zip: momentjs.jar: mt.js			

[remotegui.zip: momentjs.jar: my.js](#)

[remotegui.zip: momentjs.jar: nb.js](#)

[remotegui.zip: momentjs.jar: ne.js](#)

[remotegui.zip: momentjs.jar: nl-be.js](#)

[remotegui.zip: momentjs.jar: nl.js](#)

[remotegui.zip: momentjs.jar: nn.js](#)

[remotegui.zip: momentjs.jar: oc-lnc.js](#)

[remotegui.zip: momentjs.jar: pa-in.js](#)

[remotegui.zip: momentjs.jar: package.js](#)

[remotegui.zip: momentjs.jar: package.json](#)

[remotegui.zip: momentjs.jar: pl.js](#)

[remotegui.zip: momentjs.jar: pt-br.js](#)

[remotegui.zip: momentjs.jar: pt.js](#)

[remotegui.zip: momentjs.jar: ro.js](#)

[remotegui.zip: momentjs.jar: ru.js](#)

[remotegui.zip: momentjs.jar: sd.js](#)

[remotegui.zip: momentjs.jar: se.js](#)

[remotegui.zip: momentjs.jar: si.js](#)

[remotegui.zip: momentjs.jar: sk.js](#)

[remotegui.zip: momentjs.jar: sl.js](#)

[remotegui.zip: momentjs.jar: sq.js](#)

[remotegui.zip: momentjs.jar: sr-cyrl.js](#)

[remotegui.zip: momentjs.jar: sr.js](#)

[remotegui.zip: momentjs.jar: ss.js](#)

[remotegui.zip: momentjs.jar: sv.js](#)

[remotegui.zip: momentjs.jar: sw.js](#)

[remotegui.zip: momentjs.jar: ta.js](#)

[remotegui.zip: momentjs.jar: te.js](#)

[remotegui.zip: momentjs.jar: tests.js](#)

[remotegui.zip: momentjs.jar: tet.js](#)

[remotegui.zip: momentjs.jar: tg.js](#)

[remotegui.zip: momentjs.jar: th.js](#)

[remotegui.zip: momentjs.jar: tk.js](#)

[remotegui.zip: momentjs.jar: tl-ph.js](#)

[remotegui.zip: momentjs.jar: tlh.js](#)

remotegui.zip: momentjs.jar: tr.js			
remotegui.zip: momentjs.jar: tzl.js			
remotegui.zip: momentjs.jar: tzm-latn.js			
remotegui.zip: momentjs.jar: tzm.js			
remotegui.zip: momentjs.jar: ug-cn.js			
remotegui.zip: momentjs.jar: uk.js			
remotegui.zip: momentjs.jar: ur.js			
remotegui.zip: momentjs.jar: uz-latn.js			
remotegui.zip: momentjs.jar: uz.js			
remotegui.zip: momentjs.jar: vi.js			
remotegui.zip: momentjs.jar: webjars-requirejs.js			
remotegui.zip: momentjs.jar: x-pseudo.js			
remotegui.zip: momentjs.jar: yo.js			
remotegui.zip: momentjs.jar: zh-cn.js			
remotegui.zip: momentjs.jar: zh-hk.js			
remotegui.zip: momentjs.jar: zh-mo.js			
remotegui.zip: momentjs.jar: zh-tw.js			
remotegui.zip: remotegui.jar			
remotegui.zip: remotegui.jar: angular-websocket.js			
remotegui.zip: remotegui.jar: app.js			
remotegui.zip: remotegui.jar: app.js			
remotegui.zip: remotegui.jar: app.js			
remotegui.zip: remotegui.jar: app.js			
remotegui.zip: remotegui.jar: appbadge.service.js			
remotegui.zip: remotegui.jar: authInterceptor.service.js			
remotegui.zip: remotegui.jar: avatarcard.directive.js			
remotegui.zip: remotegui.jar: avatardetails.directive.js			
remotegui.zip: remotegui.jar: avatarimage.directive.js			
remotegui.zip: remotegui.jar: avatarimagedetails.directive.js			
remotegui.zip: remotegui.jar: basic.js			
remotegui.zip: remotegui.jar: bootstrap-colorpicker.js			
remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js			
remotegui.zip: remotegui.jar: browsercheck.js			
remotegui.zip: remotegui.jar: changeavatar.js			

remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js			
remotegui.zip: remotegui.jar: changeavatar.service.js			
remotegui.zip: remotegui.jar: clearreports.controller.js			
remotegui.zip: remotegui.jar: clipboard.service.js			
remotegui.zip: remotegui.jar: collapse.directive.js			
remotegui.zip: remotegui.jar: colorPicker.directive.js			
remotegui.zip: remotegui.jar: colorservice.js			
remotegui.zip: remotegui.jar: connectionstate.js			
remotegui.zip: remotegui.jar: controller.js			
remotegui.zip: remotegui.jar: controller.js			
remotegui.zip: remotegui.jar: controller.js			
remotegui.zip: remotegui.jar: controllerAbout.js			
remotegui.zip: remotegui.jar: controllerShortcuts.controller.js			
remotegui.zip: remotegui.jar: controllerUserTheme.controller.js			
remotegui.zip: remotegui.jar: controllers.js			
remotegui.zip: remotegui.jar: controllers.js			
remotegui.zip: remotegui.jar: controllers.js			
remotegui.zip: remotegui.jar: controllers.js			
remotegui.zip: remotegui.jar: controllers.js			
remotegui.zip: remotegui.jar: controllers.js			
remotegui.zip: remotegui.jar: controllers.js			
remotegui.zip: remotegui.jar: controllers.js			
remotegui.zip: remotegui.jar: currencyNumber.directive.js			
remotegui.zip: remotegui.jar: currencyValidator.directive.js			
remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js			
remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js			
remotegui.zip: remotegui.jar: customemojiupload.js			
remotegui.zip: remotegui.jar: dataservice.js			
remotegui.zip: remotegui.jar: dataservice.service.js			
remotegui.zip: remotegui.jar: datepicker-de.js			
remotegui.zip: remotegui.jar: debug.directive.js			

remotegui.zip: remotegui.jar: dialogservice.service.js			
remotegui.zip: remotegui.jar: directives.js			
remotegui.zip: remotegui.jar: dropdown.directive.js			
remotegui.zip: remotegui.jar: emojiModel.service.js			
remotegui.zip: remotegui.jar: emojiselector.directive.js			
remotegui.zip: remotegui.jar: env.js			
remotegui.zip: remotegui.jar: errorservice.js			
remotegui.zip: remotegui.jar: errorservice.service.js			
remotegui.zip: remotegui.jar: eventemitter.js			
remotegui.zip: remotegui.jar: filechooser.service.js			
remotegui.zip: remotegui.jar: filechooserservice.js			
remotegui.zip: remotegui.jar: fixNumber.directive.js			
remotegui.zip: remotegui.jar: fixNumberValidator.directive.js			
remotegui.zip: remotegui.jar: floatNumber.directive.js			
remotegui.zip: remotegui.jar: floatNumberValidator.directive.js			
remotegui.zip: remotegui.jar: globalactionservice.service.js			
remotegui.zip: remotegui.jar: guid.js			
remotegui.zip: remotegui.jar: hdField.directive.js			
remotegui.zip: remotegui.jar: hdMandatory.directive.js			
remotegui.zip: remotegui.jar: hdNeedchange.directive.js			
remotegui.zip: remotegui.jar: hdValidate.directive.js			
remotegui.zip: remotegui.jar: hdattachment.js			
remotegui.zip: remotegui.jar: hdfileupload.js			
remotegui.zip: remotegui.jar: helpservice.js			
remotegui.zip: remotegui.jar: hsimp.min.js			
remotegui.zip: remotegui.jar: hsimp.renderer.js			
remotegui.zip: remotegui.jar: html5modeurls.js			
remotegui.zip: remotegui.jar: htmleditor.directive.js			
remotegui.zip: remotegui.jar: htmleditorFactory.service.js			
remotegui.zip: remotegui.jar: htmleditorModel.service.js			
remotegui.zip: remotegui.jar: icons.js			
remotegui.zip: remotegui.jar: indexed-db.js			
remotegui.zip: remotegui.jar: initUsernameField.			

[directive.js](#)

[remotegui.zip: remotegui.jar: introduction.js](#)

[remotegui.zip: remotegui.jar: jquery.fileupload.js](#)

[remotegui.zip: remotegui.jar: keyservice.service.js](#)

[remotegui.zip: remotegui.jar: kytos-attribute.js](#)

[remotegui.zip: remotegui.jar: kytos-data.js](#)

[remotegui.zip: remotegui.jar: kytos-draggable-listitem.js](#)

[remotegui.zip: remotegui.jar: kytos-dropdown.js](#)

[remotegui.zip: remotegui.jar: kytos-element.js](#)

[remotegui.zip: remotegui.jar: kytos-i18n-placeholder.js](#)

[remotegui.zip: remotegui.jar: kytos-i18n-title.js](#)

[remotegui.zip: remotegui.jar: kytos-i18n.js](#)

[remotegui.zip: remotegui.jar: kytos-on.js](#)

[remotegui.zip: remotegui.jar: kytos-repeat.js](#)

[remotegui.zip: remotegui.jar: kytos-src.js](#)

[remotegui.zip: remotegui.jar: kytos.js](#)

[remotegui.zip: remotegui.jar: localfilesystem.service.js](#)

[remotegui.zip: remotegui.jar: locationservice.service.js](#)

[remotegui.zip: remotegui.jar: modal.directive.js](#)

[remotegui.zip: remotegui.jar: modalservice.js](#)

[remotegui.zip: remotegui.jar: modalservice.service.js](#)

[remotegui.zip: remotegui.jar: moduledragdrop.js](#)

[remotegui.zip: remotegui.jar: navtaboverflow.directive.js](#)

[remotegui.zip: remotegui.jar: ng-hugerte.js](#)

[remotegui.zip: remotegui.jar: ng-i18n.js](#)

[remotegui.zip: remotegui.jar: number-util.js](#)

[remotegui.zip: remotegui.jar: numberUtil.js](#)

[remotegui.zip: remotegui.jar: numberValidatorUtil.factory.js](#)

[remotegui.zip: remotegui.jar: ocLazyLoad.jsloader.js](#)

[remotegui.zip: remotegui.jar: ocLazyLoad.min.js](#)

[remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js](#)

[remotegui.zip: remotegui.jar: paged.filter.js](#)

[remotegui.zip: remotegui.jar: pagination.directive.js](#)

[remotegui.zip: remotegui.jar: piechart.directive.js](#)

[remotegui.zip: remotegui.jar: popover.js](#)

[remotegui.zip: remotegui.jar: pwa-service-worker.js](#)

[remotegui.zip: remotegui.jar: pwa.js](#)

[remotegui.zip: remotegui.jar: qrcode.min.js](#)

[remotegui.zip: remotegui.jar: rangeSlider.directive.js](#)

[remotegui.zip: remotegui.jar: resizableDivider.js](#)

[remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js](#)

[remotegui.zip: remotegui.jar: search-input.js](#)

[remotegui.zip: remotegui.jar: search-panel.js](#)

[remotegui.zip: remotegui.jar: selectInput.directive.js](#)

[remotegui.zip: remotegui.jar: settings-ui.js](#)

[remotegui.zip: remotegui.jar: shadowLogger.factory.js](#)

[remotegui.zip: remotegui.jar: sidenavigation.js](#)

[remotegui.zip: remotegui.jar: takeoutDataController.controller.js](#)

[remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js](#)

[remotegui.zip: remotegui.jar: takeoutDataModel.service.js](#)

[remotegui.zip: remotegui.jar: timeInput.directive.js](#)

[remotegui.zip: remotegui.jar: timeInputContainer.directive.js](#)

[remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js](#)

[remotegui.zip: remotegui.jar: toastservice.js](#)

[remotegui.zip: remotegui.jar: translate.js](#)

[remotegui.zip: remotegui.jar: ui-checkbox.js](#)

[remotegui.zip: remotegui.jar: ui-chooser-color.js](#)

[remotegui.zip: remotegui.jar: ui-chooser-file.js](#)

[remotegui.zip: remotegui.jar: ui-group.js](#)

[remotegui.zip: remotegui.jar: ui-input-multiline.js](#)

[remotegui.zip: remotegui.jar: ui-input-number-fixed.js](#)

[remotegui.zip: remotegui.jar: ui-input-number-float.js](#)

[remotegui.zip: remotegui.jar: ui-input-password.js](#)

[remotegui.zip: remotegui.jar: ui-input-search.js](#)

[remotegui.zip: remotegui.jar: ui-input-text.js](#)

[remotegui.zip: remotegui.jar: ui-input-unit.js](#)

remotegui.zip: remotegui.jar: ui-label.js			
remotegui.zip: remotegui.jar: ui-link.js			
remotegui.zip: remotegui.jar: ui-radio-button.js			
remotegui.zip: remotegui.jar: ui-select-edit.js			
remotegui.zip: remotegui.jar: ui-select-filtered.js			
remotegui.zip: remotegui.jar: ui-select-options.js			
remotegui.zip: remotegui.jar: unitFixNumber.directive.js			
remotegui.zip: remotegui.jar: unitFloatNumber.directive.js			
remotegui.zip: remotegui.jar: userservice.js			
remotegui.zip: remotegui.jar: usersorgroupsselection.js			
remotegui.zip: remotegui.jar: usestrict.js			
remotegui.zip: remotegui.jar: websitedownload.render.js			
remotegui.zip: remotegui.jar: websocketdataservice.js			
remotegui.zip: remotegui.jar: websocketkeepaliveworker.js			
remotegui.zip: remotegui.jar: windowdatastore.js			
remotegui.zip: twemoji.jar		pkg:maven/lib/twemoji-null@1.0	
remoteprinting.zip: remoteprinting.jar			
remoteprinting.zip: remoteprinting.jar: RemotePrintingRenderer.js			
remoteprinting.zip: remoteprinting.jar: app.js			
remoteprinting.zip: remoteprinting.jar: htmlviewer.js			
remoteprinting.zip: remoteprinting.jar: pdfviewer.angular.js			
remoteprinting.zip: remoteprinting.jar: remoteprinting.factory.js			
remoteprinting.zip: remoteprinting.jar: remoteprinting.js			
remoteprinting.zip: remoteprinting.jar: remoteprinting.model.js			
remoteprinting.zip: remoteprinting.jar: remoteprinting.renderer.js			
reporting.zip: jcommon.jar		pkg:maven/org.jfree/jcommon@1.0.24	
reporting.zip: jfreechartCC.jar	cpe:2.3:a:jfree:jfreechart:26.4.321:*:*:*:*:*:*		
reporting.zip: reporting-javadoc.jar			
reporting.zip: reporting-javadoc.jar: member-search-index.js			

reporting.zip: reporting-javadoc.jar: package-search-index.js			
reporting.zip: reporting-javadoc.jar: tag-search-index.js			
reporting.zip: reporting-javadoc.jar: type-search-index.js			
reporting.zip: reporting.jar			
reporting.zip: reporting.jar: events.js			
reporting.zip: reporting.jar: export.js			
reporting.zip: reporting.jar: functions.js			
reporting.zip: reporting.jar: generator.js			
reporting.zip: reporting.jar: grouptree.js			
reporting.zip: reporting.jar: htmlreportextension.js			
reporting.zip: reporting.jar: jstorage.js			
reporting.zip: reporting.jar: keylistener.js			
reporting.zip: reporting.jar: menubar.js			
reporting.zip: reporting.jar: page.js			
reporting.zip: reporting.jar: pagecount.js			
reporting.zip: reporting.jar: popup.js			
reporting.zip: reporting.jar: print.js			
reporting.zip: reporting.jar: prompts.js			
reporting.zip: reporting.jar: prototype.array.js			
reporting.zip: reporting.jar: prototype.element.js			
reporting.zip: reporting.jar: prototype.string.js			
reporting.zip: reporting.jar: renderreportextension.js			
reporting.zip: reporting.jar: reorder.js			
reporting.zip: reporting.jar: report.export.js			
reporting.zip: reporting.jar: report.exportdialog.controller.js			
reporting.zip: reporting.jar: report.exportdialog.service.js			
reporting.zip: reporting.jar: report.exportframe.js			
reporting.zip: reporting.jar: script.js			
reporting.zip: reporting.jar: search.js			
reporting.zip: reporting.jar: serverping.js			
reporting.zip: reporting.jar: stacktrace.js			
reporting.zip: reporting.jar: tabbar.js			
sampleapplication.js			

sampledatabase.zip: sampledatabase.jar			
sampledatabase.zip: smallsql.jar			
samplereports.zip: samplereports.jar			
search-worker.min.js			
security.zip: security.jar			
sessiondatasource.sample.zip: sessiondatasource.sample.jar			
setuplauncher.jar			
singulink.js			
slf4j-api-2.0.17.jar		pkg:maven/org.slf4j/slf4j-api@2.0.17	
statistics.reporting.zip: statistics.reporting.jar			
statistics.zip: statistics.jar			
statistics.zip: statistics.jar: controller.js			
statistics.zip: statistics.jar: embeddedstatisticsapp.js			
statistics.zip: statistics.jar: rendererststatistics.js			
statistics.zip: statistics.jar: statisticsFactory.js			
svgSalamander.jar	cpe:2.3:a:kitfox:svg_salamanca:1.1.3:*****	pkg:maven/guru.nidi.com.kitfox/svgSalamander@1.1.3	
taskplanner.databaseaction.sample.zip: taskplanner.databaseaction.sample.jar			
taskplanner.logaction.sample.zip: taskplanner.logaction.sample.jar			
taskplanner.openweathermap.sample.zip: taskplanner.openweathermap.sample.jar			
taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar			
taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: member-search-index.js			
taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: package-search-index.js			
taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: type-search-index.js			
taskplanner.reporting.zip: taskplanner.reporting.jar			
taskplanner.reporting.zip: taskplanner.reporting.jar: crttaskplanner.js			
taskplanner.zip: commons-cli.jar		pkg:maven/commons-cli/commons-cli@1.11.0	
taskplanner.zip: cron-utils.jar	cpe:2.3:a:cron-	pkg:maven/com.	

	utils_project:cron-utils:9.2.1:***** cpe:2.3:a:utils_project:utils:9.2.1:*****	cronutils/cron-utils@9.2.1	
taskplanner.zip: guava.jar	cpe:2.3:a:google:guava:33.5.0:*****	pkg:maven/com.google.guava/guava@33.5.0-jre	
taskplanner.zip: taskplanner-javadoc.jar			
taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js			
taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js			
taskplanner.zip: taskplanner-javadoc.jar: tag-search-index.js			
taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js			
taskplanner.zip: taskplanner.jar			
taskplanner.zip: taskplanner.jar: app.js			
taskplanner.zip: taskplanner.jar: boolean.directive.js			
taskplanner.zip: taskplanner.jar: colorField.directive.js			
taskplanner.zip: taskplanner.jar: controller.js			
taskplanner.zip: taskplanner.jar: factory.js			
taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js			
taskplanner.zip: taskplanner.jar: model.js			
taskplanner.zip: taskplanner.jar: numberRange.directive.js			
taskplanner.zip: taskplanner.jar: numberWrapper.directive.js			
taskplanner.zip: taskplanner.jar: passwordTextField.directive.js			
taskplanner.zip: taskplanner.jar: renderer.directive.js			
taskplanner.zip: taskplanner.jar: simpleCurrencyField.directive.js			
taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js			
taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js			
taskplanner.zip: taskplanner.jar: simpleGroup.directive.js			
taskplanner.zip: taskplanner.jar: simpleLabel.directive.js			
taskplanner.zip: taskplanner.jar: simpleLink.directive.js			
taskplanner.zip: taskplanner.jar: simpleSelect.directive.js			

js			
taskplanner.zip: taskplanner.jar: simpleTextField.directive.js			
taskplanner.zip: taskplanner.jar: stringTable.directive.js			
taskplanner.zip: taskplanner.jar: taskplanner_maintenance.js			
taskplanner.zip: taskplanner.jar: textAreaField.directive.js			
theme.zip: theme.jar			
ucanaccess.jar	cpe:2.3:a:www-sql_project:www-sql:5.1.5:*****:*	pkg:maven/io.github.spannm/ucanaccess@5.1.5	
url.min.js			
urlcookie.sample.zip: urlcookie.sample.jar			
usersandgroupsmanager.zip: usersandgroupsmanager.jar			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeAccountSettingsRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeBooleanRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeCommaSeparatedRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeCurrencyRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeDateRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeDoubleRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeHintRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeIntegerRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeLinkRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeLoginsRenderer.directive.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeMembersRenderer.directive.js			

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar:](#)
[fieldtypeMultilineRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar:](#)
[fieldtypePermissionRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar:](#) [fieldtypeSelectRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar:](#)
[fieldtypeStayLoggedInSessionsRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar:](#)
[fieldtypeStringListRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar:](#) [fieldtypeStringRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar:](#) [fieldtypeTimeRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar:](#)
[fieldtypeTimerangeRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar:](#) [membershipentry.directive.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar:](#) [membershiplist.directive.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar:](#) [nonmembershiplist.directive.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar:](#)
[permissionCheckboxRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar:](#)
[permissionRadiobuttonRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar:](#)
[usersandgroupsmanagercontroller.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar:](#)
[usersandgroupsmanagerdetailscontroller.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar:](#)
[usersandgroupsmanagerdialogcontroller.js](#)

[usersandgroupsmanager.zip:](#)
[usersandgroupsmanager.jar:](#)
[usersandgroupsmanagerdirectives.js](#)

[usersandgroupsmanager.zip:](#)

usersandgroupsmanager.jar: usersandgroupsmanagereffectivepermissionscontroller. js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerfactory.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagermodel.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerpredeletionwarning.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerrenderer.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerstatisticscontroller.js			
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagertakeoutcontroller.js			
webapi.core.zip: swagger-models.jar	cpe:2.3:a:http- swagger_project:http- swagger:2.2.41:*:*:*:*: **	pkg:maven/io. swagger.core.v3 /swagger- models@2.2.41	
webapi.core.zip: webapi.core.jar			
webapi.core.zip: webapi.core.jar: shared.factory.js			
webapi.core.zip: webapi.core.jar: webapi.codemirror.js			
webapi.core.zip: webapi.core.jar: webapi.core.editor.js			
webapi.core.zip: webapi.core.jar: webapi.core.js			
webserver.defender.zip: webserver.defender.jar			
webserver.zip: acme4j-client.jar		pkg:maven/org. shredzone.acme4j /acme4j-client@3. 5.1	
webserver.zip: jetty-websocket-core-client.jar	cpe:2.3:a:eclipse:jetty: 12.1.11.*:*:*:*:* cpe:2.3:a:jetty:jetty: 12.1.11.*:*:*:*:* cpe:2.3:a:mortbay_jetty: jetty:12.1.11.*:*:*:*:*	pkg:maven/org. eclipse.jetty. websocket/jetty- websocket-core- client@12.1.11	
webserver.zip: jetty-websocket-core-server.jar	cpe:2.3:a:eclipse:jetty: 12.1.11.*:*:*:*:* cpe:2.3:a:jetty:jetty: 12.1.11.*:*:*:*:* cpe:2.3:a:jetty: jetty_http_server: 12.1.11.*:*:*:*:* cpe:2.3:a:mortbay_jetty: jetty:12.1.11.*:*:*:*:*	pkg:maven/org. eclipse.jetty. websocket/jetty- websocket-core- server@12.1.11	
webserver.zip: jose4j.jar	cpe:2.3:a: jose4j_project:jose4j:	pkg:maven/org. bitbucket.b_c	

[webserver.zip: webserver.jar](#)

Dependencies (vulnerable)

BarcodePDF417Bean.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/BarcodePDF417Bean.jar

MD5: 525e2924faa024452333e6cef555be69

SHA1: fb6573c9bba9032f72d9aa52eab8a9e4d65233e7

SHA256: 29ae60689ddf45fca3390a52c433a0be0020df9a320e3b130a5eccceb8d9ea31

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	BarcodePDF417Bean	High
Vendor	jar	package name	beans	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdf417	Low
Vendor	Manifest	built-date	2026-08-07 18:10	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	BarcodePDF417Bean	High
Product	jar	package name	beans	Low
Product	jar	package name	pdf417	Low
Product	Manifest	built-date	2026-08-07 18:10	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	BarcodePDF417Bean	High
Product	Manifest	specification-title	BarcodePDF417Bean	Medium
Version	file	name	BarcodePDF417Bean	Medium
Version	file	version	417	Medium

Version Manifest Implementation-
Version 26.4.321

High

Identifiers

- None

Fositex.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/Fositex.jar

MD5: e5bf2cbb470365b512dac891b5ccb197

SHA1: dfac509b508c61e71d8691850c1c731b35d0a87e

SHA256: 904e90056e83854788de56832aa73a3744832852d25e189d748ff91996871577

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	Fositex	High
Vendor	jar	package name	csv	Low
Vendor	jar	package name	inet	Low
Product	file	name	Fositex	High
Product	jar	package name	csv	Low

Identifiers

- None

ICSharpCode.SharpZipLib.dll

Description:

ICSharpCode.SharpZipLib

SharpZipLib (#ziplib, formerly NZipLib) is a compression library for Zip, GZip, BZip2, and Tar written entirely in C# for .NET. It is implemented as an assembly (installable in the GAC), and thus can easily be incorporated into other projects (in any .NET language)

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Java - Samples/viewer_.net/WindowsForms

/ReportViewer/lib/ICSharpCode.SharpZipLib.dll

MD5: 9e9e0a210297968aaf2e00d13958c0b4

SHA1: a32d2dbeac852718f285e26e3d9436a97879e55c

SHA256: cb9c05b5a1e1db26ff43490ee26f2e02abae3f321d2dd5ddd43a68da48eab83d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	dll	namespace	ICSharpCode.SharpZipLib	Highest
Vendor	file	name	ICSharpCode.SharpZipLib	High
Vendor	grokasse	CompanyName	ICSharpCode	Highest
Vendor	grokasse	FileDescription	ICSharpCode.SharpZipLib	Low
Vendor	grokasse	InternalName	ICSharpCode.SharpZipLib.dll	Low
Vendor	grokasse	OriginalFilename	ICSharpCode.SharpZipLib.dll	Low
Vendor	grokasse	ProductName	ICSharpCode.SharpZipLib	Medium
Product	dll	namespace	ICSharpCode.SharpZipLib	Highest
Product	file	name	ICSharpCode.SharpZipLib	High
Product	grokasse	CompanyName	ICSharpCode	Low
Product	grokasse	FileDescription	ICSharpCode.SharpZipLib	High
Product	grokasse	InternalName	ICSharpCode.SharpZipLib.dll	Medium
Product	grokasse	OriginalFilename	ICSharpCode.SharpZipLib.dll	Medium
Product	grokasse	ProductName	ICSharpCode.SharpZipLib	Highest
Version	Assembl	FilteredVersion	1.4.2	Highest
Version	grokasse	FileVersion	1.4.2.13	High
Version	grokasse	ProductVersion	1.4.2 +33f64eb0f28cdd2b084cb822fcc224c7c5aba5	Highest

Related Dependencies



- ICSharpCode.SharpZipLib.dll
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /ReportViewer - WindowsForms .NET/lib/ICSharpCode.SharpZipLib.dll
 - MD5: 9e9e0a210297968aaf2e00d13958c0b4
 - SHA1: a32d2dbeac852718f285e26e3d9436a97879e55c
 - SHA256: cb9c05b5a1e1db26ff43490ee26f2e02abae3f321d2dd5ddd43a68da48eab83d
 - pkg:generic/ICSharpCode.SharpZipLib@1.4.2

Identifiers

- pkg:generic/ICSharpCode.SharpZipLib@1.4.2 (Confidence:Medium)

•

JBarcodeBean.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/JBarcodeBean.jar
MD5: c650fda9e7f38dd5059e775f67e4c738
SHA1: fd113b0c0b4f4e5a90c59b95504b6255a466c566
SHA256:6a876a81e622477c2dfc059f95411bd02109c418a471a497917b89e4ff7bf551
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	JBarcodeBean	High
Vendor	jar	package name	jbarcodebean	Low
Product	file	name	JBarcodeBean	High

- Identifiers
- None

JGaugeBean.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/JGaugeBean.jar
MD5: 4028f43c850df02db33452ec9e6c3acb
SHA1: 8d8a13357707b4f30c6480da1a05f1f0dd52d379
SHA256:0359499280b11b2f9a79ba1d826a898b26af8f86da4fc2ed7add5295bb43b00b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	JGaugeBean	High
Vendor	jar	package name	beans	Low
Vendor	jar	package name	gauge	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2026-08-07 18:10	Low

Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	JGaugeBean	High
Product	jar	package name	beans	Low
Product	jar	package name	gauge	Low
Product	Manifest	built-date	2026-08-07 18:10	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	JGaugeBean	High
Product	Manifest	specification-title	JGaugeBean	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

Merlia-0.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/lib/Merlia/0/ec818ab987afcd2d905984971f76a053ca107217/Merlia-0.jar

MD5: b151d3363029f809f49618ce97b8fc11

SHA1: ec818ab987afcd2d905984971f76a053ca107217

SHA256: cfe766dc3f0467f181c389a0a21323a408a674a54360fc6e3d46fdbb542ca453

Referenced In Projects/Scopes:

- server
- server:inetPlugin

Included by: pkg:maven/clear-reports/server@26.4

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	Merlia-0	High

Vendor	gradle	artifactid	Merlia	Highest
Vendor	gradle	groupid	lib	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	tds	Low
Product	file	name	Merlia-0	High
Product	gradle	artifactid	Merlia	Highest
Product	jar	package name	tds	Low
Version	file	name	Merlia-0	Medium
Version	file	version	0	Medium
Version	gradle	version	0	Highest
Version	Manifest	driver-version	8.14	Medium

Related Dependencies

- Merlia.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/Merlia.jar
 - MD5: b151d3363029f809f49618ce97b8fc11
 - SHA1: ec818ab987afcd2d905984971f76a053ca107217
 - SHA256: cfe766dc3f0467f181c389a0a21323a408a674a54360fc6e3d46fdbb542ca453

Identifiers

- pkg:maven/lib/Merlia@0 (Confidence: Highest)

Oranxo.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/Oranxo.jar

MD5: d462e3549a2c46921fb9259da637eda9

SHA1: c6a354693dc13b7f5d4ece9bf2b410ed23053d94

SHA256: 99498f7da97573b35198467d132e89481d0f84dc3ab10ca969e3b334758f3a18

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	Oranxo	High
Vendor	jar	package name	inet	Low

Vendor	jar	package name	ora	Low
Product	file	name	Oranxo	High
Product	jar	package name	ora	Low
Version	Manifest	driver-version	4.07	Medium

Identifiers

- None

ReportViewer.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Java - Samples/ReportViewer.jar

MD5: 7f1bc6f5ad18bfba53430e119d3938ac

SHA1: 53fe9944802d7667fadf97b89437981b74f792eb

SHA256: c0f6c42da4a80423665c5526498d1e2f39b53dc53a2877f6b90709b70396950a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ReportViewer	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	viewer	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	i-net Clear Reports	Medium
Vendor	Manifest	built-date	2026-08-07 17:42	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-	i-net software	Low

		vendor		
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ReportViewer	High
Product	jar	package name	i	Highest
Product	jar	package name	reportviewer	Highest
Product	jar	package name	viewer	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net Clear Reports	Medium
Product	Manifest	built-date	2026-08-07 17:42	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	ReportViewer	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	ReportViewer	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	26.4.321	High

Related Dependencies



- ReportViewer.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/ReportViewer.jar
 - MD5: 7f1bc6f5ad18bfba53430e119d3938ac
 - SHA1: 53fe9944802d7667fadf97b89437981b74f792eb
 - SHA256: c0f6c42da4a80423665c5526498d1e2f39b53dc53a2877f6b90709b70396950a

Identifiers

- [cpe:2.3:a:inetsoftware:clear_reports:26.4.321:*:*:*:*:*](#) (Confidence:Medium)

suppress

- [cpe:2.3:a:inetsoftware:i-net_clear_reports:26.4.321.*.*.*.*.*](#) (Confidence:Medium)

suppress

ReportViewerWinForms.csproj

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - WindowsForms .NET/ReportViewerWinForms.csproj

MD5: 6461eb9c75fbd531e3a8571dc4da4ce

SHA1: 18b8709f159bbddca04bfd2043f7718bfd364168

SHA256: d89d6f94d27dc30be63126f4e4e75d900168377e99b413a26ae6b9be49a20e25

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	ReportViewerWinForms	High
Product	file	name	ReportViewerWinForms	High

Related Dependencies

- ReportViewerWinForms.csproj
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Java - Samples/viewer_.net/WindowsForms/ReportViewer/ReportViewerWinForms.csproj
 - MD5: 6461eb9c75fbd531e3a8571dc4da4ce
 - SHA1: 18b8709f159bbddca04bfd2043f7718bfd364168
 - SHA256: d89d6f94d27dc30be63126f4e4e75d900168377e99b413a26ae6b9be49a20e25

Identifiers

- None

ReportViewerWinFormsTests.csproj

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - WindowsForms .NET/ReportViewerWinFormsTests.csproj

MD5: 668406baec4c761e2302676f4a7b88d7

SHA1: 23bbbed2cfc57c661aaefc24bb0ab360b402f45b

SHA256: 30a3bcf624662bfd75afc4302f034cfa5640a457b35bf0de05f52b531d73f2b5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ReportViewerWinFormsTests	High
Product	file	name	ReportViewerWinFormsTests	High

Related Dependencies



- ReportViewerWinFormsTests.csproj
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Java - Samples/viewer_.net/WindowsForms/ReportViewer /ReportViewerWinFormsTests.csproj
 - MD5: 668406baec4c761e2302676f4a7b88d7
 - SHA1: 23bbbed2cfc57c661aaeafc24bb0ab360b402f45b
 - SHA256: 30a3bcf624662bfd75afc4302f034cfa5640a457b35bf0de05f52b531d73f2b5

Identifiers

- None

Syto.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/lib/driver/Syto.jar

MD5: 62a8cd327489a2594a5d5cae627d5742

SHA1: 2b28e808d0b71585e4bc154fc7bd495595b895ef

SHA256: d0924747503b5ce3f77e3bf047118df29602192998bb34624fe5870f60e4b037

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	Syto	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pool	Low
Product	file	name	Syto	High
Product	jar	package name	pool	Low

Identifiers

- None

ZxingBarCodes.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/ZxingBarCodes.jar

MD5: 5ef3313b7dde050e0eddc410399c4dd1

SHA1: 7a83d9b1b587b694ac53196349990fd85b0b91ce

SHA256: cf237edd39cf61490111f73f890faab415c47fd1cc6e62b4705649b901c163ee

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ZxingBarCodes	High
Vendor	jar	package name	beans	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	zxing	Low
Vendor	Manifest	built-date	2026-08-07 18:10	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ZxingBarCodes	High
Product	jar	package name	beans	Low
Product	jar	package name	zxing	Low
Product	jar	package name	zxingbarcodes	Highest
Product	Manifest	built-date	2026-08-07 18:10	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	ZxingBarCodes	High
Product	Manifest	specification-title	ZxingBarCodes	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar

MD5: d252284027f3c474f61dd6e51b54aa92

SHA1: 036e84f9062801c3d372f0ee1009abda62265344

SHA256:1058d78ea41d6f3a2a2d5e2c52576bb67eb3a12e021bd27b540e832c0e564412

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	adhoc-javadoc	High
Product	file	name	adhoc-javadoc	High

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: jquery-3.7.1.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/script-files/jquery-3.7.1.min.js

MD5: 2c872dbe60f4ba70fb85356113d8b35e

SHA1: ee48592d1fff952fcf06ce0b666ed4785493afdc

SHA256:fc9a93dd241f6b045cbff0481cf4e1901becd0e12fb45166a8f17f95823f0b1a

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Related Dependencies

- authentication.oauth.zip: authentication.oauth-javadoc.jar: jquery-3.7.1.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/script-files/jquery-3.7.1.min.js
 - MD5: 2c872dbe60f4ba70fb85356113d8b35e
 - SHA1: ee48592d1fff952fcf06ce0b666ed4785493afdc
 - SHA256: fc9a93dd241f6b045cbff0481cf4e1901becd0e12fb45166a8f17f95823f0b1a
- maintenance.zip: maintenance-javadoc.jar: jquery-3.7.1.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/script-files/jquery-3.7.1.min.js
 - MD5: 2c872dbe60f4ba70fb85356113d8b35e
 - SHA1: ee48592d1fff952fcf06ce0b666ed4785493afdc
 - SHA256: fc9a93dd241f6b045cbff0481cf4e1901becd0e12fb45166a8f17f95823f0b1a
- reporting.zip: reporting-javadoc.jar: jquery-3.7.1.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/script-files/jquery-3.7.1.min.js
 - MD5: 2c872dbe60f4ba70fb85356113d8b35e
 - SHA1: ee48592d1fff952fcf06ce0b666ed4785493afdc
 - SHA256: fc9a93dd241f6b045cbff0481cf4e1901becd0e12fb45166a8f17f95823f0b1a
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-3.7.1.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-files/jquery-3.7.1.min.js
 - MD5: 2c872dbe60f4ba70fb85356113d8b35e
 - SHA1: ee48592d1fff952fcf06ce0b666ed4785493afdc
 - SHA256: fc9a93dd241f6b045cbff0481cf4e1901becd0e12fb45166a8f17f95823f0b1a
- taskplanner.zip: taskplanner-javadoc.jar: jquery-3.7.1.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-files/jquery-3.7.1.min.js
 - MD5: 2c872dbe60f4ba70fb85356113d8b35e
 - SHA1: ee48592d1fff952fcf06ce0b666ed4785493afdc
 - SHA256: fc9a93dd241f6b045cbff0481cf4e1901becd0e12fb45166a8f17f95823f0b1a

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/script-files/jquery-ui.min.js

MD5: ab481ee8cd3ebac4edfcbd2cae5b0dde

SHA1: a3df331b23b1dc7d01d219cf426ff3148da3ac33

SHA256: 4c0b2b6513452adf188402da32faea446b326e0a3362eda6fa8603e73594a567

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Related Dependencies



- authentication.oauth.zip: authentication.oauth-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/script-files/jquery-ui.min.js
 - MD5: ab481ee8cd3ebac4edfcbd2cae5b0dde
 - SHA1: a3df331b23b1dc7d01d219cf426ff3148da3ac33
 - SHA256: 4c0b2b6513452adf188402da32faea446b326e0a3362eda6fa8603e73594a567
- maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/script-files/jquery-ui.min.js
 - MD5: ab481ee8cd3ebac4edfcbd2cae5b0dde
 - SHA1: a3df331b23b1dc7d01d219cf426ff3148da3ac33
 - SHA256: 4c0b2b6513452adf188402da32faea446b326e0a3362eda6fa8603e73594a567
- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/script-files/jquery-ui.min.js
 - MD5: ab481ee8cd3ebac4edfcbd2cae5b0dde
 - SHA1: a3df331b23b1dc7d01d219cf426ff3148da3ac33
 - SHA256: 4c0b2b6513452adf188402da32faea446b326e0a3362eda6fa8603e73594a567
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-files/jquery-ui.min.js
 - MD5: ab481ee8cd3ebac4edfcbd2cae5b0dde
 - SHA1: a3df331b23b1dc7d01d219cf426ff3148da3ac33
 - SHA256: 4c0b2b6513452adf188402da32faea446b326e0a3362eda6fa8603e73594a567
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-files/jquery-ui.min.js
 - MD5: ab481ee8cd3ebac4edfcbd2cae5b0dde
 - SHA1: a3df331b23b1dc7d01d219cf426ff3148da3ac33
 - SHA256: 4c0b2b6513452adf188402da32faea446b326e0a3362eda6fa8603e73594a567

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/member-search-index.js

MD5: 096adf08ed424d329209142af3ce02a9

SHA1: aaa5693f1ef125d849504b6b8fcad066c2042106

SHA256:bd5b5688ec09a8d355df0413e1b79e4a3c9c006e37e2395b15ec438ae98b320c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: module-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/module-search-index.js

MD5: a33da0f469acbd03f77bf407bac505f5

SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8

SHA256:814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Related Dependencies



- authentication.oauth.zip: authentication.oauth-javadoc.jar: module-search-index.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/module-search-index.js
 - MD5: a33da0f469acbd03f77bf407bac505f5
 - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
 - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- maintenance.zip: maintenance-javadoc.jar: module-search-index.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/module-search-index.js
 - MD5: a33da0f469acbd03f77bf407bac505f5
 - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
 - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- reporting.zip: reporting-javadoc.jar: module-search-index.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/module-search-index.js
 - MD5: a33da0f469acbd03f77bf407bac505f5
 - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
 - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- taskplaner.reporting.zip: taskplaner.reporting-javadoc.jar: module-search-index.js

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/module-search-index.js
- MD5: a33da0f469acbd03f77bf407bac505f5
- SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
- SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- taskplanner.zip: taskplanner-javadoc.jar: module-search-index.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/module-search-index.js
 - MD5: a33da0f469acbd03f77bf407bac505f5
 - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
 - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/package-search-index.js

MD5: a187609bcb77d41ff7c8bf06b16248c3

SHA1: 7f3aab227d25479e56047299a080c63f5f8dc4e3

SHA256: b546435be2e05d25ef8c7cd2223ee7664af5cb70eb25850b415216663483c5f2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: script.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/script-files/script.js

MD5: 14f041a73b41a06e14ae5119bf58a412

SHA1: 3bde180527bb365eea5f582d8fa6c08270c9b745

SHA256: 795ddba417f4a106bbfae3c84cb2c61363e0ce9b29163eaefdc9c334db1f9b2d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Related Dependencies



- authentication.oauth.zip: authentication.oauth-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/script-files/script.js
 - MD5: 14f041a73b41a06e14ae5119bf58a412
 - SHA1: 3bde180527bb365eea5f582d8fa6c08270c9b745
 - SHA256: 795ddba417f4a106bbfae3c84cb2c61363e0ce9b29163eaefdc9c334db1f9b2d
- maintenance.zip: maintenance-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/script-files/script.js
 - MD5: 14f041a73b41a06e14ae5119bf58a412
 - SHA1: 3bde180527bb365eea5f582d8fa6c08270c9b745
 - SHA256: 795ddba417f4a106bbfae3c84cb2c61363e0ce9b29163eaefdc9c334db1f9b2d
- reporting.zip: reporting-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/script-files/script.js
 - MD5: 14f041a73b41a06e14ae5119bf58a412
 - SHA1: 3bde180527bb365eea5f582d8fa6c08270c9b745
 - SHA256: 795ddba417f4a106bbfae3c84cb2c61363e0ce9b29163eaefdc9c334db1f9b2d
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-files/script.js
 - MD5: 14f041a73b41a06e14ae5119bf58a412
 - SHA1: 3bde180527bb365eea5f582d8fa6c08270c9b745
 - SHA256: 795ddba417f4a106bbfae3c84cb2c61363e0ce9b29163eaefdc9c334db1f9b2d
- taskplanner.zip: taskplanner-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-files/script.js
 - MD5: 14f041a73b41a06e14ae5119bf58a412
 - SHA1: 3bde180527bb365eea5f582d8fa6c08270c9b745
 - SHA256: 795ddba417f4a106bbfae3c84cb2c61363e0ce9b29163eaefdc9c334db1f9b2d

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: search-page.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/script-files/search-page.js

MD5: 91487edb9c0528bb329ed378cd74987f

SHA1: 001ab7444e3ba1252d4daf7f870d51bb287cd4e7
SHA256:3bd59d168258fa81f6ffe473feec32bae0e0a5d571ecc89a1eb4fc04defed1b7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Related Dependencies

- authentication.oauth.zip: authentication.oauth-javadoc.jar: search-page.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/script-files/search-page.js
 - MD5: 91487edb9c0528bb329ed378cd74987f
 - SHA1: 001ab7444e3ba1252d4daf7f870d51bb287cd4e7
 - SHA256: 3bd59d168258fa81f6ffe473feec32bae0e0a5d571ecc89a1eb4fc04defed1b7
- maintenance.zip: maintenance-javadoc.jar: search-page.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/script-files/search-page.js
 - MD5: 91487edb9c0528bb329ed378cd74987f
 - SHA1: 001ab7444e3ba1252d4daf7f870d51bb287cd4e7
 - SHA256: 3bd59d168258fa81f6ffe473feec32bae0e0a5d571ecc89a1eb4fc04defed1b7
- reporting.zip: reporting-javadoc.jar: search-page.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/script-files/search-page.js
 - MD5: 91487edb9c0528bb329ed378cd74987f
 - SHA1: 001ab7444e3ba1252d4daf7f870d51bb287cd4e7
 - SHA256: 3bd59d168258fa81f6ffe473feec32bae0e0a5d571ecc89a1eb4fc04defed1b7
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: search-page.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-files/search-page.js
 - MD5: 91487edb9c0528bb329ed378cd74987f
 - SHA1: 001ab7444e3ba1252d4daf7f870d51bb287cd4e7
 - SHA256: 3bd59d168258fa81f6ffe473feec32bae0e0a5d571ecc89a1eb4fc04defed1b7
- taskplanner.zip: taskplanner-javadoc.jar: search-page.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-files/search-page.js
 - MD5: 91487edb9c0528bb329ed378cd74987f
 - SHA1: 001ab7444e3ba1252d4daf7f870d51bb287cd4e7
 - SHA256: 3bd59d168258fa81f6ffe473feec32bae0e0a5d571ecc89a1eb4fc04defed1b7

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: search.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/script-files/search.js
MD5: e1bbc8e050e9e3033a72b1e719fc3957
SHA1: 01e8b1cc5816ddc972f7e6e4dc28bf14a1dcc21c
SHA256: fb8492aa12ea5e8c74045f0f909c7f9afc12cb44ce165e1b18a4d0cd1c49908c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Related Dependencies

- authentication.oauth.zip: authentication.oauth-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/script-files/search.js
 - MD5: e1bbc8e050e9e3033a72b1e719fc3957
 - SHA1: 01e8b1cc5816ddc972f7e6e4dc28bf14a1dcc21c
 - SHA256: fb8492aa12ea5e8c74045f0f909c7f9afc12cb44ce165e1b18a4d0cd1c49908c
- maintenance.zip: maintenance-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/script-files/search.js
 - MD5: e1bbc8e050e9e3033a72b1e719fc3957
 - SHA1: 01e8b1cc5816ddc972f7e6e4dc28bf14a1dcc21c
 - SHA256: fb8492aa12ea5e8c74045f0f909c7f9afc12cb44ce165e1b18a4d0cd1c49908c
- reporting.zip: reporting-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/script-files/search.js
 - MD5: e1bbc8e050e9e3033a72b1e719fc3957
 - SHA1: 01e8b1cc5816ddc972f7e6e4dc28bf14a1dcc21c
 - SHA256: fb8492aa12ea5e8c74045f0f909c7f9afc12cb44ce165e1b18a4d0cd1c49908c
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-files/search.js
 - MD5: e1bbc8e050e9e3033a72b1e719fc3957
 - SHA1: 01e8b1cc5816ddc972f7e6e4dc28bf14a1dcc21c
 - SHA256: fb8492aa12ea5e8c74045f0f909c7f9afc12cb44ce165e1b18a4d0cd1c49908c
- taskplanner.zip: taskplanner-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-files/search.js
 - MD5: e1bbc8e050e9e3033a72b1e719fc3957
 - SHA1: 01e8b1cc5816ddc972f7e6e4dc28bf14a1dcc21c
 - SHA256: fb8492aa12ea5e8c74045f0f909c7f9afc12cb44ce165e1b18a4d0cd1c49908c

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: tag-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/tag-search-index.js
MD5: acda0a4d961a2dbb052cf81694d1c50b
SHA1: 4853e0d2a022b5098359e59d740952ee1e187c04
SHA256: 4394bc27c97d0c9018c2fb763bfc045db14433b160e3c1fec16795d1d1967aaf
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/type-search-index.js
MD5: 6bd7617f58fc52119136bc623f55569d
SHA1: 9d5240695e8c348f2f8db5f426b237cc1c4b112a
SHA256: c52bb25a5361dd48ff0a9d2f5fb643e3b37cf08ec08ac176a37a74e122023fae
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar
MD5: ccdec5cf7f83991041af4876406931f5
SHA1: 96ba022f5376ed196d0c9ad2aaf5b5fc0e72aabf
SHA256:cd1825982ea9d79174c4710f6b53fb1326798ec67d44ce850838a4c9e19a7ae5
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	adhoc	High
Vendor	jar	package name	adhoc	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-08-07 18:06	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	adhoc	High
Product	jar	package name	adhoc	Highest
Product	jar	package name	adhoc	Low
Product	jar	package name	report	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2026-08-07 18:06	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	adhoc	High
Product	Manifest	specification-title	adhoc	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.ai.panel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.ai.panel.js

MD5: c9621818e2fa2105a73d09882414f2b2

SHA1: 592226c5494aa756bffb304dbbc8d933fc2ceb7f

SHA256: a271f3f74b7245c3ab110554a37a613e0ef9c0ef31c90ef8e5983655da33e41c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.chartresizeobserver.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.chartresizeobserver.js

MD5: 582409982705eb98eeb298e2ea730531

SHA1: e7ab0d2b8227f091c7c6e5fe45ab307e5f072bde

SHA256: 6c4aa57be8b0916b0170b3296d57e16ac326e941149b6f6347ed108d6de80d7d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.componentresizeobserver.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.componentresizeobserver.js
MD5: e456cb79474b1658f85e888026638cc9
SHA1: 8a3dbb6395ed6bfd0daabd706cc3eff68b69db88
SHA256: 9dd8d55582f0fcc3da01c52225fdf9feb0a013053e7fe284a05e02a529bec7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.openfiledropzone.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.openfiledropzone.js
MD5: 8e84aa7ab7e98c0dec8019701658d2b4
SHA1: bdad0809b3e268ae1b0c610b95b1156104550a6d
SHA256: 67d5e615c4b54f10c8dde13f257d1a700522bf15d9d5629758d10a58b8292b7b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.pageheadertoolbar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.pageheadertoolbar.js
MD5: 3db0f95df6f62025ca4806507d4f0f43
SHA1: fbe797943666cf95d624757a2fd20061ad8a46ec
SHA256: 52b002248c5ee906fffd1d9dcbde2fbd9879ae541cb6ecbec575fa6d0c20213b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportcomponentview.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportcomponentview.js

MD5: bfaf9f9676e94cd2d707b794a7ac1dda

SHA1: 083136788171afb5c33a536f1e73aad68c840e6d

SHA256: 8f5ba35966a9233fda80e21f2aa589d7e9f719b2ce5c31b0a18e0d8aeb41498e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportpropertiesarea.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportpropertiesarea.js

MD5: 66e39cbb1c1a68f71d5d8644b757ce94

SHA1: 267aed374d6ed69510ce8dfa22e53514c0b37ba7

SHA256: 9fd5b15728af631f2004b4ddd85943bcaa2978c9c2601626b8daba6a02731534

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.js

MD5: b983a3cfd912512fbc60090e89711a79

SHA1: 5ee3a9659326fa2c537a989847992beeba94a732

SHA256: a990433c893aab0121361a967244ca651adabdd7fcc466c6fe7aa0b929241fff

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.printconverter.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.printconverter.js

MD5: 8ea7230b240166815d45402a09b362cd

SHA1: cbe542a5f04f0a4e60f1260820c06b63aae15325

SHA256: c09b884b0280bb398f9e8c220643f0bc349ccf171631703b06216ddc6e6e75b2

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.access.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.access.js

MD5: 3c3cc1f827d6dbcf0ac4c5a51c4ab89f

SHA1: 67d3370998c83d720424474dfd3fcc1fa772148c

SHA256: 0482946023e643fb686feffd6a17471305f135f4c37bc5dc4b425b5c16e237cd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.boolean.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.boolean.js

MD5: 8dc62791382904705c86dd5b30dd6057

SHA1: Odd574f611b4a9e778e2eb5d35f6eb053b2ff9b6

SHA256: 92f8f5f2b8ea2dc1144577404450c4a027a3ad58acffe5bc40d148ec60dd1b63

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.color.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.color.js
MD5: 57bb880e05f35d1266a05d8cd42ab23b
SHA1: 3865d3959ace7c0e8df9939bd2491f2caaf7eeae
SHA256: 054ab0edc0c5e1778c1770fee484d0dc431fb605b808b2f7fd3a363ea1349a4b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.colorscheme.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.colorscheme.js
MD5: bf076d6942b679343e59e02dfbca5c78
SHA1: 44cff0512ae4f820e2b94c42f7bb426714a6dfc9
SHA256: b5db1a6088d0bd4b13feb52ef897b8e1ba664cc81b0394eaf879838a912f0f61
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.columns.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.columns.js
MD5: 7ffacc002e6cdae40f70dfaea37e518d
SHA1: d13751863b1fe6b6e60af34d5bfaaf4705e6527b
SHA256: 7e8c7575a4cacbbb7934f75c0ec9ac9e1285bfa1d7806c8aa5cd057eab42f67a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.filter.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.filter.js

MD5: c8237bd10054b17297f16dc23ce7a899

SHA1: 2c719ce1417e8cabd7b6cb6f57799bcadb2cb96d

SHA256: 895d41a74d20c5a948d83f682478a3d1b24e3dfefc60693c2c38c74077327e55

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.image.select.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.image.select.js

MD5: 4e4c9d65d59a92adf877a61a71756393

SHA1: 8e676f076cc14ef4622a8ed65a410e61fd992c1e

SHA256: 584cb6b59493fd20bb1eb9b59c90c84ee9dc61bc078fc61cd2ab2d012e2902c1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.logo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.logo.js

MD5: ecaff58fb7d486379c09558c67b6adb4

SHA1: 3e5d9e14b525ca20c60d1ec4ffccfd73fc3dbbf3

SHA256: 8d8650c4d2ddab25549397f8f300bd9323e6676a51ed34b393c801a749f7ca43

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.select.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.select.js

MD5: e12653dce1fcfdebe5f0a28fe0774de8

SHA1: 5406aa37b19e568b6d06193e2cb542d6519e642f

SHA256: 9dcfcd925a87edf3a76fdb79763d868dbbfdac56db00f2bfdb834cb6bede1f7

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.slider.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.slider.js

MD5: 4b5d05e2c310201701297eadad19abca

SHA1: c30e2757675ca8316173a36d3c39765226175de2

SHA256: abccfa14c95c8403913d4a9729fd9881a1adc29ca4da9860268a26fd5459550d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.source.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.source.js

MD5: 37e9c9f9a348ccae2f8df7af5d3725bd

SHA1: 6764850e9d7eb9171bff7d89446b04eb266ca1e8

SHA256: 5cb78eed4c3a7a38da62d8f6c08673a671e46c904a3c013c64c08cb768df225f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.templatesource.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.templatesource.js
MD5: 3528a62f71a82a0be2b78f8a64de3497
SHA1: 4029d60d787120027ca739895ee0bb362fc671f6
SHA256: 358a1d431f2ab4433d121b476af854e744d7b1121ed25afe405b59238b041563
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.text.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.text.js
MD5: 63f0e10a167f83195cb68fd0e882fb88
SHA1: cf7819683de9726f187028f9f5a632f264796467
SHA256: 2b9e194cb44834c7f9a47202dd485f5be9eff7103a8f28fc52bde01c7eb685c8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.reportview.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportview.js
MD5: c7ca5741abb6dda5ccc00ba224bef269
SHA1: 5df0ab067ca3c319bd9b7396c943910a14a0b719
SHA256: a5f88d51f3ef1ad11cb0cf4c456ea629733baab2dbff6ffabbb05c7de1410819
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: adhoc.toolbar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.toolbar.js

MD5: 29139f2f160d35c85cd5fc9007a745f0

SHA1: 43fcabadb23730c9b08d8592cf1335bba81f0af9

SHA256: 6644a258a75b8c2921ce399ddf9880aa498eb274308e3354d2fcdf24e3013283

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: adhoccontroller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoccontroller.js

MD5: 2d18c6f7916c755ee808bf628d8b55ba

SHA1: 72571a106c802b39b1953731998421c176d14d79

SHA256: f7302879b0365e32e486117571993b795531f0b11153eb908fd9f1fcafc198ca

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: adhocfactory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhocfactory.js

MD5: 69896a8383411eab05adb52368c86d80

SHA1: 0d97e82ece1d0dd16e4dc1bd927e250735e57856

SHA256: 603145eb2ecfaa14af7fe095cbdf296b2b4d9c81d9598c3e8ec0034b849cf11c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: adhocmodel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhocmodel.js

MD5: d93e2b50c666f2445d9d3d65b04b91e4

SHA1: ed00c32fa48421015e3ae45d3530818214372e11

SHA256: acc303e155f294e4dac89677e01ad7de7c6ea369535fc9d02280ca2020e40e14

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: configuration.adhoc.templates.edit.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/templates/configuration.adhoc.templates.edit.js

MD5: 5fde177e1fe760a873bc1eec6790c747

SHA1: ea09c1b8b425b11dabdadfa340733cead4fb391f

SHA256: 005ffffac2bdb1e7afb2f4a96d05ce6bd9e50e7aa90dfa59b67d07c3092a6a2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: configuration.adhoc.templates.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/templates/configuration.adhoc.templates.js

MD5: 7003e616506cf628e25ee3debe27264a

SHA1: 60eb9aae8ed4419008acd4bb4cfe03baa87ea843

SHA256: f13a5f0c5d6f68e16eb54a6904ccb00f6df6ff19e0605369558c6afe25ac2e6c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: configuration.adhoc.themes.edit.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/themes/configuration.adhoc.themes.edit.js
MD5: 5bcdbe57c2457045ede2e7e59a72a12e
SHA1: e72b708ddd576b5731ab3bc5a5098ea604c98fb5
SHA256: 796e44d380350305a4be59f45a11a0aedbf691866cae7ba8217f1bee118beb0a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: configuration.adhoc.themes.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/themes/configuration.adhoc.themes.js
MD5: b1ad812c14dcd1fe5e2b7062268f571c
SHA1: a708eae13369c42e13a88f6eccd2a803b68414b5
SHA256: 90f2459efc98b028e092fe336c9db4c2169abac3a9a3df01afdda00011340c09
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: dashboard-widget-adhoc.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/server/dashboard/dashboard-widget-adhoc.js
MD5: f84ca8afd6a3f9720e06a42941edd89a
SHA1: 0ebfdb5e78fe2547823fc15837ff8c719fc50d83
SHA256: 2f3f7e829279a71d6308496c077c40965414b4506818943a1841a2c44cb1f359
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: openadhocextension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc
/server/drive/client/js/openadhocextension.js

MD5: 3202933e637c019035e1d096c53ccf8a

SHA1: 341cc80ddccc825f79edb28e127d960317e9cedc

SHA256: 41b7dbbaf945b6615d31e9be2a345e97d306135128ecdbb67970e4179018680a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: renderadhocextension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc
/server/drive/client/js/renderadhocextension.js

MD5: 604498a036b85f4b973e63068769e8eb

SHA1: 0ed6747c8f239e14d31bedca2285c5c22f0e9537

SHA256: c31aca06e6447e72dd5e287963bb6d02211477774b8b711cf29e207d5e96ceee

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

adhoc.zip: adhoc.jar: ui-dashboard-adhoccomponentselection.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/server/dashboard/ui-dashboard-adhoccomponentselection.js

MD5: 1a0abc4793bdd325534b4bd8d9e29220

SHA1: a512c837ec5df484fb9c666e2040f09ca4a53547

SHA256: a02475593bcba801afd6e6835c14c8d450bef252a30f412e981fb2f71b733a6b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

ai.zip: ai.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/ai.zip/ai.jar

MD5: 299c298f0c3dd39186d43b227546f316

SHA1: c654d1606ee8a3c4f8859e27ae1263e4db4fcd54

SHA256: a5c8a51007fc576cb50d83d4a8f0ab7465edc8df245847fa54aee0b241dff43

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ai	High
Vendor	jar	package name	ai	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugin	Low
Vendor	Manifest	built-date	2026-08-07 18:19	Low

Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ai	High
Product	jar	package name	ai	Highest
Product	jar	package name	ai	Low
Product	jar	package name	plugin	Low
Product	Manifest	built-date	2026-08-07 18:19	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	ai	High
Product	Manifest	specification-title	ai	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

ai.zip: ai.jar: aiprovider_config.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/ai.zip/ai.jar/com/inet/plugin/ai/structure/js/aiprovider_config.js

MD5: df918069a587bc74502c9fd267e1e309

SHA1: 66c05387e8725ac3eb08fb1b74a30c43ef85d5c1

SHA256: 7e896f0bf9e3db8487dd1a426a86f7b12030ed127b14da0b93a56ea6e0ed6b98

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

ai.zip: ai.jar: aiworkingpanel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/ai.zip/ai.jar/com/inet/plugin/ai/client/aiworkingpanel.js

MD5: 8b53a02567f9600fbdd8a3b9964434d7

SHA1: ba228e15518daba68bba59bd7e65e8a7bb2dcaef

SHA256: f9b3f83f731a8117347d5833c589a5b3e2037c01a60e8b403dc074726bb7b26d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

annotations-3.0.1.jar (shaded: com.google.code.findbugs:jsr305:3.0.1)

Description:

JSR305 Annotations for Findbugs

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/annotations/3.0.1/fc019a2216218990d64dfe756e7aa20f0069dea2/annotations-3.0.1.jar/META-INF/maven/com.google.code.findbugs/jsr305/pom.xml

MD5: d08567d16867a0b79bc8149683918452

SHA1: d04690f71f3393e23f30998d9534365274fa5f9f

SHA256: 4170a761dc5bfd3981a8e6f7aab9e2acdce82d34fd5aa9bb11e3c090d25314ce

Referenced In Project/Scope: server:inetPlugin

Evidence



Type	Source	Name	Value	Confidence

Vendor	pom	artifactid	jsr305	Low

Vendor	pom	groupid	com.google.code.findbugs	Highest

Vendor	pom	name	FindBugs-jsr305	High
Vendor	pom	url	http://findbugs.sourceforge.net/	Highest
Product	pom	artifactid	jsr305	Highest
Product	pom	groupid	com.google.code.findbugs	Highest
Product	pom	name	FindBugs-jsr305	High
Product	pom	url	http://findbugs.sourceforge.net/	Medium
Version	pom	version	3.0.1	Highest

Identifiers

- pkg:maven/com.google.code.findbugs/jsr305@3.0.1 (*Confidence:High*)

annotations-3.0.1.jar

Description:

Annotation the FindBugs tool supports

License:

GNU Lesser Public License: <http://www.gnu.org/licenses/lgpl.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/annotations/3.0.1/fc019a2216218990d64dfe756e7aa20f0069dea2/annotations-3.0.1.jar

MD5: fc4f102f22ba4f1df3f1d7cc6b202152

SHA1: fc019a2216218990d64dfe756e7aa20f0069dea2

SHA256: 6b47ff0a6de0ce17cbcdc3abb0828ca5bce3009d53ea47b3723ff023c4742f79

Referenced In Project/Scope: server:inetPlugin

Included by: pkg:maven/de.inetsoftware/jlessc@1.15

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	annotations	High
Vendor	gradle	artifactid	annotations	Highest
Vendor	gradle	groupid	com.google.code.findbugs	Highest
Vendor	jar	package name	annotation	Highest
Vendor	jar	package name	annotations	Highest
Vendor	jar	package name	findbugs	Highest
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	findbugsAnnotations	Medium

Vendor	pom	artifactid	annotations	Low
Vendor	pom	developer email	Loskutov@gmx.de	Low
Vendor	pom	developer email	pugh at cs.umd.edu	Low
Vendor	pom	developer id	al	Medium
Vendor	pom	developer id	bp	Medium
Vendor	pom	developer name	Andrey Loskutov	Medium
Vendor	pom	developer name	Bill Pugh	Medium
Vendor	pom	developer name	Keith Lea	Medium
Vendor	pom	groupid	com.google.code.findbugs	Highest
Vendor	pom	name	FindBugs-Annotations	High
Vendor	pom	url	http://findbugs.sourceforge.net/	Highest
Product	file	name	annotations	High
Product	gradle	artifactid	annotations	Highest
Product	jar	package name	annotation	Highest
Product	jar	package name	annotations	Highest
Product	jar	package name	findbugs	Highest
Product	Manifest	Bundle-Name	FindBugs-Annotations	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	findbugsAnnotations	Medium
Product	pom	artifactid	annotations	Highest
Product	pom	developer email	Loskutov@gmx.de	Low
Product	pom	developer email	pugh at cs.umd.edu	Low
Product	pom	developer id	al	Low
Product	pom	developer id	bp	Low
Product	pom	developer name	Andrey Loskutov	Low
Product	pom	developer name	Bill Pugh	Low
Product	pom	developer name	Keith Lea	Low
Product	pom	groupid	com.google.code.findbugs	Highest
Product	pom	name	FindBugs-Annotations	High
Product	pom	url	http://findbugs.sourceforge.net/	Medium
Version	file	version	3.0.1	High
Version	gradle	version	3.0.1	Highest
Version	Manifest	Bundle-Version	3.0.1	High
Version	pom	version	3.0.1	Highest

Identifiers

- pkg:maven/com.google.code.findbugs/annotations@3.0.1 (Confidence:High)

application.currenttime.sample.zip: application.currenttime.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.sample.zip/application.currenttime.sample.jar
MD5: 9bf2283c7b7bbf550708911549a5a3a7
SHA1: 47fd0eed4da90f0d469a368231e92de2d3ee97a1
SHA256: 22e18d5da8fc946f989aae6e96d25ff3b5d6798f9553caf41c58f457bf4b0df4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	application.currenttime.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	currenttime	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2026-08-07 16:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.currenttime.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	currenttime	Highest
Product	jar	package name	currenttime	Low
Product	Manifest	built-date	2026-08-07 16:53	Low
Product	Manifest	implementation-group	shared	Low

Product	Manifest	Implementation-Title	application.currenttime.sample	High
Product	Manifest	specification-title	application.currenttime.sample	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

application.currenttime.sample.zip: application.currenttime.sample.jar: sampleapplication.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.sample.zip/application.currenttime.sample.jar/com/inet/application/currenttime/sampleapplication.js
MD5: a3910ea7b1fdb6e9f0ae2807b1bce25
SHA1: 19e674ef9827646b616d4e421a0ecd41238c90e8
SHA256: 388c312835e10d79f36784aea686e74b6379a3f54c0d3795d69868561dfae038
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

application.embedded.sample.zip: application.embedded.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/application.embedded.sample.zip/application.embedded.sample.jar
MD5: f7919aa5b951060ebd23c567a13b80b4
SHA1: b16c8d21bca1ad2ec3b9221ec3110de6e849fbe8
SHA256: b8e8145eca8160fb22ad2d3d10c3e69d2176ee83e2099050072610f2c55e5154
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	application.embedded.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	embedded	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2026-08-07 16:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.embedded.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	embedded	Highest
Product	jar	package name	embedded	Low
Product	jar	package name	embeddedserverplugin	Low
Product	Manifest	built-date	2026-08-07 16:53	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.embedded.sample	High
Product	Manifest	specification-title	application.embedded.sample	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

application.embedded.sample.zip: application.embedded.sample.jar: embeddedMode.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/application.embedded.sample.zip/application.embedded.sample.jar/com/inet/application/embedded/webgui/embeddedMode.js
MD5: 629060ea8d8f25c979c25d7070a1e6d5
SHA1: 67b65682b95eb6398d4800b26ebbe112fb4633d6
SHA256:e658130c19572f14c548794df3b72a480190472f328f8bfd06a078b99d908d18
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

application.googleanalytics.sample.zip: application.googleanalytics.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.sample.zip/application.googleanalytics.sample.jar
MD5: d909a303368f5968d915bfad59fe4fa7
SHA1: 2e1e0b79a8b730ce87270c4c9261c43ac4ee7376
SHA256:34db1ec09c23e56c7ab8065f7092b4a06d6fc6d61bb4684a049ee84e43cec372
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	application.googleanalytics.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	googleanalytics	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2026-08-07 16:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low

Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.googleanalytics.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	googleanalytics	Highest
Product	jar	package name	googleanalytics	Low
Product	Manifest	built-date	2026-08-07 16:53	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.googleanalytics.sample	High
Product	Manifest	specification-title	application.googleanalytics.sample	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

application.googleanalytics.sample.zip: application.googleanalytics.sample.jar: googleanalytics.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.sample.zip/application.googleanalytics.sample.jar/com/inet/application/googleanalytics/client/js/googleanalytics.js

MD5: 2bcad1fb24d551b4fe04b4d73f7bfe35

SHA1: fc802523418fc05403a6a5c8e6142dcd469e17e4

SHA256: e338ff1f433e6cf428a20f2913fb03eea9ba9c7f9ca6c14f8e187f4f6ab56aec

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

application.googleanalytics.sample.zip: application.googleanalytics.sample.jar:
jquery.cookiebar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics
/application.googleanalytics.sample.zip/application.googleanalytics.sample.jar/com/inet/application
/googleanalytics/client/js/jquery.cookiebar.js
MD5: f323a266f0d55dd8cdf8e65dcafb4175
SHA1: 0fec2371e38e6e6b7045d5bb59dbb6b8d2952d46
SHA256:a0b3af2e82f054e2076675d95716d19a1df707c0fc723f5360ef4cce1b0e02e9
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

application.helloworld.sample.zip: application.helloworld.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/HelloWorld
/application.helloworld.sample.zip/application.helloworld.sample.jar
MD5: 39aecca4f357681f311b228b17433abf
SHA1: feb9437e8ad52f974c442006bda0ffaacf64f3f3
SHA256:fa46c510166b421649c709fc097b7ff56466651ff479358bd6c2319385449064
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	application.helloworld.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	helloworld	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2026-08-07 16:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.helloworld.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	helloworld	Highest
Product	jar	package name	helloworld	Low
Product	Manifest	built-date	2026-08-07 16:53	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.helloworld.sample	High
Product	Manifest	specification-title	application.helloworld.sample	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

authentication.ldap.zip: authentication.ldap.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.ldap.zip/authentication.ldap.jar

MD5: eca750b5c0495bdbfd47685f796f5acb

SHA1: 50f127045d3cedde669d0f20d381665ee3c8094f

SHA256: b1da8aab87e237b14b8214e854e8a2233b1003fe5bdb3645036fcbf898027d4c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.ldap	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	ldap	Low
Vendor	Manifest	built-date	2026-08-07 16:40	Low
Vendor	Manifest	implementation-	shared	Low

group

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.ldap	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	ldap	Highest
Product	jar	package name	ldap	Low
Product	Manifest	built-date	2026-08-07 16:40	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.ldap	High
Product	Manifest	specification-title	authentication.ldap	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

authentication.oauth.ex.sample.zip: authentication.oauth.ex.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/OAuth/authentication.oauth.ex.sample.zip/authentication.oauth.ex.sample.jar

MD5: 290fa7b4306c991da0d08b32e487a595

SHA1: 8ef4aed1cbaa7c5df165064ef6a21c74adbd617f

SHA256:a286656fe530125bf3641bc5e12bace4e60d1a030f63785d9fcc93e537f473fa

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.oauth.ex.sample	High
Vendor	jar	package name	authentication	Low

Vendor	jar	package name	inet	Low
Vendor	jar	package name	oauth	Low
Vendor	Manifest	built-date	2026-08-07 16:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.oauth.ex.sample	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	ex	Highest
Product	jar	package name	ex	Low
Product	jar	package name	oauth	Highest
Product	jar	package name	oauth	Low
Product	Manifest	built-date	2026-08-07 16:53	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.oauth.ex.sample	High
Product	Manifest	specification-title	authentication.oauth.ex.sample	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar

MD5: 26ea8ffbd73a5a7b9f4608f5346d425

SHA1: 6c2a6458dd26e1c8120e97c4e0eaebf8137948fe
SHA256:f4e4a5a54c547e1d6681f873fe661f5f301026bd47ddb8630242227b9483cecf
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.oauth-javadoc	High
Product	file	name	authentication.oauth-javadoc	High

Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/member-search-index.js
MD5: 1bccf8d0d69409ae57122ee266643668
SHA1: 167a24095df65acddeb88081401e3ff2cbbc70ac
SHA256:c17be3eaf255eb99acbfdd42276ede7a8c1a0cc426c6caf2e8fdf742f27fdab7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/package-search-index.js
MD5: 9b1decd2cfb95ea3330889572b0fcce9
SHA1: 31441c94ae44b3cabde1ec26a41641a828f75f9e
SHA256:91f6e4f35392a2ecc088059371446aaa19e641edbbad3a70ce774547891fc097
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar: tag-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/tag-search-index.js

MD5: d15c346e935323a56c21555879f3d43f

SHA1: a5a163ac6438235738dd8b58195f76425f01b8fd

SHA256: 2c68a7d29a049af9aca94ce6d94e50402908947084df988d3e2b783338eaf480

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/type-search-index.js

MD5: c0e8289c7f6d797f084e9b577d1b1aeb

SHA1: b2f678ec566791ce1d2558db7085cbae612b9c67

SHA256: 257e269b1aa1421dea4fc8e6a1dc870b277a7cb3740d9b2b9626ccc17d05aa4b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

authentication.oauth.zip: authentication.oauth.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth.jar
MD5: 16146ed101393008cad84ec3f8b1ab64
SHA1: 9117c8a0a511adf46ee6ddef16020947f0cf3553
SHA256:8950c0b6a9ee714e3b1d2b8a7da4fb0bd0f8d305a497616437b6e271212fe361
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.oauth	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	oauth2	Low
Vendor	Manifest	built-date	2026-08-07 16:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.oauth	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	internal	Low
Product	jar	package name	oauth2	Low
Product	Manifest	built-date	2026-08-07 16:53	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.oauth	High
Product	Manifest	specification-title	authentication.oauth	Medium

Version	Manifest	Implementation-Version	26.4.321

High

Identifiers

- None

authentication.oauth.zip: jjwt-api.jar

Description:

JSON Web Token support for the JVM and Android

License:

<https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/jjwt-api.jar

MD5: a9a60d4e3c640348092beff5b4d88a6a

SHA1: ce631a0342b08953355f333b488d2b03445b9f3e

SHA256: 5af8a971c7215acb6c3708794a3912c56eb7066ca3b1ee73f87988c9e0d6c067

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jjwt-api	High
Vendor	jar	package name	io	Highest
Vendor	jar	package name	jsonwebtoken	Highest
Vendor	Manifest	build-jdk-spec	1.7	Low
Vendor	Manifest	bundle-docurl	https://github.com/jwt/jwt	Low
Vendor	Manifest	bundle-symbolicname	io.jsonwebtoken.jjwt-api	Medium
Vendor	Manifest	implementation-url	https://github.com/jwt/jwt/jjwt-api	Low
Vendor	Manifest	Implementation-Vendor	jsonwebtoken.io	High
Vendor	Manifest	Implementation-Vendor-Id	io.jsonwebtoken	Medium
Vendor	Manifest	specification-vendor	jsonwebtoken.io	Low
Vendor	pom	artifactid	jjwt-api	Low
Vendor	pom	groupid	io.jsonwebtoken	Highest

Vendor	pom	name	JJWT :: API	High
Vendor	pom	parent-artifactid	jjwt-root	Low
Product	file	name	jjwt-api	High
Product	jar	package name	io	Highest
Product	jar	package name	jsonwebtoken	Highest
Product	Manifest	build-jdk-spec	1.7	Low
Product	Manifest	bundle-docurl	https://github.com/jwt/jwt	Low
Product	Manifest	Bundle-Name	JJWT :: API	Medium
Product	Manifest	bundle-symbolicname	io.jsonwebtoken.jjwt-api	Medium
Product	Manifest	Implementation-Title	JJWT :: API	High
Product	Manifest	implementation-url	https://github.com/jwt/jwt/jjwt-api	Low
Product	Manifest	specification-title	JJWT :: API	Medium
Product	pom	artifactid	jjwt-api	Highest
Product	pom	groupid	io.jsonwebtoken	Highest
Product	pom	name	JJWT :: API	High
Product	pom	parent-artifactid	jjwt-root	Medium
Version	Manifest	Bundle-Version	0.13.0	High
Version	Manifest	Implementation-Version	0.13.0	High
Version	pom	version	0.13.0	Highest

Identifiers

- pkg:maven/io.jsonwebtoken/jjwt-api@0.13.0 (*Confidence:High*)

authentication.oauth.zip: jjwt-impl.jar

Description:

JSON Web Token support for the JVM and Android

License:

<https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/jjwt-impl.jar

MD5: e3ca3f21f21b8a1c78cd3977adadfd2

SHA1: 9e7c70dd7014909556755fb01c465dd184b4b1d9

SHA256:b351baaa302889a416e83683f110948017cee671303262522d4ba477688ca89f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jjwt-impl	High
Vendor	jar	package name	impl	Highest
Vendor	jar	package name	io	Highest
Vendor	jar	package name	jsonwebtoken	Highest
Vendor	Manifest	build-jdk-spec	1.7	Low
Vendor	Manifest	bundle-docurl	https://github.com/jwt/jwt	Low
Vendor	Manifest	bundle-symbolicname	io.jsonwebtoken.jjwt-impl	Medium
Vendor	Manifest	fragment-host	io.jsonwebtoken.jjwt-api	Low
Vendor	Manifest	implementation-url	https://github.com/jwt/jwt/jjwt-impl	Low
Vendor	Manifest	Implementation-Vendor	jsonwebtoken.io	High
Vendor	Manifest	Implementation-Vendor-Id	io.jsonwebtoken	Medium
Vendor	Manifest	specification-vendor	jsonwebtoken.io	Low
Vendor	pom	artifactid	jjwt-impl	Low
Vendor	pom	groupid	io.jsonwebtoken	Highest
Vendor	pom	name	JJWT :: Impl	High
Vendor	pom	parent-artifactid	jjwt-root	Low
Product	file	name	jjwt-impl	High
Product	jar	package name	impl	Highest
Product	jar	package name	io	Highest
Product	jar	package name	jsonwebtoken	Highest
Product	Manifest	build-jdk-spec	1.7	Low
Product	Manifest	bundle-docurl	https://github.com/jwt/jwt	Low
Product	Manifest	Bundle-Name	JJWT :: Impl	Medium
Product	Manifest	bundle-symbolicname	io.jsonwebtoken.jjwt-impl	Medium
Product	Manifest	fragment-host	io.jsonwebtoken.jjwt-api	Low
Product	Manifest	Implementation-Title	JJWT :: Impl	High

Product	Manifest	implementation-url	https://github.com/jwt/jjwt-impl	Low
Product	Manifest	specification-title	JJWT :: Impl	Medium
Product	pom	artifactid	jjwt-impl	Highest
Product	pom	groupid	io.jsonwebtoken	Highest
Product	pom	name	JJWT :: Impl	High
Product	pom	parent-artifactid	jjwt-root	Medium
Version	Manifest	Bundle-Version	0.13.0	High
Version	Manifest	Implementation-Version	0.13.0	High
Version	pom	version	0.13.0	Highest

Identifiers

- pkg:maven/io.jsonwebtoken/jjwt-impl@0.13.0 (Confidence:High)

authentication.pam.zip: authentication.pam.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/authentication.pam.jar

MD5: dc5ee37428d17578d2e23c5fca2a2a71

SHA1: 2fb28139e33b0286a0e8f2979d1277394419bb03

SHA256: 5efcb89c34a683cdf0692b5cabdb93a35b0a786bcdb6ca64c8fd32fc0db87d58

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.pam	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pam	Low
Vendor	Manifest	built-date	2026-08-07 16:40	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-	i-net software	Low

		vendor		
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.pam	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	libpam	Low
Product	jar	package name	pam	Highest
Product	jar	package name	pam	Low
Product	Manifest	built-date	2026-08-07 16:40	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.pam	High
Product	Manifest	specification-title	authentication.pam	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

authentication.passwordfile.sample.zip: authentication.passwordfile.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/PasswordFile/authentication.passwordfile.sample.zip/authentication.passwordfile.sample.jar

MD5: 9b4f7452e4e9f949363136a36698ed22

SHA1: a14ee76602cd6a81eadb0bb328d4ab50dd42be8c

SHA256: 866daaa0f23e339d3d0944cd7bcc45029364074537c890a556fd6a208559bc18

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.passwordfile.sample	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	passwordfile	Low
Vendor	Manifest	built-date	2026-08-07 16:53	Low

Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.passwordfile.sample	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	passwordfile	Highest
Product	jar	package name	passwordfile	Low
Product	Manifest	built-date	2026-08-07 16:53	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.passwordfile.sample	High
Product	Manifest	specification-title	authentication.passwordfile.sample	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

authentication.product.zip: authentication.product.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.product.zip/authentication.product.jar

MD5: c7293f5789d120a86701cff05647478f

SHA1: 9b469e02d7ece49c0e5ac77affdf6d230d145e88

SHA256: 1cda498563051ba65f953dad406c949fd21d4e1476fe701c43fc997ffbf440a

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.product	High

Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	product	Low
Vendor	Manifest	built-date	2026-08-07 16:46	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.product	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	product	Highest
Product	jar	package name	product	Low
Product	Manifest	built-date	2026-08-07 16:46	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.product	High
Product	Manifest	specification-title	authentication.product	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

authentication.token.zip: authentication.token.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.token.zip/authentication.token.jar
MD5: f536f7d9db13dc454274baf9f3fb1729
SHA1: d703987f4c2c4260357c1c9669458661ecebfe53
SHA256: 1a63d97640dba409605319d30a0d8f18de987c94fb382236cb1c0c96aeb8072a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.token	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	token	Low
Vendor	Manifest	built-date	2026-08-07 16:54	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.token	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	server	Low
Product	jar	package name	token	Highest
Product	jar	package name	token	Low
Product	Manifest	built-date	2026-08-07 16:54	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.token	High
Product	Manifest	specification-title	authentication.token	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

authentication.token.zip: authentication.token.jar: tokenauthentication.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.token.zip/authentication.token.jar/com/inet/authentication/token/client/js/tokenauthentication.js
MD5: 7eb13496ad581af8017c580edb992d8d
SHA1: 6acf1a0a3d69dc82adfa1b035666ae8b1e11c509
SHA256:334664a3832f5b48b843ad082fc6b3523e0b983fe44c235c4f979d2f5749f4c0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

authentication.windows.zip: authentication.windows.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/authentication.windows.jar
MD5: df4756224d5f340ea508a1479dc8b8a5
SHA1: a852c9d2bea8b80b53d4cd03efa3bd99e1b5f560
SHA256:a2d7e1f86ab9b113d87ac9b4eb30009f4d7efe45719af16e2bb17d0d8cff1e62
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.windows	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	windows	Low
Vendor	Manifest	built-date	2026-08-07 16:40	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	authentication.windows	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	windows	Highest
Product	jar	package name	windows	Low
Product	Manifest	built-date	2026-08-07 16:40	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.windows	High
Product	Manifest	specification-title	authentication.windows	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

authentication.windows.zip: caffeine.jar

Description:

A high performance caching library

License:

<https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/caffeine.jar

MD5: 7661b25999918646ec802846cc4c16bc

SHA1: 3646a0d1b1abe6a31f72f2237d9004d10a5be91d

SHA256: 0311f9d5d9750aa2a1c11cbdba5a5cb7fec91c8870d6f179f324b3f5295b87dd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	caffeine	High
Vendor	jar	package name	benmanes	Highest
Vendor	jar	package name	benmanes	Low
Vendor	jar	package name	caffeine	Highest
Vendor	jar	package name	caffeine	Low

Vendor	jar	package name	github	Highest
Vendor	jar	package name	github	Low
Vendor	Manifest	automatic-module-name	com.github.benmanes.caffeine	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-symbolicname	com.github.ben-manes.caffeine	Medium
Product	file	name	caffeine	High
Product	jar	package name	benmanes	Highest
Product	jar	package name	benmanes	Low
Product	jar	package name	cache	Low
Product	jar	package name	caffeine	Highest
Product	jar	package name	caffeine	Low
Product	jar	package name	github	Highest
Product	Manifest	automatic-module-name	com.github.benmanes.caffeine	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	Bundle-Name	com.github.ben-manes.caffeine	Medium
Product	Manifest	bundle-symbolicname	com.github.ben-manes.caffeine	Medium
Product	Manifest	Implementation-Title	A high performance caching library	High
Version	Manifest	build-jdk-spec	11	Low
Version	Manifest	Bundle-Version	3.1.6	High
Version	Manifest	Implementation-Version	3.1.6	High

Identifiers

- None

authentication.windows.zip: jna-platform.jar

Description:

JNA Platform Library

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna-platform.jar

MD5: a7af00779ec98bfe22dfb07b1532830d

SHA1: dd817f391efc492041c9ae91127527c13750a789

SHA256: ad14c1b1ec4f43d396231219dfa635ebf828f738eac9f890ea1bc07795892d9a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jna-platform	High
Vendor	jar	package name	jna	Highest
Vendor	jar	package name	jna	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Highest
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	automatic-module-name	com.sun.jna.platform	Medium
Vendor	Manifest	bundle-category	jni	Low
Vendor	Manifest	bundle-requiredexecution	J2SE-1.4	Low
Vendor	Manifest	bundle-symbolicname	com.sun.jna.platform	Medium
Vendor	Manifest	Implementation-Vendor	JNA Development Team	High
Vendor	Manifest	specification-vendor	JNA Development Team	Low
Product	file	name	jna-platform	High
Product	jar	package name	jna	Highest
Product	jar	package name	jna	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	sun	Highest
Product	jar	package name	win32	Low
Product	Manifest	automatic-module-name	com.sun.jna.platform	Medium
Product	Manifest	bundle-category	jni	Low
Product	Manifest	Bundle-Name	jna-platform	Medium
Product	Manifest	bundle-	J2SE-1.4	Low

requiredexecution

Product	Manifest	bundle-symbolicname	com.sun.jna.platform	Medium
Product	Manifest	Implementation-Title	com.sun.jna	High
Product	Manifest	specification-title	Java Native Access (JNA)	Medium
Version	Manifest	Bundle-Version	5.18.1	High
Version	Manifest	Implementation-Version	5.18.1 (b0)	High

Identifiers

- None

authentication.windows.zip: waffle-jna-jakarta.jar

Description:

WAFFLE JNA Jakarta Package implementation

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/waffle-jna-jakarta.jar

MD5: 4292b31211ec75d0a54780009f620fd7

SHA1: a54b03b4de48b62188b183e04313092119f3e247

SHA256: e53d74bd6e09b543b97ccb7b5aff7dbdb1a9058066eafb9c2573c75adf254703

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	waffle-jna-jakarta	High
Vendor	jar	package name	waffle	Highest
Vendor	Manifest	automatic-module-name	waffle.jna.jakarta	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	copyright	2024	Low
Vendor	Manifest	git-revision	725e568c485ae01eddb2777e17e1c3f78955d4	Low
Vendor	Manifest	Implementation-Vendor	com.github.waffle	High
Vendor	Manifest	specification-vendor	com.github.waffle	Low
Vendor	pom	artifactid	waffle-jna-jakarta	Low

Vendor	pom	groupid	com.github.waffle	Highest
Vendor	pom	name	waffle-jna-jakarta	High
Vendor	pom	parent-artifactid	waffle	Low
Vendor	pom	url	https://waffle.github.io/waffle/	Highest
Product	file	name	waffle-jna-jakarta	High
Product	jar	package name	waffle	Highest
Product	Manifest	automatic-module-name	waffle.jna.jakarta	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	copyright	2024	Low
Product	Manifest	git-revision	725e568c485ae01eddb2777e17e1c3f78955d4	Low
Product	Manifest	Implementation-Title	waffle-jna-jakarta	High
Product	Manifest	specification-title	waffle-jna-jakarta	Medium
Product	pom	artifactid	waffle-jna-jakarta	Highest
Product	pom	groupid	com.github.waffle	Highest
Product	pom	name	waffle-jna-jakarta	High
Product	pom	parent-artifactid	waffle	Medium
Product	pom	url	https://waffle.github.io/waffle/	Medium
Version	Manifest	Implementation-Version	3.5.1	High
Version	pom	version	3.5.1	Highest

Identifiers

- pkg:maven/com.github.waffle/waffle-jna-jakarta@3.5.1 (Confidence:High)
- cpe:2.3:a:4d:4d:3.5.1:***** (Confidence:Low)

suppress

collation.sample.zip: collation.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/collation.sample.zip/collation.sample.jar
MD5: 2ebc310e001c8caa3c5c6eee6214aff
SHA1: a788005cbf7257bfa210cb4bf4ac38b9b2d27a5b
SHA256: 3ceb140eb754739b73113641294dc9081bfd5c62b9da18d18723a6b3243491ab
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	collation.sample	High
Vendor	jar	package name	collation	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2026-08-07 17:49	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	collation.sample	High
Product	jar	package name	collation	Highest
Product	jar	package name	collation	Low
Product	jar	package name	collationserverplugin	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2026-08-07 17:49	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	collation.sample	High
Product	Manifest	specification-title	collation.sample	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Related Dependencies



- collation.sample.zip: collation.sample.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/CollationServerPlugin/collation.sample.zip/collation.sample.jar
 - MD5: 2ebc310e001c8caaa3c5c6eee6214aff
 - SHA1: a788005cbf7257bfa210cb4bf4ac38b9b2d27a5b
 - SHA256: 3ceb140eb754739b73113641294dc9081bfd5c62b9da18d18723a6b3243491ab

Identifiers

- None

commons-logging.jar

Description:

Apache Commons Logging is a thin adapter allowing configurable bridging to other, well-known logging systems.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/commons-logging.jar

MD5: e7a1e7cb6a89241ed9bfec4c25b6c645

SHA1: b9fc14968d63a8b8a8a2c1885fe3e90564239708

SHA256: bc2dfe32f1ef06509e6a065144c1adf7b420eabf11a87f30bd127f8faa332016

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-logging	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	logging	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.logging	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-logging/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-logging	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-logging	Low
Vendor	pom	developer email	baliuka@apache.org	Low
Vendor	pom	developer email	costin@apache.org	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	dennisl@apache.org	Low
Vendor	pom	developer email	donaldp@apache.org	Low

Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	rsitze@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer id	baliuka	Medium
Vendor	pom	developer id	bstansberry	Medium
Vendor	pom	developer id	costin	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dennisl	Medium
Vendor	pom	developer id	donaldp	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rsitze	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Brian Stansberry	Medium
Vendor	pom	developer name	Costin Manolache	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	Dennis Lundberg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Juozas Baliuka	Medium
Vendor	pom	developer name	Morgan Delagrance	Medium
Vendor	pom	developer name	Peter Donald	Medium
Vendor	pom	developer name	Richard Sitze	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium

Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer org	Apache	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-logging	Highest
Vendor	pom	name	Apache Commons Logging	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-logging/	Highest
Product	file	name	commons-logging	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	logging	Highest
Product	Manifest	automatic-module-name	org.apache.commons.logging	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-logging/	Low
Product	Manifest	Bundle-Name	Apache Commons Logging	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-logging	Medium
Product	Manifest	Implementation-Title	Apache Commons Logging	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons Logging	Medium
Product	pom	artifactid	commons-logging	Highest
Product	pom	developer email	baliuka@apache.org	Low
Product	pom	developer email	costin@apache.org	Low
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	dennisl@apache.org	Low
Product	pom	developer email	donaldp@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	rsitze@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low

Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer id	baliuka	Low
Product	pom	developer id	bstansberry	Low
Product	pom	developer id	costin	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dennisl	Low
Product	pom	developer id	donaldp	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rsitze	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Brian Stansberry	Low
Product	pom	developer name	Costin Manolache	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	Dennis Lundberg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Juozas Baliuka	Low
Product	pom	developer name	Morgan Delagrang	Low
Product	pom	developer name	Peter Donald	Low
Product	pom	developer name	Richard Sitze	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer org	Apache	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-logging	Highest

Product	pom	name	Apache Commons Logging	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-logging/	Medium
Version	Manifest	Bundle-Version	1.3.4	High
Version	Manifest	Implementation-Version	1.3.4	High
Version	pom	parent-version	1.3.4	Low
Version	pom	version	1.3.4	Highest

Identifiers

- pkg:maven/commons-logging/commons-logging@1.3.4 (Confidence:High)

configuration.automaticconfigrestore.sample.zip: configuration.automaticconfigrestore.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Configuration/AutomaticConfigRestore/configuration.automaticconfigrestore.sample.zip/configuration.automaticconfigrestore.sample.jar

MD5: 1e982e4d6c46c697640c2e77c0870f43

SHA1: 78bb094d29f4b6dd93f41f4b6883a7b8d29deb5f5

SHA256: 7e390ab7d79a8b0ed7040a52e4a7742ce686e77bc1aaac74d2ae27083f992937

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	configuration.automaticconfigrestore.sample	High
Vendor	jar	package name	automaticconfigrestore	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2026-08-07 16:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-	i-net software	Low

vendor				
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	configuration.automaticconfigrestore.sample	High
Product	jar	package name	automaticconfigrestore	Highest
Product	jar	package name	automaticconfigrestore	Low
Product	Manifest	built-date	2026-08-07 16:53	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	configuration.automaticconfigrestore.sample	High
Product	Manifest	specification-title	configuration.automaticconfigrestore.sample	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

configuration.zip: configuration.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar
MD5: 36b5c5a320141ef82c7db94749e3e2ac
SHA1: 1a01fb6dcd1693bfe63d844f688321d3e7150772
SHA256:cbde85224dcc04cee3a4c249ddcd43707ff8a69086c12f37336b95f56c415df8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	configuration	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-08-07 16:46	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-	de.inetsoftware	Medium

Vendor-Id

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	configuration	High
Product	jar	package name	config	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2026-08-07 16:46	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	configuration	High
Product	Manifest	specification-title	configuration	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

configuration.zip: configuration.jar: authenticationItemRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/authenticationItemRenderer.directive.js

MD5: aefb1a2a7d97d2df669e0545658c3e24

SHA1: 4a2a34c98fb71cf2dfa520bb02dc8baf0d0810f9

SHA256: c277d6842312394b3aa4ac0385e1c800c73dc0b2b0cd9696bc5f51293d859b29

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: authenticationRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/authenticationRenderer.directive.js

MD5: 08d42fd374d37fbb791917830a779fa8

SHA1: 3e7daea97fb445ace87c90fd3e9188690660d99d

SHA256: 1719515423a8f8edcddfcb5519f22251afbedfd9de10bea76c99e461bd82929

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: boolean.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/boolean.directive.js

MD5: e281bd179c94019bdf388759a526f31

SHA1: 5f4be414c7db7b9c699a371bc3a84a945e1c13a3

SHA256: 3e819332e6b9a66c5041ae377459a6b7d7f10fd94dd71ad85a3f8169fdab4f48

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: booleanButton.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/booleanButton.directive.js

MD5: dc5744f572a36fa29dc813914156944d
SHA1: 40a96829d9f498e1364fac7ec8bf8a626c4ac66c
SHA256:edf806317b3487f3998c758a4e56a0aa8bb08bfe38fd4b38c9ec68abbabf25f6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: colorInput.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/colorInput.directive.js

MD5: db9d1ee17d2b4f79813c66e8a52b8fcd
SHA1: 68e81a259a7bce7f49dbf629230020cdf0b01398
SHA256:1fff0ddf3d275467e77832ae82c55ffdebfb4cc31aee0bfb31def6574f734ae
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/controller.js

MD5: e69357181c946dd07a2b66b77865eb57
SHA1: 937e49dc0424751b10f4b955268de469381c6102
SHA256:287166afe772ea2a1ae5316cc79ba85e35dd37a01e6339c53b14d3f7b437287c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: datafactory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/datafactory.js

MD5: 3d2c2f69bfa85dbb5b247b7c37456b3d

SHA1: 559046875af9195d3f8f7edabaab0649984a5f26

SHA256:f274a56e21fc6692c2feda3e758699fc45c8e8cc60662dcb00ae32c4c40a79

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: fileUploadRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/rendererer/fileUploadRenderer.directive.js

MD5: 231de69a8b11511aba2b1d554b1c237c

SHA1: 07a949eca5cea00f3244c0c327a5055e938c20f1

SHA256:09bb8467939975c92a5fed3ed5d48e62b5b4573873aa6ea55cc68f815675f4e3

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: filesystemFileInputOrUpload.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemFileInputOrUpload.directive.js

MD5: f644a3106bfee156df76d5700377f70d

SHA1: c95cf943e2d57132b71a47525b512fbe46f7fed4

SHA256: 2ce6c7628582dc79f62161e19e2733b679647ff423e8d8ee83474eef6ce9624d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: filesystemInputButton.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputButton.directive.js

MD5: d4fa34d24a58237edaff0fcd1e52a98b

SHA1: 61aeecd618d7e15f1db7a65874b6fb9b3cdf9206

SHA256: 40e25504ccab4019abc2801de1f33715437dbb95c92d03bf759376bed942d8c3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: filesystemInputDirectory.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputDirectory.directive.js

MD5: abe8d738b4230681785b9608df31d0a7

SHA1: 3773d4f21f49fea9fd3c19ff9c94396b273e82cf

SHA256: 5283b122ef2a3db054632ead2dedd2c62c9616419840ae7e146355e8782fcee6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: filesystemInputFile.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputFile.directive.js

MD5: 95eec66eb56684db24cb9d8c5cc387fc

SHA1: 33e9abd6b5c84780196226b277217e4d189216c8

SHA256: 1eab4ff2b96200a36c283d701e3b2bbdc0b3a527544f1b0eed6f31172a9dd10b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: iconDropRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/iconDropRenderer.directive.js

MD5: e01df58e761b7fba83e716c5d665eb22

SHA1: b4fd37979b7a3ae4d7252b56bcec8ef0903113ba

SHA256:50bae6b105ce7e868d443dcc911cc8170f2e5dd175482ab0d89bb1dec6f7e51d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: inlinerenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/inlinerenderer.directive.js

MD5: 4531879fc071658f5888a12116e31f0d

SHA1: 374bcc0bbcc65b4d88ff5a224731409c78a4f7b7

SHA256:032c6ac3238780e1eb1767300dae7818ccda70bb17ccb70725ea06d8ee19adf2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: keyLabelText.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/keyLabelText.directive.js

MD5: 2f2a25596ec290d0f62e10a37fc973c8

SHA1: a4e327416b73eeda15ba6d1874a3bbc3849ae81e

SHA256:2a481ea7f3b62f87adb28b57e222ef1352f1cfa73a154d63902cb0df0113b42

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: labelLink.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelLink.directive.js

MD5: a90349ac59fc4f16a05deb269d1c3519

SHA1: 484e8d038dafee8f547b1259f7e4d2d65ab5ee4a

SHA256: be8c4ebe7804af2f0d1f03340173d04745cff39383aa6ba47e144cf4177ffd99

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: labelText.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelText.directive.js

MD5: 1dc9a77a6475334b814a4eb39b6e8aa0

SHA1: d0db5c5a08bd2c74dffcafcbef0ffc8438e35357

SHA256: 1cb05364e04e307603df6a644178aff10fabfed16bfce4d21c86fb75f44139ba

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: licenseKeyItemRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/licenseKeyItemRenderer.directive.js

MD5: 1b7acb7f77157666bd8163e13cc47fdf

SHA1: e623aa9b016fc3d3f9fc16449dd1ac48f3e17fd3

SHA256: ac41f0893480d1086562eef9c8269ea35f4605b80fd3f60628e4a9f3d6aa73a4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: licenseKeyRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/licenseKeyRenderer.directive.js

MD5: 6d48b1b05a2bd2ef4384bb996789ddca

SHA1: d1131bfe50939a01e50982034b1b7574822215bf

SHA256: 8c881d970f4c71dc3a5eddb6a2028729ce9efc82dc629880885a4bd043db53ba

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: listItemRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/listItemRenderer.directive.js
MD5: be04a63c48d156613c5b932c79e55ebb
SHA1: dc125d4dacfe2898e75f194131c0b39ce41096dd
SHA256: b95a73fde9c903ffc1b1e25b7fe7d338e1bb195bdeec298bb160f5fdc00cc83d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: logopreview.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/logopreview.directive.js
MD5: 84cbbf2c3c0b52d6c249e076fe48cb8f
SHA1: c63e504fabdb02f4cbe1dd2dfa110288472a4e0c
SHA256: e1b11195c665b08ffc7c19b22e7d7d77e49ed86877cd65e6bc9a166566aa5d31
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: multiLineCode.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLineCode.directive.js
MD5: e2a752736b313cd15c5067b9e2f7abc6
SHA1: 2c22df117b9f45a082498e2696385eca5919534d
SHA256: c1d8916f36bc63228d52ff52432d599f6001077d784d2bf47870569daf2a99c6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: multiLineText.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLineText.directive.js

MD5: 9769483af9509271e1ffd9602c681481

SHA1: fbb61268f1e63f705fb6d167bdb9f5138d622a18

SHA256: 36e44de5802b59df141325897a839a73be22d803df0300985e3eb23ef0f060d4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLingualTextRenderer.directive.js

MD5: c417f8278dcca4343be0b1c60d6c5fe1

SHA1: 3eda017cc7075b934736e1daf71b0d59aa412203

SHA256: c497b95a7eb0af1ef36a9733a5e9675a5ac62c094a738288ed8c021b7cd9a429

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: passwordText.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/passwordText.directive.js

MD5: a762f68eb820d383f03214a0c401d090

SHA1: 05c793442f5193f2ffa3b952cd62af88309e68f6

SHA256: fba766ee79b545a364e9b8d53a5fd0df688657a201bdd25c7c6bcf3a92678337

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: reloadSelectInputsTrigger.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/reloadSelectInputsTrigger.directive.js

MD5: ee0760c34d35b7ab1f556b36ef72504b

SHA1: cfcab22873b681c7d9019378b4c7fa9c6af49b47

SHA256: 40e2a2f7b5e647a301971e061dbd5a7d614458f9172510d8f64f1b21b2347e3f

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: renderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/renderer.directive.js

MD5: e6700ce9f732a1f1b614ffdc2c94933

SHA1: 1c5c4b48b29a6b9fd8b9f560207df52cf3ff430d

SHA256: 3c26aeb2ecfd733d17ff0facd86c8328a20759a6fe1b4059bbcc8221461d3574

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: repoDbRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repoDbRenderer.directive.js

MD5: 5ef1c770c4e5fe42e93f01f633f453d3

SHA1: 5da8e6fda8968333e5a0badb6aa45020a83b6b69

SHA256: c763e8eefee951c377e2c0c54a8d52618e50224dbb458529d750701c7a1f9e96

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: repoFsRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet

/report/plugins/config/client/js/renderer/repoFsRenderer.directive.js

MD5: 6bf0ab3a102f1607ad605c4820851ff4

SHA1: ec76ee20ea8fc5950c233ebb71a89367fb0b5d48

SHA256: 71fb520ea8562e3a06f3eabc3117b85a874092205bc7052a856faaec867e7df6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: repositoryItemRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet
/report/plugins/config/client/js/renderer/repositoryItemRenderer.directive.js

MD5: 35b661e3e8a0b9517b5ef113729adebf

SHA1: 451b13b299f3189adeb149487bd614b2de8ec78c

SHA256: f155af09a82a7d6babc233a77ffa620935e78b1bb8e8636ec2987241a0fec48b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: repositoryRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet
/report/plugins/config/client/js/renderer/repositoryRenderer.directive.js

MD5: cca1b6d749a3ff9bb3ed1e546c1ddd3f

SHA1: 295dbe208d68b96973cfde80dc8f657cdaedb7f2

SHA256: 597b792888878b76bd3e67b99651b5d52c1332790765d4a6e11a9f9d3d289490

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: selectEditText.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectEditText.directive.js

MD5: 3aa24125a54ec0a890cf9c3ecb3579ad

SHA1: 5cf9a71def93c493f1781f6729abeeabe36999f4

SHA256:8bcd98ff5ca4562ebacaae43968be209fdf058365ea8bfea6ac96342f42de0a2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: selectFilteredText.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectFilteredText.directive.js

MD5: d707da2d6d8224870b0764efd1029f4f

SHA1: 166a79e4ca41ae0021a44c6cb9e87df8c1ef4a22

SHA256:0462d8e79795bd82d470d2673078d9a669f35744eab2eaba4ed68b49acdc2b6b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectLanguageChooserRenderer.directive.js

MD5: b2dfe60265ea9129a4b1abe952ad92ff

SHA1: 20176c71d76cb163d19b6add0667a5179bb4e9ec

SHA256: 3c3904cb2f26ca946b317091a674646fbdf692bed2a7288097f016bbe7be7af1

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: selectSimpleText.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectSimpleText.directive.js

MD5: 133dcb833b683d40c4a902b736bdd1d6

SHA1: e8d02811739badfec2c515780b99466e9d5f2dc9

SHA256: 9d3df25fc91e91042b12096910ee5628baff6e5ea237e5809a9ea1856531b312

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: simpleDate.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleDate.directive.js

MD5: 7859e473016ba4b6c663b2de73e886d0

SHA1: 2c6104c939065689031febe53b2c4690eb17af15

SHA256: cf6b91be17479f785ea267d269c6a254a9fd14d70df735721d723e556bf07f28

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: simpleSlider.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleSlider.directive.js

MD5: 00171fe096529318005c987067f6cae4

SHA1: 586d31e6a344760d84d76e12763b6f47e69618d0

SHA256: db8ceb31a065dc67a9b7d9bc2144e6906a6f0dadd1e698f77b41cc6232246aec

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: simpleText.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleText.directive.js

MD5: 8c4598540efc682f3551a75bde20dfd9

SHA1: 42c3a77e9067c8d053e4dac23de2a40a70d67ec4
SHA256: b18a8129f293a7ce070aa7b9bd5edbe9eceebe36b10e82a9e6a3469c1484f3d0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: tableRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/tableRenderer.directive.js
MD5: 9c912ea0c0e6a7cd18a45ab3aa2234d2
SHA1: cb8d0ba6ae90abff58f47ae07d63f3e57dfc0723
SHA256: 967fadfaccbc663230a6fc2c0242cba122ea115816585f28e1c43518005c99d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

configuration.zip: configuration.jar: treeRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/treeRenderer.directive.js
MD5: 0a727a5f05e3fd245c2160b5366328f1
SHA1: 678f64bfd07d434e17c8ec082ae6b65c34e80953
SHA256: 926c541bf1a1faa35175ff6d0aec1875cef3da5828a2a7cd24816b3052023d10
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
None				

configuration.zip: configuration.jar: usersandgroupsselect.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/usersandgroupsselect.directive.js

MD5: 27bf7f8502a7aa8612104bf9da20aa9d

SHA1: a75f988f7790d6be413c8f962c051a78880d96d7

SHA256: c7b08fadcb0c0d0907adf944c05e79a20d065d9faebfe4472b570f5f73a976d1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

core.jar

Description:

Core barcode encoding/decoding library

License:

"The Apache Software License, Version 2.0";link="https://www.apache.org/licenses/LICENSE-2.0.txt"

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/zxing/core.jar

MD5: 23cc13611f7f2202b9988220fa28a115

SHA1: 955fcd6bcd0723ddfb8ee6ed502d5fdf0e9676a9

SHA256: 71de5d89341b5fcf5dd89da7f44e84d825d0e084cdf3ec77c9abe26b0f0ceb13

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Vendor	file	name	core	High
Vendor	jar	package name	google	Highest
Vendor	jar	package name	zxing	Highest
Vendor	Manifest	automatic-module-name	com.google.zxing	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-developers	zxing-authors;name="ZXing Authors"	Low
Vendor	Manifest	bundle-docurl	https://github.com/zxing/zxing/core	Low
Vendor	Manifest	bundle-symbolicname	com.google.zxing.core	Medium
Vendor	pom	artifactid	core	Low
Vendor	pom	groupid	com.google.zxing	Highest
Vendor	pom	name	ZXing Core	High
Vendor	pom	parent-artifactid	zxing-parent	Low
Product	file	name	core	High
Product	jar	package name	google	Highest
Product	jar	package name	zxing	Highest
Product	Manifest	automatic-module-name	com.google.zxing	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-developers	zxing-authors;name="ZXing Authors"	Low
Product	Manifest	bundle-docurl	https://github.com/zxing/zxing/core	Low
Product	Manifest	Bundle-Name	ZXing Core	Medium
Product	Manifest	bundle-symbolicname	com.google.zxing.core	Medium
Product	pom	artifactid	core	Highest
Product	pom	groupid	com.google.zxing	Highest
Product	pom	name	ZXing Core	High
Product	pom	parent-artifactid	zxing-parent	Medium
Version	Manifest	Bundle-Version	3.5.4	High
Version	pom	version	3.5.4	Highest

Identifiers

- pkg:maven/com.google.zxing/core@3.5.4 (*Confidence:High*)

crsetupwizard.zip: crsetupwizard.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/crsetupwizard.zip/crsetupwizard.jar

MD5: 3b3cf460933489cf095ef6dba818c8df

SHA1: e91f818f173aa1c5f4b6ae8e79afed60e9606c9f

SHA256: c89df3b630fdc2cd6fde49eea95306813a34873b9ed0c28c84168c85eb48e78e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	crsetupwizard	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	setupwizard	Low
Vendor	Manifest	built-date	2026-08-07 18:14	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	crsetupwizard	High
Product	jar	package name	report	Low
Product	jar	package name	setupwizard	Low
Product	jar	package name	steps	Low
Product	Manifest	built-date	2026-08-07 18:14	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	crsetupwizard	High
Product	Manifest	specification-title	crsetupwizard	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

customformulas.sample.zip: customformulas.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/customformulas.sample.zip/customformulas.sample.jar

MD5: c31d19029d22cb79dd95a3968c07a858

SHA1: 297bcc6ca3b1a47fecaa3ccec8e3235c16a5fd29

SHA256: 83d689ded7a73eab56c98fcfbfb935e4d855972c801f79e556344c393f7c5ea

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	customformulas.sample	High
Vendor	jar	package name	formula	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2026-08-07 17:49	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	customformulas.sample	High
Product	jar	package name	formula	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2026-08-07 17:49	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	customformulas.sample	High
Product	Manifest	specification-title	customformulas.sample	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Related Dependencies



- customformulas.sample.zip: customformulas.sample.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/UserdefinedFormula/customformulas.sample.zip/customformulas.sample.jar
 - MD5: c31d19029d22cb79dd95a3968c07a858
 - SHA1: 297bcc6ca3b1a47feca3ccec8e3235c16a5fd29
 - SHA256: 83d689ded7a73eab56c98fcbfbb935e4d855972c801f79e556344c393f7c5ea

Identifiers

- None

dashboard-widget-openweathermap.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Dashboard/DashboardOpenWeatherMap/src/com/inet/dashboard/openweathermap/dashboard-widget-openweathermap.js

MD5: e8b1257cf05dce6de981a0a4b9496d68

SHA1: 7f74073e20d978db03b00627ba37c657472f9b5e

SHA256: 43bbb49c7a01a91e283847e42a64f2b2ebfd16f6644e791b0adcb88cd008c515

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Related Dependencies



- dashboard.openweathermap.sample.zip: dashboard-widget-openweathermap.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Dashboard/DashboardOpenWeatherMap/dashboard.openweathermap.sample.zip/src/com/inet/dashboard/openweathermap/dashboard-widget-openweathermap.js
 - MD5: e8b1257cf05dce6de981a0a4b9496d68
 - SHA1: 7f74073e20d978db03b00627ba37c657472f9b5e
 - SHA256: 43bbb49c7a01a91e283847e42a64f2b2ebfd16f6644e791b0adcb88cd008c515

Identifiers

- None

dashboard.openweathermap.sample.zip: dashboard.openweathermap.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Dashboard/DashboardOpenWeatherMap/dashboard.openweathermap.sample.zip/dashboard.openweathermap.sample.jar

MD5: 29ef9cc9b9b55e1db6d4eaec40aff914

SHA1: 837f1df7a3dddef83a9eff210ab179a2637ea42e

SHA256: 709d816863295e84ae9240ee2c868bdac9bbac66185086f7208e4de8de1db6ba

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	dashboard.openweathermap.sample	High
Vendor	jar	package name	dashboard	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	openweathermap	Low
Vendor	Manifest	built-date	2026-08-07 16:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	dashboard.openweathermap.sample	High
Product	jar	package name	dashboard	Highest
Product	jar	package name	dashboard	Low
Product	jar	package name	openweathermap	Highest
Product	jar	package name	openweathermap	Low
Product	Manifest	built-date	2026-08-07 16:53	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	dashboard.openweathermap.sample	High
Product	Manifest	specification-title	dashboard.openweathermap.sample	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

dashboard.openweathermap.sample.zip: dashboard.openweathermap.sample.jar: dashboard-widget-openweathermap.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Dashboard/DashboardOpenWeatherMap/dashboard.openweathermap.sample.zip/dashboard.openweathermap.sample.jar/com/inet/dashboard/openweathermap/dashboard-widget-openweathermap.js

MD5: d1dac495dd750c0537b07c7827cd3b00

SHA1: af1edddcc36a009faeb49c11a423aba7cf1ccc947

SHA256:f493d1651df7e6db55803f8beedddd5a9220957e0673247fbcc85fa8bae7cc6f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

dashboard.zip: dashboard.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar

MD5: acd26e8969b9295c46f76e34fd29aaa9

SHA1: b9b43c9314ffe117418d75df81d9a70b5fd74562

SHA256:4cf1563f6a70682804fba4e6781fedcbfe34a14967bd86b3e3a08d105b9caa95

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Vendor	file	name	dashboard	High

Vendor	jar	package name	dashboard	Low

Vendor	jar	package name	inet	Low

Vendor	Manifest	built-date	2026-08-07 17:01	Low

Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	dashboard	High
Product	jar	package name	dashboard	Highest
Product	jar	package name	dashboard	Low
Product	Manifest	built-date	2026-08-07 17:01	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	dashboard	High
Product	Manifest	specification-title	dashboard	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

dashboard.zip: dashboard.jar: abstract-dashboard-widget.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/abstract-dashboard-widget.js

MD5: a5455b356d33a49a961baf0ad21040bf

SHA1: fa30233dd54ffa2ad1ffd2b99f3176456ec42212

SHA256: 4560d3c508237ae0c324929ec55df98a431471e662ae770ab3b7fd719782da6f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

dashboard.zip: dashboard.jar: dashboard-panel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/dashboard-panel.js
MD5: 9a9071aed1967cb2ec4f18f0442567c9
SHA1: 71ff27403a9cef0fdd93c3b474c1d4d76b4b8e53
SHA256: b0e9c75589f784533314a52da682969c3fd5d54e4bbd97e7eaec05beed6174de
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

dashboard.zip: dashboard.jar: dashboard-settings.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/dashboard-settings.js
MD5: 6f9d011fda2c5bf127aebc8bf2134d2a
SHA1: deee5ae02714ff47a22e0844fb83e7b7e82a7757
SHA256: 5d1170e1e086ce6dbdefd4872d5c0b876a5321bd06bb480b096e12776bc54ebd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

dashboard.zip: dashboard.jar: dashboard-toolbar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/dashboard-toolbar.js
MD5: f5bb8c39c9b43fcf5500d7b9c021663d
SHA1: 903dc351d47020a47eade5ffb2eef100078ddd5c
SHA256: 391a10239aaa40cabde65fb6f18ba7a10e5a87987c8e9f5af76060f9a0c53c47
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

dashboard.zip: dashboard.jar: dashboard-widget-chart.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widgets/dashboard-widget-chart.js
MD5: 015e9c95e2800dcfed498f32fdd8afd5
SHA1: 270da662aaf955f227bdf924085f41392b4c9957
SHA256: 84c049fdbf4c6e04678dd29a3d0b56123a30bcf979c87d85a3db75c296079245
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

dashboard.zip: dashboard.jar: dashboard-widget-edit.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/dashboard-widget-edit.js
MD5: 8d7ea2dae1a71673417d7ee802d8cbef

SHA1: 6f41c8f6900419322aa655bb10463cce92fd36e5
SHA256: 1ba2ed3c16c6242ffc7e7c8f277cc6ba6403c0662c86e6f369486c7faa05902d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

dashboard.zip: dashboard.jar: dashboard-widget-error.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/dashboard-widget-error.js
MD5: aa9dbb2dbec24746db3161257555e95a
SHA1: b12411ca98ded613abd7e206e21486497ec4d753
SHA256: 3b00f701dbe32e280bfd6ef1fc56bede7f9a39176d8930b125ccf5d0b97eef2d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

dashboard.zip: dashboard.jar: dashboard-widget-image.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widgets/dashboard-widget-image.js
MD5: e7beb2aeae366e7313f28599691517a6
SHA1: 88672268fcd43b8efa17e066100adfb98152704a
SHA256: daf4bf4c510ea97b8994e3ffae82e42863af0912b8ae5c8d9a58af37f8542897
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

dashboard.zip: dashboard.jar: dashboard-widget-memo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widgets/dashboard-widget-memo.js
MD5: d7f520a3a838ef492f325d179dd11986
SHA1: a5de25e1860d2862bd665dfd530798afa9dc95bf
SHA256:c9f91cfa6d87164342c88fecb5a860f87f32bb229c2c1fd0ab0e90c13c39317a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

dashboard.zip: dashboard.jar: dashboard-widget-progress.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widgets/dashboard-widget-progress.js
MD5: c9df70cf7a02c13730036a7b07e98888
SHA1: e7fa8af357d9b7b8d32d092ad85dcdffd4458ce0
SHA256:9c8c00959285823f4a26f7f0916d631cd9c7fe5267d25fe94c232928d1f9c4fb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

dashboard.zip: dashboard.jar: dashboard-widget-rating.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widgets/dashboard-widget-rating.js

MD5: 404cc7c59ab5d0c1f75a6f0e1096314c

SHA1: 0f081cd7c92dd14e1a03ff607a230214280bdd74

SHA256: 81a7d4bbf35151399431052d333e0fe4b7b7527155d01353e196d919dd8ac7e0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

dashboard.zip: dashboard.jar: dashboard-widget-table.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widgets/dashboard-widget-table.js

MD5: 6a39b42b93dfe3a69dd14ceb754a1563

SHA1: 6b37d72e576f79cb63aae6be362176ef5c2550e1

SHA256: 848c5452b004c65db2a3ff8731b6b3cfe812283d843ecb3de8bbd0f824b66481

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

dashboard.zip: dashboard.jar: dashboard-widget-trafficlight.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widgets/dashboard-widget-trafficlight.js
MD5: f4fb09edb4d26ce11ecff50efb21751
SHA1: 5f2577bb694bb08121fea32f7090dc816d968c1c
SHA256:153e5f162942738809f87f976aad417a53aedc770c8fcb39b35bf207204c8a8e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

dashboard.zip: dashboard.jar: dashboard-widget-value.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widgets/dashboard-widget-value.js
MD5: d631af047d716c7df9682ae620c869c5
SHA1: 5a7ace82ed4e4fd9b5269a5ad1e532b65b75c3f5
SHA256:5ae861ee8b035645ae5fa1a725e486b91c32743cfc08c6b5d88050e8927150f5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

dashboard.zip: dashboard.jar: dashboard-widget.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/dashboard-widget.js
MD5: 3c2db0ea8b3bae1e2bf03693704088ac

SHA1: 8779acaf9a615f116fff1a07748f471ffc32c0e2

SHA256:18b4606031535334af37a54ebd6f373970ce8ca88d603b90353ca522fb501c7e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

dashboard.zip: dashboard.jar: dashboard.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/dashboard.js

MD5: f99614f7ef08aeca38926e873d9068ec

SHA1: 024f76da4d774d2c65e8febe703ce3f6cdad375c

SHA256:3ca27c817ce8dafca8bf3a046f05cbfe3bb7cadd919f83bbb7bcd66147f16a0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

dashboard.zip: dashboard.jar: dashboardcontroller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/dashboardcontroller.js

MD5: 38fd4795bf0a11e9e7d90e276a6bb111

SHA1: 442a49553dff0719f9daf19c0e995dbec303d32f

SHA256:b1ca901846e8238f34b6fa13b64ae4718fb57842b27626030e41fbad650fa434

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

dashboard.zip: dashboard.jar: dashboardfactory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/dashboardfactory.js
MD5: 25d42ec0f27311b707e2a7288f9e33c3
SHA1: e873961f1bb8ef29dd776b3641d6e55b24b9b20d
SHA256:c8aa0b23ba9b1ead30e87b26537c9afdce1333f0a1bbf3d835c1c677ae15a690
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

dashboard.zip: dashboard.jar: ui-dashboard-bgimage.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/uisettings/ui-dashboard-bgimage.js
MD5: a19b80e69646f6920f80eb37c73e72ff
SHA1: d39b20bc2eec1fb0ce36c92557d36454b117399f
SHA256:087332579976d87f751db112dafb62eaeb14dfa1501a28e4871fdc1360aea1ff
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				

- None

dashboard.zip: dashboard.jar: ui-dashboard-colorpalettechooser.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/uissettings/ui-dashboard-colorpalettechooser.js

MD5: 4d2f89364c505582a3852c41b2b4dabe

SHA1: 3844302ae32d3892d232ba7349fa4798d31f40cc

SHA256: 089e568e08614eae94233ad542abf02adbbb2811455011db4a1b880e7e69fbe5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

dashboard.zip: dashboard.jar: ui-dashboard-integrations.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/uissettings/ui-dashboard-integrations.js

MD5: 59f26b9e4532a7600dec49a9dcc194a0

SHA1: 7b90c8c9d8daca5a5a87744ba34933fde30cd3b6

SHA256: 4062b3dd4aeced8b97ad7b4bf8145cda264b1b32c2b25fee5e9a28937039d230

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

dashboard.zip: dashboard.jar: ui-dashboard-permissions.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/uissettings/ui-dashboard-permissions.js
MD5: 59772618bf34da602fa0cac23dd284cb
SHA1: f3d594b595e3411bc8feb343f9f6c0e22a06ba8c
SHA256: 96cca5548bd4a7416dccf513eac9be2efbb1bb31612d0958210790bf4c75d6c8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

dashboard.zip: dashboard.jar: ui-dashboard-trafficlightcolorrange.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/uissettings/ui-dashboard-trafficlightcolorrange.js
MD5: b56090aea7234733225e03b10b1e65a4
SHA1: ddecda98d36860e95427dce63060053f87470a84
SHA256: 3697ea57ffa0eea7fb69d8af378262a43623d45e118e7e72fc710824f55489e3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

dashboard.zip: dashboard.jar: ui-dashboard-valuehighlights.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/uissettings/ui-dashboard-valuehighlights.js
MD5: 5e3e85842119738147c2256c587721da

SHA1: 408bbbecb8fd986ad5abe803d233164142a28fc4
SHA256: 057b722832fbf8c467430569b9f50616f82a59eed1d41b683f71eeeb81c21f9e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

dashboard.zip: dashboard.jar: user-selection.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/user-selection.js
MD5: 042bc37c510c5686f66d36eaa98cd2b1
SHA1: 6ad5c1871ffcc3946848afc8f11cd38b3bb85d23
SHA256: dbfbad8a23c804e7fae75d57d317174acfee4e16093c192037ba4c5030e5262b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

dashboard.zip: dashboard.jar: widget-chooser.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widget-chooser.js
MD5: d7fb96501ed3e00773f1475ba89d3a8b
SHA1: 5809d0fd53c08a682811e0bcd716644c538bd641
SHA256: 82d3f5193be768279a58508db22dc9eaf0a75dc02f6eccd51cda1867cc094407
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

dashboard.zip: dashboard.jar: widget-paste-area.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widget-paste-area.js
MD5: a21bbe80129b1bf9be5431efd4e318c6
SHA1: 811b89c5ebc2b07bcd8e249c4753ff6b0f95ee84
SHA256:663a3e5bd6c77c17be08a1f2c85c5dd7516d09aef3d03c8b8a53eee8fc213a6f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

dashboard.zip: dashboard.jar: widget-placeholder.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widget-placeholder.js
MD5: 9a6fd0a8ea932f8778d73eeddad8b8b1
SHA1: c0e7a2f5a7ed447f39f68912c947f92db532785f
SHA256:ce8f47c0f4fa5150fc7cb71fd71326443967bcec78132da1617776cb75ded35e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

dashboard.zip: dashboard.jar: widget-settings.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widget-settings.js

MD5: e92b613e385b4549bb026573a721f45d

SHA1: 6cb7d4303857523fa5236b14221d665283f31fbe

SHA256: 373b6e56667c88de53823a55a4bf0e693a7cedf848fd4e174d1a62351eb87b14

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

datasource.cassandra.zip: config.jar

Description:

configuration library for JVM languages using HOCON files

License:

<https://www.apache.org/licenses/LICENSE-2.0;description=Apache-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/config.jar

MD5: 08d45cceb0100d1943f6aa0f81e410fa

SHA1: 0cc25b497ded7068a861517a815546fb472f9e58

SHA256: 4a4b0affb22a9572409d3a6bde99ce3f2045c551cad1ca7fe09690892c526c3

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	config	High
Vendor	jar	package name	config	Highest
Vendor	jar	package name	config	Low
Vendor	jar	package name	impl	Low

Vendor	jar	package name	typesafe	Highest
Vendor	jar	package name	typesafe	Low
Vendor	Manifest	automatic-module-name	typesafe.config	Medium
Vendor	Manifest	bundle-symbolicname	com.typesafe.config	Medium
Vendor	Manifest	implementation-url	https://github.com/lightbend/config	Low
Vendor	Manifest	Implementation-Vendor	com.typesafe	High
Vendor	Manifest	Implementation-Vendor-Id	com.typesafe	Medium
Vendor	Manifest	specification-vendor	com.typesafe	Low
Product	file	name	config	High
Product	jar	package name	config	Highest
Product	jar	package name	config	Low
Product	jar	package name	impl	Low
Product	jar	package name	typesafe	Highest
Product	Manifest	automatic-module-name	typesafe.config	Medium
Product	Manifest	Bundle-Name	config	Medium
Product	Manifest	bundle-symbolicname	com.typesafe.config	Medium
Product	Manifest	Implementation-Title	config	High
Product	Manifest	implementation-url	https://github.com/lightbend/config	Low
Product	Manifest	specification-title	config	Medium
Version	jar	package name	config	Highest
Version	Manifest	Bundle-Version	1.4.5	High
Version	Manifest	Implementation-Version	1.4.5	High

Identifiers

- None

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/datasource.cassandra.jar
MD5: 009cc5301d631acec76665399ab1fa0e
SHA1: 051c874ff052d8d554c6f8751ec803ff7ad29545
SHA256:6139d7f9c74f1b137ed11e80b29fa38c04cc7ab53fcb13a651abf7c06b8677c3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	datasource.cassandra	High
Vendor	jar	package name	cassandra	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-08-07 18:09	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	datasource.cassandra	High
Product	jar	package name	cassandra	Highest
Product	jar	package name	cassandra	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2026-08-07 18:09	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	datasource.cassandra	High
Product	Manifest	specification-title	datasource.cassandra	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

datasource.cassandra.zip: java-driver-core.jar

Description:

A driver for Apache Cassandra(R) 2.1+ that works exclusively with the Cassandra Query Language version 3 (CQL3) and Cassandra's native protocol versions 3 and above.

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/java-driver-core.jar

MD5: 22ea44c19ec6538456500a991e61ecfb

SHA1: 3d619c4ecb214ac091006ff06ab32198a260f977

SHA256: 445e1c91e3f7512c1c0686700ec1e3d77d89131a2711ce66062909a7d88e8cd3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	java-driver-core	High
Vendor	jar	package name	datastax	Highest
Vendor	jar	package name	driver	Highest
Vendor	jar	package name	oss	Highest
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	com.datastax.oss.driver.core	Medium
Vendor	pom	artifactid	java-driver-core	Low
Vendor	pom	groupid	com.datastax.oss	Highest
Vendor	pom	name	DataStax Java driver for Apache Cassandra (R) - core	High
Vendor	pom	parent-artifactid	java-driver-parent	Low
Product	file	name	java-driver-core	High
Product	jar	package name	datastax	Highest
Product	jar	package name	driver	Highest
Product	jar	package name	oss	Highest
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	DataStax Java driver for Apache Cassandra (R) - core	Medium
Product	Manifest	bundle-symbolicname	com.datastax.oss.driver.core	Medium
Product	pom	artifactid	java-driver-core	Highest

Product	pom	groupid	com.datastax.oss	Highest
Product	pom	name	DataStax Java driver for Apache Cassandra (R) - core	High
Product	pom	parent-artifactid	java-driver-parent	Medium
Version	Manifest	Bundle-Version	4.17.0	High
Version	pom	version	4.17.0	Highest

Identifiers

- pkg:maven/com.datastax.oss/java-driver-core@4.17.0 (*Confidence:High*)
- cpe:2.3:a:apache:cassandra:4.17.0:*:*:*:*:* (*Confidence:Low*)

suppress

datasource.cassandra.zip: java-driver-shaded-guava.jar

Description:

Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®

License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/java-driver-shaded-guava.jar

MD5: b7b9ffdbca6117c0aaa13787da02f96d

SHA1: 522771d14d6b7dba67056a39db33f205ffbed6a4

SHA256: 8d1e57ab48ff4cc09b1a1f033218ad50f96cf92922f732cf333ec386c9e5c9ae

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	java-driver-shaded-guava	High
Vendor	jar	package name	datastax	Highest
Vendor	jar	package name	driver	Highest
Vendor	jar	package name	oss	Highest
Vendor	jar	package name	shaded	Highest
Vendor	Manifest	bundle-symbolicname	com.datastax.oss.driver.shaded.guava	Medium
Vendor	Manifest	originally-created-by	Apache Maven 3.6.2	Low
Vendor	pom	artifactid	java-driver-shaded-guava	Low

Vendor	pom	developer name	Various	Medium
Vendor	pom	developer org	DataStax	Medium
Vendor	pom	groupid	com.datastax.oss	Highest
Vendor	pom	name	Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®	High
Vendor	pom	url	datastax/java-driver-shaded-guava	Highest
Product	file	name	java-driver-shaded-guava	High
Product	jar	package name	datastax	Highest
Product	jar	package name	driver	Highest
Product	jar	package name	oss	Highest
Product	jar	package name	shaded	Highest
Product	Manifest	Bundle-Name	Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®	Medium
Product	Manifest	bundle-symbolicname	com.datastax.oss.driver.shaded.guava	Medium
Product	Manifest	originally-created-by	Apache Maven 3.6.2	Low
Product	pom	artifactid	java-driver-shaded-guava	Highest
Product	pom	developer name	Various	Low
Product	pom	developer org	DataStax	Low
Product	pom	groupid	com.datastax.oss	Highest
Product	pom	name	Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®	High
Product	pom	url	datastax/java-driver-shaded-guava	High
Version	pom	version	25.1-jre-graal-sub-1	Highest

Identifiers

- pkg:maven/com.datastax.oss/java-driver-shaded-guava@25.1-jre-graal-sub-1 (*Confidence:High*)
- cpe:2.3:a:apache:cassandra:25.1:*:*:*:*:* (*Confidence:Low*) suppress

datasource.cassandra.zip: native-protocol.jar

Description:

A set of Java types representing the frames and messages of the Apache Cassandra® native protocol, with the associated serialization and deserialization logic (this is a third-party implementation, not related to the Apache Cassandra project)

License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/native-protocol.jar
MD5: 2a2dd96d7b887bbaa1f9d7ecaeeeb6f6
SHA1: b4b083024837ad9e581b82397b4cabfb8f2daa8e
SHA256:190dc40f3c63d6d803c48f90d457e06c65e6c5d955e47d4735dc9954a6743655
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	native-protocol	High
Vendor	jar	package name	datastax	Highest
Vendor	jar	package name	oss	Highest
Vendor	jar	package name	protocol	Highest
Vendor	Manifest	automatic-module-name	com.datastax.oss.protocol	Medium
Vendor	Manifest	bundle-symbolicname	com.datastax.oss.protocol	Medium
Vendor	pom	artifactid	native-protocol	Low
Vendor	pom	developer name	Various	Medium
Vendor	pom	developer org	DataStax	Medium
Vendor	pom	groupid	com.datastax.oss	Highest
Vendor	pom	name	An implementation of the Apache Cassandra® native protocol	High
Vendor	pom	url	datastax/native-protocol	Highest
Product	file	name	native-protocol	High
Product	jar	package name	datastax	Highest
Product	jar	package name	oss	Highest
Product	jar	package name	protocol	Highest
Product	Manifest	automatic-module-name	com.datastax.oss.protocol	Medium
Product	Manifest	Bundle-Name	An implementation of the Apache Cassandra® native protocol	Medium
Product	Manifest	bundle-symbolicname	com.datastax.oss.protocol	Medium
Product	pom	artifactid	native-protocol	Highest
Product	pom	developer name	Various	Low

Product	pom	developer org	DataStax	Low
Product	pom	groupid	com.datastax.oss	Highest
Product	pom	name	An implementation of the Apache Cassandra® native protocol	High
Product	pom	url	datastax/native-protocol	High
Version	Manifest	Bundle-Version	1.5.2	High
Version	pom	version	1.5.2	Highest

Identifiers

- pkg:maven/com.datastax.oss/native-protocol@1.5.2 (*Confidence:High*)

datasource.cassandra.zip: netty-common.jar (shaded: org.jctools:jctools-core:4.0.6)

Description:

Java Concurrency Tools Core Library

License:

Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-common.jar/META-INF/maven/org.jctools/jctools-core/pom.xml

MD5: 8341fc089534412b4da254daf73fafc9

SHA1: d7ad6a6097946fd431f78598315022370a402631

SHA256: 6a7d37edc57b6a2b90a05037013fcc0b5eeac5e3dbf1d7109f7639c71cde41e7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	jctools-core	Low
Vendor	pom	groupid	org.jctools	Highest
Vendor	pom	name	Java Concurrency Tools Core Library	High
Vendor	pom	url	JCTools	Highest
Product	pom	artifactid	jctools-core	Highest
Product	pom	groupid	org.jctools	Highest
Product	pom	name	Java Concurrency Tools Core Library	High
Product	pom	url	JCTools	High
Version	pom	version	4.0.6	Highest

Identifiers

- pkg:maven/org.jctools/jctools-core@4.0.6 (*Confidence:High*)

datasource.cassandra.zip: netty-transport.jar

Description:

Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

License:

<https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-transport.jar

MD5: d264fa6db3bc4aadc8b44ba4d4b650a6

SHA1: ae87a3bec51d503475a19fbd718bf777f2fc06c6

SHA256: cfa3f654caff906653385f4b7ddaa539d795b78f5711a622482b17d2b73484c0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	netty-transport	High
Vendor	jar	package name	io	Highest
Vendor	jar	package name	netty	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	https://netty.io/	Low
Vendor	Manifest	bundle-symbolicname	io.netty.transport	Medium
Vendor	Manifest	implementation-url	https://netty.io/netty-transport/	Low
Vendor	Manifest	Implementation-Vendor	The Netty Project	High
Vendor	Manifest	Implementation-Vendor-Id	io.netty	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Netty Project	Low
Vendor	pom	artifactid	netty-transport	Low
Vendor	pom	groupid	io.netty	Highest

Vendor	pom	name	Netty/Transport	High
Vendor	pom	parent-artifactid	netty-parent	Low
Product	file	name	netty-transport	High
Product	jar	package name	11	Highest
Product	jar	package name	io	Highest
Product	jar	package name	netty	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://netty.io/	Low
Product	Manifest	Bundle-Name	Netty/Transport	Medium
Product	Manifest	bundle-symbolicname	io.netty.transport	Medium
Product	Manifest	Implementation-Title	Netty/Transport	High
Product	Manifest	implementation-url	https://netty.io/netty-transport/	Low
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Netty/Transport	Medium
Product	pom	artifactid	netty-transport	Highest
Product	pom	groupid	io.netty	Highest
Product	pom	name	Netty/Transport	High
Product	pom	parent-artifactid	netty-parent	Medium
Version	Manifest	Bundle-Version	4.2.16.Final	High
Version	Manifest	Implementation-Version	4.2.16.Final	High
Version	pom	version	4.2.16.Final	Highest

Related Dependencies



- datasource.cassandra.zip: netty-buffer.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-buffer.jar
 - MD5: edf93a9f17ba93da1db411835dc0744c
 - SHA1: 05397ef65dcb60670e0e0dba4854522873af3070
 - SHA256: cc36ae9fbd0b03fe755eb4eb4424ca53b59cfd297d7fd47d49e5b1059beded6c
 - pkg:maven/io.netty/netty-buffer@4.2.16.Final
- datasource.cassandra.zip: netty-codec-base.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-codec-base.jar
 - MD5: 668850c1c5f54beae7ba0755d2f361ee
 - SHA1: 01a01d45a9efc228c6d747525848b065e0656b5f
 - SHA256: feb410225938d9970de6b624a0c031d079804fa5cc5e1ec6e9298f16db5998a7
 - pkg:maven/io.netty/netty-codec-base@4.2.16.Final
- datasource.cassandra.zip: netty-codec-compression.jar

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-codec-compression.jar
- MD5: f5fc869794ebb728cdbe8f91e0b72646
- SHA1: bdbbfcdb217b95c14a04df4fc5d31213d5c27c
- SHA256: 13c8565414dd2115281303ef4ad1f7cc69bd7771d8d12c7d2fb31307dff26d11
- pkg:maven/io.netty/netty-codec-compression@4.2.16.Final
- datasource.cassandra.zip: netty-codec.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-codec.jar
 - MD5: 65d2e3861ef0b64411bacd7ce951dcd0
 - SHA1: 5ff5de5c29d6aa51bd4a52dac6abef7a6c2a8aae
 - SHA256: 41868bcc428954e707e39a30686ceddc0bd238391d3989d04dfb72d5f0735926
 - pkg:maven/io.netty/netty-codec@4.2.16.Final
- datasource.cassandra.zip: netty-common.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-common.jar
 - MD5: cb87c4d5675795bdb591626dbe73a705
 - SHA1: c2bc7fa5acfa2afc777e944d84f0aa65559cc81e
 - SHA256: 9825ee68a0dc4cd2b53e2f532502401b2211bad9b77e8b04882d9e64487283ff
 - pkg:maven/io.netty/netty-common@4.2.16.Final
- datasource.cassandra.zip: netty-handler.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-handler.jar
 - MD5: 71e9f0d2b76977c1e305f06449fde0c9
 - SHA1: cc82873ae4b6d14effe480740ad838de09add70d
 - SHA256: a259ca496da05ac1981f95cd856211f894a328056a6129e9cd70dbbd5df401f7
 - pkg:maven/io.netty/netty-handler@4.2.16.Final
- datasource.cassandra.zip: netty-resolver.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-resolver.jar
 - MD5: 561b09ee8c3b2f10190bbe3f923cb71e
 - SHA1: fcea6d64273b59ab9127b68c16ae98af34642139
 - SHA256: c9eca6a99036485cf1d186b4a6a595b0a54c53808319ee03924270eae04c32bb
 - pkg:maven/io.netty/netty-resolver@4.2.16.Final

Identifiers

- pkg:maven/io.netty/netty-transport@4.2.16.Final (*Confidence:High*)

- [cpe:2.3:a:netty:netty:4.2.16.*.*.*.*.*](#) (*Confidence:Highest*)

suppress

datasource.mongodb.zip: bson.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.mongodb.zip/bson.jar

MD5: d155f1ab301a142e07d0be09f00bc8d9

SHA1: aa07f6bbff6955facba54bb64e9ee270fe1e4198

SHA256: f8a7bc456c8d6ffe1584969efa604af14a3896e50ac7214352c432dd1fce6d45

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bson	High
Vendor	jar	package name	bson	Highest
Vendor	jar	package name	bson	Low
Vendor	Manifest	automatic-module-name	org.mongodb.bson	Medium
Vendor	Manifest	bundle-symbolicname	org.mongodb.bson	Medium
Product	file	name	bson	High
Product	jar	package name	bson	Highest
Product	Manifest	automatic-module-name	org.mongodb.bson	Medium
Product	Manifest	Bundle-Name	bson	Medium
Product	Manifest	bundle-symbolicname	org.mongodb.bson	Medium
Version	Manifest	build-version	5.6.2	Medium
Version	Manifest	Bundle-Version	5.6.2	High

Related Dependencies

- bson.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/persistence/bson.jar
 - MD5: d155f1ab301a142e07d0be09f00bc8d9
 - SHA1: aa07f6bbff6955facba54bb64e9ee270fe1e4198
 - SHA256: f8a7bc456c8d6ffe1584969efa604af14a3896e50ac7214352c432dd1fce6d45

Identifiers

- [cpe:2.3:a:mongodb:bson:5.6.2:****:*](#) (Confidence:Medium) suppress

datasource.mongodb.zip: datasource.mongodb.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.mongodb.zip/datasource.mongodb.jar
MD5: 97d2ee7ca2d2b1d0c3f03a887d889617

SHA1: e1beef5f96fea9fc149d15fd9b77359c7df0bf16

SHA256: ed1353ffa6478a7107dc6ceb8a4dc5aa398f6b7d36f1f0c0bd1d27a79fb89ac3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	datasource.mongodb	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	mongodb	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-08-07 18:09	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	datasource.mongodb	High
Product	jar	package name	mongodb	Highest
Product	jar	package name	mongodb	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2026-08-07 18:09	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	datasource.mongodb	High
Product	Manifest	specification-title	datasource.mongodb	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

datasource.mongodb.zip: mongodb-driver-core.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.mongodb.zip/mongodb-driver-core.jar

MD5: 7d097ed40fac40969c1754690bbe7a61

SHA1: 4ef17ac9e1f96d7a5990d3e223e0f03c4e155028

SHA256: 2f29ff945667650fd135ddcb4275a930fcb8a2bbd551a7b46624d737f854a77d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	mongodb-driver-core	High
Vendor	jar	package name	internal	Low
Vendor	jar	package name	mongodb	Highest
Vendor	jar	package name	mongodb	Low
Vendor	Manifest	automatic-module-name	org.mongodb.driver.core	Medium
Vendor	Manifest	bundle-symbolicname	org.mongodb.driver-core	Medium
Product	file	name	mongodb-driver-core	High
Product	jar	package name	internal	Low
Product	jar	package name	mongodb	Highest
Product	Manifest	automatic-module-name	org.mongodb.driver.core	Medium
Product	Manifest	Bundle-Name	mongodb-driver-core	Medium
Product	Manifest	bundle-symbolicname	org.mongodb.driver-core	Medium
Version	Manifest	build-version	5.6.2	Medium
Version	Manifest	Bundle-Version	5.6.2	High

Related Dependencies



- mongodb-driver-core.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/persistence/mongodb-driver-core.jar
 - MD5: 7d097ed40fac40969c1754690bbe7a61
 - SHA1: 4ef17ac9e1f96d7a5990d3e223e0f03c4e155028
 - SHA256: 2f29ff945667650fd135ddcb4275a930fcb8a2bbd551a7b46624d737f854a77d

Identifiers

- None

datasource.mongodb.zip: mongodb-driver-sync.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.mongodb.zip/mongodb-driver-sync.jar

MD5: 39591a8fd0b6858ef2a0dcb26813a1f7

SHA1: 0eccbc0b3ce9bae9fcf190a88769f966450aaa7f

SHA256: 491519ef1e1aff1f91caec8671381c9af448167869c25eed3457abfc00f6e0b4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	mongodb-driver-sync	High
Vendor	jar	package name	client	Highest
Vendor	jar	package name	client	Low
Vendor	jar	package name	internal	Low
Vendor	jar	package name	mongodb	Highest
Vendor	jar	package name	mongodb	Low
Vendor	Manifest	automatic-module-name	org.mongodb.driver.sync.client	Medium
Vendor	Manifest	bundle-symbolicname	org.mongodb.driver-sync	Medium
Product	file	name	mongodb-driver-sync	High
Product	jar	package name	client	Highest
Product	jar	package name	client	Low
Product	jar	package name	internal	Low
Product	jar	package name	mongodb	Highest
Product	Manifest	automatic-module-name	org.mongodb.driver.sync.client	Medium
Product	Manifest	Bundle-Name	mongodb-driver-sync	Medium
Product	Manifest	bundle-symbolicname	org.mongodb.driver-sync	Medium
Version	Manifest	build-version	5.6.2	Medium
Version	Manifest	Bundle-Version	5.6.2	High

Related Dependencies



- mongodb-driver-sync.jar

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/persistence/mongodb-driver-sync.jar
- MD5: 39591a8fd0b6858ef2a0dcb26813a1f7
- SHA1: 0eccbc0b3ce9bae9fcf190a88769f966450aaa7f
- SHA256: 491519ef1e1aff1f91caec8671381c9af448167869c25eed3457abfc00f6e0b4

Identifiers

- None

datasource.zip: datasource.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar

MD5: eea596f51992f006b2fe209967a65c7c

SHA1: 4b8e2686ebddf618aeaaf2cc8056d255d1abedf5

SHA256: 7832b8262257dfa018f541895f588fa15043ac7daffa01867a7fb7296ff7659c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	datasource	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-08-07 18:06	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	datasource	High
Product	jar	package name	datasources	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2026-08-07 18:06	Low

Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	datasource	High
Product	Manifest	specification-title	datasource	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

datasource.zip: datasource.jar: datasources-edit-controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/datasources-edit-controller.js

MD5: d3aff1bc5dbed650a47549c6b4b2d71c

SHA1: 352026dbf86cae5e886f46a566fa6b0c44f45fa3

SHA256: ed7edb89ba9e0274ca35afc162057de9dcfafdc635dabdc5c24e757ea3014e48

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

datasource.zip: datasource.jar: datasources-main-controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/datasources-main-controller.js

MD5: 3afa88b26909ab1b53b2b6e4cda39630

SHA1: 8c67e88f9a55fecb900e2728a79e2b399db5e5cb

SHA256: e5b4cee7b945844f9f36ae40384dea3b011aa2796b52cb437619ad422c2a7adc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

datasource.zip: datasource.jar: factory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/factory.js

MD5: 5cd410b5a8e33d67ccb3d324a3471059

SHA1: a49a0928fee80e0fca7878cc0137171376da3204

SHA256:03295f6bac34a5ae47c6d53b8dd02835787143132184017143a37171b332cd29

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

datasource.zip: datasource.jar: model.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/model.js

MD5: 04165d3227639dfb6ce29a8399f878b7

SHA1: 42b89aea0509b5b672f1a1228e7144ff615bbb99

SHA256:b322d19691f4bcec36a37e1c473cca376a780fa40292f7e664a83dff8695b4cc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

datasource.zip: datasource.jar: renderer-permissions.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/renderer-permissions.js

MD5: 564716c3303396ed66ee273c97d5f73a

SHA1: ea2464e98a9d3d9ec6b44032ca1969721759348a

SHA256: d8534ea47db8738b7efb497bcbfdb341a4c9e361df28a3ecda043cc33771c620

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

datasource.zip: datasource.jar: renderer-urlauth.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/renderer-urlauth.js

MD5: 7df8d0472e16ec50a02b78c7f807a027

SHA1: 8371ea18c1ebbd030f4c50768f09a151254cca58

SHA256: 6702c065e1dda17c555b4c43c98201d2a7ac43b0e44f8981b8e03ce2b5e5296a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

datasource.zip: datasource.jar: renderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/renderer.js
MD5: 0afd2459886777254bf1ec76840f3dfd
SHA1: 2c5395e8a49e432b5a30e1ee6515e73b2601de48
SHA256:069ab5b85efecc0d59a768da0f00f45faee95102bc5bb78c795875a9e63bc7cf
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

decoder.svg.zip: decoder.svg.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/decoder.svg.jar
MD5: c175a2dc8eeb39a750d1cd7562508d01
SHA1: 480eb4916f36d0d5d23d5e9a34cda725e8132c48
SHA256:ec237292658e8652119a94e0c5b6b9a5d4fe378760daf1ab592a7ce36d4e0d54
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	decoder.svg	High
Vendor	jar	package name	encode	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-08-07 18:04	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	decoder.svg	High
Product	jar	package name	encode	Low
Product	jar	package name	report	Low
Product	jar	package name	svg	Highest
Product	jar	package name	svg	Low
Product	Manifest	built-date	2026-08-07 18:04	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	decoder.svg	High
Product	Manifest	specification-title	decoder.svg	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

decoder.svg.zip: jsvg.jar

License:

MIT

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/jsvg.jar

MD5: c1b7872da145c8691324af456c643349

SHA1: c1a403f318de302fa81e4403fe8fb4bd6056a41f

SHA256: a538142d27c57c55066da02a535cc8eee3afd0d37b3daff8eba6344bd0ffc1b6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jsvg	High
Vendor	jar	package name	github	Highest
Vendor	jar	package name	github	Low
Vendor	jar	package name	jsvg	Highest
Vendor	jar	package name	jsvg	Low
Vendor	jar	package name	weisj	Highest
Vendor	jar	package name	weisj	Low

Vendor	Manifest	bundle-symbolicname	com.github.weisj.svg	Medium
Vendor	Manifest	Implementation-Vendor	JSVG	High
Vendor	Manifest	Implementation-Vendor-Id	com.github.weisj	Medium
Vendor	Manifest	specification-vendor	JSVG	Low
Product	file	name	jsvg	High
Product	jar	package name	github	Highest
Product	jar	package name	jsvg	Highest
Product	jar	package name	jsvg	Low
Product	jar	package name	weisj	Highest
Product	jar	package name	weisj	Low
Product	Manifest	Bundle-Name	com.github.weisj.svg	Medium
Product	Manifest	bundle-symbolicname	com.github.weisj.svg	Medium
Product	Manifest	Implementation-Title	jsvg	High
Product	Manifest	specification-title	JSVG	Medium
Version	Manifest	Bundle-Version	2.1.0	High
Version	Manifest	Implementation-Version	2.1.0	High

Identifiers

- None

designer.zip: CCGuiLib.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/CCGuiLib.jar

MD5: fabeb02b06a824fe25cdf0c8c5e842d9

SHA1: caad28e1019b72fb43260d8e3db46ae00f0f4dab

SHA256: 061ffc9ecdf187b30c52a1c2bd0c4989bae5cda508d6e8fab2fdb4d7ba87f12f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Vendor	file	name	CCGuiLib	High
Vendor	jar	package name	guilib	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2026-08-07 17:45	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	CCGuiLib	High
Product	jar	package name	guilib	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2026-08-07 17:45	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	CCGuiLib	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	CCGuiLib	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

designer.zip: JnlpDesigner.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/JnlpDesigner.jar

MD5: 26b549ded2f7fa437c53544ff58fe246

SHA1: 6dbbabd7812633dffa637462700e39f4b64e27f2

SHA256: 7f33b40a2cd89d0e67f86c71d4776150b2f77586988c2665c70a05e0099eb9d9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	JnlpDesigner	High
Vendor	jar	package name	designer	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	loader	Low
Vendor	jar	package name	shared	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	i-net Remote Designer	Medium
Vendor	Manifest	built-date	2026-08-07 18:07	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	JnlpDesigner	High
Product	jar	package name	designer	Highest

Product	jar	package name	jnlpdesigner	Highest
Product	jar	package name	loader	Low
Product	jar	package name	shared	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net Remote Designer	Medium
Product	Manifest	built-date	2026-08-07 18:07	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	JnlpDesigner	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	JnlpDesigner	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

designer.zip: SBSTutorial.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/SBSTutorial.jar

MD5: 5e2a9290c88fe830cd909e96f5c799d9

SHA1: 542d34a9c34bbedb395963cdbad5a9bd0efcf9b9

SHA256: b995e7ba1765952b44fc3802ca5fe6c9debf4d571c9cc85de8e895420d984307

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	SBSTutorial	High
Vendor	jar	package name	anormalmedia	Low

Vendor	jar	package name	de	Low
Vendor	jar	package name	sbstutorial	Low
Product	file	name	SBSTutorial	High
Product	jar	package name	anormalmedia	Low
Product	jar	package name	gui	Low
Product	jar	package name	sbstutorial	Low

Identifiers

- None

designer.zip: TableLayout.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/TableLayout.jar

MD5: 1e432e776e18d71f12dd72b7d235a965

SHA1: 62ffa1cca3e71f94d0bdce85ea97ea7083fdbb1b

SHA256: 13e73cf77a93f0c52184e5a5557d7dbba081bf54904edfdbba84645b5daf7dd18

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	TableLayout	High
Vendor	jar	package name	clearthought	Low
Vendor	jar	package name	info	Low
Vendor	jar	package name	layout	Low
Product	file	name	TableLayout	High
Product	jar	package name	clearthought	Low
Product	jar	package name	layout	Low

Identifiers

- None

designer.zip: designer.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/designer.jar
MD5: f92da0268ddef94a70cd2114ed7bb251
SHA1: 9aae5f978ef46c81722f462eff52d8f8dc5ed385
SHA256:3599b6564f5de6228055ac38a8d8078bf158037cccef2ed11b3107ed4b0caef9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	designer	High
Vendor	jar	package name	designer	Low
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2026-08-07 18:06	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	designer	High
Product	jar	package name	designer	Highest
Product	jar	package name	designer	Low
Product	Manifest	built-date	2026-08-07 18:06	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	designer	High
Product	Manifest	specification-title	designer	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

designer.zip: designer.jar: app.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/designer.jar/com/inet/designer/plugin/module/js/app.js

MD5: 166cf806b8a80aeb525c6227997dbb67

SHA1: ad98fea47d6520742c5d53b264f35617f9e93205

SHA256: 1723232334ea1520fcb4e388a48386444bb0dd6a650a7f253ab91c1f2a17f9c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

designer.zip: designer.jar: opendesignerextension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/designer.jar/com/inet/designer/plugin/repository/drive/client/js/opendesignerextension.js

MD5: 4ffa073261ffba0499b501bfe0c011e8

SHA1: 49d507d0039f67d9402a17be9a3bd188e39d5778

SHA256: a6393af45de96155785e5d8fa03a5e8c25e82f7e01f2f09855dd04a66a318f4b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

designer.zip: designer.jar: remotedesigner.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/designer.jar/com/inet/designer/plugin/module/js/remotedesigner.js

MD5: 636aa57b17582002507695eb51151b40
SHA1: 0c4c63514279a159369d7f3d04b748cb3077f4a5
SHA256:187e4aedb6834259a1b86981c479cf670040d20b0700347f52261d32bdbdbdaf
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

designer.zip: inetswingcore.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/inetswingcore.jar
MD5: 59e28e7770088726fbe157500d162cad
SHA1: 7bec09573e4d06cd4e791e2dc992ad7b73de5fc1
SHA256:64e2b6961cbf920cbde1b140add4978c3467583e946ddf4253cb6a3ba7d00b07
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Vendor	file	name	inetswingcore	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	swing	Low
Vendor	Manifest	built-date	2026-08-07 16:38	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetswingcore	High
Product	jar	package name	swing	Low

Product	Manifest	built-date	2026-08-07 16:38	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetswingcore	High
Product	Manifest	specification-title	inetswingcore	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

diagnostics.reporting.zip: diagnostics.reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar

MD5: 7d99d42f8c17b3be72124da8990328e5

SHA1: bba15418bed31b829c436e202ccb7d051bf830e1

SHA256: ae789a47a1434ad26b8326e356323c23fb6922a0170a99d5fb9357f44589ab0b

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	diagnostics.reporting	High
Vendor	jar	package name	diagnostics	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-08-07 18:05	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	diagnostics.reporting	High

Product	jar	package name	diagnostics	Highest
Product	jar	package name	diagnostics	Low
Product	jar	package name	report	Low
Product	jar	package name	widgets	Low
Product	Manifest	built-date	2026-08-07 18:05	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	diagnostics.reporting	High
Product	Manifest	specification-title	diagnostics.reporting	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

diagnostics.reporting.zip: diagnostics.reporting.jar: connectionPool.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/connectionpool/resources/connectionPool.js

MD5: f53d87419cca81933623ab8325b500e4

SHA1: 5d4d1ae1f0f86f84711e9090df767880dacd62f0

SHA256: 0276fb918e86662478f9fe2f51a4ea88862d48c2b848059cfbca686f96a9dd87

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

diagnostics.reporting.zip: diagnostics.reporting.jar: reportcache.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/reportcache/resources/reportcache.js
MD5: 69cf1345e403fa8c11c27e3fa01fb71b
SHA1: e9ae6aca9c42c00ad18a935a7f84a3d2d59d0384
SHA256: b25ec00b6d64bcc7db7b3c3c9ca17ac561f5b7658d986a9d28cbb7ed6cbf3e41
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

diagnostics.reporting.zip: diagnostics.reporting.jar: server-datasource.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/benchmark/datasource/server-datasource.js
MD5: 469d2ced1d4ee262c0cc20be81e2dba6
SHA1: ffb1022f2b790323c8cf9e5db9712dcaa4ad6e7c
SHA256: 5f8f764f683a5b11f87c9eee045776cd0e941d9872cd9c1a305b43ccba3f5fc4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

diagnostics.zip: diagnostics.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar
MD5: 550597fb5ae84eed89a9cdd6b515d07f
SHA1: 8b1b10e1f2d1428c17dc28e2b469fd3671dc5a25
SHA256: 81670ff19ae8a2bafcf640d2cb82e90349ce87cc92df341e28ae2e04ee35f307
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	diagnostics	High
Vendor	jar	package name	diagnostics	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	shared	Low
Vendor	Manifest	built-date	2026-08-07 16:56	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	diagnostics	High
Product	jar	package name	diagnostics	Highest
Product	jar	package name	diagnostics	Low
Product	jar	package name	shared	Highest
Product	jar	package name	shared	Low
Product	jar	package name	widgets	Low
Product	Manifest	built-date	2026-08-07 16:56	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	diagnostics	High
Product	Manifest	specification-title	diagnostics	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

diagnostics.zip: diagnostics.jar: MemoryPieChart.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryPieChart.js

MD5: 30c425524c8a78004a3fe26b5a4a7383

SHA1: 9275a0816480a5aa09699e563277687cdf12817d

SHA256: fdf2f20ce7808cfb867c2b4c415f04c338999a58d31b463816c8096870b62e99

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

diagnostics.zip: diagnostics.jar: MemoryUsageChart.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryUsageChart.js

MD5: 3ff19f37cf579b966edc17fce99b8782

SHA1: a0d59a7b8066135ffef91e8e8b5da5a6be1cbe7

SHA256: fb8641bfa995b72d6de205c294a5d54b4537e3710b6b7ff52e83eff21cac617b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

diagnostics.zip: diagnostics.jar: WebServerErrorChart.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/WebServerErrorChart.js

MD5: 862f696da56aba3a26f17749db48a68b

SHA1: f6008f6b7c5f9964953a9e83273866521b367a96
SHA256: ef43076f171fca635b94372d15aa89f22c210284cb1dd386e252f9451afc77e8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

diagnostics.zip: diagnostics.jar: benchmarkCtrl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/resources/benchmarkCtrl.js
MD5: 9eaeff897d71b988456b1081f7baa57e
SHA1: 8dc7208ccfa11ba9eb736aaee676e9c7f2f62146
SHA256: 3457f3446ce7a565f734ecd3aa8712884c713b10dd97713ffab9cf196becafc9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

diagnostics.zip: diagnostics.jar: client-server.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/clientserver/client-server.js
MD5: ed99b5c44d3bc1b8ac58f9789deeeaad
SHA1: 395f6826c7341821fad523ebdca6df4ccb4fd1e2
SHA256: 535726b9cd6612bfcd50ff9a50c6b6e4eb5b74fdc4216fbb36ba25178415335
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

diagnostics.zip: diagnostics.jar: contact-support-files.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/support/resources/contact-support-files.js
MD5: 777189dbbd25df742097c66357ba470d
SHA1: fa66a0401c715201668e38c9daab05a2d3135336
SHA256:5ebe33742ed60e7b10d5f7ba7c7248a13fadf2b9b71d9794878331b1e4f15095
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

diagnostics.zip: diagnostics.jar: contact-support-loader.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/support/resources/contact-support-loader.js
MD5: 1e5ed34eb13d078469a714b2fdbbf48f
SHA1: 1a47fc1d275fbce92e33551aec254fd748805fdb
SHA256:8191eae5d96ede81613001b5b961d16a70beffa87868233945306ce2a0afaab6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

diagnostics.zip: diagnostics.jar: contact-support-panel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/support/resources/contact-support-panel.js

MD5: f9248f93a8b7d4b0a23e36145d33ae67

SHA1: 02c8f3bf0b9adc6270c20526bb264d9d12ca8879

SHA256: a32c873394aa4e7992f2597b77793d855299ec1cb8c6fc35126c60f6480cd41d5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

diagnostics.zip: diagnostics.jar: contact-support-selection.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/support/resources/contact-support-selection.js

MD5: d0fd27e1f9b8f2439e51257729987317

SHA1: 107f03801c4d219958ba96a9b9dc3fe091651435

SHA256: 9cf758b71baec7512e6f6caa4dc06a2ff8dabd34d0c80d4cae4b6056fc786145

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

diagnostics.zip: diagnostics.jar: contact-support.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared /diagnostics/widgets/support/resources/contact-support.js
MD5: 543c5285672a2b717e7c02db8e1e6224
SHA1: 1694ff4d4b45f4fcd0e712dccb2a2ab00f022b98
SHA256:8add5509ad2c23fe2024ebd8f923c01745af5aa379b904bda1b1a63d05114d04
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

diagnostics.zip: diagnostics.jar: contactCtrl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared /diagnostics/widgets/support/resources/contactCtrl.js
MD5: 0cb2d1d2de639171e546068e00924eeb
SHA1: 747554431f73705e0d8e8c38dbe1d391367a02fe
SHA256:03df459a8f109080b3ef6abb334e2c8a986a8e3577f66d6e344a96e0a0ccdba9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

diagnostics.zip: diagnostics.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared /diagnostics/resources/js/controller.js
MD5: c9d9a63b248de3b1ab32753b2652581f

SHA1: 9e9f1cf1ddcea2a7ae541d2a67b0f36d68514e77
SHA256: 6ab396c52d329bb05ffc977b19f70afae28b05f93ed53e7766369f734126485
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

diagnostics.zip: diagnostics.jar: cpu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpu/cpu.js
MD5: 249d2c1b94bbcf571319a855cbc1af47
SHA1: 6bdacb59d89d9e103e8a85ccfd9239eb931d4682
SHA256: 80e5a5792052c04e314d61e3f8ab581475f303d4770109c42d19d3060941a612
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

diagnostics.zip: diagnostics.jar: cpuspeed.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpuspeed/cpuspeed.js
MD5: ec93fbb827070fdee2db352c88e7b0a0
SHA1: fbbc1f162333ff280f1a24eb4de079916673b579
SHA256: c491356a04a12726d7c3083cadbed3f147ca67f567de2c2529043d466e63f3e4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

diagnostics.zip: diagnostics.jar: directives.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/directives.js
MD5: c7436529172605f449dda5c983dc74dd
SHA1: e7fd8c8ccf06d2fadce799bb442b4b8bc10fcad4
SHA256:993aecee895d9e18dd484cbcf7b1b908db6dd2fe5a8078bf664faa39070dbe7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

diagnostics.zip: diagnostics.jar: errorHistoryChart.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/errorHistoryChart.js
MD5: 3dc8396c86a2fbaae0eafb0971359e7
SHA1: be11eddc8f2b255ee2a5c5509714db7f1161aa8b
SHA256:d830b7e8dfbdc2c32b7cf377dabba62d41338b7df1de4fd696e3a76093b1a973
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

diagnostics.zip: diagnostics.jar: global.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/global.js

MD5: 64802e20bf5a9a5339db077b76120804

SHA1: d213b8c04f236ee22ab04da139fb32d33743c618

SHA256: 30fbbfb604a6ec9cf8dcf1e20dcebced4abe870ea419122f8c89fd5954b64f16

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

diagnostics.zip: diagnostics.jar: harddisk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/harddisk/harddisk.js

MD5: 538fd0fdeb11c4fa3dd2ac88c8711204

SHA1: 80957f16c25af55fc467e6c5af84153a595115c8

SHA256: a7762d8a143e8ac4eb9931e082988207cd45ab55d088120ff28d5f833fc09c2e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

diagnostics.zip: diagnostics.jar: heapdumpCtrl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/dump/resources/heapdumpCtrl.js
MD5: c5fdaf4ccf9027d4a81c2f62b897e927
SHA1: 667f13f878547fe5bdd76d63151a8bf8113736ac
SHA256: 9694aabb30d8dc4bd9f9a6886f91248fe5a68d51a0f4dfd3a7b7adcd4db0b625
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

diagnostics.zip: diagnostics.jar: informationCtrl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/informationCtrl.js
MD5: b1b97633efb6513ee5ee1bf8d1c75e62
SHA1: 5271d00c40c6144e4e03732218ff007097de9dca
SHA256: f487b2331964e1d5942cddb37b03f9bb4bc252a6c49567ef60b10845c784b1c6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

diagnostics.zip: diagnostics.jar: intArrayUtils.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/intArrayUtils.js
MD5: 132205ce288f4d0108593ba2adf79e7f

SHA1: b1fc530ffd7332db05d9b5431535ec0beb9ff688

SHA256:089688ab933277e0148ec91a8bd6d1d3d6e1030ec0216139675a78f8c9fd672e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

diagnostics.zip: diagnostics.jar: iospeed.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/iospeed/iospeed.js

MD5: 41f51d9c89d83c0c9f2a318f49fe7270

SHA1: ccee214fdd13502065ec9b41a199fb1c3941475e

SHA256:d25634e9546abdaf6828d95582b58bad9cea248c0cf8d027d318f8641941e75c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

diagnostics.zip: diagnostics.jar: jobs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/jobs/resources/jobs.js

MD5: c86f20826acb4cd47c7bd5dbfb75b0d4

SHA1: 91bc3730aac03d2108e538843d28f0e47d531bc2

SHA256:392dd734b01789eb4d38f999bfa2cc439550d8bb4321024a2047179676315e47

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

diagnostics.zip: diagnostics.jar: logging.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/logging.js
MD5: 0576bea979f25b530bf421fff073f651
SHA1: 4423880a3160fa1cf0ad9353c3ba50abbac476e9
SHA256:44334c09db13b3d757f5c23fd8726fbaf4138939778e1c4f0fec7fb6b93465fd
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

diagnostics.zip: diagnostics.jar: memory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/memory/memory.js
MD5: f18834232e1c1c47fbdca4d03ad4eeb9
SHA1: 74db18f6a0b6cd0dc2e345b47dab39558bced4f8
SHA256:5c0c8e278674ba7e3e5d9f530448f98895b7c72eea9183e889f356492477bea2
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				

- None

diagnostics.zip: diagnostics.jar: overviewCtrl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/overview/resources/overviewCtrl.js

MD5: 80f5e4358aa6a9ba6d35c364803e6c6a

SHA1: 43c0492bb6e31b22174edb46514f0981930d2e39

SHA256: cdf4ae1ac491e48bcb17849a4b9ccdfef5eea517798c0dc10fe13fb75b1eca99

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

diagnostics.zip: diagnostics.jar: pde.diagnostics.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/pde.diagnostics.js

MD5: b204072262f58feda2be583defe7fb22

SHA1: b7ac04cf8cddb4fe14358b1a593fda422011b643

SHA256: ec9425761f80cb65cbbf6cc53d587eea8c1afdd9e4e62a291e4e943f990ea929

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

diagnostics.zip: diagnostics.jar: timeformat.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/timeformat.js
MD5: 31e9928c521c394f829c570f248fab50
SHA1: 97977864881447d98bab1568b64f96115f4a4d4a
SHA256:f96d3c13acc616439828fdc4a368dedb6f8a740eb44cef5980b659ee9c07845
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

diagnostics.zip: diagnostics.jar: usermenu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/usermenu.js
MD5: 194282c1d922be86f2761862f7ae054d
SHA1: 5eeac60781e651036358d5f6ad74c3f1c55d14e4
SHA256:92833bc86e6566be1649780fc5c58ad2e1e98c578efe967deb9dc2acd1052ac0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

docfx.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.js
MD5: ba8e98f7b432835459e28a432cac8a64

SHA1: 0d0ea6b806a42c4d74d1540342abc045f7ff9765

SHA256: 33f44be0b526fffb4819f69356fc0100fa7f8f858d9b285b4b949b29c5d068a9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

docfx.vendor.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.vendor.min.js

MD5: d42acf2bc5f14cbba7bbbd0b8519c103

SHA1: 055d75791f5f651f5568e0ee158281a73e43a92c

SHA256: 8c56cd4057e12a8c3c2a2721cbafefc31540e5a42930e4a9d12a69256976c75e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

drive.zip: commons-compress.jar

Description:

Apache Commons Compress defines an API for working with compression and archive formats. These include bzip2, gzip, pack200, LZMA, XZ, Snappy, traditional Unix Compress, DEFLATE, DEFLATE64, LZ4, Brotli, Zstandard and ar, cpio, jar, tar, zip, dump, 7z, arj.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/commons-compress.jar
MD5: f33efe616d561f8281ef7bf9f2576ad0
SHA1: e482f2c7a88dac3c497e96aa420b6a769f59c8d7
SHA256: e1522945218456f3649a39bc4afd70ce4bd466221519dba7d378f2141a4642ca
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-compress	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	compress	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.compress	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-compress/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-compress	Medium
Vendor	Manifest	extension-name	org.apache.commons.compress	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	Apache Maven Bundle Plugin 6.0.0	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-compress	Low
Vendor	pom	developer email	bodewig at apache.org	Low
Vendor	pom	developer email	chtompki at apache.org	Low
Vendor	pom	developer email	damjan at apache.org	Low
Vendor	pom	developer email	ebourg at apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	grobmeier at apache.org	Low
Vendor	pom	developer email	julius at apache.org	Low
Vendor	pom	developer email	peterlee at apache.org	Low
Vendor	pom	developer email	sebb at apache.org	Low
Vendor	pom	developer email	tcurdt at apache.org	Low

Vendor	pom	developer id	bodewig	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	damjan	Medium
Vendor	pom	developer id	ebourg	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	grobmeier	Medium
Vendor	pom	developer id	julius	Medium
Vendor	pom	developer id	peterlee	Medium
Vendor	pom	developer id	sebb	Medium
Vendor	pom	developer id	tcurdt	Medium
Vendor	pom	developer name	Christian Grobmeier	Medium
Vendor	pom	developer name	Damjan Jovanovic	Medium
Vendor	pom	developer name	Emmanuel Bourg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Julius Davies	Medium
Vendor	pom	developer name	Peter Alfred Lee	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Sebastian Bazley	Medium
Vendor	pom	developer name	Stefan Bodewig	Medium
Vendor	pom	developer name	Torsten Curdt	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Compress	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	https://commons.apache.org/proper/commons-compress/	Highest
Product	file	name	commons-compress	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	compress	Highest
Product	Manifest	automatic-module-name	org.apache.commons.compress	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-compress/	Low

Product	Manifest	Bundle-Name	Apache Commons Compress	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-compress	Medium
Product	Manifest	extension-name	org.apache.commons.compress	Medium
Product	Manifest	Implementation-Title	Apache Commons Compress	High
Product	Manifest	multi-release	true	Low
Product	Manifest	originally-created-by	Apache Maven Bundle Plugin 6.0.0	Low
Product	Manifest	specification-title	Apache Commons Compress	Medium
Product	pom	artifactid	commons-compress	Highest
Product	pom	developer email	bodewig at apache.org	Low
Product	pom	developer email	chtompki at apache.org	Low
Product	pom	developer email	damjan at apache.org	Low
Product	pom	developer email	ebourg at apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	grobmeier at apache.org	Low
Product	pom	developer email	julius at apache.org	Low
Product	pom	developer email	peterlee at apache.org	Low
Product	pom	developer email	sebb at apache.org	Low
Product	pom	developer email	tcurdt at apache.org	Low
Product	pom	developer id	bodewig	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	damjan	Low
Product	pom	developer id	ebourg	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	grobmeier	Low
Product	pom	developer id	julius	Low
Product	pom	developer id	peterlee	Low
Product	pom	developer id	sebb	Low
Product	pom	developer id	tcurdt	Low
Product	pom	developer name	Christian Grobmeier	Low
Product	pom	developer name	Damjan Jovanovic	Low
Product	pom	developer name	Emmanuel Bourg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Julius Davies	Low
Product	pom	developer name	Peter Alfred Lee	Low

Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Sebastian Bazley	Low
Product	pom	developer name	Stefan Bodewig	Low
Product	pom	developer name	Torsten Curdt	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Compress	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	https://commons.apache.org/proper/commons-compress/	Medium
Version	Manifest	Bundle-Version	1.28.0	High
Version	Manifest	Implementation-Version	1.28.0	High
Version	pom	parent-version	1.28.0	Low
Version	pom	version	1.28.0	Highest

Identifiers

- pkg:maven/org.apache.commons/commons-compress@1.28.0 (*Confidence:High*)
- [cpe:2.3:a:apache:commons_compress:1.28.0:****:*](#) (*Confidence:Highest*)

suppress

drive.zip: commons-io.jar

Description:

The Apache Commons IO library contains utility classes, stream implementations, file filters, file comparators, endian transformation classes, and much more.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/commons-io.jar

MD5: bc7e020873f086ede85f97bd9f013215

SHA1: 52a6f68fe5afe335cde95461dd5c3412f04996f7

SHA256: 7d643a2afea8b058b762aa6fb90e5b256f6c729739f8b3784c3370ddc609e88d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-io	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	file	Highest
Vendor	jar	package name	io	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.io	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-io/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Vendor	Manifest	enabledynamicagent	-XX:+EnableDynamicAgentLoading	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-io	Low
Vendor	pom	developer email	bayard@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jeremias@apache.org	Low
Vendor	pom	developer email	jochen.wiedmann@gmail.com	Low
Vendor	pom	developer email	krosenvold@apache.org	Low
Vendor	pom	developer email	martinc@apache.org	Low
Vendor	pom	developer email	matth@apache.org	Low
Vendor	pom	developer email	nicolaken@apache.org	Low
Vendor	pom	developer email	roxspring@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jeremias	Medium
Vendor	pom	developer id	jochen	Medium
Vendor	pom	developer id	jukka	Medium

Vendor	pom	developer id	krosenvold	Medium
Vendor	pom	developer id	martinc	Medium
Vendor	pom	developer id	matth	Medium
Vendor	pom	developer id	niallp	Medium
Vendor	pom	developer id	nicolaken	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer name	dlon Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	Jeremias Maerki	Medium
Vendor	pom	developer name	Jochen Wiedmann	Medium
Vendor	pom	developer name	Jukka Zitting	Medium
Vendor	pom	developer name	Kristian Rosenvold	Medium
Vendor	pom	developer name	Martin Cooper	Medium
Vendor	pom	developer name	Matthew Hawthorne	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Nicola Ken Barozzi	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-io	Highest
Vendor	pom	name	Apache Commons IO	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-io/	Highest
Product	file	name	commons-io	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	file	Highest
Product	jar	package name	io	Highest

Product	Manifest	automatic-module-name	org.apache.commons.io	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-io/	Low
Product	Manifest	Bundle-Name	Apache Commons IO	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Product	Manifest	enabledynamicagent	-XX:+EnableDynamicAgentLoading	Low
Product	Manifest	Implementation-Title	Apache Commons IO	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons IO	Medium
Product	pom	artifactid	commons-io	Highest
Product	pom	developer email	bayard@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jeremias@apache.org	Low
Product	pom	developer email	jochen.wiedmann@gmail.com	Low
Product	pom	developer email	krosenvold@apache.org	Low
Product	pom	developer email	martinc@apache.org	Low
Product	pom	developer email	matth@apache.org	Low
Product	pom	developer email	nicolaken@apache.org	Low
Product	pom	developer email	roxspring@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jeremias	Low
Product	pom	developer id	jochen	Low
Product	pom	developer id	jukka	Low
Product	pom	developer id	krosenvold	Low
Product	pom	developer id	martinc	Low
Product	pom	developer id	matth	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	nicolaken	Low
Product	pom	developer id	roxspring	Low

Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer name	dlon Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	Jeremias Maerki	Low
Product	pom	developer name	Jochen Wiedmann	Low
Product	pom	developer name	Jukka Zitting	Low
Product	pom	developer name	Kristian Rosenvold	Low
Product	pom	developer name	Martin Cooper	Low
Product	pom	developer name	Matthew Hawthorne	Low
Product	pom	developer name	Niall Pemberton	Low
Product	pom	developer name	Nicola Ken Barozzi	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-io	Highest
Product	pom	name	Apache Commons IO	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-io/	Medium
Version	Manifest	Bundle-Version	2.21.0	High
Version	Manifest	Implementation-Version	2.21.0	High
Version	pom	parent-version	2.21.0	Low
Version	pom	version	2.21.0	Highest

Identifiers

- pkg:maven/commons-io/commons-io@2.21.0 (*Confidence:High*)
- [cpe:2.3:a:apache:commons_io:2.21.0:****:*](#) (*Confidence:Highest*)

suppress

drive.zip: drive.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar

MD5: 15dae83fb0f5bb4c0f8a07daf2d324f6

SHA1: d94def96164d6d5dea441f90fcacba89fede0eac

SHA256: 68df913bc13f5c7b4115bfd14d07ada5daf51b4ffba630365eedf1245516da7d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	drive	High
Vendor	jar	package name	drive	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2026-08-07 16:59	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	drive	High
Product	jar	package name	drive	Highest
Product	jar	package name	drive	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2026-08-07 16:59	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	drive	High
Product	Manifest	specification-title	drive	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

drive.zip: drive.jar: actions.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/actions.js

MD5: 5a6ae0c7fc82c58bab37f4285e30512b

SHA1: f1eb0409af6e5773374b81f52f389bca0ce2b3f1

SHA256: 28381f95ccbb508ef57234b2bb33f0446e2d705a298d38be6dd5dbcdae45963c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

drive.zip: drive.jar: actions.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/actions.service.js

MD5: 76c128ee144d982b861703fe6f509ff6

SHA1: 66c53f109f83a7b37ca210c97b2dd7b83c658d0f

SHA256: 9e54fd5796c8933fab7e6d0250654e5ae273c5db90098ad41afaf37d731668a6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

drive.zip: drive.jar: contentextension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/contentextension.js
MD5: e99878ac66d8fee42530ec9cbf14d75f
SHA1: bf4cac0f4d3f8e744876675ab122dc1ccc2cd7d1
SHA256: 0a3b2a0f884a52125aa6e456f74a8ab1b866787cccafa24cc38a174433b81e25
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

drive.zip: drive.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/setup/controller.js
MD5: 6a09c1de9657a2568448b248854ce706
SHA1: 9a21426a9902e57e5297092257ac4293c38d4e66
SHA256: 8b126647fca0365414ccc650e8abdb03e33a34c1017ad17ee81216c410ce4ab6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

drive.zip: drive.jar: drivecleanup.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/server/maintenance/js/drivecleanup.js
MD5: b169a86e136d29c6086ce2d4ce844940
SHA1: f9e647250896fbe4c6447cf54b8388cce0536699
SHA256: 313ebf97b25e12025391ae0648df534c31991d488f9566cc1aa530aa79ce3178
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

drive.zip: drive.jar: drivecontroller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivecontroller.js

MD5: 79316912d24539555baa8dc8db6ad5cc

SHA1: 1eaadda2ee84d53e49e24fcb4ed7771295a80d1c

SHA256: b1e82a7ac200d82e2bab797e80f8262e5c3e3b90a9c1cda15319150caa540839

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

drive.zip: drive.jar: drivefactory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivefactory.js

MD5: ec1a645849b15ac87257c67b72db01e5

SHA1: fd5919d6e363363288fa4f36598641d2e8d1037b

SHA256: 5408f66148315113346fe686fc546487de94f3492a3a8e44a38f54cdfc7969ae

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

drive.zip: drive.jar: drivemodel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivemodel.js

MD5: 15baadf362e4a6bbe9a11156c356379c

SHA1: 05a6ac4aa85f9d1b98cac8d1c942db6e00b10395

SHA256: 533450f05968f0823eaa8fa4554a274f3495c13109443dde13ad2c4c7227783a

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

drive.zip: drive.jar: dropzone.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/dropzone.directive.js

MD5: 9333360f3ab2b58025292cfc300d2306

SHA1: feb2c2ae6a060ba3b1f51732fa15a8440054ca42

SHA256: 2efa8838dffff4758fb089069c6248dc2cde45767d752411bff610fb5ca61bfe

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

drive.zip: drive.jar: entryactions.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/entryactions.directive.js

MD5: 4e1af222fa8434c45c9967dae33e4ba9

SHA1: 067370c7d53fca7b04dc7ebc1bcde2b2a68ba7c3

SHA256:a716406bfdebc18c913061f0087bcdcf9c08d7c1379619071da2993ad8a853f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

drive.zip: drive.jar: fileconfig.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/server/mount/file/webgui/fileconfig.directive.js

MD5: 50021227a8c1fde7c5e9021fb4c9662e

SHA1: 9e1c4f0d2797885ed42bd13c2d5f61c8503ea8a5

SHA256:c85bf99b97dabb557902ed0f23d4a3f240b7a30d98a7d14b30770b463cd10535

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

drive.zip: drive.jar: folderlist.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/folderlist.directive.js
MD5: 4b24a6e7eed98f96a4aacd30236cf1ff
SHA1: 2fa7cc99c29eff9ed30d996376e090b14c7546dc
SHA256: e2afefbd377b98737e447807786aec7287ad53863379816259cc9e9d069218f9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

drive.zip: drive.jar: linkdialog.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/linkdialog.js
MD5: f15f4145fae202d6226cd16552f4332e
SHA1: 55d3a3a74a0097f2140679fd038db9e117b91210
SHA256: 00e825cc4311746a4694f6534bb97e2baf9eb0fd8230e28d0a18ad504118b3d2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

drive.zip: drive.jar: locationchooser.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/locationchooser.js
MD5: 63cc3a56e78e101f8772b6971837cabe
SHA1: 9607b46402152c52677255207bfb1d8a53ddc65d
SHA256: 8a0b7240d62d62efd231eff9b0eef7e552534e05f2e86e58d0898cdab40acbf0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

drive.zip: drive.jar: mountdialog.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/mountdialog.js

MD5: bae8655b5724d052aa7a9711f4152936

SHA1: 56bf6845f5178a95afec6d2038d3f9ab6f73c0c3

SHA256: a3fa9b43fda1a23e4ba1bca6d626d4e4f75856ccb567e99c66f5c1bed6cbe54e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

drive.zip: drive.jar: myshareextension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/myshareextension.js

MD5: 3341e49fd8b74545b74fb5801eeaa08f7

SHA1: 495f3198d67735901fcee27163e685c11dcc548c

SHA256: c167e8ab447f2bbff5cd9ca084cfbf20a53ebf7dbafa0e715ca07abdbc75832e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

drive.zip: drive.jar: permissionsextension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/permissionsextension.js

MD5: 9c5c581b9803ab8041a11b31f21ffc99

SHA1: 5707cae0a20fff67b505d52485895bbb60e20f35

SHA256: 55dcc82f643b3b8c4a7c464049e7bcece0a5952639742692bdd8db1a20b20b3a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

drive.zip: drive.jar: progress.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/progress.service.js

MD5: b004817959f313b9b60d12ef02c30ed9

SHA1: 67a59999e03435474845d8662a6e15158bc1a963

SHA256: e971b5c8d0b1dbb020ee0093bce0fd08bbad7b83a8f5f64365f39d96f5cec439

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

drive.zip: drive.jar: progresspanel.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/progresspanel.directive.js

MD5: bea9ad91c5e843050f2f26c1224edb8d

SHA1: 7b690153a846fd222ce973ce5f83f429d226e2ef

SHA256: c8f9e65c8e6e6438ecb4ee3062ec7c66b0145e32d68de0cd2f543bb6e4945b12

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

drive.zip: drive.jar: resolve.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/resolve.service.js

MD5: 95b31366585c193c85a04bef11668e8f

SHA1: 61138ba7e20763911657b0f426b3f1c2c56f1cb6

SHA256: de639385d47d388a361976f14e9672ee20b4864fa1c51f4157d8c2055c4d0f6e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

drive.zip: drive.jar: responsivetoolbar.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/responsivetoolbar.directive.js
MD5: 27e0c257622ce7abaa3d79b16f4ca956
SHA1: fdc8792d25cc1f9c717829edcb42bccb96ba815c
SHA256: 678811dd758af1a5a9e1cc6245c15c92dc6cf3ab19048a02e4974ab57851d175
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

drive.zip: drive.jar: selectedextension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/selectedextension.js
MD5: bc1586beb3196d958558dec1e3aad8cc
SHA1: 6692fb56799c97f45146219295a634e5b3f8bd3c
SHA256: eb9e87833bf57bc8c808231f58e7fb4efc25bea6865755e41f9c9f21e3045630
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

drive.zip: drive.jar: shareextension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/shareextension.js
MD5: b709a1856dfd4688f3d642ba8512838d
SHA1: f119d948dc1479b33bd304aebd0650c239c8a903
SHA256: 8667bdb30f708796b86f3992836b5d25e63ba5c73c7932014d4d7e8b00df628a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

drive.zip: drive.jar: shareextension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/shareextension.js

MD5: 53aeb65f11b5aea7b667be8659e289c

SHA1: 9ba72346c5f1e9e6e5a418d599b13f92193a65dc

SHA256: 7e293e5d53b937b45c0c310bd5fcf0ecbb8ddd8bee801bae11469653333f34ad

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

drive.zip: drive.jar: thumbnailextension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/thumbnailextension.js

MD5: 16297c9704c91eea2ca65ad4ccef42ab

SHA1: d21cb0b96916a7659a493e0f7d2e62c61df3633d

SHA256: 34505c2844ba933bdf08fac79eb6a642e7581e6630fd14fc7313fcab99bda312

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

drive.zip: drive.jar: toolbaraction.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/toolbaraction.directive.js

MD5: 6f4fabe4efc8a816d22cdc075c83e252

SHA1: 2499850520381d89890f6b1188c0d78785e8c4b0

SHA256: 67ecf4f475e00aa01cbfd00b745b4b7fd982f7355d720238534dcbfc39e94874

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

drive.zip: drive.jar: unzipextension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/unzipextension.js

MD5: eb1cc3ddc27ca5cebccc29928a73b284b

SHA1: d88389fb2ca0c9f222856c4448dffedf192893d0

SHA256: 16131306dd92c55b463f0f0ef4c3c4316c2a3d16d4d43c6e26ca17ec547f9f7f

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

drive.zip: drive.jar: zipextension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/zipextension.js

MD5: 0a73ec5359838800bd35ba9a1f9e5559

SHA1: 207e48452de653ffa8c64e97d421c4424f38e84c

SHA256: 761ecdcbbebba3f0826296e17c414d975e421c5b571cb4613982020e3f7c17822

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

embeddedMode.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/src/com/inet/application/embedded/webgui/embeddedMode.js

MD5: ca0f7e01238e5eeb451f33915275efd0

SHA1: 7e4c3bc7ec005fb16f637cb3f876d4f1a30ea7fb

SHA256: 77af590dc609b870867245beaf6035b4a46aea29174d1e0378aca19dd8608898

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Related Dependencies



- application.embedded.sample.zip: embeddedMode.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/application.embedded.sample.zip/src/com/inet/application/embedded/webgui/embeddedMode.js
 - MD5: ca0f7e01238e5eeb451f33915275efd0
 - SHA1: 7e4c3bc7ec005fb16f637cb3f876d4f1a30ea7fb
 - SHA256: 77af590dc609b870867245beaf6035b4a46aea29174d1e0378aca19dd8608898

Identifiers

- None

enginefactory.sample.zip: enginefactory.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/enginefactory.sample.zip/enginefactory.sample.jar

MD5: 73d8f96844f7a0c65a30576f8e120c25

SHA1: 29e89195349d506c75f60c07937eccdea5c9d788

SHA256: caa7f988f3f5e2a5e47bed358b8a6fdb988fc28806513965c59d5f4dd4e047d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	enginefactory.sample	High
Vendor	jar	package name	factory	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2026-08-07 17:49	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	enginefactory.sample	High
Product	jar	package name	factory	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2026-08-07 17:49	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	enginefactory.sample	High
Product	Manifest	specification-title	enginefactory.sample	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Related Dependencies



- enginefactory.sample.zip: enginefactory.sample.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/EngineFactory/enginefactory.sample.zip/enginefactory.sample.jar
 - MD5: 73d8f96844f7a0c65a30576f8e120c25
 - SHA1: 29e89195349d506c75f60c07937eccdea5c9d788
 - SHA256: caa7f988f3f5e2a5e47bed358b8a6fdb988fc28806513965c59d5f4dd4e047d

Identifiers

- None

errorhandler.zip: errorhandler.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/errorhandler.zip/errorhandler.jar

MD5: 144f853140e6f3af6781022bc029449e

SHA1: d563adbfd176babda671a32f53f70a37a85ebab6

SHA256: 2b91f15c2630e22b16e47317cfe6294b92ba5cf746202831e42dd436bb43ff03

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	errorhandler	High
Vendor	jar	package name	error	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-08-07 16:52	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	errorhandler	High
Product	jar	package name	error	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2026-08-07 16:52	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	errorhandler	High
Product	Manifest	specification-title	errorhandler	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

exceljconnect.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/exceljconnect.jar

MD5: 2950d455b14f09f8e3ca373a0500720a

SHA1: 5e5e3258c36f3931bedf919d477889b13af0a025

SHA256: 4abd3f7b06c84836384ff6034a56f1dd75dfd8bd22ec38f9cb92a626bcb63538

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	exceljconnect	High
Vendor	jar	package name	excel	Low
Vendor	jar	package name	inet	Low
Product	file	name	exceljconnect	High
Product	jar	package name	excel	Low

Identifiers

- None

extension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/HtmlViewerExtensionPlugin/src/com/inet/samples/htmlviewer/extension.js

MD5: bdd6fdaab122479103c1bcba3692f01e

SHA1: 72aa61085dce74ce094f905354878ce744caede8

SHA256: 3c52759a05de925fb38d7aec3875b55a1a1ed6ce7f3b88044a96e527d9e4204a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Related Dependencies



- htmlviewerextension.sample.zip: extension.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/HtmlViewerExtensionPlugin/htmlviewerextension.sample.zip/src/com/inet/samples/htmlviewer/extension.js
 - MD5: bdd6fdaab122479103c1bcba3692f01e
 - SHA1: 72aa61085dce74ce094f905354878ce744caede8
 - SHA256: 3c52759a05de925fb38d7aec3875b55a1a1ed6ce7f3b88044a96e527d9e4204a
- htmlviewerextension.sample.zip: extension.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewerextension.sample.zip/src/com/inet/samples/htmlviewer/extension.js
 - MD5: bdd6fdaab122479103c1bcba3692f01e
 - SHA1: 72aa61085dce74ce094f905354878ce744caede8
 - SHA256: 3c52759a05de925fb38d7aec3875b55a1a1ed6ce7f3b88044a96e527d9e4204a

Identifiers

- None

extension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/HtmlViewerPrintViaPDFPlugin/src/com/inet/htmlviewer/printpdf/extension.js

MD5: 7d8be1ef58947852666766c1db348644

SHA1: 26c37af43002d8764dbd80914476c548ce2354a5

SHA256: c1500120eb6dca3b71c481ec3f9d66367e13a10c755306f58a449a0f648d2696

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Related Dependencies

- htmlviewer.printpdf.sample.zip: extension.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/HtmlViewerPrintViaPDFPlugin/htmlviewer.printpdf.sample.zip /src/com/inet/htmlviewer/printpdf/extension.js
 - MD5: 7d8be1ef58947852666766c1db348644
 - SHA1: 26c37af43002d8764dbd80914476c548ce2354a5
 - SHA256: c1500120eb6dca3b71c481ec3f9d66367e13a10c755306f58a449a0f648d2696
- htmlviewer.printpdf.sample.zip: extension.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins /htmlviewer.printpdf.sample.zip/src/com/inet/htmlviewer/printpdf/extension.js
 - MD5: 7d8be1ef58947852666766c1db348644
 - SHA1: 26c37af43002d8764dbd80914476c548ce2354a5
 - SHA256: c1500120eb6dca3b71c481ec3f9d66367e13a10c755306f58a449a0f648d2696

Identifiers

- None

facturx.zip: Saxon-HE.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/Saxon-HE.jar
MD5: 0da2a0f62cf07d1ae5f76d65569cd3f2
SHA1: 1397a02bd22c63db3e902b28b23c59009fa3b5c4
SHA256: 8f3a9216a537367132293eacbba9df062eace8f8b16a184af59e2e4839d4cd41
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	Saxon-HE	High
Vendor	jar	package name	net	Low
Vendor	jar	package name	saxon	Low
Vendor	jar	package name	sf	Low
Product	file	name	Saxon-HE	High
Product	jar	package name	saxon	Low
Product	jar	package name	sf	Low

Identifiers

- None

facturx.zip: facturx.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/facturx.jar

MD5: f86d5e7eb046442a3195625fec22fe95

SHA1: 13f2954c404f9e63ce86cfe1cec7d7b35450b1d5

SHA256: 98c1c73320d3547019c169df5abcbe9d8b9c993eddd4a2782aea14e62f82d10f6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	facturx	High
Vendor	jar	package name	facturx	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2026-08-07 18:07	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	facturx	High
Product	jar	package name	facturx	Highest
Product	jar	package name	facturx	Low
Product	Manifest	built-date	2026-08-07 18:07	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	facturx	High
Product	Manifest	specification-title	facturx	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

facturx.zip: istack-commons-runtime.jar

Description:

istack common utility code

License:

<http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/istack-commons-runtime.jar

MD5: 669f50fb835d86fcb3a9523a729f4d5e

SHA1: 131351109ff27c4aa0958a988bb273e879687232

SHA256: 21025b7a096ef93f74de659c1be5990fa0c24e59a0f98a706e392e7088725ff6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	istack-commons-runtime	High
Vendor	jar	package name	istack	Highest
Vendor	jar	package name	sun	Highest
Vendor	jar (hint)	package name	oracle	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	com.sun.istack.commons-runtime	Medium
Vendor	Manifest	implementation-build-id	4.2.0 - 19e68d9	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	com.sun.istack	Medium
Vendor	pom	artifactid	istack-commons-runtime	Low
Vendor	pom	groupid	com.sun.istack	Highest
Vendor	pom	name	istack common utility code runtime	High
Vendor	pom	parent-artifactid	istack-commons	Low
Product	file	name	istack-commons-runtime	High

Product	jar	package name	istack	Highest
Product	jar	package name	sun	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	istack common utility code runtime	Medium
Product	Manifest	bundle-symbolicname	com.sun.istack.common-runtime	Medium
Product	Manifest	implementation-build-id	4.2.0 - 19e68d9	Low
Product	pom	artifactid	istack-commons-runtime	Highest
Product	pom	groupid	com.sun.istack	Highest
Product	pom	name	istack common utility code runtime	High
Product	pom	parent-artifactid	istack-commons	Medium
Version	Manifest	Bundle-Version	4.2.0	High
Version	Manifest	implementation-build-id	4.2.0	Low
Version	pom	version	4.2.0	Highest

Identifiers

- pkg:maven/com.sun.istack/istack-commons-runtime@4.2.0 (*Confidence*:High)

facturx.zip: jakarta.activation-api.jar

Description:

Specification

License:

EDL 1.0: <http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/jakarta.activation-api.jar

MD5: 76e7b680375ea9f40f3ddbd702efcd25

SHA1: fa165bd70cda600368eee31555222776a46b881f

SHA256: 01b176d718a169263e78290691fc479977186bcc6b333487325084d6586f4627

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.activation-api	High
Vendor	jar	package name	activation	Highest

Vendor	jar	package name	jakarta	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Vendor	Manifest	extension-name	jakarta.activation	Medium
Vendor	Manifest	implementation-build-id	7f7d358	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.activation-api	Low
Vendor	pom	developer email	bill.shannon@oracle.com	Low
Vendor	pom	developer id	shannon	Medium
Vendor	pom	developer name	Bill Shannon	Medium
Vendor	pom	developer org	Oracle	Medium
Vendor	pom	groupid	jakarta.activation	Highest
Vendor	pom	name	Jakarta Activation API	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Vendor	pom	url	jakartaee/jaf-api	Highest
Vendor	pom (hint)	developer org	sun	Medium
Product	file	name	jakarta.activation-api	High
Product	jar	package name	activation	Highest
Product	jar	package name	jakarta	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Activation API	Medium
Product	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Product	Manifest	extension-name	jakarta.activation	Medium
Product	Manifest	implementation-build-id	7f7d358	Low
Product	Manifest	Implementation-Title	Jakarta Activation API	High
Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	jakarta.activation-api	Highest
Product	pom	developer email	bill.shannon@oracle.com	Low
Product	pom	developer id	shannon	Low

Product	pom	developer name	Bill Shannon	Low
Product	pom	developer org	Oracle	Low
Product	pom	groupid	jakarta.activation	Highest
Product	pom	name	Jakarta Activation API	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	jakartaee/jaf-api	High
Version	Manifest	Bundle-Version	2.1.3	High
Version	pom	parent-version	2.1.3	Low
Version	pom	version	2.1.3	Highest

Identifiers

- pkg:maven/jakarta.activation/jakarta.activation-api@2.1.3 (Confidence:High)

facturx.zip: jakarta.xml.bind-api.jar

Description:

Jakarta XML Binding API 4.0 Design Specification

License:

<http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/jakarta.xml.bind-api.jar

MD5: 6dd465a232e545193ab8ab77cc4fbd9

SHA1: d6d2327f3817d9a33a3b6b8f2e15a96bc2e7afdc

SHA256: c507ca69a8c6dd11bf4afeec9e0d412c4fa3933fffb0a84680ea5727e8472124

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.xml.bind-api	High
Vendor	jar	package name	bind	Highest
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	xml	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.xml.bind-api	Medium

Vendor	Manifest	extension-name	jakarta.xml.bind	Medium
Vendor	Manifest	implementation-build-id	1df980a	Low
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.xml.bind-api	Low
Vendor	pom	groupid	jakarta.xml.bind	Highest
Vendor	pom	name	Jakarta XML Binding API	High
Vendor	pom	parent-artifactid	jakarta.xml.bind-api-parent	Low
Product	file	name	jakarta.xml.bind-api	High
Product	jar	package name	bind	Highest
Product	jar	package name	jakarta	Highest
Product	jar	package name	xml	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta XML Binding API	Medium
Product	Manifest	bundle-symbolicname	jakarta.xml.bind-api	Medium
Product	Manifest	extension-name	jakarta.xml.bind	Medium
Product	Manifest	implementation-build-id	1df980a	Low
Product	pom	artifactid	jakarta.xml.bind-api	Highest
Product	pom	groupid	jakarta.xml.bind	Highest
Product	pom	name	Jakarta XML Binding API	High
Product	pom	parent-artifactid	jakarta.xml.bind-api-parent	Medium
Version	Manifest	Bundle-Version	4.0.4	High
Version	Manifest	Implementation-Version	4.0.4	High
Version	pom	version	4.0.4	Highest

Identifiers

- pkg:maven/jakarta.xml.bind/jakarta.xml.bind-api@4.0.4 (*Confidence:High*)

facturx.zip: jaxb-core.jar

Description:

JAXB Core module. Contains sources required by XJC, JXC and Runtime modules.

License:

<http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/jaxb-core.jar

MD5: e36c915cf47342b4fe31ffba3407b928

SHA1: 8e61282303777fc98a00cc3affd0560d68748a75

SHA256: ebbd274207b4860d0dc6e2d44d6bdb5945ced01222d2e50661d45f5d46c0f7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jaxb-core	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	glassfish	Highest
Vendor	jar	package name	jaxb	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	org.glassfish.jaxb.core	Medium
Vendor	Manifest	git-revision	0dcfdf5	Low
Vendor	Manifest	implementation-build-id	4.0.6 - 0dcfdf5	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.glassfish.jaxb	Medium
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jaxb-core	Low
Vendor	pom	groupid	org.glassfish.jaxb	Highest
Vendor	pom	name	JAXB Core	High
Vendor	pom	parent-artifactid	jaxb-parent	Low
Vendor	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Vendor	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Highest
Product	file	name	jaxb-core	High
Product	jar	package name	core	Highest
Product	jar	package name	glassfish	Highest
Product	jar	package name	jaxb	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	JAXB Core	Medium

Product	Manifest	bundle-symbolicname	org.glassfish.jaxb.core	Medium
Product	Manifest	git-revision	0dcfdf5	Low
Product	Manifest	implementation-build-id	4.0.6 - 0dcfdf5	Low
Product	Manifest	Implementation-Title	Eclipse Implementation of JAXB	High
Product	Manifest	specification-title	Jakarta XML Binding	Medium
Product	pom	artifactid	jaxb-core	Highest
Product	pom	groupid	org.glassfish.jaxb	Highest
Product	pom	name	JAXB Core	High
Product	pom	parent-artifactid	jaxb-parent	Medium
Product	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Product	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Medium
Version	Manifest	build-version	4.0.6	Medium
Version	Manifest	Bundle-Version	4.0.6	High
Version	Manifest	implementation-build-id	4.0.6	Low
Version	pom	version	4.0.6	Highest

Identifiers

- pkg:maven/org.glassfish.jaxb/jaxb-core@4.0.6 (*Confidence:High*)

facturx.zip: jaxb-runtime.jar

Description:

JAXB (JSR 222) Reference Implementation

License:

<http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/jaxb-runtime.jar

MD5: 0e600d639f3a09ddd6fa91623a12b634

SHA1: fb95ebb62564657b2fedfe165b859789ef3a8711

SHA256: 1c0d57f8c25f9605d5a2f7ad0a87581893776ac85b00b101b2651258edaa9118

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jaxb-runtime	High
Vendor	jar	package name	glassfish	Highest
Vendor	jar	package name	jaxb	Highest
Vendor	jar	package name	runtime	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	org.glassfish.jaxb.runtime	Medium
Vendor	Manifest	git-revision	0dcfdf5	Low
Vendor	Manifest	implementation-build-id	4.0.6 - 0dcfdf5	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.glassfish.jaxb	Medium
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.xml.bind.JAXBContextFactory"	Low
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jaxb-runtime	Low
Vendor	pom	groupid	org.glassfish.jaxb	Highest
Vendor	pom	name	JAXB Runtime	High
Vendor	pom	parent-artifactid	jaxb-runtime-parent	Low
Vendor	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Vendor	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Highest
Product	file	name	jaxb-runtime	High
Product	jar	package name	glassfish	Highest
Product	jar	package name	jaxb	Highest
Product	jar	package name	runtime	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	JAXB Runtime	Medium
Product	Manifest	bundle-symbolicname	org.glassfish.jaxb.runtime	Medium
Product	Manifest	git-revision	0dcfdf5	Low
Product	Manifest	implementation-build-id	4.0.6 - 0dcfdf5	Low
Product	Manifest	Implementation-Title	Eclipse Implementation of JAXB	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.xml.bind.JAXBContextFactory"	Low

Product	Manifest	specification-title	Jakarta XML Binding	Medium
Product	pom	artifactid	jaxb-runtime	Highest
Product	pom	groupid	org.glassfish.jaxb	Highest
Product	pom	name	JAXB Runtime	High
Product	pom	parent-artifactid	jaxb-runtime-parent	Medium
Product	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Product	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Medium
Version	Manifest	build-version	4.0.6	Medium
Version	Manifest	Bundle-Version	4.0.6	High
Version	Manifest	implementation-build-id	4.0.6	Low
Version	pom	version	4.0.6	Highest

Identifiers

- pkg:maven/org.glassfish.jaxb/jaxb-runtime@4.0.6 (*Confidence:High*)

facturx.zip: ph-base.jar

Description:

Java 17+ Library with tons of interfaces required in all projects

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-base.jar

MD5: 47261c1539e15927c3f80d58c86edd73

SHA1: e215b3406c9fb213316b0166e41a262a427842e3

SHA256: 8042d71a2425d9a3b31c495eed6534dde74dcda186809ec015b5e1eddc1dfea9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-base	High
Vendor	jar	package name	base	Highest
Vendor	jar	package name	helger	Highest
Vendor	Manifest	automatic-module-name	com.helger.base	Medium

Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-base	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.cleanup.ICleanUpRegistrarSPI", osgi.serviceloader;osgi.serviceloader="com.helger.base.thirdparty. IThirdPartyModuleProviderSPI"	Low
Vendor	pom	artifactid	ph-base	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-base	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-base	Highest
Product	file	name	ph-base	High
Product	jar	package name	base	Highest
Product	jar	package name	cleanup	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	icleanupregistrarspi	Highest
Product	jar	package name	ithirdpartymoduleproviderspi	Highest
Product	jar	package name	thirdparty	Highest
Product	Manifest	automatic-module-name	com.helger.base	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-base	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-base	Medium
Product	Manifest	Implementation-Title	ph-base	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.cleanup.ICleanUpRegistrarSPI",	Low

			osgi.serviceloader;osgi.serviceloader="com.helger.base.thirdparty.IThirdPartyModuleProviderSPI"	
Product	pom	artifactid	ph-base	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.common	Highest
Product	pom	name	ph-base	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-base	High
Version	Manifest	Bundle-Version	12.1.1	High
Version	Manifest	Implementation-Version	12.1.1	High
Version	pom	version	12.1.1	Highest

Identifiers

- pkg:maven/com.helger.common/ph-base@12.1.1 (Confidence:High)

facturx.zip: ph-cache.jar

Description:

Special Java 17+ Library with caching functionality

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-cache.jar

MD5: bda1e720f8c7d779faf448064e9312dd

SHA1: 54f17d27fbc4f82847a5229669945f3d82e6912

SHA256: 77cc33b6246ae8e6b0a2f6434dd5d2aa4c5ba9940d1a8b0644ca7ee80b86553c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Vendor	file	name	ph-cache	High
Vendor	jar	package name	cache	Highest
Vendor	jar	package name	helger	Highest
Vendor	Manifest	automatic-module-name	com.helger.cache	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.common.ph-cache	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.cleanup.ICleanUpRegistrarSPI"	Low
Vendor	pom	artifactid	ph-cache	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.common	Highest
Vendor	pom	name	ph-cache	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-cache	Highest
Product	file	name	ph-cache	High
Product	jar	package name	cache	Highest
Product	jar	package name	cleanup	Highest
Product	jar	package name	helger	Highest
Product	Manifest	automatic-module-name	com.helger.cache	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-cache	Medium
Product	Manifest	bundle-symbolicname	com.helger.common.ph-cache	Medium
Product	Manifest	Implementation-Title	ph-cache	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.cleanup.ICleanUpRegistrarSPI"	Low
Product	pom	artifactid	ph-cache	Highest

Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-cache	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-cache	High
Version	Manifest	Bundle-Version	12.1.1	High
Version	Manifest	Implementation-Version	12.1.1	High
Version	pom	version	12.1.1	Highest

Identifiers

- pkg:maven/com.helger.commons/ph-cache@12.1.1 (*Confidence:High*)

facturx.zip: ph-collection.jar

Description:

Special Java 1.8+ Library with extended collection related functionality

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-collection.jar

MD5: 254b4c82a66335b19c31d8a21ed7425f

SHA1: a5a965955824f10d0b21bb7959c5c370d90cc3e3

SHA256: c59da01432c2124e136c4cd8cacd430a5bbf9417c1b306b5227baf7b0a77c04b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-collection	High
Vendor	jar	package name	collection	Highest
Vendor	jar	package name	commons	Highest

Vendor	jar	package name	helger	Highest
Vendor	Manifest	automatic-module-name	com.helger.collection	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.common.ph-collection	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-collection	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.common	Highest
Vendor	pom	name	ph-collection	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-collection	Highest
Product	file	name	ph-collection	High
Product	jar	package name	collection	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	helger	Highest
Product	Manifest	automatic-module-name	com.helger.collection	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-collection	Medium
Product	Manifest	bundle-symbolicname	com.helger.common.ph-collection	Medium
Product	Manifest	Implementation-Title	ph-collection	High
Product	pom	artifactid	ph-collection	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.common	Highest
Product	pom	name	ph-collection	High

Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-collection	High
Version	Manifest	Bundle-Version	12.1.1	High
Version	Manifest	Implementation-Version	12.1.1	High
Version	pom	version	12.1.1	Highest

Identifiers

- pkg:maven/com.helger.commons/ph-collection@12.1.1 (*Confidence:High*)

facturx.zip: ph-commons.jar

Description:

Java 17+ Library with tons of utility classes required in all projects

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-commons.jar

MD5: ad55a00eface5559723983ec471aee3c

SHA1: c70dd00c6202bf07cb5cd45179470ed71f2f54b5

SHA256: 0d7b883591797e01e61d66326933a8ea9bbafc9d4357e647f8d48ebad5a2f12d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-commons	High
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	helger	Highest
Vendor	Manifest	automatic-module-name	com.helger.commons	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-commons	Medium

Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.cleanup.ICleanUpRegistrarSPI", osgi.serviceloader;osgi.serviceloader="com.helger.commons.serialize.convert.ISerializationConverterRegistrarSPI"	Low
Vendor	pom	artifactid	ph-commons	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-commons	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-commons	Highest
Product	file	name	ph-commons	High
Product	jar	package name	cleanup	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	convert	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	serialize	Highest
Product	Manifest	automatic-module-name	com.helger.commons	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-commons	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-commons	Medium
Product	Manifest	Implementation-Title	ph-commons	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.cleanup.ICleanUpRegistrarSPI", osgi.serviceloader;osgi.serviceloader="com.helger.commons.serialize.convert.ISerializationConverterRegistrarSPI"	Low
Product	pom	artifactid	ph-commons	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low

Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-commons	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-commons	High
Version	Manifest	Bundle-Version	12.1.1	High
Version	Manifest	Implementation-Version	12.1.1	High
Version	pom	version	12.1.1	Highest

Identifiers

- pkg:maven/com.helger.commons/ph-commons@12.1.1 (*Confidence:High*)

facturx.zip: ph-datetime.jar

Description:

Java date time library based on joda time

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-datetime.jar

MD5: 181e616c8329bee500e3139cf953cb47

SHA1: fc3a83219bc5264715a32541c8274601848623d9

SHA256: b51d8c3a98fc870df0bb0f1a8dce49774f2aa5b23d3574472f64ed751013f7ea

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-datetime	High
Vendor	jar	package name	datetime	Highest
Vendor	jar	package name	helger	Highest
Vendor	Manifest	automatic-module-name	com.helger.datetime	Medium
Vendor	Manifest	build-jdk-spec	21	Low

Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-datetime	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.typeconvert.ITypeConverterRegistrarSPI"	Low
Vendor	pom	artifactid	ph-datetime	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-datetime	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-datetime	Highest
Product	file	name	ph-datetime	High
Product	jar	package name	datetime	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	typeconvert	Highest
Product	Manifest	automatic-module-name	com.helger.datetime	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-datetime	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-datetime	Medium
Product	Manifest	Implementation-Title	ph-datetime	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.typeconvert.ITypeConverterRegistrarSPI"	Low
Product	pom	artifactid	ph-datetime	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest

Product	pom	name	ph-datetime	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-datetime	High
Version	Manifest	Bundle-Version	12.1.1	High
Version	Manifest	Implementation-Version	12.1.1	High
Version	pom	version	12.1.1	Highest

Identifiers

- pkg:maven/com.helger.commons/ph-datetime@12.1.1 (*Confidence:High*)

facturx.zip: ph-diagnostics.jar

Description:

Special Java 17+ Library with diagnostics functionality

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-diagnostics.jar

MD5: 84c523cdcff4497c8c18538d6289b424

SHA1: 09c74c72966df95d2d963af40bb4ed51b500b8ab

SHA256: 77781ba08dd165179f6fddd29641ca491cf970562b6c33fb0c29e00bf8a4b1cc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-diagnostics	High
Vendor	jar	package name	diagnostics	Highest
Vendor	jar	package name	helger	Highest
Vendor	Manifest	automatic-module-name	com.helger.diagnostics	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-	com.helger.commons.ph-diagnostics	Medium

		symbolicname		
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-diagnostics	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-diagnostics	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-diagnostics	Highest
Product	file	name	ph-diagnostics	High
Product	jar	package name	diagnostics	Highest
Product	jar	package name	helger	Highest
Product	Manifest	automatic-module-name	com.helger.diagnostics	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-diagnostics	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-diagnostics	Medium
Product	Manifest	Implementation-Title	ph-diagnostics	High
Product	pom	artifactid	ph-diagnostics	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-diagnostics	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-diagnostics	High
Version	Manifest	Bundle-Version	12.1.1	High

Version	Manifest	Implementation-Version	12.1.1	High
Version	pom	version	12.1.1	Highest

Identifiers

- pkg:maven/com.helger.commons/ph-diagnostics@12.1.1 (*Confidence*:High)

facturx.zip: ph-io.jar

Description:

Special Java 17+ Library with IO functionality

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-io.jar

MD5: 5ab82df66508c606509fadb19431d5b4

SHA1: d55a0f394057efb3977a720576ab00971d64101f

SHA256: f3d2d38b8c667619e0f11e3c3ffa9794168f2bf8be0a47babd43e00291df02df

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-io	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	io	Highest
Vendor	Manifest	automatic-module-name	com.helger.io	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-io	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.typeconvert.ITypeConverterRegistrarSPI"	Low
Vendor	pom	artifactid	ph-io	Low
Vendor	pom	developer email	ph(at)helger.com	Low

Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-io	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-io	Highest
Product	file	name	ph-io	High
Product	jar	package name	helger	Highest
Product	jar	package name	io	Highest
Product	jar	package name	typeconvert	Highest
Product	Manifest	automatic-module-name	com.helger.io	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-io	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-io	Medium
Product	Manifest	Implementation-Title	ph-io	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.typeconvert.ITypeConverterRegistrarSPI"	Low
Product	pom	artifactid	ph-io	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-io	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-io	High
Version	Manifest	Bundle-Version	12.1.1	High
Version	Manifest	Implementation-Version	12.1.1	High

Version	pom	version	12.1.1	Highest

Identifiers

- pkg:maven/com.helger.commons/ph-io@12.1.1 (*Confidence:High*)

facturx.zip: ph-jaxb-adapter.jar

Description:

Separate library that only contains classes required by generated code. Goal: minimum dependencies

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-jaxb-adapter.jar

MD5: 1f1d4daa901915be304001af3b8ee76b

SHA1: 2268ff2d80afeb29070074aaad102be49681a1df

SHA256: f5e6ae0a86264f226dd1aecf98e5855a11f033d34d686372367b8189ec378f40

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	ph-jaxb-adapter	High
Vendor	jar	package name	adapter	Highest
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	jaxb	Highest
Vendor	Manifest	automatic-module-name	com.helger.jaxb.adapter	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-jaxb-adapter	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.equals.IEqualsImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.hashcode.IHashCodeImplementationRegistrarSPI"	Low
Vendor	pom	artifactid	ph-jaxb-adapter	Low

Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-jaxb-adapter	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-jaxb-adapter	Highest
Product	file	name	ph-jaxb-adapter	High
Product	jar	package name	adapter	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	jaxb	Highest
Product	Manifest	automatic-module-name	com.helger.jaxb.adapter	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-jaxb-adapter	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-jaxb-adapter	Medium
Product	Manifest	Implementation-Title	ph-jaxb-adapter	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.equals.IEqualsImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.hashcode.IHashCodeImplementationRegistrarSPI"	Low
Product	pom	artifactid	ph-jaxb-adapter	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-jaxb-adapter	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-jaxb-adapter	High

Version	Manifest	Bundle-Version	12.1.1	High
Version	Manifest	Implementation-Version	12.1.1	High
Version	pom	version	12.1.1	Highest

Identifiers

- pkg:maven/com.helger.commons/ph-jaxb-adapter@12.1.1 (*Confidence*:High)

facturx.zip: ph-jaxb.jar

Description:

Special Java 1.8+ Library with extended JAXB support

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-jaxb.jar

MD5: e935f8bf86995f26189a428d0ac14fcd

SHA1: 6f34b094f40897bd73913667446f01ca5d9528d5

SHA256: 2ff5f671bc43b96e53e5f4db57db3d8e6d86b9bd93ffe97a7bd6bcef5454a8e4

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	ph-jaxb	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	jaxb	Highest
Vendor	Manifest	automatic-module-name	com.helger.jaxb	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-jaxb	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-jaxb	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium

Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-jaxb	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-jaxb	Highest
Product	file	name	ph-jaxb	High
Product	jar	package name	helger	Highest
Product	jar	package name	jaxb	Highest
Product	Manifest	automatic-module-name	com.helger.jaxb	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-jaxb	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-jaxb	Medium
Product	Manifest	Implementation-Title	ph-jaxb	High
Product	pom	artifactid	ph-jaxb	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-jaxb	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-jaxb	High
Version	Manifest	Bundle-Version	12.1.1	High
Version	Manifest	Implementation-Version	12.1.1	High
Version	pom	version	12.1.1	Highest

Identifiers

facturx.zip: ph-mime.jar

Description:

Special Java 17+ Library with MIME functionality

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-mime.jar

MD5: a58c5b7579c5b47ec090e8004ca1bd96

SHA1: 9c2be0fe33bcd69300ab8fb3f03854815e228497

SHA256: 631ed072b14feb7d434ecfe66b444e50afd019387c4eb467796833ba9f8e2018

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-mime	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	mime	Highest
Vendor	Manifest	automatic-module-name	com.helger.mime	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-mime	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.cleanup.ICleanUpRegistrarSPI"	Low
Vendor	pom	artifactid	ph-mime	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-mime	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium

Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-mime	Highest
Product	file	name	ph-mime	High
Product	jar	package name	cleanup	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	mime	Highest
Product	Manifest	automatic-module-name	com.helger.mime	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-mime	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-mime	Medium
Product	Manifest	Implementation-Title	ph-mime	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.cleanup.ICleanUpRegistrarSPI"	Low
Product	pom	artifactid	ph-mime	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-mime	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-mime	High
Version	Manifest	Bundle-Version	12.1.1	High
Version	Manifest	Implementation-Version	12.1.1	High
Version	pom	version	12.1.1	Highest

Identifiers

- pkg:maven/com.helger.commons/ph-mime@12.1.1 (*Confidence:High*)

facturx.zip: ph-schematron-api.jar

Description:

Base API for the library for validating XML documents with Schematron

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-api.jar

MD5: 281d3f0eaeff2f88a50f130bb818c6ef

SHA1: fc7e44ae5aa1033e616f2f912e89498a4bf130d5

SHA256: f1dba95dc9da757d10d9cc99134b0ae480e1b4203d5af36be39a52a79a164b40

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-api	High
Vendor	jar	package name	api	Highest
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-api	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.thirdparty.IThirdPartyModuleProviderSPI"	Low
Vendor	pom	artifactid	ph-schematron-api	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-api	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low

Vendor	pom	url	phax/ph-schematron/ph-schematron-api	Highest
Product	file	name	ph-schematron-api	High
Product	jar	package name	api	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	Manifest	automatic-module-name	com.helger.schematron	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-api	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-api	Medium
Product	Manifest	Implementation-Title	ph-schematron-api	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.thirdparty.IThirdPartyModuleProviderSPI"	Low
Product	pom	artifactid	ph-schematron-api	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-api	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-api	High
Version	Manifest	Bundle-Version	9.1.1	High
Version	Manifest	Implementation-Version	9.1.1	High
Version	pom	version	9.1.1	Highest

Identifiers

- pkg:maven/com.helger.schematron/ph-schematron-api@9.1.1 (*Confidence:High*)

facturx.zip: ph-schematron-pure.jar

Description:

This package contains the 'Pure' Schematron implementation

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-pure.jar

MD5: a914950d3b1c98e7f58f7cbac6f534d4

SHA1: 772d1cb972b666789faaa2971bbbb348c6f3d47d

SHA256: a56799fba5ae0d131fd05d8989693de268d400bd8536ccd1ea6a26dfc77cd2bd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-pure	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	pure	Highest
Vendor	jar	package name	schematron	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.pure	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-pure	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-schematron-pure	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-pure	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-pure	Highest
Product	file	name	ph-schematron-pure	High
Product	jar	package name	helger	Highest

Product	jar	package name	pure	Highest
Product	jar	package name	schematron	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.pure	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-pure	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-pure	Medium
Product	Manifest	Implementation-Title	ph-schematron-pure	High
Product	pom	artifactid	ph-schematron-pure	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-pure	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-pure	High
Version	Manifest	Bundle-Version	9.1.1	High
Version	Manifest	Implementation-Version	9.1.1	High
Version	pom	version	9.1.1	Highest

Identifiers

- pkg:maven/com.helger.schematron/ph-schematron-pure@9.1.1 (*Confidence:High*)

facturx.zip: ph-schematron-schxslt.jar

Description:

Library for validating XML documents using the SchXslt implementation

License:

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-schxslt.jar

MD5: 89d0fe978a9e16b81f0bfadfab23914e

SHA1: 54322eae59a40f2efcdc388630f737f54eac4d9b

SHA256: 9aea001558d8f586ad1ce7d1db9b3dd9cbe97e52a824e5c65055b48a40f02c60

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-schxslt	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	jar	package name	schxslt	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.schxslt	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-schxslt	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.thirdparty.IThirdPartyModuleProviderSPI"	Low
Vendor	pom	artifactid	ph-schematron-schxslt	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-schxslt	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-schxslt	Highest
Product	file	name	ph-schematron-schxslt	High
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	jar	package name	schxslt	Highest

Product	Manifest	automatic-module-name	com.helger.schematron.schxslt	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-schxslt	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-schxslt	Medium
Product	Manifest	Implementation-Title	ph-schematron-schxslt	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.thirdparty.IThirdPartyModuleProviderSPI"	Low
Product	pom	artifactid	ph-schematron-schxslt	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-schxslt	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-schxslt	High
Version	Manifest	Bundle-Version	9.1.1	High
Version	Manifest	Implementation-Version	9.1.1	High
Version	pom	version	9.1.1	Highest

Identifiers

- pkg:maven/com.helger.schematron/ph-schematron-schxslt@9.1.1 (*Confidence*:High)

facturx.zip: ph-schematron-validator.jar

Description:

Base POM to build the ph-schematron projects

License:

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-validator.jar

MD5: 4ec05edd1a78d99f29ea3700d5539da4

SHA1: 9e8782657855b3c9aa71ed3bf69c1e6716c5edfa

SHA256: e71ef829147d1338511e7f9d2cdb228c795bd81080496d6d894b5e717596f0f4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-validator	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	jar	package name	validator	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.validator	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-validator	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-schematron-validator	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-validator	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-validator	Highest
Product	file	name	ph-schematron-validator	High
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	jar	package name	validator	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.validator	Medium

Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-validator	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-validator	Medium
Product	Manifest	Implementation-Title	ph-schematron-validator	High
Product	pom	artifactid	ph-schematron-validator	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-validator	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-validator	High
Version	Manifest	Bundle-Version	9.1.1	High
Version	Manifest	Implementation-Version	9.1.1	High
Version	pom	version	9.1.1	Highest

Identifiers

- pkg:maven/com.helger.schematron/ph-schematron-validator@9.1.1 (*Confidence:High*)

facturx.zip: ph-schematron-xslt.jar

Description:

Library for validating XML documents using the original Schematron implementation

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-xslt.jar

MD5: a335b03c03edd7081b9e48b29ef4bb27

SHA1: a75850ff68acf2b7ec3dfa2466a37d826904e869

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-xslt	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	jar	package name	xslt	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.xslt	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-xslt	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-schematron-xslt	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-xslt	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-xslt	Highest
Product	file	name	ph-schematron-xslt	High
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	jar	package name	xslt	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.xslt	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-xslt	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-xslt	Medium

Product	Manifest	Implementation-Title	ph-schematron-xslt	High
Product	pom	artifactid	ph-schematron-xslt	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-xslt	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-xslt	High
Version	Manifest	Bundle-Version	9.1.1	High
Version	Manifest	Implementation-Version	9.1.1	High
Version	pom	version	9.1.1	Highest

Identifiers

- pkg:maven/com.helger.schematron/ph-schematron-xslt@9.1.1 (*Confidence*:High)

facturx.zip: ph-statistics.jar

Description:

Special Java 17+ Library with statistics functionality

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-statistics.jar

MD5: ad16150a368876abfe390e1330993dee

SHA1: 0300299714b3cfe31e7be7efbaed4c69cb788054

SHA256: 7597663372d9f86ae2cd96fdd9e515d1795f70c88d9c1f6acb28bcbe8ac4c02f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Vendor	file	name	ph-statistics	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	statistics	Highest
Vendor	Manifest	automatic-module-name	com.helger.statistics	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.common.ph-statistics	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-statistics	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.common	Highest
Vendor	pom	name	ph-statistics	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-statistics	Highest
Product	file	name	ph-statistics	High
Product	jar	package name	helger	Highest
Product	jar	package name	statistics	Highest
Product	Manifest	automatic-module-name	com.helger.statistics	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-statistics	Medium
Product	Manifest	bundle-symbolicname	com.helger.common.ph-statistics	Medium
Product	Manifest	Implementation-Title	ph-statistics	High
Product	pom	artifactid	ph-statistics	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.common	Highest

Product	pom	name	ph-statistics	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-statistics	High
Version	Manifest	Bundle-Version	12.1.1	High
Version	Manifest	Implementation-Version	12.1.1	High
Version	pom	version	12.1.1	Highest

Identifiers

- pkg:maven/com.helger.commons/ph-statistics@12.1.1 (*Confidence*:High)

facturx.zip: ph-text.jar

Description:

Special Java 17+ Library with text and locale functionality

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-text.jar

MD5: 20c9eb23ca9291b4f9e6bbaff546c764

SHA1: 03375bdf860720b662703f438b523bceb0d8b6f3

SHA256:e214cd4c55c86127821421a5703a598b1b4cfb4f4de6c8908d44d39fdbcb90d3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-text	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	locale	Highest
Vendor	jar	package name	text	Highest
Vendor	Manifest	automatic-module-name	com.helger.text	Medium
Vendor	Manifest	build-jdk-spec	21	Low

Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-text	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.cleanup.ICleanUpRegistrarSPI", osgi.serviceloader;osgi.serviceloader="com.helger.typeconvert. ITypeConverterRegistrarSPI"	Low
Vendor	pom	artifactid	ph-text	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-text	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-text	Highest
Product	file	name	ph-text	High
Product	jar	package name	cleanup	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	locale	Highest
Product	jar	package name	text	Highest
Product	jar	package name	typeconvert	Highest
Product	Manifest	automatic-module-name	com.helger.text	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-text	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-text	Medium
Product	Manifest	Implementation-Title	ph-text	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.cleanup.ICleanUpRegistrarSPI", osgi.serviceloader;osgi.serviceloader="com.helger.typeconvert. ITypeConverterRegistrarSPI"	Low
Product	pom	artifactid	ph-text	Highest

Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-text	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-text	High
Version	Manifest	Bundle-Version	12.1.1	High
Version	Manifest	Implementation-Version	12.1.1	High
Version	pom	version	12.1.1	Highest

Identifiers

- pkg:maven/com.helger.commons/ph-text@12.1.1 (*Confidence:High*)

facturx.zip: ph-xml.jar

Description:

Java 1.8+ Library with XML handling routines

License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-xml.jar

MD5: eea6f300e2238f19149019b5aa38e181

SHA1: 115ee60e18525ab237a43aed9b16f493f3561260

SHA256: 02082bf07078ab73f85a8dc58e3da4b118f3d46cb17b190b7fd850db5bffd88a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-xml	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	xml	Highest

Vendor	Manifest	automatic-module-name	com.helger.xml	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-xml	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.cleanup.ICleanUpRegistrarSPI", osgi.serviceloader;osgi.serviceloader="com.helger.xml.microdom.convert.IMicroTypeConverterRegistrarSPI"	Low
Vendor	pom	artifactid	ph-xml	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-xml	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-xml	Highest
Product	file	name	ph-xml	High
Product	jar	package name	cleanup	Highest
Product	jar	package name	convert	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	microdom	Highest
Product	jar	package name	xml	Highest
Product	Manifest	automatic-module-name	com.helger.xml	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-xml	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-xml	Medium
Product	Manifest	Implementation-Title	ph-xml	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.cleanup.ICleanUpRegistrarSPI", osgi.serviceloader;osgi.serviceloader="com.	Low

helger.xml.microdom.convert.
IMicroTypeConverterRegistrarSPI"

Product	pom	artifactid	ph-xml	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-xml	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-xml	High
Version	Manifest	Bundle-Version	12.1.1	High
Version	Manifest	Implementation-Version	12.1.1	High
Version	pom	version	12.1.1	Highest

Identifiers

- pkg:maven/com.helger.commons/ph-xml@12.1.1 (*Confidence:High*)

facturx.zip: ph-xsds-xml.jar

Description:

XML.xsd wrapped in JAXB

License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-xsds-xml.jar

MD5: 038565012ab1e95b2ba86cdc9b7942c4

SHA1: 709850759b2c7afe31f06252e5eb3b4f1b2c221b

SHA256: bb0b294bb1ab29632139eff15aefc46321338bbab5e3b694c75d376266ec475

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-xsds-xml	High

Vendor	jar	package name	helger	Highest
Vendor	jar	package name	xml	Highest
Vendor	jar	package name	xsds	Highest
Vendor	Manifest	automatic-module-name	com.helger.xsds.xml	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	http://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.xsd.ph-xsds.xml	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-xsds.xml	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.xsd	Highest
Vendor	pom	name	ph-xsds.xml	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	http://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-xsds-parent-pom	Low
Vendor	pom	url	phax/ph-xsds/ph-xsds.xml	Highest
Product	file	name	ph-xsds.xml	High
Product	jar	package name	helger	Highest
Product	jar	package name	xml	Highest
Product	jar	package name	xsds	Highest
Product	Manifest	automatic-module-name	com.helger.xsds.xml	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	http://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-xsds.xml	Medium
Product	Manifest	bundle-symbolicname	com.helger.xsd.ph-xsds.xml	Medium
Product	Manifest	Implementation-Title	ph-xsds.xml	High
Product	pom	artifactid	ph-xsds.xml	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low

Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.xsd	Highest
Product	pom	name	ph-xsds-xml	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	http://www.helger.com	Low
Product	pom	parent-artifactid	ph-xsds-parent-pom	Medium
Product	pom	url	phax/ph-xsds/ph-xsds-xml	High
Version	Manifest	Bundle-Version	4.1.0	High
Version	Manifest	Implementation-Version	4.1.0	High
Version	pom	version	4.1.0	Highest

Identifiers

- pkg:maven/com.helger.xsd/ph-xsds-xml@4.1.0 (*Confidence:High*)

facturx.zip: txw2.jar

Description:

TXW is a library that allows you to write XML documents.

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/txw2.jar

MD5: 0bf7070aee3bb53640d2ea6441e059fb

SHA1: 4f4cd53b5ff9a2c5aa1211f15ed2569c57dfb044

SHA256: fcc749785412ef3806fde1ce70f93ef5a0065dcc47fe449bc871db0795cb11af

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	txw2	High
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	txw	Highest
Vendor	jar	package name	txw2	Highest
Vendor	jar	package name	xml	Highest
Vendor	jar (hint)	package name	oracle	Highest

Vendor	Manifest	git-revision	0dcfdf5	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.eclipse	Medium
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	txw2	Low
Vendor	pom	groupid	org.glassfish.jaxb	Highest
Vendor	pom	name	TXW2 Runtime	High
Vendor	pom	parent-artifactid	jaxb-twx-parent	Low
Vendor	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Vendor	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Highest
Product	file	name	txw2	High
Product	jar	package name	sun	Highest
Product	jar	package name	txw	Highest
Product	jar	package name	txw2	Highest
Product	jar	package name	xml	Highest
Product	Manifest	git-revision	0dcfdf5	Low
Product	Manifest	Implementation-Title	Eclipse Implementation of JAXB	High
Product	Manifest	specification-title	Jakarta XML Binding	Medium
Product	pom	artifactid	txw2	Highest
Product	pom	groupid	org.glassfish.jaxb	Highest
Product	pom	name	TXW2 Runtime	High
Product	pom	parent-artifactid	jaxb-twx-parent	Medium
Product	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Product	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Medium
Version	Manifest	build-version	4.0.6	Medium
Version	pom	version	4.0.6	Highest

Identifiers

- pkg:maven/org.glassfish.jaxb/txw2@4.0.6 (*Confidence:High*)

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/xmlresolver.jar
MD5: 51e6c9e881f1eabe74c80cca02605752
SHA1: 9e20c43ab8e0a772b9a403eeb9b550268e71d345
SHA256: fcf127825725b4ca128f1c59010783ec090a1d155909dbb3305a86536ed7b94d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	xmlresolver	High
Vendor	jar	package name	xmlresolver	Highest
Vendor	jar	package name	xmlresolver	Low
Vendor	Manifest	automatic-module-name	org.xmlresolver.xmlresolver	Medium
Vendor	Manifest	Implementation-Vendor	Norman Walsh	High
Product	file	name	xmlresolver	High
Product	jar	package name	resolver	Highest
Product	jar	package name	xmlresolver	Highest
Product	Manifest	automatic-module-name	org.xmlresolver.xmlresolver	Medium
Product	Manifest	Implementation-Title	XML Resolver	High
Version	Manifest	Implementation-Version	6.0.21	High

Identifiers

- None

googleanalytics.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/src/com/inet/application/googleanalytics/client/js/googleanalytics.js
MD5: 9baed8cfe9d4f693465c4a9174c0413f
SHA1: 03818d5c1e5939c41e453f974efc74ae92e26be7
SHA256: efa405309d646c8a1fbc758eb18a248d7cac07cf390c48d0421d1d006b550ff6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Related Dependencies

- application.googleanalytics.sample.zip: googleanalytics.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.sample.zip/src/com/inet/application/googleanalytics/client/js/googleanalytics.js
 - MD5: 9baed8cfe9d4f693465c4a9174c0413f
 - SHA1: 03818d5c1e5939c41e453f974efc74ae92e26be7
 - SHA256: efa405309d646c8a1fbc758eb18a248d7cac07cf390c48d0421d1d006b550ff6

Identifiers

- None

hamcrest-3.0.jar

Description:

Core API and libraries of hamcrest matcher framework.

License:

BSD-3-Clause: <https://raw.githubusercontent.com/hamcrest/JavaHamcrest/master/LICENSE>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.hamcrest/hamcrest/3.0/8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7/hamcrest-3.0.jar

MD5: 781023c38b054e9cf1c818c77895e1eb

SHA1: 8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7

SHA256: 5d66b6a4a680755cb6ed7cb104fa7835ef644667586ff0737adeb977c39ecdbc

Referenced In Project/Scope: server:inetPlugin

Included by: pkg:maven/clear-reports/server@26.4

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	hamcrest	High
Vendor	gradle	artifactid	hamcrest	Highest
Vendor	gradle	groupid	org.hamcrest	Highest
Vendor	jar	package name	hamcrest	Highest
Vendor	jar	package name	hamcrest	Low
Vendor	Manifest	automatic-module-name	org.hamcrest	Medium

Vendor	Manifest	bundle-symbolicname	org.hamcrest	Medium
Vendor	Manifest	Implementation-Vendor	hamcrest.org	High
Vendor	pom	artifactid	hamcrest	Low
Vendor	pom	developer id	joewalnes	Medium
Vendor	pom	developer id	npryce	Medium
Vendor	pom	developer id	sf105	Medium
Vendor	pom	developer name	Joe Walnes	Medium
Vendor	pom	developer name	Nat Pryce	Medium
Vendor	pom	developer name	Steve Freeman	Medium
Vendor	pom	groupid	org.hamcrest	Highest
Vendor	pom	name	Hamcrest	High
Vendor	pom	url	http://hamcrest.org/JavaHamcrest/	Highest
Product	file	name	hamcrest	High
Product	gradle	artifactid	hamcrest	Highest
Product	jar	package name	hamcrest	Highest
Product	Manifest	automatic-module-name	org.hamcrest	Medium
Product	Manifest	Bundle-Name	org.hamcrest	Medium
Product	Manifest	bundle-symbolicname	org.hamcrest	Medium
Product	Manifest	Implementation-Title	hamcrest	High
Product	pom	artifactid	hamcrest	Highest
Product	pom	developer id	joewalnes	Low
Product	pom	developer id	npryce	Low
Product	pom	developer id	sf105	Low
Product	pom	developer name	Joe Walnes	Low
Product	pom	developer name	Nat Pryce	Low
Product	pom	developer name	Steve Freeman	Low
Product	pom	groupid	org.hamcrest	Highest
Product	pom	name	Hamcrest	High
Product	pom	url	http://hamcrest.org/JavaHamcrest/	Medium
Version	file	version	3.0	High
Version	gradle	version	3.0	Highest
Version	Manifest	Implementation-Version	3.0	High

Version	pom	version	3.0	Highest

Identifiers

- pkg:maven/org.hamcrest/hamcrest@3.0 (*Confidence:High*)

help.zip: commons-beanutils.jar

Description:

Apache Commons BeanUtils provides an easy-to-use but flexible wrapper around reflection and introspection.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/commons-beanutils.jar

MD5: 32ed51f196dfda19e0dc1ce53eed29e

SHA1: ac03ea606d13de04c2e4508227680faff151f491

SHA256: 9e44ba68ec9a3f21286fa2a8bbb003b735c0f69101bb43144b79f4f8aaa74709

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-beanutils	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	beanutils	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-beanutils	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-beanutils	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-beanutils	Low

Vendor	pom	developer email	britter@apache.org	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	epugh@apache.org	Low
Vendor	pom	developer email	geirm@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jcarman@apache.org	Low
Vendor	pom	developer email	jconlon@apache.org	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer email	mvdb@apache.org	Low
Vendor	pom	developer email	niallp@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer email	scolebourne@apache.org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	stain@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer email	yoavs@apache.org	Low
Vendor	pom	developer id	britter	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	epugh	Medium
Vendor	pom	developer id	geirm	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jcarman	Medium
Vendor	pom	developer id	jconlon	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	mvdb	Medium
Vendor	pom	developer id	niallp	Medium
Vendor	pom	developer id	rdonkin	Medium

Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	stain	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer id	yoavs	Medium
Vendor	pom	developer name	Benedikt Ritter	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	David Eric Pugh	Medium
Vendor	pom	developer name	Dion Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Geir Magnusson Jr.	Medium
Vendor	pom	developer name	James Carman	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	John E. Conlon	Medium
Vendor	pom	developer name	Martin van den Bemt	Medium
Vendor	pom	developer name	Morgan James Delagrang	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer name	Stian Soiland-Reyes	Medium
Vendor	pom	developer name	Tim O'Brien	Medium
Vendor	pom	developer name	Yoav Shapira	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-beanutils	Highest
Vendor	pom	name	Apache Commons BeanUtils	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper	Highest

/commons-beanutils

Product	file	name	commons-beanutils	High
Product	jar	package name	apache	Highest
Product	jar	package name	beanutils	Highest
Product	jar	package name	commons	Highest
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-beanutils	Low
Product	Manifest	Bundle-Name	Apache Commons BeanUtils	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-beanutils	Medium
Product	Manifest	Implementation-Title	Apache Commons BeanUtils	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons BeanUtils	Medium
Product	pom	artifactid	commons-beanutils	Highest
Product	pom	developer email	britter@apache.org	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	epugh@apache.org	Low
Product	pom	developer email	geirm@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jcarman@apache.org	Low
Product	pom	developer email	jconlon@apache.org	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer email	mvdb@apache.org	Low
Product	pom	developer email	niallp@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer email	scolebourne@apache.org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	stain@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer email	yoavs@apache.org	Low

Product	pom	developer id	britter	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	epugh	Low
Product	pom	developer id	geirm	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jcarman	Low
Product	pom	developer id	jconlon	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	mvdb	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	stain	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer id	yoavs	Low
Product	pom	developer name	Benedikt Ritter	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	David Eric Pugh	Low
Product	pom	developer name	Dion Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Geir Magnusson Jr.	Low
Product	pom	developer name	James Carman	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	John E. Conlon	Low
Product	pom	developer name	Martin van den Bemt	Low
Product	pom	developer name	Morgan James Delagrangre	Low
Product	pom	developer name	Niall Pemberton	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Robert Burrell Donkin	Low

Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer name	Stian Soiland-Reyes	Low
Product	pom	developer name	Tim O'Brien	Low
Product	pom	developer name	Yoav Shapira	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-beanutils	Highest
Product	pom	name	Apache Commons BeanUtils	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-beanutils	Medium
Version	Manifest	Bundle-Version	1.11.0	High
Version	Manifest	Implementation-Version	1.11.0	High
Version	pom	parent-version	1.11.0	Low
Version	pom	version	1.11.0	Highest

Identifiers

- pkg:maven/commons-beanutils/commons-beanutils@1.11.0 (*Confidence:High*)
- [cpe:2.3:a:apache:commons_beanutils:1.11.0:****:*](#) (*Confidence:Highest*)

suppress

help.zip: commons-digester3.jar

Description:

The Apache Commons Digester package lets you configure an XML to Java object mapping module which triggers certain actions called rules whenever a particular pattern of nested XML elements is recognized.

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/commons-digester3.jar
MD5: 41d2c62c7aedafa7a3627794abc83f71
SHA1: c3f68c5ff25ec5204470fd8fdf4cb8feff5e8a79
SHA256: 1c150e3d2df4b4237b47e28fea2079fb0da324578d5cca6a5fed2e37a62082ec
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-digester3	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	digester	Highest
Vendor	jar	package name	digester3	Highest
Vendor	jar	package name	rules	Highest
Vendor	Manifest	bundle-docurl	http://commons.apache.org/digester/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.digester	Medium
Vendor	Manifest	implementation-build	tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-digester3	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	jfarcand@apache.org	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	jvanzyl@apache.org	Low
Vendor	pom	developer email	mbenson AT apache DOT org	Low
Vendor	pom	developer email	rahul AT apache DOT org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	sanders@totalsync.com	Low
Vendor	pom	developer email	simonetripodi AT apache DOT org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	jfarcand	Medium

Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	jvanzyl	Medium
Vendor	pom	developer id	mbenson	Medium
Vendor	pom	developer id	rahul	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	simonetripodi	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	Jason van Zyl	Medium
Vendor	pom	developer name	Jean-Francois Arcand	Medium
Vendor	pom	developer name	Matt Benson	Medium
Vendor	pom	developer name	Rahul Akolkar	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Simone Tripodi	Medium
Vendor	pom	developer name	Tim OBrien	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Digester	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	http://commons.apache.org/digester/	Highest
Product	file	name	commons-digester3	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	digester	Highest
Product	jar	package name	digester3	Highest
Product	jar	package name	rules	Highest
Product	Manifest	bundle-docurl	http://commons.apache.org/digester/	Low
Product	Manifest	Bundle-Name	Apache Commons Digester	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.digester	Medium
Product	Manifest	implementation-build	tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100	Low

Product	Manifest	Implementation-Title	Apache Commons Digester	High
Product	Manifest	specification-title	Apache Commons Digester	Medium
Product	pom	artifactid	commons-digester3	Highest
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	jfarcand@apache.org	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	jvanzyl@apache.org	Low
Product	pom	developer email	mbenson AT apache DOT org	Low
Product	pom	developer email	rahul AT apache DOT org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	sanders@totalsync.com	Low
Product	pom	developer email	simonetripodi AT apache DOT org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	jfarcand	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	jvanzyl	Low
Product	pom	developer id	mbenson	Low
Product	pom	developer id	rahul	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	simonetripodi	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	Jason van Zyl	Low
Product	pom	developer name	Jean-Francois Arcand	Low
Product	pom	developer name	Matt Benson	Low
Product	pom	developer name	Rahul Akolkar	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Simone Tripodi	Low

Product	pom	developer name	Tim OBrien	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Digester	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	http://commons.apache.org/digester/	Medium
Version	Manifest	Implementation-Version	3.2	High
Version	pom	parent-version	3.2	Low
Version	pom	version	3.2	Highest

Identifiers

- pkg:maven/org.apache.commons/commons-digester3@3.2 (Confidence:High)

help.zip: help.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar

MD5: 5deb50ba0e3c5ce58e7126d83e14a9ed

SHA1: 4ea938f2f80d2c31a437e314872046bfcd760836

SHA256:c480cb6126b71d00aaf3198a1c3de3e414557a8795d20b8c97a2c1733fc41a98

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	help	High
Vendor	jar	package name	help	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2026-08-07 16:49	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	help	High

Product	jar	package name	help	Highest
Product	jar	package name	help	Low
Product	Manifest	built-date	2026-08-07 16:49	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	help	High
Product	Manifest	specification-title	help	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

help.zip: help.jar: ai-search.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar/com/inet/help/resources/js/ai-search.js

MD5: 580ab37fe58670f9ed27434792457719

SHA1: c3261b4d8b1aebc82495d30102c2c18cb2575e25

SHA256: 308f0304a41842836e06724f0978686af678f9a91346acac199eab3eb0416728

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

help.zip: help.jar: app.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar/com/inet/help/resources/js/app.js

MD5: 3a626c6ba8ee31fb8ebf60eabda6f994

SHA1: c39bfbdd57aadcb966452b9fc2790e555fa12867
SHA256: 1a77be335c5f6949c202f5b8e959c01b7d20c29d70b1fa242805724dc08a5f71
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

help.zip: help.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar/com/inet/help/resources/js/controller.js
MD5: d8a97347f09fb6127724e1fb9eaff6db
SHA1: e5c022756b372c39a872de0429fe106283dcab6d
SHA256: 87e3ee1681a99819dc61cbff19258371a350cd8d7e1ca570d572a5850968a41b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

help.zip: help.jar: shared.factory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.factory.js
MD5: 0b9f1c69fe745940b59dfcc46b07c9e8
SHA1: d04efd9797d2fdca767d508cf120351bef141846
SHA256: 1b2cc4f4fd954ea4954b04681293f059a417fe38c59c129f87bd22dbc9bdf0cc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

help.zip: help.jar: shared.highlighter.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.highlighter.js

MD5: af91e703b72f064acb7b0980a1981705

SHA1: 53a2a1c5190b1f3a3e3d4e68e645a152732c1893

SHA256:12e9a91bfad9c6958f82cc85b396c869363b181054843e472342bad54ebd4ad1

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

help.zip: jsoup.jar

Description:

jsoup is a Java library that simplifies working with real-world HTML and XML. It offers an easy-to-use API for URL fetching, data parsing, extraction, and manipulation using DOM API methods, CSS, and xpath selectors. jsoup implements the WHATWG HTML5 specification, and parses HTML to the same DOM as modern browsers.

License:

The MIT License: <https://jsoup.org/license>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/jsoup.jar

MD5: 650c793f2362dd13d13355e558ea56f0

SHA1: 9085290f1032d8bdd4ab0a279d176a4bd9e282ca

SHA256:cfd3298d8720cddfb0545109ccc6ea0ef39eff7e9c40a10ad95c93a65f01c916

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jsoup	High
Vendor	jar	package name	jsoup	Highest
Vendor	jar	package name	org	Highest
Vendor	jar	package name	parser	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://jsoup.org/	Low
Vendor	Manifest	bundle-symbolicname	org.jsoup	Medium
Vendor	Manifest	Implementation-Vendor	Jonathan Hedley	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Vendor	pom	artifactid	jsoup	Low
Vendor	pom	developer email	jonathan@hedley.net	Low
Vendor	pom	developer id	jhy	Medium
Vendor	pom	developer name	Jonathan Hedley	Medium
Vendor	pom	groupid	org.jsoup	Highest
Vendor	pom	name	jsoup Java HTML Parser	High
Vendor	pom	organization name	Jonathan Hedley	High
Vendor	pom	organization url	https://jhedley.com/	Medium
Vendor	pom	url	https://jsoup.org/	Highest
Product	file	name	jsoup	High
Product	jar	package name	jsoup	Highest
Product	jar	package name	org	Highest
Product	jar	package name	parser	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://jsoup.org/	Low
Product	Manifest	Bundle-Name	jsoup Java HTML Parser	Medium
Product	Manifest	bundle-symbolicname	org.jsoup	Medium
Product	Manifest	Implementation-Title	jsoup Java HTML Parser	High
Product	Manifest	multi-release	true	Low
Product	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low

Product	pom	artifactid	jsoup	Highest
Product	pom	developer email	jonathan@hedley.net	Low
Product	pom	developer id	jhy	Low
Product	pom	developer name	Jonathan Hedley	Low
Product	pom	groupid	org.jsoup	Highest
Product	pom	name	jsoup Java HTML Parser	High
Product	pom	organization name	Jonathan Hedley	Low
Product	pom	organization url	https://jhedley.com/	Low
Product	pom	url	https://jsoup.org/	Medium
Version	Manifest	Bundle-Version	1.22.1	High
Version	Manifest	Implementation-Version	1.22.1	High
Version	pom	version	1.22.1	Highest

Identifiers

- pkg:maven/org.jsoup/jsoup@1.22.1 (*Confidence:High*)
- [cpe:2.3:a:jsoup:jsoup:1.22.1:*****](#) (*Confidence:Highest*)

suppress

hsqldb.jar

Description:

HyperSQL Lightweight 100% Java SQL Database Engine

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/hsqldb.jar

MD5: 9e6a620acc9d544aacbfa2f17e78f4eb

SHA1: 4aad3c109b5b04927d3bc663bf13535f830401ce

SHA256: 5fab2bb4384ac06b762638c8fa2740c944b8d080e4796c0c6c2af8b90dd4e5ad

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	hsqldb	High
Vendor	jar	package name	hsqldb	Highest
Vendor	jar	package name	hsqldb	Low
Vendor	Manifest	bundle-symbolicname	org.hsqldb.hsqldb	Medium

Vendor	Manifest	originally-created-by	11.0.21+9 (Eclipse Adoptium)	Low
Vendor	Manifest	specification-vendor	The HSQL Development Group	Low
Product	file	name	hsqldb	High
Product	jar	package name	database	Highest
Product	jar	package name	hsqldb	Highest
Product	jar	package name	java	Highest
Product	Manifest	Bundle-Name	HSQLDB	Medium
Product	Manifest	bundle-symbolicname	org.hsqldb.hsqldb	Medium
Product	Manifest	Implementation-Title	Standard runtime	High
Product	Manifest	originally-created-by	11.0.21+9 (Eclipse Adoptium)	Low
Product	Manifest	specification-title	HSQLDB	Medium
Version	Manifest	Bundle-Version	2.7.4	High
Version	Manifest	Implementation-Version	2.7.4	High

Identifiers

- None

htmlengine.zip: JWebEngine.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlengine.zip/JWebEngine.jar

MD5: e757e3a1a76e2139c8fbe8bedaf24afc

SHA1: 02c3b2019d45955d58c6937edd2d5ddf2404e19f

SHA256: 1a55f355d1f7ce2645ad886fb1212c34ccdab061a30479899aa83a734b78ab94

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	JWebEngine	High
Vendor	jar	package name	html	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-	*	Low

library-allowable-codebase

Vendor	Manifest	built-date	2026-08-07 01:24	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	lib	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	JWebEngine	High
Product	jar	package name	html	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2026-08-07 01:24	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	lib	Low
Product	Manifest	Implementation-Title	JWebEngine	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	JWebEngine	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	1.14.263	High

Identifiers

- None

htmlengine.zip: htmlengine.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlengine.zip/htmlengine.jar

MD5: f4812c07474887cfb249e61ca41a83ad

SHA1: 2a170bcb48694d0888acaf54bcb9854825a18c86

SHA256:57ad1582aa6a6d0f5dc7996d8b32aac916d929336a4e431f9775b8f67e3949ba

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlengine	High
Vendor	jar	package name	api	Low
Vendor	jar	package name	htmlengine	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2026-08-07 17:00	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlengine	High
Product	jar	package name	api	Low
Product	jar	package name	htmlengine	Highest
Product	jar	package name	htmlengine	Low
Product	jar	package name	markdown	Low
Product	Manifest	built-date	2026-08-07 17:00	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	htmlengine	High
Product	Manifest	specification-title	htmlengine	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

htmlviewer.printpdf.sample.zip: htmlviewer.printpdf.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewer.printpdf.sample.zip/htmlviewer.printpdf.sample.jar

MD5: d9485fa03c68abc2b7e5004adc706311

SHA1: 9ad5d43b92083eb84b0ba0980ace80cbddec8df2

SHA256: 9430eeb61401e2a3fb3a89d2eb39845bb3910337fb651c0a2b5ff381cf765bb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlviewer.printpdf.sample	High
Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	printpdf	Low
Vendor	Manifest	built-date	2026-08-07 17:49	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlviewer.printpdf.sample	High
Product	jar	package name	htmlviewer	Highest
Product	jar	package name	htmlviewer	Low
Product	jar	package name	htmlviewerprintviapdfplugin	Low
Product	jar	package name	printpdf	Highest
Product	jar	package name	printpdf	Low
Product	Manifest	built-date	2026-08-07 17:49	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	htmlviewer.printpdf.sample	High

Product	Manifest	specification-title	htmlviewer.printpdf.sample	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Related Dependencies

- htmlviewer.printpdf.sample.zip: htmlviewer.printpdf.sample.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/HtmlViewerPrintViaPDFPlugin/htmlviewer.printpdf.sample.zip /htmlviewer.printpdf.sample.jar
 - MD5: d9485fa03c68abc2b7e5004adc706311
 - SHA1: 9ad5d43b92083eb84b0ba0980ace80cbdddec8df2
 - SHA256: 9430eeb61401e2a3bfb3a89d2eb39845bb3910337fb651c0a2b5ff381cf765bb

Identifiers

- None

htmlviewer.printpdf.sample.zip: htmlviewer.printpdf.sample.jar: extension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewer.printpdf.sample.zip/htmlviewer.printpdf.sample.jar/com/inet/htmlviewer/printpdf/extension.js

MD5: 3022fd9f69e0cf051844a2fea5b69ce2

SHA1: 529ef29a67d8f97b139ea763ee1a050cfbfe821a

SHA256: e0df7af37a0640b759ccc1985cfa973e49416121cc4d60656f8aef2f590a8d8d

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Related Dependencies

- htmlviewer.printpdf.sample.zip: htmlviewer.printpdf.sample.jar: extension.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/HtmlViewerPrintViaPDFPlugin/htmlviewer.printpdf.sample.zip /htmlviewer.printpdf.sample.jar/com/inet/htmlviewer/printpdf/extension.js
 - MD5: 3022fd9f69e0cf051844a2fea5b69ce2
 - SHA1: 529ef29a67d8f97b139ea763ee1a050cfbfe821a
 - SHA256: e0df7af37a0640b759ccc1985cfa973e49416121cc4d60656f8aef2f590a8d8d

Identifiers

- None

htmlviewer.toolbar.zip: htmlviewer.toolbar.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewer.toolbar.zip/htmlviewer.toolbar.jar

MD5: ba7a11e3b26d68b1e62205e4ca56dddb

SHA1: f11dd0122322f6cc517f0816e9c8ab33de9c0f3e

SHA256: 6918d45856a8f709445a9bfc092f4566dc3bf6b13e3afb3cc3ce742363ba0dfa4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlviewer.toolbar	High
Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2026-08-07 18:08	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlviewer.toolbar	High
Product	jar	package name	htmlviewer	Highest
Product	jar	package name	htmlviewer	Low
Product	Manifest	built-date	2026-08-07 18:08	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	htmlviewer.toolbar	High
Product	Manifest	specification-title	htmlviewer.toolbar	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

htmlviewer.toolbar.zip: htmlviewer.toolbar.jar: htmlviewer.angular.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewer.toolbar.zip/htmlviewer.toolbar.jar/com/inet/htmlviewer/client/htmlviewer.angular.js

MD5: 3d4ffd97b4b2889874ab2c25fd81dfd0

SHA1: ea87dcc7a044e2517277934bea09c98994d3134f

SHA256: 74009939b76ca622b76ee6abefb1cbe3632398f76f7282f51b90ccd1ca9998d3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

htmlviewerextension.sample.zip: htmlviewerextension.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewerextension.sample.zip/htmlviewerextension.sample.jar

MD5: 6c9cf464ea8d7b65660bed274bed0e99

SHA1: b527100c92bfd72d9c9d3d3652d2345a529ba555

SHA256: 5f0917797cb49058c3ff7d9870a1fc9dfe9815aab3a89c23b3597d0ed5964c1d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlviewerextension.sample	High
Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2026-08-07 17:49	Low
Vendor	Manifest	implementation-	reporting	Low

group

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlviewerextension.sample	High
Product	jar	package name	htmlviewer	Low
Product	jar	package name	htmlviewerextensionplugin	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2026-08-07 17:49	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	htmlviewerextension.sample	High
Product	Manifest	specification-title	htmlviewerextension.sample	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Related Dependencies



- htmlviewerextension.sample.zip: htmlviewerextension.sample.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/HtmlViewerExtensionPlugin/htmlviewerextension.sample.zip /htmlviewerextension.sample.jar
 - MD5: 6c9cf464ea8d7b65660bed274bed0e99
 - SHA1: b527100c92bfd72d9c9d3d3652d2345a529ba555
 - SHA256: 5f0917797cb49058c3ff7d9870a1fc9dfe9815aab3a89c23b3597d0ed5964c1d

Identifiers

- None

htmlviewerextension.sample.zip: htmlviewerextension.sample.jar: extension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewerextension.sample.zip /htmlviewerextension.sample.jar/com/inet/samples/htmlviewer/extension.js
MD5: 858b53692be0235091614a2af9a32edb

SHA1: 7e1e6b70bcf8364873201f3a776e5ace1ca3c19c
SHA256: 0ee681c533fcf2b58de3ccb61aaaa52dd541cf029b856aaf2dd78a7c4c563bbc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Related Dependencies

- htmlviewerextension.sample.zip: htmlviewerextension.sample.jar: extension.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/HtmlViewerExtensionPlugin/htmlviewerextension.sample.zip /htmlviewerextension.sample.jar/com/inet/samples/htmlviewer/extension.js
 - MD5: 858b53692be0235091614a2af9a32edb
 - SHA1: 7e1e6b70bcf8364873201f3a776e5ace1ca3c19c
 - SHA256: 0ee681c533fcf2b58de3ccb61aaaa52dd541cf029b856aaf2dd78a7c4c563bbc

Identifiers

- None

inetcore-26.4-tools.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/26.4/dea2eb442f742be1e7af05fa91e8285dd611751d/inetcore-26.4-tools.jar
MD5: 627d1f5f57d991403a97ab98b6a89fc6
SHA1: dea2eb442f742be1e7af05fa91e8285dd611751d
SHA256: d321eb497a89274c6acc4e13e47e7a969da3d8e6b1c2dcb28f5e6ba9accfc46d
Referenced In Project/Scope: server:inetPlugin
Included by: pkg:maven/clear-reports/server@26.4

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	test	Low
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Version	file	name	inetcore	Medium

Version	file	version	26.4	High
Version	gradle	version	26.4	Highest

Identifiers

- pkg:maven/shared/inetcore@26.4 (*Confidence*:Highest)

inetcore-26.4.jar (shaded: com.inet.shared/inetcore:null)

Description:

A blend composite defines the rule according to which a drawing primitive (known as the source) is mixed with existing graphics (know as the destination.)

ColorUtilities contains a set of tools to perform common color operations easily.

License:

LGPL: <http://www.gnu.org/licenses/lgpl.txt>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/26.4

/f1021598c3f6809342f9aedd4ab88a1f5dc9df/inetcore-26.4.jar/META-INF/com/inet/shared/utlis/BlendComposite/pom.xml

MD5: 15e3963148212192804e2b1a2b73ad1c

SHA1: 1095ba4522949a04590ab9c98b7f684e92579ef9

SHA256:e5556987ad0b1ede84a994741147dadf6de0cb7d80b845f530e2a96505b79151

Referenced In Projects/Scopes:

- server
- server:inetPlugin

Evidence

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	inetcore	Low
Vendor	pom	developer email	contact@inetsoftware.de	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer id	inetsoftware	Medium
Vendor	pom	developer id	romainguy	Medium
Vendor	pom	developer id	sun	Medium
Vendor	pom	developer name	i-net /// software	Medium
Vendor	pom	developer name	Romain Guy	Medium
Vendor	pom	developer name	Sun	Medium
Vendor	pom	developer org	Sun	Medium
Vendor	pom	groupid	com.inet.shared	Highest

Vendor	pom	name	BlendComposite and ColorUtilities	High
Vendor	pom (hint)	developer id	oracle	Medium
Vendor	pom (hint)	developer name	oracle	Medium
Vendor	pom (hint)	developer org	oracle	Medium
Product	pom	artifactid	inetcore	Highest
Product	pom	developer email	contact@inetsoftware.de	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer id	inetsoftware	Low
Product	pom	developer id	romainguy	Low
Product	pom	developer id	sun	Low
Product	pom	developer name	i-net /// software	Low
Product	pom	developer name	Romain Guy	Low
Product	pom	developer name	Sun	Low
Product	pom	developer org	Sun	Low
Product	pom	groupid	com.inet.shared	Highest
Product	pom	name	BlendComposite and ColorUtilities	High

Identifiers

- None

inetcore-26.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/26.4

/f1021598c3f6809342f9aedd4ab88a1f5dc9df/inetcore-26.4.jar

MD5: 06b8cd6fca501e1001840dc5676d266a

SHA1: f1021598c3f6809342f9aedd4ab88a1f5dc9df

SHA256: b6b03ebab5b00c9ce993aa7e99cd9cb29a3e06e4109de3d8481d9081eec43c2e

Referenced In Projects/Scopes:

- server
- server:inetPlugin

Included by: pkg:maven/clear-reports/server@26.4

Evidence



Type	Source	Name	Value	Confidence

Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2026-08-07 16:05	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	shared	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2026-08-07 16:05	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetcore	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetcore	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low

Version	file	name	inetcore	Medium
Version	file	version	26.4	High
Version	gradle	version	26.4	Highest
Version	jar	package name	permissions	Highest
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	26.4.321	High

Related Dependencies

- inetcore.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/inetcore.jar
 - MD5: 06b8cd6fca501e1001840dc5676d266a
 - SHA1: f1021598c3f6809342f9aedd4ab88a1f5dc9df
 - SHA256: b6b03ebab5b00c9ce993aa7e99cd9cb29a3e06e4109de3d8481d9081eec43c2e

Identifiers

- pkg:maven/shared/inetcore@26.4 (Confidence: Highest)

inetloggeradapter.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/inetloggeradapter.jar

MD5: 56a0ecd593b94641999118f3cf5146c9

SHA1: 437872cf412f984318fa352182ab392730021db4

SHA256: 4bab97dc0981964a617edcebbbc488369e27c6421c828bdd761540d9dbdd6c494

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	inetloggeradapter	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	slf4j	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2026-08-07 16:37	Low

Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetloggeradapter	High
Product	jar	package name	slf4j	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2026-08-07 16:37	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	i-net Logger Adapter	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetloggeradapter	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

inetsoftware.Reporting.dll

Description:

Reporting

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports .NET Bridge/inetsoftware.Reporting.dll

MD5: 4db8cffd7574cce8572405b98e0332d2

SHA1: a442514b1540d5f44253008fa4f6c004868f94bf

SHA256: 52387297ded0b92269dc5830c7ee168a09bbee87e858106769f05762eb38c3ad

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	dll	namespace	inetsoftware.Reporting	Highest
Vendor	file	name	inetsoftware.Reporting	High
Vendor	grokasse	FileDescription	Reporting	Low
Vendor	grokasse	InternalName	inetsoftware.Reporting.dll	Low
Vendor	grokasse	OriginalFilename	inetsoftware.Reporting.dll	Low
Vendor	grokasse	ProductName	Reporting	Medium
Product	dll	namespace	inetsoftware.Reporting	Highest
Product	file	name	inetsoftware.Reporting	High
Product	grokasse	FileDescription	Reporting	High
Product	grokasse	InternalName	inetsoftware.Reporting.dll	Medium
Product	grokasse	OriginalFilename	inetsoftware.Reporting.dll	Medium
Product	grokasse	ProductName	Reporting	Highest
Version	Assembl	FilteredVersion	26.4.321.0	Highest
Version	grokasse	FileVersion	26.4.321.0	High
Version	grokasse	ProductVersion	26.4.321.0	Highest

Identifiers

- pkg:generic/inetsoftware.Reporting@26.4.321.0 (*Confidence*:Medium)

inetsoftware.Reporting.dll

Description:

Reporting

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports .NET Bridge/strongly named/inetsoftware.Reporting.dll

MD5: b62d155edc2e6d626af08faf144435e4

SHA1: 7513af17c1638510a58148a13e2e3483b3c67e39

SHA256:fa2161a8815610ade10347564d5a7cae006b55e555aa3d08e3ef59bd02c142ef
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	dll	namespace	inetsoftware.Reporting	Highest
Vendor	file	name	inetsoftware.Reporting	High
Vendor	grokasse	FileDescription	Reporting	Low
Vendor	grokasse	InternalName	inetsoftware.Reporting.Signed.dll	Low
Vendor	grokasse	OriginalFilename	inetsoftware.Reporting.Signed.dll	Low
Vendor	grokasse	ProductName	Reporting	Medium
Product	dll	namespace	inetsoftware.Reporting	Highest
Product	file	name	inetsoftware.Reporting	High
Product	grokasse	FileDescription	Reporting	High
Product	grokasse	InternalName	inetsoftware.Reporting.Signed.dll	Medium
Product	grokasse	OriginalFilename	inetsoftware.Reporting.Signed.dll	Medium
Product	grokasse	ProductName	Reporting	Highest
Version	Assembl	FilteredVersion	26.4.321.0	Highest
Version	grokasse	FileVersion	26.4.321.0	High
Version	grokasse	ProductVersion	26.4.321.0	Highest

Identifiers

- None

jackcess.jar

Description:

A pure Java library for reading from and writing to MS Access databases

License:

The Apache License, Version 2.0: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/jackcess.jar

MD5: 0f13ea23966e22cbd1042b85df0f2db3

SHA1: 5c1c844105cf28d36a14919b4b4cd66121763210

SHA256:526ddd5e656ae89b1e35075f994ac35e134fd3e4f6faad7322b415a6a3ff1d73

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jackcess	High
Vendor	jar	package name	github	Highest
Vendor	jar	package name	io	Highest
Vendor	jar	package name	jackcess	Highest
Vendor	jar	package name	spannm	Highest
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	build-os	Linux (6.8.0-60-generic; amd64)	Low
Vendor	Manifest	build-time	2025-12-31T13:42:15Z	Low
Vendor	Manifest	build-tool	Apache Maven 3.9.10 (5f519b97e944483d878815739f519b2eade0a9)	Low
Vendor	Manifest	creation-java-runtime-name	OpenJDK Runtime Environment	Medium
Vendor	Manifest	creation-java-vendor	Eclipse Adoptium	Medium
Vendor	Manifest	creation-os-arch	amd64	Low
Vendor	Manifest	creation-os-name	Linux	Medium
Vendor	Manifest	creation-time	2025-12-31T13:42:15Z	Low
Vendor	Manifest	creation-user	spannm	Low
Vendor	Manifest	Implementation-Vendor	Jackcess	High
Vendor	Manifest	organization-name	Jackcess	Medium
Vendor	Manifest	organization-url	https://github.com/spannm/jackcess	Low
Vendor	Manifest	project-inception-year	2005	Low
Vendor	Manifest	project-url	https://github.com/spannm/jackcess	Low
Vendor	Manifest	x-basepom-build-id	2f12e98b-c2dc-2fb2-8c42-1c649e1a0912	Low
Vendor	Manifest	x-basepom-git-commit-id	62f7b58b2c2f37020d59e836a6871f4b52002c2	Low
Vendor	Manifest	x-basepom-name	Jackcess	Medium
Vendor	pom	artifactid	jackcess	Low
Vendor	pom	developer email	jahlborn@users.sf.net	Low
Vendor	pom	developer email	javajedi@users.sf.net	Low
Vendor	pom	developer email	spannm@outlook.de	Low

Vendor	pom	developer id	\${developerId}	Medium
Vendor	pom	developer name	James Ahlborn	Medium
Vendor	pom	developer name	Markus Spann	Medium
Vendor	pom	developer name	Tim McCune	Medium
Vendor	pom	developer org URL	\${githubBaseUrl}	Medium
Vendor	pom	groupid	io.github.spannm	Highest
Vendor	pom	name	Jackcess	High
Vendor	pom	organization name	Jackcess	High
Vendor	pom	organization url	\${project.url}	Medium
Vendor	pom	parent-artifactid	basepom-oss	Low
Vendor	pom	parent-groupid	org.basepom	Medium
Product	file	name	jackcess	High
Product	jar	package name	github	Highest
Product	jar	package name	io	Highest
Product	jar	package name	jackcess	Highest
Product	jar	package name	spannm	Highest
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	build-os	Linux (6.8.0-60-generic; amd64)	Low
Product	Manifest	build-time	2025-12-31T13:42:15Z	Low
Product	Manifest	build-tool	Apache Maven 3.9.10 (5f519b97e944483d878815739f519b2eade0a5)	Low
Product	Manifest	creation-java-runtime-name	OpenJDK Runtime Environment	Medium
Product	Manifest	creation-os-arch	amd64	Low
Product	Manifest	creation-os-name	Linux	Medium
Product	Manifest	creation-time	2025-12-31T13:42:15Z	Low
Product	Manifest	creation-user	spannm	Low
Product	Manifest	Implementation-Title	Jackcess	High
Product	Manifest	organization-name	Jackcess	Medium
Product	Manifest	organization-url	https://github.com/spannm/jackcess	Low
Product	Manifest	project-inception-year	2005	Low
Product	Manifest	project-url	https://github.com/spannm/jackcess	Low
Product	Manifest	x-basepom-	2f12e98b-c2dc-2fb2-8c42-1c649e1a0912	Low

build-id

Product	Manifest	x-basepom-git-commit-id	62f7b58b2c2f37020d59e836a6871f4b52002c2	Low
Product	Manifest	x-basepom-name	Jackcess	Medium
Product	pom	artifactid	jackcess	Highest
Product	pom	developer email	jahlborn@users.sf.net	Low
Product	pom	developer email	javajedi@users.sf.net	Low
Product	pom	developer email	spannm@outlook.de	Low
Product	pom	developer id	\${developerId}	Low
Product	pom	developer name	James Ahlborn	Low
Product	pom	developer name	Markus Spann	Low
Product	pom	developer name	Tim McCune	Low
Product	pom	developer org URL	\${githubBaseUrl}	Low
Product	pom	groupid	io.github.spannm	Highest
Product	pom	name	Jackcess	High
Product	pom	organization name	Jackcess	Low
Product	pom	organization url	\${project.url}	Low
Product	pom	parent-artifactid	basepom-oss	Medium
Product	pom	parent-groupid	org.basepom	Medium
Version	Manifest	Implementation-Version	5.1.2	High
Version	pom	parent-version	5.1.2	Low
Version	pom	version	5.1.2	Highest

Identifiers

- pkg:maven/io.github.spannm/jackcess@5.1.2 (*Confidence:High*)

jakarta.servlet-api.jar

Description:

Jakarta Servlet 6.1

License:

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/core/jakarta.servlet-api.jar

MD5: 314c930b3e40ac1abc3529c7c9942f09

SHA1: 1169a246913fe3823782af7943e7a103634867c5

SHA256: 8a31f465f3593bf2351531a5c952014eb839da96a605b5825b93dd54714c48c4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.servlet-api	High
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	servlet	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.servlet-api	Medium
Vendor	Manifest	extension-name	jakarta.servlet	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.eclipse	Medium
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.servlet-api	Low
Vendor	pom	developer id	yaminikb	Medium
Vendor	pom	developer name	Yamini K B	Medium
Vendor	pom	developer org	Oracle Corporation	Medium
Vendor	pom	developer org URL	http://www.oracle.com/	Medium
Vendor	pom	groupid	jakarta.servlet	Highest
Vendor	pom	name	Jakarta Servlet	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Vendor	pom	url	https://projects.eclipse.org/projects/ee4j.servlet	Highest
Product	file	name	jakarta.servlet-api	High
Product	jar	package name	jakarta	Highest
Product	jar	package name	servlet	Highest
Product	Manifest	build-jdk-spec	11	Low

Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Servlet	Medium
Product	Manifest	bundle-symbolicname	jakarta.servlet-api	Medium
Product	Manifest	extension-name	jakarta.servlet	Medium
Product	pom	artifactid	jakarta.servlet-api	Highest
Product	pom	developer id	yaminikb	Low
Product	pom	developer name	Yamini K B	Low
Product	pom	developer org	Oracle Corporation	Low
Product	pom	developer org URL	http://www.oracle.com/	Low
Product	pom	groupid	jakarta.servlet	Highest
Product	pom	name	Jakarta Servlet	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.servlet	Medium
Version	Manifest	Bundle-Version	6.1.0	High
Version	Manifest	Implementation-Version	6.1.0	High
Version	pom	parent-version	6.1.0	Low
Version	pom	version	6.1.0	Highest

Identifiers

- pkg:maven/jakarta.servlet/jakarta.servlet-api@6.1.0 (*Confidence*:High)

jakarta.websocket-api.jar

Description:

Jakarta WebSocket - Server API

License:

<https://www.eclipse.org/org/documents/epl-2.0/EPL-2.0.txt>, <https://www.gnu.org/software/classpath/license.html>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/jakarta.websocket-api.jar

MD5: b1098129a9c74ae03d618fb841990ab0

SHA1: 60e525188fdb42120506debd90ffd4e204fd6f24

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.websocket-api	High
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	server	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.websocket-api	Medium
Vendor	Manifest	extension-name	jakarta.websocket	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.websocket-api	Low
Vendor	pom	groupid	jakarta.websocket	Highest
Vendor	pom	name	Jakarta WebSocket - Server API	High
Vendor	pom	parent-artifactid	jakarta.websocket-all	Low
Vendor	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Highest
Product	file	name	jakarta.websocket-api	High
Product	jar	package name	jakarta	Highest
Product	jar	package name	server	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta WebSocket - Server API	Medium
Product	Manifest	bundle-symbolicname	jakarta.websocket-api	Medium
Product	Manifest	extension-name	jakarta.websocket	Medium
Product	pom	artifactid	jakarta.websocket-api	Highest
Product	pom	groupid	jakarta.websocket	Highest
Product	pom	name	Jakarta WebSocket - Server API	High
Product	pom	parent-artifactid	jakarta.websocket-all	Medium

Product	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Medium
Version	Manifest	Bundle-Version	2.2.0	High
Version	Manifest	Implementation-Version	2.2.0	High
Version	pom	version	2.2.0	Highest

Identifiers

- pkg:maven/jakarta.websocket/jakarta.websocket-api@2.2.0 (*Confidence*:High)

jakarta.websocket-client-api.jar

Description:

Jakarta WebSocket - Client API

License:

<https://www.eclipse.org/org/documents/epl-2.0/EPL-2.0.txt>, <https://www.gnu.org/software/classpath/license.html>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/jakarta.websocket-client-api.jar

MD5: 9c363a8d4ab7b78b6160569e27568c1a

SHA1: cf7eafc1b929a80429c77e4450c6720a7de56814

SHA256: aa6fa9331a3f470daee0dbfcf084abfbd7a49507297575d5bb8bfbf3d62fe8c0

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.websocket-client-api	High
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.websocket-client-api	Medium
Vendor	Manifest	extension-name	jakarta.websocket-client	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low

Vendor	pom	artifactid	jakarta.websocket-client-api	Low
Vendor	pom	groupid	jakarta.websocket	Highest
Vendor	pom	name	Jakarta WebSocket - Client API	High
Vendor	pom	parent-artifactid	jakarta.websocket-all	Low
Vendor	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Highest
Product	file	name	jakarta.websocket-client-api	High
Product	jar	package name	jakarta	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta WebSocket - Client API	Medium
Product	Manifest	bundle-symbolicname	jakarta.websocket-client-api	Medium
Product	Manifest	extension-name	jakarta.websocket-client	Medium
Product	pom	artifactid	jakarta.websocket-client-api	Highest
Product	pom	groupid	jakarta.websocket	Highest
Product	pom	name	Jakarta WebSocket - Client API	High
Product	pom	parent-artifactid	jakarta.websocket-all	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Medium
Version	Manifest	Bundle-Version	2.2.0	High
Version	Manifest	Implementation-Version	2.2.0	High
Version	pom	version	2.2.0	Highest

Identifiers

- pkg:maven/jakarta.websocket/jakarta.websocket-client-api@2.2.0 (*Confidence:High*)

java-25-jre-x64-linux.tar.gz: java-25-jre-x64-linux.tar: jrt-fs.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/java-25-jre-x64-linux.tar.gz/java-25-jre-x64-linux.tar/jre-11/lib/jrt-fs.jar

MD5: 790d688cfe7f5ac37258fbf8083eb266

SHA1: 5d0b6d8366c9396dc1f759a3470c156d1608ef94

SHA256: 2bd8b0fb53c9d0e240128953e6145e0bbe230168a3444c89fff81002beb60c14

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jrt-fs	High
Vendor	jar	package name	internal	Low
Vendor	jar	package name	jdk	Low
Vendor	jar	package name	jimage	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Adoptium	High
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	jrt-fs	High
Product	jar	package name	internal	Low
Product	jar	package name	jimage	Low
Product	Manifest	Implementation-Title	Java Runtime Environment	High
Product	Manifest	specification-title	Java Platform API Specification	Medium
Version	Manifest	Implementation-Version	25.0.4	High

Identifiers

- [cpe:2.3:a:eclipse:platform:25.0.4:*:*:*:*:*](#) (Confidence:Medium) suppress

javase.jar

Description:

Java SE-specific extensions to core ZXing library

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/zxing/javase.jar

MD5: 55e7296a0c9a75d4e974e536e1d2e65f

SHA1: 5393a868b60694a181a8470a85f89a4bec3dce2e

SHA256: 1966831f473d72ff7720578419ab113f6417a97234a1710d2bccc650f5ae0c12

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	javase	High

Vendor	jar	package name	google	Highest
Vendor	jar	package name	zxing	Highest
Vendor	Manifest	automatic-module-name	com.google.zxing.javase	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	pom	artifactid	javase	Low
Vendor	pom	groupid	com.google.zxing	Highest
Vendor	pom	name	ZXing Java SE extensions	High
Vendor	pom	parent-artifactid	zxing-parent	Low
Product	file	name	javase	High
Product	jar	package name	google	Highest
Product	jar	package name	zxing	Highest
Product	Manifest	automatic-module-name	com.google.zxing.javase	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	pom	artifactid	javase	Highest
Product	pom	groupid	com.google.zxing	Highest
Product	pom	name	ZXing Java SE extensions	High
Product	pom	parent-artifactid	zxing-parent	Medium
Version	pom	version	3.5.4	Highest

Identifiers

- pkg:maven/com.google.zxing/javase@3.5.4 (*Confidence*:High)

jcip-annotations-1.0.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/net.jcip/jcip-annotations/1.0/afba4942caaeaf46aab0b976afd57cc7c181467e/jcip-annotations-1.0.jar

MD5: 9d5272954896c5a5d234f66b7372b17a

SHA1: afba4942caaeaf46aab0b976afd57cc7c181467e

SHA256: be5805392060c71474bf6c9a67a099471274d30b83eef84bfc4e0889a4f1dcc0

Referenced In Project/Scope: server:inetPlugin

Included by: pkg:maven/de.inetsoftware/jlessc@1.15

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jcip-annotations	High

Vendor	gradle	artifactid	jcip-annotations	Highest
Vendor	gradle	groupid	net.jcip	Highest
Vendor	jar	package name	annotations	Low
Vendor	jar	package name	jcip	Low
Vendor	jar	package name	net	Low
Vendor	pom	artifactid	jcip-annotations	Low
Vendor	pom	groupid	net.jcip	Highest
Vendor	pom	name	"Java Concurrency in Practice" book annotations	High
Vendor	pom	url	http://jcip.net/	Highest
Product	file	name	jcip-annotations	High
Product	gradle	artifactid	jcip-annotations	Highest
Product	jar	package name	annotations	Low
Product	jar	package name	jcip	Low
Product	pom	artifactid	jcip-annotations	Highest
Product	pom	groupid	net.jcip	Highest
Product	pom	name	"Java Concurrency in Practice" book annotations	High
Product	pom	url	http://jcip.net/	Medium
Version	file	version	1.0	High
Version	gradle	version	1.0	Highest
Version	pom	version	1.0	Highest

Identifiers

- pkg:maven/net.jcip/jcip-annotations@1.0 (*Confidence:High*)

jeuclid-core.jar

Description:

This is the core module containing the basic JEuclid rendering and document handling classes.

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/jeuclid-core.jar

MD5: 4d3b8aeb80327b2b8ae74c32b7c77432

SHA1: df34d11b83e17a5eec1d922e55f8283a1c531fd9

SHA256: 3157e56f8fe47b051a5902d52976e7929eadf97f4d5d93cdac8433054ad026ef

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jeuclid-core	High
Vendor	jar	package name	jeuclid	Highest
Vendor	jar	package name	net	Highest
Vendor	jar	package name	sourceforge	Highest
Vendor	Manifest	Implementation-Vendor	The JEuclid project	High
Vendor	Manifest	Implementation-Vendor-Id	net.sourceforge.jeuclid	Medium
Vendor	Manifest	specification-vendor	The JEuclid project	Low
Vendor	pom	artifactid	jeuclid-core	Low
Vendor	pom	groupid	net.sourceforge.jeuclid	Highest
Vendor	pom	name	JEuclid Core Module	High
Vendor	pom	parent-artifactid	jeuclid-parent	Low
Product	file	name	jeuclid-core	High
Product	jar	package name	jeuclid	Highest
Product	jar	package name	net	Highest
Product	jar	package name	sourceforge	Highest
Product	Manifest	Implementation-Title	JEuclid Core Module	High
Product	Manifest	specification-title	JEuclid Core Module	Medium
Product	pom	artifactid	jeuclid-core	Highest
Product	pom	groupid	net.sourceforge.jeuclid	Highest
Product	pom	name	JEuclid Core Module	High
Product	pom	parent-artifactid	jeuclid-parent	Medium
Version	Manifest	Implementation-Version	3.0.3	High
Version	pom	version	3.0.3	Highest

Identifiers

- pkg:maven/net.sourceforge.jeuclid/jeuclid-core@3.0.3 (*Confidence:High*)

jlessc-1.15.jar

Description:

A Less CSS compiler written completely in Java (pure Java).

License:

MIT License: <http://www.opensource.org/licenses/mit-license.php>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/de.inetsoftware/jlessc/1.15/2dbc9ed0ff94187412e6376823393b4ce90ccf0b/jlessc-1.15.jar

MD5: 3f8f1bb4e60ce8b65f287d36560d1313

SHA1: 2dbc9ed0ff94187412e6376823393b4ce90ccf0b

SHA256: c745dc12ca4e1252c8a082f8c1b9237e4758c6d7ecb82247c3ecc3fe7cd99bdc

Referenced In Projects/Scopes:

- server
- server:inetPlugin

Included by: pkg:maven/clear-reports/server@26.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jlessc	High
Vendor	gradle	artifactid	jlessc	Highest
Vendor	gradle	groupid	de.inetsoftware	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	less	Low
Vendor	jar	package name	lib	Low
Vendor	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Vendor	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Vendor	Manifest	Implementation-Vendor	i-net software GmbH, Berlin, Germany	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	pom	artifactid	jlessc	Low
Vendor	pom	developer email	vberlin@inetsoftware.de	Low
Vendor	pom	developer id	vberlin	Medium
Vendor	pom	developer name	Volker Berlin	Medium
Vendor	pom	developer org	i-net software	Medium
Vendor	pom	developer org URL	https://www.inetsoftware.de/	Medium
Vendor	pom	groupid	de.inetsoftware	Highest
Vendor	pom	name	JLessC	High

Vendor	pom	url	i-net-software/jlessc	Highest
Product	file	name	jlessc	High
Product	gradle	artifactid	jlessc	Highest
Product	jar	package name	less	Low
Product	jar	package name	lib	Low
Product	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Product	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Product	Manifest	Implementation-Title	JLessC, a Less CSS compiler	High
Product	pom	artifactid	jlessc	Highest
Product	pom	developer email	vberlin@inetsoftware.de	Low
Product	pom	developer id	vberlin	Low
Product	pom	developer name	Volker Berlin	Low
Product	pom	developer org	i-net software	Low
Product	pom	developer org URL	https://www.inetsoftware.de/	Low
Product	pom	groupid	de.inetsoftware	Highest
Product	pom	name	JLessC	High
Product	pom	url	i-net-software/jlessc	High
Version	file	version	1.15	High
Version	gradle	version	1.15	Highest
Version	Manifest	Bundle-Version	1.15	High
Version	Manifest	Implementation-Version	1.15	High
Version	pom	version	1.15	Highest

Related Dependencies



- theme.zip: jlessc.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/jlessc.jar
 - MD5: 3f8f1bb4e60ce8b65f287d36560d1313
 - SHA1: 2dbc9ed0ff94187412e6376823393b4ce90ccf0b
 - SHA256: c745dc12ca4e1252c8a082f8c1b9237e4758c6d7ecb82247c3ecc3fe7cd99bdc

Identifiers

- pkg:maven/de.inetsoftware/jlessc@1.15 (*Confidence:High*)

jna.jar

Description:

JNA Library

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/jna.jar

MD5: 97fcb12698f8c1e4eed897e5c490e098

SHA1: 50c5b36af5dfd16cab07a1616046a50ec52d1e32

SHA256: 9e5cdb5ff4ad07bf116cb2b37b2b84987041d79a8991766a08b79b085c6bb6c2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jna	High
Vendor	jar	package name	jna	Highest
Vendor	jar	package name	jna	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Highest
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	automatic-module-name	com.sun.jna	Medium
Vendor	Manifest	bundle-activationpolicy	lazy	Low
Vendor	Manifest	bundle-category	jni	Low
Vendor	Manifest	bundle-nativecode	com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win32, com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjnidispatch.so; processor=x86;osname=sunos, com/sun/jna/sunos-x86-64/libjnidispatch.so; processor=x86-64;osname=sunos, com/sun/jna/sunos-sparc/libjnidispatch.so; processor=sparc;	Low

			osname=sunos, com/sun/jna/sunos-sparcv9 /libjnidispatch.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc /libjnidispatch.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64 /libjnidispatch.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc /libjnidispatch.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64 /libjnidispatch.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le /libjnidispatch.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86 /libjnidispatch.so; processor=x86; osname=linux, com/sun/jna/linux-x86-64 /libjnidispatch.so; processor=x86-64; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm_le; osname=linux, com/sun/jna/linux-armel /libjnidispatch.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64 /libjnidispatch.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64 /libjnidispatch.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9 /libjnidispatch.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el /libjnidispatch.so; processor=mips64el; osname=linux, com/sun/jna/linux-s390x /libjnidispatch.so; processor=S390x; osname=linux, com/sun/jna/linux- loongarch64/libjnidispatch.so; processor=loongarch64;osname=linux, com /sun/jna/linux-riscv64/libjnidispatch.so; processor=riscv64;osname=linux, com/sun /jna/dragonflybsd-x86-64/libjnidispatch.so; processor=x86-64;osname=dragonflybsd, com/sun/jna/freebsd-x86/libjnidispatch.so; processor=x86;osname=freebsd, com/sun /jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;osname=freebsd, com /sun/jna/freebsd-aarch64/libjnidispatch.so; processor=aarch64;osname=freebsd, com /sun/jna/freebsd-ppc64le/libjnidispatch.so; processor=ppc64le;osname=freebsd, com /sun/jna/freebsd-ppc64/libjnidispatch.so; processor=ppc64;osname=freebsd, com/sun /jna/openbsd-x86/libjnidispatch.so; processor=x86;osname=openbsd, com/sun /jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;osname=openbsd, com /sun/jna/darwin-ppc/libjnidispatch.jnilib; osname=macosx;processor=ppc, com/sun /jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx;processor=ppc64, com/sun /jna/darwin-x86/libjnidispatch.jnilib; osname=macosx;processor=x86, com/sun /jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx;processor=x86-64, com /sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64	
Vendor	Manifest	bundle- requiredexecution	JavaSE-1.6	Low
Vendor	Manifest	bundle-	com.sun.jna	Medium

		symbolicname		
Vendor	Manifest	Implementation-Vendor	JNA Development Team	High
Vendor	Manifest	specification-vendor	JNA Development Team	Low
Product	file	name	jna	High
Product	jar	package name	jna	Highest
Product	jar	package name	jna	Low
Product	jar	package name	library	Highest
Product	jar	package name	native	Highest
Product	jar	package name	sun	Highest
Product	jar	package name	win32	Highest
Product	Manifest	automatic-module-name	com.sun.jna	Medium
Product	Manifest	bundle-activationpolicy	lazy	Low
Product	Manifest	bundle-category	jni	Low
Product	Manifest	Bundle-Name	jna	Medium
Product	Manifest	bundle-nativecode	com/sun/jna/win32-x86/jnidispach.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispach.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispach.dll; processor=aarch64; osname=win32, com/sun/jna/win32-x86/jnidispach.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispach.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispach.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispach.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjnidispach.so; processor=x86; osname=sunos, com/sun/jna/sunos-x86-64/libjnidispach.so; processor=x86-64; osname=sunos, com/sun/jna/sunos-sparc/libjnidispach.so; processor=sparc; osname=sunos, com/sun/jna/sunos-sparcv9/libjnidispach.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc/libjnidispach.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64/libjnidispach.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc/libjnidispach.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64/libjnidispach.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le/libjnidispach.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86/libjnidispach.so; processor=x86; osname=linux, com/sun/jna/linux-x86-64/libjnidispach.so; processor=x86-64; osname=linux, com/sun/jna/linux-arm/libjnidispach.so; processor=arm; osname=linux, com/sun/jna/linux-arm	Low

			/libjnidispatch.so; processor=arm_le; osname=linux, com/sun/jna/linux-armel /libjnidispatch.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64 /libjnidispatch.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64 /libjnidispatch.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9 /libjnidispatch.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el /libjnidispatch.so; processor=mips64el; osname=linux, com/sun/jna/linux-s390x /libjnidispatch.so; processor=S390x; osname=linux, com/sun/jna/linux- loongarch64/libjnidispatch.so; processor=loongarch64;osname=linux, com /sun/jna/linux-riscv64/libjnidispatch.so; processor=riscv64;osname=linux, com/sun /jna/dragonflybsd-x86-64/libjnidispatch.so; processor=x86-64;osname=dragonflybsd, com/sun/jna/freebsd-x86/libjnidispatch.so; processor=x86;osname=freebsd, com/sun /jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;osname=freebsd, com /sun/jna/freebsd-aarch64/libjnidispatch.so; processor=aarch64;osname=freebsd, com /sun/jna/freebsd-ppc64le/libjnidispatch.so; processor=ppc64le;osname=freebsd, com /sun/jna/freebsd-ppc64/libjnidispatch.so; processor=ppc64;osname=freebsd, com/sun /jna/openbsd-x86/libjnidispatch.so; processor=x86;osname=openbsd, com/sun /jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;osname=openbsd, com /sun/jna/darwin-ppc/libjnidispatch.jnilib; osname=macosx;processor=ppc, com/sun /jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx;processor=ppc64, com/sun /jna/darwin-x86/libjnidispatch.jnilib; osname=macosx;processor=x86, com/sun /jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx;processor=x86-64, com /sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64	
Product	Manifest	bundle-requiredexecution	JavaSE-1.6	Low
Product	Manifest	bundle-symbolicname	com.sun.jna	Medium
Product	Manifest	Implementation-Title	com.sun.jna	High
Product	Manifest	specification-title	Java Native Access (JNA)	Medium
Version	jar	package name	jna	Highest
Version	jar	package name	sun	Highest
Version	jar	package name	win32	Highest
Version	Manifest	Bundle-Version	5.18.1	High
Version	Manifest	Implementation-Version	5.18.1 (b0)	High

Related Dependencies



- authentication.pam.zip: jna.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/jna.jar
 - MD5: 97fcb12698f8c1e4eed897e5c490e098
 - SHA1: 50c5b36af5dfd16cab07a1616046a50ec52d1e32
 - SHA256: 9e5cdb5ff4ad07bf116cb2b37b2b84987041d79a8991766a08b79b085c6bb6c2
- authentication.windows.zip: jna.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna.jar
 - MD5: 97fcb12698f8c1e4eed897e5c490e098
 - SHA1: 50c5b36af5dfd16cab07a1616046a50ec52d1e32
 - SHA256: 9e5cdb5ff4ad07bf116cb2b37b2b84987041d79a8991766a08b79b085c6bb6c2

Identifiers

- cpe:2.3:a:oracle:java_se:5.18.1:*:*:*:*:* (Confidence:Low)

suppress

jna.jar: jnidispatch.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll

MD5: 302945a811fd8e21bccd5226c73b6f74

SHA1: 6b05e299ff2b3eb3b7b7aeac44263f715693607c

SHA256: b8f98be314234cf12b5b46c29652f70c0f6abb93ae19b63d3fe2692062aa699d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

Related Dependencies



- authentication.pam.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
 - MD5: 302945a811fd8e21bccd5226c73b6f74
 - SHA1: 6b05e299ff2b3eb3b7b7aeac44263f715693607c
 - SHA256: b8f98be314234cf12b5b46c29652f70c0f6abb93ae19b63d3fe2692062aa699d
- authentication.windows.zip: jna.jar: jnidispatch.dll

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispach.dll
- MD5: 302945a811fd8e21bccd5226c73b6f74
- SHA1: 6b05e299ff2b3eb3b7b7aeac44263f715693607c
- SHA256: b8f98be314234cf12b5b46c29652f70c0f6abb93ae19b63d3fe2692062aa699d

Identifiers

- None

jna.jar: jnidispach.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/jna.jar/com/sun/jna/win32-x86-64/jnidispach.dll

MD5: 2d2475f1f026dd54e9f3e787ae4f81da

SHA1: 27ff882ac271db547aee520b38e3ba9aa91e136c

SHA256: 5a7ff949f6d93d86491eb5b26b1cfc60051168a60622650224b89995ac420023

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispach	High
Product	file	name	jnidispach	High

Related Dependencies

- authentication.pam.zip: jna.jar: jnidispach.dll
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispach.dll
 - MD5: 2d2475f1f026dd54e9f3e787ae4f81da
 - SHA1: 27ff882ac271db547aee520b38e3ba9aa91e136c
 - SHA256: 5a7ff949f6d93d86491eb5b26b1cfc60051168a60622650224b89995ac420023
- authentication.windows.zip: jna.jar: jnidispach.dll
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispach.dll
 - MD5: 2d2475f1f026dd54e9f3e787ae4f81da
 - SHA1: 27ff882ac271db547aee520b38e3ba9aa91e136c
 - SHA256: 5a7ff949f6d93d86491eb5b26b1cfc60051168a60622650224b89995ac420023

Identifiers

- None

jna.jar: jnidispatch.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll

MD5: 0caa1ef75a807f9dde05084fa2219a5c

SHA1: 2f5e1cd82cde192905c7510ce99037b67d980640

SHA256: 752d597cee7e95cb517327146bf42f124c0d6c0bc48b3ecc3b1b3b0531a52f44

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

Related Dependencies

- authentication.pam.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
 - MD5: 0caa1ef75a807f9dde05084fa2219a5c
 - SHA1: 2f5e1cd82cde192905c7510ce99037b67d980640
 - SHA256: 752d597cee7e95cb517327146bf42f124c0d6c0bc48b3ecc3b1b3b0531a52f44
- authentication.windows.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
 - MD5: 0caa1ef75a807f9dde05084fa2219a5c
 - SHA1: 2f5e1cd82cde192905c7510ce99037b67d980640
 - SHA256: 752d597cee7e95cb517327146bf42f124c0d6c0bc48b3ecc3b1b3b0531a52f44

Identifiers

- None

jpeg2000.zip: asm.jar

License:

BSD-3-Clause;link=https://asm.ow2.io/LICENSE.txt

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/asm.jar

MD5: bd7da4582265d285ccac6645bc60edd2

SHA1: d550c5f15ee8686248640525e3c9dceb0559d3b4

SHA256: f1fcddee492b35b3269e41c089c296629c819534b176e079bee7a1b85aa5b086

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	asm	High
Vendor	jar	package name	asm	Highest
Vendor	jar	package name	asm	Low
Vendor	jar	package name	objectweb	Highest
Vendor	jar	package name	objectweb	Low
Vendor	Manifest	bundle-docurl	http://asm.ow2.org	Low
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	org.objectweb.asm	Medium
Product	file	name	asm	High
Product	jar	package name	asm	Highest
Product	jar	package name	asm	Low
Product	jar	package name	objectweb	Highest
Product	Manifest	bundle-docurl	http://asm.ow2.org	Low
Product	Manifest	Bundle-Name	org.objectweb.asm	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	org.objectweb.asm	Medium
Product	Manifest	Implementation-Title	ASM, a very small and fast Java bytecode manipulation framework	High
Version	jar	package name	asm	Highest
Version	Manifest	Bundle-Version	9.7.1	High
Version	Manifest	Implementation-Version	9.7.1	High

Identifiers

- None

jpeg2000.zip: concrt140.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/concrt140.dll

MD5: 5fe9a647921ded8a2fad92deb9ec4ab2

SHA1: 1ce87fac4c22aae82a81ddb26952c074b744e78d

SHA256: 2405355f0a58067b258f8df33c327e3a3d716eaac5a3a5aebb757842d85bd376

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	concrt140	High
Product	file	name	concrt140	High
Version	file	name	concrt140	Medium
Version	file	version	140	Medium

Identifiers

- None

jpeg2000.zip: imageio-openjpeg.jar

Description:

ImageIO plugin for reading and writing JPEG2000 images via OpenJPEG.
Requires the OpenJPEG shared native library to be installed on the system.

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/imageio-openjpeg.jar

MD5: 4bac950751a3b3641e882c8b41de2614

SHA1: e13648998c70377e007cabf3cf4daf452062b479

SHA256: 6dfd9e5d4a4bb2d37dcf5d71d17eec6a30580ed048ef3a0f34149c0f440be275

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	imageio-openjpeg	High
Vendor	jar	package name	de	Highest
Vendor	jar	package name	de	Low
Vendor	jar	package name	digitalcollections	Highest

Vendor	jar	package name	digitalcollections	Low
Vendor	jar	package name	imageio	Highest
Vendor	jar	package name	openjpeg	Highest
Vendor	jar	package name	openjpeg	Low
Vendor	pom	artifactid	imageio-openjpeg	Low
Vendor	pom	groupid	de.digitalcollections.imageio	Highest
Vendor	pom	name	MDZ/Bayerische Staatsbibliothek :: ImageIO :: OpenJPEG/JPEG2000 plugin	High
Vendor	pom	parent-artifactid	imageio-jnr	Low
Product	file	name	imageio-openjpeg	High
Product	jar	package name	de	Highest
Product	jar	package name	digitalcollections	Highest
Product	jar	package name	digitalcollections	Low
Product	jar	package name	imageio	Highest
Product	jar	package name	lib	Low
Product	jar	package name	openjpeg	Highest
Product	jar	package name	openjpeg	Low
Product	pom	artifactid	imageio-openjpeg	Highest
Product	pom	groupid	de.digitalcollections.imageio	Highest
Product	pom	name	MDZ/Bayerische Staatsbibliothek :: ImageIO :: OpenJPEG/JPEG2000 plugin	High
Product	pom	parent-artifactid	imageio-jnr	Medium
Version	pom	version	0.6.8	Highest

Identifiers

- pkg:maven/de.digitalcollections.imageio/imageio-openjpeg@0.6.8 (*Confidence:High*)

jpeg2000.zip: jffi-native.jar

Description:

Java Foreign Function Interface - Native Libraries

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>, <https://www.gnu.org/licenses/lgpl-3.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jffi-native.jar
MD5: 143d23702887650714b4790ec5f73d9f
SHA1: aeaf63c966220fc23b3caf91b4349a2a0cd6e730
SHA256: 0dcbf6e0b98e157f50e8c280b8a9d6c0c5ef08fc8f422dd38119a5bcb2f30142
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jffi-native	High
Vendor	Manifest	automatic-module-name	org.jnrproject.jffi.nativelibs	Medium
Vendor	Manifest	bundle-symbolicname	com.github.jnr.jffi.native	Medium
Product	file	name	jffi-native	High
Product	Manifest	automatic-module-name	org.jnrproject.jffi.nativelibs	Medium
Product	Manifest	Bundle-Name	jffi	Medium
Product	Manifest	bundle-symbolicname	com.github.jnr.jffi.native	Medium
Version	Manifest	Bundle-Version	1.3.14	High

Identifiers

- None

jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jffi-native.jar/jni/aarch64-Windows/jffi-1.2.dll
MD5: 2c0b62583a6446ca74c26dd356a6efc8
SHA1: 97d03509897bb23ab808c232fe0fa3240e91d52d
SHA256: a4e7cb99d84f2a3b195fabcc4a6c59ab48e9eb25ddf58284b26d068163c9e505
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Product	file	name	jffi	High
Version	file	name	jffi	Medium

Versionfileversion1.2High

Identifiers

- None

jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jffi-native.jar/jni/i386-Windows/jffi-1.2.dll

MD5: 841e60814ed6b2971a47b267aef1c58a

SHA1: 07d30c6407fefad8df4b6afc4d85f83e547975ca

SHA256:d63b0ec9a7cc75c26fa951928bf550c0e9a5e6c195a3de94a9c24995206bbfd2

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Product	file	name	jffi	High
Version	file	name	jffi	Medium
Version	file	version	1.2	High

Identifiers

- None

jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jffi-native.jar/jni/x86_64-Windows/jffi-1.2.dll

MD5: 5d80b61c1f9e31860c17b3a410948e7e

SHA1: 5ca292116336ee4ceed00d10e756afea580e62cf

SHA256:58398ba5cda1b7cb89ad4e03dd4a658006956f81acfef4efb4e7dd934e2733ef

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Product	file	name	jffi	High
Version	file	name	jffi	Medium
Version	file	version	1.2	High

Identifiers

- None

jpeg2000.zip: jffi.jar

Description:

Java Foreign Function Interface

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>
 GNU Lesser General Public License version 3: <https://www.gnu.org/licenses/lgpl-3.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jffi.jar

MD5: a81505dac8274026c80eb58488e013ef

SHA1: e376d01930ec781658a3284eea6c3bec62277916

SHA256: 756e6680cd541dcddf26c240976c29ce64e0b886599202f7af7965c82a690259

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Vendor	jar	package name	foreign	Highest
Vendor	jar	package name	function	Highest
Vendor	jar	package name	jffi	Highest
Vendor	Manifest	automatic-module-name	org.jnrproject.jffi	Medium
Vendor	Manifest	build-jdk-spec	25	Low
Vendor	pom	artifactid	jffi	Low
Vendor	pom	developer email	wmeissner@gmail.com	Low
Vendor	pom	developer id	wmeissner	Medium
Vendor	pom	developer name	Wayne Meissner	Medium

Vendor	pom	groupid	com.github.jnr	Highest
Vendor	pom	name	jffi	High
Vendor	pom	url	http://github.com/jnr/jffi	Highest
Product	file	name	jffi	High
Product	jar	package name	foreign	Highest
Product	jar	package name	function	Highest
Product	jar	package name	jffi	Highest
Product	Manifest	automatic-module-name	org.jnrproject.jffi	Medium
Product	Manifest	build-jdk-spec	25	Low
Product	pom	artifactid	jffi	Highest
Product	pom	developer email	wmeissner@gmail.com	Low
Product	pom	developer id	wmeissner	Low
Product	pom	developer name	Wayne Meissner	Low
Product	pom	groupid	com.github.jnr	Highest
Product	pom	name	jffi	High
Product	pom	url	http://github.com/jnr/jffi	Medium
Version	pom	version	1.3.14	Highest

Identifiers

- pkg:maven/com.github.jnr/jffi@1.3.14 (*Confidence:High*)

jpeg2000.zip: jnr-ffi.jar

Description:

A library for invoking native functions from java

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jnr-ffi.jar

MD5: ed71b419a0b771ac5ce6e8ee5a033c8a

SHA1: d2300e3b7cc86018210c13796806504a7d500fd0

SHA256: 9f88e2dfd3ce0f56510e291d8ea919d35587c2914e0befd35a2d69314f57a0c6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jnr-ffi	High
Vendor	jar	package name	ffi	Highest
Vendor	jar	package name	jnr	Highest
Vendor	jar	package name	library	Highest
Vendor	Manifest	automatic-module-name	org.jnrproject.ffi	Medium
Vendor	Manifest	bundle-symbolicname	com.github.jnr.ffi	Medium
Vendor	pom	artifactid	jnr-ffi	Low
Vendor	pom	developer email	headius@headius.com	Low
Vendor	pom	developer email	wmeissner@gmail.com	Low
Vendor	pom	developer id	headius	Medium
Vendor	pom	developer id	wmeissner	Medium
Vendor	pom	developer name	Charles Oliver Nutter	Medium
Vendor	pom	developer name	Wayne Meissner	Medium
Vendor	pom	groupid	com.github.jnr	Highest
Vendor	pom	name	jnr-ffi	High
Vendor	pom	url	http://github.com/jnr/jnr-ffi	Highest
Product	file	name	jnr-ffi	High
Product	jar	package name	ffi	Highest
Product	jar	package name	jnr	Highest
Product	jar	package name	library	Highest
Product	Manifest	automatic-module-name	org.jnrproject.ffi	Medium
Product	Manifest	Bundle-Name	jnr-ffi	Medium
Product	Manifest	bundle-symbolicname	com.github.jnr.ffi	Medium
Product	pom	artifactid	jnr-ffi	Highest
Product	pom	developer email	headius@headius.com	Low
Product	pom	developer email	wmeissner@gmail.com	Low
Product	pom	developer id	headius	Low
Product	pom	developer id	wmeissner	Low
Product	pom	developer name	Charles Oliver Nutter	Low
Product	pom	developer name	Wayne Meissner	Low
Product	pom	groupid	com.github.jnr	Highest
Product	pom	name	jnr-ffi	High

Product	pom	url	http://github.com/jnr/jnr-ffi	Medium
Version	Manifest	Bundle-Version	2.2.18	High
Version	pom	version	2.2.18	Highest

Identifiers

- pkg:maven/com.github.jnr/jnr-ffi@2.2.18 (*Confidence:High*)

jpeg2000.zip: jpeg2000.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jpeg2000.jar

MD5: 44a9d78c80483a6febe84f3459be60df

SHA1: e2ad48ba2845b772356bee20be90687a14e42241

SHA256: 896ee16767e2abecc608753a45c4a84754b0beb6ca9186c029c013ec5cb86846

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jpeg2000	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	jpeg2000	Low
Vendor	Manifest	built-date	2026-08-07 16:44	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	jpeg2000	High
Product	jar	package name	jpeg2000	Highest
Product	jar	package name	jpeg2000	Low
Product	jar	package name	jpeg2000serverplugin	Low
Product	Manifest	built-date	2026-08-07 16:44	Low
Product	Manifest	implementation-group	shared	Low

Product	Manifest	Implementation-Title	jpeg2000	High
Product	Manifest	specification-title	jpeg2000	Medium
Version	file	name	jpeg2000	Medium
Version	file	version	2000	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

jpeg2000.zip: msvcp140.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/msvcp140.dll

MD5: bc88b387cafa556068b5c5d6ff3ccc8f

SHA1: b370eca8fa727e46cf61d834fcc956698b02e1fd

SHA256: 0f885b509a685d2bbfa652fed26b5fb31d88fbdab0a978c641d1c7b8aa460aa9

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	msvcp140	High
Product	file	name	msvcp140	High
Version	file	name	msvcp140	Medium
Version	file	version	140	Medium

Identifiers

- None

jpeg2000.zip: msvcp140_1.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/msvcp140_1.dll

MD5: 2a214cb2f0f9473e7765ee3b8db8651e

SHA1: 9ce5c3d6c7d94b175f136f552af8771dca6147b3

SHA256: bfad5aef4c63a669e3c140655cdfdf395b6c979b400a447bd5dcb65ed8826c3d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	msvcvp140_1	High
Product	file	name	msvcvp140_1	High

Identifiers

- None

jpeg2000.zip: msvcvp140_2.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/msvcvp140_2.dll

MD5: 3151333808c2c2339d5f5466df70b7dc

SHA1: e48159bb2127ec812ff679f6fab41141009f26a

SHA256: 3ea06f0ee098b4823cb79599df3780e7f23cce52c19aac31d2a0d47efe33a5e9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	msvcvp140_2	High
Product	file	name	msvcvp140_2	High

Identifiers

- None

jpeg2000.zip: msvcvp140_atomic_wait.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/msvcvp140_atomic_wait.dll

MD5: 44aec42494531580bca182b0e2fb19c2

SHA1: a85a6a4de6656e5969fa4ab15f2230dfe2839e75

SHA256:640b2aefced484d0368eea5bdd06addd0658a3a70a49256e560d6923b404a479

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	msvcvp140_atomic_wait	High
Product	file	name	msvcvp140_atomic_wait	High
Version	file	name	msvcvp140_atomic_wait	Medium
Version	file	version	140	Medium

Identifiers

- None

jpeg2000.zip: msvcvp140_codecvt_ids.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows
/msvcvp140_codecvt_ids.dll

MD5: 3ece3fb90bfaea8e9a5fb7139ff9cbdc

SHA1: 91b19dd0db24a5cbd944eca9c67fad3b53f9c154

SHA256:f2069a52880ec885ee7f0511186100eb7fada0411a2b4948fafea7735b878a18

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	msvcvp140_codecvt_ids	High
Product	file	name	msvcvp140_codecvt_ids	High
Version	file	name	msvcvp140_codecvt_ids	Medium
Version	file	version	140	Medium

Identifiers

- None

jpeg2000.zip: openjp2.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/openjp2.dll

MD5: 314edfd45bf5903a645f40ba1d7199a6

SHA1: 7cdb0e711a199b6cd581e1455be7d5fe3fd46766

SHA256: 4e5261df72ca0702b2de0bac29d772e86a316a24373e16aaf6aec84c7081aeb9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	openjp2	High
Product	file	name	openjp2	High
Version	file	name	openjp2	Medium
Version	file	version	2	Medium

Identifiers

- None

jpeg2000.zip: vcruntime140.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/vcruntime140.dll

MD5: 6ca4edb2b52ec46c7fca3fd372ca6c00

SHA1: 3d2998a27d164dd7cc3bc7d3eca08acf89a0ee42

SHA256: d5e4d9a3e835fa679450145d6a7d94e36573a509317111904d9b3712c30d9066

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	vcruntime140	High
Product	file	name	vcruntime140	High
Version	file	name	vcruntime140	Medium
Version	file	version	140	Medium

Identifiers

- None

jpeg2000.zip: vcruntime140_1.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/vcruntime140_1.dll

MD5: cd1b08f4930b276ad78853580b76b5c6

SHA1: a0330279d3d0d47f19ed984726e25260b547a228

SHA256: 1f2d41c4aa5db0bc33ebf7b66d72943a817d7ce6cbe880502a9403823633093f

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	vcruntime140_1	High
Product	file	name	vcruntime140_1	High

Identifiers

- None

jquery.cookiebar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/src/com/inet/application/googleanalytics/client/js/jquery.cookiebar.js

MD5: 1d80c26eef415bdf8697bac674711242

SHA1: de48d8a423f629ee5bd320aa8f6a1a9d8d38e488

SHA256: 346f57f7300726376004aee29a3e1bc02614355bbf6f60f1153d215105761c8e

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Related Dependencies

- application.googleanalytics.sample.zip: jquery.cookiebar.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples

/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.sample.zip/src/com/inet/application/googleanalytics/client/js/jquery.cookiebar.js

- MD5: 1d80c26eef415bdf8697bac674711242
- SHA1: de48d8a423f629ee5bd320aa8f6a1a9d8d38e488
- SHA256: 346f57f7300726376004aee29a3e1bc02614355bbf6f60f1153d215105761c8e

Identifiers

- None

jquery.twbsPagination.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/jquery.twbsPagination.js

MD5: dcf82ca566b3df1ff0486b5d21b9bab2

SHA1: a86775650344fd81e7bb84ad47b72c5d82aad586

SHA256:bde200396a08eae2a6ad38628595ba9001a920f5ee294f9ff6811d51b96f6b00

Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence

Identifiers

- None

jquery.twbsPagination.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/jquery.twbsPagination.min.js

MD5: 721f9097a595662c55ddc4d8c4a74834

SHA1: 198a7a596f42656fcadd1d2f7f30648781e5a4b0

SHA256:aa8fb5d3ada7df8a9a0ee4bfb61390b303f2c8f29bc810af3bd11a683fa8b53

Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence

Identifiers

- None

jsr305-3.0.2.jar

Description:

JSR305 Annotations for Findbugs

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/jsr305/3.0.2/25ea2e8b0c338a877313bd4672d3fe056ea78f0d/jsr305-3.0.2.jar

MD5: dd83accb899363c32b07d7a1b2e4ce40

SHA1: 25ea2e8b0c338a877313bd4672d3fe056ea78f0d

SHA256: 766ad2a0783f2687962c8ad74ceecc38a28b9f72a2d085ee438b7813e928d0c7

Referenced In Project/Scope: server:inetPlugin

Included by: pkg:maven/de.inetsoftware/jlessc@1.15

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jsr305	High
Vendor	gradle	artifactid	jsr305	Highest
Vendor	gradle	groupid	com.google.code.findbugs	Highest
Vendor	Manifest	bundle-symbolicname	org.jsr-305	Medium
Vendor	pom	artifactid	jsr305	Low
Vendor	pom	groupid	com.google.code.findbugs	Highest
Vendor	pom	name	FindBugs-jsr305	High
Vendor	pom	url	http://findbugs.sourceforge.net/	Highest
Product	file	name	jsr305	High
Product	gradle	artifactid	jsr305	Highest
Product	Manifest	Bundle-Name	FindBugs-jsr305	Medium
Product	Manifest	bundle-symbolicname	org.jsr-305	Medium
Product	pom	artifactid	jsr305	Highest
Product	pom	groupid	com.google.code.findbugs	Highest
Product	pom	name	FindBugs-jsr305	High
Product	pom	url	http://findbugs.sourceforge.net/	Medium

Version	file	version	3.0.2	High
Version	gradle	version	3.0.2	Highest
Version	Manifest	Bundle-Version	3.0.2	High
Version	pom	version	3.0.2	Highest

Identifiers

- pkg:maven/com.google.code.findbugs/jsr305@3.0.2 (Confidence:High)

junit-4.13.2.jar

Description:

JUnit is a unit testing framework for Java, created by Erich Gamma and Kent Beck.

License:

Eclipse Public License 1.0: <http://www.eclipse.org/legal/epl-v10.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/junit/junit/4.13.2/8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12/junit-4.13.2.jar

MD5: d98a9a02a99a9acd22d7653cbcc1f31f

SHA1: 8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12

SHA256: 8e495b634469d64fb8acfa3495a065cbacc8a0fff55ce1e31007be4c16dc57d3

Referenced In Project/Scope: server:inetPlugin

Included by: pkg:maven/clear-reports/server@26.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit	High
Vendor	gradle	artifactid	junit	Highest
Vendor	gradle	groupid	junit	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	Manifest	automatic-module-name	junit	Medium
Vendor	Manifest	implementation-url	http://junit.org	Low
Vendor	Manifest	Implementation-Vendor	JUnit	High
Vendor	Manifest	Implementation-Vendor-Id	junit	Medium
Vendor	pom	artifactid	junit	Low

Vendor	pom	developer email	david@saff.net	Low
Vendor	pom	developer email	kcooney@google.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	mail@stefan-birkner.de	Low
Vendor	pom	developer id	dsaff	Medium
Vendor	pom	developer id	kcooney	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	stefanbirkner	Medium
Vendor	pom	developer name	David Saff	Medium
Vendor	pom	developer name	Kevin Cooney	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Stefan Birkner	Medium
Vendor	pom	groupid	junit	Highest
Vendor	pom	name	JUnit	High
Vendor	pom	organization name	JUnit	High
Vendor	pom	organization url	http://www.junit.org	Medium
Vendor	pom	url	http://junit.org	Highest
Product	file	name	junit	High
Product	gradle	artifactid	junit	Highest
Product	jar	package name	junit	Highest
Product	Manifest	automatic-module-name	junit	Medium
Product	Manifest	Implementation-Title	JUnit	High
Product	Manifest	implementation-url	http://junit.org	Low
Product	pom	artifactid	junit	Highest
Product	pom	developer email	david@saff.net	Low
Product	pom	developer email	kcooney@google.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	mail@stefan-birkner.de	Low
Product	pom	developer id	dsaff	Low
Product	pom	developer id	kcooney	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	stefanbirkner	Low
Product	pom	developer name	David Saff	Low

Product	pom	developer name	Kevin Cooney	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Stefan Birkner	Low
Product	pom	groupid	junit	Highest
Product	pom	name	JUnit	High
Product	pom	organization name	JUnit	Low
Product	pom	organization url	http://www.junit.org	Low
Product	pom	url	http://junit.org	Medium
Version	file	version	4.13.2	High
Version	gradle	version	4.13.2	Highest
Version	Manifest	Implementation-Version	4.13.2	High
Version	pom	version	4.13.2	Highest

Identifiers

- pkg:maven/junit/junit@4.13.2 (*Confidence:High*)
- cpe:2.3:a:junit:junit4:4.13.2:*:*:*:*:* (*Confidence:Low*)

suppress

junit-jupiter-5.14.0.jar

Description:

Module "junit-jupiter" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter/5.14.0/df30c385c7c8ea0e74e3b63d8c6c0fc2b0ecb55/junit-jupiter-5.14.0.jar

MD5: 7ddc03716bc709deb839426691440409

SHA1: 0df30c385c7c8ea0e74e3b63d8c6c0fc2b0ecb55

SHA256: a89501c76e91abfdc08201acdaaae681d5c8d59b62f375d5929b6681a0118f43

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0
- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0
- pkg:maven/clear-reports/server@26.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter	High
Vendor	gradle	artifactid	junit-jupiter	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest

Vendor	pom	name	JUnit Jupiter (Aggregator)	High
Vendor	pom	url	https://junit.org/	Highest
Product	file	name	junit-jupiter	High
Product	gradle	artifactid	junit-jupiter	Highest
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter	Medium
Product	Manifest	Implementation-Title	junit-jupiter	High
Product	Manifest	specification-title	junit-jupiter	Medium
Product	pom	artifactid	junit-jupiter	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest

Product	pom	name	JUnit Jupiter (Aggregator)	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	5.14.0	High
Version	gradle	version	5.14.0	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation-Version	5.14.0	High
Version	pom	version	5.14.0	Highest

Identifiers

- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0 (*Confidence:High*)

junit-jupiter-api-5.14.0.jar

Description:

Module "junit-jupiter-api" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-api/5.14.0/4cc3acff995a4ce56ebf735a485800ddede31cb0/junit-jupiter-api-5.14.0.jar

MD5: ed392a0bd93155f0fd0674022a8ad32c

SHA1: 4cc3acff995a4ce56ebf735a485800ddede31cb0

SHA256: d3431a004b83823bcd95b6738130087ec32b2fb28a5a5deb4fbc16357bab8f9

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0
- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-api	High
Vendor	gradle	artifactid	junit-jupiter-api	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	api	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low

Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter-api	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter API	High
Vendor	pom	url	https://junit.org/	Highest

Product	file	name	junit-jupiter-api	High
Product	gradle	artifactid	junit-jupiter-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter API	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Product	Manifest	Implementation-Title	junit-jupiter-api	High
Product	Manifest	specification-title	junit-jupiter-api	Medium
Product	pom	artifactid	junit-jupiter-api	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low

Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter API	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	5.14.0	High
Version	gradle	version	5.14.0	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation-Version	5.14.0	High
Version	pom	version	5.14.0	Highest

Identifiers

- pkg:maven/org.junit.jupiter/junit-jupiter-api@5.14.0 (*Confidence:High*)

junit-jupiter-engine-5.14.0.jar

Description:

Module "junit-jupiter-engine" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-engine/5.14.0/9da8a108759444556e759f30e663a416a80f402c/junit-jupiter-engine-5.14.0.jar

MD5: 5a1f1a143fb48a49ceb29526b3951d5b

SHA1: 9da8a108759444556e759f30e663a416a80f402c

SHA256: 203b7a240b15716f8b881e2dfab0c580f1da5b274a196ff360f8cada2d1752ea

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0
- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0
- pkg:maven/clear-reports/server@26.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-engine	High
Vendor	gradle	artifactid	junit-jupiter-engine	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest

Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.14.0"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium

Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter Engine	High
Vendor	pom	url	https://junit.org/	Highest
Product	file	name	junit-jupiter-engine	High
Product	gradle	artifactid	junit-jupiter-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Engine	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Product	Manifest	Implementation-Title	junit-jupiter-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.14.0"	Low
Product	Manifest	specification-title	junit-jupiter-engine	Medium
Product	pom	artifactid	junit-jupiter-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low

Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter Engine	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	5.14.0	High
Version	gradle	version	5.14.0	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation-Version	5.14.0	High
Version	pom	version	5.14.0	Highest

Identifiers

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0 (*Confidence:High*)

junit-jupiter-params-5.14.0.jar

Description:

Module "junit-jupiter-params" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-params/5.14.0/3027dc3529237b2285b261640134daa217068c96/junit-jupiter-params-5.14.0.jar

MD5: dd4c6213ae046597f04d386cc5038338

SHA1: 3027dc3529237b2285b261640134daa217068c96

SHA256: 7fbb51837921c329604ba119dc1af0573d36230ea80f786aa3d4fd8c1d8b8a1b

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0
- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-params	High
Vendor	gradle	artifactid	junit-jupiter-params	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	jar	package name	params	Highest
Vendor	jar	package name	params	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter-params	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium

Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter Params	High
Vendor	pom	url	https://junit.org/	Highest
Product	file	name	junit-jupiter-params	High
Product	gradle	artifactid	junit-jupiter-params	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	jar	package name	params	Highest
Product	jar	package name	params	Low
Product	jar	package name	shadow	Low
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Params	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Product	Manifest	Implementation-Title	junit-jupiter-params	High
Product	Manifest	specification-title	junit-jupiter-params	Medium
Product	pom	artifactid	junit-jupiter-params	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low

Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter Params	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	5.14.0	High
Version	gradle	version	5.14.0	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation-Version	5.14.0	High
Version	pom	version	5.14.0	Highest

Identifiers

- pkg:maven/org.junit.jupiter/junit-jupiter-params@5.14.0 (*Confidence:High*)

junit-platform-commons-1.14.0.jar

Description:

Module "junit-platform-commons" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-commons/1.14.0/e7e1bbf2044652efc5a2a21f6b8c21173a9b91a1/junit-platform-commons-1.14.0.jar

MD5: 7f72f4b9a2ee123155ac4e9a011e0d8f

SHA1: e7e1bbf2044652efc5a2a21f6b8c21173a9b91a1

SHA256:e543a3a8422f1dfe6047f535305b70c777e0db431f1ef3f55ef5c86ac0bbcb9b

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0
- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-commons	High
Vendor	gradle	artifactid	junit-platform-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	commons	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	org	Highest
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-commons	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium

Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Commons	High
Vendor	pom	url	https://junit.org/	Highest
Product	file	name	junit-platform-commons	High
Product	gradle	artifactid	junit-platform-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-commons	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	junit-platform-commons	Medium
Product	pom	artifactid	junit-platform-commons	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low

Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Commons	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	1.14.0	High
Version	gradle	version	1.14.0	Highest
Version	Manifest	Bundle-Version	1.14.0	High
Version	Manifest	Implementation-Version	1.14.0	High
Version	pom	version	1.14.0	Highest

Identifiers

- pkg:maven/org.junit.platform/junit-platform-commons@1.14.0 (Confidence:High)
- cpe:2.3:a:fan_platform_project:fan_platform:1.14.0:*:*:*:*:* (Confidence:Low)

suppress

Description:

Module "junit-platform-engine" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-engine/1.14.0/77386b812c0e3ba96cdd7c018d2a2f61940ccd8f/junit-platform-engine-1.14.0.jar

MD5: 80623f8b044fc4fde498e82659a5e9d7

SHA1: 77386b812c0e3ba96cdd7c018d2a2f61940ccd8f

SHA256: 57cd29de834469aee656e5debda1f09f7c59630fd57b90cc0cbaa31726fc4d4a

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0
- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-engine	High
Vendor	gradle	artifactid	junit-platform-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low

Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Engine API	High
Vendor	pom	url	https://junit.org/	Highest
Product	file	name	junit-platform-engine	High
Product	gradle	artifactid	junit-platform-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	support	Low
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Engine API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-engine	High

Product	Manifest	specification-title	junit-platform-engine	Medium
Product	pom	artifactid	junit-platform-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Engine API	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	1.14.0	High
Version	gradle	version	1.14.0	Highest
Version	Manifest	Bundle-Version	1.14.0	High
Version	Manifest	Implementation-Version	1.14.0	High
Version	pom	version	1.14.0	Highest

Identifiers

- pkg:maven/org.junit.platform/junit-platform-engine@1.14.0 (*Confidence*:High)

- cpe:2.3:a:fan_platform_project:fan_platform:1.14.0:*:*:*:*:* (Confidence:Low)

suppress

junit-platform-launcher-1.14.0.jar

Description:

Module "junit-platform-launcher" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-launcher/1.14.0/b61418170bd0b204429b9ae77af681a1ac74579d/junit-platform-launcher-1.14.0.jar

MD5: cbd4803d13742dba0ab00bd74d40aa3d

SHA1: b61418170bd0b204429b9ae77af681a1ac74579d

SHA256: 1000b278797510dcec40d90f77f0d84dcc13e5982da563c18b6b5665aae4b81c

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0
- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-launcher	High
Vendor	gradle	artifactid	junit-platform-launcher	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	launcher	Highest
Vendor	jar	package name	launcher	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-	org.junit.platform.launcher;org.junit.platform.	Low

		capability	launcher=junit-platform-launcher;version:Version="1.14.0"	
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-launcher	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Launcher	High
Vendor	pom	url	https://junit.org/	Highest
Product	file	name	junit-platform-launcher	High
Product	gradle	artifactid	junit-platform-launcher	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	launcher	Highest
Product	jar	package name	launcher	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low

Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Launcher	Medium
Product	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Product	Manifest	Implementation-Title	junit-platform-launcher	High
Product	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.14.0"	Low
Product	Manifest	specification-title	junit-platform-launcher	Medium
Product	pom	artifactid	junit-platform-launcher	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Launcher	High
Product	pom	url	https://junit.org/	Medium

Version	file	version	1.14.0	High
Version	gradle	version	1.14.0	Highest
Version	Manifest	Bundle-Version	1.14.0	High
Version	Manifest	Implementation-Version	1.14.0	High
Version	pom	version	1.14.0	Highest

Identifiers

- pkg:maven/org.junit.platform/junit-platform-launcher@1.14.0 (*Confidence:High*)
- cpe:2.3:a:fan_platform_project:fan_platform:1.14.0:*:*:*:*:* (*Confidence:Low*)

suppress

junit-platform-suite-1.14.0.jar

Description:

Module "junit-platform-suite" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite/1.14.0/28f2ccbb1d9707b233879e82f7f660c673ad053d/junit-platform-suite-1.14.0.jar

MD5: 5fa9ec3bbe194ae860e5e0a34099bd87

SHA1: 28f2ccbb1d9707b233879e82f7f660c673ad053d

SHA256: 52472503bdf9168853f6aa7dcb87a6563ebcc7748fdd91d9440df1928da82c13

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0
- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0
- pkg:maven/clear-reports/server@26.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite	High
Vendor	gradle	artifactid	junit-platform-suite	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low

Vendor	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite (Aggregator)	High
Vendor	pom	url	https://junit.org/	Highest
Product	file	name	junit-platform-suite	High
Product	gradle	artifactid	junit-platform-suite	Highest
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low

Product	Manifest	Bundle-Name	JUnit Platform Suite (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Product	Manifest	Implementation-Title	junit-platform-suite	High
Product	Manifest	specification-title	junit-platform-suite	Medium
Product	pom	artifactid	junit-platform-suite	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite (Aggregator)	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	1.14.0	High
Version	gradle	version	1.14.0	Highest
Version	Manifest	Bundle-Version	1.14.0	High
Version	Manifest	Implementation-Version	1.14.0	High
Version	pom	version	1.14.0	Highest

Identifiers

- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0 (Confidence:High)
- cpe:2.3:a:fan_platform_project:fan_platform:1.14.0:*:*:*:*:* (Confidence:Low)

suppress

junit-platform-suite-api-1.14.0.jar

Description:

Module "junit-platform-suite-api" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-api/1.14.0/32db2f3c4405b2cad90e3756be83815414c80897/junit-platform-suite-api-1.14.0.jar

MD5: 286cd58bb6f5564c4e9f8b79dd319cf9

SHA1: 32db2f3c4405b2cad90e3756be83815414c80897

SHA256: 4399e19ace24e524d5957f7b3a9eaf954124241f3313ea659e01fd149f110c6a

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0
- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-api	High
Vendor	gradle	artifactid	junit-platform-suite-api	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low

Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite-api	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite API	High
Vendor	pom	url	https://junit.org/	Highest
Product	file	name	junit-platform-suite-api	High
Product	gradle	artifactid	junit-platform-suite-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest

Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-api	High
Product	Manifest	specification-title	junit-platform-suite-api	Medium
Product	pom	artifactid	junit-platform-suite-api	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest

Product	pom	name	JUnit Platform Suite API	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	1.14.0	High
Version	gradle	version	1.14.0	Highest
Version	Manifest	Bundle-Version	1.14.0	High
Version	Manifest	Implementation-Version	1.14.0	High
Version	pom	version	1.14.0	Highest

Identifiers

- pkg:maven/org.junit.platform/junit-platform-suite-api@1.14.0 (*Confidence:High*)
- cpe:2.3:a:fan_platform_project:fan_platform:1.14.0:*:*:*:*:* (*Confidence:Low*)

suppress

junit-platform-suite-commons-1.14.0.jar

Description:

Module "junit-platform-suite-commons" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-commons/1.14.0/d351237988ef097514fc7a35bcfa3de73a08a0a/junit-platform-suite-commons-1.14.0.jar

MD5: 235c8d26c6a49946d7826e862e0a181d

SHA1: 0d351237988ef097514fc7a35bcfa3de73a08a0a

SHA256: b868237f8cb2e193775e3f712b9405cb3d4ffaa180579cc83a7fe1f6db9c5cc1

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0
- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-commons	High
Vendor	gradle	artifactid	junit-platform-suite-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	junit	Highest

Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite-commons	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest

Vendor	pom	name	JUnit Platform Suite Commons	High
Vendor	pom	url	https://junit.org/	Highest
Product	file	name	junit-platform-suite-commons	High
Product	gradle	artifactid	junit-platform-suite-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-commons	High
Product	Manifest	specification-title	junit-platform-suite-commons	Medium
Product	pom	artifactid	junit-platform-suite-commons	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low

Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite Commons	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	1.14.0	High
Version	gradle	version	1.14.0	Highest
Version	Manifest	Bundle-Version	1.14.0	High
Version	Manifest	Implementation-Version	1.14.0	High
Version	pom	version	1.14.0	Highest

Identifiers

- pkg:maven/org.junit.platform/junit-platform-suite-commons@1.14.0 (*Confidence:High*)
- cpe:2.3:a:fan_platform_project:fan_platform:1.14.0:***** (*Confidence:Low*)

suppress

junit-platform-suite-engine-1.14.0.jar

Description:

Module "junit-platform-suite-engine" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-engine/1.14.0/f87f86ae21fb6bfa7749cca62ec55e302ecd3e88/junit-platform-suite-engine-1.14.0.jar

MD5: 9306e0421eb55b833e9f37eecaabdd4

SHA1: f87f86ae21fb6bfa7749cca62ec55e302ecd3e88

SHA256: f545be730d41d6a760e8422e687b8223d632026ae2049250c80c797007789ac0

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0
- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-engine	High
Vendor	gradle	artifactid	junit-platform-suite-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium

Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite Engine	High
Vendor	pom	url	https://junit.org/	Highest
Product	file	name	junit-platform-suite-engine	High
Product	gradle	artifactid	junit-platform-suite-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Engine	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-engine	High
Product	Manifest	specification-title	junit-platform-suite-engine	Medium
Product	pom	artifactid	junit-platform-suite-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low

Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite Engine	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	1.14.0	High
Version	gradle	version	1.14.0	Highest
Version	Manifest	Bundle-Version	1.14.0	High
Version	Manifest	Implementation-Version	1.14.0	High
Version	pom	version	1.14.0	Highest

Identifiers

- pkg:maven/org.junit.platform/junit-platform-suite-engine@1.14.0 (*Confidence:High*)
- cpe:2.3:a:fan_platform_project:fan_platform:1.14.0:*:*:*:*:* (*Confidence:Low*)

junit-vintage-engine-5.14.0.jar

Description:

Module "junit-vintage-engine" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.vintage/junit-vintage-engine/5.14.0/ac6667e31d2774c9281bbcbe00706d54c47db40e/junit-vintage-engine-5.14.0.jar

MD5: 372fe55fae45603c029e6379e728c764

SHA1: ac6667e31d2774c9281bbcbe00706d54c47db40e

SHA256: 10b9cea16ce573d906719326795bb2b6a5aecbdcc64ab30825f05af9226cb595

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0
- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0
- pkg:maven/clear-reports/server@26.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-vintage-engine	High
Vendor	gradle	artifactid	junit-vintage-engine	Highest
Vendor	gradle	groupid	org.junit.vintage	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	vintage	Highest
Vendor	jar	package name	vintage	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.14.0"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-vintage-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low

Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.vintage	Highest
Vendor	pom	name	JUnit Vintage Engine	High
Vendor	pom	url	https://junit.org/	Highest
Product	file	name	junit-vintage-engine	High
Product	gradle	artifactid	junit-vintage-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	vintage	Highest
Product	jar	package name	vintage	Low
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Vintage Engine	Medium
Product	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Product	Manifest	Implementation-Title	junit-vintage-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.14.0"	Low
Product	Manifest	specification-title	junit-vintage-engine	Medium

Product	pom	artifactid	junit-vintage-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.vintage	Highest
Product	pom	name	JUnit Vintage Engine	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	5.14.0	High
Version	gradle	version	5.14.0	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation-Version	5.14.0	High
Version	pom	version	5.14.0	Highest

Identifiers

- pkg:maven/org.junit.vintage/junit-vintage-engine@5.14.0 (*Confidence:High*)

- cpe:2.3:a:fan_platform_project:fan_platform:5.14.0:***** (Confidence:Low)

suppress

lang-css.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - HTML API Doc/scripts/prettify/lang-css.js

MD5: 914365fa44cd3c094afc7c0de229e29e

SHA1: 0a6564da73538b95de1d787c36347f63595891b4

SHA256: 9b6ac483033b02572714eb4d37ee199185c41008eb2b3f46a00ab0ebce6a20c5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

linenumber.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - HTML API Doc/scripts/linenumber.js

MD5: 8520038fe7381ba8119956a342d21580

SHA1: ccbf2747b02c5204bf135f3b48fcfb74540c62e8

SHA256: bcc1057a550d0865cd8fceb0e7531b76226d25d42ebdfa8cab11f2314c3787

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

mail.zip: angus-activation.jar

Description:

Implementation

License:

<http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/angus-activation.jar

MD5: ad20392145690b36b4f950fe31a31a2a

SHA1: 7f80607ea5014fef0b1779e6c33d63a88a45a563

SHA256: a6bd35c538cf90fff941ad6258c40c08fca0b5c9c3f536c657114f27ce0527a7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angus-activation	High
Vendor	jar	package name	activation	Highest
Vendor	jar	package name	angus	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	angus-activation	Medium
Vendor	Manifest	extension-name	org.eclipse.angus	Medium
Vendor	Manifest	implementation-build-id	2.0.3-RELEASE-6eff4c5	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MailcapRegistryProvider",osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MimeTypeRegistryProvider"	Low
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	angus-activation	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Activation Registries	High
Vendor	pom	parent-artifactid	angus-activation-project	Low
Product	file	name	angus-activation	High
Product	jar	package name	activation	Highest
Product	jar	package name	angus	Highest

Product	jar	package name	eclipse	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Angus Activation Registries	Medium
Product	Manifest	bundle-symbolicname	angus-activation	Medium
Product	Manifest	extension-name	org.eclipse.angus	Medium
Product	Manifest	implementation-build-id	2.0.3-RELEASE-6eff4c5	Low
Product	Manifest	Implementation-Title	Angus Activation Registries	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MailcapRegistryProvider",osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MimeTypeRegistryProvider"	Low
Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	angus-activation	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Activation Registries	High
Product	pom	parent-artifactid	angus-activation-project	Medium
Version	Manifest	Bundle-Version	2.0.3	High
Version	pom	version	2.0.3	Highest

Identifiers

- pkg:maven/org.eclipse.angus/angus-activation@2.0.3 (*Confidence:High*)

mail.zip: angus-mail.jar (shaded: org.eclipse.angus:angus-core:2.0.5)

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/angus-core/pom.xml

MD5: 102fa937d3897ac6eb838ff3a716bc80

SHA1: 11d1302ad859e7dda8e897ffa278a2135d0d3c7e

SHA256:162bec7f0c7a2c3d461a42ca576e139b80628798f97f274b7dd5759226fc47c1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	angus-core	Low

Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail Core	High
Vendor	pom	parent-artifactid	all	Low
Product	pom	artifactid	angus-core	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail Core	High
Product	pom	parent-artifactid	all	Medium
Version	pom	version	2.0.5	Highest

Identifiers

- pkg:maven/org.eclipse.angus/angus-core@2.0.5 (*Confidence:High*)
- cpe:2.3:a:eclipse:angus_mail:2.0.5:*:*:*:*:* (*Confidence:Low*) suppress

mail.zip: angus-mail.jar (shaded: org.eclipse.angus:imap:2.0.5)

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/imap/pom.xml

MD5: c031701146f4f9887af1d7348b68e607

SHA1: bd81e3288ab646231bc2d64cedf04fe3c3146bf5

SHA256: 251e848e4c2db58e57e7725434e0498043cd3d554fba21d22d5178e5783e21dd

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	imap	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail imap provider	High
Vendor	pom	parent-artifactid	providers	Low
Product	pom	artifactid	imap	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail imap provider	High
Product	pom	parent-artifactid	providers	Medium
Version	pom	version	2.0.5	Highest

Identifiers

- pkg:maven/org.eclipse.angus/imap@2.0.5 (Confidence:High)
- cpe:2.3:a:eclipse:angus_mail:2.0.5:***** (Confidence:Low)

suppress

mail.zip: angus-mail.jar (shaded: org.eclipse.angus:logging-mailhandler:2.0.5)

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/logging-mailhandler/pom.xml

MD5: d4925a2ff344f2fab35fdf31f4813b43

SHA1: 53aac2712cc43a3aed66f65536fd91709056aef1

SHA256: 869577c24e1abb117bd9cf7dc9228c2643839b75087bfc5d6fed0d328ed9d1f7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	logging-mailhandler	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail logging handler	High
Vendor	pom	parent-artifactid	all	Low
Product	pom	artifactid	logging-mailhandler	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail logging handler	High
Product	pom	parent-artifactid	all	Medium
Version	pom	version	2.0.5	Highest

Identifiers

- pkg:maven/org.eclipse.angus/logging-mailhandler@2.0.5 (Confidence:High)
- [cpe:2.3:a:eclipse:angus_mail:2.0.5:*****](#) (Confidence:Highest)

suppress

mail.zip: angus-mail.jar (shaded: org.eclipse.angus:pop3:2.0.5)

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/pop3/pom.xml

MD5: 0d7646a22486f0de9392d7ea120ff618

SHA1: 4b674f85989e5cc112b93427ec3852ef90359ba3

SHA256: 64b065cc6bec31a1e5fefa9bf47382045cf048d69a9820da4cecc85f34a77a69

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	pop3	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail pop3 provider	High
Vendor	pom	parent-artifactid	providers	Low
Product	pom	artifactid	pop3	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail pop3 provider	High
Product	pom	parent-artifactid	providers	Medium
Version	pom	version	2.0.5	Highest

Identifiers

- pkg:maven/org.eclipse.angus/pop3@2.0.5 (*Confidence:High*)
- cpe:2.3:a:eclipse:angus_mail:2.0.5:***** (*Confidence:Low*)

suppress

mail.zip: angus-mail.jar (shaded: org.eclipse.angus:smtp:2.0.5)

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/smtp/pom.xml

MD5: b5281897cc205fa3c8f0a93b58d4ba31

SHA1: c4b330d66629d75d0df7c09739c7ab37ca834011

SHA256: 14923a712a69fb1408452be22fe8e87aa57e45337f0b52ae289d2bbb3d016ec1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	smtp	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail smtp provider	High
Vendor	pom	parent-artifactid	providers	Low
Product	pom	artifactid	smtp	Highest

Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail smtp provider	High
Product	pom	parent-artifactid	providers	Medium
Version	pom	version	2.0.5	Highest

Identifiers

- pkg:maven/org.eclipse.angus/smtp@2.0.5 (*Confidence:High*)
- cpe:2.3:a:eclipse:angus_mail:2.0.5:****:* (*Confidence:Low*)

suppress

mail.zip: angus-mail.jar

Description:

Angus Mail Provider

License:

<http://www.eclipse.org/legal/epl-2.0>, <https://www.gnu.org/software/classpath/license.html>, <http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/angus-mail.jar

MD5: e965a2653568c0138457b4c6fc9e5d77

SHA1: 427f6d52ec0782f7efaca0c0732042e347a6cb4f

SHA256: b4d8c30d35f455def6c7a05fe595a1e62ea2b80cac3efec1e9ccf4118b23168a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angus-mail	High
Vendor	jar	package name	angus	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	mail	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.angus.mail	Medium
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.mail.util.StreamProvider",osgi.serviceloader;osgi.serviceloader="jakarta.mail.Provider"	Low
Vendor	pom	artifactid	angus-mail	Low

Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail Provider	High
Vendor	pom	parent-artifactid	all	Low
Product	file	name	angus-mail	High
Product	jar	package name	angus	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	mail	Highest
Product	jar	package name	util	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Angus Mail Provider	Medium
Product	Manifest	bundle-symbolicname	org.eclipse.angus.mail	Medium
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.mail.util.StreamProvider",osgi.serviceloader;osgi.serviceloader="jakarta.mail.Provider"	Low
Product	pom	artifactid	angus-mail	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail Provider	High
Product	pom	parent-artifactid	all	Medium
Version	Manifest	Bundle-Version	2.0.5	High
Version	pom	version	2.0.5	Highest

Identifiers

- pkg:maven/org.eclipse.angus/angus-mail@2.0.5 (*Confidence:High*)
- [cpe:2.3:a:eclipse:angus_mail:2.0.5:*****](#) (*Confidence:Highest*)

suppress

mail.zip: bc-fips.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/bc-fips.jar

MD5: 0e3ce147f5132e096e7c3b22ab23a079

SHA1: 061fbe8383f70489dda95a11a2a4739eb818ff2c

SHA256: 044fcd8a29d236edea8a5b414406cdae63b475f9ad9f05fe2dc904a277941115

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bc-fips	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	fips	Highest
Vendor	jar	package name	org	Highest
Vendor	jar	package name	provider	Highest
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS Provider	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcfips	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bc-fips	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	fips	Highest
Product	jar	package name	org	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	provider	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS Provider	Medium

Product	Manifest	Bundle-Name	bcfips	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcfips	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfips	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	jar	package name	permissions	Highest
Version	Manifest	Bundle-Version	2.1.2	High
Version	Manifest	Implementation-Version	2.1.2	High

Related Dependencies



- webserver.zip: bc-fips.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/bc-fips.jar
 - MD5: 0e3ce147f5132e096e7c3b22ab23a079
 - SHA1: 061fbe8383f70489dda95a11a2a4739eb818ff2c
 - SHA256: 044fcd8a29d236edea8a5b414406cdae63b475f9ad9f05fe2dc904a277941115

Identifiers

- cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.2:***** (Confidence:Low)

suppress

mail.zip: bcjmail-fips.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/bcjmail-fips.jar

MD5: 3b3a2949caf465737f18eba828c82f8d

SHA1: 11d1755a9103ae0359a5d8a0e3397d054bf16b0f

SHA256: 134bd06e17e66f13319b5e90781695d9c2bd586f4ed1dc3fc6f833279a750bc9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bcjmail-fips	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	mail	Low
Vendor	jar	package name	smime	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS JAKARTA S/MIME API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.bcjmail	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcjmail	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcjmail.mail	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcjmail-fips	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	mail	Low
Product	jar	package name	smime	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS JAKARTA S/MIME API	Medium
Product	Manifest	automatic-	org.bouncycastle.fips.bcjmail	Medium

module-name

Product	Manifest	Bundle-Name	bcjmail	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcjmail	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcjmail.mail	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	2.1.6	High
Version	Manifest	Implementation-Version	2.1.6	High

Identifiers

- [cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.6:****:*](#) (Confidence: Highest)

suppress

mail.zip: bcpq-fips.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/bcpq-fips.jar

MD5: 22924ccba346b696acaa3c72634ea8b5

SHA1: 727e087a843f3a5a8143e4f3a7518c8c3517df18

SHA256: ea51efee825bd0d61c3d22cff5a127898edc7ca62ba454fbcf4789801031d850

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bcpq-fips	High
Vendor	jar	package name	bcpq	Highest
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	openpgp	Highest

Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS OpenPGP API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.pg	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcpq	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips.pg	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcpq-fips	High
Product	jar	package name	bcpq	Highest
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	openpgp	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS OpenPGP API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.pg	Medium
Product	Manifest	Bundle-Name	bcpq	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcpq	Medium
Product	Manifest	caller-allowable-codebase	*	Low

Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfixs.pg	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	2.1.11	High
Version	Manifest	Implementation-Version	2.1.11	High

Identifiers

- [cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.11:*****](#) (Confidence: Highest)
- [cpe:2.3:a:openpgp:openpgp:2.1.11:*****](#) (Confidence: Highest)

mail.zip: bcpkix-fips.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/bcpkix-fips.jar

MD5: 17235576f301545c841cd96c00cc4815

SHA1: 41d15c70437440d63b65225d7c00873a030d25d0

SHA256: c4370064664d474d8681f55f302cfdade4cae0f3d798b10fd18b0ab8fbd6fed1

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	bcpkix-fips	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	pkix	Highest
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS PKIX API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.pkix	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low

Vendor	Manifest	bundle-symbolicname	bcpkix	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfixs.pkix	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcpkix-fips	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	pkix	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS PKIX API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.pkix	Medium
Product	Manifest	Bundle-Name	bcpkix	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcpkix	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfixs.pkix	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	2.1.10	High
Version	Manifest	Implementation-Version	2.1.10	High

Related Dependencies



- webserver.zip: bcpkix-fips.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/bcpkix-fips.jar
 - MD5: 17235576f301545c841cd96c00cc4815
 - SHA1: 41d15c70437440d63b65225d7c00873a030d25d0
 - SHA256: c4370064664d474d8681f55f302cfdade4cae0f3d798b10fd18b0ab8fbd6fed1

Identifiers

- [cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.10:****:*](#) (Confidence: Highest)

mail.zip: bcutil-fips.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/bcutil-fips.jar

MD5: ca132f36f25d85df12535487bb9a2d33

SHA1: 30b41ebc759a4f02e2ff7ab9acb09268923ee41f

SHA256: 503aaf5c2c5b7c729547462efe13699b5f6dacf9be150b7c48bba974b793dc92

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bcutil-fips	High
Vendor	jar	package name	asn1	Low
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	its	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS Utility API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.util	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcutil	Medium

Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips.util	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcutil-fips	High
Product	jar	package name	asn1	Low
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	its	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS Utility API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.util	Medium
Product	Manifest	Bundle-Name	bcutil	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcutil	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfips.util	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	2.1.5	High
Version	Manifest	Implementation-Version	2.1.5	High

Related Dependencies



- webserver.zip: bcutil-fips.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/bcutil-fips.jar
 - MD5: ca132f36f25d85df12535487bb9a2d33
 - SHA1: 30b41ebc759a4f02e2ff7ab9acb09268923ee41f
 - SHA256: 503aaf5c2c5b7c729547462efe13699b5f6dacf9be150b7c48bba974b793dc92

Identifiers

- [cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.5:****:*](#) (Confidence: Highest)

suppress

mail.zip: jakarta.activation-api.jar

Description:

Specification

License:

EDL 1.0: <http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/jakarta.activation-api.jar

MD5: bc1602eee7bc61a0b86f14bbbb0cc794

SHA1: 9e5c2a0d75dde71a0bedc4dbdbe47b78a5dc50f8

SHA256: c9db52100ce6c8aac95cc39075f95720d2e561b11f8051b81c121ad4effd7004

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.activation-api	High
Vendor	jar	package name	activation	Highest
Vendor	jar	package name	jakarta	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Vendor	Manifest	extension-name	jakarta.activation	Medium
Vendor	Manifest	implementation-build-id	3dad341	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High

Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.activation-api	Low
Vendor	pom	developer email	bill.shannon@oracle.com	Low
Vendor	pom	developer id	shannon	Medium
Vendor	pom	developer name	Bill Shannon	Medium
Vendor	pom	developer org	Oracle	Medium
Vendor	pom	groupid	jakarta.activation	Highest
Vendor	pom	name	Jakarta Activation API	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Vendor	pom	url	jakartaee/jaf-api	Highest
Vendor	pom (hint)	developer org	sun	Medium
Product	file	name	jakarta.activation-api	High
Product	jar	package name	activation	Highest
Product	jar	package name	jakarta	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Activation API	Medium
Product	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Product	Manifest	extension-name	jakarta.activation	Medium
Product	Manifest	implementation-build-id	3dad341	Low
Product	Manifest	Implementation-Title	Jakarta Activation API	High
Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	jakarta.activation-api	Highest
Product	pom	developer email	bill.shannon@oracle.com	Low
Product	pom	developer id	shannon	Low
Product	pom	developer name	Bill Shannon	Low
Product	pom	developer org	Oracle	Low
Product	pom	groupid	jakarta.activation	Highest
Product	pom	name	Jakarta Activation API	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	jakartaee/jaf-api	High
Version	Manifest	Bundle-Version	2.1.4	High

Version	pom	parent-version	2.1.4	Low
Version	pom	version	2.1.4	Highest

Identifiers

- pkg:maven/jakarta.activation/jakarta.activation-api@2.1.4 (*Confidence:High*)

mail.zip: jakarta.mail-api.jar

Description:

Specification API

License:

EPL 2.0: <http://www.eclipse.org/legal/epl-2.0>

GPL2 w/ CPE: <https://www.gnu.org/software/classpath/license.html>

EDL 1.0: <http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/jakarta.mail-api.jar

MD5: a1872951f46b87594806bb01e342a468

SHA1: be9b3b677ed6083f575c437ebc442a6a4bd2b931

SHA256: aa493753acb7a8c45ba8f4c9cf1230a74e20237056dd5b5c8bc86c583e8cfa0e

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.mail-api	High
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	mail	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.mail-api	Medium
Vendor	Manifest	extension-name	jakarta.mail	Medium
Vendor	Manifest	implementation-build-id	e187321	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.mail-api	Low
Vendor	pom	groupid	jakarta.mail	Highest

Vendor	pom	name	Jakarta Mail API	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	file	name	jakarta.mail-api	High
Product	jar	package name	jakarta	Highest
Product	jar	package name	mail	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Mail API	Medium
Product	Manifest	bundle-symbolicname	jakarta.mail-api	Medium
Product	Manifest	extension-name	jakarta.mail	Medium
Product	Manifest	implementation-build-id	e187321	Low
Product	Manifest	Implementation-Title	Jakarta Mail API	High
Product	Manifest	specification-title	Jakarta Mail Specification	Medium
Product	pom	artifactid	jakarta.mail-api	Highest
Product	pom	groupid	jakarta.mail	Highest
Product	pom	name	Jakarta Mail API	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Version	Manifest	Bundle-Version	2.1.5	High
Version	pom	parent-version	2.1.5	Low
Version	pom	version	2.1.5	Highest

Identifiers

- pkg:maven/jakarta.mail/jakarta.mail-api@2.1.5 (Confidence:High)
- [cpe:2.3:a:eclipse:jakarta_mail:2.1.5:*:*:*:*:*](#) (Confidence:High)

suppress

mail.zip: mail.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/mail.jar

MD5: ad421f8edaa63713298e0a100d37938d

SHA1: 37979058bf5d59d85689728952f07c46f1638bff

SHA256: 5f374847521646f89b26fbde9165998609264244968a881fc66fd59732139017

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	mail	High
Vendor	jar	package name	api	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	mail	Low
Vendor	Manifest	built-date	2026-08-07 16:58	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	mail	High
Product	jar	package name	api	Low
Product	jar	package name	mail	Highest
Product	jar	package name	mail	Low
Product	jar	package name	shared	Highest
Product	Manifest	built-date	2026-08-07 16:58	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	mail	High
Product	Manifest	specification-title	mail	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/mail.jar/com/inet/mail/structure/smimeconfig.js

MD5: 5bcf984b6f7d3c12903f8e45723c4737

SHA1: c0fefbb10badfba57b9dd391e641c1357c10b615

SHA256: 0fd57f5869585f955a1274b3e859d7172f1d8c41f26fb647d256207d680c5567

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

main.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/main.js

MD5: 2b558dab5ed8c55f9230d761baa9568d

SHA1: c4805fdaf812b232eaec0b59218c5ef03d6f0b46

SHA256: 197e7c96a3eff851e84bc401bd748367246462dfea148a2488b083f6f837c969

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

maintenance.reporting.zip: maintenance.reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.reporting.zip/maintenance.reporting.jar

MD5: c49806d81fd98d4a3869dff207f2034e

SHA1: 29e2cda2289ae80ca1ab61af3ed07dc05a0fc8a1
SHA256:d36154cc6ead6e046f2f2b4afe831f6087c8ebabe0f058c68c1ab15d2fd5f8ab
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-08-07 18:04	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance.reporting	High
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2026-08-07 18:04	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	maintenance.reporting	High
Product	Manifest	specification-title	maintenance.reporting	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar

MD5: 181c8f664a03a27bc457d9aef7a15ff8

SHA1: 2be161fa7156c7086ee2f7c21acb10874d1b3b06

SHA256: 29473a6cc59b05b9d015c2805beb1557f28798284a1146d8b8b3cb88d47fbb9d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance-javadoc	High
Product	file	name	maintenance-javadoc	High

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/member-search-index.js

MD5: d2f21acbf71acf3041122496263b6987

SHA1: 84b4c22fabbd5df572518bbccbdb96b3936b6fc

SHA256: dd41c917e08c1e6b0b4cac7e70d4284187f4c49eb8e3d6f4c208031b21e5291a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/package-search-index.js
MD5: 855175baa750c5c598744cead48c703b
SHA1: 0c42882b706bfb4b9e6395f33e47c199af9ad99c
SHA256: 2fedad883e306a57bd45bc9d379ebaf73e07a74f40b222a6bd6636a128e02321
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: tag-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/tag-search-index.js
MD5: a58a1c5776c62196a0f461efeec112cf
SHA1: 1f0fdbb7c073f10c3554bd94ad9a08e02540e79d
SHA256: c152193c680dff2fca6c2f8feec029f8a15b07527def9ddcd88eb0a078c5e704
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Related Dependencies



- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: tag-search-index.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/tag-search-index.js
 - MD5: a58a1c5776c62196a0f461efeec112cf
 - SHA1: 1f0fdbb7c073f10c3554bd94ad9a08e02540e79d
 - SHA256: c152193c680dff2fca6c2f8feec029f8a15b07527def9ddcd88eb0a078c5e704

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/type-search-index.js

MD5: 5f0f0ccdd4505d0bec8b945166307218

SHA1: 5595ef71303f817751c27596da180e8e8866f2b4

SHA256: 25da93efbedae785d430a8c419d14ea9bb9e1eef9d948f36e27ee8ce803392be

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

maintenance.zip: maintenance.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar

MD5: c5ff8274dca38cd2e3bc510155a03621

SHA1: 4d8fdf3928e2a2e0c7f47d458fe02a834fda33e6

SHA256: 52eed59e4f0b60d2b5a14e9af26305ab12f648a4ac962ab9d70ff31c3899a313

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	maintenance	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2026-08-07 16:38	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance	High
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2026-08-07 16:38	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	maintenance	High
Product	Manifest	specification-title	maintenance	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/backup/js/controller.js

MD5: eda28b0d3fc75e6df1ec801c4dda1184

SHA1: bde7771a725ab5f735940d621e891210d76d746c

SHA256: a6b050a5c95270a0c67687822415186d22ee8330dcf39902d53e80d8272effda

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/cache/js/controller.js

MD5: 9aed8a6ed9f9e734d77c32d719bec6c3

SHA1: f1e50c3fe93c975c1900d7bb2f6e3903805466a8

SHA256: 153239e343c82ae0a4a573dfcfd0292c52b77816297b77830d59aea2dd2c5c6a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/controller.js

MD5: 0ff72e191a3f127973fc5a9381f1e3fb

SHA1: 2ed064d4500a047ef82b23173f0abf1e9813e1a2

SHA256: 6d60b6004b5b228cc1e6fcaf6ba01afc922d7d6e174f32773dbf32f1993085a0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/programdata/js/controller.js

MD5: fa453d5635f82f0078c224f27dd99a7d

SHA1: 6288a3c4fbff29ee7cc6a8f69149de44c49ef5c6

SHA256: f7902fb5b8dd900a95b90969872c55787e2d4f65f3736d827fcb13c0ebcef46b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/controller.js

MD5: 8761a32cdcf4e1e4a7685026230292f7

SHA1: c2d0abdc930a08da61c93cf63f310c9a74434f3c

SHA256: 358479a73183963c1626c72ae92d5c4f7c03b83363c80257ac03dc58eb4285bd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

maintenance.zip: maintenance.jar: filechooser.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/filechooser.js

MD5: e68e2ea53d15557b2fb1deaf06d441d3

SHA1: 047d5f2582143536ea470e92aa91fb7b77c7f093

SHA256: c44d53718171530ce586b9932fe7126a09de8e6f7bb9e40aaf949483e432e87d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

maintenance.zip: maintenance.jar: multieditusers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/multieditusers.js
MD5: 9344849a6f020a58c0f0d718e8c76929
SHA1: 2d636915befe9bd1db90c54bffe6acfb088d87
SHA256: ab73fb84fe0687eaea50fa310992eb630da346b49387ccee829854f6ecc03329
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

mariadb-java-client.jar

Description:
JDBC driver for MariaDB and MySQL

License:
LGPL-2.1-or-later

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/mariadb-java-client.jar
MD5: 51b9c427695b359459c7818f8d02f362
SHA1: 452ea913ff32dcd58e816565eb9bb1abf8fae82e
SHA256: 07bb1229dc184f3313a5aef4c5a6b3207c8dbaa09db4a26814c936f004b4c526
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Vendor	file	name	mariadb-java-client	High
Vendor	jar	package name	client	Highest
Vendor	jar	package name	driver	Highest
Vendor	jar	package name	jdbc	Highest
Vendor	jar	package name	mariadb	Highest
Vendor	jar	package name	org	Highest
Vendor	Manifest	build-jdk-spec	25	Low
Vendor	Manifest	bundle-developers	mariadbJdbcDevelopers;name="mariadb jdbc developers"	Low
Vendor	Manifest	bundle-docurl	https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/	Low
Vendor	Manifest	bundle-symbolicname	mariadb-java-client	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	mariadb-java-client	Low
Vendor	pom	developer id	mariadbJdbcDevelopers	Medium
Vendor	pom	developer name	mariadb jdbc developers	Medium
Vendor	pom	groupid	org.mariadb.jdbc	Highest
Vendor	pom	name	mariadb-java-client	High
Vendor	pom	organization name	mariadb.com	High
Vendor	pom	organization url	https://mariadb.com	Medium
Vendor	pom	url	https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/	Highest
Product	file	name	mariadb-java-client	High
Product	jar	package name	client	Highest
Product	jar	package name	driver	Highest
Product	jar	package name	jdbc	Highest
Product	jar	package name	mariadb	Highest
Product	jar	package name	org	Highest
Product	Manifest	build-jdk-spec	25	Low
Product	Manifest	bundle-developers	mariadbJdbcDevelopers;name="mariadb jdbc developers"	Low
Product	Manifest	bundle-docurl	https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/	Low
Product	Manifest	Bundle-Name	mariadb-java-client	Medium
Product	Manifest	bundle-symbolicname	mariadb-java-client	Medium
Product	Manifest	multi-release	true	Low

Product	pom	artifactid	mariadb-java-client	Highest
Product	pom	developer id	mariadbJdbcDevelopers	Low
Product	pom	developer name	mariadb jdbc developers	Low
Product	pom	groupid	org.mariadb.jdbc	Highest
Product	pom	name	mariadb-java-client	High
Product	pom	organization name	mariadb.com	Low
Product	pom	organization url	https://mariadb.com	Low
Product	pom	url	https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/	Medium
Version	Manifest	Bundle-Version	3.5.7	High
Version	pom	version	3.5.7	Highest

Identifiers

- pkg:maven/org.mariadb.jdbc/mariadb-java-client@3.5.7 (*Confidence*:High)

mysql-connector-j.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/mysql-connector-j.jar

MD5: e66a1e9f6465f66b3503705aee942a47

SHA1: 43e30438c4c8707272ead3cd3167a1e07abb2c3c

SHA256: 69084713593a4aa8d07c383619b9639276f08bccf8faf1c562178147d389b1e1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	mysql-connector-j	High
Vendor	hint analyzer	vendor	oracle	Highest
Vendor	hint analyzer (hint)	vendor	sun	Highest
Vendor	jar	package name	cj	Highest
Vendor	jar	package name	cj	Low
Vendor	jar	package name	mysql	Highest
Vendor	jar	package name	mysql	Low
Vendor	Manifest	bundle-	com.mysql.cj	Medium

symbolicname

Vendor	Manifest	Implementation-Vendor	Oracle	High
Vendor	Manifest	Implementation-Vendor-Id	com.mysql	Medium
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Vendor	Manifest (hint)	Implementation-Vendor	sun	High
Product	file	name	mysql-connector-j	High
Product	hint analyzer	product	mysql_connector/j	Highest
Product	hint analyzer	product	mysql_connector_j	Highest
Product	hint analyzer	product	mysql_connectors	Highest
Product	jar	package name	cj	Highest
Product	jar	package name	cj	Low
Product	jar	package name	driver	Highest
Product	jar	package name	jdbc	Highest
Product	jar	package name	mysql	Highest
Product	jar	package name	xdevapi	Highest
Product	Manifest	Bundle-Name	Oracle Corporation's JDBC and XDevAPI Driver for MySQL	Medium
Product	Manifest	bundle-symbolicname	com.mysql.cj	Medium
Product	Manifest	Implementation-Title	MySQL Connector/J	High
Product	Manifest	specification-title	JDBC	Medium
Version	Manifest	Bundle-Version	26.7.0	High
Version	Manifest	Implementation-Version	26.7.0	High

Identifiers

- [cpe:2.3:a:mysql:mysql:26.7.0:*****](#) (Confidence:High) suppress
- [cpe:2.3:a:oracle:connectorVj:26.7.0:*****](#) (Confidence:High) suppress
- [cpe:2.3:a:oracle:jdbc:26.7.0:*****](#) (Confidence:High) suppress
- [cpe:2.3:a:oracle:mysql_connectorVj:26.7.0:*****](#) (Confidence:High) suppress
- [cpe:2.3:a:oracle:mysql_connectors:26.7.0:*****](#) (Confidence:High) suppress

notification.zip: notification.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/notification.zip/notification.jar
MD5: de44fe53cdc6a8a268810946402a1af9
SHA1: 128e9b796fc7bbb4b132cd5f62f4b3b6f6e9d8b6
SHA256: 57eb03452b7e230ebe9849b391b5a7df8c6bedf18501c32fc3f40172a62b6da8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	notification	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	notificationui	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2026-08-07 16:54	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	notification	High
Product	jar	package name	notificationui	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2026-08-07 16:54	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	notification	High
Product	Manifest	specification-title	notification	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

notification.zip: notification.jar: notification.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification.js

MD5: a7914294220b5e8b3455195997e7a654

SHA1: 6aa5184b6872c79a90cb0c7db02e4b383ae1d6f0

SHA256: 1adacc2b14565423a88959085345d44027d4ca43cb75b2a1dceb5ffdde9c0637

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

notification.zip: notification.jar: notification_config.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification_config.js

MD5: 323c074408d9e2dc2145230f2f2bec9e

SHA1: e6ca6eb13f3c22aedfbd90b0d7306c35cd7d2b28

SHA256: c86eed2c4c6b7df65bdebffc00a3ea2d809997c4b7a97cd22d55f7193ebd4b94

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

notification.zip: notification.jar: notification_taskplanner.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification_taskplanner.js
MD5: 34de69c55375ed77dcc583b60d7682a7
SHA1: 61bc262edf6fc6e902bbbc4bbc16c546a01e4f78
SHA256: ddb2f468d7348ce9388681d450895a6e4b5ba6c22d632f3d53bc1e837be83508
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

notification.zip: notification.jar: targetrenderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/targetrenderer.js
MD5: 9207efb9b92d4108c031b3e7f469ccff
SHA1: fc19cd09c51417a29979d39e3a74a2d99fbf9c03
SHA256: c6c83159f063f74a44c1d68bd67a67c4c96023c3eba9f87ce1090b8f994f49bd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

odbc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/odbc.jar
MD5: 2d72215f8a9897d82ca2437f39cce7cb
SHA1: 86c2daee836e5b5ce1e6edfe42cd25eb762d77c2
SHA256: da6669a3e900be4f91c805eb8f08f8328ce0c02979a642f17b6cbc67bb091570
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	odbc	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	odbc	Low
Vendor	Manifest	built-date	2025-12-16 13:15	Low
Vendor	Manifest	implementation-group	lib	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	odbc	High
Product	jar	package name	odbc	Highest
Product	jar	package name	odbc	Low
Product	Manifest	built-date	2025-12-16 13:15	Low
Product	Manifest	implementation-group	lib	Low
Product	Manifest	Implementation-Title	odbc	High
Product	Manifest	specification-title	odbc	Medium
Version	Manifest	Implementation-Version	26.4.87	High

Identifiers

- None

opentest4j-1.3.0.jar

Description:

Open Test Alliance for the JVM

License:

The Apache License, Version 2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.opentest4j/opentest4j/1.3.0/152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e/opentest4j-1.3.0.jar

MD5: 03c404f727531f3fd3b4c73997899327

SHA1: 152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e

SHA256: 48e2df636cab6563ced64dcff8abb2355627cb236ef0bf37598682ddf742f1b

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0
- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	opentest4j	High
Vendor	gradle	artifactid	opentest4j	Highest
Vendor	gradle	groupid	org.opentest4j	Highest
Vendor	jar	package name	opentest4j	Highest
Vendor	jar	package name	opentest4j	Low
Vendor	Manifest	build-date	2023-07-06	Low
Vendor	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Vendor	Manifest	build-time	14:25:06.116+0200	Low
Vendor	Manifest	bundle-symbolicname	org.opentest4j	Medium
Vendor	Manifest	Implementation-Vendor	opentest4j.org	High
Vendor	Manifest	specification-vendor	opentest4j.org	Low
Vendor	pom	artifactid	opentest4j	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Marc Philipp	Medium

Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.opentest4j	Highest
Vendor	pom	name	org.opentest4j:opentest4j	High
Vendor	pom	url	ota4j-team/opentest4j	Highest
Product	file	name	opentest4j	High
Product	gradle	artifactid	opentest4j	Highest
Product	jar	package name	opentest4j	Highest
Product	Manifest	build-date	2023-07-06	Low
Product	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Product	Manifest	build-time	14:25:06.116+0200	Low
Product	Manifest	Bundle-Name	opentest4j	Medium
Product	Manifest	bundle-symbolicname	org.opentest4j	Medium
Product	Manifest	Implementation-Title	opentest4j	High
Product	Manifest	specification-title	opentest4j	Medium
Product	pom	artifactid	opentest4j	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.opentest4j	Highest
Product	pom	name	org.opentest4j:opentest4j	High

Product	pom	url	ota4j-team/opentest4j	High
Version	file	version	1.3.0	High
Version	gradle	version	1.3.0	Highest
Version	Manifest	Bundle-Version	1.3.0	High
Version	Manifest	Implementation-Version	1.3.0	High
Version	pom	version	1.3.0	Highest

Identifiers

- pkg:maven/org.opentest4j/opentest4j@1.3.0 (*Confidence:High*)

parser.pdf.zip: PDFParser.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/parser.pdf.zip/PDFParser.jar

MD5: 32a1601e829ab325fa7aec31a20d93ce

SHA1: c9282d4738965086885e9947447d22c3e7c1c64e

SHA256: 98fbd8aa9ae784ab1f062577769aa12064905c0942e67be3c4253f5e050d1265

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	PDFParser	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfview	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2026-08-07 16:38	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-	i-net software	Low

		vendor		
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	PDFParser	High
Product	jar	package name	pdfparser	Highest
Product	jar	package name	pdfview	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2026-08-07 16:38	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	PDFParser	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	PDFParser	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

parser.pdf.zip: jbig2.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/parser.pdf.zip/jbig2.jar

MD5: ab5dd1acc5e6c85903e342dac7998ce7

SHA1: a3f4214b62615d4456de761cce1136cba65a663

SHA256: 93e79e795182b4b6e12991046e489c2c0780e867d3e18e4e7ee20973316930d4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Vendor	file	name	jbig2	High
Vendor	jar	package name	jbig2	Low
Vendor	jar	package name	jpegal	Low
Product	file	name	jbig2	High
Product	jar	package name	jbig2	Low
Version	file	name	jbig2	Medium
Version	file	version	2	Medium

Identifiers

- None

parser.pdf.zip: parser.pdf.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/parser.pdf.zip/parser.pdf.jar

MD5: adf70c3b3c7969982e90a69076086a59

SHA1: bf79e4ec1991892969a7d948ff186953e855bce6

SHA256: 1ea05b4d4e163aaaa4a03dc948cadfd30c3bbda88c86dd7347e2241ce4fe0d42

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	parser.pdf	High
Vendor	jar	package name	encoder	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdf	Low
Vendor	Manifest	built-date	2026-08-07 16:59	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.pdf	High

Product	jar	package name	encoder	Low
Product	jar	package name	pdf	Highest
Product	jar	package name	pdf	Low
Product	Manifest	built-date	2026-08-07 16:59	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	parser.pdf	High
Product	Manifest	specification-title	parser.pdf	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

pdfviewer.zip: pdfjs-dist.jar

Description:

WebJar for pdfjs-dist

License:

Apache-2.0

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfjs-dist.jar

MD5: 8ae85a4550d711737dec96d8234ccf4f

SHA1: b10967d50cc14319a8b3384f573d4f9487551bb1

SHA256: 4472e44c3fdb7c0b1145038f9df02ff1288e2c6516804b7e9738b93fa3a502d7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfjs-dist	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.pdfjs-dist	Medium
Vendor	pom	artifactid	pdfjs-dist	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest

Vendor	pom	name	pdfjs-dist	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	pdfjs-dist	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	pdfjs-dist	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.pdfjs-dist	Medium
Product	pom	artifactid	pdfjs-dist	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	pdfjs-dist	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	5.4.530	High
Version	pom	version	5.4.530	Highest

Identifiers

- pkg:maven/org.webjars.npm/pdfjs-dist@5.4.530 (*Confidence*:High)

pdfviewer.zip: pdfjs-dist.jar: openjpeg_nowasm_fallback.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfjs-dist.jar/META-INF/resources/webjars/pdfjs-dist/5.4.530/wasm/openjpeg_nowasm_fallback.js

MD5: 9a4149614e226a97a7075b9cea575e16

SHA1: 74b52dec1e3f39c3be6a81807c5120a5787ae5de

SHA256:07c3c3361827308741bc31c561b59e705ebb4d1e8efb84e4d24884e230dbb894

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

pdfviewer.zip: pdfjs-dist.jar: package.json

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfjs-dist.jar/META-INF/resources/webjars/pdfjs-dist/5.4.530/package.json

MD5: 05d3811dbd68292b7103ffd9a078d292

SHA1: 69465756b21d3c8190f030614dae7fad568ad99b

SHA256:acdaec8fbb18a68404c4ff3d1d91c447abe7acc878b245161fde774a374517b7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

pdfviewer.zip: pdfviewer.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar

MD5: d61d12ed6fdd9d5b3066f0cf633667ae

SHA1: f408cea3bc324bab0d0d9a8f40bfda495aed1466

SHA256:85c5b0a6567f5eacebaf74030a46d014a0fe9727102d8d0211316d202492214d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Vendor	file	name	pdfviewer	High

Vendor	jar	package name	inet	Low

Vendor	jar	package name	pdf	Low

Vendor	jar	package name	viewer	Low

Vendor	Manifest	built-date	2026-08-07 18:08	Low

Vendor	Manifest	implementation-group	reporting	Low

Vendor	Manifest	Implementation-Vendor	i-net software	High

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	specification-vendor	i-net software	Low

Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfviewer	High
Product	jar	package name	pdf	Low
Product	jar	package name	viewer	Low
Product	Manifest	built-date	2026-08-07 18:08	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	pdfviewer	High
Product	Manifest	specification-title	pdfviewer	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: drive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/drive.js/drive.js

MD5: a61df90ad012e9d4c83859788ec19151

SHA1: 9a3461f7171aa71cb5200a7dd1140a5dd4c1d86a

SHA256: b16d712ec3e0e24b89a91b1d6002f61ce094fcd6a2624ff9e67ad9722ee90dfb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: pdfviewer.angular.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.angular.js
MD5: 46a789bb5c5b5aa4099391746ffb00f7
SHA1: e80f2351a534122a5da8c7b31acae352cdddb453
SHA256: 3c1c3376f0b7bc629bd62e9d2591ef900f4d923c59e6dc25ab7505289395adb6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: pdfviewer.embedded.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.embedded.js
MD5: c611495070bd72174745379131c06ce4
SHA1: 6aadd3c37aba37bd9d26d761b3748040d6ea568a
SHA256: dfbce92bc9a4b21312384313acb4305a9b128fb6806e8d3e1e8b7e5672b52ac5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: pdfviewer.factory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.factory.js
MD5: c77ea2738aa0512fed8c6c9e6d19a0de
SHA1: 72be7575eb2f43ec5acfc6aabcd1ea4525c21cbc
SHA256: 1e0b404d157bcea8410b33a2e179518491d770632142c433db4532dac5350581
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: pdfviewer.model.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.model.js

MD5: 6e572eab53950f6733246236f0c63040

SHA1: 14655c6ae154e273dcba4565faacff1360a31704

SHA256: 79828a40b2e2c908309c259d7ce8a583e58483ff8f5843b7cd696c914360e1f8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: pdfviewer.renderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.renderer.js

MD5: 7b717bfe68a94afd00d59f2cba7ec85f

SHA1: 424beb129af711f55c1136effebc081f63594c4d

SHA256: dfb6fd87a315468dfe5a89e64d77cf2bf605d0cce48486e9daa76b1d3db4a72c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

pdfviewer.zip: pdfviewer.jar: pdfviewer.reporting.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.reporting.js

MD5: da48dd4655e68609c373107cb5448021

SHA1: 85f7795753fd05c86b7f28417219a72258418869

SHA256: 58a1fd3c9e8fbb4803b10157f30292e58b9f418dc35409a616971280a3840552

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

persistence.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/persistence/persistence.jar

MD5: 00b9d24e6c200c0f663f480ed741f0d3

SHA1: 4e5a9bda5af624699ac9f8557d5d1f28c3fb5982

SHA256: 1ed7b754e27afcf85e4bbf046898d0a11f9817b5a41bc17137bde363bd9c30e7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	persistence	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	persistence	Low
Vendor	Manifest	built-date	2026-08-07 16:46	Low
Vendor	Manifest	implementation-group	shared	Low

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	persistence	High
Product	jar	package name	persistence	Highest
Product	jar	package name	persistence	Low
Product	Manifest	built-date	2026-08-07 16:46	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	persistence	High
Product	Manifest	specification-title	persistence	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar

MD5: 8fd5adaab3035249a37d2103b0b02d28

SHA1: b5cfda2d3becbe4a0dc6a11bd706144f077636d7

SHA256: e3cd0f26a33e3cae256e082855139cf2163e58b0e2bd2866b752c3f24b7f3f76

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pluginstore.client	High
Vendor	jar	package name	client	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	store	Low
Vendor	Manifest	built-date	2026-08-07 16:57	Low

Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pluginstore.client	High
Product	jar	package name	client	Highest
Product	jar	package name	client	Low
Product	jar	package name	shared	Highest
Product	jar	package name	store	Low
Product	Manifest	built-date	2026-08-07 16:57	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	pluginstore.client	High
Product	Manifest	specification-title	pluginstore.client	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/setup/controller.js

MD5: b890353af95e8d67ed666d72e55d5583

SHA1: cdc7ae95f6ea08ce7051388a5a6487c8a965eec3

SHA256: b2efe42a4dfe713e2a079e24a1044fdc777effb0518d6750fdf9a3974ac78936

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/plugin/help/js/pluginstorehelpcontroller.js

MD5: 33e0b25623e005ecbba43c00c91b043a

SHA1: 6b9855a487458ce85ae48ee1c5a129b26093b289

SHA256: a70a95787e2759bf1d43b76947ea5d48e541c6d94c640d25c9efd31ce281e3a7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/publicstoreconfig.js

MD5: 640b897e30bb04f24b310e948f963701

SHA1: c4f24830c5130eabd110ac29f1e198ca4f88e35b

SHA256: 45bf77256d46306542a6592243af524e1be940c5bef8746be0fd62ec7209eb84

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: storecontroller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storecontroller.js

MD5: 512668a61bc16fe85f6442a56f622a9d

SHA1: f9bc6cb342455404802657a7c0d1dd1ed6ec7297

SHA256: 7f183982c67d73d4a2bfb963dcc5aa8241b3beb2f2acf5d19aaec20357b715d6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: storedirectives.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storedirectives.js

MD5: ec0e5529e70952af58b9df0ce2bfebb4

SHA1: 0b859497e1b59e55936959192636c3fec9bacef5

SHA256: 5066f9af1ecc472186f35289ec17fd270e6a0ef404796f1fbe6acdf69c40fe90

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: storemodel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storemodel.js
MD5: 79df37a017eb872811c499812d1eb6dc
SHA1: 1765bf02e7673e3559cac97d4e8a8308c3cf7fcb
SHA256: 763d9661e237f8406a59f8fbec70549b5f4cf3e70e58b0c038bc233447d29669
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

postgresql.jar

Description:

Java JDBC driver for PostgreSQL database

License:

BSD-2-Clause

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/postgresql.jar
MD5: 52ba042322b750121222bd57423003b5
SHA1: a6e1bd21b412d6ffb3df23cd13d507bc2cc9e37d
SHA256: 6e0e4cc2d8cae902084f8a2b18728b073a6fd9d1f87c9d8bff8f298c18185b93
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	postgresql	High
Vendor	jar	package name	jdbc	Highest
Vendor	jar	package name	org	Highest
Vendor	jar	package name	postgresql	Highest
Vendor	jar	package name	postgresql	Low
Vendor	Manifest	automatic-module-name	org.postgresql.jdbc	Medium
Vendor	Manifest	bundle-copyright	Copyright (c) 2003-2024, PostgreSQL Global Development Group	Low
Vendor	Manifest	bundle-docurl	https://jdbc.postgresql.org/	Low

Vendor	Manifest	bundle-symbolicname	org.postgresql.jdbc	Medium
Vendor	Manifest	Implementation-Vendor	PostgreSQL Global Development Group	High
Vendor	Manifest	Implementation-Vendor-Id	org.postgresql	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	provide-capability	osgi.service;objectClass="org.osgi.service.jdbc.DataSourceFactory";osgi.jdbc.driver.class="org.postgresql.Driver";osgi.jdbc.driver.name="PostgreSQL JDBC Driver";effective:=active	Low
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	postgresql	High
Product	hint analyzer	product	pgjdbc	Highest
Product	hint analyzer	product	postgresql_jdbc_driver	Highest
Product	jar	package name	driver	Highest
Product	jar	package name	jdbc	Highest
Product	jar	package name	org	Highest
Product	jar	package name	osgi	Highest
Product	jar	package name	postgresql	Highest
Product	Manifest	automatic-module-name	org.postgresql.jdbc	Medium
Product	Manifest	bundle-copyright	Copyright (c) 2003-2024, PostgreSQL Global Development Group	Low
Product	Manifest	bundle-docurl	https://jdbc.postgresql.org/	Low
Product	Manifest	Bundle-Name	PostgreSQL JDBC Driver	Medium
Product	Manifest	bundle-symbolicname	org.postgresql.jdbc	Medium
Product	Manifest	Implementation-Title	PostgreSQL JDBC Driver	High
Product	Manifest	multi-release	true	Low
Product	Manifest	provide-capability	osgi.service;objectClass="org.osgi.service.jdbc.DataSourceFactory";osgi.jdbc.driver.class="org.postgresql.Driver";osgi.jdbc.driver.name="PostgreSQL JDBC Driver";effective:=active	Low
Product	Manifest	specification-title	JDBC	Medium
Version	jar	package name	driver	Highest
Version	jar	package name	jdbc	Highest
Version	jar	package name	org	Highest

Version	jar	package name	osgi	Highest
Version	jar	package name	postgresql	Highest
Version	Manifest	Bundle-Version	42.7.13	High
Version	Manifest	Implementation-Version	42.7.13	High

Identifiers

- cpe:2.3:a:postgresql:postgresql:42.7.13:*:*:*:*:* (Confidence:Low) suppress
- cpe:2.3:a:postgresql:postgresql_jdbc_driver:42.7.13:*:*:*:*:* (Confidence:Low) suppress

prettify.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - HTML API Doc/scripts/prettify/prettify.js

MD5: 709bfcc456c694bfe8ee86d184a1c360

SHA1: a4e5934397f97f79b8066984475c90af8a970a36

SHA256: e2e576e3bc607cd179ff511947010f645d3441a35313aec0dbd06c4437f83b77

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence

Identifiers

- None

processbridge.reporting.zip: processbridge.reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/processbridge.reporting.zip/processbridge.reporting.jar

MD5: 7ff905d18f93b65c7236b866e3cb185e

SHA1: 2eff0537de15162b72aaecadf2405430221418e5

SHA256: 6a620b9f30a98b0360204545691037a48702e7a7c7168807a5c3463a584776b9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	processbridge.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	processbridge	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-08-07 18:07	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	processbridge.reporting	High
Product	jar	package name	api	Low
Product	jar	package name	processbridge	Highest
Product	jar	package name	processbridge	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2026-08-07 18:07	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	processbridge.reporting	High
Product	Manifest	specification-title	processbridge.reporting	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

processbridge.zip: processbridge.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/processbridge.zip/processbridge.jar
MD5: bfa67af4de0eff41230ea396929249aa
SHA1: 89af94182f672d6e1cb3411008750c5a1a2adffe
SHA256: 8e7ae01e4b18e6c39d08fe1e15a2755a986c0e34ecfea37ba4c9fe4237ee18f6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	processbridge	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	processbridge	Low
Vendor	Manifest	built-date	2026-08-07 16:52	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	processbridge	High
Product	jar	package name	processbridge	Highest
Product	jar	package name	processbridge	Low
Product	Manifest	built-date	2026-08-07 16:52	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	processbridge	High
Product	Manifest	specification-title	processbridge	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar
MD5: d2889f335c8c5ad0b7892274bc6816c7
SHA1: 68ffe01d339b2d09d44cf78c5da02baedb77ccc4
SHA256:c5879f6fdf08f78476db6a2775cf097e4e1d42ce0a4e982b2fafd579cb4deda4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	promptdialog	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	promptdialog	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-08-07 18:08	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	promptdialog	High
Product	jar	package name	promptdialog	Highest
Product	jar	package name	promptdialog	Low
Product	jar	package name	report	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2026-08-07 18:08	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	promptdialog	High
Product	Manifest	specification-title	promptdialog	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptcontroller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptcontroller.js

MD5: 9a1030e31357faa7ff332e07f31b2013

SHA1: 719be987ccdcc3264d5d3d086f00c1aefb24e080

SHA256: 5da72dc8b28b981a4ae5ff12babe1ed24733a8e828f6734da7e32988bc276783

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptcustomrenderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptcustomrenderer.js

MD5: 4a2ab3e2f8b066e6c2faad02c1bf6c16

SHA1: e78d0c78e0a4222aa77bb5bab99d5686ceef8786

SHA256: 249dece5c3251a2ed48cf1d60b25c93f473b33e22ec83b8980a3907bdf267b47

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptfactory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptfactory.js
MD5: 8fdae9ff173cebe93a61e37d38b411f5
SHA1: df01371336e4d20ec91101bd4183bda94b5fb6ea
SHA256: 2c84e71877b13721299f62b69e9daf89c9b20db27cb8e8ade6fd4528949b37b8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptpanel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptpanel.js
MD5: cdb68f64f7b7807d04b7b66a76ff9ee1
SHA1: 94f82d24e696cd6953be6c2bbcb6260b0650e9552
SHA256: 3095069a9f1a2a436e87949b1c5f8a1736b3fe12d6452cf506fe7985104653e8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptrenderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptrenderer.js
MD5: 61c61ff08c770911316a7fef2450d6ba
SHA1: 9ab51332b7278bd9f50630cebbf0064101971b4b
SHA256: 6ee26567dca9cf9d36e34c332500b735c83732876a89fba13607cf332eb3b715
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

propertieschecker.sample.zip: propertieschecker.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/propertieschecker.sample.zip
/propertieschecker.sample.jar

MD5: 7e803b45b051e30ec729fd4d19cdc46c

SHA1: b164e50d2768086712d167406537b8bd9e124772

SHA256: 07fcc4963b021410b31a67c7bd88a61e5e214bd86062566b74a93c8838864b78

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Vendor	file	name	propertieschecker.sample	High

Vendor	jar	package name	inet	Low

Vendor	jar	package name	propertieschecker	Low

Vendor	jar	package name	samples	Low

Vendor	Manifest	built-date	2026-08-07 17:49	Low

Vendor	Manifest	implementation-group	reporting	Low

Vendor	Manifest	Implementation-Vendor	i-net software	High

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	specification-vendor	i-net software	Low

Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	propertieschecker.sample	High

Product	jar	package name	propertieschecker	Highest

Product	jar	package name	propertieschecker	Low

Product	jar	package name	samples	Low

Product	Manifest	built-date	2026-08-07 17:49	Low

Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	propertieschecker.sample	High
Product	Manifest	specification-title	propertieschecker.sample	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Related Dependencies



- propertieschecker.sample.zip: propertieschecker.sample.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/PropertiesChecker/propertieschecker.sample.zip /propertieschecker.sample.jar
 - MD5: 7e803b45b051e30ec729fd4d19cdc46c
 - SHA1: b164e50d2768086712d167406537b8bd9e124772
 - SHA256: 07fcc4963b021410b31a67c7bd88a61e5e214bd86062566b74a93c8838864b78

Identifiers

- None

remotegui.zip: angular-animate.jar

Description:

WebJar for angular-animate

License:

MIT

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar

MD5: 1dcc988a8392618e7c5127f57b3453d1

SHA1: 7ea94213dad8a46ab088e1a3dd6a5def2ecf8e78

SHA256: dbbce06145963ef7bfd197c1646722fedfe76a9b54b01f1b6dc7ccf7e8b51163

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angular-animate	High
Vendor	pom	artifactid	angular-animate	Low
Vendor	pom	developer id	webjars	Medium

Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular-animate	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-animate	High
Product	pom	artifactid	angular-animate	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-animate	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

Identifiers

- pkg:maven/org.webjars.npm/angular-animate@1.8.3 (*Confidence:High*)

remotegui.zip: angular-animate.jar: angular-animate.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.js

MD5: 31312b87e7226c8bf0714fcef0ea5d18

SHA1: dc9fb55f2c7f922c5ba83449266239ba1353db45

SHA256: 58e79e0e7cbb1e1502d216701e1fae41c405d92320aea1b68a223054096fda93

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence:Highest*)

remotegui.zip: angular-animate.jar: angular-animate.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.min.js

MD5: 5d2d0f42bb7e1b5503e914674f59dad0

SHA1: 4c15a58541e53c451c6f946d2048104f88b833c7

SHA256: 8e6202b1330a469a61ccdeebbd1cb3a20d0ecdfe8d106f68da5b85e9b67a1cd5

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence*:Highest)

remotegui.zip: angular-animate.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/index.js

MD5: eca59ea32960ae595dd18ad9480185b1

SHA1: b8fe1c0a06b723a75c7e596fd8a86d91965f681c

SHA256: 7f2f9350e5624bf86e8760d1deae03fae4477949284b49471eb67e2b6498cb7d

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: angular-animate.jar: package.json

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/package.json
MD5: 13957f0482b591f50a2e9528a5b84330
SHA1: 16ec0d9e9e70f179261a1bd672e610b159876ff5
SHA256: e2fbc9996d890ec0c6601b2c9176a1ada7806e1dcd6eca8549bba9022235877
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: angular-cookies.jar

Description:

WebJar for angular-cookies

License:

MIT

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar
MD5: 5d743cd15e44b5a942478abaa3a008ae
SHA1: 2ebe196f9032e261a470467b5a14632d81d3d4f9
SHA256: 0809dd125183f03e6682985208de5f1221478221ed41667545133f7e729dd000
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angular-cookies	High
Vendor	pom	artifactid	angular-cookies	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular-cookies	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-cookies	High
Product	pom	artifactid	angular-cookies	Highest

Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-cookies	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

Identifiers

- pkg:maven/org.webjars.npm/angular-cookies@1.8.3 (*Confidence:High*)

remotegui.zip: angular-cookies.jar: angular-cookies.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.js

MD5: e17187aea1f0e6dbd25722e34b754915

SHA1: 20f43f716b9fef7d72537bc1b0e5aa2bc480cee5

SHA256: f3291c552042f6d0c500167769912a78ab3ecec9917128b2d6ea8e7c6714bb97

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence:Highest*)

remotegui.zip: angular-cookies.jar: angular-cookies.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.min.js

MD5: c41aff8423276d46f0d02de6dcb71524

SHA1: 7dc53f75d5bf7dd2c770cb50f31242c70193c086
SHA256: 926509b494009bea03288bba191a2b238032188e9112377e50fbfe7814c6639b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence:*Highest)

remotegui.zip: angular-cookies.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/index.js
MD5: 88188b8869bb0cbae63eb86aa6c1059a
SHA1: ce388b565b0d0392802138b2a7d4bf393c3d49f9
SHA256: b1b8d54ed8400d4f997da0f2fa672e8728d4771a77028d9f495cf1732fcb1e6f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: angular-cookies.jar: package.json

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/package.json
MD5: 6785fbb341602e147af808078db0d42b

SHA1: a30ac55dae62b1a7c8921c7687a3276dbeeed564
SHA256:81847196d700fe42834ebf82cb0c68267d9c237134566556a466e070659c7222
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: angular-sanitize.jar

Description:

WebJar for angular-sanitize

License:

MIT

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar
MD5: f47ca0f7e843acea25d245b34ce30feb
SHA1: 8050e163f66fb899645cc67ffa67d92a25096902
SHA256:4de072c9e746b2bf70aee70cc1c9b61350e017002dd71089e5f66a587f7ed92f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angular-sanitize	High
Vendor	pom	artifactid	angular-sanitize	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular-sanitize	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-sanitize	High
Product	pom	artifactid	angular-sanitize	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-sanitize	High

Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

Identifiers

- pkg:maven/org.webjars.npm/angular-sanitize@1.8.3 (*Confidence:High*)

remotegui.zip: angular-sanitize.jar: angular-sanitize.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.js

MD5: 0127d7a139abfc8bd45875a9c8ea6348

SHA1: 197aea2acc25a0fa821766400950cac58a3627a5

SHA256: c84c65250afe5a1265f36a7e16c6010652e55c2ae3a779c351fb68536c42bf64

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence:Highest*)

remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.min.js

MD5: f3c62abeec216e9431e7d5b22d8e813b

SHA1: 21355ef18c5e1ce2b2c711b9dba21cbea0655646

SHA256: cc80a30ad0439c2e9c209b3d7fcffb1d10e6007fd1d00c9cc144f393664a7045

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence*:Highest)

remotegui.zip: angular-sanitize.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/index.js

MD5: 796078246b8e97f002ea5c97c4c7de54

SHA1: 0ce03000a4c04ae0a8b4353715bda54b8a8e8c69

SHA256:44cbd8c36c3e2818d011eb0dc7d95293730667fa5a98a23449e9b4add369f65b

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: angular-sanitize.jar: package.json

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/package.json

MD5: 515d23261280a10a4d84ed267c425880

SHA1: 84d37bbaefc2117ac59c79b0d87a953a1abd4911

SHA256:5e5c191e41b4e9902cfaeb95878d5b92333585e6dad936588fe1adfd1445af86

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: angular.jar

Description:

WebJar for angular

License:

MIT

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar

MD5: f339a9a66a64c67eebb21ec3b251dfc6

SHA1: cff4aee339a9ca4ae2f095079930edeaad6a94ee

SHA256: a997eb40987ddb5d3bf64adf3d33afc3ac2b1eb2e7255b5203a387f8097cd0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angular	High
Vendor	pom	artifactid	angular	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular	High
Product	pom	artifactid	angular	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

Identifiers

- pkg:maven/org.webjars.npm/angular@1.8.3 (Confidence:High)

remotegui.zip: angular.jar: angular.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.js

MD5: e09f650a016c24bc1b5a1edc93bfade

SHA1: 0f1f7445b761b9bbd5385f9f0b316dbf1ca48696

SHA256: fdca889e76f55fdee7ab661920f37ce19233563bf7f4ac8120f8ebc2ac768768

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

Identifiers

- pkg:javascript/angularjs@1.8.3 (Confidence: Highest)

remotegui.zip: angular.jar: angular.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.min.js

MD5: 967a32633fa8f38f4ac3376c1a37b992

SHA1: b53b74d8e0b732dcdb98fbe521146b88299ea2f1

SHA256: 396dc1a03d6cc02e9c51a80246e0db53c5c8df9bd07287e3b51bce4a29dab355

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence*:Highest)

remotegui.zip: angular.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/index.js

MD5: 0d848853205d22ab8be985876aec948a

SHA1: a2bfe847bea879ad2775509c4421291c404d8c21

SHA256:d469f8e93a4c345f01d81d162a803116de1bc6afd4bfeba8b45951449956b686

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: angular.jar: package.json

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/package.json

MD5: c5e0d73dc5121cf479c775248d2ca497

SHA1: bc29d1f7c080dfb1f701ad4f1c4ff548916f28e5

SHA256:95ad7872af90c37e7a5597581f5bb2362d59c49fc3f2766dd9f2568a041cf10a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar

Description:

WebJar for codemirror

License:

MIT

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar

MD5: 669061572ba6292cc848f48535366409

SHA1: c1c5b1fda926e89ab3204a2b4d2871078ce6d448

SHA256: b5f4ff56ec0eb788f4c150fc67b7a127e189e555e2438318742003e01c78282c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	codemirror	High
Vendor	pom	artifactid	codemirror	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	codemirror	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	codemirror	High
Product	pom	artifactid	codemirror	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	codemirror	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	6.65.7	Highest

Identifiers

- pkg:maven/org.webjars.npm/codemirror@6.65.7 (Confidence:High)
- [cpe:2.3:a:codemirror:codemirror:6.65.7:****:*](#) (Confidence:High)

suppress

remotegui.zip: codemirror.jar: CodeMirror.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/CodeMirror.js
MD5: d154477df9eebe156a1a493731acb01d
SHA1: 69efd74f28f36317a2bb9101dbbaec73f5ca3735
SHA256: 258db73a89eb6d88475013d38f4e0e01cc1476788f931058bf470db1ee26ca53
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: ContentEditableInput.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/ContentEditableInput.js
MD5: 40e61dbb4388425c66403ecd7e9a5a10
SHA1: 70cfc8bedef61e8d2f6cbb85ee41d65088d44c53
SHA256: 5c07c3caef1fc6122ef3ce8d681afb87d65f86aaead8db5d1ca3466803b57da8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: Display.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/Display.js
MD5: bbf05006cf414f786e21cdb02b443aac
SHA1: 6bcab3100f9fd46d39f5c47d78b6ad9ad863b464
SHA256: 6e26756a9ae829558cf81a83fd9d48dd0f605241c7c7e8028a8bcf94bfa7a9d4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: Doc.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/Doc.js

MD5: 66f02c635454d1ae55f7472709417566

SHA1: 8799d7becd0b3ee9bfd397c157c43ca6ebb264d0

SHA256: 32bf377fa99365b49732f69c5e565c61995fefdf8d0bc6f3404d4fc00ed8ac7f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: StringStream.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/StringStream.js

MD5: d187f08909bf9bb188d04c79f089c26a

SHA1: f5c4fc956b8b4de762087204024eb625cb00a790

SHA256: 9f1ab50bba4ae102fa5c611d4ef5b056d063a63a7f20cfef59eea64e93c3e04e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: TextareaInput.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/TextareaInput.js

MD5: 87e959dd1978b0e022083d3e5ad65158

SHA1: d08b9e7e675368968faf8e93bb1dbaddf9996410

SHA256: 48684a26a28a3fd1793a80aa67509c4281b56d6924d25511540a1d19aed72eb9

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: active-line.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/active-line.js

MD5: 774e515fe054cbcd6cc869bfd550b17d

SHA1: 3d950f5055286088e93e0ee4c8a1d62eaf8aedac

SHA256: 3afbcbf78835c9bdc342e3992c53d9b74286722613bb1a8adc9d140edc8737ee8

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: annotatescrollbar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/annotatescrollbar.js

MD5: a9dfd7f9d78bd36c617429ed88cb67e5

SHA1: ad1133e5432a7c65881747c87c84529fed297ecb

SHA256: 9041e8d81e3cebc481cabfae90d3b80596f3194de75d98e5526d3bfa44ae3bbc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: anyword-hint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/anyword-hint.js

MD5: ba7fa17b24f0937d9431f93b9de2da37

SHA1: a87db7c6de5231a1bfd702e26ecf4aa76d822a0a

SHA256: e834ad178bd23449476e29179e8cb9f0c1ebaed35dab9059ed9a46b388271f3e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: apl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF

/resources/webjars/codemirror/6.65.7/mode/apl/apl.js

MD5: c0d55e310ae0a4290d3fcca84bff448

SHA1: 006c98d2b17e85168065eebf44c3fdd91b9ff874

SHA256: 47e0fdac0a39e0186019064e13b674dda4223b03b2748d34cccc09489fde2674

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: asciiarmor.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asciiarmor/asciiarmor.js

MD5: 42e5c7f3f48fa085f63bd7708bb204fd

SHA1: b15cdadb5a869d06a79e6a9e187d0509dca1239

SHA256: bdcdb68c4b0c9dc53b2af587673461a495f123a5b9da8f6be79d97fee2790f9ae

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: asn.1.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asn.1/asn.1.js

MD5: a928fdb102ef88113a9d1c0d9e520114

SHA1: f293930644bd6093dbb02475e8b409fe9794f437

SHA256: 5b50cca4b34820cb3d57c218945ff2d870d57eba83e13c2c66590063e2a23acc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: asterisk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asterisk/asterisk.js

MD5: 2f4e25e805d878f43b8568609c48dba8

SHA1: 109a76d631e43dd32c13cbb0c23ad83e1851ad0a

SHA256:0849e3a141e967559d752de2205956cb690f1d4ba0a5ace5481c6c565db9b674

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: autorefresh.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/autorefresh.js

MD5: 16b07faa9ef79a1fb79432fb4f4a9e3a

SHA1: 091a2b17758e7c3182542314256139a2247b508c

SHA256:2ec9d5585bd24d7611f30ebbb1cd8fedf79747cf89c1f83852dd1dd9981f10bd

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: bidi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/bidi.js

MD5: 22a12be2f1e24a9bfddc5c3b0d187ede

SHA1: ab735d3376e0040172b6dc972f97df663f231dc4

SHA256: 0a4646d7a1214acfc71ad351d021f31795b056ce7a08f80d29857aeca1a5163b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: brace-fold.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/brace-fold.js

MD5: d56849bd7cce8a10ccb842d50f0de179

SHA1: 4103103f28436925442d5397c24425fbaf660fce

SHA256: 2907087538a295e5b4f084f8c5ee7eba35cc973db194cbf596ab13a6c97a6834

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: brainfuck.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/brainfuck/brainfuck.js

MD5: f3ff733b3609dfb34a49652f6a4a2d09

SHA1: 41a8164ddb5e25fe2401265eb9fd4222e415549

SHA256: 67496a83fe1ea3304a3f65a8f8196f3a4a40060ea4febcb60a82c7657205abd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: browser.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/browser.js

MD5: 564eafde7c1566f1b9b0d976cc3ace2f

SHA1: 2c592606b3242ac9cf080d138aae3516cc2ef05d

SHA256: de647094595511fabe9d548d9e45dacf746d7b83a198cb69b5b8859fa3eccb30

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: change_measurement.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/change_measurement.js

MD5: 39707c0eb637648efc07d95bb60253d3

SHA1: 025a52f620cc5b6edee8fb9c63a3f6ecf4c2284c
SHA256:1d1648706bf317acc33a64673cb4fbc2d2a7db8205bcc1cd9fe52819c13b87f0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: changes.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/changes.js
MD5: 822465b81d600e9a703579605e2147bc
SHA1: 1b77f1034de1cac51a8ff50e48f9604bc62556e5
SHA256:13b0b2c417e0181ec9cb012932c1fa167c50171133391c00582e2939206362a0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: chunk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/chunk.js
MD5: 7dd1b45f75341b5a03a01f6607da69a4
SHA1: 89dfb21758e8a384033d09678a8d5b1ce8983e6f
SHA256:18f55da6b39c1b12fb5406c7962a88884e00d2122566622784720cbe612fc676
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: clike.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clike/clike.js
MD5: 145b41ea6cde47e8889ef8b2214eecde
SHA1: d0ae7cc4040a57a76b86265f492f87e251d1cc9d
SHA256:a1ff458a030f8b1db2d901811344f3e178eaceb19b598277d054bf83dacfecd2
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: clojure.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clojure/clojure.js
MD5: 7f3277e322bd000aefbfb172d3edf7e6
SHA1: e701f8e843e3390a0a411700d3c8989dc147780c
SHA256:86b7b779ab84fa77bc6e461a05fd0887d85a3c8cd42a96576cad973b355bb1b8
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: closebrackets.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closebrackets.js

MD5: 667059f346609f6ad778936b17c43824

SHA1: 248b45be826a8856a0ed0733c8511d9d0c595507

SHA256: 143c3014c29254f3531cc30be6d90205084bcfc36cfa6f9b2a46fd42a40be20

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: closetag.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closetag.js

MD5: 744876ab906996c429eef7654278f514

SHA1: 0e0e10e59f93f87c9bc35247b14831091113adb4

SHA256: 6fbe2b93cc1744d9e14ad1d613449f7e16df4c2aa2842f658efc17abf662f850

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: cmake.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cmake/cmake.js
MD5: fc204bb5f2393f59bcd34a860f1e1a57
SHA1: 73985b80cdb80d12831a7476b740733e3fdd065d
SHA256: 6379ded0f75af38659031d1eaa803d2bd5be0fa7cebc216e55ca65d01a35bf1a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: cobol.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cobol/cobol.js
MD5: d8a271c0bf27ef5cc2dd8ea19886aa75
SHA1: 93072b3c895318fc58f8ed16d68cc213ac7910de
SHA256: 0cecf82da2915c20187ab4e29cfc4abbb0078536874b27978726d48371487e4c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror-standalone.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror-standalone.js
MD5: f1f47322e6af5937de4a14fb10863e3e

SHA1: 843d01e1379550e5fed3e64aba1af1a359441e7a
SHA256:a18754c4ae17e27b7bba46b338c404d28804e237f41425aed96904c0aa1f49f2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF
/resources/webjars/codemirror/6.65.7/lib/codemirror.js
MD5: 15fc3cdf569fa38b1f91d86ebbea13d
SHA1: c5f9252d9467c2af70c5e6fc579e696648ee242b
SHA256:a4f1c30365d5f85951a22160b07a7ce34048cb640c283545c8192132b46efba8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF
/resources/webjars/codemirror/6.65.7/src/codemirror.js
MD5: 0d4d22de0bcdf7f7afd8131d4e59f130
SHA1: 819f8c37a4df0c61ef735d5b884c6c598bc0983e
SHA256:b2a1b676605c6428b6dd7ce21a8a0d2509d4652ceb2297be93078ca6d66926dd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror.node.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror.node.js
MD5: a524724c274d1c038c7984e164428b3d
SHA1: 18fd7183236cbf1437175c8d31509ffa6cd4ba64
SHA256:fdc02024dc3845f85b38046ae842b0f572f91adc5f34a6979cd92ead0fe4a0a1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: coffeescript-lint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/coffeescript-lint.js
MD5: e852ea5b9ebb97947ffd169523eca098
SHA1: 58ec1f05cb6893a519fe2d7ad1b9716f15219b89
SHA256:824caa68710a7f931ebd30491fec19dcd2c6fa166c21158f5ccd61321069da2d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: coffeescript.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/coffeescript/coffeescript.js

MD5: 438a52e20ca46a26383d4eb6d33a5c6f

SHA1: 8dd398cbd2955bcffcd70180f9fb560f56acf567

SHA256: 67792b36933d29b482307761ee03da520a19b3b30ca60f54df9cdef4051db628

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: colorize.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/colorize.js

MD5: 626a64f8687ca9576bb017843ab2c30b

SHA1: 4899e8d499849fb02f134afb39711d3ab2c28903

SHA256: 9d39f5267c05d930f079fc4f223b453e8f9fd54cae6cf52db9b5dc3a0b9dd694

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: commands.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/commands.js
MD5: 9f984e904c9556f8e270502eaf1d5a5b
SHA1: d16928b2cc389c46f7b77121beb7376a50f11c35
SHA256: 5f23178d2f8f62f97af955560fb192e5aa898f81153b9c24cee8ed6ac567f658
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: comment-fold.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/comment-fold.js
MD5: 3bf750756a24d5a0ba9cf16819bf5cfe
SHA1: ad4d1534287f90692567139c0b007be29aac4a9d
SHA256: a79d02eb1b425d8a4823f2d962b7b9f49af578fc9042b928b892417c00e7d13a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: comment.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/comment.js
MD5: 18fc449bec0798e43182173ba47455b9

SHA1: 29442cfbafce86a08679824a999b87ec1acdf567
SHA256: a65c038258c6541658a0e9f24c56c78255e0e20d4cf06aa9ad83342069a589be
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: commonlisp.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/commonlisp/commonlisp.js
MD5: 9449ffe942392a1ad14eaa723578b606
SHA1: c734ecc91ff4949d4cac179a55bec5cee55da153
SHA256: 0efe46913f843f5c335c79e05ae758e60212dde9cd3c45d99fae8066bd13c128
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: continuecomment.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/continuecomment.js
MD5: 174c186ec1902fdb1aa708a9dea1aa4
SHA1: 7c3bb959b0c3befa4395c61ee8fba3f7f6c6033
SHA256: eb64c50f80cb3080052971bc075bbbf421ab50287804af8ce47b0536da5365e9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: continuelist.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/continuelist.js
MD5: 630509c4379923d8c811b3f1acc931fc
SHA1: 09118fd53589fe18289006df5cc57b4818321197
SHA256:6ba9cd9528b74e7f76f4b9ce9ed0677bfed7057d1aade0050185368cfd0ea2e3
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: crystal.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/crystal/crystal.js
MD5: ae980ca83523592958a2c7f8144bd365
SHA1: b52f1f9ec7c854891491f792ae93aae419efd2ac
SHA256:5e6e8458e3fa4079ff438060ac7f93b8b7a160212b1cce92516f1ea9680b57da
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: css-hint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/css-hint.js

MD5: 55823389add79e8c52ffa7df6ba94515

SHA1: 59e0f4c17ecd9595fe88a84bc47fbb994803fab6

SHA256: 0e22d6efa1ea084e8316ec6d5e4c809534f0e36f363bbc4156609201d95c6601

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: css-lint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/css-lint.js

MD5: e392cd5f86989535e38b3cbfb5134985

SHA1: 0986b3dc26b02d98a91b91bb38d46065b5c0214d

SHA256: f3fc7474cbefded7f1b06d63efe980d58970785831cb35f29874ec371cb4ece8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: css.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/css/css.js
MD5: 3675078ada8a185a353a6560bda2d5ac
SHA1: 1045cdc88a58fb002511eb21db184ed242730f05
SHA256:60f0689e5c6af7f36c341e8e1341a4f10b4f0a04cebf7341bcbedba9b572b32
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: cypher.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cypher/cypher.js
MD5: 0439f14eea37e69f9bd0af1b9c57e014
SHA1: c65b82f89865edb564d52f00afddafc3d18a8d6b
SHA256:6d8c9c8993fdeb724f1f68e9574fdab0001da1d31196e33ac6112303005d3f63
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: d.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/d/d.js
MD5: 0632861907c7e77ea48e0952d2081136

SHA1: f000ac2fe16c377837034c69cdace651a45f4e7a
SHA256: 8e3994ce4f507e692b65aa73ffbfd58112c4a22771b84b8ad86152578d4e8130
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: dart.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dart/dart.js
MD5: 0bfa12b4210e1faba31c98d2fcbd226f
SHA1: 4caa7d422c3c931f7df5b46e09c9596a9ca19ed0
SHA256: b09be809dc1f9e3ad59374b198b0e5c4992788b9ff524765fccd0b84fde52212
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: deleteNearSelection.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/deleteNearSelection.js
MD5: 813d638d2d4693bd14f7b6490445a417
SHA1: eec62305710c8c0a032933bbee41c3fd45142669
SHA256: dac971ad5b761896b830e95f5e2240e2748fb83c909ef4c5ea4fd1f60ae031fd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: dialog.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/dialog/dialog.js
MD5: 1b33c63e7d89d740d4738ce9766b19b0
SHA1: 14cccbebfcb2f33d928c4a41d854237cda5dd97
SHA256:fd8c925fcc25357617faff21220c026bb91a617b995268d96c5d39232fd42833
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: diff.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/diff/diff.js
MD5: f80746d74770ee6dcf444e99f75d5537
SHA1: 45f65817bf0cfe00f52a620c44e48031e926e5bc
SHA256:3fd0e844e22f475503415744b7e7af24df4cd0670709c77e5e43e92185ba32fd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: django.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/django/django.js

MD5: 3c02fcac64b6100a0f369edc8d145f97

SHA1: 9ab00e90ea9a3788178187e9451bdaf61bd311fe

SHA256: 71a3fa0ac63fe080a12097209e509c36abe0fde9c9709610be1656163d25a8bc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: dockerfile.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dockerfile/dockerfile.js

MD5: 35fd7d7d73ad6c400c0afed686a383da

SHA1: b6574f6951c483c563456c9094178769ea733631

SHA256: fca390cea85e1b711389d1a91b99faeccf7b4df0f48e3ceaecf2e517982cb2b7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: document_data.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/document_data.js
MD5: 86420f7d4afaa1aa00313618bff8292f
SHA1: c26428a7245c7ccbc2da6e15ea8071a308efe21e
SHA256: bded28025266e28229d4328e2a4ff6c829e26757b12861ec0c561c495d4b87e5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: dom.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/dom.js
MD5: b56830faf8f75c5daea99bdc94508b38
SHA1: 6425ef8de5f6d50a057a5cdaced4da9ed166ddfe
SHA256: 20275e6018fa90811c51e20246d4803c01d7e744f64434bb9194c7b1df41d1b1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: drop_events.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/drop_events.js
MD5: 940690e5c792ff535ef797090cb7ed5d

SHA1: 05108fb9bb15e761e86ef290e006cb7c620de955
SHA256:60fa1577514a516587de192c7c779b4447aff1b6d26de0498030340e12945390
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: dtd.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dtd/dtd.js
MD5: eb3e9b71c4e33120225df386c29a0b30
SHA1: c91a19fca8b5bb610ff35e8ea7c9190c9ef996f0
SHA256:3f04995b147addeee1637bbfd0054676e78d13f7accaf2f589c55837d70148c1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: dylan.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dylan/dylan.js
MD5: 99e3fa83adb7b3af2e363942a5b720ac
SHA1: 795b6199d3643d0a9eb0b018a02357da66be8f3d
SHA256:999b862ebc559366e71a731e2a28b2762ae4fe7c7882ba5f6bf20c33a2d737b7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: ebnf.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ebnf/ebnf.js
MD5: 8d8a62f6874e4e8378d16d02b09ada60
SHA1: 84295b3d4f48cd3080508f3c5c12ecca2842dca4
SHA256:1175e07f831fd02ccf09d4582351c5932a48fa03be5c0eb1028c8f96c051935f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: ecl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ecl/ecl.js
MD5: 04722d23df4c17765bb397d871875452
SHA1: 63a19016bf2e53ba5c73fde154b9bbc19d96130d
SHA256:c78998872dd14cdb356d5a9bd196f7d3525e3cb03a591133e0e904afaaec11b7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: eiffel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/eiffel/eiffel.js

MD5: d202831cfe3aa85bdedffd44534dc98e

SHA1: e5767dbfb329d8e3786acf893d038e1e4dd35c39

SHA256: 183e855f6474cc2c4cf0b6c5e5c40ea7821707d37ac414277dcda294ffae1721

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: elm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/elm/elm.js

MD5: c37089c171d4384ec97f9af66d5ac972

SHA1: e28a667656ac12ff06766d2ee857962dcd9146e2

SHA256: e343ffaaff2dc6fd9c5923228b46c23723c396993459eca6217871f1c087ebc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: emacs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/emacs.js
MD5: 258e09f1d4cdb812940d869afce12a11
SHA1: fa3b963c38f809ab13c37fd7aa654ac46a39e740
SHA256: af2f42c9f461951f13e9785f634cc9f8e5d63b0c5c2375b331105dea19a71fef
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: erlang.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/erlang/erlang.js
MD5: 29f92a4be923242d30cf1f4288c89adc
SHA1: 45f94b33af2bc74d8c5eed73de27eb8a4047c20
SHA256: 2ae29808247e9d6a58a83893b0e8b627c0ca337cfa541ef16fb506edfdb77e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: event.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/event.js
MD5: b700f1676589e7f88e59c943cc209156

SHA1: 516c718a9b2f86f68127680267b92d10fbf5a579
SHA256:1b13113fab8763c3c9e2284d1b6bdf1f84ab3424999a2eacffbf771ea8b75513
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: factor.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/factor/factor.js
MD5: d497dd1c4f0f85b83245bfb80943e5cc
SHA1: ec2430a02377f3b14692370e329b8f83b017d1b9
SHA256:baf7c16c387e7abfc308dfcb7fcc1ea9ae0a898d13455349083ea72c7bfa4c4a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: fcl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fcl/fcl.js
MD5: bfa4a30d52fa501346b203c8ab6aa0cc
SHA1: 9befb1efc7f051c189e1c2c7cccd976576bcefa
SHA256:7c9d372be44c1c418a101885662d80d4bf6104e1b717d36cbdbd05a5956abc70
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: feature_detection.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/feature_detection.js
MD5: 3b63813f217d9351f7a1d90edf345310
SHA1: f236ad77f54768dfaf4b78905be71b6873691698
SHA256:4aaef197f379b3450c8c297f23e449df3795a9954bec48cfcddf4b3615d5f371
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: focus.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/focus.js
MD5: 307daeb9d6322c3905fc5b2ba846fa16
SHA1: d1e1cceb41ec90a9b18fd25ae6cad9805e86811d
SHA256:2f6ad1d093d5d933ad58ded481d34002320d2887b5d06badb35918289338757e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: foldcode.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldcode.js

MD5: f520bc635201c451609403065b8bacfa

SHA1: 78958ff57ef86b84ac8a8085a4f0923433eea9d3

SHA256: 07f353e02abcc300739b09f31a9d32a958ebe5d2f76959291e5643c6e40a26a5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: foldgutter.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldgutter.js

MD5: 9606e4f3ca8c5ac259c2cf703753017b

SHA1: 2f4f7e099042dcbde74bfd3a8f5856f595326ecd

SHA256: fc85fcd61894dc551a4c7c221ec41b7fa4007d1e33239b1cf8faf56ef1811727

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: forth.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/forth/forth.js
MD5: 3e09048506ea36823a8a5e6ad244c7d5
SHA1: ef3e2632de5a4c57f8b14225026940309167d270
SHA256:1c6c0a8fb3572fba544083795b3259f8a35cae81ec2ddb19b4fd7af2a91ab34a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: fortran.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fortran/fortran.js
MD5: acf9c5ff78882f6ee77416eb957e881e
SHA1: 30130e625c08eedd8d62021c0dc77a71d066fd1d
SHA256:b3351c6cd6e696c2ebf0e6ae1ff7925ed65add92947007402e0b3112634f6392
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: fromTextArea.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/fromTextArea.js
MD5: a910ea4413c5f8fabb9be57bc80a7cc7

SHA1: c2bb053e04c5cc11df632ae7332863f5f0d30c70
SHA256: 796a25d1e7f2a7c35ac9289bdb21e9c56c1253779a71c1b9e8a8c04160829e2d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: fullscreen.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/fullscreen.js
MD5: dffe3df188ef201ff7f04977d0ead894
SHA1: 29d2bbd2368fb2dfc02a06aac6db6aa9691ab330
SHA256: 8e4a21aa77765df8893fc854c4b6be56279e12d9a70cbde913083c307ac769e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: gas.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gas/gas.js
MD5: 9403b8d57b58f52a0d02efd3d6d99571
SHA1: afdd8ef0502d68ba8020134c780ebce498f65ac9
SHA256: 414899aed81f9bdb726a6729047f1afb538679ee58623beb8fa51dc7412db6e9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: gfm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gfm/gfm.js
MD5: da48b005ec4e651d019aa09b3d6d4aac
SHA1: ea5f855ce519bf55f09cb2c968dce9660615c698
SHA256:1fcdbf9a611c238acf53f906126fba93ae0550d74858efad61d72b8b3ed6e0bc
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: gherkin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gherkin/gherkin.js
MD5: 3d87a67e559ce2d1851c4f1fcca83fe2
SHA1: 289ab840bb7ad7d5cf292406eff4fb8e55ece301
SHA256:732eb81eccbef7db49729af3f23d477dc8f27a4d9bf2fb2c6bb520d8ec19bddb
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				

- None

remotegui.zip: codemirror.jar: global_events.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/global_events.js

MD5: 288615615004321c6abe2bf66842b8bc

SHA1: 858b4b90c061cf34960b0bd4231a2b7dd7ec5f3b

SHA256: fa803fc7e109d232afd12dfdf4d99adea71081cc4b71e547d4b1c2bf46cc9ca2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: go.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/go/go.js

MD5: 51890857b15156f02106103dd73d2b0e

SHA1: ef0de14a73f6656facd0d7355a11b1d17df86b16

SHA256: 4e3b08bda2f85c9ef68c03f24c0c5ca3b8ba479127b6cbc50f33cb9593dbaf00

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: groovy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/groovy/groovy.js
MD5: d6ca518a6aa5ab5b420bbf21d65b2d05
SHA1: 48fb64db46a7408334eeda329d755dd09aec41ec
SHA256:6641a0b1555ee0f1bca36975a4fcadd43d512de7ca814328cc6402e1ce836b4c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: gutters.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/gutters.js
MD5: af3de2621d2ef402646889be16bcde7b
SHA1: 130d94f44dea7f614a15009677e496ad2b853025
SHA256:2143db3d42d9a3408b556eb50068870d138041a9b98ab256d070d982e09346df
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: haml.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haml/haml.js
MD5: 7d65bfd39de90f56597eb8e278a39af7

SHA1: 7bafda0fd81e500fb2f364d2e657fd9dec939505

SHA256: 9e9606fecf19869e51c32a84e18c4447c0d4ad2031730e5690b571f318409022

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: handlebars.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/handlebars/handlebars.js

MD5: efacd8d006bf9f83baec2fc5a8c71feb

SHA1: 7fefb944ec70e00d262252956fdc71f04c1046b2

SHA256: 60bac3d6993264e155b5a06f52cda56b7bab2fb5923f3d1cc7e8caf704fca724

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: hardwrap.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/wrap/hardwrap.js

MD5: 049ed63630662fcb8a977fa43f86e058

SHA1: 535a020f7839e52da6fc7b8af3d249f641c5e055

SHA256: bee81aee6222a46b1aeb14d6fc738d3cc09a4e421f808e29b3c6989710ccbfc8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: haskell-literate.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell-literate/haskell-literate.js
MD5: f0bd7313413cdc35018db90a6522d1ef
SHA1: 670b7735a8c85e5251aeadf51f5005d5cf45df44
SHA256: 7519d0b515603244f029c3031a4625fdccac88cb640fcb6e117718ec2c0b3c50
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: haskell.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell/haskell.js
MD5: e4f82d95d10c028eebae3338e678be22
SHA1: 30c46651b2b0b5a7fc70910b22e52e2d1d8687ff
SHA256: 4745a90832e950c9536f0bf498e5bf6fb3753a4a98bea09ec152b92354c0fdaa
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: codemirror.jar: haxe.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haxe/haxe.js

MD5: 13c21da31a992b536d4f37ee53e09605

SHA1: 6a694b4a0a68b148e0b2e0b761a521a5fa4a0296

SHA256: f3596c7efe948a3331bb1bea299f6fcb8e7733777dc2114a9f2147dfc1c69257

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: highlight.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/highlight.js

MD5: d7710bcd63c26c5fdc37c19b15e02d4e

SHA1: cc5bac275e64696339642c6f5a52c254f139fbfd

SHA256: ccf8b3a879acfa0013ee5b11e036b822b68ec5a136c218400775fe2e35a3fd9b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: highlight_worker.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/highlight_worker.js
MD5: fc6f314859dad397c1f867ed5d73205f
SHA1: 80e56feeeffb3ad7b76e40dc4577962a60becc11
SHA256: fc9d8bf90534b9a6c7d5a45e8f79a4f8827a661c4271f812776e7c3d2bdc09
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: history.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/history.js
MD5: 34cb233d1bf8cc676a0c5fc9e9c24b04
SHA1: 4c42d70f020d1fd9397fa16ea34f5cf54487e93d
SHA256: 961d52432f8f463614f83e660c2945f9bfbbc9c8fb7767575b9221c3e88821a2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: html-hint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/html-hint.js
MD5: 609fea85a7894f8098719813c58219c5

SHA1: f593de64cb802e0e456482b88959a68260e06bff
SHA256:64d3ef9293ed8917e40ed4e8196da6919379a3b4970c007785c7ed27ab9a0478
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: html-lint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/html-lint.js
MD5: 0844a30ecec022fb60101fc0cc6a5cfe
SHA1: 3ed8b2f11d4c7462cf29fc93b58e579680bcc32f
SHA256:ab7827913934f06a8b4d00e41d5954974c90d5085d1295fe02c484c782c75843
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: htmlembedded.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlembedded/htmlembedded.js
MD5: e7a464409318dee8c3c6e0b68225d461
SHA1: 548ebed43650c26970abca5933aa237b4a1950c5
SHA256:8afc8da4e446322cf92d78bef9940f9444aee339f56c8b9af5452fadfb867601
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: htmlmixed.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlmixed/htmlmixed.js
MD5: 4c5a6f44d738b718d1f6164c1c8d6904
SHA1: a4f9c3552740fb908e14fb0f47832d10a3f535d6
SHA256:fe5912e1d10f8fecb98bd31e2f957c0bbc9abf6b505d11b6dbcd27542d0fdcad
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: http.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/http/http.js
MD5: 42dcfb1c4b83e85eea0303f75a3f08e1
SHA1: 7fa224e2e3ab674ca61cedd48fd430c5e62e1218
SHA256:89842864a707564a989a841ce934b61659f34b012f2349e5c4fd9a09c5982f6c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: idl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/idl/idl.js

MD5: 1ae58242a3b61aae5bdc5665bd5fc2ed

SHA1: c25b0c5644c33ee3993ee3152df8f4c27235e172

SHA256: 7d45bc0899e019f558e68eca684ed84660bf4687cd64fb4ed2c959ad249b763d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: indent-fold.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/indent-fold.js

MD5: 623d14360009d84560611f43b83e6759

SHA1: 731e1d84971dcfb20d1417761c18c55883c3d98

SHA256: a835ed1af176b96a1bf00379622e76573a1f6327bd76b583d9c4757a2c4a4194

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: indent.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/indent.js
MD5: 835649b199c40a992e89a61de3514147
SHA1: e3d98527805fcef17ac4f710d7600fe0da52db33
SHA256:f28260cac8eba83de19891709eb8545ecaa6cfa3ec716e617992e14cd0112404
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: input.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/input.js
MD5: 8347e0beb43b7f458587e94f323c58bd
SHA1: 62cfb278476d7f293b853e92e35bd9221c6d1a1c
SHA256:bbfc32c56077171637375314abe257f54f925e8142b3f3a9eb669296ec3f12ff
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: javascript-hint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/javascript-hint.js
MD5: de72c8e29800ee9ae93e5c8a43c6c6a4

SHA1: e348c54c78f75047c06629a13422c0aee0ee3253
SHA256: e4dfa3414b3b9535514737074cec2fb0cbf0bfea7e765307122295c98c5137fb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: javascript-lint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/javascript-lint.js
MD5: 55eb8a1558ef8c9da7d355a32334d62e
SHA1: d452acc1222c992a222c6c4bc55c0546eb2a465f
SHA256: 69906dbb83d60e0d104ddf395e29dc4f4a05063f24c085975b9c09693dc860c1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: javascript.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/javascript/javascript.js
MD5: 178dfcd5f64c97da22a3d3a62713b7a9
SHA1: 969b4a80be53b334612b44a0cc6ef57cfe171a26
SHA256: 21fa74c1638c7a4eb3e8cd04b5c8c997181394568330b341c83716da18ffad8e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: jinja2.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jinja2/jinja2.js
MD5: 82ad8f3f5eac62b4012d21c9deabfc69
SHA1: f1b92b1cce15292571979194dc1331accc5fb2d9
SHA256:b408eeadec21747f7c4ed41dcb9ec4e540aa1493d0a7971e74aa1eed05049b93
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: json-lint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/json-lint.js
MD5: b01056a065c6df2ed0f61038c88e5ecc
SHA1: 8fcdcb87fd1c9f8fc04f3fc325fa590b27441183
SHA256:cb3522e1bdffb075461c848ba2091cc781b52ef0e69cb39d9a33e1b74dc35ae2
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: codemirror.jar: jsx.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jsx/jsx.js

MD5: 5dcc6cfebb32872e929bee63d517295e

SHA1: f22b5965deb7b3f6e434d6012b22af7a7ba4c9c6

SHA256: c6babd67df23bb0278d432fba3d2dbd03bb1fb3862d4d70549cda1b0d9953abf

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: julia.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/julia/julia.js

MD5: 544d9103cd9877e0a7dbb26dd5a34eea

SHA1: 4d6fef3f38c3c9717b6ac72fa4fa3c6d48ca189f

SHA256: 54d93c9a83269af3bd8bc6593be2368f07b4efa4223074b54f3aad44097a4d32

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: jump-to-line.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/jump-to-line.js
MD5: ae33156dd047f75a6d2539b21ac92df9
SHA1: 4b8098d4df0e0bdbda6b27961ffc7bdaac14e85a
SHA256: 39b7d80ee80cabe2f5936673b3cadbfd4d260dfe6dc6f936523a334044962ffa
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: key_events.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/key_events.js
MD5: c299e1b06d3f6ec725718c1dc60141c7
SHA1: 09df110e22b2eccc9f3deb5a2dbe0a6fa884d23
SHA256: f24d2b392714dc1fe63b23f79d45d01503a1a8860cb7b92dff6e5eb05e35cc69
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: keymap.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keymap.js
MD5: 1c8d554d0dfbb08ac3b4ff11303f313a

SHA1: bcbddfc0d1411afa8455d75564758dacde1e15d5

SHA256: 9be4f88cba00a971a1a007ca4fcc56f244ac84fb8b24f165f6ce2793c2f83a95

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: keynames.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keynames.js

MD5: e4ae7351260c5e7b9f2253e21b5ca9dd

SHA1: 9b6381177e6d4afdd03388c548a00bef7e101b0b

SHA256: 7054358c3e0ad3945e0c3c31fde7b77d1af78874a5fd436a908aa0e8eeab7b03

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: legacy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/legacy.js

MD5: dfa5acb74b48161d442a6d83e1abbc03

SHA1: 70f5248919c6a806ec8da7a53b9167ea0d28f28e

SHA256: 663e30df9fb1f4994092c95d5a4a2a127d67d59896b4795807ac912773a759a4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: line_data.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/line_data.js
MD5: 0239405c8ea2b45a5a3a2de75bc481b7
SHA1: 936ff2393f4614f8fb907274c896d2435d34250d
SHA256:11203cf446205f30a8eb2f5633369c7a6c00cc778b3cdbf1da16570571937d92
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: line_numbers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/line_numbers.js
MD5: 22976744e5315917483bef53cab4d368
SHA1: 32c75bf2e39c2315fd1a1d04cbcbddb666c998e0
SHA256:2474c6d14659ccbd6664aa88eaac7f1bb5589cc44f5acff4c5d8a22ed5da5d4c
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: line_widget.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/line_widget.js

MD5: 2a58b1a6d7eadb596d3968096f1493e4

SHA1: e06ec6ee060c9b180dd6269107c1643618024acf

SHA256: 4557109a8ced89105c13e911cd0d4036a043ce83abcfaefe9b6889ea8d058b16

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: lint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/lint.js

MD5: 7930c46b5411e82099bf4d021be44897

SHA1: 9d4fcf298565cd2e6b6234c331113e5ee80a996f

SHA256: 7c2e8241383104a6188c43b657b17ff7633e0de89d9b98f7d09df29570341e76

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: livescript.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/livescript/livescript.js
MD5: 303cf9371fc666702d07b7892d4d69b8
SHA1: cc1a29423cc292dab8ceccbe8d1d4995426ce11d
SHA256:b9b5f3fca094c735f94174d463746bc39d0930dc42b70bf5004efaed96b080ea
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: loadmode.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/loadmode.js
MD5: 43a51215f06278be12990128bf16cffa
SHA1: 62a2787a4f3b623af185185edaedc7eaed7ffc08
SHA256:be81c0312e7041f56c217430a177fea61e572bcb9579a39ca1922a2e4d51abec
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: lua.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/lua/lua.js
MD5: ccf279dcbc882c0e99fc9dfda9dd734d

SHA1: 13ec1f41c7c723c70f185f6c22e116cdf532d8dd
SHA256: 5c702747f50d5d4158ab8c096b33a7e0092529d5682a728a20624b01dfd86e2a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: main.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/main.js
MD5: cc33d6b2c4f87f24fe91b103cfee3da7
SHA1: 7a267e163871e4d9c505a7dbda69289619573e76
SHA256: 2644139a384fcda2ff3bcb59fad7a45a3faa166c443fcd2d05315558dc7d1f99
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: mark-selection.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/mark-selection.js
MD5: f2b8639c24afc6cc370f4097eb6bb217
SHA1: 62883a7928526106b19fa78a1195fadf463550b4
SHA256: 5b9c6a0031fe895641f2eb2198df2592ec769a6685d6bb10f3f9b92a7822e286
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: mark_text.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/mark_text.js
MD5: 7611054f886606aed04a7a3f3c4d5a78
SHA1: 3e6ac9ae6a89f720e9c148d25746ff37f9207d07
SHA256:b17ada4f3979fa8170a4abc071035badcddd87870a212cd92dc5b0a70fac19e0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: markdown-fold.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/markdown-fold.js
MD5: e9844099dad7cf95607a804988677f22
SHA1: 400fdaaf493a4d15e10b397553549b6b4e09dc92
SHA256:6a81721447c7260578e8e306c89b33a49e98edc1c2cb0c52a18ca0e913684d96
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: markdown.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/markdown/markdown.js

MD5: a7326be775e85028373f9236c26a572e

SHA1: c7dda08f12cf129cba6b317f70ee7ce0abf775b9

SHA256: 8fe7b11848f79cc9119b2a239f38a00944f6f2bb764a00bc837ecf8d34cf7690

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: match-highlighter.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/match-highlighter.js

MD5: d7d3dd2592e2df81c743b86a46ccc555

SHA1: 21bd58338eb506c53cd367b4e30c6aefa2e7edee

SHA256: 8c3e196f9a5f9e5cf9d7e71751132a05293e7cdb180defacf28be9fe919682cb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: matchbrackets.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchbrackets.js
MD5: 2d2902edcfd32a8f481124c0957889ff
SHA1: 1555a87118f8082edd03c7b7c1363ebd1daaea45
SHA256: 9d0e5ee4c199fcb4e487a901860c2cf7d007263852677dd5858098fcaa8580f1e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: matchesonscrollbar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/matchesonscrollbar.js
MD5: e005f8b0c7cedc509a29ea1a517cc829
SHA1: 73a8bbcf26072f44bc7003faea790d1f3d59096f
SHA256: a2deca7f8ca380dc7772929cc7c23b6737109f3cf0a55e7e18832808d98530c8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: matchtags.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchtags.js
MD5: 6e8c7c68653d8d6b912138fe6f155e1f

SHA1: 99f7135d209eb1da2c326486eb53ecdd330f0f2c
SHA256: 263d752f850b20890f0506fcb277b094b474138692a58b45d7b9bb03e20aa00c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: mathematica.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mathematica/mathematica.js
MD5: a8c37dcebeb98162e29e9d1483edf7c4
SHA1: 82d9653bf7ca5b228759c5ad53845a8237625792
SHA256: a301011fbb5d9ea4f39fc574718c2d27afd9425e31a1a5bf9005617603b45c0a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: mbox.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mbox/mbox.js
MD5: 9ce449eaf8f2c3e6253bb202a3da0d0
SHA1: 6848c5a33d4ea2c76fc6abb4fdc3c9253eedbc9b
SHA256: 9affa80931d9bb09746d08b9b0f90286d2b47f5b16a0bd8a1a06227b496c4b07
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: merge.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/merge/merge.js
MD5: d2a6bc0c40e52723665afdc3b17ab226
SHA1: c2c82dc8159b4d4b38ac4e74d88b513cae40be01
SHA256:916279b765e93236826a1aa71f96924084707d50486739e9b4524a3f773d41ae
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: meta.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/meta.js
MD5: 11f14aa114ed56768aa48301be3b9f03
SHA1: 516781b99334a9aeaed0d9f1b9463d8330d00ab2
SHA256:f95786f9c83e631225fe7866f39892f808aeb015e80ce9d8a58d5a1d4e9c4bb6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: methods.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/methods.js

MD5: e0aee4bf62e8df22b1edf8c98171c1ff

SHA1: ec9e2b700a1252d5787249b1c8046b5fb0df6073

SHA256: 80aa117e54c13edec48656384e623b81f8ae5ecece3f426ba9b4638872fd88e6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: mirc.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mirc/mirc.js

MD5: 23555fdd21b7305d57c24d1378a03754

SHA1: 373c327846304793f8016feaa0164226d6fd5020

SHA256: ac173799c5f81a8c8813a5b0c20b700b27a1f571d1e70132e67d8451c3efaa5e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: misc.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/misc.js
MD5: e94bdb7dadf69d57a0baf64df69e7780
SHA1: 7d04fd04c64f91033740df1756ceb180fe1ec38b
SHA256: dec9a3df5d525da109210c8f63bc47ef6270de5d0336e446c54d6c490f45bbfd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: mllike.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mllike/mllike.js
MD5: b30e7da7837eee7a5966685fa03522f0
SHA1: 648a539e28df2714182163665b797d783cd47d80
SHA256: a887947e50c37db0215fa4076c3b211093dd9abf643518a2f304677bef848211
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: mode_state.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/mode_state.js
MD5: ffc05060eaa3b3d89beaaaae86b0483a

SHA1: ad4db1fa999cdec7dca274bc0d440b9817706fcb
SHA256: 7d986b2f9cea39f7829ffd57fe70a6d891afb68bda46557f3d361fce6abddedb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: modelica.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/modelica/modelica.js
MD5: 9d173268d73ae885e07741f6a60913ef
SHA1: 2cebfe05d43ff1b9a4608bde365d0e340b9e2b08
SHA256: 96befada89421de8d32f6355c326510128e429167390c60ba81d93dfce4b360a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: modes.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/modes.js
MD5: bcf367e11e7fac26e7f1668e8f1d1968
SHA1: 26c51a0d675e8420deabe41af39537b98b494f6a
SHA256: faf6b57425b7b95a14650da5da6a488cde013e23c1ca57e4223146ccd369230b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: mouse_events.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/mouse_events.js
MD5: 9a8c2a4f4b71ceb0d641c905ea325dfa
SHA1: 88d8b3f37ba37358b2f270ac184852f0f53c4e8d
SHA256:17a6d6d77b3607cfd0ba1d551fef84d161747a62b42ecd9454d7427a1c3da610
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: movement.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/movement.js
MD5: 386a27ecd12315f9eff836ce5ab2091f
SHA1: 3170cd5a925774250a79d9e1c9130040e89a6be8
SHA256:45f4ab6d34f817b4d945449664a35848a252a87f7aa7e917cbefd5710cc06334
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: codemirror.jar: mscgen.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mscgen/mscgen.js

MD5: 8e06dd81adc9a26c6c708d253868c290

SHA1: d44dd69d6fe4e456417da210928371090d426921

SHA256: 91eff4cccc80f0048d1f7efce0197be483a013dd299e2718b49315639a3d4885

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: multiplex.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex.js

MD5: 0bdb637f0ca08689fe55e572cc10ab16

SHA1: c1eb99a3fdd03722c84c78cb9351791428ff0bbe

SHA256: 09ec21386de4e951c1eefe0f1db478a9f57701b202ce18424f2b89d4f74aeff5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: multiplex_test.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex_test.js
MD5: 8a377bbbcf33896551524b1cceb823f
SHA1: bf15c3dc16b8de593577266b9ef1f5625d67a0ea
SHA256: 73e22c6765036bce1db37e31f8c46d62a56ca232840fb4fb968d17c24c3e8f74
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: mumps.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mumps/mumps.js
MD5: 8e0c6375b6bbe74f633feed856f4283c
SHA1: 6944b10c9a28d7097d90291dcae08e9924461140
SHA256: 1455108cba483e767bc5072ebda6c4c219395adb574aa70f7d7ec856225c3d42
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: nginx.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nginx/nginx.js
MD5: 63e717882de52ba3a4bb62c9e7bef83d

SHA1: f008d01cd0b803de9bd5bf1088feec56c6eac9c5
SHA256: e35111d1834678cd34bfec04abe169cb11739f39750d1c41ab57c8f2524748fe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: nsis.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nsis/nsis.js
MD5: 4851ad88c595ddafbe3979f2e47b4d0a
SHA1: c27aea13ecb53b8797926e831d8730099a585d42
SHA256: 5f9aab831632e1de8d8a4f6fcf52dcd75eb704ab8fe47e2c76aac24c8c30fbd7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: ntriples.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ntriples/ntriples.js
MD5: a21f011183564e5725ea16a6ca11b089
SHA1: 62d7d39e91ecca5bad75c91241aa31421a303ba4
SHA256: d7a1fd7fba26679ecb0a6ac0b67164ed12a37db25d32ece3472920c6f25a74cd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: octave.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/octave/octave.js
MD5: d830f31f1647efb252a53d0cb1f18aa1
SHA1: 1abba38966f306c238e8f9cf168f95db0e16d5a5
SHA256:b6c6966b9a564ceafa2b2c5dde2f2efb0349cacdab3f61d90fce2544ece8615
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: operation_group.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/operation_group.js
MD5: 72f0c675f45f87c9a45b5f5784212fa9
SHA1: 8ca609f3cf238954efccc55c720e733a56f5029d
SHA256:aaa9c34bd1240b164897a412a257d2e693d2ad35bec219cf8959561de6559edb
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: operations.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/operations.js

MD5: f2e13ff94b86a05aa5daff82022da8d2

SHA1: dbbbc8bf0cd26ed344d48e6be8ba83d3a3ad983a

SHA256: 6570698684e4da9507306248649b72c362cb918b63180b3b3571d91ffed78f83

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: options.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/options.js

MD5: feecb2723f03f979c8b8c9a85c553a1d

SHA1: 99d3d0aa7ab678573f2970b2273404ed4c7cc73b

SHA256: feb45909b7d01751e0edd20b7156ad016ec045cb2eea8e92b96b1505bf6e2159

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: overlay.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/overlay.js

MD5: 3cb76447dd1f64cc2bb037f3ec8c88a9

SHA1: 1ad72da6c675d9b6074f69404c66118ff24389c7

SHA256:1b44334e2a04d90f2b473c26847798859039190142e53f72f3b7de0f82696d0e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: oz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/oz/oz.js

MD5: a097901a9fe996b190b9103a64ace0c6

SHA1: d49b86c59bab331924fc03e3f680af92a6bd79d5

SHA256:641554f9736e5260ff1aea064749a590cba2a854bad6fc334db8ffa2bc1a6892

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: package.json

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/package.json

MD5: e2faa7704d8de49e9d70e7a834d83ae8

SHA1: cab269db696fc76be4a9c83dc82f287546253792
SHA256: 352f4e90706a839430cb2cee1a2080b0c1a0660243d4d2a544e81a57cf8c006a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: panel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/panel.js
MD5: f647c5e58b5c032c1691693333104941
SHA1: 5c8285f946d9888b499ae0266e8e165696947074
SHA256: 2b137f8e8631c717d2af81edc341d436cd3a6debb8e9fdfdc20630296685d3cb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: pascal.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pascal/pascal.js
MD5: bdc6c5432f1408c29254a933f45ca2e7
SHA1: 541ec18ed0863a528118a8026b6a5aa11a9c5918
SHA256: 5eaac022259857d3b9b127ac0deb76c84d2523dee102d203738293f95ce5086c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: pegjs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pegjs/pegjs.js
MD5: ad4350eff079b204cd634114959c0904
SHA1: 978baa600d3539e1eb05834fd0b7d659f0fed792
SHA256:8cc7fe980c79a1ded9265d338062c8ecdfe6e0d044fb795bf11eb8d9813dc492
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: perl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/perl/perl.js
MD5: c6a3b40a8b2971690ff06860516bd140
SHA1: 08bb3e219af9990114dda08e2ad935c5992dd39f
SHA256:a614830dc6e71770cb4feabc487dfa1b72e29444789b94d1bcad62490827ca1e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: php.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/php/php.js

MD5: f2f1668dbc8a4b0fd9f031dceda0e4ab

SHA1: 31d6961d6d4cbe7bf5deb2f0b5ba099c49e5c962

SHA256: 07819ae34d5830a3cf040e1904d4b641cb70142845394211f7fb63c891d80945

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: pig.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pig/pig.js

MD5: 40f967482626259f7cdfb972548743cd

SHA1: bd2d7d6522d69e9849f8a6cf3b631ddaf50a091e

SHA256: e9a9ec475aeee8b2f75fd1c8a58ea0a2d0cffd383b1a3fb8bdc460881d612352

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: placeholder.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/placeholder.js
MD5: b5b4d8391f1b94044cda61cc979cc772
SHA1: af7eaa5519c4e0fa823224593b0ae0b7fda73a23
SHA256:44619626e2301fc16ebade252564e2c064113483e02f2fc8d8d262aed2485b9c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: pos.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/pos.js
MD5: d1fc4bdcc5a93ac92f4c3c9cb34bd220
SHA1: 810afb684197135ac8ac6626a4a7eebef9ad5cc3
SHA256:b708bfbb9ce809d5ce2d1490d806933fad9b471ac63e0f4c72a31ada57e05f9b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: position_measurement.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/position_measurement.js
MD5: 6c17908c000f5a7beb67e75b1340c3ef

SHA1: c5dd40151e773a61694906cf92f941fe27ce51de
SHA256: c5c488b91320e33d6e25fbb8ce4fbd3c28621511328b48e9690f797b81d51c32
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: powershell.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/powershell/powershell.js
MD5: cf3b0559e54ae537a420d86a07b441a5
SHA1: 992cbac5ee6c618eab5f646438ba5fb54f66cfe1
SHA256: 9530fdf52d164be6d021a87de567acb8738f86f6fd98577533a9db3545e873c8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: properties.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/properties/properties.js
MD5: fdca15c3c811413459ed12fce119db54
SHA1: 715881cc0ccd13302e302dade67f675d37cfdbd4
SHA256: 3f85f36e32edf82eba526ad56edadf04c33864d72bf0cfae2592a490530a4966
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: protobuf.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/protobuf/protobuf.js
MD5: 3e57a349742d01647347b7339572d9fe
SHA1: 909346135655b3aacdb909a19acb59876e2810dd
SHA256:93d1459ed6cc4e2a4701fc17959fe7f56b797d1d35b47f44b8030c0d19adf5b3
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: pug.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pug/pug.js
MD5: 63473aabe4ad7435cc804132bf743ec3
SHA1: 4e624a3174fd238241f692c1f935ae75d41269f4
SHA256:1f9e975ab889f6dd9183758bc7b454224dd11859b8e045ce5b98e2c4a05bcf9b
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: codemirror.jar: puppet.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/puppet/puppet.js

MD5: be03e9aad763ae4b5ee3d6a226aa8c78

SHA1: 7dae96b96e285c5e747624c864be8f1b0cb61e5e

SHA256: 237b966a50a514c6beabddfb83649797f764a29f7f2c7100dac1f411709040af

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: python.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/python/python.js

MD5: 9b50648e6f546e4f63f1a8eb25adb039

SHA1: b178c4d31cc4eeefe58e97a60723d47af96b79ed

SHA256: ec56443dfebe73f332cc639289ad2de6921560c8952a3e2127397a0849882657

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: q.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/q/q.js
MD5: ec0a69917f7ff85ef3c89ab34cbd0ee9
SHA1: c52261047f62fbf5a52a2fb36e0e926859505ac3
SHA256: 1fecda8902c9c63fa36833c073370e479c7b8def1b883147c364f81cc6ac9171
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: r.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/r/r.js
MD5: 32999ceba0af47e9e6b4042314e2cdc0
SHA1: f044c32fe6998d6c6fbf774910766fca456273d5
SHA256: d4b1d1ad4275187d4f371fb61ca77ec10f63deba233644c484667750f934b23c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: rollup.config.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/rollup.config.js
MD5: 73a1da56a828ad2854d28749fc155632

SHA1: 48bed29223b72a22a9939b57333c2d6e58bdfd39
SHA256: 8c887c6ebd69fc77f4d1690cc0eb5afaaad25f0e18baaa5c7fdb16a6618ee08
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: rpm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rpm/rpm.js
MD5: 5fbb2d4919f2d396e78074f4c98812c0
SHA1: 719d22639e2bbb16d80df811da20013f3998c42b
SHA256: 5e8a8253eb986b58fb170e2d58bdd134b05fc7dc02a456374a034d7564f77fcb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: rst.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rst/rst.js
MD5: bd89a589282ae08505026ef31cd4c6ad
SHA1: bfc1dea7ab7b49ed20e4127add87019c8dc56850
SHA256: b50d542cf38074c392f7fde44ef2cbab24b45bbfd178c426cfef6848d6d3e90d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: ruby.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ruby/ruby.js
MD5: b0b2ef072186390edb0444a0eb2e315f
SHA1: d63568f7de026f9c17e0a4124161ad5007c0c709
SHA256:953daad8a24225d56733f77c0c4451cf05436f70ad00e5dd1618486a1d5e01b9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: rulers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/rulers.js
MD5: 267bb54847534c8bfb41dcf227f7aeb0
SHA1: ef8505818354f0e8e79d6ef7a902ec0feaaa0ed7
SHA256:175d32d6794e2d917f446c4bcc8053c9a9e69eb9fcb3b805daaf015189b6ec03
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: runmode-standalone.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode-standalone.js

MD5: 51867497bb73c2eba5e2e6cd1352f29d

SHA1: 591c22764dd7599a2d443c593bd5d4fd77928e65

SHA256: c1c9bc16a627699da49d9733f93d75963603175081a540b276f11c604739abc9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: runmode-standalone.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode-standalone.js

MD5: 8bb22c65e3d5cb3b6466654c7c6ec4c8

SHA1: 942779dcd636d8372e9d8c9949858ea5b68bfdcf

SHA256: 8a06491ff4969718a7bbe2f8ae9d380e9f05f0947d7f5e0d940930e5a929e469

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: runmode.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.js
MD5: 6b9c51f3ec2f5a79c75836a0f75569c0
SHA1: 88d7a8053ef7fe9996f63800076992a5f65c4dba
SHA256: 920d8eee55e987468236ba7ed2886de0bb8b2fed9d7060383a39ea29924ae885
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: runmode.node.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.node.js
MD5: 3847af673a6ae44d53fa8d697df2b8e0
SHA1: 91e688f6fc356c47f9bea928ea3768b7c7a57693
SHA256: 0d796745f8db549e4ade4132025a45994f45dd6f4765402ee75e4113019edea6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: runmode.node.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode.node.js
MD5: fe41270e99f973a568d5a823cd6e2bfe

SHA1: c78b8d45e3db1891ad28f93b64ebd5ec6d0b9c98

SHA256: 016bd87dc725d65c80cfa58d2e58033e013e703878cc05f322f938d58ddbcf9e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: rust.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rust/rust.js

MD5: bfb43032004a8d5d115c6b817cbbe2ba

SHA1: af76d8276b553e168b5fab49108e715452cff07e

SHA256: 797a9abcf8581f192bc49b11434346d3f8014763f4967ae260fbe31f25b2bdfb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: sas.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sas/sas.js

MD5: 46f6d321e806768f9ebbc0155a5f9807

SHA1: 441d94bf2da7c5299662ba76dba352aac7df705a

SHA256: b69f2877e395b89682a4066f62f686c12cb66eac441b6c1d3ee15d5004859f43

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: sass.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sass/sass.js
MD5: 0067718b0d6fa922bcf032b58966c3fa
SHA1: 1dbee553e6dfa3d57a3aa6548b43a753ccdb7380
SHA256:01ba99f4a91e70d2a5d3ef881c542f14a1f59f3ded58672484bcd56b41921866
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: saw_special_spans.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/saw_special_spans.js
MD5: 72b6184ab657ca37a0d984dc73e7088c
SHA1: d84fccefe8c3cd0f1a0b5b2f388de87e57503df3
SHA256:fb122060ec500dd99a179c002fbb6a8709eba030bf8f7695d868109b470b31ff
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: codemirror.jar: scheme.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/scheme/scheme.js

MD5: a64f664dcef608b26dea48b1ea52b622

SHA1: 1e90715a9ecc9c8cc9500e9b064ffe0defc60b9c

SHA256: 0bc81b318e12c7c5bbd94943d9d64cf1a64674c3bcc7057788ed1ade8701ab80

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: scroll_events.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scroll_events.js

MD5: 8c96ad450d94581a7a461c44fa1e7cfd

SHA1: c92034958533fbaa6512c99d715a6032d43355b0

SHA256: b0472dfdc7a904f6a082f064c9384dde3ce1ec95953d9c276216424da03ffa01

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: scrollbars.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrollbars.js
MD5: f06876b47feef8deb64e7cd59d76ab1f
SHA1: 73c1a417818efb800852fec0742136fb1c891c1f
SHA256: 11cdf1fc628da528adf11b23bf19cc06072bb573cde470669343d27be9b0ab4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: scrolling.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrolling.js
MD5: 104c04ec259e68a53516216e4947e9b1
SHA1: 54446fd791e3331041e6e9a0874fa66d4794bcb4
SHA256: 07f6964d12cb85a698967bcfeca73824a7b602475d488ed6f57e2981879e7487
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: scrollpastend.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/scrollpastend.js
MD5: 74be53ff23fb5eda7725c96f1ff683b2

SHA1: 1aec49fd4f7f5571fac13fddaad9eb1705cd522d
SHA256: 6cd389df1da1ff9ba25728e03afb7f47df3162c3d9bdb5cedd06fc91c6199479
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: search.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/search.js
MD5: aee5a4efc34387df3d1974e09cd2965e
SHA1: aa36dc4a27460ccc0b4b40ee643907303b64a880
SHA256: 4949580371fcd81c0ad70164b169dd8bcab2bd9869eddaa0d7e295508bec7a04
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: searchcursor.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/searchcursor.js
MD5: ca8612c41c44b87a10703ffe71d4f750
SHA1: 6bc4c36ea23ce7bf583f95ba4ad49e599bc646a1
SHA256: 2c0b8cd8fe7ca5ca2253f4aacc914b390bff5b3cac3475df66c43a9ea8c8ccbe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: selection-pointer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/selection-pointer.js
MD5: 3ea743f9f1b458692e5258bcd8c8afb8d8
SHA1: 4306383d109eb987ee62a6e2defa8926dec870ba
SHA256:fdd7ff53d0ca796c5e3792ceb5063c84d0735bcacf198a1c06c78880f1c664a22
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: selection.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/selection.js
MD5: 34d76a4a0d6602f8d4ff937e499f7906
SHA1: c759ce0c87a62abdd8916125e3bad601e4ce4efe
SHA256:ca2d26085ea9380b686c57d5ef8789e3c3032ed8c5d90ae0e1c9dba69635a89f
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				

- None

remotegui.zip: codemirror.jar: selection.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection.js

MD5: 8f89f30a603010383e7c118550697100

SHA1: da2d4548c10827c45fd625bdfd1ffdf0e28e0c30

SHA256: 03cb03c86030e258ed013dc958cab854e2978893145cb096468ff8149417502f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: selection_updates.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection_updates.js

MD5: 252e2ea7a38323b8d82902e6595d23ae

SHA1: 27719d66e1ff98e650abbc5b48f2f4635f65df13

SHA256: a285a62ec8522c5d8271505b1438dddf39c3dbfd4dec5ac01971728e21a765

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: shell.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/shell/shell.js
MD5: ab0fc779b5fb9bdc1310a28d7dcd379
SHA1: ece7e7661886871cc46ef71248c67ea53a61ac7d
SHA256: 24f77cb162ea9d9e9fc79b95ba547a7cc10a0767e3a5a52c786d4c24253736fe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: show-hint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/show-hint.js
MD5: c9e3db9bd2540c05ac67b249f8122387
SHA1: e8092d9477bb1ad4d17d44522d99cc67ead53b16
SHA256: 28d2123fd1c9cf197651c2a0b3cb65762ba06dc073e023c75ec05b1f139b0af5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: sieve.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sieve/sieve.js
MD5: 88c6148d955c6542b3f10482b736e553

SHA1: 72627a945e27e3044717e5b8db378f3d776ad0fc
SHA256:c233866cf4990e2f28f11c96ecedc7e7dc465c19c5b445b30bdc037118f7b65d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: simple.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/simple.js
MD5: 282f2d54ca2c7b60ab4bc0cd762b943d
SHA1: f08a5e5394568164edb85911dfc452f433bb2483
SHA256:400f49309b31197c0c4ec76519c93647b494ab80f59f96d7f051463e0aa37eb0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: simplescrollbars.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/simplescrollbars.js
MD5: 34d6903cded2822fb2261678e1a479cc
SHA1: 0707d27834fdde0fe2c32935af79d4575cf9f1ad
SHA256:62b48bff43436bfb8ecc5e3273e6047f0b934c1d873c81e863e13bb462d1e1ab
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: slim.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/slim/slim.js
MD5: 447874e5c5dd225949004c357d17ffe2
SHA1: 2cdc3263aa6d9766131d73157afb05fc6767b50
SHA256:a8d555221c610512119f2107d58bb1c57d294cebc91f82638ea6e235286b5c15
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: smalltalk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smalltalk/smalltalk.js
MD5: f6e7ef04f9f907a13604ea5b1938d3d7
SHA1: 57f009cf2b2147f14c530f697fdcbd3ac493e053
SHA256:9f649668162a61cfa6a3528dbe513d012162932c742c7b0696078bd2a6d3b190
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: codemirror.jar: smarty.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smarty/smarty.js

MD5: 3ccd6f2129ee79c85ef96a8237f1de7a

SHA1: 5fc274f49b704c0a99e0f0b9030c90f56fc7c1f7

SHA256: 9e95bcd71635efe200c3871c57cbb1c07edc1f8206d173f4552fd2dfbcf9e9af

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: solr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/solr/solr.js

MD5: df4ba46ed00e24c144deaef9a817d024

SHA1: c880da8431afd54034ae7fbfedb45d94966638b7

SHA256: 17f16060f00cd932914722bf2cd1a01318c402503b62f3bd2bda09bab6b42b85

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: soy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/soy/soy.js
MD5: 1db8a99a573b2ab07cf30cc58da1bb2a
SHA1: 7c0a178caed0b849f140d0b21de6548a0355f9c1
SHA256: 358a1861e92366d238eb240fd5d5cf8ea6f5fe219f389667d277031c0a1a47c5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: spans.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/spans.js
MD5: 52150a5a01dd7c56de003aa132f71e25
SHA1: 92cc8b4ab38a103a106f574c40d25d16e97d48eb
SHA256: 719ad01e720518e7594a76ed4dc4904fec7c495b12d87fc4599b40032975789
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: sparql.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sparql/sparql.js
MD5: 856d73e41310b4dd6a18f13d64fec0be

SHA1: 1669e717cbfb9fa9b30e99415a6e5f7a66feb286
SHA256: e646ae1e2796c936a8760af321089f5814d0158ef72aa3f3efb60765430a2e6b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: spreadsheet.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/spreadsheet/spreadsheet.js
MD5: 370c01bed3c433131f942ef7e6f69187
SHA1: 94b3e4c80f954a378ab94f13068d879e9ab3394b
SHA256: 0807dd557c55f5b6d8579c5c9019c5eddcda9c56ce559190e5f2985b156a00da
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: sql-hint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/sql-hint.js
MD5: 8d41549d89ca9bfa3ef068190df379ca
SHA1: 6a2cbde78c9311f75509d3350877a8018499e8c7
SHA256: 60703945eb6cc93d4f47d70b65f955e66ae8a22c0cb1ceefa69cf0890564544d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: sql.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sql/sql.js
MD5: b48a3934b20b392ae812b17df05355f4
SHA1: 40d1a558afba1f5043b23131e496de37d8e2dfb4
SHA256:ac23d3f196deb9be25cfcecb966bdc1789b9e177aac683ddccde1420670c4d8a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: stex.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stex/stex.js
MD5: c7ef8ac785ee813860cc414ea17dbf6d
SHA1: 3e46d97b4e694c7389cd0df4d13b914697d28c8f
SHA256:edc1f57c69920967a31defb66954aa29f5751fdb2f7ed8e52fa08978ff890e3b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: stylus.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stylus/stylus.js

MD5: 7e6d36c0cc269b4e518bd48b9b6342d6

SHA1: ea339b15b178a1082a2acdadae82ef1f4a599f32

SHA256: 85683adfef4f0129670fc2e5ee9148ad956213f5fa0c8dd05ac7970ad7f0b337

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: sublime.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/sublime.js

MD5: 1d7ea7f929183e76740bd9d98e9cac41

SHA1: 84a64b60b5802e86b0689ccfa95665339347f0c7

SHA256: 1d532a67594845cb7163b090a06da9287b896944ab5f22df67f14e176bd434e5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: swift.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/swift/swift.js
MD5: bf859160b6f348fc2d72673fc40b9da9
SHA1: c6b46b402c9b1fc3166712d68eb10ad29c5d01f9
SHA256: 939dc67bbef9f0f6847f5bc2a89b0c8f4b411d57fbed4f9d5cc21fabd7e191c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: tcl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tcl/tcl.js
MD5: 28a739b5550bd5ad13b47dbec84a9716
SHA1: 2ce8afb99f36fece39e1b3df7be02509f77b19ee
SHA256: 98552bab94ce9adc9fcef5658da2965994a84e852c83098e94564884815b3026
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: tern.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/tern.js
MD5: b9418efb9c0d90a3432dff86169fd293

SHA1: e4d1225e756d51fcb69c2f14ddce1b09fa2a23b7
SHA256: 1ebb5ad38f72115c49865b5537fd9c77da506b7ed2be38bd310306af3c698e44
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: textile.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/textile/textile.js
MD5: d3923b19d37114a9e2a346c191c318e1
SHA1: 979b17e6363d63ac2d1b3a6854ba6196564fc5d4
SHA256: c121fcf3e641a7433b9e328c76aa0b1755aa4c0412e4f59a1d8d6ac24b36df06
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: tiddlywiki.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiddlywiki/tiddlywiki.js
MD5: 3e4fb7a08d9df5cbe9822cb1756bec86
SHA1: 84885a1cb7be096c19a3dfddd70252efcc83960e
SHA256: 4b62acf34df4acb1a4bc1a2729edaf221583679761d35e0e9077883810fccbfe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: tiki.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiki/tiki.js
MD5: 6e4bd43879571d0fdfa79714f550a3bf
SHA1: 6fd2ece4b20160c1859f34cb245b173459c21163
SHA256:af92cd0858a99f3c5cacf240874db7eac2704a7b193a3cdfddfc5ba70382a293
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: toml.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/toml/toml.js
MD5: dc2ba16cf830b53759b71306e9473ed5
SHA1: 1a394f9f45c508febc270b7c0a1f72460fc897d9
SHA256:67bbbc2696788633071f2a2b8a1cf6ca4f4ac82213e3d85b7cd183d60b117679
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: tornado.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tornado/tornado.js

MD5: f45c2ec37cc008dc5dbd5f9c077ba666

SHA1: 8b55c6a85279c8f7d6b3f539fa097fed877c16b9

SHA256: d006020d7d093cb4f5ed5088ed151d4c45417fe5ccde69d960eb82cfcb9e0ecc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: trailingspace.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/trailingspace.js

MD5: 43599469275c2b662b7907971147c978

SHA1: de4d3ee3d32f01f94921b8b3944c7383da7ba970

SHA256: a0d2c0196d8f4991cd58f320498f7aece971e502e4811ecf58cb5af8e83007c6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: troff.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/troff/troff.js
MD5: e7f5f0a2bf68a81f0f3e547ab5640627
SHA1: f59246b4ff5ce93afc87a4ed30a0cba0e6ba4775
SHA256: f7714fdc46774467c168e75fc36eca90e6df16e27afd0b608b882b2df769b8c3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: ttcn-cfg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn-cfg/ttcn-cfg.js
MD5: d847dacea4534ee2841f01f5ac419060
SHA1: 0df7a9b8f5e91e2ae8d5a8a02c99bf779e221743
SHA256: 22983894e4a3794c9bcf396e7a4119efa5ea07a4f97e060e15f3c13ec2c1a01b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: ttcn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn/ttcn.js
MD5: f94e618b386e8bfd0ffa2252482e9c84

SHA1: a463a8817c26dcec47a7d006aa097dacf74b28d1
SHA256:10be6704eac48032ce00890bdfffa03d445aae18e3ef7bd74eb14a26e5867a28
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: turtle.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/turtle/turtle.js
MD5: f36ec21c639822b370b87c63415533f1
SHA1: 9b6341bdf7330b71a5959cde815241b6e7deaf05
SHA256:0f82b51ecc43b95e55a752f80f719f8a39b607697b86d3fa4523a5e8280d3520
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: twig.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/twig/twig.js
MD5: 09ab2491f1056e9d142e233dbc9dc1de
SHA1: 4cb5eb7c9bf77dce80f92f2498d83af92f3398b8
SHA256:72b6e091bbd6a7c6eb786db2591c1f6f59c7880ef224ce5365ed39ec786d583b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: update_display.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update_display.js
MD5: 8a51230ca1be6a91aebe25d4d0f7b55a
SHA1: 79b7a1faa3bfaa65f28ab4e324fa88b485ed21e2
SHA256:cf96f09d7f210f2cbf0c1912058eca1f96b51e63b1bf7b39016c0156c2b9ffc6
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: update_line.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update_line.js
MD5: b9b8f3c5e697e33d73d1044eaaa86dc9
SHA1: 4f7c764ac36b54c918f06b68129b8835b22b55f4
SHA256:5fafd013fc16591f0c978c6a4bacb3cf054d52f5051becd4325de8c21ba07f7d
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: update_lines.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update_lines.js

MD5: c864b2f05d2101a47c52b9c01aad5b47

SHA1: c63e8555c30976387f5904fda11fb55174743a88

SHA256: 80e80a6c8ad664587c2f01128e85c5c931f29cd021381584e2195073a53df45b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: utils.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/utils.js

MD5: 4e9e033cb9daa0702d84b88dfcebae20

SHA1: 8e5257ed7b93a00cb5ecbf544d6a1043f2edac7

SHA256: 06220f9e424434492b73e0aea65bebbba1fe74fc3002f8b3672d1d0d3a445f20d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: utils_line.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/utils_line.js
MD5: 0f6f365b60c1688d8f0fcb8d57a9d9d4
SHA1: 574435cdc400815c829db19a67652b7077b00433
SHA256:a8b39ff57b6d43dfceda786380d6dacef7b1738a81fb6033e7573502501d4b6e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: vb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vb/vb.js
MD5: fa430588a34292ebd66e33fa60217b4a
SHA1: a89cb1b315fbed1886d709d921ae95b216d89fc9
SHA256:e8f8e4496baed70b1e6ff44979382bad81b921b9570b7da1a377835e973f28f6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: vbscript.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vbscript/vbscript.js
MD5: 2da61e304ec310d9291e372c53c6b06a

SHA1: 9c582c79ac9ef6d1c08850c180f988bf974aedb5
SHA256: 77109e0c2218502dac03b5bc3b290cfe0b46ea00f4d267f3dc4378d9abe1bdc9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: velocity.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/velocity/velocity.js
MD5: be30a2a88271b692c85d7de9744f7c16
SHA1: d45880a6f5d3d4840ed1297d7b3f14ba4c9a4be7
SHA256: 3c076c7bdb1e2d3d25bffa1a682556ae449f1545c3731935306333b5831aa951
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: verilog.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/verilog/verilog.js
MD5: a79b1a94e41866ba625c37e77a76ba16
SHA1: 4818788973bd3f66d3b9e14992710d96a7ec18d4
SHA256: ae7c58b13650019ca08760e04f3ece3315e889eb5aa849a34400f16542610eb1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: vhd1.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vhdl/vhdl.js
MD5: 4f804b6884d0d7c233a0acc15fdab384
SHA1: d30d775adce22818b6e3955fae1d653028abb5dc
SHA256:da078efdda01a1245fb8ed5a16cffe0a51823e5917e3802457041dc48243539
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: view_tracking.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/view_tracking.js
MD5: a26525bd629440e84b02128d6eb323b4
SHA1: 2cb6103f9dad13f5ee416f272cc9f8f14084ffc6
SHA256:077f385b690f0c7af9976cb7b6d2b60a175f762753a77b3060a6db2686a5ee81
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: vim.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/vim.js

MD5: 3a5542b6dabf86e3983f29c5c5a184b6

SHA1: b8afaac94045745d4517c9635a5d0c1c266db7ca

SHA256: c8124370e0ba7e76d5cde3c18d257c5c99e5578d6505f0eeaab5c791673c40e8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: vue.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vue/vue.js

MD5: 9e7dbdd0bcaee6279ed4e77f5ebc36ad

SHA1: dc5c50230fdd556f9c3530f781b7a2b16ad30a20

SHA256: 8b9c4f59c1230c537f44f593f5d608a81604e4b3dfd345ea938939d0d62f668e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: wast.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/wast/wast.js
MD5: fb1f6ce81911f07db605e2e5ccf41cf2
SHA1: be86e08e18cc74130b483022c355846d72116c20
SHA256: 8e8ae8ab4475c66d2f05960ffda597af6279c8c93f62cdab443407bea74c0091
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: webidl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/webidl/webidl.js
MD5: f31e84cde3fcc1fa2efec9889038d7e5
SHA1: 0757847217a95faf4defc9685f6821accb9d8988
SHA256: a12293542727a69514ae5477a65e33eed4f871fc207c6b275c9d8be1f2177062
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: widgets.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/widgets.js
MD5: 675098b5f0aea0bf351a1b5762febfa6

SHA1: c922dccdf98c79f92fa086bc2a36d970c76b56df

SHA256: 09874ad13a856fad11b3afd084e58411741ee2735e61b4d95fec060b60bfd65

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: worker.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/worker.js

MD5: c6d16e68bc203e9489fbbd11b5b100ef

SHA1: f8adb9ac9944f88bf6e69048c001f89537f32198

SHA256: 80c0e9bc4e2ef9ca9c97199818318429d26fae0d2452a20547b1e458eccf794d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: xml-fold.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/xml-fold.js

MD5: bcfaae27958026e83cd442b5df731da4

SHA1: 7ad4740f2ecbaa3869b066156b19401075a0315f

SHA256: 4ad0fdc2f93882174c9071e9a3c2324d15d4deb0c43fe607f9efe01dda1af9b4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: xml-hint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/xml-hint.js
MD5: f2651770cad286ae58d12e9f5c4e9e6f
SHA1: 17bce6be75e45d7a291a32d0c1e346e4818296db
SHA256: 6b78f04d2137358d5a01e9fa2b3a8f069acc70f925cc7efc39448ebe9599a805
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: xml.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xml/xml.js
MD5: c93fe254ef100aeb5c9dfcda4c91d27f
SHA1: 510c71566cf81560cb5bd1bb25287ed6502dde75
SHA256: dc7e44d410399326f802e2924573cbf6f942a79f647fd0b97f0b607973bc9a09
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: xquery.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xquery/xquery.js

MD5: 56cd9562591919c15b7610f13cd112be

SHA1: b294546669da04806196e6aca774914a30a0b3f8

SHA256: 618685277efde78e0e48fd5cf95948ae32a4d57de942038ed0579415f3f2f9dc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: yacas.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yacas/yacas.js

MD5: a70c01cdbc7d4311d4dda287ace27a79

SHA1: e853bda930d5fed1db0bd56ab9426612e759f9b3

SHA256: edab39fac054aaee5ea8ad3d09e0d38f57d5b24f826df7561526b5efb229fc72

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: yaml-frontmatter.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml-frontmatter/yaml-frontmatter.js
MD5: c2dc6071833d8d9bf02d81244403cbd6
SHA1: 212780f18d78644233eb826c8c660eee51b6ac70
SHA256: 98baa91eee7ba77aaf150a59d7e5146d4964ddb271076cd963cce43f9928b3f8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: yaml-lint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/yaml-lint.js
MD5: 925332d44aefcb89b106d4fe9b32e93d
SHA1: 19221be874d11d57582a77dd08fd2f244e9b5500
SHA256: ee7249600f6b395c302b24054060f8abe87cbaa68a9f426593ca5e5f3748bbf9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: yaml.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml/yaml.js
MD5: 77fd959da1bbaeff5cdd97689da94570

SHA1: 9b206b33cc7b2b5e1e21d39bd177b1c6500e9722

SHA256:3256b4e40302d4488834925a990edb32cef7d431f70a40917c1c5398468d861b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: z80.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF
/resources/webjars/codemirror/6.65.7/mode/z80/z80.js

MD5: 85b28ee5eafe8552bf842eeba91325f7

SHA1: 34971fc9b5ed5aa2f8714030186cd3e0056cb2ac

SHA256:0f501d7b8c9c48942900b4d7131f5bb18130395024e66ea5d98aea480f845e2e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar

Description:

WebJar for crypto-js

License:

MIT

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar

MD5: e70e1fdbb3054453cd57ab3368e6bdb9

SHA1: 622835f605f708155af4ffdb1fda1fed2983bccf

SHA256:9e11775c13feb6a3161844db96974ad007dc36d1f4b303355f34813a1584270

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	crypto-js	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.crypto-js	Medium
Vendor	pom	artifactid	crypto-js	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	crypto-js	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	crypto-js	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	crypto-js	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.crypto-js	Medium
Product	pom	artifactid	crypto-js	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	crypto-js	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	4.2.0	High
Version	pom	version	4.2.0	Highest

Identifiers

- pkg:maven/org.webjars.npm/crypto-js@4.2.0 (*Confidence:High*)

remotegui.zip: crypto-js.jar: aes.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/aes.js

MD5: da81b91b1b57c279c29b3469649d9b86

SHA1: 5441866409bd32d32331c4b4b652057fb90bc298
SHA256:d6bb48feacbd63fd455becce7a5528877242f70e73ba1f7838c186ed8f35fd3c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: blowfish.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/blowfish.js
MD5: f324783486bb1c6c2bad1faf07c63372
SHA1: abce1a3fd40ce0c3f511fc0ea0be9a5d9006e580
SHA256:dce696d0842412093ec68ceef095d0db470a358628dbc352867bf535ef3edfb6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: cipher-core.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/cipher-core.js
MD5: b9c2f3c51e3ffe719444390f47c51627
SHA1: fb31443b26eb46eba12f324ff2c567d28e43c9c8
SHA256:1b3331c29f4a1e222ebf7d3b9bd3458a308c2a47fc5e6cccb93f7d2d5c57533d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: core.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/core.js
MD5: b55ae8027253d4d54c4f1ef3b6254646
SHA1: 06951bbea3ba1ca54de91f0feefc13fb62b66f38
SHA256:2638bdd7224472f801890636d42df16c144ca46c84229ef3087190d21f935daf
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: crypto-js.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/crypto-js.js
MD5: 4b481d280be0331ef01b43c2d9b2a58c
SHA1: 4e84b6508f97c27e80a3fdeea2923d489d2b8fc5
SHA256:ee02257ffbaf0a9b481c7039b0f3bb20c360c9674fe4be8b38ae709b2ea59bbe
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-base64.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-base64.js
MD5: f551ce1340a86e5edbfef4a6aefa798f
SHA1: 9e1b1bf75f35833ca2480ee401b4cff8b7eb1fe3
SHA256: 84b69d1625474179d55622a8333c3aac376dd8bc77de7b06c21695762cb69cab
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-base64url.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-base64url.js
MD5: b87419e0e9ad776b37cfce5433ff5852
SHA1: 24aa5251bd4c6b8ca1bbaf0a5ab838fbd9bfc6ab
SHA256: 8747798ddd53f467bebd7101bcd053b3f12ef028b3e6c012aede147732c8a9c6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-hex.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-hex.js
MD5: efb02f85686d948c69ad13ec6a7d479c
SHA1: 27f6a54ae346ef0a9a63084990591e0f986bea38
SHA256: c7dad9931250921c24508ba9949abb818745b38891da44693359249b11ed143d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-latin1.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-latin1.js
MD5: a8c77d13f48479c2f76678c6e7f06ca8
SHA1: 9753af5959867f998f0feffd6f1699e88c92f39e
SHA256: 24dfce2cc51ec0481aad1f62933bd0ae1238c34c5b0e73aeb1729027c913a26b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-utf16.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-utf16.js
MD5: e24e079fb22a2f7063cb9f856bdf10b

SHA1: 01f29539d0bc1e2c10638d0f3b9af99d978e15f7

SHA256: c35339900b45fa701c390c924009a95270b4b4d91b427e40984f117c2f7ec67d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: enc-utf8.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-utf8.js

MD5: 5a9aaa6b97e87bf258edf26223bdcf61

SHA1: 16bab2dd76daec10b9b3e2569f3fc1a207b5f726

SHA256: 8c7e44dc2d49b20fd78a44827fa962a28a5e22e0adfe036aa0fdcfc7adb89984

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: evpkdf.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/evpkdf.js

MD5: 7106e06bc97d1f59a9324ef5ef9c14c2

SHA1: 89cccca6c0e5261d31302cb4726a26f21a84ef39

SHA256: 03a8ec00db105b3b813902400ed65169d12ecd382fa13402fd62c55e251caacc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: crypto-js.jar: format-hex.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/format-hex.js
MD5: e2f78f02b844140cb8763fa7cd8daa45
SHA1: a359182575c8d43c6e5381209472f8954e4d5496
SHA256: 040a2918bec8cb8ba0a6303fa3c1bbfd899bc8644643e8ac493e3c08a0c09097
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: crypto-js.jar: format-openssl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/format-openssl.js
MD5: 502d6df5aa16084bf5abb0f3077c13b5
SHA1: 7507a0c1ccf7049a8a10bf2ed73f24af5ed00aa3
SHA256: 1ffa86862e66b6c0ff35cb96875e97a793aaf86ca749b29381cbc67a0877bba
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				

- None

remotegui.zip: crypto-js.jar: hmac-md5.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-md5.js
MD5: 95b2fb61fbadc00bb3dce9098e37256a
SHA1: 143d92d0c7d56bc57036c318cf78dc50cd72b557
SHA256: d3072014eb4186d02e335c511b3cc6e163a5cfebaa8c4ae13634af24887078e6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-ripemd160.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-ripemd160.js
MD5: 6d51886c1d976bc143c790593cdc0920
SHA1: 29a848612a72b95abd8d8a9ee8d4874939fac6f0
SHA256: 28e2bdcb143840e4e01eff312a728e0f652d7dcb0d1bbdceab0bf48ff5cae8ac
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha1.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha1.js
MD5: 4acf006c1688cf4513ed375d7a94f86e
SHA1: 8fbe2fbecb2caa64f74c0393f9f6641f78e3b732
SHA256: e104acb7379b834bd9249e3cfcb2196acb90a22bb10947feb2a1fbe30ded105
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha224.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha224.js
MD5: 875a7a330903a92828b279818e6b06b8
SHA1: 586cc496e368eb6f6119e0a6089ef7f8f421dee6
SHA256: 35208e1e4631ff5f9bd83220dbfbef63290eb93e914055b35583fbf19eb76693
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha256.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha256.js
MD5: 69817fc0da86033d4ef559f0febd3d32

SHA1: 84c60e2a1dce8f06c1e4340542199cc9cc9a3454

SHA256:11d26c11f858b74bf0f106c74ddb579a112d3e7321fd684365a77ba2a7a5dfffc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha3.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha3.js

MD5: ea6cba03f7c6b257b70c1497022b5514

SHA1: 0d8f8002491a9311c7035aaf07d4a0329f38ced0

SHA256:bc63c36741416fb55fbbbe3c7c4a78b5e056d9b902a471bb16b6f5672fbbachf8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha384.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha384.js

MD5: 7afbdf157b81970eb00a50bc421e7ce1

SHA1: 9196d839c46163f6e51c63410ba0076a09ccf178

SHA256:93494b918b2eb79cd1be66145a41137ac0d65739ed6cb9e04f82bf1d7cdc7019

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: crypto-js.jar: hmac-sha512.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha512.js
MD5: 5d3e9930daf490e45b446cb42b31833e
SHA1: 4b07089a6c56852d15ec948b58408d5b5d32cafd
SHA256:6c2b59ac5e27099986b28d32e425ed3d65a4621c1c6512d03d40b336c6e88a2d
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: crypto-js.jar: hmac.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac.js
MD5: ee162ca0ed3b55dd9b2fe74a3464bb74
SHA1: d68f1ed4e3aed7807fe17a8193fca4775221dfa3
SHA256:c89f8f08ae06990edbc0763cd46853d16c70eaf513de8592b1ffb74a2ad2f7da
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				

- None

remotegui.zip: crypto-js.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/index.js

MD5: 8181544c4f4842cba38a939989ddb460

SHA1: b4ff6b82e1e72ccc2a5de8f94968c3b82060f61c

SHA256: 7de6a6041ebd1a43ecd79b59708795ac273930bb36265b41fff832d781e7bb27

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: lib-typedarrays.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/lib-typedarrays.js

MD5: b8bac2e22a7a589167e014be77736c72

SHA1: 622fc0f297b3799ff91b08469989e6fe113cbda4

SHA256: a5875f287e6cc6dea0ab64024db32783229a7db55f74deccf6566973bbd76ec9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: md5.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/md5.js
MD5: fcd0c8cd3533c15bb4f0628f82cf5175
SHA1: ed91751fd5c6009667d6b43c5fd3939993edd568
SHA256: ffce8dc6b782620c6238a5b2280c5a98f6bef8c77fa80e581fac8cce0f08effe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: mode-cfb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-cfb.js
MD5: 5847dafc1beecdcdfd23925f9f4989b2
SHA1: c9972596e02db6c6221ae019dcf1498d30e9ffb4
SHA256: a3626b78fe53d7d32fbcaeaeb92750db305e84e2ccb84e61d735ac7a4dc7345c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: mode-ctr-gladman.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ctr-gladman.js
MD5: c4bd3b4755cf275747f8e68b0eed7995

SHA1: cabbcc4100b4d363f1b55d42b930ec547ad67dd1
SHA256: fcd6166981435cc01bdfd2fb8f9e2773acfb144ab8c47e0c71473d9bdee755b0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: mode-ctr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ctr.js
MD5: 6cec0458e4e62c1ff8b534e59f9132ff
SHA1: 591484053ed26919fa6e4cecf7aa723dcade4bb6
SHA256: 9e67161f61922a475b142b2e18cb4470ed7860ef61bc6e7a41f327f7a59be96f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: mode-ecb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ecb.js
MD5: 3a84195b8427195dd9c345a0f3aa2313
SHA1: fe621e95709e31a5289c78d114aad4a920f14923
SHA256: 4f563373ba4af442e1b425b7b7dd1030ed84b9babe9821949922d9677bf14701
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: mode-ofb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ofb.js
MD5: 48f5529799d5eac8fa9f855ba1402737
SHA1: 4e97befa1e4d0003cd2fe9d21d85d6636513fdb4
SHA256:b49077bf4bf5e8f2cbb2de0e2d48c4d941a3feba2bc7c629abd51fe2ac8bdb2f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: package.json

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/package.json
MD5: 2f31b0aec8f5d1c63af62bf46623876c
SHA1: 7316c3382382dee4cc36236a13bf43543b8a855d
SHA256:011d61589c95ad4e16051c492565f7c19c6a7832580674503cceeeca612e7a6cd
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-ansix923.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-ansix923.js
MD5: ca8ab3266976ddad6e811577212b8c88
SHA1: 505018913484e110aa81842a4511a2a52cbf2231
SHA256: 7d950bc42f262159a2786eea30d1153a3d0bca9aab9acdbcc1a981a8d2854ef7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-iso10126.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-iso10126.js
MD5: b1c4aa95c8bc79280076e66352b6c219
SHA1: 9c081665a8d0f4399c5f3874f38f811932900d54
SHA256: d3695304e8e7a001cc6e1b84d4b58abd429dd7e3f09514c260bcd3122a3aa685
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-iso97971.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-iso97971.js
MD5: 4027c92ac1ed3c95f39e8e2a391500d3
SHA1: b7034e19bcb012cf7549baea65a70d25b8e71480
SHA256: f7f7179b8bea5b6ef4f0891f23b563db8aa530376795cd99ef84942cfc62d328
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-nopadding.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-nopadding.js
MD5: e288e14e2cd299c3247120114e1178e6
SHA1: af4df0df185ab10e12fe8c01f885027eabe3c8f3
SHA256: a722d1f1486b807b34076ec3277ea3a65f21837db2d9f76eb5daa7de312479a6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-pkcs7.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-pkcs7.js
MD5: 23c101a5a832bfa8a894b9813323044c

SHA1: d21f12b724eccd65c9f20503bdac2c41eb8ce985
SHA256: 9a3c909e8c3b6604bfd7a48a3c7e61504292744d894bce1266b44691b857c1bc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: pad-zeropadding.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-zeropadding.js
MD5: 23b4116306620a01bed22b52014c7c65
SHA1: 34360c2d2f9a38e5c3d197223a2f5b6777cbc1e9
SHA256: d99e781985e817da7c6af30d957c45419b1a7e176bf52160424ebbbf970df906
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: pbkdf2.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pbkdf2.js
MD5: 3f2876e100b991885f606065d1342984
SHA1: 006198366f41423a82b05dc582d9882530c3f6e5
SHA256: 89cca1be3926c8d89b6f827d70970bb3bc94ae47943342ca8949992faf8d2b60
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: crypto-js.jar: rabbit-legacy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/rabbit-legacy.js
MD5: 8fdb6b7d8bcf3aef27398d47d13dacb9
SHA1: 23dc78f4b418c296ffc166bbcad8c678d6ab2efa
SHA256:cf9afefa87b216dd4d8be00524f8904bba1147fbb90273e5e6a7b2824b52e56f
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: crypto-js.jar: rabbit.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/rabbit.js
MD5: b3bae9fc93314924cbd6c4283c1e91ef
SHA1: 4bd339e3a9e954c2766a07a96cf7ec2547e76cab
SHA256:dc93dba650db41783f8a3faba6ba17ad82cb0eb1b6fa84df406f71d520d84b42
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				

- None

remotegui.zip: crypto-js.jar: rc4.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/rc4.js

MD5: 846a99f1e90dbcbb5773793c3fe8aa5c

SHA1: fbb684811bde18ce2faad2ffbda3aa9c00939e90

SHA256: 571eca05c055a26c729f757f83b9f849968ae0dc0ba9870e5be9526019c53a33

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: ripemd160.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/ripemd160.js

MD5: 1d13fd2d4858d87c36c43a0a6436f0d4

SHA1: 9187ea140085390e357f1e7804f95e7a5812d494

SHA256: 3d7eea732acb8f27ba7be5ec54cc1c5ea198be2f7b12ae78cf03ce3b87d78da1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: sha1.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha1.js
MD5: 5fbc23cf1d5cf34e9f7798650d07b333
SHA1: 7401e77dcaff4ecaab8e57fd11fccfaf5f33c75
SHA256: fca2d5560acb8de760ebc94679ff210056722af8193871e75176a61a977ac30f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: sha224.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha224.js
MD5: bd908518f276d2df58277bb38185b307
SHA1: b10b13e02fadeea29119f6976b346d9b06c84342
SHA256: 542ddc722d9711595c11d57caa9424beca928b3553747a51e3f1c57c2c08ec16
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: sha256.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha256.js
MD5: 561d24c90633fb34c13537a330d12786

SHA1: 7593f14b59ba2099cbb4ffb806e75758fdeb12f5

SHA256: d8074f23cbd27aa6c2f231b8bdad34bbd8d49c7e47ffa0d7cd07a2c4d1d3c798

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: sha3.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha3.js

MD5: 6fe2614bbdfb802fa873f118621c7fb8

SHA1: d977f518e609149d1b51932648669a4be7a97f27

SHA256: 6ee08cd3d69b181cb735011acd0a0d57b6a4a071baf8ecbbbb9aa18cf1e4d6ac

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: sha384.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha384.js

MD5: 6ae085f20325eb927ff673ef20568137

SHA1: 8d7bb4a99b713d53723f8f1ad3442cf9e9edf9a4

SHA256: 8d902216aef6840bb9951117bdd3aa6331078e68ee04987aa1d59c73b5ff3066

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: sha512.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha512.js
MD5: 0e5e8946947671eefe910c58f1272c48
SHA1: 7b4efa121b30865b12f7546f1e99e22c6c2a3c40
SHA256:986ca486a1c9e58e9d8fc38d1db4e652e14c751ba1a6a15fd81439d261efe2b0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: tripledes.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/tripledes.js
MD5: fcd80fd597ef5e6a0fe34cdf484a8825
SHA1: 94c5615ac7a0f2ee61bb5325e46d61151893dfa6
SHA256:8d8de06235e08f38ddc855070ef8cb86d7c69a67b3a5278f8cbf2af64b55122d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: crypto-js.jar: x64-core.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/x64-core.js

MD5: 677577ca38d04508f116ebc977dcb11b

SHA1: 966f596f1adb7e7780021ae463a62890de8b19fc

SHA256: c54130dcd19ae2c7f8c4b4a69cb2038a65d363899cddf7ebaae0102bfc8fe086

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: echarts.jar

Description:

WebJar for echarts

License:

Apache-2.0

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echarts.jar

MD5: ab9c65d2fb8370e360fbd0af3a90619

SHA1: 6d43401ff3db73afe10c16859d1e6cd88e43dc0f

SHA256: 4a053ae22b38e441927603ed7b144924660e2ead54a8cb6db75bcc2b895ddff7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	echarts	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.echarts	Medium

Vendor	pom	artifactid	echarts	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	echarts	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	echarts	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	echarts	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.echarts	Medium
Product	pom	artifactid	echarts	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	echarts	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	6.1.0	High
Version	pom	version	6.1.0	Highest

Identifiers

- pkg:maven/org.webjars.npm/echarts@6.1.0 (*Confidence:High*)

remotegui.zip: echarts.jar: echarts.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echarts.jar/META-INF/resources/webjars/echarts/6.1.0/dist/echarts.min.js

MD5: 3772cd79ed4f608d0d00366c127545bc

SHA1: 1a87fe59156db88e222ea27eb2c07479d37b2db5

SHA256:b66b25aeb4df84e33199dc21694014d336d222cbd9deb0e5a7c14bd6aa0d0fd0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar

License:

MIT

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar

MD5: c9985319d244f7df278b01d7308df10c

SHA1: a304c306ddbe826ac79f7ce83ad9e8c0a0222a4e

SHA256: d2eb852d7120db344d837675afd1a4725104d7fc4dc4ab9d88c5f714128426b8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	hugerte-languages	High
Vendor	Manifest	url	https://www.tiny.cloud/get-tiny/language-packages/	Low
Vendor	pom	artifactid	hugerte-languages	Low
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	url	https://www.tiny.cloud/get-tiny/language-packages/	Highest
Product	file	name	hugerte-languages	High
Product	Manifest	url	https://www.tiny.cloud/get-tiny/language-packages/	Low
Product	pom	artifactid	hugerte-languages	Highest
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	url	https://www.tiny.cloud/get-tiny/language-packages/	Medium
Version	pom	version	1.0.10	Highest

Identifiers

- pkg:maven/org.webjars.npm/hugerte-languages@1.0.10 (*Confidence*:High)

remotegui.zip: hugerte-languages.jar: ar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ar.js
MD5: 823f9945c776bff8a5d1d33b7d053f76
SHA1: dc44a63c5afd84dc271d61e5673fc814e1de20f0
SHA256:16ea01e589d138a6136652e9bbbff6f0a78c7da2c52f777e50c2b1c51b85cf6d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ar_SA.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ar_SA.js
MD5: de0f31d1f1a0932c71125d7baef80a5a
SHA1: 29240f1954b11d0cc527d22342d62b23d6be35d7
SHA256:df5dea24dc375556b47d00f787af4457a306dce441d7560dc5708926e65196a4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: az.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/az.js
MD5: 41a5444280dc4fed40bd7007a8734bd1
SHA1: ebff1c1e5fe696a05d5b025cf996239d07e5728a
SHA256:56722b025676cc2a88be8cb111e7d93a1cf5f076e25b57603c9ee34770eb1d21
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: be.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/be.js

MD5: a21eb5c6f25273f8bad1ed7d263c9bb2

SHA1: 029a79f496d18774c6e463c76bb351c5e36d745f

SHA256: 38ac39070c67cc3dab2aa62cf3c67f6aae5de17412aadaa7f3a7f0fc07fe1f5f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: bg_BG.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/bg_BG.js

MD5: 801f9914266c7293a3235a7fb0ae7f3c

SHA1: e7a34a80a73fff9be96fb31dc8f0f9d1a3987c59

SHA256: 251201625c9f4281c1c290631b000379b84305155f6e36387ff62c21ee8b45f0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: bn_BD.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/bn_BD.js

MD5: 220b63a6f7d42943f33d94ba67423a64

SHA1: 86740e376336efef54a75384cc7b08ba1dbb8224

SHA256: afcae81dc0d30507f943432518ba500a7fbb86b4e215643b400cdbd1b1ca219f

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ca.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ca.js

MD5: d44f1cce804fcec692b814e203609991

SHA1: 1cf7f636e5e5b04322d9d339da3315384c58548a

SHA256: 268e5bd32cafc47a21baae85aece4afd933ca25ec9f9ead891679987c64579d3

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: cs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/cs.js

MD5: 79a288d0c7f661ca7f5e3107341e4c9f

SHA1: 9aee0c1dcba66150ddbb2648fa9a827633e94366

SHA256: a3f3b00c1079b33aa9ea1ecde5182c5f1e427931e6cf82e85271d5e8ed85a99c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: cy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/cy.js

MD5: aa66134f9a69db8bf5e37e9c00486dc4

SHA1: a8e3c6399e8efe5cc72a88bca7d9df33ac016a41

SHA256: 7b39d495ecb2ea1eca56270c5591c17475756c9aee5f0178d7dda9fa41201f8b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: da.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF

/resources/webjars/hugerte/langs/da.js

MD5: 86be98bf9b1a2028d498158c10d995f6

SHA1: 2a88c16d9f97f6fbd64841c4bc7953775aa7c98d

SHA256: 5f26a49c249458207d87d14f4a13ea76f9dfe83aa3192d9519aa3564caa5b593

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: de.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/de.js

MD5: c2a71fc1e4286824de66f53bd7b82485

SHA1: 13afdd59bb4a7ed1d67154bf5b5e8fd4e74ecc31

SHA256: 89ecb25e929cb079bd55d7747c46f8c767d0ae6a82d0b5f4b88ed9764d899db7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: el.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/el.js

MD5: 915f10cf164e849c6fcebada64b00ef

SHA1: 9915d6d53f204fb3098db4fcc6984f3c7aacb5ac

SHA256: 023ff4f96e5a56be54b8f5fe60b5dd437e7e0701452a1b2c3cccd9227b6dc35f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: eo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/eo.js

MD5: 8f0c327a379a1687bd1d79b356e0c6b9

SHA1: e8db0b00cf0948cc7912deffc721d91d55b8bed7

SHA256: 97e596fdc130fae102a9199bc538546abc46f300728c0f51697391d57aa31e5f

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: es.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/es.js

MD5: 033628b467ed06d308c9612dcd5bbdb5

SHA1: 09113c6d952a730226b8a1d12cd237b3899789e4

SHA256: dade4c15e9cf8d18119ca2fdf6482b3853f5b59cf0f970d089170daf767075f3

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: es_MX.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/es_MX.js
MD5: 449d6aedeedbdb6381c83d9a5769597
SHA1: 5998163f1a11b65a5e7a0ab9c9dce230fd413e76
SHA256: bb871036a74c5306485caf250a509025740ee01a01c7423004462fea3cc2be39
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: et.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/et.js
MD5: 091758942df0564e10bebe19a78d313f
SHA1: ff025e62b8c42678618820b34d7931c5786b1aea
SHA256: 6cc07e99a6c3b8c624a76c01a1fa3808711fae8f1f1dc47d2b8080b7522e8223
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: eu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/eu.js

MD5: 1485b45393804c99c99314aebbdcc0e6

SHA1: a95f6eae92569b428b700fb12dbe489a0b71a4f5

SHA256: cc21d29d3cb923a4ff36015cbe7bd17dd7a64a5e72fc6ac872e4c945db16241b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: fa.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/fa.js

MD5: 0dc23c9242a62695e3cbeb9a2f78e139

SHA1: ef67cbd5dc74eab86408aa69634ae8e2067620d2

SHA256: 22e7c7518a2bfad61e9fcbe065ecc02ab03fa8534322980bce9f99ebc63a73a4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: fi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/fi.js

MD5: b7e0faf1d8fe236d9b2936d625a0fdb7

SHA1: 20be70760980449856bb658599c1330a5a8075af
SHA256: 4917f9d328011a6ef7ab83ad444289f6f99f83b715427198ba361639dad96bb2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: fr_FR.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/fr_FR.js
MD5: dfa01543f5cf0741603c794997fb5d9b
SHA1: 635f1e92319d08246c041243dc9095d3c93e1f8b
SHA256: bcdffb2da8b8415d7127043dd30676369f9beaec15d3f632bd4c956bf9cd52598
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ga.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ga.js
MD5: 845b69d910adfa4628178f438a718482
SHA1: 4943d1679c82f7e96a9336d77cb0d2c3aab1fecf
SHA256: 5958b2e476b049ab4baeedc79aba6df32354d77ab53d5d247031c770b1511651
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: gl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF /resources/webjars/hugerte/langs/gl.js
MD5: a795d0920b1380017ff30141839551e0
SHA1: f88dcd4a4f1ccc07c852f840f98e2152fef000dd
SHA256: 71207713e3e7847c58b60968a99f4a78433badc4fe7e30b72dba09aeca4555c5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: he_IL.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF /resources/webjars/hugerte/langs/he_IL.js
MD5: f0c6393b918763fc15eee6d3e0c37466
SHA1: 9b1b2433bdf168dbaa699f013d91e7ea7604e892
SHA256: 78083d15ce5a545d77b567697bbf442b183cb251db84479fc6b4170d61dfb246
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: hr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/hr.js
MD5: 2441d08f559cb16b4d43b9d5105b860f
SHA1: e0482438bc1ebbe8a1d0fa678fba00ef712dbed
SHA256: ce558c44bad214031591a960166ad57e48a3df1829acaaa11f5de44e4b7bf991
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: hu_HU.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/hu_HU.js
MD5: 2911b3d257d0dc7f14333016a7473155
SHA1: 05f276655db6d33333857981a6810cb23c1e4c83
SHA256: 57edd0020ed40bfa8c8bf17d3ce14d9ad3f55ceded462b4455ae9b01612a692d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: hy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/hy.js
MD5: 39fa7cf899184e065693c210effa166f
SHA1: c1a4ef7965155b0bfe0c94264af6dde949ffb079
SHA256: d917b7cfcb80a52e9a36f8b4bd7e234bf946fa052efd0cf3536bcb92cdf092aa
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: id.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/id.js
MD5: ed414a75874cc8ff481bfadbb830ddb3
SHA1: cbca76c07a1123375eea910af43aeadd620e0308
SHA256: 7c1fa631ca44d4e22f9c50b9891fbcca962e0220ef09aee6a40e75d5cdfd1cda
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: is_IS.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/is_IS.js
MD5: 9b77beb5d73d767a20f9023e43b95cde

SHA1: 89b10e76a8640b05c60235c2cd14f95fcecc5eee
SHA256: 628c8dc10e2139d038274d9f0df5bc71f07dc761f94ebf2d6b16b26c1d492d81
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: it.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/it.js
MD5: 90e171ba4678a4ed19a31f0e440aee2e
SHA1: ce567152b20166647800c975e326ff77eb80b769
SHA256: b65405201879f02f69f991462a9874c1a3a3cd73789f120e4ce01e0e67ca0711
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ja.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ja.js
MD5: 9dc6598ea78c3171a5c79d12e9bd0d2b
SHA1: 4e7cb9da114814fe1bc798fc51cda71fcd0b38a6
SHA256: f8e09ab0e2d7b205a27ac040fe43756055e49247b706fa7ce3010507111eb2de
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte-languages.jar: ka_GE.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ka_GE.js
MD5: b23cbf69f2fa02f39ed9086f46d0a527
SHA1: 96a4216380b61acd215df2c2c62ec2cf27506e92
SHA256:60f5880d40ce0196356c7f8f1ccfa77284dfd4e528165e9da1a540570b0e587e
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte-languages.jar: kab.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/kab.js
MD5: 3b7ec13af25657f158d12387daaf5ba0
SHA1: 413a6adc6339cff29fc21c8a1ee9d713dd406d01
SHA256:fcbbcb32ff3396f8720fa5384f168495f2046b3fa6a38a3415bc6349cbe01933d
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				

- None

remotegui.zip: hugerte-languages.jar: kk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/kk.js
MD5: bfc0aef232b63aadea153d6169b33886
SHA1: edb0a148549b2481162c47544d83a46c26522f1a
SHA256: 3a0eae48e37986a44e71d7aeabcc9048de840262309cb13ca4642b6a8f4c9619
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ko_KR.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ko_KR.js
MD5: 3c1ae38527476e28004119b28e635254
SHA1: 179653599026e2ac4cb9b87c2ad7762b8c792dcd
SHA256: 0ad35f07972e8121a88dcf1106a2f502b71998dbb485bd678fbb48adc8a6e3c9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ku.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ku.js
MD5: 031a3776060e93cd2fcc2a469982794e
SHA1: bde4d51b40929f76f5517c6381f02ef63beec9fb
SHA256: 4c69b5c3c53f4f9069a26c409eae732e76316c1a39cb50e2b6296b9aee256f41
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: lt.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/lt.js
MD5: ae38ef0f7d831c5a2c0ebe933fd37040
SHA1: e2267f00cb816718ceec6b265d536f0eb41ea7ad
SHA256: a250c03862616afd2a73875e64c2ddd130c3bda5d565b744ec64e85bc6401cee
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: lv.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/lv.js
MD5: 5e9a34b9de6fb86881a0c116f445fcf0

SHA1: 9914a2be93fa142736794389a8ef160cc64a8ed3
SHA256: 7068369f71f128d11f274aed093a35b649d6ffe0e33ec5b2cb56ecf5be1c4271
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: nb_NO.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/nb_NO.js
MD5: 2b23909699f576ef026ba5fb78ae31da
SHA1: cdbda59aa32791840f8d0428c7cffc54d722b63f
SHA256: e1ee0336aab8a84310f002fbfec4b7636ff074b5646c4552be7a8237593156bc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ne.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ne.js
MD5: 885af0f75b6673ac70ef74b275396b8f
SHA1: 5cbd5c46bad6c490f79dcfc6a53649ccca0f4b6
SHA256: 35322c1614889e08dfc7c46a8998db16efcd4b03ddb32e3c9813084920728b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: nl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/nl.js
MD5: 0826a3893ffe0dcf835c41f022fa6736
SHA1: 0e3d08a78eb44a9c625d380a05c0995da54f9978
SHA256:42ca9cdc0c09b899c4c31bc9ad8ca252389ef50ad3f19ec09ea8160ca044b751
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: nl_BE.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/nl_BE.js
MD5: 81b7362a9af0bacb4f46de26b7258f98
SHA1: 7f4f768b30b547d50dc27670114f1e5bd5a9de2d
SHA256:53578716f41e51150f1ef17e05294fcc4a9c251a05f63c4f9886c650999caef4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: oc.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/oc.js
MD5: ad364ff6bfb912aaa60afcbe530eeb84
SHA1: 7178d959acb8e51067c6867dbc104d07c7a174ea
SHA256: 3dc4b06e29d1d0f9e1337341da3cc6855505b4443dcc505e60c75f0e8cc9d3a9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: pl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/pl.js
MD5: 73c0a111949ba936650bbca9d70e7f2f
SHA1: e862ea235cff52a45837fd4b80f37e38b9933c47
SHA256: d8630e2cd3a9abe445ed7475635580ecfb02da50ccf4d3534b275d7bcd7d85bc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: pt_BR.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/pt_BR.js
MD5: 4025b9c06a52018128f87471d7536250
SHA1: dcfef7fe4ef9b75bd76fe24f6a29639d26484e7
SHA256: bcdfab8b8e078ea63af41e912bf9fda8fe5bbb10efccd2fb59b59809dcd5223
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: pt_PT.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/pt_PT.js
MD5: 9591ec64028ef59a6d4eed3254f77364
SHA1: ed58d2d5a64a1dff28c1083d808405a5437c5971
SHA256: f4687f157cacb710fefe7a234c7513e9c842375dc628fb85e356d7734e649892
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ro.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ro.js
MD5: ee5452aeadd10357b0225b214dd94ba7f

SHA1: ae56e4a834e45614d4f26ddad0d7e0db61441f1d
SHA256:66ee1e952526d1200d4426df433d3c9342ae28c1f4784715b1e2436cc36bad64
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ru.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF
/resources/webjars/hugerte/langs/ru.js
MD5: 5f4a09edb41ca0d3656f0d5ce9058860
SHA1: e4aefa0eb5f9f75fd1ea15807021e0867d860b76
SHA256:cc26bc049ef33a17197075266eaabe26a01ad63c304b964efcfc5cee4ceb41cc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: sk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF
/resources/webjars/hugerte/langs/sk.js
MD5: 46334ad086220eadf9a63d34c0f2c0a1
SHA1: 100e6a70a6f05d43ee711601895399b3cbb7921b
SHA256:ff3342881ae9ce3f99283c5bb2874d1222b526ac3636148415f40cddd808d90d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: sl_SI.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sl_SI.js
MD5: bc7133a87c4c9d0bd8eaf59ef8c874ff
SHA1: 29c1685346e76a3bed36059a6bbea63058969879
SHA256:58b6ab701cf8f0ee76a6fd7300e265cede6102c9acf83ceba8d4cf4b00251ff7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: sq.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sq.js
MD5: 861c26592664176acb3e275413859f28
SHA1: e5f0e123e4d250d2b6e1ff6ef50f4ea3d7b7aa7c
SHA256:9e266507d00b4e3d55af374d7097e74a66049541f761c93f2402ef941b50d2f6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: sr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sr.js
MD5: 85a21c38605be1a745a8d91d7d0b650b
SHA1: b42391f82ad5765fa205c62f6c63d1e365690c2c
SHA256: 94c18c230ab69fd848a72c3276c91037f7a803859438d69b890395b97e9f1ff0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: sv_SE.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sv_SE.js
MD5: 5ed724e831b0b24b153d2ee7db5b3816
SHA1: f729969fcd5b302547cab963d560acb8da35c1c4
SHA256: 1ff7f0f713beb4d59fc3a45704ee9064264eba748dee158024af49ddd7d4ae20
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ta.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ta.js
MD5: e2088db6edf402bc276bfc8d6856e2d2
SHA1: 42f8f57987cc20025703e0ba4df401d0cc8511b8
SHA256: 2704c32a0eae180c20586f7b3ac7a5d83e777f5d2abe14ce8cab8cf786dc7d1a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: tg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/tg.js
MD5: cdd2d5743671715d8aaff1bda4ad1f94
SHA1: 917638fd2950dd42fef4dbf6627cf078bd2b7aed
SHA256: 1ec107508768200fe55d3c56ca19f91bbcde436ae90d32c62d912f9131064038
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: th_TH.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/th_TH.js
MD5: 75f892fe79cac886b58ba8263b9304ab

SHA1: ced62928d872f509b9112a7be0bd652a028b12b7
SHA256: f09ba8c508eeb7fd2bd0a31ddb0909cde3e701a0c15a7f5dd7caa1aad1b721f2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: tr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/tr.js
MD5: 705bd62d8012d72d0d4911d3ff5630cf
SHA1: 8d3beb46e6610edf2f362b5fd52cf6aa8763a3b2
SHA256: 96dd1e00efec4becd581735af1d6b1467cc9798de54f2e945ece2afb70d43e4c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: ug.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ug.js
MD5: aaec10538e96e70ff869484f6c747c5e
SHA1: e398b581d4d74426689508a414eea025392e6fe8
SHA256: 6fcd2bec399a07ae3684fdd4497318ed005eadf33b3ac24ecba3f258007dc0c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: uk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/uk.js
MD5: 99020cb723ec0b122e56170b40053d20
SHA1: 5fab28c63533fd3e3fe00d38cd63ba6f23c32b2d
SHA256: 6f3fcb3f5f2d4920b3c5be68509ab140f28c454595cb5cfc3ad02e996146830b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: uz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/uz.js
MD5: 6efa9afc8b45dcb30d5c20dc2d651a99
SHA1: 4cbfda4fa00dcfef02d859a683f6a2e049a395e4
SHA256: b03c325f76d34d3d62a0de7aed705b4c015c5cef8fe07aa10e28b5261397cd4b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: vi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/vi.js
MD5: 181808a7542470b9901cefad7eb4b5bf
SHA1: be4a2aebc0c2e9fe45f2fbe7e9c19ee5ed78d6f9
SHA256: 24622b29a7ad643866d6c8a74277e58f207366f2f3c34b4311b42f93204092c7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: zh_CN.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/zh_CN.js
MD5: 7584b32dc413a2d39e5b85d9dafa173a
SHA1: 10dd91679dffb2a3160f40ad3188db117b9afa2f
SHA256: 9c06f952379981963600a4b3aa40af35eec78c163d3daa9da681107f8c647089
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: zh_HK.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF /resources/webjars/hugerte/langs/zh_HK.js
MD5: 1b4894b4e6c2e724475ea8c701568734
SHA1: 552f1316a1cfc565a018ea4fab9129a3825dd6d3
SHA256: ba7fde91f1a45dd5c6901368d6dd18c24683a876629c54b88396222b493c4513
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: zh_MO.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF /resources/webjars/hugerte/langs/zh_MO.js
MD5: 90d19ed9a0ebb0b0680ba6ba483804eb
SHA1: 4912da322d65705edd33e0570e81714a7209020c
SHA256: 395ffcd48bad59534174877050ef1f016fc7598382e46e6f2105a44620bcff31
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: zh_SG.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF /resources/webjars/hugerte/langs/zh_SG.js
MD5: e29a6f7769ede1bbbb5f96a5eeb2f24e

SHA1: 3407630e6f9c9919f5e7b4d9b74cc652946189b2

SHA256: 0d13680b26585e33a31f21153391e341ff5d2c6a0803cb882a621e7dc5231284

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte-languages.jar: zh_TW.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF /resources/webjars/hugerte/langs/zh_TW.js

MD5: 0a3c9f75e226b3129e8b7f89f7130007

SHA1: c940597951e8d42bafd5602b1801c00fccb1dc47

SHA256: 1dd655d41c2ac0bd1e939d787cb4baaf427fcdec6ba22c0f612f765195d548b0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar

Description:

WebJar for hugerte

License:

MIT

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar

MD5: e8823d5cee4329f682c31bc6b67c603b

SHA1: 49d3c99a06ca34f1f5c1c801f923db7ba2c9d086

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	hugerte	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.hugerte	Medium
Vendor	pom	artifactid	hugerte	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	hugerte	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	hugerte	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	hugerte	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.hugerte	Medium
Product	pom	artifactid	hugerte	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	hugerte	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	1.0.10	High
Version	pom	version	1.0.10	Highest

Identifiers

- pkg:maven/org.webjars.npm/hugerte@1.0.10 (Confidence:High)

remotegui.zip: hugerte.jar: ar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/ar.js
MD5: f5f0b4553a42a7a74e7be718fc557e2b

SHA1: 302dcb720a73fd97345627a102ef162125fee945
SHA256:9866698a529f686db8b4222bdeb175003c3e09c142ba130aed9fa98d5aeef08c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: bg_BG.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/bg_BG.js
MD5: e532c81c8e86f9066729809870cff6fc
SHA1: 4e1e104ee689097ff1192decfe90175300e6baf2
SHA256:b884906123ab5b8b1ca1ea4c156a2d6635dc42319b10cf51b4d6e544c8c56867
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: ca.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/ca.js
MD5: abf90dbb77512d6a2bafa26c36c9e068
SHA1: 77120a22296fdd4c779f3736396215ad82276065
SHA256:1f8935be80e07f8b30a9a96f5ba621ecc2f568fc96f69614ab4e073b6b3eeafc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: content.inline.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/hugerte-5-dark/content.inline.js
MD5: a8531e7d906f77df4085d9ded150c281
SHA1: b255e033e1b16c6df35859cc23c49a33c3baad8b
SHA256: 7512a420bf16d072edbd796eadc03c74483fe6f5947bb070f517a012b80fc576
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte.jar: content.inline.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/hugerte-5/content.inline.js
MD5: cbf28002f872e95b1e9310dec7df4bdf
SHA1: 22b3e10eb6a88534c75b1dc9be9d6b511eb53e08
SHA256: 8d35969f2fee55d8d2eb61f1aa8a2372dd941c9629379dda6f9f131457132c03
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				

- None

remotegui.zip: hugerte.jar: content.inline.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/oxide-dark/content.inline.js

MD5: ac1812f6eb6c6bb8e98918582d3e855a

SHA1: 4681a3ada53a664e69ee64477e735aa371cb5a2f

SHA256: f5433e2fcd731cc793e3c59313f39aecc22aa87dbc0a6b63ed1640ca6961dcf0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: content.inline.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/oxide/content.inline.js

MD5: 3b6064b7d2242fcadf7c3cd1025eb192

SHA1: 6e92f0f2c271bdeae04920ed292d5385cc91d344

SHA256: ee579e0bb81106269b705dd351fd986dd576b01e418c5d7a9f34a15116163a3a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/content/dark/content.js
MD5: 218eb5454658554e8d6094d607ef9f35
SHA1: f784fd4493d88dca9b7c46492a0a95ef16f5c0fb
SHA256: cdd9773b89ccda5cfefb54982376a2e28ae038d2e24649cba35c88d17991d283
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/content/default/content.js
MD5: 132f74870c5e313c2fdab42f1284c595
SHA1: 1005edec7a293e74d659823370d4fb589b1328ec
SHA256: e7f4d1b242145ee6d6359b90140226a759267a8aa753a2d311545d432900fc10
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/content/document/content.js
MD5: 3b0be7f67904711c70f317dddf089f5c

SHA1: 4ad6d86b14653ae3d62974017cfed4ee5294a695
SHA256:4b45250053780a31fa19ead75e59f56d57d5d1dd6e285856ad5aeddc3fc72960
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/content/hugerte-5-dark/content.js
MD5: b982025040e29e7cbbb8d113fedfd69c
SHA1: 4042d2d851ed0b54502fea16c06d9e28159f29a8
SHA256:a28224012e76c4e795e0854f7fce99ec681ef424b589b4661bc8f68885f98e98
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/content/hugerte-5/content.js
MD5: 1130965418bf44c6d085f938cdf6650
SHA1: c59de9f12455d9eddfc658b74c28a355f68319db
SHA256:cec00eabc3b3d3f8afe4586a97d23cb761994002a224c21be3e29057636013a3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/content/writer/content.js
MD5: e4542246b3519a09b2d632b5197243e8
SHA1: 9573c58453f17a4c921086d5f90938987fe511e8
SHA256:852f7d5ae9af37997c185bff42937182a79e494089a75b782266882cb4f4f197
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/hugerte-5-dark/content.js
MD5: b7766067e593da14ae6f23d290c9bd6c
SHA1: 6534e3c7ac5b4e5309a7dfc2ea3b0c337d442cc2
SHA256:45e8515c9c66aa5066577c1d275c586965ba4080a951c292beeb2b3da0d0acbd
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				

- None

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/hugerte-5/content.js
MD5: 9d85292a93c6d2940a80f50d1f0e6966
SHA1: 935d111369099d41bd50a3db11d6563051a634c0
SHA256: aee448e5c016b1143a15ecdee0f43e555f3c9add2bca6af40cc4b36b88cdc588
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/oxide-dark/content.js
MD5: add25b66f87fcb7ca581f9f2b953a653
SHA1: 989b6df98ca78608dd8ddcc2c3033bde0de2d8be
SHA256: 0786d0145a5e55b9ae24c45196348cb00c5c91454f75a186d978942739091bea
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/oxide/content.js
MD5: 76c08495990d174584d15c5f50a8e5c7
SHA1: e75376adbaa0ac5d81908ec178263ada61dada8b
SHA256: 23e53a768bc59564bcf0e8600b187a8fc8822e23c2f175701d760cf5153760a3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: cs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/cs.js
MD5: 1779aef97fccc89fa4e8c6ae639bec3b
SHA1: 0c798783fa338bcf0b607e19b69a157e5aaf67fd
SHA256: dfaf6a6afa02f7a7da5c27cde37b1074e860982c75ca4a7d8df9a42e8f1ad723
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: da.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/da.js
MD5: e3bcef539406efdba466a679cd9625ba

SHA1: 3529f5c2cb29ac9eb0ef88d41ca2007e5b78fac7
SHA256: 96e1ded7bd90160f1a26e3b4e04128d0c45940c459cc25763a4898d4731e72cc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: de.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/de.js
MD5: 24268690ce3e0719f04f4d8bc47c1145
SHA1: 57d8098db012b33e240b5816d014960db2d80087
SHA256: f2f2eee6eb358dedbce018731c82def4a43e8343ce331fba26150f7377ebb410
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: el.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/el.js
MD5: 1f775a05597f190dddcbce67b14d4bfaa
SHA1: ab9abb40af9aebdd589aeed4b24f3c50771f9d9c
SHA256: f252b51d126cf0ffd18c3c2c68554e4026adcd0c520b1338ae353a0849178450
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: emojiimages.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/emoticons/js/emojiimages.js
MD5: ed66bd2151af667299e6c60554f9e4ac
SHA1: ea6bc36f8302e15f1aae686a19816f76794bc2a0
SHA256:a8d5510fcb0f8e4f45deefdcf8b6ed12e343674f9e18c236ce7fa45e072aa27f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: emojiimages.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/emoticons/js/emojiimages.min.js
MD5: 00945ee808286ac74239c311ca723088
SHA1: d3c2508585c67052a1809a6800fb645d1870afc6
SHA256:750ba3f27289d888b1899310950a9188568bddce16352a0244c1c0242e41a55e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: emojis.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/emoticons/js/emojis.js

MD5: 8f5b6dad1f50c9b70bd807f6cabb189b

SHA1: 13772cdbfa94f41d84ffc1d87c72016576a9d313

SHA256: aacc15ae1a59e7d6d8bde23d5f105654201882b0a86fa9a8e689b1cdc8452784

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: emojis.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/emoticons/js/emojis.min.js

MD5: b77fd0dfa98dcc0be8192bf7f7bb9a9f

SHA1: 137d76ba6858d7685f7128ff9173a19902110b5c

SHA256: fc519f30e6cb48e46eb4d8f9ed5cf6c1e4877e625c68eae31e7723e42ff53ae9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: en.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/en.js
MD5: 6282ec2e9f83d1acefa2850555212877
SHA1: 853f9a0d2a2191756fed83005fdea7f97b5e41d5
SHA256:2223298388692bcc135105122d1686322188e6511163860453d791d1243279bc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: es.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/es.js
MD5: 810a9870708a49348955ead70c5d7009
SHA1: c6e78b5abb4c3cf4d67da9ff7c848caf24861c16
SHA256:dbc1fb0acc05dd8e01e2834f69f5f19fadba93b90e76854063663e5b335fdc3f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: eu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/eu.js
MD5: 0d85c3a9cf44223833af08ff51d80e27

SHA1: 2ac31465284e8e4583a8ce69abb64c3ff461114f
SHA256: 5f6c854cf8372351ab402d7fe1f66a5a837c08e979b8072d16f32166edc07b02
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: fa.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/fa.js
MD5: a6809dbb54bf58699540c6a210e3cfde
SHA1: e3c03f38d4b4da86c3e9eb761c9f1a1ed542f436
SHA256: 6c4c3e12ef9d008f12fa5b603658a6a00a0940ca7e85048d87ef80666eb3c36d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: fi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/fi.js
MD5: b7f976710075bdcbf5e57ee57acb59b0
SHA1: 8a4b373ecc42055da226c1c31ad9d976a10b9a11
SHA256: e67af5c13c21f4421bf7160bd19aab9318e6d19955111c5b9f890a362d0899e6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: fr_FR.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/fr_FR.js
MD5: d2eb59e6f3de25ac913be0e61a05591c
SHA1: 715dfb82a6e641415c0047f2901b7926ee8179f2
SHA256:5005b632badb0fc86ceaa196753a4712b1dd76d50b79e0d5d6410efa96f55ebe
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: he_IL.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/he_IL.js
MD5: 57b3dcbaeca69401b1a80d78ddb7d495
SHA1: 95b7e01187222aaf1ea80d0b74f846cc9a4f4764
SHA256:692233e8906b51c91d1d70882a0502be5dddb2027b5095c07d79c491925ad8fc
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: hi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/hi.js
MD5: 9eea865c5a377f40de2f8b4c41da17a1
SHA1: ddd56f4bd89abe1c502e0a9ead4b913fb1ea00fc
SHA256: 9585fc860ca2b1a749f458be9832932118b54d5e2b9591df62191ffa22102592
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: hr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/hr.js
MD5: 3279eb68d7116c5e50c2445e392e313f
SHA1: 2b3cb7b1e01fdd84b9a52becf9f310329f4bc61a
SHA256: 93300531f9cdd8b934d7a2f421fa0fd36ac20b2eb7f09a0b25ae96b28c3cfd84
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: hu_HU.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/hu_HU.js
MD5: 27b9bf10dbe7c9c15b8ea20a44b569aa
SHA1: ca2dddca3514deeadbb45a59877a5498ecb7faea
SHA256: 9d62a3922fb0f24d96143e1a677211fec156bcd53ef0f60b386b8738861efce1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: hugerte.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/hugerte.js
MD5: 0a6efbdc07b365918a67844e02cb30e2
SHA1: 54aae4c54ccee8eeea1b3b9f74d958d813a113a3
SHA256: b366d47bca68c558550a58193bd4a1e05a1f5ef98cbaab316e392937da38f3eb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	DOMPurify	High
Product	RetireJS	name	DOMPurify	High
Version	RetireJS	version	3.2.4	High

Identifiers

- pkg:javascript/DOMPurify@3.2.4 (Confidence: Highest)

remotegui.zip: hugerte.jar: hugerte.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/hugerte.min.js
MD5: e10c65060ff3bc9e44ae845e9adf32d4
SHA1: 45071962f23d0351302cf74a264ca8a720947496
SHA256: e973ed30d471115a93805d42aa332db35c300503992d32a186bc2de4b8d874da
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: icons.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/icons/default/icons.js
MD5: 946e6ff563681f2a84bf542c7d1f835b
SHA1: 57dd9db9f500ae6bbc16c1b39d6871be228c12ec
SHA256: a70cbbbb7c397786fb814a416f691b2d39bbc1856af4c975acaccb27f190bb1e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: icons.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/icons/default/icons.min.js
MD5: ee63c9a58bfadec7d3f124f01fe865d8
SHA1: 04bcdc2f358ef5f562ff3bf05ded0e86ee39fb1f
SHA256: c422b0ee2a8c7c988d377c3455b95fe98b95b07616de53abe547a631cb7845ed
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: id.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/id.js

MD5: 559f08d3791f170b18fab02235ec1682

SHA1: 3e1621e3d7f2cc26ec7c76e3aad8b10740284c1c

SHA256: 6b6f28465d15233f2f9d98dfea0ba7e43d983f7c5a616b5cf26185ece8248810

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/icons/default/index.js

MD5: 712c532c3b060cd5981af00496091812

SHA1: 1f0e1f66069455601e60b07941f412ec8da948d5

SHA256: 01dcd2e841efaea732b35abab85f9b9c177708377e8a71cca9aa1cbc08ce50fb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/models/dom/index.js

MD5: bf6538ccd91ff0c8c459ea52568dad68

SHA1: 039492d60bc08eff76200837b005f238a4a4d93b

SHA256: 7e00163f1579c2463df0e1794c7083972c531e65e97e79cc1d3fa5fb79b8e782

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/accordion/index.js

MD5: 275d42a50d44665e7c641933489d2fb4

SHA1: 4fe5780ee870d8e4ed3e19b06a6dcba0745951dc

SHA256: cfcb10117bda3513b6a8d5fc147c46d599d939188819b053cfe8b037d27aab68

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/advlist/index.js

MD5: bf1fd55a8b6b4c1288234708e4a63e04

SHA1: 4c00e9817344c41649c8a5692b8a50f46e86ec63

SHA256: 65afd673d4ccdd16025bbea20476e1e97173e975c6907b17a03bbbf3bfdb8e4f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/anchor/index.js

MD5: f53211f88e234e0b071178c50bb17158

SHA1: 7ce22ad1179e09599e011a9117e17a2b648fd131

SHA256: db1389e04f95143a547eac5a86b8b83ffacae1baa4abae7b1b9c71158745a10e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources

/webjars/hugerte/1.0.10/plugins/autolink/index.js

MD5: e71fe17e37cc448ee08c8073edbd8511

SHA1: 8f90089dd67c4dd2c43ce5bd0c2041957b33814b

SHA256: a8464397c27fa3fc75c53ab84f63daae3c85d7b25106af78b2337752f1e18768

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/autoresize/index.js

MD5: 6f84b0950a44436492f038d3aa0ba3e7

SHA1: 4f4bfdbe1b26fa78144a693b7c3dbc4d33f0db94

SHA256: 171a9ea14e7b62d3300d5e5d557bd55d366d3ae3a707273898df479c096276eb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/autosave/index.js

MD5: 08ef53866b246c81dfe6ef294869a901

SHA1: 431a34505e18811756e55c896308c5b1216fd994

SHA256: 421e960cdc5dfa2ed55fabf2223966e7b8ba0fa29b04eb16cd0d1076013e54b0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/charmap/index.js

MD5: 4c65bd74732eab0ab7e847ecba83b2b8

SHA1: 39b4ed0edd6e1ee5c4636b947e518cd4d07b1c22

SHA256: 74c2ee3ce6dae9ab7052f10c47839820e2b8d15a8d82360d76c22adf2e140036

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/code/index.js

MD5: b44ce9c633a47f29ece07d74747d1e06

SHA1: 7ba540f71aa2a39348361b231a3836e247070e84

SHA256: 989a665058a05fa887eae0f403aee3207efe08c27adbf298db424ddd877002fe

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/codesample/index.js
MD5: 90f716db1597b13e7574913db0271635
SHA1: c27fea0504a61d12e50a8064c3c8f76993e57304
SHA256: 090fd58bf0e341f935b41011fe6d785674f550720bc4d3d7fbe61b9d7250b573
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/directionality/index.js
MD5: f40440b25858539de61515b1dea80954
SHA1: 33d1633c7f24beec0f6d23c6248f0df20a16816e
SHA256: bacf651ffcb58e57f22f8f6fb14ffbf696a50ea7b868a1f4af9cd03bd13b3884
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/emoticons/index.js

MD5: 9c2896100b43bf842537b98ccb1696bd

SHA1: 8a5d6682c000d686462ad08266489d5ef6e4bf6d

SHA256: f6ab4d39b9c01bdb42e11a9aeed2f28e173155d1a8c3744ae766db3820ab6b02

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/fullscreen/index.js

MD5: e187f0117b672a2e8033678f08d2f1f1

SHA1: d303bb5448dc1e0d404f366f07b51cd3f0487c28

SHA256: ea62f70b60de9fca52f2d2fa328391a3bf5d3de2965d40549fd1dbdd74f69d4b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/index.js

MD5: b5bffc3c2adee9b308f33253c4fe7004

SHA1: b6307cda1e5123ee6c213d4f2c072011c69876c3
SHA256: 9740f6f6ad80924540a5bbf0c2a63cc9dfd8e61794fab7fd0f1b01a25cd6b92f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/image/index.js
MD5: 095a51c136955dcc74a7e0fd9604e21a
SHA1: e68b5998a5cb615262e6d82f2e823bed40228967
SHA256: c4680d28a23819fd558d0535d085e7362d8cbac560044be6c9236708ee8ccf2f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/importcss/index.js
MD5: 5e5f8c0aecc68703ecbbb0e4234e7d27
SHA1: 523289fb23e7e4902a037c16885ee32d836f00ac
SHA256: 81545fe205f290c3c31c7bfdb4ba83b3081f90ddfccea856d4b6c29ce6944745
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/insertdatetime/index.js

MD5: d8a0567abeb81a32ae97c146b2056f1c

SHA1: 6178edb15029bf8995370971585639e047345aab

SHA256:f5e4e03c4fceeaa5e024fd441d21be9d6f403c124335e0f4430f3cfb6ec4d124

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

• None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/link/index.js

MD5: 77e9b56d47087efd55f769120600d9e8

SHA1: 75dd165d3fc4f04daa39c21f2ade96fdea9afddd

SHA256:320914e928c5be2837bec40ed93b5b6c536c027e67bdffd9db2119461057b7bd

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/lists/index.js
MD5: 024e229dcff4a27cfcc170a5410b4843
SHA1: 4c554e5bc1d9621a491410c001775da57f879798
SHA256: 7790a64cb53b91a9153c1b69bc3da83e3b159d20a7af6bdc13d27874a4615168
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/media/index.js
MD5: a1da1bf87b3ac65830fd803e9a28c381
SHA1: f09ec4275e63ebd377840fad37a65b011ddc6631
SHA256: 45426a57dc58b349746fec58e3051f139895fdbd818c671f8f7c17443c46b701
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/nonbreaking/index.js
MD5: 8c1c718293b28a845a15c257772ff932
SHA1: 7fa2acf1e9f7bc30632d71735ef9ed0d2f9fab29
SHA256: 720b764ae93c6103550a9200e0effd11853b564f2d6be45743bd17e4276a23a2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/pagebreak/index.js
MD5: 165034455e178e0eb99918d3a1421dfa
SHA1: 8af3f0527d7530ef2e63e621e7dea1c3c376162f
SHA256: fff3b308b4a7e7e6756f7c1cd80517f788c8fc0e95cb9b7bb360b6f24892f5f2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/preview/index.js
MD5: 83bb991d584186dab916e348799e4e2c

SHA1: 263f51c7a0512a1bed20eff7895b6498978532d8
SHA256:2e7cbeeb72f62c23c850b1376295742a5c4908ce80808e8a9b9de214deeb7a72b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/quickbars/index.js
MD5: 99532be871de2c1e018b2f38fae3f505
SHA1: 4dad183c0694e2b520d32253e332e10179891435
SHA256:3b0f4ee52d5f152c733aa21e443ddb633517fce8675fdb8b164346e32cea3770
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/save/index.js
MD5: 358e82db36264f8bf5d5f211581d2e12
SHA1: 85b2560fe9b4c7dd77be693082e8ca54561d04e2
SHA256:e4ad55ebe0c5dd257c742be63db9f7faa361a03febcd6949b34e50a5958e257
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/searchreplace/index.js
MD5: ed22a1e468fc1241e3e70c8720098442
SHA1: 49ad5ecf24b66612a3e9e8f1258f5fd8d1ac6624
SHA256: 2e9e32ea2edcd011f669cac3b7bf65efd4635a2c24c72a81167a7bf79e6a4c73
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/table/index.js
MD5: a40ed84889ba858c1d78a423a7339067
SHA1: cea53ea715d6b6010912a3bbcec73e7c9501bd4d
SHA256: e23ef84ba7634338aa304fce140296fb95ed92bddfa40e1e8975a2f725de0dc3
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/template/index.js
MD5: aeb80b7c4b07610c34901a284b372ed9
SHA1: cccdcf94dd46b6ebfff271867bace1d0df8c3255
SHA256: 6b6206bca3f79af4262b418278b2b1d44ffb0c16e618d6daabc3d022e555d6b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/visualblocks/index.js
MD5: 99fbe6ec0ba267d5bd4f4b56834bd6df
SHA1: dee26e00314addaf5d7359e4f672c6fdb309b17e
SHA256: 1527138d82593c7a2c56998be7d938c05b1d18dc01590ba8638033f41655dfdf
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/visualchars/index.js
MD5: cc4e861499e09f90d3d9214c307a9078
SHA1: 058e9ea96642f6d7da84f762a854c9aea27c7a5c
SHA256: 09730d585920b1cb562c8e382cb7180101b81d419930364aee24714e1eec37fa
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/wordcount/index.js
MD5: 042a01800558e0b5f08e835cabe311ee
SHA1: c0efda748192eb1ec1bed53d5d48447899f9e7e1
SHA256: 01e372dddf4f6441849ee78e1ded584ebd68d35fa0a7da3abb7c27fee75b90b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/themes/silver/index.js
MD5: c116e3f9ad1e1e3e232e65a88c76606d

SHA1: 4b21b67afb114f7d741f0c78ff1a8a6d89342806

SHA256: 7a7e4dbaaebca073b2bb9bc3eeeba34ce5496be0a35b62bce19b461b43218911

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: it.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/it.js

MD5: 368a1232972a0c4f634c76db78e5b498

SHA1: dbb121749285ea1340cf147a3f44a3cac915e734

SHA256: 7b9aac4916b04925b60c3ed0c3f65adc48373d479b6d030b216b4f031401e9f8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: ja.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/ja.js

MD5: 64c8b443274c245de92530cf50ac8706

SHA1: f567bfcd4417b6aeae2fc38edf748924b1181efc

SHA256: 53276c8771c3de2715c9ad8eb2826d997f0d8830ecf2e333388ff0c27d6ac30f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: kk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/kk.js
MD5: 3f9a7601fd781bb6c65059c58fe96989
SHA1: 189054aec78882a40f812d5cb9b300f452872a7f
SHA256:37325ef03f35faca200aca41e278c54b67e437ff81e74147480598470e43b2fc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: ko_KR.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/ko_KR.js
MD5: 20ef64c247eff15d94fab02896a15c6
SHA1: 4ffbdcd647ae10e4b54b50a1722ea75b8a9e1ad
SHA256:85fe5b45bb8b659b296a16663f03987bf40ec88099d52a4d1d56879665d6da2b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: model.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/models/dom/model.js

MD5: 693591c57a4c5be7753aa7ccafb8b992

SHA1: 807d1ab2050a295b68d5086dadcd52f08044e97b

SHA256: 399e03b547224d98578a0c16e8c067708f95d87b90924374e8671fa277ccc5f5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: model.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/models/dom/model.min.js

MD5: a6e1bb334185de329b72494f355aebad

SHA1: bef665b9639100809a3a55b9236f9aaba033cae4

SHA256: 522e6289e63e2aa67949846a0ca3860c9ad8da28423c0d00ad9dd54963dbee4b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: ms.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/ms.js
MD5: f0f057fe6321dee6122f9dc1a0aebfeb
SHA1: fbcacc7aac260a30a4c6213687aa7f3371995c83
SHA256: abff2edcfb4baec1ebd93c681f58fe893a09d56a3a6c9ebe8bd51348dd78925b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: nb_NO.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/nb_NO.js
MD5: 776be941e0917d4513e0beb2f8e18e99
SHA1: 164b9c95814d8941940485a56e8d5c2144fd2693
SHA256: 4e2aa817da52cd69366fdf338b40d6e4284f521156b9e73653b468327431e3df
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: nl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/nl.js
MD5: 5199e61a9d49f51233fa4996003bc1bd

SHA1: 19056a6dd9e7a5ca3f77eb810d821fa14c6b8ba9
SHA256: 5620e476f2a53f177ebd3dce0e5e1d0712922784e25f4a4a7e4ebd61133dacfe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: package.json

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/package.json
MD5: aa4328c4319b66a9b6040df20ebc0c16
SHA1: 64319ba470ebfb488b980c9c4df8bb45f44f50a9
SHA256: 2ce753954dafdbc4b7ba92de362b265048bb6db00206bfca7e807909cf3922a6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: pl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/pl.js
MD5: ad4d61e73b6f7c576bb2d042b7c6ee83
SHA1: d88f3d98055cf7ed05a82402fe97fc5e08c9a2e1
SHA256: 9d0dfe442f6fe41f504a97ba8154fcc35d4cfd011c518f5812bf8afc5d2b4552
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/accordion/plugin.js
MD5: 234cbcdc0da1d0a1a157e75331d54d63
SHA1: ff49cc0296afa773743524e8a1db9b8c9f57ec48
SHA256:d8b5875507b80e142cb26c6f85429ce099c4c01155425068d0478655ef9068ac
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/advlist/plugin.js
MD5: b4e4c920e378044fe81e23d0438c638d
SHA1: 5788684f69347dc972e07b3f03a82e839c26077b
SHA256:c746af7a25617cc61a1f87a278597dac3278113889f249ef8c0d33aa0ced8628
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/anchor/plugin.js
MD5: 694564ae506ff7578592a7082c9f237b
SHA1: 36c5389bb3d7fc9ff68b954c33b2d33beb67bb8a
SHA256:137796bc70179c913ad6edb175fada63f67a09a6954535027967c8f8144b4b7f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/autolink/plugin.js
MD5: 9cfba96f10892ef31709d3e859c13be4
SHA1: 6f9ecd536667d9deba06547b8478afad7a9195f9
SHA256:619c1484539653ed537c40ba095648d9ad5d9628052ad786e186816f29619864
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/autoresize/plugin.js
MD5: 428f77b5771b08b716a8d868c5176866
SHA1: 9fa2da71224d4ef5de917b102a29f12bc29354ae
SHA256: fdc13ec358a68706555c3240051a31d01930b69848851223062d2713b192e602
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/autosave/plugin.js
MD5: 25ce048674acf5ef495a19831b70a6e0
SHA1: e9f4afd871014387251adb793388bc3fc11d1972
SHA256: a22dd43e8f4719006094945fd16bebdd7ffbf23740a277f760133906abcb4e35
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/charmap/plugin.js
MD5: 3c7c65bc89623c47ded1ed50edfd8d16

SHA1: 715627f4044592e3a8950e5740308c98930f34f3
SHA256:58f4014c15ef46513294bf86e10cd0691f6e69dd23e54791bb7f73a8c0bafffa
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/code/plugin.js
MD5: 7ba0be72b364eaa1e71ee0f24f85a421
SHA1: 42dc0b6c2f0bdd0036b67d745b10beb3c3364933
SHA256:a88315edb070ed6e195a9bfdac8d6dfe8c624dc5abbf6818569abfe64909ccda
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/codesample/plugin.js
MD5: c9173f4770e386c7f3fee98d951f09b
SHA1: 31f0b91b7022c5ee5c3c7149b92755c79c2f273c
SHA256:d73539073d6ae6c8cc2580af17b0536fca24b11196d10d820f8747a5af69cc65
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/directionality/plugin.js
MD5: e9e03d39c8c617772aa6d120d89e6f53
SHA1: 429fa7002656d1a8ef1c5ef84d0bf75bfdaf2efe
SHA256:d8a54ed3ccbc8006a0b1cc41b9f5e27fc13ebac18abc041f4582e3062f13c1a3
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/emoticons/plugin.js
MD5: a2139d5535c6025f4958a36bb22b641f
SHA1: c94f19247dad45103429207f6fd8ce2c4a4cb726
SHA256:40349437ea647c28df4c79ea050a9dfaff05a0518fa92df8475047e219641099
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/fullscreen/plugin.js

MD5: 3b15dba52fa9942ff9676907a2ed11d6

SHA1: 5d37eb4d78ba52e56af213418959698ead6513e4

SHA256: dd51cf286f028c73eed0ada97f84c8d7d850b438c7246cc0c58ee38f4ad77aad

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/plugin.js

MD5: d120d759c9d17c16ea6de8e58aed752b

SHA1: d2346c718b8bcf6ece22ddcfb023c7cee6c84419

SHA256: 27555e3b4f6d3a925cc290404848b9500cdaf65bf136f91724fb49945e95f6db

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/image/plugin.js
MD5: 0f013ffe1521b3f719e3225303372939
SHA1: 3359a7ed29d3e07814f52217e909e57169f95291
SHA256: 8a0e70e8f30ed79b6db181f57cf497026c3b85098b0346b593d4d9f33ed3f9eb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/importcss/plugin.js
MD5: 0eb49431bec88bb25e70a252866dff0b
SHA1: adb982d7c81a0bda96e3cabf8b26e27bfb7e5b5
SHA256: 2858596b1aab1ecc56a5e7b3822b522da99d18797bca9fdb9af57550a58ecd2c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/insertdatetime/plugin.js
MD5: 88479b5f199578d1fd404846fd846338

SHA1: 35b48cc21acb0f0d1686fdd919de05bfc0a9934e
SHA256:2773dcc58984c88e646fc8bcc6d4879cb45b291ae62816f75d26acfa74ecd8b1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/link/plugin.js
MD5: c1ac650fb088c547ec90787fbd7f7d74
SHA1: 44c949ac551ace6a4c7a0abfc88023c336f531c2
SHA256:d8099f84024a099854b61de272ed27324af7dd77d7eabdb798475196e0e215dd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/lists/plugin.js
MD5: b692d7c00bda07e511c0a2c522617027
SHA1: 0d88120e6c1099a1aaeee2160c02eda96e1ee1f5
SHA256:535e4b6f453c290d975fe9928664b8d3722a9bdfa4bdb49198755b0f0734d194
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/media/plugin.js
MD5: fff0620163bce2a60977e3425ca679ea
SHA1: 44ad1254d5dc9351985967c9273a3376663d0733
SHA256: c6b6a6e5a96e0efd0c4de068c757e826f09f23c29eded9967b07819a77624fd7
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/nonbreaking/plugin.js
MD5: 1993928b1e7e7800b40daba2602cd69d
SHA1: a2d7f221373726e3de4cadacb39556688acf42d8
SHA256: 5c60a48d9693a6def7e66be084dd6b78d7a7c7f8986e4ff85940f9e20fa4b656
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/pagebreak/plugin.js
MD5: f3ddc3d170802e2b4db62728ed0abc28
SHA1: 572244289f8e77749bf157ad173eb0356b4dfb94
SHA256: 7691c5ce3f5b304a816ee27b78e1c24d0517e83aa53c6815268e261db44d90d1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/preview/plugin.js
MD5: a12aa7010b0208471c51c3f73e016094
SHA1: 851d545871a164d5e36c26a6ee77365567cf6282
SHA256: 8bd3967bfe5b7e93f795f4aa01156a22639e6aa7fba2964143e8fe851614a9ac
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/quickbars/plugin.js
MD5: b6abe20c84a1d983f96a2ceb9dbeb8f9
SHA1: 933d8867ea44d0e3d597acf419a125af1c80f5f5
SHA256:f46408fe45d99837314c8df9ef71572f145bb54c969eb53f38fc4560c8643d59
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/save/plugin.js
MD5: 12f532911ee63e5c329f35317770f876
SHA1: 827f03cc0bcb5d1934e0a4a93561078ed43e9759
SHA256:1fecfbf8e062157e5fa52def419ec097a737228c1e30b76984071207d60d424c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/searchreplace/plugin.js
MD5: a8dd7c09ac69c61ae101a2f3d5ef7109

SHA1: f62d51aa5984eccedbc0d762d8953748141c671
SHA256: 20bc8ce70fc314a9ded4a33c56a1bdfc80e45f08ab24ca646f5a0b82fb744b9b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/table/plugin.js
MD5: ea782429b24b376c04ceab3f2c98ba79
SHA1: 2cd504d47e6c51834d6967a1062d3c7e8eaf8dd6
SHA256: 3ae59cb7ffa09ef5e19e55648207baf5e20e171d87e7389cb09426c7cd58b996
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/template/plugin.js
MD5: f81d5c9b9e0b1577eb08d7e981aa0736
SHA1: 57ef1d4ac15cfe3ed779d7621e3f95be73661bce
SHA256: 71cbbd6acd0e40aecc0cb8b6903ad1996179cf6d4bac3dc95e65b7bfb6216425
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/visualblocks/plugin.js

MD5: add8cfa2281ac41a2524dc01bc266f

SHA1: df96a4558a647510096e75736d41322691d6afb6

SHA256:1e37c0b71b368cc4540696b4e63e71569736a95177a60d541cf1d4d468984c44

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

• None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/visualchars/plugin.js

MD5: efa3cd5a99538a82a5100e2e73578de1

SHA1: e58a97816bf84f3275700b270d6d9434f0dd0963

SHA256:1a2053e8525390c955185714e2b5906a8aa4e53307ec19eb2ffb589d517ad59c

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/wordcount/plugin.js
MD5: efaab82a4886f7fdd9b51dc1591d3766
SHA1: 930d82e16272ae7ef7e0319b93a7c3cdc699bd21
SHA256: 693ab5be6788391285a33bb73d3bba144a263a19323369a24ebb0b56e97338f5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/accordion/plugin.min.js
MD5: 41b9fb04716b69dedf252f16a408224a
SHA1: 8c042e9c14d70bf1201a7287389deb57572c6fd1
SHA256: 23b1878f5a7b225f481cd6513fb66c349d2575c0188d1d7f6de4629ed7332464
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/advlist/plugin.min.js
MD5: f607e201cc782a368e5056495380ad8f
SHA1: 34d87146befe75a28085e38bf5d1ea940e72612e
SHA256: a9c5d61098c8ade34a8ababbc9598ee95e0ff40bf1a8dd5ad1189639be540e86
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/anchor/plugin.min.js
MD5: cda80e549bfecddf0c5660f7bd61c28
SHA1: a60a01a44e79fd7fe1e62294efbde9bdc7fb8391
SHA256: 80cc2719d808b1a7ed0c64f93ab527ff5e8037557aeaaeeb75e26dd0d520fb13
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/autolink/plugin.min.js
MD5: b29b97dff81e4e2bc9f93b2db18964f0

SHA1: ad8f6a077b4f4a2b81638b3b6028a0bfb61fe641
SHA256:449bff07fa9e889d6242d605b72e6d0abda2e45b89d1c6536aede88d3a358dea
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources
/webjars/hugerte/1.0.10/plugins/autoresize/plugin.min.js
MD5: 43f917cb227d2e801f8ed8a959f3b7f0
SHA1: 4befeaf8ded3d0342b989359c77ef171950a7b72
SHA256:402cbfe848c67537977d26275726b8945f8bd9d7345ad78ba6dd10daf8703724
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources
/webjars/hugerte/1.0.10/plugins/autosave/plugin.min.js
MD5: 5946f682c8fcaeedbfb897e9b16f54e91
SHA1: 0c9bffbfb828835d43302963134542e095b1ffc1
SHA256:770745ed4e2e0e2a87aa1ed9b127d8ba95b2d10c8bb1d68bf165b7da427fb424
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/charmap/plugin.min.js
MD5: b6fa0b80d789b03eb42f1c7b1bd9a317
SHA1: 0e66b1560d6594d5b06eda668f597e1c759ef9ca
SHA256:df569012757f04fb6da50db6f9d8547969c63b301af81e923cbe427724ab817e
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/code/plugin.min.js
MD5: 16f1b2b99652a6432bb7e26fc6275489
SHA1: 07aa6669ff4f20c394e58cf833949306ff59f85c
SHA256:df25480cdbaeb8e74cb937c44314c8a28debfb4ed8fa75498067620287a4b83
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/codesample/plugin.min.js
MD5: 03d7fc5ecdfe24bd5ea607f52860b8f8
SHA1: 58c3ce163c656d9c72f0d8cd9a117c955ffddb3b
SHA256: 93cca0a291f3a0777bf30f27618a25ba8febf40487c25f4c15e639412355053d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/directionality/plugin.min.js
MD5: b9092e9c78ab5b637b720842473a04d5
SHA1: 2a0535f7087827113bad03d00b2c354b5c26791e
SHA256: 0a46316c620472d05aeeb3cf23b937ab695786337b243cbfb1a8ad57184b09e3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/emoticons/plugin.min.js
MD5: 73b2b6326789ea8fbd7bb23efc22b43a
SHA1: 85666ba62c9fd7d009439e4556bacfe0be7d63db
SHA256: 9dfc962639418274959e3316a62522734cbe668dcfb5e8bb16716591a9f44ba8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/fullscreen/plugin.min.js
MD5: 2ef377fd40de18e8d301730055d8779d
SHA1: 7d431bf2ae164bb8c44b9e1798780cb893d63922
SHA256: b5f9ab18c6874378c7971cae5c6a13b72123b743b96625106c7ec959c9ea4b3c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/plugin.min.js
MD5: 5195d68898ee18a266c2b70f9513e3ea

SHA1: ce5d65783ea455a7375995d8da788647fe6ef118
SHA256: 4eee85d199db2167600f30f884fdf5a678e0d829a934b46707d7b13a6ce12887
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/image/plugin.min.js
MD5: 5ead60b8ee2a5e57ee21d328a6996fd5
SHA1: 8845601750923c62116ce10e403c4b994b77cf73
SHA256: 0a8d0add48bbf1d9bffaddff80537482fc3208fd9f73bd02e6438c168f7d2b61
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/importcss/plugin.min.js
MD5: 80bfd8a5281df392b851bef6deb885ed
SHA1: 58b6f75cb02c07ba76b5f8398e03ad22320cc6d8
SHA256: 7dad55e6a7b2a0cf1def87a28d387ddbb6d592b58f54a33acc84b0bf5923738b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/insertdatetime/plugin.min.js
MD5: d97b95150778c9239945a3c66722c522
SHA1: 39a1d254e61ad580ade39bfb3fd6d6a7f797c37
SHA256:016c7b4529780e838f1894971fda9f76918d9edfd279569784f8de3a10b40b96
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/link/plugin.min.js
MD5: 7fefbb0fcd36a9a88bbdea3d482c1cd5
SHA1: a40def35131be11121ad243664092aacd8af5e40
SHA256:742e558ca7de547e0cdb7ec6132f8f611729090b0322cb0c2bd65dd68c53361c
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/lists/plugin.min.js
MD5: c67ba32694a4e2ac5cb6f3ed967a4860
SHA1: ba54691c70395764688bf02e77e5aaf9918f890d
SHA256: cc6938ad8297e6df86d066c993deb8332e84116b481dc6f21a1a05b1b999d33d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/media/plugin.min.js
MD5: a9156f4bf8e68ee4d7bc03db5e88c67d
SHA1: 7b416b06fff819bae4c82bb548d5213d7afbab99
SHA256: 82fdf0a7087971569fab288ae0d99382a2219f3c5f7dcad1be71720e92f36052
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/nonbreaking/plugin.min.js
MD5: 7dcf88c43398084da0d575d280a2ce83
SHA1: 7abd58e32e21afcfdcf7354a858ed4081df1b523
SHA256: c2ff35d5781a42a0a60745f34b347a1be6771e974802f3b08e8f9b4568c9586a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/pagebreak/plugin.min.js
MD5: 8df5adfe40638a16627e677a370c95a6
SHA1: 11fed02125efde64ba5bdae09b68e9a89e221ee1
SHA256: 2a28c613a64dbe9f87f42eb8d83bfb0f0ba926afb96fb1b26805ca99af8a9494
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/preview/plugin.min.js
MD5: df9cf3dd607941f93d1c438b68a40a19

SHA1: 959b48bc1643c9c619f91ed1291553fe4b5c6df5
SHA256: 927d07fe0584b9aa1fe51022a7e48a2863057e1a82726c5755e7412e25e6930f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/quickbars/plugin.min.js
MD5: c7f7fd9d489f82d4978a950a6fd326d0
SHA1: 35ad1ac0ec23f43babeaf2f71846d60e692a4370
SHA256: 27422ad514e9daf4cda714e01922c6b22ab80a7b2dd3d06ae4a12de604c4adb3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/save/plugin.min.js
MD5: ef357be47e0f2531659760db570e3e08
SHA1: 5ce5f43cf8bdc9a84203be92d020dcd751516250
SHA256: 8ffea15aa59d2aeb61497c93642e812a303ceca942ff566834fcbb8c4376d67f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/searchreplace/plugin.min.js
MD5: 139d7a0deca771c0b77b63098cd18ee0
SHA1: 8f3824236f0806918ef8095da2eb296ced32b89d
SHA256:97cea5100aadbefc3610ad132afbe4f1bb4e19d8aceec2266cb1cb342173b69d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/table/plugin.min.js
MD5: 502d776073efd10fcba209469a13a62b
SHA1: 8ac3ce728285e89236fef69eaf629d425fa30bc3
SHA256:14e91010b6d0836c776ebb1ef82faa7507fc7e2c27f12c8dcf4f93da4601f332
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/template/plugin.min.js
MD5: 55e7bc92bab38e5cfb88cf0b1571e3e2
SHA1: 87ac90adba9d19a1effa547ce0c180da9db38d10
SHA256: 6fe4a268a991a7711b98189b027782c297ecf46b076b511d3861f9c44622049c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/visualblocks/plugin.min.js
MD5: 955aaa78063c43c0e51c3fafcddd56b5
SHA1: 656381bbbd38cc297ba0956035f6185d73f1d7b4
SHA256: 2dd3ccb223e2d2138e7d924151c61199f2e9b1dd8cbbbf0be0d899d7aa52389e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/visualchars/plugin.min.js
MD5: 47a01e3b8dea93ce5f7688cd00819514
SHA1: 0495254050f00001f190e84c53ce1570af7e559c
SHA256: a3405c392c40b97825e9fdee2fa63f936a7fd33f1f1a10d9453640dfa28e3f24
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/wordcount/plugin.min.js
MD5: af966b39dd7380e0a7432f31ce9b7c0b
SHA1: b47d98b85bb9be88207358d699ef416965b0f1d9
SHA256: 5be02c864f261b33efd718f3b6c9a2a607a91ee9fef6462e0cec442e0ce3b180
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: pt_BR.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/pt_BR.js
MD5: ca7a4eeff4a8529a84f3ff5e7f1fbd4d

SHA1: 301b5e181620e9a86b8e0521cc3f56835f98a0e9
SHA256: 571938497a73a22fdc5ad20de30a0d6051b489ac787659a73dd6927f73bf813f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: pt_PT.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/pt_PT.js
MD5: 98c786e104869984b866baa8ed1cc414
SHA1: 70386a8fcd314249ce73542a259404019f40fe56
SHA256: f9fcbf81468c7312fd52504380f411df09c2f59cb2a1647c6d0cab5f3f414b9c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: ro.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/ro.js
MD5: 954a4ab723e0f927235bcd3020c8e0e7
SHA1: eeb3638b56c77058c31193b95ae72b4811ca2e92
SHA256: 1e0e4e94519949b7e750007e7193e3d3a20855f57b5ff982a985edb0718f885d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: ru.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/ru.js
MD5: 1d302511d2a9b1a0a765358559e6ed8c
SHA1: dc2960bf5917645f7f007fdc082efedce924e695
SHA256:019be56e2cd8f3a4b7bc028535cabaf69c075744666652bcd40edd8483d543a6
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte.jar: sk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/sk.js
MD5: fe4a80d8945887d8dcf20af8a3c1352e
SHA1: 36a21dd701f08b0d0acfb8294f006762fc424dde
SHA256:b259ee9a894fa2cc41a7900fa637a2aa8e4224be1f4ef842b541f977240f903f
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				

- None

remotegui.zip: hugerte.jar: skin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/hugerte-5-dark/skin.js
MD5: 33bfe3e522c9bcc81a0ac4a754d0fa01
SHA1: 822a6e8c4751f9dda822f84703ee522f7ce0ccc1
SHA256:bbf5986c65426afbf26be7c0e5de03fa8e68d8f2219e2919001f1a10b173a952
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: skin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/hugerte-5/skin.js
MD5: e955f1a8b28d4fc0e3ff9437a54cf3f0
SHA1: 7523ca2c72f80f957cce1cff4c6f697266e0b425
SHA256:963a34799e5790f24ddf1824583cd10f3ba9c39db04e5ec60a5cf11ece7fca31
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: skin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/oxide-dark/skin.js
MD5: f1e6180bbc9af02f6eadd4fb72053f8c
SHA1: 58a5ea6b0767562cf4db3aa7b4f4e8bb1cc53dcf
SHA256: 5048d4c092234ee6ca7dc7cc764f9539b3dd8579355f4b64a30eaff4d05bf654
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: skin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/oxide/skin.js
MD5: eb819709d0ce9c502c5b7ad421407d60
SHA1: 9f75d43603bdcd46cc03bdfb67071160409dc91b
SHA256: 5a3d4132dbd49631dff83665fdc93242175673ee02a44c25303038edd70b7037
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: skin.shadowdom.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/hugerte-5-dark/skin.shadowdom.js
MD5: d738bf552b3156b0a77176ee6602cca5

SHA1: 268465839d61adf3a0b0672f8ffdecedfaafb053
SHA256:d24a492050fb69964cdb38329571b9fddd1b0834d3e7dbdb408ddd58493ca2e
Referenced In Project/Scope: server

Evidence 

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: skin.shadowdom.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/hugerte-5/skin.shadowdom.js
MD5: 20b5197219c55275d0b70c53fba64ed4
SHA1: 1e2c40c61236d680b9a79abc119fe7e9a0134f81
SHA256:afb05e588c7480e5fe4659e23d1455fcf4d50d88ceee199989022fe3af1fba44
Referenced In Project/Scope: server

Evidence 

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: skin.shadowdom.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/oxide-dark/skin.shadowdom.js
MD5: 1e892ba61cc3e6d5bfec63dc9cec18c3
SHA1: 84dbd80ba099e183e44debb25fd01890797707cc
SHA256:60f0ac19cbb0903f7fd4bc8a1fadb16e818d45b1908db27a89679aadf6fd6332
Referenced In Project/Scope: server

Evidence 

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: skin.shadowdom.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/oxide/skin.shadowdom.js
MD5: 731f24060ee9a8c936071b8765cdde89
SHA1: 21f37b358ef16cc9fab3344261a2236b0260ac0d
SHA256: bea22e87cbf4ff22524e43516d28e285d0f096409d7891fb6e91aae8fdf56eda
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: sl_SI.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/sl_SI.js
MD5: ac35121257bf831e811f75c28c471dcb
SHA1: 5e2e75c81c74714798f3ab92f1cbf4889a705830
SHA256: f001ce48bbaaa6e711eda1b603d13edc38f0c2db5592f0f8cb3b798f001b6e17
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: sv_SE.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/sv_SE.js

MD5: b24075bd395a8abe5e100788bba0a74a

SHA1: 699908a684581883ca84b7f43db273ee83d68245

SHA256: 24e435fe459e6a809eb78b0b66c0146226482f29cf4caf7c84d6a09889a5ae25

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: th_TH.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/th_TH.js

MD5: 0f0c790204d30c81b6645735545d20ec

SHA1: 5fee086306a6157bfa9758380c9da89040dcfaa4

SHA256: 38e2e42abab10f72d5ea1f17714112c287f350fcbca05c5906ced9d3595c16aa

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: theme.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/themes/silver/theme.js
MD5: 44cb08e002fca06cb52f0a998a34b913
SHA1: 55458cdd3c063b96d82693d141f535f61e280341
SHA256: b21ab51f48963e96600868f198137d44fac2d2f4a932d90104ffb11ab80b5544
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	DOMPurify	High
Product	RetireJS	name	DOMPurify	High
Version	RetireJS	version	3.2.4	High

Identifiers

- pkg:javascript/DOMPurify@3.2.4 (*Confidence: Highest*)

remotegui.zip: hugerte.jar: theme.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/themes/silver/theme.min.js
MD5: 091fe1ca3beba933e7daa4f5a474ffa2
SHA1: 5d14195972feff438279f71369e8eca16d80f922
SHA256: 8d2d093d1b1fed8e8ffcb4782c81602f43c998799f73d4cce0de8261a78e8d74
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: tr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/tr.js
MD5: 4543135c90640b64ea11bd4ca58192b3
SHA1: 93c8cbd63e67d56b8943946634ebc319efcc8302
SHA256: fa1b123a9dc42af696b525c76386e38f2abaab07b29d29fca957a3d82feb9170
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: uk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/uk.js
MD5: 64c0553a6c8b19667964e263a03dab26
SHA1: 998a732ac0b403137b79178d83163acddbcbcad27
SHA256: 0d63c3d3ef18445fa032a6b4f8d6c80c26bebc6eacb71dc934d7b5666453b2a5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: vi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/vi.js
MD5: 85d7f56b3ae07bedcadde6e04251dc9a
SHA1: 5333ccaa75ac528e70e6d3a50bc47a46573dd353
SHA256: a8fd67b418a1d1225ded5342c6cb7ab53606818c22b7a964148c74cebfabd0ff
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: zh_CN.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/zh_CN.js

MD5: 93f3f1526fb8af6be6fea9c9d4cac78e

SHA1: dbd189b2ee499e1be666408ccd83b41c7ee84bb5

SHA256: 5f3a261a4604bf1e7116dbdb1602f87bb93e324849b64227398c8b93113a38ac

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: hugerte.jar: zh_TW.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/zh_TW.js

MD5: e3325e4ccd2fbabf42e18053b168428f

SHA1: 6c105cd27982cba07413ba280b946ea010c9ea5f

SHA256: 5f8f7d1e97005d84e3f868727db6c36baf3096f1cd4d14effb7ecd33ae0ccb1b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: jquery-ui.jar

Description:

WebJar for jQuery UI

License:

MIT License: <https://github.com/jquery/jquery-ui/blob/master/LICENSE.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar

MD5: 9ce7e600d17800cdae8476eb3dcf1789

SHA1: c1122cd36f9bab512ddb4ab072d84fba5ad0e2a

SHA256: 0ce631a38c140f67c210a407ead84ac6ef88d82aaf1cde4c8b8e210b92f2b59d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	pom	artifactid	jquery-ui	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jQuery UI	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	jquery-ui	High
Product	Manifest	build-jdk-spec	21	Low
Product	pom	artifactid	jquery-ui	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jQuery UI	High

Product	pom	url	http://webjars.org	Medium
Version	pom	version	1.14.1	Highest

Identifiers

- pkg:maven/org.webjars/jquery-ui@1.14.1 (*Confidence:High*)

remotegui.zip: jquery-ui.jar: jquery-ui.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/jquery-ui.js

MD5: 0c983553a5edeaffb408e27b4bc526ad

SHA1: 01510c553ab12baa303a09fb5820e49807037389

SHA256: f739630caa44fe643199a47857670655a43b6ab17709c5f16abbe0afb4a3f147

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: jquery-ui.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/jquery-ui.min.js

MD5: 12c28b31a1369383b3549abf958b01fe

SHA1: 8b7a32df053a6b24e568f20908e47a90e9a3c852

SHA256: 0254e2768f39b973e54b2c9a64db23257782b34ede4afdebe3793209573c0a12

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: jquery-ui.jar: package.json

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/package.json

MD5: 79f59c9c2d3b9b7f4b95c47c355c7d12

SHA1: 2aa7dc3ced6d8ca3dae2d05030bf6d67dd83c417

SHA256: 02f0804ebb96cdb18ecdb1fcdc511d96a8f8ec9463bc33b847cd38f50180d06

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: jquery-ui.jar: webjars-requirejs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/webjars-requirejs.js

MD5: 2b45f24ce91f8c0d5c764e705b1eed88

SHA1: 03056311ea772e4b7b09a70f108cb2733ae13766

SHA256: a0f18ed7e4b55b53dcf2752e99573c9f7363fd4ba7d98f14a65c36cf34fe1ec3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: jquery.jar

Description:

WebJar for jQuery

License:

MIT License: <https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery.jar

MD5: 4af65e569248d8a2411f66498d720280

SHA1: c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab

SHA256: de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery	High
Vendor	pom	artifactid	jquery	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jquery	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	jquery	High
Product	pom	artifactid	jquery	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jquery	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.2.4	Highest

Identifiers

- pkg:javascript/jquery@2.2.4 (*Confidence*:Highest)
- pkg:maven/org.webjars/jquery@2.2.4 (*Confidence*:High)

remotegui.zip: jquery.jar: webjars-requirejs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery.jar/META-INF/resources/webjars/jquery/2.2.4/webjars-requirejs.js

MD5: 30e1a7f167b667001f50e32ea87bf7b5

SHA1: d18dc733350ad3549af2df096599e824c10f777e

SHA256: daca7b23bc4d8302a8961373b92b78d36d5c85d730fc14130e29d55d976aa420

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: moment-timezone.jar

Description:

WebJar for moment-timezone

License:

MIT

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar

MD5: 965c389c2c25ed9874c9c0700fbfc098

SHA1: a95406304b0b4edcb69e862878ff6be07262caaa

SHA256: 2528312eb2938d368ce6ecb6aeb28ffc015d1b57ee099427df56a80757476a11

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	moment-timezone	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.moment-timezone	Medium
Vendor	pom	artifactid	moment-timezone	Low
Vendor	pom	developer id	webjars	Medium

Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	moment-timezone	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	moment-timezone	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	moment-timezone	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.moment-timezone	Medium
Product	pom	artifactid	moment-timezone	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	moment-timezone	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	0.6.0	High
Version	pom	version	0.6.0	Highest

Identifiers

- pkg:maven/org.webjars.npm/moment-timezone@0.6.0 (*Confidence:High*)

remotegui.zip: moment-timezone.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/index.js

MD5: 16b10b9be0471f35921bc17b645c6fcd

SHA1: 7e9c41f04cff37b876169e1e5108b5b757305822

SHA256: b93bc1a0ab15d56e12f0e281bf005d39166952d9208b828e8d056563f3ff1fd1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-utils.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/moment-timezone-utils.js

MD5: 5a72ca7999557748edc4ac3c5b86c4c4

SHA1: 862bde4cbeb254895bbc265b122ad2bcf55f38fc

SHA256: dfcfa868183af2ffc3b6ddb5fa648cc74ccb1be50296891ab29491d229829

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/builds/moment-timezone-with-data-10-year-range.js

MD5: 1244ddda77a5e58bee785641cbe71668

SHA1: 632e0cdd6a1bf803d7df9c7ae5fa0500c6f00cac

SHA256: 2a46af34f28304045bdefe9a7ac15c88c293af03bf938c964d8939bc17381fb3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/builds/moment-timezone-with-data-10-year-range.min.js
MD5: 57db2eff43ea24d536af5495b6ace9ea
SHA1: c0abe6ca71423cd87c0f97a69b7e78d8e1ed0f52
SHA256: 24caa9fdbf4b58154688cfc895d752fcb52304b210a60bf65ca345a0323843af
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/builds/moment-timezone-with-data-1970-2030.js
MD5: 826c95bd823a349b649da30102c49f3a
SHA1: 20464a7dbb5e63ad108197914599a2ab9e8ecb9d
SHA256: 933798309bb6ec8e4ce74728e0fac17e44852adef9b51bdeeb7a3bbd0c3a493d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/builds/moment-timezone-with-data-1970-2030.min.js
MD5: 1ecec307fe3dce51beb4fc7258bb9587
SHA1: 4d23a0adaf0aac2187f7ccc5f208a11d656a6641
SHA256: e39a72a23c96621077399db07c291edbdffc2ec6e9cfd05fc09ff70b5bd06c6e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/builds/moment-timezone-with-data-2012-2022.js

MD5: 220c8dd15a243ab90e253db58b7ad129

SHA1: 25dae9ee9df7f03a6c000c3e7d988fee694352af

SHA256: 3b34bfc3d3170349072baa5515a3fdd5210c0c4f1511091553b02e7286f1cd3e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/builds/moment-timezone-with-data-2012-2022.min.js

MD5: 903bf6aa45be36363c5409156eaa936c

SHA1: b6777e523bfb2bcd1248356d87030026a0e1e8ae

SHA256: ec626a7f4e7c5a25a710c7a5116b10294a7f34fba7492448fe9602f2cf9a8061

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/builds/moment-timezone-with-data.js

MD5: 3bd82d213ffb09e37e1c445a23a2f709

SHA1: b4fbda1d67da286783a174e66f155c4277c4e6a9

SHA256: e14ebdec9a0ea32c313425cbae1445399050c1db33b5b922d855c3cc6031dc88

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/builds/moment-timezone-with-data.min.js

MD5: cba3b939885ab056f4d0d2256618bc07

SHA1: 7401c940378b757529a62ae87b9e5a1f6f67ed9d

SHA256: 13f709418e83cd77c85f619fc5ef419202abe9c8f7b97eb8407909c3a5074215

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/moment-timezone.js

MD5: c2a8ad8ebe15f202399f2d13c7966afa

SHA1: 30b33952c4e48063a04ee63b3b458d7b746c20ed

SHA256: 2fdaf5517c70f2b961cb4ddf4899ecabadbd5a9dc5b8ff30db994d4f78c7e7a9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/builds/moment-timezone.min.js

MD5: 910d22d12c71b0f889d7392e4107ade0

SHA1: 91215b20c9a559f308f5271b1e61df4abf3cd1e5

SHA256: b36954e04d7930475ffe4160d6bb1dbd823b520781097ddc284f2dcf82c16b2c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: moment-timezone.jar: package.json

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/package.json
MD5: c98197434f21b1d7c3b9e81056144b9b
SHA1: ecdbfb4bb5c1a78678c6fc92a7f9213a942dd4f9
SHA256: f94c640ea71ab6570ecc9fced383366177307179fb3dc1b0bc1800d3702b9027
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar

Description:

WebJar for Moment.js

License:

MIT License: <http://opensource.org/licenses/MIT>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar
MD5: 72ad6b420b3b741d7def80f4837682f5
SHA1: 6087f9eb29294249887afa1eb4ec8308657c35f1
SHA256: 71f0cbc7e4d2c943077dc758f7c8f0c7d48e1ddc7f9e7cfd27aecbc12712cfdc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	momentjs	High
Vendor	pom	artifactid	momentjs	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	Moment.js	High
Vendor	pom	url	http://webjars.org	Highest

Product	file	name	momentjs	High
Product	pom	artifactid	momentjs	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	Moment.js	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.29.4	Highest

Identifiers

- pkg:maven/org.webjars/momentjs@2.29.4 (*Confidence:High*)

remotegui.zip: momentjs.jar: af.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/af.js

MD5: abbd3f78270e280c248535ca3e3b3e3b

SHA1: 489ddba9b2a2f15e2a8d59d751a45c5ed7041f14

SHA256: c59e2f2d09098829d00f5dab85e6ec623f6aa9e70285ec2aac12030a014e4161

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: ar-dz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-dz.js

MD5: 10e8f6da8f425e389f9dd462018dcece

SHA1: d638dc753916f10981ce562c7e7543944aa5755e
SHA256: 2fcf1465ad9fcb33a1ee00188d0d8cb19e0d9094da9e27f56444b67e50c6810c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: ar-kw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-kw.js
MD5: 5ad9681e194f33543d33a588e2a21f09
SHA1: da190c4671145eb702d41ee980b985a9816bc9c5
SHA256: ebcd2afd129890e49aa91cbd6718916ceb743122a4d264c681a533d8066de673
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: ar-ly.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ly.js
MD5: 293c5c572f1e70336fb5a5cab29faded
SHA1: d969dc63c258a2c5587efa0cb2ac80034c44a5f3
SHA256: 0a70bf3f66b074d68453af125059d60f1ce4d5a96d3401b0bb7f013fb7a56696
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: ar-ma.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ma.js
MD5: 6f5179b883bce68003df4d2c99caa156
SHA1: 3af849ad551cc126ea26fe472770b0f2c86363b2
SHA256:ae28a7c4d994a1d4059f2dc1e6385182f3d5aab262d637a6bdfc80f3e3f5471e
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: ar-sa.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-sa.js
MD5: 92455d26a00821fe9aba7ea8e23ec89c
SHA1: 18d22d6e22b460fb0d248426001e4cbfd9a69393
SHA256:4913900a380ed33b662fc5299fda05cfba74367870ba23f3d9db5dfd0775c876
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: ar-tn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-tn.js

MD5: bf6b33329fd589f8b3b393f6e64717d4

SHA1: adf2dc833a46ad99f030b5761a7e6a97497ca764

SHA256: 2b6a611f7d21a0752d9101347b22943dcdd91293f7e09ac11c3b04cee41f594f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: ar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar.js

MD5: b0110c65e23d25860762820db7d2150e

SHA1: 249cc300a99b9cdc47ff3fd70c9b4cb22f0aed61

SHA256: 73485f16cb9317f156bab05ba8a3233fa87513cf1cb52728fefc53703ffd5b3e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: az.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/az.js
MD5: ec1a4acd4aa555dd71722c2639df4db6
SHA1: 49b4198f1b008f9deeb9aa5d33e27647e812f0df
SHA256: 21cfe14e920b3edc4bc394709929f61aa5f2f9e51d3ca0c6edd1e51f29d7e3c9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: be.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/be.js
MD5: 5c38f8d3d5da2b1b930f109553918781
SHA1: 181a1762773de78de3e2d21696e77a49a9e188a5
SHA256: aa0657f4f1e9f9ef3a3ce289bc882f5971195e4681499f02409486ed985e1407
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: bg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bg.js
MD5: ebd43c527dac81f273926142beec5553

SHA1: 46101d46348f560c622895e9e65465dd26e92d6a
SHA256: 0d034309eedbd03f17e22dbd963c8cc8d490c8e877f39c6c4081636d1cd28fca
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: bm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bm.js
MD5: 2ef1c37399931e14e2a4471ebc57bd21
SHA1: 1e10777797f13333027873cf0a1e05e52c2a9264
SHA256: 1f3217d69f6512ea3984fb7428e1afe0c7779cf3822582c52e6eaa8982ac23b1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: bn-bd.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn-bd.js
MD5: f2988fa9e29bc5573603a8140b321051
SHA1: ddca0b09ab220aa3e7d8b6d01e98b06071942e4a
SHA256: 87296cd8b904b633d89b0a72b779aaf04e8d625fd8ed772e3227046b3a3acf80
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: bn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn.js
MD5: f5037a3495a3fefb37d9456b6745537a
SHA1: 5d8e28e5703371e674a9b2947426e23a1429455a
SHA256:a43f974ec15f638e67cec9d73cb33c339ce7cb35bb7041b478a930197977a890
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: bo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bo.js
MD5: 7dc25ead6d51909386b03c060b891690
SHA1: 5b47f8a1cd1b1dad8e8ae1c6f408dadda7cd6983
SHA256:dbf83d196ab69149d5f056a2b44e06441626f1e5d3c3aa1a300e64dc5150565f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: br.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/br.js
MD5: 65949057a5632b430fce65f65c89ace7
SHA1: eda5bd14e942c85896b263b137e2e14f161836e6
SHA256: 35b4113f7552400639dc76ea40d55f1be6f44af2eaf4289e7c37e4e657522ba4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: bs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bs.js
MD5: fac80361cb7d5e0c44f8956063e8eb07
SHA1: e0f831af87ad28205b93fbe4d7ef9001227eb1e4
SHA256: 1d185f2b71c18bb14d0e5db063d59912396d42a04aec97cfbbec19a5bb8bb5ec
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: ca.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ca.js
MD5: 9c6c8738154552a40a29505cf41311af
SHA1: 65eee9703d130c7a90d085214ee60c4e087b9d1d
SHA256: c0ebe3bb033ce8f82c66a46dd297c19b30c80ba64036c721aca36a7f86f1b234
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: cs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cs.js
MD5: 8f0a7bef088e6698b6a090a6f6fe22de
SHA1: b137a5adfe662d0b1c258fe7bb2b73b971e2268e
SHA256: 0dcf511c06f565a917e4718cce467392bf898ba60af2b3fdb032b1910599ebc5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: cv.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cv.js
MD5: baf681a1e97ac68186325a98d5ef1861

SHA1: c0433a02791bafe8efe6945a4ae0370c6d8d55b6
SHA256: 231b3a65bc4beb4d6f0920962dafc82611403df4979655cea53d9740d2986904
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: cy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cy.js
MD5: 868cca92c4392ae5b0627f305f9633b4
SHA1: 9c0f75132a2eaa3fdf0631a08f210f0e29208501
SHA256: 05d100692e8cdd4a6b3b0eb56eb37c9c64dacab3254aaeba18c24689b18a6cf8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: da.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/da.js
MD5: 47fe4d0a5079542391abdcdd125b4cb60
SHA1: 423a66383275eaf3f441f384c69b2d6e2cf905d1
SHA256: 891e90544d1061ea578b51173a2dc4638c0e9af95cc2986f1f89ad5008e301e7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: de-at.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-at.js
MD5: c2df366205b041e50b0dc27fe427c54d
SHA1: c52be9218cfbe8ae8d51f78af3494d3a2ed5d35f
SHA256:0575c8ba66974f2eb3d7d74e16a265c40dbfe7802cefdecc9f196f92c0ecee97
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: de-ch.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-ch.js
MD5: 1f9bf40d5d392a14bb758de02e9d98df
SHA1: 838d95c91f39f7e28483c660e6f5005921d3da11
SHA256:b3c3d71abc98200d579cbbef89d470a6cbb272c4faa71e31232a68ef6451edd4
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: de.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de.js

MD5: 260cdaa4a123af8e02f5aa4001cceaac

SHA1: b928a076571a81fde7fc1fd4a2adb45d9a9a2279

SHA256: 20fb0d0967e2720d135a6894165bf96e327b42bdedcbf45a9b2f9e44da7986dc

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: dv.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/dv.js

MD5: b3ac7e877fac1116b8759c6e7384e86d

SHA1: 3321dfc6f7147d148167b23a3642212fb10b1b89

SHA256: 94a1563faab9fe61f359a515042f56e2672886200e084de98bbd98769f71ba69

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: el.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/el.js
MD5: 7a1966e1fd7848aabcbeafa28ff2a445e
SHA1: 29af743b2dd9c09d9962080c3a5b4cdac2b09409
SHA256: a73fa8b59dd099d28a7824980577379437273f6ef35a90409cf36492bc2b3600
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: en-au.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-au.js
MD5: fc0b9a852c77ef21ee6deb24d95769f8
SHA1: 829e7b64e421cc91fbb306243b31d71f06fabdc2
SHA256: 6a84d80e99d57f1ca1faa1dcca9f48e9925de4013ac5ceab52cbf20b059cff8c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: en-ca.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ca.js
MD5: b6f095c75787cb0eb2421b32b2e9ea14

SHA1: 415ffbaa1c99a53d233979f5e907e83b59d54c9a
SHA256:d7b47d71cd5b63a0cd7bc3945ca1799d9345ba9dc3e85356231dbb4f6becdd01
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: en-gb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-gb.js
MD5: 5ebfadfe47485b65c484822391d0aad1
SHA1: 4154fff794c0118f1c280d4e3c222b0b3f96a6eb
SHA256:46e86bfd873ce2ba61885faa9e0ba2ae1a510574f698d6a3aba7da49d1505eb9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: en-ie.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ie.js
MD5: f5175b64f4c382500e7a00ed4113c3a3
SHA1: 12cf24c0dcfa4f82be14783a2889022043fe1f80
SHA256:41a3d03fb561db37dc1e3a63cba10467c0bcabb2ab7e788329f86b6be6f72d9e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: en-il.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-il.js

MD5: 8f131247f11cf746d1b477c75de2e0a2

SHA1: f1fbc068a029ca0fcb5755fc5211ae43c9b2dd00

SHA256:494c5f26d0a16c8c1645d70cfc327e19086831ce78bc98599f4e5abc321db7d7

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

• None

remotegui.zip: momentjs.jar: en-in.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-in.js

MD5: 2d5a9ac86d2a83833aec6a68bc8947ae

SHA1: 64d4492b47eac3212f09a9dd1fdfe2afc9721142

SHA256:290dd53cb6262cfc22c961faf969851adfa8c38b30c80c496b8c8f19232a13e8

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: en-nz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-nz.js

MD5: 3a68b41d7982ae7bbc8a396d23e9d1a1

SHA1: 0c30117c176ae1c60d35e54c3c0cd47b5104e28e

SHA256: 9590cf61d2ab1b83f793be9f074340397e639fbb112a80c8bb7d2e3a77c45448

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: en-sg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-sg.js

MD5: d32a209c24b07b617c68fb03e081061c

SHA1: 34729febed76ec17cccafdc06ce4f51902daaf42

SHA256: e3b29449d67e5d53d3420b5f4ec207dbd70f651380573b59f39aee2b1b9ca52d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: eo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eo.js
MD5: f19d7f5dae34785b6ffd82971ff01712
SHA1: 8a6937235d4219a192ae127506cca9479097abdf
SHA256:823d3e21f85f9d3801f7004cc5cde82d5f45d98e977979322543a65908411e4c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: es-do.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-do.js
MD5: 3f09c253c2e7ed72706b062bdb3ecee6
SHA1: 3bcd2f7f697c4241a5f47985835b0190a643630a
SHA256:a1d29019dcff0ce2a11cdf97018c20e99fbc739163c059ad8bf2408f77d3161
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: es-mx.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-mx.js
MD5: d16f10cddba51c3467b316318e592f22

SHA1: 4cc238005f4d59b4e3877449babf5cc8b3595f38
SHA256:a233573f641cc9c93c87b555fc5564c2e5ebb97e251338e971ba76e74d512646
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: es-us.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-us.js
MD5: 276e7c3c7756f9e962f6141f5048894d
SHA1: bab0d54cfa34f527dcf6960f5379aeef05cc66c8
SHA256:3923c6bd6137387d5edc62f6dc0174cc9eef8363238c16eef78bd9d9c69bfafe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: es.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es.js
MD5: 0e92f45548e01672fc6a2f73979c397e
SHA1: 6e6385cb5f6e39ed9ba95ebc1fb66526e2c3371a
SHA256:2a8f1790d492fc338933a032a862f99998f31bcaf7a0e4fc298b6a3cb04cdf7e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: et.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/et.js
MD5: 8b5c6c8136c1bcb3dd35ff204c28b1fc
SHA1: 82ecebf743869c8231a6ef06cf5959e5cd9c7fc9
SHA256: 95c974679dba419b7d835fa51340c430bd0066bdc38a7a139caa575b67389d7e
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: eu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eu.js
MD5: 1f0f32ac558d6bf2591f0e7c59b09e88
SHA1: e8989f9da9ff458c51d7d4c21f9bfc99ddcd72a7
SHA256: ec9c07c9b215cf9996405fa56ef306761ec6a9383e19a53c2b45d6a1c5c4dc68
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: momentjs.jar: fa.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fa.js

MD5: bad9e9e51e7cd982360114a2d6b9a03a

SHA1: 7285494b159552cdee8bb7050d1278144da80b04

SHA256: 15ca66ce1faa865c68998fcc8ab1160207636b9161ad76f7cf7acd0d7c0ebd1f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: fi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fi.js

MD5: 08d74def02ac724471fce607ab87f4af

SHA1: 7f40cb04e95803f706af5caf5a983f7aa3f2365b

SHA256: 1339d4170019588a6764a56236c2a7c5b2389ace52a9ec5e8c09f1997935741f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: fil.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fil.js
MD5: fbc9e6bd5b49897ba8503d27e2d061ec
SHA1: 2121d4a7333acb3b7b120c1580a809a8a5927dc6
SHA256: d24cac0d0069d89c48b4c8cee34cddcb7e39892c91f07b884574fe0cafb66ef7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: fo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fo.js
MD5: 85d4a1a25dd5c3fa021f9e6f63fd01ac
SHA1: 95d11e45e86f344a148706df7f5c86019e02ae30
SHA256: 6338de573601e330030918569b8d2f80f98a57754e748a03ff56e3672fa25be7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: fr-ca.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ca.js
MD5: c0ef60f7029fe6ab773c090320f0a66e

SHA1: 8970ff163faa9c8702be24f65f95e94b962d8622

SHA256: 59c5acfbba5605fa641721bf16123300164ccc043f4bad6009aa8d880b159124a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: fr-ch.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ch.js

MD5: 3345c9d13645ae5fb2964c17559326f5

SHA1: d0cd4c6466797300434db0d6c8028bf46fe35bc0

SHA256: b32f50aa3d147ba5441d7728a45bce592125fd0a97117ca4b93b32c6393d847d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: fr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr.js

MD5: 775f1eb59d6f597b1c398036002ae329

SHA1: e6f1741f5598b62a83bb071459d9e8cae4b3a127

SHA256: d87b4eb850bc7742c104557450d0a70d18a48a917335221af08d23850667523e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: fy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fy.js
MD5: a54d9827ca1a619a839a15c94b7893a0
SHA1: 66863e3aaff531e89e83acd8844ca87f8516cf38
SHA256:c33ae59d9a05aca0dbe86d74bffa25eb44d04ee97b738034fcb72a21b73ec1cf1
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: ga.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ga.js
MD5: 264a960fc2850670387b1cc90dc29dbb
SHA1: ddd261054362b16567ba858afae968cf2380bb6c
SHA256:fc6d5d441553b23b5ebc3c79896499a093a3285f1e6134a680b8899b5cca4c86
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: momentjs.jar: gd.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gd.js

MD5: 0f3b98fcc8a06995436819446130320f

SHA1: 0050fa33180aa1f35c739cecb397846bff7d24e4

SHA256: efa1d779f65671809a63f900479c69bed19c262f2fe7936076793bd13deda080

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: gl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gl.js

MD5: 0d346a7ad989c39c04631e181056acb5

SHA1: 74c436284f15589fd53c9d4c090a4f75ff8376aa

SHA256: 825e6fad55094c13118d2cada0b6c5945a97ea9b647686c2b00dc6980bea4608

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: gom-deva.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-deva.js
MD5: 6d2091e4ba1b31399eb4f1f3d92acaa2
SHA1: 9e27b24c4f8ff43da0373ca75738e0322cc1bd77
SHA256: ff5ebf00d100f610caa956ea22c45584e34067f762c2e9811326d5903ccd819c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: gom-latn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-latn.js
MD5: 45f0c567784f534e16f304dd625682ad
SHA1: fc4b281f7d57696decbf3bd5e8c572f4191c9289
SHA256: caa6b3cafb8d463c7cb0b47783b84d7f7637f685b8d33d1224548f7f9a124cd5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: gu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gu.js
MD5: e108958bf473fcc52349ecba7dcff10e

SHA1: 977667ee217d20d2ff2338dfa6ea9bda2e0c13d5
SHA256: 5155f3aa5fe43b18c7b06cf02ff6e9d6c157d7da822c658fbd8e2f0edceef161
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: he.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/he.js
MD5: f5e7fb20bbb7618d95e4928fee094f7e
SHA1: cbcd69bf9fa2cc2493d086af3a5cb15e893c7d64
SHA256: 93b540d4f1bc21d5668854475e8efd2d6fcaa2f596704752a586ce07d471d475
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: hi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hi.js
MD5: 10451c28a31c032807f1fbf1bea5c32f
SHA1: 8ab3e8fd6823a63a2348cca98ca4eba215ad01a9
SHA256: 482f9289851cc5add17895787d427259acf8d9467db37000d383021aa097a1e3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: hr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hr.js
MD5: bfeb6da022ce8f5d4610a485f6063935
SHA1: 0e475a985f8f3612c397a07781933bc4235be646
SHA256: 4af37cc6b498a4c3418f0b5d90efe5354422b3d158681454dc2eedee31ce1469
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: hu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hu.js
MD5: d485a763ba31196c55bafddc763cf98e
SHA1: 83c283112870db2a37b8d6a96e2ff423f27addac
SHA256: 518c3c1b849d41be9ef9673726ac3c71290096a727ff29c9edfb0f7489e3253f
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: momentjs.jar: hy-am.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hy-am.js

MD5: 8fedcd99fde263a8a5a906b27de70605

SHA1: 3fbec521a9f7cddb7576fb37a3f35ba2705e88

SHA256: 2c3bf5ef8c5162c7c4ed0ce4b144fad24eefd691911d7c8b86c21cab84f3bfe6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: id.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/id.js

MD5: 3000b8d8d73e16384fd2a13aa7259d3e

SHA1: 1bcd369482f53edce0c1d34aeb15a918f3c7af7c

SHA256: 036154641aa4cba94ac8a65b98af75d2fa0ec29156674947d1148fa146689dc3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: is.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/is.js
MD5: 0f5a457d3457dfb1c5d256436b5e442
SHA1: af0c0c6573bb9628ee8c97479651f65571d6a56e
SHA256:6943c853ee0ad65ad2e3e38baecc90dc8088071f10406ee8a5ad995d7cf5f6e6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: it-ch.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it-ch.js
MD5: 0c0cd69247909aeca5d78d255b30a617
SHA1: 71631e4e4ce3a8466d80d4960a86605634a713dd
SHA256:9670e2244dd63556408fc20671fd763fb91be52041eee92934710e75e2b3b7fa
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: it.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it.js
MD5: 1abd9a8f32e7930bbdebd23a2bfa4afb

SHA1: 40cc21bf11475c48c1681ebc18a63a2bea4b8962
SHA256: 2fe7346bd6fdf02aee19fde76bd2ca0b5e65903ddd45d097be2342ee7b0b9470
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: ja.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ja.js
MD5: f39b4bc3b33715242a84fed53b50d596
SHA1: 8bebb66d25df95fc67d48f4ebc4b519fbc7d9482
SHA256: 9720de4592dd94861f2fabb51110533fe44620f517e50448dd828a7f2eef7009
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: jv.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/jv.js
MD5: 307628de0dbfe42c1aedc98c3afc1aae
SHA1: 7620cfee82f0241100b34de89cefd40412456ef6
SHA256: 707617feaac7459e5d5c39f3ea4a5e5da0cf398384902c1cd5975cbd1a113cd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: ka.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ka.js
MD5: 629be6bde33738ff66f7119b3b617798
SHA1: 02209d78bf7dfa3b5e585e64ebfc61ce561e5f3d
SHA256:2c15068d2ceb1f34e4b92f95710b181bd1034410b8a96ae15dd11ee24d0ff0fa
Referenced In Project/Scope: server

Evidence 

Type	Source	Name	Value	Confidence

Identifiers

• None

remotegui.zip: momentjs.jar: kk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kk.js
MD5: 4532f947979a50597d1c82a42f0facb8
SHA1: 9a8cad32d8e4350e40184813f4d19aa05882a8c9
SHA256:430c86f6c0ea0199d8622045883048b35875bea37b44424663bbe573056ec981
Referenced In Project/Scope: server

Evidence 

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: km.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/km.js

MD5: f73d0c92be21341d171e019c00173f3d

SHA1: 6adb747842bb733d90ce2b7dcf4963f1d62a7a4b

SHA256: 01b837409a1ee03d8269886915f10ae1b9460b2cc42cc5f6fac862f7360ba103

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: kn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kn.js

MD5: 72e237c519a91674447b268b61983bbe

SHA1: d72624462d7dbcf362ccc15385d5cb5a124304c2

SHA256: 9673f6d7a10086cda8228f1c080ec032e8f34e3a3de2f1413582e0a6cc6f2128

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: ko.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ko.js
MD5: 14369b837e9e15378938754b04bd2189
SHA1: 9c886434ef46530e25cea737272027ac505b6adc
SHA256: f15f592b5d7d5bbbd061c5ad31d4c45f462ad43acad74808c6a7105b108ec0eb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: ku.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ku.js
MD5: ba513eb127fa22206ca1a67ad8467da2
SHA1: 45c0c079a209932f8a8be25a94f0fb97be8ebf84
SHA256: 816c9c27f4237f1fa595c5be0a60b7e5c58ec0336d5a908e03f73fd8596e1caf
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: ky.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ky.js
MD5: 68f9c0556546367a8c25903bb8348b80

SHA1: 5bc99ba86f969c07cd1b0dc62510c572707adb64
SHA256: d3c35f2c47610c7c921268cb98cf398599068d24d51e7a89167707130c85ad59
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: lb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lb.js
MD5: 474c1a2279d961b67a8329372fb54367
SHA1: c6acf49c446bb128ce8aa5f980664107e92523cd
SHA256: cecd52da4e3f3a7a69d4cde1692c90d000a3726772f8e00a9c232faf4d6ff985
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: lo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lo.js
MD5: 629f0195acb5feb16432ffc78b6418d0
SHA1: 10730e85c79a5c325f30a5f0fd1b83928918cde2
SHA256: 83c284d16d40e861cd01c28683acf77475813993b2a17201f17127e238e5bcd6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: locales.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.js
MD5: 3aabc3a57ff7796110a9d427e6e61280
SHA1: 59155d41e1b7a2f651f26f8db2768c42206bc4b7
SHA256:a6d8d341af2a118463f8dbec697f3b5210552997ef51e0d9a77c84235f2eb2dd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: locales.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.min.js
MD5: 5d62f0a64211c2d3e0d009cc69c48202
SHA1: 4c6bb9ae2e43259229cc16e9eb7ef70f3c8cea12
SHA256:1a3224b3cabca0fa92ca56e14da46d7f209ed28ce68ed50940b4fa6ed2ffd254
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: lt.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lt.js
MD5: fc931f5db9a4d5b832e7c53985cfb233
SHA1: 6d5575d2ab06036bb29e50e7b4607985b0c10aec
SHA256: a02ce50203e4cc9e85db77632d41f489f14c893f986199c8dd04191199924094
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: lv.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lv.js
MD5: bc6f1396c4b85e2b01b4b2fca550c0b7
SHA1: a18e4175ecd49b5e3382dac1bbcdc48c3279c60f
SHA256: e4f68dbe7147bdc76d7614102eb525f9a5d8dacc690dd661091412b0c9505cb1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: me.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/me.js
MD5: 4b76ccc2617dfc9bd6a54643659bec05
SHA1: 924aea795ae1a9581ed184b384806891ce336e27
SHA256: 24103df1e95500b3fdc4aa60b933c66d2cf33aa4ff8d2401ae847c516285679e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: mi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mi.js
MD5: 89179085b30d2752584c4f4e9c3ac04a
SHA1: dbf999f790c8e7f99c27c55d8184cb46d1f0ee85
SHA256: 9cc67dce66cf3f0f9a57ce732af6878cc23fedcf256fd5302c6cf57df87eac3a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: mk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mk.js
MD5: 7a6a2a4ae623481704f78bb0ed6e1968

SHA1: 3d984281f4acbb38920919c47916a0ecc46d8d82

SHA256:c38140b5408a91d9632765d23f4368f0cc98dfb6aafb0fcce452b6b4bfa93efd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: ml.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ml.js

MD5: adaeaf5c9b5995567c7723ded581c647

SHA1: 3cbb01a59dbfdd3b86caf1b30938598c52e1dac8

SHA256:d45ac595a918393ae8f76838688fcd569c917b945e9c53861ec4a1f11f20aed2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: mn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mn.js

MD5: 2229e9c27b35b688a4211bad4d7574eb

SHA1: 7fb0c3b04afb903aaa0a3a1b4b478a8b2d9d6bf3

SHA256:0f1f5bbc9eaf020931f8cb54ae085e51c41c0761ffc7fd265dbb60cbe7d84076

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: moment-with-locales.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.js
MD5: d07131713d356424c14481ed9e77ced2
SHA1: 6ef93c81041412f1b60d1254595cb04b53f8ec39
SHA256:f37cad4429c2815e53699ca98abd4e8773737f696fff554c63a58f4d6589200b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: moment-with-locales.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.min.js
MD5: d458b68730a7330653700489333a7837
SHA1: 4059aeca1d0b99aec8006b37a927f09d9c0e794d
SHA256:430725b95468277dcbccc27e08e3d873276c0082737310b0b1ad330392511847
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: moment.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/moment.js

MD5: 6e5aa6783efbeff584f4292398326b32

SHA1: 450696675b814c89ec016901b570c05891ca2c04

SHA256: c33f09a4e1230f3075be8d2a94081108d52f62d3c30b9a238941fe80790267c6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: moment.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment.min.js

MD5: 6c0a2330b0d8d6ea185d4669a0eddeab

SHA1: d4f50308961144876b2b5fa57684b737694a4b04

SHA256: f343aa319a17a3fc372ee6ad5af482b9bf6a298cb22652b4aa7502604821071f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: mr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mr.js
MD5: cd715ac0f919538bf79acdb4a477763e
SHA1: 467bc9f9b59ee399af6ef3f89886c150f74ae52a
SHA256: f6347f442281844a205245620f9e469f52cacb7dd41640ef67d32a94f2c583d0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: ms-my.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms-my.js
MD5: cb7a91cedb211e85abf06a4683d39800
SHA1: 05754f446f94d9b0d34885bdb0dd40d08df23295
SHA256: fa77f6b23884ace43199d189a596c8cd436ab20b2b6966599dd9fd589e51548f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: ms.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms.js
MD5: 3f2df63e4e8e99e5f3a23b44e135f90a

SHA1: 7e8563a8e513fb3f2f711395992fb34d6039e841
SHA256: 6b6301d42544281a07e51e517a1acd2e498e6289b29e74817433a86751761f71
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: mt.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mt.js
MD5: 3cc610e1a28bb045e3f21adfa96614ce
SHA1: f22377dc419295b8cf22ca6459df3f834475ddf9
SHA256: 6af1d3643bd218941f30da0f6ba7bd64d4c2d0c49336876308af3af0387b0440
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: my.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/my.js
MD5: 1de06907d41a2fbf6861958ee0eaaba6
SHA1: 1b5eaf3d04d7a45a9e93db791963bfa0cf999383
SHA256: 92732cb26a774bc3e049c7e212d8ef1425413d63522ccca1fb1b0696854da4ad
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: nb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nb.js
MD5: ee293037089769cbdbbf9f2dba3e01e6
SHA1: bfed5520bb401c83f0b391cf09ab1907e4362f2e
SHA256:36f088dce675389ff1b12afe35703b6d166cef8df8a24e1e1d6ecfcf7be84fd5
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: ne.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ne.js
MD5: f09e1496b96096e594254145053e777d
SHA1: 601e6b5e8ead8fac21d661c4cb1f5aee22c96755
SHA256:804bbd6c30dc3b74de711a44f9019db06210323a0db31e53ce730feab5ea6275
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: nl-be.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl-be.js

MD5: e50c24ded5247900814470d1a6cc8854

SHA1: 73d12dfe3645a5ea9e0b6c4d5b2a5f28ac022af2

SHA256: 2bd27e18811c7363a1b46b815173d626102523a2f76854792885166f4a99eb5f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: nl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl.js

MD5: 843085f588379356ba9556d93aa9ccdb

SHA1: afe70913fffce08e256c3c9ffe350272bcb791a0

SHA256: 037e055b18b4376112d853e3d357b217dcc0bfd3990e0155b980ff622b4ff8d9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: nn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nn.js
MD5: 7c29b42f21ff6b7e0b1f16ebb20d2a5a
SHA1: 9464502746665d34779fd3e7c9c05212db534556
SHA256:66007f84c945a3475100a3024d5fa3d430d6e11e64de81849e50ea73e3f390be
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: oc-lnc.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/oc-lnc.js
MD5: 16a8d7288d0007906a6ebb39fd954265
SHA1: 5442e9e7ee72e6f2ed438139d5779ddcfaaf471c
SHA256:1e03cd598c495e4dca3bae56e3822cacde57333ab5a85f555c582e104f54261c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: pa-in.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pa-in.js
MD5: 8247ac1929cfdcc902a77542e9fa470c

SHA1: a0270710978d4f03b32a4d5cd38065d6d274729a
SHA256: 5ba548ba7844a1c5c4a7f003337237f940b5e8aa67254fb90e1a05a66f2b43ac
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: package.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.js
MD5: a26087930b5278aa21fd79491b952ac0
SHA1: ea880b139fa5aad30129356d4c2b61c7acad7452
SHA256: 6334f70497c6d8fd22adb3089eec30bf1e2b3dacf92508df52eaa7a8aee12bba
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: package.json

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.json
MD5: f1965dc95e9d5ef4816ffbb597d484ab
SHA1: fa7b033b3a1adcb85370480289e6a60cfd21ac89
SHA256: 25f5d25a676dda5763fea169d93a31dc12bd0a6d5d7f352379c8afcb1e3d794e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: pl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pl.js
MD5: ea2f9b5ff7c97f62603f1e8786708d7a
SHA1: a9b097f9c1dfe0872befdf47995602029bbd22c9
SHA256:5435a1265dacc269403f275095e24a63ff3b8bb0f95908f7a2a987fbe2ab9e43
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: pt-br.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt-br.js
MD5: b70a96c3353ca41f14b5628aaeef6461
SHA1: 02e3841b0ed1fbf086a5b8bc1be8cf835cc9d8c2
SHA256:8a8b165be42795d9e945e7494f38ea353ee2f7eee7eab123073f3a42ce755687
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: momentjs.jar: pt.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt.js

MD5: 71f120e6f7682b0e80a9d5982b8a4711

SHA1: 49494f7c1cdb36294b6d640a524c2cf19eed12b5

SHA256: 89e4c2f2d351ad7e2fefec9332778b16cd4a31858ded9ad6fece12fd9db94ac2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: ro.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ro.js

MD5: 84b1a53a794d8749061a53eb558110f3

SHA1: c2241e36357a248cdc870a8f83c19d12a031b479

SHA256: f66bcaadde14018ffb3bce26ea8ffc3ce36cc65c4c1e9ef9ed6cb321b7ae9481

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: ru.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ru.js
MD5: c66d22693e1e950330471ed9de408aaa
SHA1: 3f4b2156029a26bc408cdfccf5812bd125c760cd
SHA256: 47b9c98d906ddcdc3d7b7f40e604d793fff2e142f7d788f6ac0deac5030458ef5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: sd.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sd.js
MD5: 115132c218de16cbea034b2762b9df9d
SHA1: ff940a6362744a8258e15cb09c4e4b46c48f3ec9
SHA256: e5f27127927a41eb82e45491e52bd6a529d3db5e6cd519c48f7473268909f6c3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: se.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/se.js
MD5: d63f9c00eb2beeff26eabfea1406a3bc

SHA1: 8fc07d6276adf84ab94a1d352d55c105769f9017
SHA256: 424ed10805d004f217b44ff6a0da5bad51d8f3b25577306f6e1f59c387525da2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: si.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/si.js
MD5: 0bdd326bd6fe7e94a1c3fed06cf79cdb
SHA1: 6dc83c8bee2af014c11994abd5f0718ed9c4dc64
SHA256: 8e7582efb99ff00bb7aeb6de0bfa65792592a5b4e81ae6caa7bf8cd8cb3180de
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: sk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sk.js
MD5: 0d4c93cc1adf0c2fe5bdcde7b1cca213
SHA1: 17c72fd3b31573f097f962b851fc82db22f217c1
SHA256: 7685c076b71fd8e36c2cb84c645bb3a75d84566f26c3682a2792f0113b4d9b16
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: sl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sl.js
MD5: 11bbdf40343f7ee615144b2c3df93d54
SHA1: 853a6dcfaa15df6205729d754739633de7e3f667
SHA256:ff2e8352962c2d13d114356c863701f2473651f6491639e1826ab417d0377f90
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: sq.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sq.js
MD5: f5c6cad85947f97d184ce17397145e3c
SHA1: 1817cdeeb3261b7f03f13902a7d8adfe46c36a65
SHA256:9d7d061c245349d6897732c90ad57841c9132b9b556be07a24dc76ff17cf75a0
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: sr-cyrl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr-cyrl.js
MD5: 403a704d0b31d44f5d43a05f060f879d
SHA1: fe545c0831b16a2393a771221f2daf3f8af50cf8
SHA256: e62567ebcb6434f8652b1867386d7324c06d1f226fe9fad0517e658503ab496a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: sr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr.js
MD5: b5752681e826802ad4578a65d446d2ab
SHA1: 18c79b7064d378b578c83facf15be80314e34581
SHA256: 307eb8be823a2997ce88c5ad8c3ca19e7a6345f116331fe3856659665de0d453
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: ss.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ss.js
MD5: e61a001b0c3ea5bebde2d4d96d7c19c6
SHA1: a26e124883144d6ac990722d7915ceb80a44f7c8
SHA256: 0d8a08574cc28602738aca72bed6364e88dd93fb2131a20c06630e3dd7565945
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: sv.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sv.js
MD5: a276c85890a03d5a55715768969516fc
SHA1: 135396ef7e63b71af3df1cbafc5b060a32aaea4e
SHA256: 08f8dbba970b89522adaabe609f47a3f20857c0985967888124f9204f4c3e2f0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: sw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sw.js
MD5: b9e0ae98f621d6f9a622fe09225978cf

SHA1: 42f76f09c8d7049758fcf8f78e30881e6681c40e
SHA256:d6056ac79071a9f60793825357dac3ecf35c43acf10e02a65f1892f1fd9cc0c1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: ta.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ta.js
MD5: 2b48e3a057ec1ecf49d4e16d56263ed8
SHA1: 94a700dff6eda352ad3a2c4d7f5a4dc5e6219321
SHA256:2dae88a3138adda69fdec54914461ec28d4fa5e720d7626ddb3fb91a74a2ab6b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: te.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/te.js
MD5: 39e36c17c46798dfdcf0ddae92610807
SHA1: 1168038e9d7c735ac44fc0eca95796067ca7b51b
SHA256:2cc07292a2ab5702d8e1e849ae3b28cca5c6194d0d150ec637c6289d9d864e32
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: tests.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/tests.js
MD5: d39f31787b27fc1bb028ef80e699cd7c
SHA1: 4c0335c7f8c19e26ecdd2f9f0ed08323507031d7
SHA256:895d3ab9bb945f1f86903438a18c9fb308e84a912e4859da39fd1bb08da63e44
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: tet.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tet.js
MD5: 0a6f7fbd649b280c8fff433d32591867
SHA1: 15f108397be93776a1c232f3de813e27f305550e
SHA256:d80dcb236c671594af031c93d32ed883c322a6f32bd25637d454d7b9d9e81593
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: momentjs.jar: tg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tg.js
MD5: 83e93f32f7f488c26def6938e280b716
SHA1: 59886e50e9d7e53beb111b317d5195ee0382050e
SHA256: 24c8928619c471831467afc05aca6f0299e40b418b78bb30b4d66942d872d2bb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: th.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/th.js
MD5: e14a3488b2c85b54f65262d6fcc6b1b5
SHA1: 7697e04cbe08eefdc5ad4cefca7ea7ef42cac791
SHA256: 9911634c353a7ce63a81139f914552fc80a499029a803ced8b32b6af88c53bf4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: tk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tk.js
MD5: c01b5d264b1cfa34c4723e995439ebb9
SHA1: 8445ede8c1ce77556495f9a5469ead5d3b2b3ee8
SHA256: fc6654229cf3f6e6bb2aeb5b70dc4e6adf7f307575af9d15b7a31aab897a9988
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: tl-ph.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tl-ph.js
MD5: aefa584c5d3e7690a710b144fc505a7d
SHA1: ccc8535e56aeb0b2c2991ec7c2c232a16334f09b
SHA256: e324f1791432534af3ada36c185637db02eaf3d3ed8f88ddf143538dc484cc3a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: tlh.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tlh.js
MD5: 59508c37879615bd0a0beee8f69a28da

SHA1: 15324b9edf1a3e7bbc52b1e510ac53def8ce02ef
SHA256:dccea1319a2e92d9bf373e1d8dadcd4a130e1fa2457d7a66dd035c3cb93601cd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: tr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tr.js
MD5: 0cf5765f4f245b2cd8a21dee0c3c92ba
SHA1: 7eb8afffa83fb85eba987c80a934c6ad30a23b23
SHA256:e8af125b0bdb3c15ff5ef2eb171bfe698507a026a9cab54bedb0770cdca34fb2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: tzl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzl.js
MD5: a2587bce05b5fa3015dce4ccedbdc802
SHA1: b9c4bb7a9f9ad9dd515bb9de82be90d0d4932fe6
SHA256:393e6424d498fd2abbf646217a197b61c4c57706e6b29ec2873ab20e7bdf6970
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: tzm-latn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm-latn.js
MD5: 582198d314e9ced1007620d4e7701734
SHA1: 17859d3345ae82ce39d5d036649c1976b9e4474a
SHA256: 7909cef0eb3080599c24794c079e05ba07af565f198450df0ad411c85be45030
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: tzm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm.js
MD5: 69d71f7f7674fd7f8b35f14dc179339b
SHA1: b5166e0443eb54c38185227e954cd5cc2b1f589b
SHA256: e6f3a2e2e3ca86953e2c06ca562607a95d2b5129e751e5e0905270f3e56a1f52
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: ug-cn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ug-cn.js

MD5: aad8845e8fb63517d21b322fef4a3545

SHA1: aff6b2361311a6475b9fd755bf63d23e3e6132b1

SHA256: 58de2ad653876b1eb27ceaffb0037ddb0e4fb7917e111fa7a88ef8ab01fd041d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: uk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uk.js

MD5: fbe69f339b236b654b3e41d8d8b56536

SHA1: d9fdc9224f535c1338048858a9e457558f95349e

SHA256: 725764b2851d3db79d8fb20b96ce7708cd1dc60c6ca6f37bac4df2350f3ccbf4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: ur.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ur.js
MD5: 3da71179953500680163984295abe43d
SHA1: 2fdee5b33f8d29a565d84927fd333a2d9d41e5b2
SHA256:c89fc485a14cb20c0576ff20bc3d157e1296f2b2ddfa8035f71e8b58f61a29a4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: uz-latn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz-latn.js
MD5: 75ce0ce4c28806c32575c4f28ded6185
SHA1: 2648a6adc3ebb4dc12b070a5cc0a126050cf685a
SHA256:3943e946fcad9c965f147c50e08da71d3270239175de530d1f48be6fb44956ed
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: uz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz.js
MD5: 3d11efeaad9c7b7f344eb8beb691a2d3

SHA1: 73ce197519648ecb5e6756bb2fb953688b42af2a
SHA256: 9f22344f9ff69b1cf5546c975fd8847884bb032216d15054ea267cb964a09b08
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: vi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/vi.js
MD5: 28c7ec0c4bf82120245da0d15112f4b0
SHA1: 1470d1969733e49331f2e435910b045e6a0a518b
SHA256: c5db03ae438e4c55a6edfa004540aaf1def14fe0968f9ed3e03fe7dd7c3faf03
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: webjars-requirejs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/webjars-requirejs.js
MD5: 34b1a7dcca0ee03eed1432670ed9c472
SHA1: 9de80e951270f04bbafd39d9d7822df4f7d08839
SHA256: 197295e6af66b25f2aaa0909c6911f7c1c76e24eaf170d9cba2d84644146bfeb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: x-pseudo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/x-pseudo.js
MD5: 18b5b8d8f2f327f6d5ec947e550f35e0
SHA1: acc470244b95f709e4b68e7ab94b2c645f929f47
SHA256:ca8ab052a09b2f320574c71c472609e026b4aa72c87a06f204ff33670249e2bf
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: yo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/yo.js
MD5: 42b28f7a2ea67c7b5a342c87ef0a5771
SHA1: 84f6d714e3aadf74ab8a755b465df7ec8215fada
SHA256:d80655b604558af2855f5b67b21b28ec5770985b67fde59e94e1168e5f4795c8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: zh-cn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-cn.js

MD5: 49fa27dd7c374122f336369f30a87973

SHA1: 768eeb42e5372200634e8825680c6e18b0c8db8d

SHA256: 53138532aad7c571af10cf6b17a678552e9a9e7ef5014d250f97af8dc61ae6e1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: zh-hk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-hk.js

MD5: 9338eb6ad8e887a63be4fbba05cab197

SHA1: 92340e4f48872df241a47bf9bd13647092fd25c9

SHA256: c6d7de0d1f5544a1d3bb64c7eb27481b30316766f1214fbb5b1c6be358a4b921

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: zh-mo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-mo.js
MD5: a986f68bda18d9751f6bedd7356e6e7c
SHA1: 6cac0e5b7b9e15ea799ce6a1575be93df4832c87
SHA256: 874ca3806f556c5809842613ba410c965111ea9441fb949a32abe2a7c3bf7f8a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: zh-tw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-tw.js
MD5: 94fb46a7c1ce21f0a91512b170d4fdea
SHA1: cb69c6ca687ace454432d994ae5b624ba9011b62
SHA256: 62fb1b36d24050120cadf807b975ffe9d7986aeb41a0f4ac218c3ad23a1c9b1a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar
MD5: 058df7e879cee62c597f9d89f35d365e
SHA1: f280716436642fb05cc25ee49870e52aa304303b
SHA256: c421223478bc291bdb70606d0bd19c470a03f01302e819c29e6bbda4fb3f4053
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	remotegui	High
Vendor	jar	package name	gui	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remote	Low
Vendor	Manifest	built-date	2026-08-07 16:23	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	remotegui	High
Product	jar	package name	gui	Low
Product	jar	package name	remote	Low
Product	jar	package name	shared	Highest
Product	Manifest	built-date	2026-08-07 16:23	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	remotegui	High
Product	Manifest	specification-title	remotegui	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

remotegui.zip: remotegui.jar: angular-websocket.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/angularwebsocket/angular-websocket.js
MD5: 40cf028986784d5006d57219f6dbe0a8
SHA1: 40efa9ba93f90c2933ea22c767a0b1439e10303d
SHA256: eb77f7788e6b757192f2bf8c6af6560731c3539b06fdf7d476e92b989ca50b0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/app.js
MD5: 6f61e39f7ed0928ce2046d44760db061
SHA1: 1a79dd0d084db06894770d115b3b808a0d8c0ecb
SHA256: bd0c38131628418202bc8a896fcee79fc4933ac37da60263562ddb37ede2f26
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/login/js/app.js
MD5: d9a96ed732439b0dc0417d960d30b667
SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Related Dependencies



- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/app.js
 - MD5: d9a96ed732439b0dc0417d960d30b667
 - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
 - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/app.js
 - MD5: d9a96ed732439b0dc0417d960d30b667
 - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
 - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/passwordreset/js/app.js
 - MD5: d9a96ed732439b0dc0417d960d30b667
 - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
 - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/app.js
 - MD5: d9a96ed732439b0dc0417d960d30b667
 - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
 - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/app.js
 - MD5: d9a96ed732439b0dc0417d960d30b667
 - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
 - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93

Identifiers

- None

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/app.js

MD5: 6ad83588ff8ae2fca8a22a9973c9a22e
SHA1: e34a66c038feb5d7eaaebe6f5641ff754ba2133a
SHA256:171ea457d3942a068d637c9c416f4314d2e337896c4c06466d5048d1b207964c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/app.js

MD5: a92b24ddb292c48b2b37f8f612dcf510
SHA1: 4fb6c8ec1c639068e82cea773e346402bee5db6b
SHA256:f9a5dfaf43cc245a92f3da0e6a6a05df73027571f820767630c897274510e125
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: appbadge.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/appbadge.service.js

MD5: 4fd729dbd4e3e172e18625eeeb1d21f3
SHA1: bda842fc94e89b87c8ac7ab1fda990058708c679
SHA256:8ba199a5047196dec59a090d09d62628d962bd4827c6f58491688405af98bf20
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: authInterceptor.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/authInterceptor.service.js

MD5: 7fa3864d221a30bc7380c1d61fd0127d

SHA1: 7711e764bb81e7518be8f1582ba36c0bcaffbc12

SHA256: 78a5ae26f5463a9ffaa3aba943dcc4a6852dafea4e6a161a77db4e57e57c9565

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: avatarcard.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarcard.directive.js

MD5: 42e2eeddd15b1c78fa69908f6680ee70

SHA1: 700e560ae973d1bc7fc1533f10000bff031ae452

SHA256: 1f84952e5877f9a0a2bb6de1db33baec5f4bc55d5aba12f70cb4f7a6f79729d0

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: avatardetails.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatardetails.directive.js

MD5: 1736536ca17f8949cfbcea3546666700

SHA1: c6d2b53e9caa1ad5b19f0063a4c7f88c31784ccc

SHA256: 5bedc4c3e7b3be6a29f2c85fbd2881b935f24172fd42d5f893f221c1972bdc5e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: avatarimage.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimage.directive.js

MD5: 70e2255c02822aec0a74da3386baa781

SHA1: 927e3a72f635deb32b6dd3bd1e3deea711b73521

SHA256: 9c3a64b8c4c5e6bdeadd27b840e1835d240e7e291b2499e331545d0f3d6fb3da

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: avatarimagedetails.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimagedetails.directive.js

MD5: 30a2af71a10ee42a8e840c52dc445a33

SHA1: 2767a8c4d10f738a7cbc2f0166473a721724465c

SHA256: 4c5603e04daff5cb4de37b3a8e120e0049036ea10683980c3062c96919d1521e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: basic.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/basic.js

MD5: 6ce37bb0cdb3e8dfb60502a14fe7566

SHA1: b5cf170633b03bb7e703f0fe1369c71a0d451dae

SHA256: de45f22f52903c15f3869bbbf9856da834d7a0d535bc5138832434984996079

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: bootstrap-colorpicker.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/colorpicker/bootstrap-colorpicker.js

MD5: 66fc7adafdc312da33c1610ddb02650

SHA1: c0fe35fdc3e1a7b23415601264ee3f5f8b6408ba

SHA256:359ac587e9aac88dcb26774fea01a3b04b89ff8f8d49c36b0dff82d0ca3f2a9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/datetimepicker/js/bootstrap-datetimepicker.js

MD5: f99cb51a76e41db0a93720a7ab76f79a

SHA1: 811d10b8029074990b4328164ea5645759789a5e

SHA256:3ae825ea00eae0f2169e66d6574fa1e8323b51bf253091bb5a66df76663d37ef

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: browsercheck.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/browsercheck.js

MD5: 2a66f45992dabf075363ec46a8f1913e

SHA1: 6dd5a0ea9f6b8471d5133f32a13090af611156a5

SHA256:9591b9925bdfd5c199c34417db703dda37c469646adfe38409453527af025015

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: changeavatar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatar.js

MD5: 8d2dac6b040a8c19644f32bf31bd71a5

SHA1: 71bf152e7bc6f067ea04a5b3aa1cca0a77af4b2e

SHA256: 2dee1dc75f9ea3da5c18de2d3f7ab5da477c1b0e29952f28f14ec488140c3d0d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatarcontroller.controller.js

MD5: f4c8b7a6dadbe05f4e359733f723d5f6

SHA1: 119cdcaf2e65398e1f02c279bc915fb748c851e7

SHA256: f6cdf51e77bf2b01b8d6d81d62929f453e651b07cecf5ec1a592556855c297d3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: changeavatar.service.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remotegui/angular/changeavatar/changeavatar.service.service.js

MD5: 0867b1420c57ea1bd0df6b217d0f0a27

SHA1: 3b540de9bd01aa2d887ff4690636a46d59e54ac0

SHA256: a4e383e6b3971ae28b1ab569fb9bd73553c7155615dd6684f9eb1db4c28f9ca8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: clearreports.controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remotegui/angular/template/js/clearreports.controller.js

MD5: 503b31549ad61c01e747c3525a1cec4c

SHA1: d68647f840f74843715160798da5b18ffd57baf2

SHA256: 5fc415f2278a1c26a0417a62adec557dbe76b69e6a74d6eb190543ad099ff11e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: clipboard.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/clipboardservice.js
MD5: 4e1e6b5bbd0964d0b63238792ed499a6
SHA1: cbd4f6c73a66c379830b7d39db2d5b719a145166
SHA256: 5aef981c32fe1ca7fe038ce1247b842ab70d9b5b84efcf6805d9c7a9cef14730
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: collapse.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/collapse.directive.js
MD5: c1382e5bab1e0095998e5b19ac91f381
SHA1: 2bfacf81cdcdbbc9919f24433ada8d3d78ff826a
SHA256: f09aeeb80d0d0811b4e6c9ae46d2a975cfa372d339236dc1f74e238218a60be4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: colorPicker.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/colorPicker.directive.js
MD5: 21ef7608799862ae50c2c74f78d0a9fc
SHA1: 747b3d2b2615c51fda36d4177ff6742a3f254784
SHA256: ecdde453424a6164c70d2a8ae42bbd0e2f36aa424dda81a021daddfc3be97cda
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: colorservice.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/colorservice.js

MD5: 6934527317c4e7ee60f522af05a6647b

SHA1: 82218ecade36315a6f9cca826698eb89b1e177a9

SHA256: fef655530069f2219f3c6227b143318de978c4f7be99e7aa9cdcb6484c8eaea7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: connectionstate.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/connectionstate.js

MD5: 4a6174bd421f26ebbcfee0cd497cb818

SHA1: dd1fd437528d6680073b6ec992627e58a7117d1d

SHA256: 4b755f8f5c4c823a55df73cda77ecfaad11829b5945c0f60e9c3be0de7ffcaee

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/controller.js

MD5: 8886375e9fdbaea08407ec6d19efb81a

SHA1: 1e0b4d981a4a8cefe6737624ea1f4ab9636116e9

SHA256: dd9f87011fd0cb0ed630d3f392e7527a62dc516584014a2169a411d783d683e3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/invalidlicense/js/controller.js

MD5: ca1979cf2df78c9a22c96f3478247107

SHA1: 6b8bd8aa94a41d55d9b5c11f37a6e0a2a25a5a5e

SHA256: 2e689b5bdc728198ed225e4e7634d0bc374f6d5f0190f706808d3c1857b1591c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/vetomessage/js/controller.js

MD5: b3d1cbd2470d7a37317a1a3b2f731b76

SHA1: 8be451bf390bbc31e274d966fa238675d192598d

SHA256: d478572d76089fa663779be7fb47933ca9c7bec7f97ada36dd8d7ca80f6f4eb5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: controllerAbout.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/about/controllerAbout.js

MD5: 80b4da64ffededbe3c3523b55e2bf326

SHA1: df84d88eb510b8e820880297404310f5a8795f4f

SHA256: 48bbb094dfff3f6b7dcf787d12214c26dafedc27cd37003b651e1ce179026029

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: controllerShortcuts.controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui

/angular/weblib/inet/js/shortcuts/controllerShortcuts.controller.js

MD5: 9be25409fea8e060b32a3ed16afa0496

SHA1: 36808df213a842d807c44b517cdabd52c7479ac

SHA256:18169a2a57beb8edc203674e334cd2eccaf262635e4cea0b408e2f8608338008

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: controllerUserTheme.controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui
/angular/weblib/inet/js/usertheme/controllerUserTheme.controller.js

MD5: 3f22da2a31a50aae9eca2ddf181a32e6

SHA1: 92ef56f938fd823a8d2d234190af4aff18ce8223

SHA256:e3b5b9c6ba45a9f4e7ea82817ad2e4eebfa514eb88f0056ed61741a37917049a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui
/modules/login/js/controllers.js

MD5: a8ac2709cc86b403df12e2112b1c50da

SHA1: 344a480dca6074c311786b03a13aeaff5cfb58a3

SHA256:3efd28cc6f37f33f4c99fcd534349933d13c07cfbb85ae6b424c7d0889e968fc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/controllers.js

MD5: 72df17aceff55a08379e0d53b414a348

SHA1: e3364d95d630e8ee2831c6f8c043e380892303de

SHA256:fde8f9a6bd901c3a4fb1eff6e1b28cd70ed29ecd1ca0eb4d516fe8257b10866d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/controllers.js

MD5: b7ce1065cd78fdac56af02a9c2990479

SHA1: bb6e0f303c2a2601864542d89f2e2f5da4cc582d

SHA256:b062b60f3c71cca9147df8429acfeaf1333646ebed0a49abfd57e828594969bd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/passwordreset/js/controllers.js
MD5: 4dbf4bd5e209bcf9da2dbea374055b93
SHA1: 87bc7d80e618d023de04a942c4bcf78a0f63ef94
SHA256: c4fc820510883428e8b7f8cc620917ad024a053406fc8e06a1f5d291e7cb8277
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/controllers.js
MD5: f0eae135a9846e9583286cd7e26e16c1
SHA1: 2ebb1635a8de2bf5a5b733d22be21e702b12b72c
SHA256: 03bece9cc5a2def46cb9af89cf57416e825bc861f4bef8e388418e2e2f7fd2fe
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/controllers.js

MD5: 258465212e0911f69571bb053df33a43

SHA1: 91a7f8521507ac4c7f3694cf5dd955417828e559

SHA256: f3cd796047cab32758bcd5425fddda63249ccf268422094f9bafb9183d52a13b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/controllers.js

MD5: 17128560e8941aedb7e852204f4a179f

SHA1: bafe38ec75526c6f24a08468efcb54b174af8a12

SHA256: c86e24d128397562391debe2cda9c5a59382ed887ce040fdd950fba13307b093

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/controllers.js

MD5: 3451d3dc4466d917bdaaeca802ffedae

SHA1: cf35aaaad9461c21764024842d788d1ffdd36bd
SHA256:81ee322dec22a872c1c1b2cbdeb032036fb825c53bb8d0fee0270318ed49dae1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: currencyNumber.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyNumber.directive.js
MD5: baae690d1879d5770a785db43c416078
SHA1: 6652a3fc50dbfeff6d2c3ba5d163b6198d48952a
SHA256:c6cf472a9ba060122120b728e7f034a46b42e3b035ef56144ff482bfe5092cf4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: currencyValidator.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyValidator.directive.js
MD5: 73a660a1b69b3c877a80104908dcd0fe
SHA1: f452a6e6a90eafec046f8364e92e8991639fc0e3
SHA256:a54b14192bdf0b13eb46a513c0de90d2217df002a87b69aff4a97a2b438e78a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui /emoji/customEmojiUploadConfigItemRenderer.directive.js
MD5: 614bca272bedcbaa6f867d223c67ca6b
SHA1: 158169ab1d6de578cf3d3157b44fc5568a0dff9d
SHA256: 38d245ad840d4d01acece7fb531bfaf683e40367b70e1965761df25378601795
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui /emoji/customEmojiUploadConfigRenderer.directive.js
MD5: 646c45383035b8a172b1e3cea4462065
SHA1: ccd25b4652f738ffd5db41da6f2c01b9bf2e8fdc
SHA256: 366ac5823f773c9420495a3f7cceb31703515e7840963340d9b088a9a280b8c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: customemojiupload.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customemojiupload.js

MD5: 5ab9bc583256cb4bf16a2ed2611a694c

SHA1: 8aa95d9a6f7aa446ca449dd06a22ec766e011c3e

SHA256:10c1b4c00e9ea48d9216001bfde435ad3d978dc7924328afcde5985e31cc5052

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: dataservice.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/dataservice.js

MD5: 831c4f71487c15cf96acac1c5e62dba4

SHA1: 7ee282e9b09d9e8a5cc2167ca823c4cee77b0672

SHA256:9b6c1f04ab5000c9df3aac6d746397efa951e14e132c2f524bd8bb67b29eefed

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: dataservice.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dataservice.service.js
MD5: 8113ec4651f3e49d30aa2b19b870211e
SHA1: be3f9fe2f52163656934cbe37e014d0deda5a7ce
SHA256:129bd8006fb76601213a89a84686e13ccc5d8a3cfad5ce61d4d6a6120127e868
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: datepicker-de.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/jquery/i18n/datepicker-de.js
MD5: 797fabcb912b0290ab3e259ffab24855
SHA1: 46bdb9bae4acf4a0f014121d0f9eaf2d5c15cc63
SHA256:1bd259fc9bb5d2965296710ef6ea072f59c2ad669173e47958f672d0ee98de1f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: debug.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/debug.directive.js
MD5: af5e64405e9df914078db9c21e2d6cd2

SHA1: 9daecb829ec4ef49f5ff9415f03c1130b97cdfa9

SHA256: 7e8f60d4320fb77c329b93858e2cb2435b756cc939395dcb0259f9324667cb25

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: dialogservice.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dialogservice.service.js

MD5: e63e5787e78517515c545ae644786f88

SHA1: 88691106334ac503cbaab986eedfd6807f55f57f

SHA256: e5a253388ac6fad6a7b08237a09f561272016481509c850d540f7e9834ed8c82

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: directives.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/directives.js

MD5: 19f28ec5f19f91bee0b1c9e74e173dc1

SHA1: 8f3d5294a051eabba98d8b9ceada4b2411210e58

SHA256: 0543ab08833d1e44de5f6c23d230703cea6ad2cb637577549e308d185afea1fb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: dropdown.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dropdown.directive.js
MD5: 34a62e5850a9c548493cfacae2971677
SHA1: 72304276999b43f29dd0ba3cd13829e7208c6d65
SHA256:575b84426322c7c3724e5aac3bdacee5d92bcd2ddaecb017ff9bad91e1a714b9
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: emojiModel.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiModel.service.js
MD5: 38564647d31b6797536db5765411e4ed
SHA1: 48fd70c8edf0adcf125823e861e4a139a381cbcf
SHA256:d22736cdec4e2e645ac67859b8dd33c6af37c304f60a2d1da1d4faefb33f087e
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				

- None

remotegui.zip: remotegui.jar: emojiselector.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiselector.directive.js

MD5: cf4481407a72642bb8f659e8b1811a6d

SHA1: f5b4d06097e39d132c2e341005a5f37945e6d25b

SHA256: c9b023b87ba265d2fbc5af9dfaf4d739f2a5445ba1368d9fdf02f7cc0e07e307

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: env.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/env.js

MD5: d3470538188ec965e3e691b4fe8247d3

SHA1: 5fc08f2ab3f8edea3f99db9b0a066f8d812f490a

SHA256: 78299ecf92ecbcc8233e82709d2f47bd2c170d8a1ccc33b317a2e9a28871531f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: errorservice.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/errorservice.js
MD5: 0b417819bafb4ba2ef637d2d33b359ac
SHA1: 37a9a05422c4eb6fc45036a72bf41d62bab6eb9
SHA256:cfe3685d68219b63688e6e91b225435695b1dc71abb6aea96082582decf0fa4f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: errorservice.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/errorservice.service.js
MD5: 0edeed6a24431bed40385eb6e6059a00
SHA1: 921f20422186b485ff13cd9199c290c458c46526
SHA256:4b37ee559eeb7dca19907921ec4ed9880814fbed40ffb7e33824a05d47eb535c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: eventemitter.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/eventemitter.js
MD5: 056790045377b9704e338b535f5371fa

SHA1: ed7ba1691b0bd3078ff84b201474126b3bf55e00
SHA256: f9a1efaafc842fe32d20f2060068275d707417f4c7462de8daf2f0585dcd117b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: filechooser.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/filechooser.service.js
MD5: 0951390d90f4a7f0ff08beba7f18c2ef
SHA1: b51a32ae72caa993b880af1629f1bcd351d4556b
SHA256: f6a1ab61dc3641480a9c05791f6e98bf3e14dc9901cf018d03c30857e4ec1bcc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: filechooserservice.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/filechooserservice.js
MD5: e81bf6e741ffb26878591b3e481eda1d
SHA1: 8ac847dfe8b64f26e890f7a03e2cacc2cbd38c5b
SHA256: dccb91f52258acbd53c4902c236597c33687542ee00c82a72be1a9c5252daa3c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: fixNumber.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumber.directive.js
MD5: 4012901ce3b8c0dd2c30de58b4010f93
SHA1: 2f74672bcb93cbc5a5ad537ab900e5ea2993244c
SHA256:df68e84e582a52b12400fdbbc1ef79d935013e189579795a435a6ed8055573c35
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: fixNumberValidator.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumberValidator.directive.js
MD5: cd63efa13934af29deb8ebaa34d99d16
SHA1: 6b6c6bb19f785f4cddf2aced9381c3578a3213f5
SHA256:8d6e9515be7e1db5f56dfe91a1e96c91b8ca536f4ffdc31614a30a5a7e7dad88
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				

- None

remotegui.zip: remotegui.jar: floatNumber.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumber.directive.js
MD5: 0b5378d3a8d7f79543eefb43bd125bcb
SHA1: 0c50d5b03526ee6a4b5ecafca50e139183e64bf6
SHA256: e1e487d744826c96b46a8e946a32892ee07520f3f29e421d243df51291f729f6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: floatNumberValidator.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumberValidator.directive.js
MD5: cf0422e6f9e9d1503247ff475d10d3d2
SHA1: c0d2a9c1ba8905a8853b7880e484fd2546bd91cc
SHA256: f64676d8ca0e5be8cdbcdce1658d71f18608ae7229a43e8076139ddf5d7f15
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: globalactionservice.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/globalactionservice.service.js
MD5: 6d4f2194f51d48cc3b21f9526f7fee57
SHA1: 30f480f24b629a9dd3a93fe04dca7eb04a20b677
SHA256: 8c1f6dd7a7ecd6472d75748edd38d98783b20e103c898220b2e3b25f4090f6a2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: guid.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/guid.js
MD5: efe9abb6d7be1e4185b69d4c4b3bf31d
SHA1: 760987f1cb1537a0f717d985537da6c01ddd4577
SHA256: d734566d2b0d9d89e73cc0c2ad503d73141ef79a99c75139d5fbc207a6663394
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: hdField.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdField.directive.js
MD5: a693a2774b78373202304d2d9d5ac06f

SHA1: ea7b76c396bb2753deedc6663998c77f32aa201e
SHA256:31226a6c2b7a11867fd336efe0597a8facb11ea21a28f1911be1807430d2ac4f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: hdMandatory.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdMandatory.directive.js
MD5: 5ebb609350c6d0ae645e8ac20cbb32b9
SHA1: 15bb7b61dcc2a479beee7e0162796788565fafc4
SHA256:593ebe1d558142ea9e12a998fba8034c5539267794d3f1ae01fa61cc30103e2d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: hdNeedchange.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdNeedchange.directive.js
MD5: c3abe040e55d2f09b03b6ff4a839b795
SHA1: 4ba516326ef10cdbac82bfeca2ef5a82122c27b9
SHA256:49e8d8b1fe5a2d491a81412531fe794b9b32dccad6536f9b06041e7931f83a8b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: hdValidate.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdValidate.directive.js
MD5: e6e8c3e26ad3be54df16ec1bb887bb70
SHA1: 4b1e88e7eed9dade1052f00086c2c09f18a0be32
SHA256:18040f9661212ce2406d973b0431fd3c320033bd4d6b931db124aeca515873f1
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: hdattachment.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdattachment.js
MD5: 16e85502191f7fe25433de5ad6c746f9
SHA1: 712909937e6a4ad47396146d4e79e4a3dd0b32e4
SHA256:b59d7f8b2225790fa30812d87d012f6668ecf1ce2d3a0cba04d987812ad2cd4b
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: hdfupload.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdfupload.js
MD5: 75a66761b717a6997b593736a3636c7f
SHA1: c7dcef33b520474109257a31e81c13967de4fd70
SHA256: 1e85e4d3ca53baf4a8da1008aaaf7bf0b048d078a08e8bae3fa8628804dbe5b4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: helpservice.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/helpservice.js
MD5: 8c62a54227757b01b0f60d7ca811a270
SHA1: 963edb75fa6682082979958c1f0b667d530c84dd
SHA256: 334ef438ffce3ca6d6449195516553d5d55ddc8d37d8de6eea8780fc710c399f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: hsimp.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.min.js
MD5: 31da02c3356fe92d686f09c9e9a2d3b5
SHA1: 77c9d1aae30a77bb4f4ff1015d9886a9fb2bad93
SHA256: 44cdb7ca377e6793dac301775332a628e89b3624b6330964a9e2592d1f5b0389
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: hsimp.renderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.renderer.js
MD5: 5f06f676ed65e93315ba629f480077b0
SHA1: 213a052ff56e4e0cce58b108a93995300b7f21b7
SHA256: a6741fb1ac97dd1d59dcbfb635c018a4fc51ee6bcbecf8f0928fb76019cf3658
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: html5modeurls.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/html5modeurls.js
MD5: 784c54f58e8351e6821785bdeaa852fd

SHA1: 945f8e892ff235c347b61d726cbca71c51cfa0ec
SHA256:3cb5e8d76193fd52fe4672a8510546b527e84df68876952b6965e146d816f97a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: htmleditor.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui
/angular/weblib/inet/js/components/htmleditor.directive.js
MD5: 9b354c78a1bd6c6befaf75765c135f0e
SHA1: 3c0a48d4c88f0e1eb09f1c6394fd9eec567189fc
SHA256:7cc59de18936d632936a198c0092d60e1bc1170ca24aa72b2c72ac96075c73e6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: htmleditorFactory.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui
/angular/weblib/inet/js/components/htmleditorFactory.service.js
MD5: ae7cf9f1949727b0b0abbe02d00322a3
SHA1: 8f6ca76d2a1d16c23d015e5fc99c0b5eba633ca0
SHA256:ada0a0081829c6575f5107ad1f2b857976454e420b33fb4e11caa971d23243b9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: htmleditorModel.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditorModel.service.js
MD5: 5065e5c03040fe00e77e7c35c9491459
SHA1: a07cd621341d26b6a8af98193dad1b028e518a16
SHA256:e4eb54f0aa3b0f5e3b015668ac05a9410b2fe4e2af0f796f3b9a9c1dc68de3e1
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: icons.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/customhugerte/icons/inet/icons.js
MD5: 81ce9691eda2df21f0904f09079b80e7
SHA1: b4a46ece9a2ab75c6aa0753ca006bc8b01d0169d
SHA256:870a4c211fd913aeee81fddc05c555949806ad233f9bdd1e5151b3b20a370fbc
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: remotegui.jar: indexed-db.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/indexed-db.js
MD5: 8e18eb72cdab27b9f50d8be736fb5d3a
SHA1: 9a0e5e9098ca6fb8c1ff37a52cd41493b9c5b765
SHA256: 8a7b578a09e75c8abf3b5c7796a3a9fdd812f0e1fe1b9cb2dde13c8ca4dec439
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: initUsernameField.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/initUsernameField.directive.js
MD5: f3f6879a5d27234809f195e8361367fb
SHA1: 24d20461bd9e38654b9feb17b07291ac539c186b
SHA256: ce03423bc27bf8ae5f2a0ee43236549dedb25ae612839b3e645bc11849b5113f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: introduction.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/introduction.js
MD5: 89901332f1495e0cd0ee5b86914cedb1
SHA1: 35a849463bb5de9d8fc94de631c5641743d37abf
SHA256:afee3a22ebd23a8eac80d546a023e642c33409bc80ed5340e4372fc91cc30360
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: jquery.fileupload.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/jquery.fileupload.js
MD5: 240236292f36eca6c17aeac05fd73d61
SHA1: fac06f570617460bbc6f377136ee040bebad8828
SHA256:16d6dd6c899f13098e81e50b8f75ef74df0da97ed95cd2759933a13d53dc876b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: keyservice.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/keyservice.service.js
MD5: 727389b3179d690a641cface06314aba

SHA1: 5d3a862aea87e3c8614cefdef4cfda9ebf521b73
SHA256: a742b2d483cff1e82b6f1f2b09da02440addd6f44b2c6ba276f297c4a1c9cded
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: kytos-attribute.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-attribute.js
MD5: b316e4d0abe73690ed98456d76ae06fa
SHA1: 28e3b9464a101831d730e07b2d4d8756a0084f38
SHA256: cbaa2255f94654bbb15abd4d9019be925e1101b61625d807a942c6db7c6cd345
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: kytos-data.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/attributes/kytos-data.js
MD5: 9cd939b4d214a138e1f6912d8ff4a625
SHA1: 3ce6b8657f6c40ef854f538bb8dcaae5b213ff34
SHA256: 9a1f40e1dd80682da2c5444d0e9d39f5bf5aba82768a35df3d8d36a8f27eb1ef
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: kytos-draggable-listitem.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/attributes/kytos-draggable-listitem.js
MD5: a75a0af0bc928e958f927fd6a0b54848
SHA1: 597d004880e28553c8f46912b320d935b17efcf6
SHA256: 2e97d801e932e8190d02ca979fbae6513a05dd5ee38bdbae34477d4477922ef5
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: kytos-dropdown.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/kytos-dropdown.js
MD5: 399d75675c7cfc2168a5176562856e98
SHA1: f802a4b741cdaf6e45cae7d4bcc55d95bea72fbe
SHA256: 4e9fa914f8e01060c947264ce4fe944cd4e7cda07e2e537306b0dcd2644ce727
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: remotegui.jar: kytos-element.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-element.js

MD5: dcd2cb6e2f1f2a64b198c0d46c210144

SHA1: abf7062312f615c2d671cef520bcfb55c4ed1e34

SHA256: 7f03a6a4cf815363f8a07d16ecc6fd290a6c21a4578c4337f2f695c9449aafe2

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: kytos-i18n-placeholder.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/attributes/kytos-i18n-placeholder.js

MD5: 1ecbf85231e6df5bff93793f9da0dbf9

SHA1: 75494133b8f634d822291571901a5109829747bd

SHA256: 85ca7c13eb0480386706977d017135d56243acec9744a44caf2bd714cedecbed

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: kytos-i18n-title.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/attributes/kytos-i18n-title.js
MD5: 4f13ffa1afc6de1e18753b8ff571eb11
SHA1: f2800872e2e0e70ffe69f2ceaec407dc2dc15102
SHA256: ca4a0fe0850986808fb897b6e2e408010bd743cb6f98a49eeb137f42d8b40ecc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: kytos-i18n.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/attributes/kytos-i18n.js
MD5: eef1960599366e9ff7c002476339991e
SHA1: 098c48087ecf44e0084693623b2bbbf9609c115
SHA256: a320b34e638aafd53882cf205a1b811e73157023e017ef40744c3e5b640a409f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: kytos-on.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/attributes/kytos-on.js
MD5: 364260b48161e2fdf989c4f88540ddbe

SHA1: aa0924659733d3b10152b3d3ef9bb6173294b06a
SHA256:4bebd05c257fd988b34b94c75e5c90705eccc9021616c6b65a0b7d667fa67966
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: kytos-repeat.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-repeat.js
MD5: 941373d2347b53b9ccfd523581e5458b
SHA1: 3a6cc55704f1aca5b7c24b7fb920e1b7e9f479d1
SHA256:2502c60afa9ca7e4c6634e014326acd7d3d73dd4b8b308a95df655c861dd9319
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: kytos-src.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/attributes/kytos-src.js
MD5: 09f25c077e3e3974fcf58c68fcca7200
SHA1: 609da5e117dce86a60ee4f330ca7ff224f876d84
SHA256:3d4758eb630910a186ecea7d5643aaa5414a504dd2a907bb844d4b9c13d39851
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: kytos.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos.js

MD5: e66d46766a2db4cdb2d0cc59b5fa76c0

SHA1: a5068f4162e7252d78e66238fe220ee2ba58fe3a

SHA256:2ba2d0c8e3972158adec5d74212800741bc618d16e16f70b116d6c428f7e67b6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: localfilesystem.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/localfilesystem.service.js

MD5: 277d95afddcd590e0d141b2d577b5e62

SHA1: 20bcb984e60bdb0a2939939f52951e728a4f0af7

SHA256:07ed33c8a8d0f7931367e1c0138049de8105adefde3fa138dd50e4c7a31f8aae

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: locationservice.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/locationservice.service.js
MD5: 5992d3f32d30e25a9fb8adc39170d746
SHA1: af263303a961373e5cb23538f78f544287b59966
SHA256: 80c831cef5c54e7ef0abe9b80d7db7b906053c3fed584770b2e9895e92f27794
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: modal.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/modal.directive.js
MD5: 8b4f5159c55d2de4f772c61b5bf7dcc3
SHA1: 6d4df793d2fbad75c24f62e005eefa9ed62954cb
SHA256: 2a5553a5186b68c5f299d2e1f274ba754bf9af25bcea981725d472dd762d9e42
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: modalservice.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/modalservice.js
MD5: d5a34e3b4e346e244ade828e5b4e59fa
SHA1: c2e316146f63d9f04980454cf074d8aefedbd5bf
SHA256: ee2dde64ff7f11c67173be36fa517cdad951c032d170a1c1879e0226ca04f6a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: modalservice.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/modalservice.service.js
MD5: 1a551ec66dae8370a3470b0f9fd72467
SHA1: cc24ed601df4528c7ab569c8a67b0782f224c695
SHA256: c88cfc6dda9f889ded182a3dc4cba434998762b267c2c984471896ec26e80fa4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: moduledragdrop.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/moduledragdrop.js
MD5: 3958a1734972672ba1c124b1ed886668

SHA1: 4eb0ba0abaf32269baf7023edcaf12cc623783d3
SHA256: 10d5980e1ab5d292009b20fd37d4d53367a0f76a55bd04b545074ece66d20a25
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: navtaboverflow.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/navtaboverflow.directive.js
MD5: 0ce7f7b7b6a5a148404b16e1962caf60
SHA1: 8ef17d2fe2fe1832fa5c49d6d65b6ef5fb1b7bdf
SHA256: b3557a1661a5cb1508bb1654d46bf5938bacaad8b4dcce03cf86d729793bd47e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: ng-hugerte.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/nghugerte/ng-hugerte.js
MD5: f3e009963ba5778bff59c8e4ab5232c0
SHA1: e06306434c0debecd6e9a1e205e50b7f44afa51c
SHA256: 75a28c7c67022de0cb9c4da55dbf75d6ff6a2580a693498275987d58e8cd31a4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: ng-i18n.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ng-i18n.js
MD5: f70ed5b4b0d12a1df931521a5bfd4d55
SHA1: 2f141a8d67bb4381b248e0292c2b566eb17d6ea8
SHA256:f8c9dd393e16101f533ed78c9c7d84eb60aeadd228f3573950b0930221c6425f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: number-util.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/number-util.js
MD5: 05d0f35b5c89efea5c77f9775cd6bedc
SHA1: 5f3fee5a2e389e76bb0d161c9d01b2d1aff9d5d2
SHA256:e14c43e61d7a5c8afb3c41ac057e3c49b408ef29b84bb1d4a00e43554bb51af6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: numberUtil.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/numberUtil.js
MD5: fc50f41d150aa956d3405cf5538d0ef8
SHA1: 36dd5feae806c1dff8a67fd8ae4c4b4ac8d590b1
SHA256: 0a6ba6dc2719ab3741995db471ebc7e94594f837227eaad277bec79785ff9eb5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: numberValidatorUtil.factory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/numberValidatorUtil.factory.js
MD5: 5cfcc7ddeb5ee5abe9b657cb4c4aad1b
SHA1: 3e1befb49a7e3de749bbf7c11db74fad428ac1a0
SHA256: b098b08a665832d5ec3cc30a813f3ac471cc62b9f9362125b8fbc879d5d6be66
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: ocLazyLoad.jsloader.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ocLazyLoad.jsloader.js
MD5: 6efc2b278388ff3b8fd01d214f68de95
SHA1: 1d366d752be481f2502ad6e928bf443dc1bbc11e
SHA256: 7c22d04e3e40f316fe62e2df4c73ffe9ca1fc552117386466972ad8a524b4154
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: ocLazyLoad.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ocLazyLoad.min.js
MD5: f2d4908265b909369078aed0cfafffa3
SHA1: 2d19edef03246ca520c6b3d658e75fad0d791695
SHA256: a5f7c8f4292aba0f63174bbb86fef9e919d97ed72f80857e83065c66ddbcb5a4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/pageablenavbaractiondropdown.directive.js
MD5: 565f00db04cd686810eba88334ccb7ef

SHA1: fc89397e87e0efb5da1dfbcf3d1f17261ddda0bc

SHA256: a3e39ab34d61e335c68b31db9411d85869b5edabffbd58cf13cd8bd89ef36c66

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: paged.filter.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/paged.filter.js

MD5: 620885e608d87c0af2184057fa716019

SHA1: 99aab6b764bd796a4fad0b23da057c07f0a173bd

SHA256: 7838a62ddb112a36d3f6b3ca85606aa02bc913e5551e40a1d37a2a7411f67c88

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: pagination.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/pagination.directive.js

MD5: 9072dd128b777cbe8c9a3f5cff6d1ffc

SHA1: 9aff2deccd8bd06b84530f2759b5d3708496680c

SHA256: fe2e2a1a9bd791563352ef8b3350fc0bde4b50ae191a675e4a0fb5d592389778

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: piechart.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/piechart.directive.js
MD5: 57b1a6b4c82b90c7ae6728361bfd83aa
SHA1: c4010db7bf32f2263f721e7d0642b0e4e99b7e2c
SHA256:514ec005ce503ed102e409c830b71a04afda4dec41d04cf23e4a80f6e1def184
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: popover.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/popover.js
MD5: 24e950e89aace08f1aaa17fd06bb396c
SHA1: 1b794fe5f9c1c3015159425162f6b3b167ff1665
SHA256:4deeedf673d7fc514627d7ebca5d4595a76c7d11d9cf3bdeb720dd6f663666c6
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				

- None

remotegui.zip: remotegui.jar: pwa-service-worker.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa-service-worker.js
MD5: 95a33b245d3237810fe50090f6719728
SHA1: 1092e1c782d256a86ba9034dfc86b2af50d31117
SHA256: 933121280fca1f5ea88c243ffecbf998a62fdc3b62b5ca70875a990c18c9edd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: pwa.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa.js
MD5: d5f6fdc8eb151d3a71ca5eefe74f6dd9
SHA1: e7e28c16da057e3d23295da872a11d99239f67cb
SHA256: cd0a4ccc24239ef74ccf067d2eac8ac8989524fc41b0e7ce4946295f92a75b72
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: qrcode.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/qrcode.min.js
MD5: 4b36f8e71a871112384d908a90471a76
SHA1: f103f61ed24f3dd86bbee1aecb91ad4ff0a15282
SHA256: 6afbe1ebc2ba9b4bb0833f9f55c4eb80edb582903ea9611a9be49633a7aa3b09
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: rangeSlider.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/rangeSlider.directive.js
MD5: 8f0195ad048023303ca75052988a2958
SHA1: f30f14dce0300f317db5ad815d452dccf20c6726
SHA256: 20efc1b10baaf76c2d287f1553ab7650017d266804f3c8859c8abbfd89e3766f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: resizableDivider.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/resizableDivider.js
MD5: 92155894052072c1b3585f3f378ed64c

SHA1: 284e63d9a8d92f3227dabbba220ce81b406fd5f7
SHA256: 46db0e3c06217214be457419fa2e4a0df6dfbfa6424e163b2c9315162a9711a7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui
/angular/weblib/inet/js/scrollabledropdownmenu.directive.js
MD5: 6ccf4fe00949b9ba0161679c557720b7
SHA1: ded14570028ed526c18dba9174881e0dd4c60ae3
SHA256: aea1486dfd6055925eaceaed65bbe26260cb5a9fa6bf17acfc4655308e34d1c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: search-input.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui
/kytos/components/search/search-input.js
MD5: cd41ac9c41117850b720610ad8539569
SHA1: f0c926311fa13b6183daa88938bf04f2cc8b6112
SHA256: be9df3569b1e1dea18e7163dfc9e0e319cceb4a9e88b2dd25f114a488f42504a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: search-panel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/search-panel.js
MD5: 52b330560d2e9c15fa755adc6035b627
SHA1: b389e4e2533e4a8b1ab5aab461ae0e9fd3b6f6fb
SHA256:8dec12408835bbb2e912eb560036eca82949cd6b842fcba0e2e9ca622886ebb3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: selectInput.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/selectInput.directive.js
MD5: 94814e3d56c2235cb31d6bc6ed5f92d7
SHA1: 4619d613f58383a0bc148f0da510fdc6a4a32fee
SHA256:53afd5593d387bb8bb0730e2625220a66c60b62106d730f9177f84963ecda0e7
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: settings-ui.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/settings-ui.js
MD5: 2b2db3e4097bef3d711f8ee3c430fc47
SHA1: 4cb79de267c32ddb49f339f2432f45d6b6a809e7
SHA256: d3d046409f27e9ebbb37ff2aa42d26f9f954fda461d8618e24f410634de9565b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: shadowLogger.factory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shadowLogger.factory.js
MD5: fa91436385b8994b55a7d310d63aae1b
SHA1: 6dcf22bc7bc7561e394ab64f4cd68935378b77cb
SHA256: 99d32693c3484880d4e331ee348efbf9a6c37f657a63045a1f50ef3e8dd3d60c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: sidenavigation.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/sidenavigation.js
MD5: 41e61e3b773bf6851e57056ebf4cbd3e
SHA1: ccf7dd4e2a531856e99cc4865ae92a4ce80db8f4
SHA256: ccf467b7d7629f106d0bf698be444ba56a7a1545c5118e5bdad132c177241323
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: takeoutDataController.controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataController.controller.js
MD5: 82d1cec699a839f96167893738956807
SHA1: b0c88a87252c6c7c558b366e8f8c8b85179cd354
SHA256: 48b31ddf8b1f4607a020ba89e0cc44d41fa7d29e440224d794f494186a70d6
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataFactory.factory.js
MD5: 4c2e4791571aa7c4beef1d13e162b700

SHA1: 72b5880e8daf6c9ff20aa30132fe79c7f4868ca8

SHA256: 7cd1066a0db5c12af802b239d6d2b1d0afa29c5417460189ae5c22f5c6c3484e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: takeoutDataModel.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataModel.service.js

MD5: 6bcf8a37b4157e9c59412040d832b2e9

SHA1: 12b1e7fb37e1533e850a261eb24e5260e42368f8

SHA256: 9a256e7e32f5971e086b0aa0e02d74c9b128fa2b2700a957af0282d8a1387d72

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: timeInput.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeInput.directive.js

MD5: ba7319d83a3bcc33e0019d36fdfe0d9

SHA1: 019c707edf3c03914faea76cc116043f51a55ca2

SHA256: ae9ff67469f81911d87d69f7e89d7651b2517673b0a1538f04fb64076f5d0c70

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: timeInputContainer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeInputContainer.directive.js
MD5: fbc7a8c9f4e3a3cc38d7659d83a6c29e
SHA1: 6b62e43062fdea0d9a6d7dc537e8be85787990a0
SHA256:13eb8eba0cfd94da346f8cd131a4f90c98261fd83473d80c6c4b98529dcb7e1c
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeMeridiemContainer.directive.js
MD5: e1458f3e6ea63204589509e5237f5c31
SHA1: 0a3f9057c78f591a1bb4086e1910af248290e689
SHA256:b9663e93c6051a50803d0425bf1da08bb6079b7eaedfbbb88f073880cd833088
Referenced In Project/Scope: server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: remotegui.jar: toastservice.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/toastservice.js

MD5: c1e6d55ffb1832de666a82a5940d3481

SHA1: bdcef38fc0117a5abc6e2e81aaed372ce6b2a677

SHA256: ebb72d1b0d2b92dafd57933bbf927401edafc083883983dbf984f175a3fbd023

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: translate.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/translate.js

MD5: 061e99802cbbcc1f551b74ad18d8f5e5

SHA1: 941904c2d0237f7941cd16a088d3cf943a8628d7

SHA256: eecc08ab9f22b266c4c1ca774958609372959797bcbc2ef9be0d68fbeac88ced

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: ui-checkbox.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui /kytos/components/settingsui/ui-checkbox.js
MD5: fe6eee2b355801006196cc3b6c433ef4
SHA1: 601688a4bedec2a507d81740ca8b1c5c1041ac03
SHA256: 708b663a6753d0616c99aee1ef3227722e04d9b382ac4f24bbefc749546ebb8e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: ui-chooser-color.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui /kytos/components/settingsui/ui-chooser-color.js
MD5: b2a0520e28c04f5049d324eecc5012e2
SHA1: bac3a8b733f5cf998ba4ab838610895f9dde77be
SHA256: 5e4bbfd9be0cd53fa1eafdc34568730e76841d6b77f5bfe2c2a323524ac1c4bd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: ui-chooser-file.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui /kytos/components/settingsui/ui-chooser-file.js
MD5: 5ace4b46de3be3dfec530a76b620dc02

SHA1: aace44435ecd87d8182772d69039677ae3b9e0
SHA256:470c920365c4c2159e112c3884b4d99cbd3d1bff6a71ede2564aae7c2479947a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: ui-group.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-group.js
MD5: fa782ef645795b1b86154ff18c554c1b
SHA1: 8dd9d0f296f696b6b503b51295b4c8a70cc40128
SHA256:4ed1359b4df149ec8a635b2365332b05f79c875cf69fb895cfc5211526f9b7fe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: ui-input-multiline.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-input-multiline.js
MD5: dd1044f6ef8d326e07108810f6f547c8
SHA1: 732ba03356337c463fe58fc8d175d7d46c3c0881
SHA256:46b951d106d480adad4b0a44d1233e7fccdc62217f3b87266eb18f847403ae3f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: ui-input-number-fixed.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-input-number-fixed.js
MD5: ecd738cfb1a0de5f65d19702e9f2fce7
SHA1: ea7415bea2bc8d169f0be83a66fa0bf877797931
SHA256: 59d476cd8519e1f17ad6de68a26f8ac36e70dbb5765da4f3461e4f9a1fe30275
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: ui-input-number-float.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-input-number-float.js
MD5: de1033fdf3f58d1232eec636d4b22db2
SHA1: 6fecff0bf732b51dd0f9ba0432635dbbb2936af0
SHA256: 20c1befc3a3a6bf0fea3592ef5f51cd9ae41a8a7f281c0c0432f968093882cc0
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: remotegui.jar: ui-input-password.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-input-password.js
MD5: 4210b1fce13b59e18f64ea2f83a49a96
SHA1: 71a010379e26463b8f032bfe1e8b2da6dd6499ed
SHA256: c7a8b2bce91ed83040b145f44a62900914cf5258bd0a8e51aea2e55d136837c9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: ui-input-search.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-input-search.js
MD5: eff8782c8d70988fc7731ba5e938fe3c
SHA1: c8d3efe37ab55039ad15e8fbf10e86baca0c252b
SHA256: 559e2bdae976493a62504e6ca5e5ff1e08ca8e97e08a7e2d23daadde47f8a48b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: ui-input-text.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-input-text.js
MD5: e0c7633173945a07f39a011a399cbb9c
SHA1: d34267da617e9128b918e0788247ee6581a96544
SHA256: 9bfe754fde42730c88bdfb65838d73aaad4f0c43674a0219b852c1371c6f42e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: ui-input-unit.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-input-unit.js
MD5: a1f6aebf47fcdf5eeab7dd4221fd5d9
SHA1: b578ec6a9750cbc5e4ca3e73be2c0db3c53c555e
SHA256: a9ce9a93330223d410eef60a06d53b968dcc211caa0bffc443f8e89104d9c71
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: ui-label.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-label.js
MD5: 2a31d8d04857fff1d5f5a7eb105e7c63

SHA1: 6085114e785c842fd6c7c47147bfcd996faeb862
SHA256: b78a278dde9d3992127e9622149d0d3e4b05ba74f32da9db52b8ba2506853456
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: ui-link.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-link.js
MD5: 3f5c629ffa7579705a8126f8ce73d3ad
SHA1: 6f17e49f27341afb6e3f791d46120e027a2de984
SHA256: daa21ae6c5f4ce66d4358b7e3a04c18a1a4feb8f9fd70bfe712f475c91f9f6f9
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: ui-radio-button.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-radio-button.js
MD5: a2f8083dbe841c6eda496e88fa18b1be
SHA1: 4c20190506e24664d262b18269a311106c034d56
SHA256: 0564466c0b9fcb9cd4d86fe27100502a19a821427a047c95525fe49cbb3a13cd
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: ui-select-edit.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-select-edit.js
MD5: cce73d997d2482cda6978c3b9593071b
SHA1: 486f22918c42730609bfdc0eb3cacf6d8cb09c2c
SHA256:61674a3afc0c6e99f0d03cb57d28e762bc5f225ecd7b5b907bf52ecd76416417
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: ui-select-filtered.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-select-filtered.js
MD5: a604af0ebe081631f367bc3294dce7e2
SHA1: d8e13b6bc7277300608e6001224c7282096d6691
SHA256:de10a4cc9170735184f92ec45e1088b338e4977e53701d813b24e27a23c8e1c7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: ui-select-options.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-select-options.js
MD5: 0e52bbdbd1c589b1d77e202fc31657a5
SHA1: 7eb5f1d5ce530ec902a70704692c0af61d76fc54
SHA256: 9f5340fc54b04c83ea9c8acb34eaa7a4411f41e50b526a5019ce0bc20fe8d19c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: unitFixNumber.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFixNumber.directive.js
MD5: 29d24835a3a3f09d56371f64a9e5501d
SHA1: 74508076d24cd85f342390ee1809e2bb70f48839
SHA256: 6a20d4eca5c69740c0fa2f99c209aed92ffa49c48848e3ff63ab6fc9b2f6ac32
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: unitFloatNumber.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remotegui/angular/weblib/inet/js/number/unitFloatNumber.directive.js
MD5: 1d3c2d9b2853e77c53b7f755e4f82bc0
SHA1: 56134dad87141744f8fee3574ebde43a96484ce5
SHA256:dde76e45fa7be7de9e04b3eb5a33954d8c2470636fa945458c08031b593b7492
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: userservice.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remotegui/angular/userdetails/userservice.js
MD5: 2dd0b8375265a6ed68641819428de40a
SHA1: 6dd8650e16e461e04b2261d6d8e3c0992e451e5d
SHA256:3221cad085226391898e3d6fc0a9bdd431e46fe035d13029e89cbc497ecf6a28
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: usersorgroupssselection.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remotegui/angular/usersorgroupssselection/usersorgroupssselection.js
MD5: ba532f7f8d9ad9ddcd5e43589c875a9f

SHA1: 878776cbfda46c3ba5b5c4c2340576fbab6ea109
SHA256: 7e213a45192881f06c8f3d521d02f32a8c380bb2c4551c6d1c527f4afceba266
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: usestrict.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usestrict.js
MD5: 8e742d11d6b24c401e35f3b516726584
SHA1: 89b72153bd7e6390415ba25b9b5fbe750e6e16d5
SHA256: 8e8cc72e61ff6f6c0c945a976756d112732c499cd64fc5b207bb213fc84a1e40
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: websitedownload.renderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/website/js/websitedownload.renderer.js
MD5: 997a09bf4e3740f123d6933770b57ed1
SHA1: d59541fedeba1aa388dc41757bccde3f35324d1a
SHA256: 53a3d1d2454b0730a885b126c853b9ee7a53ff1e01266fc2aae4b758fa1dd7a3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: websocketdataservice.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketdataservice.js
MD5: 56e88d9e4985d37afa97430a2d4f24dd
SHA1: c1622a008f03218ec13c155b53d3f7f17a846650
SHA256:3b625fd3ce9f72757338a9a5c014a1c90f4be622323849bd21d5f0076e52fdca
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: websocketkeepaliveworker.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketkeepaliveworker.js
MD5: b378595229f68cdd9acc7775a85e3746
SHA1: 5eb59a40044f9cfb861f3c39cf4969cb7e969323
SHA256:d695e751ea4e77b998aefab636299872246f04af2b189623dde151cce2fca67d
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				

- None

remotegui.zip: remotegui.jar: windowdatastore.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/windowdatastore.js
MD5: f9cf627d8040037181eed0b792258784
SHA1: b308fd5ef5d759a9891870ce0b9ae57e62fe338b
SHA256: c80f708b2a3dcd3c44dabdcbc44165276c349e1226024fc40683a5ba68f03035
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: twemoji.jar

License:

MIT

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/twemoji.jar
MD5: af9b535ef495075dfb0a7d5bec95eee6
SHA1: 0a559adee289b6b855ad1294b17dd71d9f3d21eb
SHA256: 9ce4f61ef563851b37c3918c54a876a865d2f66fda5f80dd2bfecebb2d7e386f
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	twemoji	High
Vendor	Manifest	url	https://github.com/twitter/twemoji/blob/master/LICENSE	Low
Vendor	pom	artifactid	twemoji-null	Low
Vendor	pom	groupid	lib	Highest
Vendor	pom	url	twitter/twemoji/blob/master/LICENSE	Highest

Product	file	name	twemoji	High
Product	Manifest	url	https://github.com/twitter/twemoji/blob/master/LICENSE	Low
Product	pom	artifactid	twemoji-null	Highest
Product	pom	groupid	lib	Highest
Product	pom	url	twitter/twemoji/blob/master/LICENSE	High
Version	pom	version	1.0	Highest

Identifiers

- pkg:maven/lib/twemoji-null@1.0 (*Confidence:High*)

remoteprinting.zip: remoteprinting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar

MD5: 505b00a2d9cc741a09544c3f04d6eecd

SHA1: 47b8a5a63c7e30ef40b0b4e69ce0e6a3abd678d3

SHA256: 4cf80addce8653944dff4eb6ad20c4c60808ee3198eeeb1aea53a5a7d27cf23a

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	remoteprinting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remoteprinting	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-08-07 18:06	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	remoteprinting	High
Product	jar	package name	remoteprinting	Highest

Product	jar	package name	remoteprinting	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2026-08-07 18:06	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	remoteprinting	High
Product	Manifest	specification-title	remoteprinting	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: RemotePrintingRenderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/usersandgroups/ui/RemotePrintingRenderer.js

MD5: 311da5e94edd3b1633ef74f41d8535c4

SHA1: 82d52fb3ffbc3f7d740a5577b2e008ef5b14e9cf

SHA256: 8e874308aebd3107ccbaa1e31261df485993743305fcde33f26eb70b4396353c

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: app.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/app.js

MD5: e9d58ab93114f2f8c4846419ad3cb610

SHA1: be2fba1f2b2bb90a425e152468d58c4c3dad1fa4

SHA256:b5093c6a851aea8903fbea75bc7017fbf41db5a2af493c54ab990f3e43b7455c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: htmlviewer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/htmlviewer.js
MD5: 2a3040ebe6be31144a6c18dd266493b8
SHA1: 830bfecfc5bb6ccaa82b258089d7c805385446b6
SHA256:c355fe9bda5e2d30ed2828f4699935c5f185224260e91f108a17f3bfb8ec5f51
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: pdfviewer.angular.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/pdfviewer.angular.js
MD5: d60d18a2dca3c15d611f1456193c3c11
SHA1: 0b6623f3d7e631aa00b4d8a2e21b60fd2fcf8869
SHA256:7cf145f10067d00f2f10e9d630f406c786b8e0982ca83926afbb60dae89b65a8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: remoteprinting.factory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.factory.js

MD5: c2d54900f0269c6d6014cfddd17b2eb4

SHA1: c7e01abe54655b7e94276834bcaf211425bf5b71

SHA256: 70edbefc77a2eabbbdbe35cd95ec2a666b9a3eab65345a262be3674f34d91971

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: remoteprinting.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.js

MD5: 16a56a1a971953b07d0095d52081f748

SHA1: 24aea6fb2289f6031482fe451ff7edb2c33272ab

SHA256: a837a1b694adb622c3a74c148ebfee89e1e502a2544f57f4b56a076a8c1ca4a4

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: remoteprinting.model.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.model.js

MD5: 434c0bfe160b59fa89c7c39e0352b205

SHA1: 7ecff74133eab2fa44190e6d93ff8f44b92a66e7

SHA256: 52159b25c45bbcb73ce401e498ad886b7a4376531bf845598420fbaf573d4d66

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: remoteprinting.renderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.renderer.js

MD5: a98d951c6e47f583ddd1e91b8c40c8a6

SHA1: 35a2a7e45d9a815a673e241766379651ae8c3fec

SHA256: eae637a5e463c47ff44b2c8c0e2c1a9aa30a0caa7fc4b0266f79248e98822c5d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: jcommon.jar

Description:

JCommon is a free general purpose Java class library that is used in several projects at www.jfree.org, including JFreeChart and JFreeReport.

License:

GNU Lesser General Public Licence: <http://www.gnu.org/licenses/lgpl.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/jcommon.jar

MD5: 3872e82627df950d40a949144a93e491

SHA1: d5016f7703896c38f9e511f8a9edda2585cbac8b

SHA256: 13e2596044935f76694cce65a22d1df908907ddcba0da2b49ff030930262d417

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jcommon	High
Vendor	jar	package name	jcommon	Highest
Vendor	jar	package name	jfree	Highest
Vendor	jar	package name	jfree	Low
Vendor	jar	package name	library	Highest
Vendor	jar	package name	ui	Low
Vendor	pom	artifactid	jcommon	Low
Vendor	pom	developer email	dave@jfree.org	Low
Vendor	pom	developer name	David Gilbert	Medium
Vendor	pom	developer org	Object Refinery Limited	Medium
Vendor	pom	developer org URL	http://www.object-refinery.com	Medium
Vendor	pom	groupid	org.jfree	Highest
Vendor	pom	name	JCommon	High
Vendor	pom	organization name	JFree.org	High
Vendor	pom	organization url	http://www.jfree.org/	Medium
Vendor	pom	url	http://www.jfree.org/jcommon/	Highest
Product	file	name	jcommon	High
Product	jar	package name	jcommon	Highest
Product	jar	package name	jfree	Highest
Product	jar	package name	library	Highest
Product	jar	package name	ui	Low
Product	pom	artifactid	jcommon	Highest

Product	pom	developer email	dave@jfree.org	Low
Product	pom	developer name	David Gilbert	Low
Product	pom	developer org	Object Refinery Limited	Low
Product	pom	developer org URL	http://www.object-refinery.com	Low
Product	pom	groupid	org.jfree	Highest
Product	pom	name	JCommon	High
Product	pom	organization name	JFree.org	Low
Product	pom	organization url	http://www.jfree.org/	Low
Product	pom	url	http://www.jfree.org/jcommon/	Medium
Version	pom	version	1.0.24	Highest

Identifiers

- pkg:maven/org.jfree/jcommon@1.0.24 (Confidence:High)

reporting.zip: jfreechartCC.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/jfreechartCC.jar

MD5: 27924eb4a06794fc0915d059c489fb39

SHA1: 4cfaa12baa89d8cc5e875cbffce001cc86144979

SHA256: 7c43f449263722130262f3959742d78b4766fa129d882600e264cc8675829db4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jfreechartCC	High
Vendor	jar	package name	chart	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	jfree	Low
Vendor	Manifest	built-date	2026-08-07 17:45	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	jfreechartCC	High
Product	jar	package name	chart	Low
Product	jar	package name	jfree	Low
Product	Manifest	built-date	2026-08-07 17:45	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	jfreechartCC	High
Product	Manifest	specification-title	jfreechartCC	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- [cpe:2.3:a:jfree:jfreechart:26.4.321:*****](#) (Confidence:Low) suppress

reporting.zip: reporting-javadoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar
MD5: b880dc4d6b572c68d7e4bb54d2f4a591
SHA1: 030677683fa48361b6bb92fd3eab4ee7286956ad
SHA256: b5d752ba6796372597c3051ca108756176edc5f3aec7f48fb1039bd75a6c42b4
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	reporting-javadoc	High
Product	file	name	reporting-javadoc	High

Identifiers

- None

reporting.zip: reporting-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/member-search-index.js

MD5: b8c09fd0db0e2bd97d2003db9c82b08e

SHA1: e7a9781e687c93247de4986ae6dbb370545048b2

SHA256: 7c7ef01bf3fe94718ce8aa50f4b2d6db62a476526df83cadf2f741b23dc4b59e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/package-search-index.js

MD5: 0e9b226a07b42cfcc14f079553882a07

SHA1: 1ad5983272121c134b9aa4e5fd6f8aa8e6cbb248

SHA256: 20fcfaadb5de97f72c10ad482391191176d06409222ff2458e011496ce0e9c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting-javadoc.jar: tag-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/tag-search-

index.js

MD5: 88ed2e535fd1ad39ddc4676528e17371

SHA1: c72f3af7b97cee4b738d0e8eeffb75626220920

SHA256: 309ff647d88085aa4bc6072589aff41e9eab4c32d0ffd64f16799e111fe42d33

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/type-search-index.js

MD5: b6afd09bfaf5cde53a1dbaeae74cc4ad

SHA1: 4036628961ce14741cb5c6e5910810f551cf6b23

SHA256: f33d36fbb1805066d7c68dd35ac3e79f553c739b1f883c68faf0b5ea90fba806

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar

MD5: ca84a185138741f0e7394e6e17777dcd

SHA1: 00260254dff235d41505bae4cdf9cbbc5c8297b9

SHA256: 4d530543f2ec813ee4228f60578a5544e90a8b402ff8b9363f959c4152d9b3bf

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	reporting	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2026-08-07 17:49	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	reporting	High
Product	jar	package name	permissions	Highest
Product	jar	package name	report	Low
Product	jar	package name	reporting	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2026-08-07 17:49	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	reporting	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	reporting	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low

Version	jar	package name	permissions	Highest
Version	jar	package name	reporting	Highest
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

reporting.zip: reporting.jar: events.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/events.js
MD5: 867af7b9527093452195d3057166a9ca
SHA1: e4856efc3e95a20f25beff5da4ce9b907c3a1575
SHA256: c342986741d1c87b03bfc899d7640ab9267f3e95c5a744e75c5ee12c321f2408
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting.jar: export.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/export.js
MD5: 25d677f9db7379990f234c6e0e8a3eca
SHA1: 36c595def0ffb9bd0f3d8d648cf3d68c9bd8a70e
SHA256: 31874fa566bc0532b344ede59518de718ec056b5fccff2b30bfc5130d1ec0d7d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting.jar: functions.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/functions.js

MD5: 4cd489d3699e18018f4ee1c88710a066

SHA1: 1fea1856f278aa8a929db3b5dca00fc44bc6de0d

SHA256: 31dd7b3daef9e4ca25bf78e180523407ff4d332f987eb9223b63e36ef4d7f93e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting.jar: generator.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/generator.js

MD5: d98c2ca06a72837183dc17a3eeec0039

SHA1: cfa6d7f381d3cb43b6702884df53b0fa08149fc8

SHA256: b865ad0a07fa5779ed8ae8610cf3129c95c79337b20cbe479477b13d2c83d876

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting.jar: grouptree.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/grouptree.js

MD5: 03effe09b42d19447ffc8cb035ef827f

SHA1: 3c8c2af60ab10e237af37bbf3a0a2d6106870cde

SHA256: 9cbd9e01ec128a9fd563ee1dbe271e644b68b75f50cabf37a6312b21ed61f6a3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting.jar: htmlreportextension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/htmlreportextension.js

MD5: 4a91827e853ef0bf19cf06f343e18e98

SHA1: fda14009355a1098b25c75a307900e27d43a5e09

SHA256: 004b3358d2bc621a7bb7c3b3f7e350876ed7904cd41c4d51d88533babf4cf590

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting.jar: jstorage.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/jstorage.js
MD5: 8078b278235f9eb8cf63b1474a1362db
SHA1: feb74af17fb5ba7b01c4ad997759ec21ac685ad5
SHA256: 9d86bf1ad26f873ca615b15fc8cab964e332fa363317b8569c3f624fc947d8a8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting.jar: keylistener.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/keylistener.js
MD5: 54d50496c4b43d4c78c30facfd01809d
SHA1: 9e29b6d13b0478339596ac131e214c605e10fa0d
SHA256: 29f7a3a51b8d139109d0165111d062e6e9ecd2c2d90de1e99b539da6c2e966bf
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting.jar: menubar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/menubar.js
MD5: 099169d0a3d25046ba4b860524aa7a82
SHA1: 883182b88b9f121cb15fe7e50b3525155a42804c
SHA256: 99e365d834acb556e56266cdfc95a8e7394946c30d5ea93f3571d6889f0f694d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting.jar: page.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/page.js

MD5: 214a1cd3653bb9aa3cec9078e6ee3316

SHA1: edb8d66493699591d0202d1a14b8f34af49daa75

SHA256: c559154fab98f5343d44cb8c02a2203f800eabd9e13d1fd9dd926440ee5fe825

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting.jar: pagecount.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/pagecount.js

MD5: c6823ab782e12fa9e9c0325321ab0011

SHA1: facbdd75d7176e5809cebd5d5702cfbb0bf677ac

SHA256: 5d189f3efc0e10f5c5e85964e89ffde18c81a1279c9132c64453f2a149423a5e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting.jar: popup.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/popup.js

MD5: c3941efe0d33e1e9b046fccd239033cb

SHA1: 53951b79a3c0e93768dd4043b3d16d884fc2c7ca

SHA256: 0ed137328526d278076dcab6bfac9792717dadda6c0776cc839710fa0f1e49a3

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting.jar: print.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/print.js

MD5: f8fec5b39e4c5055f35e01c926e8b959

SHA1: b4f6666f078b60a130ec12b993d2884b2d3f81e7

SHA256: 2e3276591241b179642f2159147f317f020fc03df408dfbe6f8d370cd04f5824

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting.jar: prompts.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/prompts.js

MD5: b5e825c168df1d8d8410e24c48233595

SHA1: ff14859b4fe2cb8b27c9c27022ba98f066427723

SHA256: 54fa856daa5054e91f57d9b6897a1cce1045f26a793a16c0cec56b3608f40458

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting.jar: prototype.array.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.array.js

MD5: c69ba575e53ba415b800f18386ce2d65

SHA1: 968d437fa28bd784a3dac6a58d090027bf8e0563

SHA256: 6dcde95b98fa808923a311e7b4a345da4c1b3df17ea2554294d6ef47e871dad5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting.jar: prototype.element.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.element.js
MD5: b51b2dd46fafbff64c30ff2e731c814d
SHA1: ea525bae8dd23860d1b8202869a316626af91c26
SHA256: bd28001d8f95e450a5aed4bcd72851bbc126f9f5efb13feba698c034774a06ff
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting.jar: prototype.string.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.string.js
MD5: f0bb166a036ca364a6c047d345fc9a0e
SHA1: d491f3851e9aa5d8fd70d4139669635eb5cdd1b0
SHA256: fd0fc8d93a6bce3d07ec8a7db922110e3d15f5f0a7a66562599f9b369b6f6f30
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting.jar: renderreportextension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/renderreportextension.js
MD5: e4f2d17c10a193f2e46e30c80de52d09
SHA1: d37d5dc99e12ada04ae0737c180ced7fef7450c7
SHA256: ddf8e053d7cd180056fdd26cd15e3e269b917ce948d11b7a487dd6d000dc5051
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting.jar: reorder.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/reorder.js

MD5: c2f6f517d3d3f572c54fe096339ff49d

SHA1: a429dd95146869f4ab9b00c3611947ddf6b91d1a

SHA256: d4dbc3e3b8d16c84dc14e11b1e02ed413473d7d8da48b2c733f8c7024179f7fd

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting.jar: report.export.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.export.js

MD5: 060f048154e68038e3efda537965caae

SHA1: 6661b3bc132056b52ae4eaa2245936d621500fd4

SHA256: 8a76aa9e98d85c963679e1b9c4bb28fafca2e93c68c9fe36db081b53832f8152

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting.jar: report.exportdialog.controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportdialog.controller.js

MD5: e48a981961d84d12f1a2ff4b67cd6236

SHA1: e3c672ca42e65d0b5f5948751a86a358c3a80a1d

SHA256: 3853445607093982593d457ae886722cd5b176d4aa4fe7d048244e93db31f988

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting.jar: report.exportdialog.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportdialog.service.js

MD5: be1e040562072f4ef212c32a9316f615

SHA1: d9a898d1e1f39059850323d65ebf297a7018e281

SHA256: 9abf610809770a33accb4a5b680235783493ac536949a6aeba805f5699a20d3d

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting.jar: report.exportframe.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportframe.js

MD5: 1a0aa48da1c7c670e0dd2f075700914f

SHA1: 8479d5d2ff2de08e5ae8d9abd868b070b94ad2b4

SHA256: 956d0b81c1acbff489a51c66fc5ef8be0b7dfe05ea1276dc28e2b2846dd27eb8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting.jar: script.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/script.js

MD5: 1281870e7b30196697f7509d4753a5ac

SHA1: a2eaf3451dcf61a56f954bc5d0cf56b73afeddda

SHA256: 5209a26676a5ef7efcefb25af75c6f5b7aeaa3ad1c1993e865471ccf62e4c500

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting.jar: search.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/search.js
MD5: faa3f4fb9604ed70bec53256b055ffa6
SHA1: 892688617be684946fa39098413d0c55d9e769cc
SHA256: ea1c42a5640880562ea7639e1c6ff2bb1af2496964ce572c64fa7735b51a5f6f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting.jar: serverping.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/serverping.js
MD5: 6124f0f67286f7e3fbf239bdc4988d95
SHA1: aa0bb794c4e5c40bf4a7e580e251c2d15ae09e1d
SHA256: f688956f4c5cba792d04903423d249f8eeeaaffe37e3537b723f10572cf0d66d8
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting.jar: stacktrace.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/stacktrace.js
MD5: e9687f11beba8f607c0c98af4eb0cc94
SHA1: f92f65d1f27fad2febcc8ad23824f10f51cc722b
SHA256: 0b4e8ce367ded3ec4d68ff2fa931958f8e3d99d649e7175b4a1e62f27cf15701
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

reporting.zip: reporting.jar: tabbar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/tabbar.js

MD5: fdb707b4dc212e365bff1fa637bbfa32

SHA1: 14e364be23b61f3f94427a79ce8c0f87bb186c04

SHA256: f9e18e41672898499dd50f0e802618952e153ddb40c052148dff9edce742a0ba

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

sampleapplication.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/src/com/inet/application/currenttime/sampleapplication.js

MD5: a0b6ce01eb88d27464c409bd56d4fa65

SHA1: c23569535b8a3fb31880228a5e8c3efd42555175

SHA256: 8d80f1c43ca8a4dba57c52e977bd61d92acae6cfdb8e8655b68fbc7102b021905

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Related Dependencies



- application.currenttime.sample.zip: sampleapplication.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.sample.zip/src/com/inet/application/currenttime/sampleapplication.js
 - MD5: a0b6ce01eb88d27464c409bd56d4fa65
 - SHA1: c23569535b8a3fb31880228a5e8c3efd42555175
 - SHA256: 8d80f1c43ca8a4dba57c52e977bd61d92acae6cfdbe8655b68fbc7102b021905

Identifiers

- None

sampldatabase.zip: sampldatabase.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/sampldatabase.zip/sampldatabase.jar

MD5: 179f2c16bbe86a10fb7fc0fc08f91502

SHA1: 6dcc7c4ebd1e6e9cdd3b4ddda98cf0e40d9b4bd

SHA256: 63c602e2ff738f534e39f11b7c5d5a2b8a2be6de60701800c3cff0d0b18f7a9f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	sampldatabase	High
Vendor	jar	package name	designer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	sampldatabase	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2026-08-07 18:04	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	sampldatabase	High
Product	jar	package name	designer	Low
Product	jar	package name	sampldatabase	Highest
Product	jar	package name	sampldatabase	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2026-08-07 18:04	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	sampldatabase	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	sampldatabase	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

sampledatabase.zip: smallsql.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/sampledatabase.zip/smallsql.jar

MD5: a85e63aac9630d46b06baaf8e405085a

SHA1: bc3097212ad32b21b2fd14ec0fa68e369a6e17f0

SHA256: fdc0c0d1883046fd8b0b8155ce94b2e1d6642679d51842ccc1c5b5343f9519a4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	smallsql	High
Vendor	jar	package name	database	Low
Vendor	jar	package name	smallsql	Low
Product	file	name	smallsql	High
Product	jar	package name	database	Low

Identifiers

- None

samlereports.zip: samlereports.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/samlereports.zip/samlereports.jar

MD5: 4d36fcfad5fecae593b0f3cf7294d323

SHA1: de185c35a8b5298f9786fd2942eb0a5bb9638b2f

SHA256: 6e6cd288dec28d09c793420439548f1e9281404fdc2684acaf301d6bdf4eed44

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	samlereports	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2026-08-07 18:05	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	samlereports	High

Product	jar	package name	report	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2026-08-07 18:05	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	samlereports	High
Product	Manifest	specification-title	samlereports	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

search-worker.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/search-worker.min.js

MD5: 47abf1488f83153cf137469916b53827

SHA1: 0f171686aaf4dea550d3863893f096607e628f57

SHA256: d97d66cd137b882900fa332b68d5df95c0c0295667858cc36c3c6956aea5d8c9

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

security.zip: security.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/security.zip/security.jar

MD5: 8199cc0698d1a994abf7b985b1ba56ed

SHA1: ea4e7a5168f734af92e70b7e1c35ad6f65dc3f10
SHA256:5c0e3b47e06c4b1b0ae03827df57bd68f6405b296f83bd90c17c24ee2a396ca1
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	security	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	security	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2026-08-07 16:55	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	security	High
Product	jar	package name	security	Highest
Product	jar	package name	security	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2026-08-07 16:55	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	security	High
Product	Manifest	specification-title	security	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/sessiondatasource.sample.zip
sessiondatasource.sample.jar
MD5: 16425cfd3abffc619abfebff1c8101de
SHA1: f24a37f9be156d06012d3f24a782c34f3b704db2
SHA256:b56ea00caa2f788c771203f3d26258277259d57f0017d931eb9ca9736579dd22
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	sessiondatasource.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	jar	package name	session	Low
Vendor	Manifest	built-date	2026-08-07 17:49	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	sessiondatasource.sample	High
Product	jar	package name	datasource	Low
Product	jar	package name	samples	Low
Product	jar	package name	session	Low
Product	Manifest	built-date	2026-08-07 17:49	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	sessiondatasource.sample	High
Product	Manifest	specification-title	sessiondatasource.sample	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Related Dependencies



- sessiondatasource.sample.zip: sessiondatasource.sample.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples

- /Plugin - Samples/SessionDatasource/sessiondatasource.sample.zip
- /sessiondatasource.sample.jar
- MD5: 16425cfd3abffc619abfebff1c8101de
- SHA1: f24a37f9be156d06012d3f24a782c34f3b704db2
- SHA256: b56ea00caa2f788c771203f3d26258277259d57f0017d931eb9ca9736579dd22

Identifiers

- None

setuplauncher.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/setuplauncher.jar

MD5: e651f902250c2eb947bee1049485a1f4

SHA1: e779963e90f56c6600cd61eba9ebd1facf7899d5

SHA256: dcf6ecd2a93deed24ed31b7001f29f5fef5fc73036e3aa45752130220aa5d199

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	setuplauncher	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	setuplauncher	Low
Vendor	Manifest	built-date	2026-08-07 16:38	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	setuplauncher	High
Product	jar	package name	setuplauncher	Highest
Product	jar	package name	setuplauncher	Low
Product	Manifest	built-date	2026-08-07 16:38	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-	setuplauncher	High

		Title		
Product	Manifest	specification-title	setuplauncher	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

singulink.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/singulink.js

MD5: 32a5c8a1926f4a78c621943e6edfcae5

SHA1: ea1092c6b0f8e74290f8102f696b44ac31166f67

SHA256: fcee5c1c8d1639b835f7b457e8716807b66b15b477fb08ed051e1d4cf5455b1a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

slf4j-api-2.0.17.jar

Description:

The slf4j API

License:

<https://opensource.org/license/mit>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.slf4j/slf4j-api/2.0.17/d9e58ac9c7779ba3bf8142aff6c830617a7fe60f/slf4j-api-2.0.17.jar

MD5: b6480d114a23683498ac3f746f959d2f

SHA1: d9e58ac9c7779ba3bf8142aff6c830617a7fe60f

SHA256: 7b751d952061954d5abfed7181c1f645d336091b679891591d63329c622eb832

Referenced In Projects/Scopes:

- server

- server:inetPlugin

Included by: pkg:maven/clear-reports/server@26.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	slf4j-api	High
Vendor	gradle	artifactid	slf4j-api	Highest
Vendor	gradle	groupid	org.slf4j	Highest
Vendor	jar	package name	slf4j	Highest
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	http://www.slf4j.org	Low
Vendor	Manifest	bundle-symbolicname	slf4j.api	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	slf4j-api	Low
Vendor	pom	groupid	org.slf4j	Highest
Vendor	pom	name	SLF4J API Module	High
Vendor	pom	parent-artifactid	slf4j-parent	Low
Vendor	pom	url	http://www.slf4j.org	Highest
Product	file	name	slf4j-api	High
Product	gradle	artifactid	slf4j-api	Highest
Product	jar	package name	slf4j	Highest
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	http://www.slf4j.org	Low
Product	Manifest	Bundle-Name	SLF4J API Module	Medium
Product	Manifest	bundle-symbolicname	slf4j.api	Medium
Product	Manifest	Implementation-Title	slf4j-api	High
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	slf4j-api	Highest
Product	pom	groupid	org.slf4j	Highest
Product	pom	name	SLF4J API Module	High
Product	pom	parent-artifactid	slf4j-parent	Medium
Product	pom	url	http://www.slf4j.org	Medium
Version	file	version	2.0.17	High

Version	gradle	version	2.0.17	Highest
Version	Manifest	Bundle-Version	2.0.17	High
Version	Manifest	Implementation-Version	2.0.17	High
Version	pom	version	2.0.17	Highest

Related Dependencies



- facturx.zip: slf4j-api.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/slf4j-api.jar
 - MD5: b6480d114a23683498ac3f746f959d2f
 - SHA1: d9e58ac9c7779ba3bf8142aff6c830617a7fe60f
 - SHA256: 7b751d952061954d5abfed7181c1f645d336091b679891591d63329c622eb832
 - pkg:maven/org.slf4j/slf4j-api@2.0.17
- slf4j-api.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/slf4j-api.jar
 - MD5: b6480d114a23683498ac3f746f959d2f
 - SHA1: d9e58ac9c7779ba3bf8142aff6c830617a7fe60f
 - SHA256: 7b751d952061954d5abfed7181c1f645d336091b679891591d63329c622eb832

Identifiers

- pkg:maven/org.slf4j/slf4j-api@2.0.17 (*Confidence:High*)

statistics.reporting.zip: statistics.reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.reporting.zip/statistics.reporting.jar

MD5: d77e158200edf96bfa244a9a1fa0e8e4

SHA1: feb7da89af9021b67dbb8cd22774d74aaa57970f

SHA256: e8ba54d3524a7d4e4f98e84e6795016480e09b3d74fbe5d7c8ba7cb41d797869

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	statistics.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	statistics	Low

Vendor	Manifest	built-date	2026-08-07 18:05	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	statistics.reporting	High
Product	jar	package name	report	Low
Product	jar	package name	reports	Low
Product	jar	package name	statistics	Highest
Product	jar	package name	statistics	Low
Product	Manifest	built-date	2026-08-07 18:05	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	statistics.reporting	High
Product	Manifest	specification-title	statistics.reporting	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

statistics.zip: statistics.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar

MD5: edd04507dbd297b446967637ae23f779

SHA1: 18fa80227fa2ebd1a10947ffd86e0b8a0a82cc3a

SHA256: c6325ea23cc24cecfba9174c930ebe815683b240b0bfe7c6a3049a8f9184964e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	statistics	High

Vendor	jar	package name	inet	Low
Vendor	jar	package name	shared	Low
Vendor	jar	package name	statistics	Low
Vendor	Manifest	built-date	2026-08-07 16:49	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	statistics	High
Product	jar	package name	shared	Highest
Product	jar	package name	shared	Low
Product	jar	package name	statistics	Highest
Product	jar	package name	statistics	Low
Product	Manifest	built-date	2026-08-07 16:49	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	statistics	High
Product	Manifest	specification-title	statistics	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

statistics.zip: statistics.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar/com/inet/shared/statistics/resources/js/controller.js

MD5: 936f23a64d53bc9c7f1804aae38a4917

SHA1: 2ea584d4f7d5dfbed071de6d1472417f97a0a7bb
SHA256: 76548a102cce01dda624899200df5442aacd921206fc0cb9c6b3422e2d26b604
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

statistics.zip: statistics.jar: embeddedstatisticsapp.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar/com/inet/shared/statistics/server/embeddingapi/embeddedstatisticsapp.js
MD5: c479caec82cfc22aa3d0d006a413cad2
SHA1: 5774a48ac9d363bebc83f21d510b590686c874e3
SHA256: 5364a3cc82eaf8046de8d6e89a4c14b4de33b2269e07c2606faee105d690e11d
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

statistics.zip: statistics.jar: rendererstatistics.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar/com/inet/shared/statistics/resources/js/rendererstatistics.js
MD5: 075f725509143c82fa410fdebb2b5264
SHA1: 5e800728830be4d13c9d089984e9b107283cd590
SHA256: f5aafb40f1f084c51c2d951c960af49d87da5e3f2766eac7915491dcbd3489fb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

statistics.zip: statistics.jar: statisticsFactory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar/com/inet/shared/statistics/resources/js/statisticsFactory.js
MD5: b15faeabe2108ee761c4a0603022d068
SHA1: cacefd7bf9b20be1e15931cd570e91317ecc7814
SHA256:bcae83a33d627c9699155e9690523b20e31364bffb1784aa5b9eb48e05ee410b
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

svgSalamander.jar

Description:
A tool for displaying and playing SVG content using the Java2D.
License:
BSD License: <https://opensource.org/licenses/BSD-2-Clause>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/svgSalamander.jar
MD5: ec89e47e9c1e331577b9f37132643030
SHA1: 2834461bf9d561fbf8b8531503e5718c582ae800
SHA256:ad12ea694ebec5b50b10322e72b7e2cfb6d1689f5ba0bcd58b08f02c1f50c765
Referenced In Project/Scope: server

Evidence				
Type	Source	Name	Value	Confidence

Vendor	file	name	svgSalamander	High
Vendor	jar	package name	a	Highest
Vendor	jar	package name	kitfox	Highest
Vendor	jar	package name	kitfox	Low
Vendor	jar	package name	svg	Highest
Vendor	jar	package name	svg	Low
Vendor	pom	artifactid	svgSalamander	Low
Vendor	pom	developer email	mark@kitfox.com	Low
Vendor	pom	developer name	Mark McKay	Medium
Vendor	pom	developer org	kitfox.com	Medium
Vendor	pom	developer org URL	http://www.kitfox.com	Medium
Vendor	pom	groupid	guru.nidi.com.kitfox	Highest
Vendor	pom	name	com.kitfox:svgSalamander	High
Vendor	pom	url	blackears/svgSalamander	Highest
Product	file	name	svgSalamander	High
Product	jar	package name	a	Highest
Product	jar	package name	kitfox	Highest
Product	jar	package name	svg	Highest
Product	jar	package name	svg	Low
Product	pom	artifactid	svgSalamander	Highest
Product	pom	developer email	mark@kitfox.com	Low
Product	pom	developer name	Mark McKay	Low
Product	pom	developer org	kitfox.com	Low
Product	pom	developer org URL	http://www.kitfox.com	Low
Product	pom	groupid	guru.nidi.com.kitfox	Highest
Product	pom	name	com.kitfox:svgSalamander	High
Product	pom	url	blackears/svgSalamander	High
Version	pom	version	1.1.3	Highest

Identifiers

- pkg:maven/guru.nidi.com.kitfox/svgSalamander@1.1.3 (*Confidence:High*)
- cpe:2.3:a:kitfox:svg_salamander:1.1.3:****:*:* (*Confidence:Low*) suppress

taskplanner.databaseaction.sample.zip: taskplanner.databaseaction.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/TaskPlanner

/DatabaseActionPlugin/taskplanner.databaseaction.sample.zip/taskplanner.databaseaction.sample.jar

MD5: 2ebe91a138718557217ff791c629c1f4

SHA1: ceb09a957cf1c61e3dbe4342bbdead5f37004681

SHA256: a7cf3f9f11b103735bfd3de89d5c3f6d79e77b2cbcca002f4b2da9c84fd0aac9

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.databaseaction.sample	High
Vendor	jar	package name	databaseaction	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2026-08-07 16:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.databaseaction.sample	High
Product	jar	package name	databaseaction	Highest
Product	jar	package name	databaseaction	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2026-08-07 16:53	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner.databaseaction.sample	High
Product	Manifest	specification-title	taskplanner.databaseaction.sample	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

taskplanner.logaction.sample.zip: taskplanner.logaction.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/TaskPlanner/LogActionPlugin/taskplanner.logaction.sample.zip/taskplanner.logaction.sample.jar

MD5: 903a137f781a657ccc9b60a4941f2321

SHA1: b8bd0c566ea71d96c57a30d3d8a151ed01f77cc4

SHA256: bf64c32667e789596abf41732a3119cefc41efa578f30b9a6936a2e9bbe75b70

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.logaction.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	logaction	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2026-08-07 16:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.logaction.sample	High
Product	jar	package name	logaction	Highest
Product	jar	package name	logaction	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2026-08-07 16:53	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner.logaction.sample	High

Product	Manifest	specification-title	taskplanner.logaction.sample	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

taskplanner.openweathermap.sample.zip: taskplanner.openweathermap.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/TaskPlanner/OpenWeatherMapPlugin/taskplanner.openweathermap.sample.zip/taskplanner.openweathermap.sample.jar

MD5: c8c4c461694853103b181dba955d9368

SHA1: c24b2aefb64518eece37ecf4ff517d897a29df6e

SHA256: 7a9bfb8acaf05f2dc60591566872a03c79e847e03cc9d90b5f0f2479160a4bb6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.openweathermap.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	openweathermap	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2026-08-07 16:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.openweathermap.sample	High
Product	jar	package name	openweathermap	Highest
Product	jar	package name	openweathermap	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low

Product	Manifest	built-date	2026-08-07 16:53	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner.openweathermap.sample	High
Product	Manifest	specification-title	taskplanner.openweathermap.sample	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar

MD5: 4d605254735512278d8d3638623f9880

SHA1: 127852169e9185a065acb99c222901d0bcade008

SHA256: 99885d22e29e2e417e77f4b9212f98e46bfe53e78297af5d5a34cabbf2327267

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.reporting-javadoc	High
Product	file	name	taskplanner.reporting-javadoc	High

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/member-search-index.js

MD5: e6436177f2a65518f5cf4b070d5493ca

SHA1: 03b6799e2b30fb06d6b5d58eff19a2510f8211e4

SHA256:fb3eb0a4e1df7921b102171037d50dcddfdf23534eff6b4b2eb86c18e61774ab
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/package-search-index.js

MD5: 731a4c022db04958505cac93a04e6b50

SHA1: 9cd30cca29d1e5da543102a71516489263024976

SHA256:a6d4a9ac4a317c37a377f7c4e515356ba2ba8d52f94e252c10404741ece73e95

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/type-search-index.js

MD5: 53b73ac2f78f40229e35ff45954719d3

SHA1: 2aaefd1bf6b75ededd8d2304f07df3407a1a723b

SHA256:05f588fbe1cb51380d1e4912b78305916920aa3402caaf0d79dcdba171748e4f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting.jar

MD5: 05daf205f50b41228a6cfc38b590a5e3

SHA1: d6aa8bc69df13f97beb890c11365a23c8432351e

SHA256: 652cbeea176aac865e764db1f695b92c16be34cdba4580d2b5d158e584f0cde8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2026-08-07 18:06	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.reporting	High
Product	jar	package name	report	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2026-08-07 18:06	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-	taskplanner.reporting	High

		Title		
Product	Manifest	specification-title	taskplanner.reporting	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting.jar: crttaskplanner.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting.jar/com/inet/report/taskplanner/client/crttaskplanner.js

MD5: ea3fd5ef6a70616ed664aaeb73227b89

SHA1: 38cee119cd4daac08a3949a972643854a1b2acc5

SHA256: 83b12efacba175acc1938d90d8bdb8f3f94802f94d39fc11dbd5a08417ef03e0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

taskplanner.zip: commons-cli.jar

Description:

Apache Commons CLI provides a simple API for presenting, processing, and validating a Command Line Interface.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/commons-cli.jar

MD5: e689f5e4947368dd0233fc28f613f561

SHA1: a461452d3e31bebf2706323f8738ec44b19c96e1

SHA256: 8f7f8605d68e15bf32db61ec94eac6fdafc51b1bdbe1e0e0802b57d23f387792

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-cli	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	cli	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	build-jdk-spec	25	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-cli/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.cli	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-cli	Low
Vendor	pom	developer email	bob@werken.com	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	ebourg@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jbjk@mac.com	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	roxspring@imapmail.org	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer id	bob	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	ebourg	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jkeyes	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	tn	Medium

Vendor	pom	developer name	Bob McWhirter	Medium
Vendor	pom	developer name	Emmanuel Bourg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	John Keyes	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer org	Ariane Software	Medium
Vendor	pom	developer org	Indigo Stone	Medium
Vendor	pom	developer org	integral Source	Medium
Vendor	pom	developer org	SpiritSoft, Inc.	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org	Werken	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-cli	Highest
Vendor	pom	name	Apache Commons CLI	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-cli/	Highest
Product	file	name	commons-cli	High
Product	jar	package name	apache	Highest
Product	jar	package name	cli	Highest
Product	jar	package name	commons	Highest
Product	Manifest	build-jdk-spec	25	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-cli/	Low
Product	Manifest	Bundle-Name	Apache Commons CLI	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.cli	Medium
Product	Manifest	Implementation-Title	Apache Commons CLI	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons CLI	Medium
Product	pom	artifactid	commons-cli	Highest

Product	pom	developer email	bob@werken.com	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	ebourg@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jbjk@mac.com	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	roxspring@imapmail.org	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer id	bob	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	ebourg	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jkeyes	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	roxspring	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Bob McWhirter	Low
Product	pom	developer name	Emmanuel Bourg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	John Keyes	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer org	Ariane Software	Low
Product	pom	developer org	Indigo Stone	Low
Product	pom	developer org	integral Source	Low
Product	pom	developer org	SpiritSoft, Inc.	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org	Werken	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-cli	Highest
Product	pom	name	Apache Commons CLI	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium

Product	pom	url	https://commons.apache.org/proper/commons-cli/	Medium
Version	Manifest	Bundle-Version	1.11.0	High
Version	Manifest	Implementation-Version	1.11.0	High
Version	pom	parent-version	1.11.0	Low
Version	pom	version	1.11.0	Highest

Identifiers

- pkg:maven/commons-cli/commons-cli@1.11.0 (*Confidence:High*)

taskplanner.zip: cron-utils.jar

Description:

A Java library to parse, migrate and validate crons as well as describe them in human readable language

License:

Apache 2.0: <http://www.apache.org/licenses/LICENSE-2.0.html>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/cron-utils.jar

MD5: 4c27537eecc6fa37ed5740b5383643c8

SHA1: 5d3738bc7a2eaa45a94a76c6e87af54a95414637

SHA256: 02af0e8b2fe93c9fa6eecf97b53b39faae14c5b996356edb132e9fe620013744

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	cron-utils	High
Vendor	jar	package name	cron	Highest
Vendor	jar	package name	cronutils	Highest
Vendor	jar	package name	utils	Highest
Vendor	Manifest	automatic-module-name	com.cronutils	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Vendor	pom	artifactid	cron-utils	Low

Vendor	pom	developer id	jmrozanec	Medium
Vendor	pom	groupid	com.cronutils	Highest
Vendor	pom	name	cron-utils	High
Vendor	pom	url	http://cron-parser.com/	Highest
Product	file	name	cron-utils	High
Product	jar	package name	cron	Highest
Product	jar	package name	cronutils	Highest
Product	jar	package name	utils	Highest
Product	Manifest	automatic-module-name	com.cronutils	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	cron-utils	Medium
Product	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Product	pom	artifactid	cron-utils	Highest
Product	pom	developer id	jmrozanec	Low
Product	pom	groupid	com.cronutils	Highest
Product	pom	name	cron-utils	High
Product	pom	url	http://cron-parser.com/	Medium
Version	Manifest	Bundle-Version	9.2.1	High
Version	pom	version	9.2.1	Highest

Identifiers

- pkg:maven/com.cronutils/cron-utils@9.2.1 (*Confidence:High*)
- [cpe:2.3:a:cron-utils_project:cron-utils:9.2.1:*:*:*:*:*](#) (*Confidence:Highest*) suppress
- [cpe:2.3:a:utils_project:utils:9.2.1:*:*:*:*:*](#) (*Confidence:Highest*) suppress

taskplanner.zip: guava.jar

Description:

Guava is a suite of core and expanded libraries that include utility classes, Google's collections, I/O classes, and much more.

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/guava.jar

MD5: d9fbf39a41a5bab891348f07668e18c5

SHA1: 8699de25f2f979108d6c1b804a7ba38cda1116bc

SHA256: 1e301f0c52ac248b0b14fdc3d12283c77252d4d6f48521d572e7d8c4c2cc4ac7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	guava	High
Vendor	jar	package name	google	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	https://github.com/google/guava/	Low
Vendor	Manifest	bundle-symbolicname	com.google.guava	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	guava	Low
Vendor	pom	groupid	com.google.guava	Highest
Vendor	pom	name	Guava: Google Core Libraries for Java	High
Vendor	pom	parent-artifactid	guava-parent	Low
Vendor	pom	url	google/guava	Highest
Product	file	name	guava	High
Product	jar	package name	google	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://github.com/google/guava/	Low
Product	Manifest	Bundle-Name	Guava: Google Core Libraries for Java	Medium
Product	Manifest	bundle-symbolicname	com.google.guava	Medium
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	guava	Highest
Product	pom	groupid	com.google.guava	Highest
Product	pom	name	Guava: Google Core Libraries for Java	High
Product	pom	parent-artifactid	guava-parent	Medium
Product	pom	url	google/guava	High
Version	pom	version	33.5.0-jre	Highest

Identifiers

- pkg:maven/com.google.guava/guava@33.5.0-jre (Confidence:High)
- [cpe:2.3:a:google:guava:33.5.0:*:*:*:*:*](#) (Confidence:Highest) suppress

taskplanner.zip: taskplanner-javadoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar
MD5: 88409d391a3509c5fdaaf5948e1e877a
SHA1: 97627eefc375fa07e1b587fb918458ae89bb3c0c
SHA256: 375616aadcca25e5cba84c3f0c83a033aed747f24ddd2aa972bde0936b3ce1f7
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner-javadoc	High
Product	file	name	taskplanner-javadoc	High

Identifiers

- None

taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/member-search-index.js
MD5: ba2bd4ca27eb843fc9651bd99c826c2e
SHA1: aa0cf01bcdf89bc5ad477f9fe94ebca96226ecce
SHA256: 1c540458582297dee507d5ab045a946d9583bfa418e894ea428aa9560929c1ea
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/package-search-index.js

MD5: 255e24c89b3410ec719bc3e25178f792

SHA1: 6bc183e49cd63d4cc20af2cbeca91bd9ee190f0c

SHA256: 606dafa606a4f2884b54590b2a16b160220e981209dd992bc1c0f68baf1165cc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

taskplanner.zip: taskplanner-javadoc.jar: tag-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/tag-search-index.js

MD5: ec278f4b13380caca9964618a9dfd79f

SHA1: 1eb71a3e466628ff69b06ea2bd04d8153c919da4

SHA256: 7a1f884ab397213a8d63202a55620934550f6ca917942a91fee40d375eba9e72

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/type-search-index.js
MD5: 7aea8ee7d728c052487d23b5abb794c0
SHA1: c6c62d2fa8f3c5f874b3b5c9b4484d380fa6aaac
SHA256:f9091ab1a896b609e3fa3cd8419cdac84e9c9d87e570f9a6387dbb212b824e10
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

taskplanner.zip: taskplanner.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar
MD5: a4e4b1406edd49d432ec5ca9077dcb5b
SHA1: 37be2ae055a7bddc2736e281c242cd20219ddd9f
SHA256:21ce857d7df44acb10920638e3dc8e2f40aadeb2e0d4f833f2e55270cb135cc5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2026-08-07 16:27	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner	High

Product	jar	package name	api	Low
Product	jar	package name	server	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2026-08-07 16:27	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner	High
Product	Manifest	specification-title	taskplanner	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

taskplanner.zip: taskplanner.jar: app.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/app.js

MD5: 22be8e86a9121096b162ff523e37842e

SHA1: cc6010fdc028f0b9c5c95def16c69e3bab116bf0

SHA256: 511c001c378b9f9e28f261cafaa88892acb5a29743c50d5daf15dd869357bc0c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

taskplanner.zip: taskplanner.jar: boolean.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/boolean.directive.js
MD5: 8dcbd2299e9082c7d30047c62d84fa7d
SHA1: 46e20aa1bd139542182a754edf0eaa8fa8684782
SHA256: f28e377c325d8ac419426606ae56bbb78e523210087910b9a595d87235d4eed0
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

taskplanner.zip: taskplanner.jar: colorField.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/colorField.directive.js
MD5: 6befac83d2b0754235fb738ada07b8db
SHA1: fa581823e83812639dd7a834b580619472492cff
SHA256: 299ff7b917c507bb852d4c8f7a305e545c214806ae816b47aa9f2b37928a5154
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

taskplanner.zip: taskplanner.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/controller.js
MD5: 7dbf39d0cdcf00b240d27828c8e1fa97
SHA1: 194abbb1c7955dcc8ef0db5a5957879e287f21b4
SHA256: a7886e872027c47e61d05e20b1abc56e5044e5446118f348e6d54d520be98f8e
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

taskplanner.zip: taskplanner.jar: factory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/factory.js

MD5: 13d732709b3814f00a145092b1f70217

SHA1: aba04c5f27c6e9377ea7e143303dbe557081952e

SHA256: 421e6efc1ed786c72d76b700d64665062ac4fd6928ca91437109f3bf65063d83

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/filechooserAddonButton.directive.js

MD5: 1dbc17a2a4e1fc7930dda7d5d3e4630a

SHA1: 350be18d05b89c69fa3167a09822876d21a42143

SHA256: 140100d27da0900d67a30dadcf9971ed9eff5c2787aa5814b930f986615c6abb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

taskplanner.zip: taskplanner.jar: model.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/model.js

MD5: 6588aaa8413e5a66b75a1b3ec7fde632

SHA1: a7d2f8faa89de31ddb8f98a380c2f80375644c57

SHA256: 77a97db15204e8e3ab86b6f0c11ee95c91f327e70ec7582367d15d9644384919

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

taskplanner.zip: taskplanner.jar: numberRange.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberRange.directive.js

MD5: e98f0aec3fd059575c390f4488396764

SHA1: 5fb36b30f1022112f5da2a9373fa562859a8f05d

SHA256: 2164d0a1c06a1750c41b3be860ade120946d0091f3f6c512241235601c3f74b6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

taskplanner.zip: taskplanner.jar: numberWrapper.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberWrapper.directive.js

MD5: c71128c3dac942fc1d5d488562b727a0

SHA1: 51e1419abd22f7f48debceb976752bfec46e36f4

SHA256: 3c3f6b8e5bcc8bf32a3cf2192a10de8472100d195cc2b08c4ff860a0dcb9bacf

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

taskplanner.zip: taskplanner.jar: passwordTextField.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/passwordTextField.directive.js

MD5: 3c1bcad68930caf2fa88697134624473

SHA1: 6c25ac7bd32b0c40b2202c9dc43f83842c55f846

SHA256: 4620ce8c28a46c1675c50490a25f14d481e8910a7b3687a4bb712d73c80f3d73

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

taskplanner.zip: taskplanner.jar: renderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/renderer.directive.js
MD5: 3e232b940bcd532e99c88f5b95bf60b2
SHA1: a051ce6df82ad9673fc1b23bafc3670d70bb4cac
SHA256: b930dc86802f4307b5f6d4671f27dac5bd85d5766f32567f5479ecc9077bf5a3
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleCurrencyField.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleCurrencyField.directive.js
MD5: 54ae56c2f76e7b601b9e9785dc51a623
SHA1: af05845b893807b4460bc65fa189700abcb4dc82
SHA256: 847d6da58f5887edac53896e6bec4dde5b293a08a8ac6e421aa2847991f3b877
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleDateTimeField.directive.js
MD5: 53d33b9956ea6ffea7cb1fef5e878961
SHA1: 2388423f76a1b38cb2e5729e57a113245e1d3f2d
SHA256: 7cbb2507fe22dfec607af8d76d85317a395c3ebb98e31ec9be26e73350dbcd9f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleFileFolderField.directive.js

MD5: 76de6683bc2d43547059d2f746b9524f

SHA1: c6ce84f2d2a89f07c4f05e95137abcdade89cec5

SHA256: 7e15aca0687784f1221b8c76328af4d013a0a1573a56232d880c4b60cd3311a0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleGroup.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleGroup.directive.js

MD5: d69a3c1dd5569172999325602506517f

SHA1: 780808312f5a19e0b6726453655b1911dde585bc

SHA256: 4eada3908c9db4213e058eb378f9f7f28e7e96e0ee3de2817f5d408b88176dc5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleLabel.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLabel.directive.js

MD5: ecbe7da1cc7d51e0bd4e73e7c2fad4df

SHA1: d16a32bb34f1ff4d0f4740a06660ed72f4eca1fc

SHA256: 2b533fa13f74789de6b02fb037bfd7eae3b8b6e7d0f851a66f57739f565fd453

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleLink.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLink.directive.js

MD5: 525dc45cb1886c4808186e1094480bba

SHA1: 7198a40b645128e0495d6d04c008b31b37faf827

SHA256: 7f2b60bda8c8e3938f9e8762c000606909ba0411aa784a202c93a1b2371cd82e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleSelect.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleSelect.directive.js

MD5: e54a750acec037585e380229a6b74b39

SHA1: a6323f355bb4da4cdcac24be2572fec96332bfa8

SHA256: 39d6b66fe24beb027a1445157af449f17a51069e0887603b4eaf624474b5ee6c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleTextField.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleTextField.directive.js

MD5: 998a4b2340386c5ff39fd74451642547

SHA1: b0025705125d1a18bec3624d0eb34176bb332c9d

SHA256: 8a7ad2a61dbd1c78565a7626a8c100523c97984be77d431929041f19e2f24c1c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

taskplanner.zip: taskplanner.jar: stringTable.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/stringTable.directive.js
MD5: 2731ad8625d24769bc3f9727361b4d6f
SHA1: d0c7a2e05d815252c80a51064ffe4d66f0d18843
SHA256: db785a8486fd5f45ef2a56d1d977afa0b445bf4491e1b429a9863c46e5a2d35a
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

taskplanner.zip: taskplanner.jar: taskplanner_maintenance.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/maintenance/taskplanner_maintenance.js
MD5: c4330ed5aced8829454f0e8893f8725c
SHA1: 178b4ecba1c10e50c162c7e09dc5f4b643303508
SHA256: 3ba039d8a74f4fd350441ef7a9f1f98322eb951887ee1635c7d78c66c8908b53
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

taskplanner.zip: taskplanner.jar: textAreaField.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/textAreaField.directive.js
MD5: 46bf6266b3aa8c7d331c34aa58185b2d
SHA1: f6348f31ef689122ec81b2dac2455e15f4b561e6
SHA256: 4f679ccc7d9fdb172764575fb3e9dfbb3cb21d370b3adcf06b17fd7326f877b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

theme.zip: theme.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/theme.jar

MD5: caa2faab9755cd871885281843a9647b

SHA1: 50905117515301b1e6afc25f16a441a82b1c2925

SHA256: 68808123a61929a0ebf56bf541a9a168fe811fa1b62f4b18d02bcc911c2c3cf6

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	theme	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	theme	Low
Vendor	Manifest	built-date	2026-08-07 16:20	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	theme	High
Product	jar	package name	server	Low
Product	jar	package name	theme	Highest
Product	jar	package name	theme	Low
Product	Manifest	built-date	2026-08-07 16:20	Low

Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	theme	High
Product	Manifest	specification-title	theme	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

ucanaccess.jar

Description:

Open-source pure Java JDBC driver for Access databases. Allows Java developers and client programs (e. g. OpenOffice, LibreOffice, Squirrel SQL) to read and write various versions of Microsoft Access databases.

License:

The Apache License, Version 2.0: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/ucanaccess.jar

MD5: dc57bd6d60f2b6bf314788be16fff542

SHA1: 905f9e3aaa76115bbc39e429676bc8244ca4f33f

SHA256: c20424d056cbff4507dfcd836f5f50d88fd26933790ae4ee1048ab3bbda281ba

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ucanaccess	High
Vendor	jar	package name	jdbc	Highest
Vendor	jar	package name	sql	Highest
Vendor	jar	package name	ucanaccess	Highest
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	Implementation-Vendor	UCanAccess	High
Vendor	Manifest	specification-vendor	UCanAccess	Low
Vendor	Manifest	x-basepom-build-id	8825a102-8272-8982-6c43-c9c2fe1f9e20	Low

Vendor	Manifest	x-basepom-git-commit-id	d226275b6129dd02328c7a8597870e04fa7d06	Low
Vendor	Manifest	x-basepom-name	UCanAccess	Medium
Vendor	pom	artifactid	ucanaccess	Low
Vendor	pom	developer email	amadei.mar@gmail.com	Low
Vendor	pom	developer email	gordonthompson@users.sf.net	Low
Vendor	pom	developer email	spannm@outlook.de	Low
Vendor	pom	developer id	\${developerId}	Medium
Vendor	pom	developer id	marco-amadei	Medium
Vendor	pom	developer name	Gord Thompson	Medium
Vendor	pom	developer name	Marco Amadei	Medium
Vendor	pom	developer name	Markus Spann	Medium
Vendor	pom	developer org URL	\${githubBaseUrl}	Medium
Vendor	pom	groupid	io.github.spannm	Highest
Vendor	pom	name	UCanAccess	High
Vendor	pom	organization name	UCanAccess	High
Vendor	pom	organization url	\${project.url}	Medium
Vendor	pom	parent-artifactid	basepom-oss	Low
Vendor	pom	parent-groupid	org.basepom	Medium
Product	file	name	ucanaccess	High
Product	jar	package name	jdbc	Highest
Product	jar	package name	sql	Highest
Product	jar	package name	ucanaccess	Highest
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	Implementation-Title	UCanAccess	High
Product	Manifest	specification-title	UCanAccess	Medium
Product	Manifest	x-basepom-build-id	8825a102-8272-8982-6c43-c9c2fe1f9e20	Low
Product	Manifest	x-basepom-git-commit-id	d226275b6129dd02328c7a8597870e04fa7d06	Low
Product	Manifest	x-basepom-name	UCanAccess	Medium
Product	pom	artifactid	ucanaccess	Highest
Product	pom	developer email	amadei.mar@gmail.com	Low
Product	pom	developer email	gordonthompson@users.sf.net	Low

Product	pom	developer email	spannm@outlook.de	Low
Product	pom	developer id	\${developerId}	Low
Product	pom	developer id	marco-amadei	Low
Product	pom	developer name	Gord Thompson	Low
Product	pom	developer name	Marco Amadei	Low
Product	pom	developer name	Markus Spann	Low
Product	pom	developer org URL	\${githubBaseUrl}	Low
Product	pom	groupid	io.github.spannm	Highest
Product	pom	name	UCanAccess	High
Product	pom	organization name	UCanAccess	Low
Product	pom	organization url	\${project.url}	Low
Product	pom	parent-artifactid	basepom-oss	Medium
Product	pom	parent-groupid	org.basepom	Medium
Version	Manifest	Implementation-Version	5.1.5	High
Version	pom	parent-version	5.1.5	Low
Version	pom	version	5.1.5	Highest

Identifiers

- pkg:maven/io.github.spannm/ucanaccess@5.1.5 (Confidence:High)
- cpe:2.3:a:www-sql_project:www-sql:5.1.5:*:*:*:*:* (Confidence:Low)

suppress

url.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/url.min.js

MD5: 75e723c1800e08b6cd999747af02fd12

SHA1: 3cab97b3463e65160c152b7e2d5ccfcd000c7f09

SHA256: ad01e8570d6ded72227d179b7609c4f8723d82d5814774d0d1ffce6de6d87fd4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

urlcookie.sample.zip: urlcookie.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/UrlCookiePlugin/urlcookie.sample.zip/urlcookie.sample.jar

MD5: 773dcd4bde3bb41ed47fa371ff9a0137

SHA1: 2a10f5a8a10d4a6602e49364623b7f1c9453e7b0

SHA256: 4fe553f0ddf514f1b334b4bbc037760b93cea13ade05fa14b8107d45c298b6dc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	urlcookie.sample	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	urlcookie	Low
Vendor	Manifest	built-date	2026-08-07 16:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	urlcookie.sample	High
Product	jar	package name	authentication	Low
Product	jar	package name	urlcookie	Highest
Product	jar	package name	urlcookie	Low
Product	Manifest	built-date	2026-08-07 16:53	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	urlcookie.sample	High
Product	Manifest	specification-title	urlcookie.sample	Medium

Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar

MD5: 398c6bd1421a26c175661691a6a4cc2e

SHA1: a9aea1c2e85216823e1efc9f72cfbcee14db280a

SHA256:100a2b78f3f14b85093e042021950ea2eab80208b5a5280313f09cf5440d29f1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	usersandgroupsmanager	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	usersandgroupsmanager	Low
Vendor	Manifest	built-date	2026-08-07 16:46	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	usersandgroupsmanager	High
Product	jar	package name	server	Low
Product	jar	package name	usersandgroupsmanager	Highest
Product	jar	package name	usersandgroupsmanager	Low
Product	Manifest	built-date	2026-08-07 16:46	Low
Product	Manifest	implementation-group	shared	Low

Product	Manifest	Implementation-Title	usersandgroupsmanager	High
Product	Manifest	specification-title	usersandgroupsmanager	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeAccountSettingsRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer
/fieldtypeAccountSettingsRenderer.directive.js

MD5: 136a634e0236a238529acf990312d10e

SHA1: 75518847c3c3aa3737e31149c6834bb6c40f4606

SHA256: 9901a11fad82515fe2425d4f07163b716e8dfa8233196e7fcdc8f21b3aca6817

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeBooleanRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer
/fieldtypeBooleanRenderer.directive.js

MD5: e6bb2b0218c39ede42d1779e09d0b306

SHA1: bfedb33d3a2d6896458956fdc4209692d43e0d02

SHA256: 7e4281e4831ef87da9cf9e032009349bcf48c35a0b2769e742a978cdda8de750

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeCommaSeparatedRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeCommaSeparatedRenderer.directive.js
MD5: c951e088eb99044087cb876a2ad80f5c
SHA1: f2b74d24949b8a35f38a36bbff7f12a73c939305
SHA256: fffae5f607dd4f6b565ae943bb15075423a58f6601346c1fc670985cd1da7f9b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeCurrencyRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeCurrencyRenderer.directive.js
MD5: 64550819586104467e438b403590e32a
SHA1: e6c4957a7648c8baa484227d04cad8a186aac008
SHA256: e8d9d2cffbcd1355ea33fe7d3615a95c3cef34b5be3445be5fe9bddd1b54b38f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeDateRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/rendererer/fieldtypeDateRenderer.directive.js

MD5: 44f37b8866281fc7c293da24a2c85a70

SHA1: 90bf5ee3414c0b14352fece7ff49252f0993ee34

SHA256: 3cd49a8b48976c1456092476ff9e09678ade7ec6909c5e0f59f6f570b92c4256

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeDoubleRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/rendererer/fieldtypeDoubleRenderer.directive.js

MD5: 65ddc17ce6fe22f66db3066174836be4

SHA1: a6f9bedc7c489f3e0f3b4ff366e2f892a08bf29c

SHA256: ec52f2531296ff86fda9a20858daf87e52ac3dfaf1bc942daae33c7513fac7e4

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeHintRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldTypeHintRenderer.directive.js

MD5: 9c0f5b5dde50569ef2e9efb5feef050

SHA1: 3793878df0a194ac7445ae9076fd1f235cf26a42

SHA256: d4a42152b9ce8527dc853e66f110464f038f4c885cf1df7fe415203dbcb8148b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeIntegerRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldTypeIntegerRenderer.directive.js

MD5: fb567b3054e16ecd92115183e677f194

SHA1: a956bb37b828d2b0016c3e63df573291cf3a65c1

SHA256: a25204639ecdb47cfdeaaba8461fe9caedc30b4fa3afa5865b502880c4c3fb80

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeLinkRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeLinkRenderer.directive.js

MD5: b4e5347a3fc15cee057d292ac2fe7d91

SHA1: 70fba39954e7947be220792ce9d792ecfec06748

SHA256: 33ad47fd4a0e7943e9a39fdf239becc5fd54c4a1b9be4c727c27daf720b0d1e7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeLoginsRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeLoginsRenderer.directive.js

MD5: 77e510f9e074e3104df3096deb39cd91

SHA1: 68e57a5859aa1073fdb62dd1102867d0c7db3c9f

SHA256: 70fdfe453166ed5a8bae30f56d71e5e52c58c98db676853519a0d35dd71de650

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
fieldtypeMembersRenderer.directive.js**

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer
/fieldtypeMembersRenderer.directive.js
MD5: 110c0a60b3a8824c7cf38b3cfd38423b
SHA1: b130d47d83af3073663f95cfe0392d9c055d06cd
SHA256: e34d1d921aada8085754efea61b320506608504a2332d0b186031e7beba524f2
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
fieldtypeMultilineRenderer.directive.js**

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer
/fieldtypeMultilineRenderer.directive.js
MD5: 5b24949676b9be3413f73641882f7125
SHA1: 1b5266b7516f4a6f4e1b25dc128969f10b0a8c09
SHA256: 698d88b748ec45a4e7bdd87b1c97472d8868165551ae5ecf7d0159925c92ed71
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
fieldtypePermissionRenderer.directive.js**

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypePermissionRenderer.directive.js

MD5: cf56b95e7c81bb7bb0027f214dde9847

SHA1: b098c8143c168614aac2a46fda4bf02078b31f9e

SHA256: c8f403974591a2b05c630a7117596fd64540d53205808bee40d6ede27a166790

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeSelectRenderer.
directive.js**

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeSelectRenderer.directive.js

MD5: 96d7f09370447ddd5aec98e86896001f

SHA1: 42d97ea9de26906450eda22c70d6da2420469c84

SHA256: 08aa4784c039f07dd522b3e5a73c8890a71983b4d25409afb6c31b41d8787f42

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
fieldtypeStayLoggedInSessionsRenderer.directive.js**

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer
/fieldtypeStayLoggedInSessionsRenderer.directive.js
MD5: 8f7246a8c4620515a714dd858c7b0847
SHA1: bab49440daa202026ce7fdb25d3c3ab7d0ac2473
SHA256: 85a66f84209b323ddf4e87ee26891210234ea42bfc20d6befdc3074cde326595
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStringListRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer
/fieldtypeStringListRenderer.directive.js
MD5: ecfa08e9586484891e935de461582539
SHA1: 128276640372b4e442f5c63c643c908710c7fedf
SHA256: aff8a656bfc2d940c02a861b600e4a95cefa61453508fb2b8659fe42582bccea
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStringRenderer. directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip

/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeStringRenderer.directive.js
MD5: 6e46d5a536692ff278cf276eeb7151bb
SHA1: 11b326f65d25098d5d02c6077e20b867d5c331ec
SHA256: b2158332ea8f76ceee5435e803e4def4b559a3216ce6eae90e0385d1554d3924
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeTimeRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeTimeRenderer.directive.js
MD5: 8513454094f6efb43b4257acfab955f
SHA1: 56784b3ea31cc21416f65da1661b7c18b8e9eb5e
SHA256: 3758a9259a963b155469b4d6b979fd30fee14edcaca155910f20b33b7d2a9d7f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeTimerangeRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeTimerangeRenderer.directive.js
MD5: 8ca11f921f530ae3c6d14011f1026be2

SHA1: 123f12b6375637b6819435453cbfc089589514d6
SHA256: 3e31b81046fd3a24c691fc82c45f4779912d02b3bad3ca52366670c31042edfe
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: membershipentry.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/membershipentry.directive.js

MD5: 84693fc1ef165371ef27b1475ee7408c

SHA1: d49e9b44b5d99f5b63a93dcb031d51aea068ca3c

SHA256: f3fecadbb3c511b7c006eb44006d5203c16f180a1cbb260c756f0b3b670a55d8

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: membershiplist.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/membershiplist.directive.js

MD5: 9de8f2f539c79244aa95473d497004db

SHA1: dab0863017fbaf80d7da94770dbb17d87cff3a80

SHA256: 2939b841bcd7d14e9874e99c72e4c0f58e7c8f5b485fe04158782c2b0d3cdcd1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: nonmembershiplist.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/nonmembershiplist.directive.js

MD5: 22269c6c1e32356a15788a694358c895

SHA1: c4909db34c175ff0621e17f241f66994e0516bc6

SHA256: 1f276cac3365d03c06572f9325217ffc7c65db411b5d40035f818c4890e66ffc

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: permissionCheckboxRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/permissionCheckboxRenderer.directive.js

MD5: f43b62e6ec19922b603e65ac0d9811bc

SHA1: b82e36201fade72e6423ba980d5351e13c657bbb

SHA256: e3d32df00dc3c4d43110a9a8f277ce1383c133b6912f0154626190931c6daff7

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: permissionRadiobuttonRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer
/permissionRadiobuttonRenderer.directive.js

MD5: b2674a06f9fcfb8cab9196229817a52c

SHA1: 2816becffb93dad552e07d80fb7e5042e13f1d26

SHA256: 07270db8fca85c74ed49ae3f2345692c66443c01ef0be67234cc3d01e0873675

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagercontroller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagercontroller.
js

MD5: 3966dde5288327ce4a7664ffa146425f

SHA1: 9f1156c2c726e731d362aff1b4bf1f611da47c70

SHA256: bf3ede557a367f1cca803b9a259d1cc6c8f4109e6b381d08ea43c1360e7f9598

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdetailscontroller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdetailscontroller.js
MD5: cd4b90a897c42eb0c1a38f660153f739
SHA1: c582f35a31ed251b2b02456bf79fcb8e6edbf9dc
SHA256: 656c50c31f9f812740468c695b10f58d1e54b770765a25e7be047e661e305870
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdialogcontroller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdialogcontroller.js
MD5: e35a43fa1eb935369c4e018ff1ee7640
SHA1: d239261c725a4ba6e6efa911b48e4909c5372d69
SHA256: 3625665593e42ba14b5b40999ac21bdaaeaa0baa80831182e221207a5019b541
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdirectives.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js
/usersandgroupsmanagerdirectives.js

MD5: e1d11e0ea312cfb6b0e395077779112b

SHA1: 3d63a2c1282afd900c5d74643ba4c1e61bb4118a

SHA256: 98f7717de0a411a3513e01b7126c19ad53f28a4b4d62183b77083195660ed7ab

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagereffectivepermissionscontroller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js
/usersandgroupsmanagereffectivepermissionscontroller.js

MD5: e38beee6d03d93074acba84010e4c176

SHA1: d27284aae10d28fac162196094e0196c7c2486cf

SHA256: c2c9dd56c576d23e8038048090751071a5b29f53bb9fbbba03d42cedb31d927d0

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
usersandgroupsmanagerfactory.js**

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerfactory.js
MD5: 94ac82f47d59b465f5bfc271f16543f3
SHA1: eeb9fff4352ecf04ab487cf0168b7c2911b2d01b
SHA256: 3bcc388d9d2174651a443c62b5a7dde3f08f38ff8a918c9c154277660be520eb
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
usersandgroupsmanagermodel.js**

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagermodel.js
MD5: 6a3ab01b9cf9fe9c45e4228f3f0a449e
SHA1: 2bfe0e4bf86ed5c09f3e70231a4f30f64cf930d2
SHA256: 01056b1c5b989974d14013791592960bc20677ef95883092a6d52f78a2a44503
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
usersandgroupsmanagerpredeletionwarning.js**

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js
/usersandgroupsmanagerpredeletionwarning.js
MD5: 2e963c8f1de1c02f2a9c062f03aff6a5
SHA1: 1f5065e679fefcb1e927248cecf615950df2d1f
SHA256: 8cea620f3d0600315b5b8296a91d5b5826093ee4c728d432dd1f00460347aff5
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerrenderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerrenderer.
js
MD5: 66a9eef845301ec92243566a8a8a5fd0
SHA1: 07cdb6a5a6e3d559c7e69fc37aeb1261d9e8c54b
SHA256: b8aba3f0ce4c611245296998ca48c1ba116b76a9aedef381e7ccfa69411b8b4bc
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerstatisticscontroller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js
/usersandgroupsmanagerstatisticscontroller.js
MD5: 15db7d8e1d9c9102dff09a6540eacfdc
SHA1: 0ca6006da11c419453850c3ec9ec855c42e7b58b
SHA256: 6d215333ea6f212da404f333e073a3ca4ab48c921f75f159950694913b1b17bf
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagertakeoutcontroller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js
/usersandgroupsmanagertakeoutcontroller.js
MD5: aecb7916c7ddc1ab36bb620e0bba61aa
SHA1: e98561144eeaf1048f88096ef4adeb4de63d971f
SHA256: cdb865f01764972194727fb6a715369b4353c620ecfdbbeadc40021144b7361c
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

webapi.core.zip: swagger-models.jar

Description:

swagger-models

License:

"Apache License 2.0";link="http://www.apache.org/licenses/LICENSE-2.0.html"

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/swagger-models.jar

MD5: e1b0c208c57963b85beef172bd425a4a

SHA1: af8513df854f1e720c47efc4319ac84f06259bcd

SHA256:397821e0d4be1bc8a6aab5ce943df1d5dd0551cd53b27aed63974e33ea4f6cac

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	swagger-models	High
Vendor	jar	package name	io	Highest
Vendor	jar	package name	oas	Highest
Vendor	jar	package name	swagger	Highest
Vendor	jar	package name	v3	Highest
Vendor	Manifest	automatic-module-name	io.swagger.v3.oas.models	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-developers	frantuma;email="frantuma@yahoo.com";name="Francesco Tumanischvili",fehgyu;email="fehgyu@gmail.com";name="Tony Tam",webron;email="webron@gmail.com";name="Ron Ratovsky"	Low
Vendor	Manifest	bundle-docurl	https://github.com/swagger-api/swagger-core/modules/swagger-models	Low
Vendor	Manifest	bundle-symbolicname	io.swagger.core.v3.swagger-models	Medium
Vendor	Manifest	mode	development	Low
Vendor	Manifest	url	https://github.com/swagger-api/swagger-core/modules/swagger-models	Low
Vendor	pom	artifactid	swagger-models	Low
Vendor	pom	groupid	io.swagger.core.v3	Highest
Vendor	pom	name	swagger-models	High
Vendor	pom	parent-artifactid	swagger-project	Low
Product	file	name	swagger-models	High
Product	jar	package name	io	Highest
Product	jar	package name	oas	Highest
Product	jar	package name	swagger	Highest
Product	jar	package name	v3	Highest
Product	Manifest	automatic-module-name	io.swagger.v3.oas.models	Medium

Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-developers	frantuma;email="frantuma@yahoo.com";name="Francesco Tumanischvili",fehgy;email="fehgy@gmail.com";name="Tony Tam",webron;email="webron@gmail.com";name="Ron Ratovsky"	Low
Product	Manifest	bundle-docurl	https://github.com/swagger-api/swagger-core/modules/swagger-models	Low
Product	Manifest	Bundle-Name	swagger-models	Medium
Product	Manifest	bundle-symbolicname	io.swagger.core.v3.swagger-models	Medium
Product	Manifest	mode	development	Low
Product	Manifest	url	https://github.com/swagger-api/swagger-core/modules/swagger-models	Low
Product	pom	artifactid	swagger-models	Highest
Product	pom	groupid	io.swagger.core.v3	Highest
Product	pom	name	swagger-models	High
Product	pom	parent-artifactid	swagger-project	Medium
Version	Manifest	Bundle-Version	2.2.41	High
Version	Manifest	implementation-version	2.2.41	High
Version	pom	version	2.2.41	Highest

Related Dependencies



- webapi.core.zip: swagger-annotations.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/swagger-annotations.jar
 - MD5: 6aadd2c0cf6cac24441e2c49ce13c80f
 - SHA1: 6429f5c1339c287d88619036ec17297991395417
 - SHA256: f43467d3d1aed5558e84b9505abbdc5117f59695b5f36e4c33b349d5c2c39d88
 - pkg:maven/io.swagger.core.v3/swagger-annotations@2.2.41

Identifiers

- pkg:maven/io.swagger.core.v3/swagger-models@2.2.41 (*Confidence:High*)
- cpe:2.3:a:http-swagger_project:http-swagger:2.2.41:***** (*Confidence:Low*)

suppress

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar
MD5: 8087fba559cdb6730747922c102668bd
SHA1: c33104ac46521011ad734fe7f5ed6fba4797914a
SHA256:87089e5aa1b3826f478d2e8a0b2b610b1cb668b46fa84fbdf2d6e5edeb90ffce
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	webapi.core	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugin	Low
Vendor	jar	package name	webapi	Low
Vendor	Manifest	built-date	2026-08-07 16:22	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webapi.core	High
Product	jar	package name	plugin	Low
Product	jar	package name	server	Low
Product	jar	package name	webapi	Highest
Product	jar	package name	webapi	Low
Product	Manifest	built-date	2026-08-07 16:22	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webapi.core	High
Product	Manifest	specification-title	webapi.core	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

webapi.core.zip: webapi.core.jar: shared.factory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/shared.factory.js

MD5: 71ebae03129e5cfe9a365b5e720e3490

SHA1: ea9693443bf3c22859304d80e0211f93bf497cae

SHA256: 241a674b73b581ebcf526dec899352c4c538d0d7fd8f70cf9d4e8e9090ed889e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

webapi.core.zip: webapi.core.jar: webapi.codemirror.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.codemirror.js

MD5: e37705cda1cd7e6eb4408e5d4fe774fa

SHA1: 1c74dd696c40608ba0a369d96c27365c327b64a2

SHA256: 4cb0f58de26541e79a05e5c326492f4650175cebd514d7fb797acd90c89b6e0e

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

webapi.core.zip: webapi.core.jar: webapi.core.editor.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.core.editor.js
MD5: 0f186644fa1082401ecc910c0be91f51
SHA1: 569dbaab077a37a1ea1121afa06aeefac2c945e3
SHA256: fb23237975712b0dc682ec16c872107c0f3226cfc1872bda4c8da6e4a010b560
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

webapi.core.zip: webapi.core.jar: webapi.core.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.core.js
MD5: 0c00e5e824de4b6038adbe1bcb6ee87f
SHA1: 02fe68638167ae36cf137419f1db2364d1141faf
SHA256: 35421bda275eb1ea8a4b87517a5bee5b3ba8c1a61094e276198530b875a5c64b
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence

Identifiers

- None

webserver.defender.zip: webserver.defender.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.defender.zip/webserver.defender.jar
MD5: f8b0584ea5a43fc79e835df6f92a8e57
SHA1: 3952f41e00fc6b4464179b70e0dba1bd49d66eac
SHA256: aedadb229a57b9f74ed06c4b43ad245d195c680e2a2bed4354b6a9a753f7d6a4
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	webserver.defender	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	webserverdefender	Low
Vendor	Manifest	built-date	2026-08-07 16:56	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webserver.defender	High
Product	jar	package name	webserverdefender	Low
Product	Manifest	built-date	2026-08-07 16:56	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webserver.defender	High
Product	Manifest	specification-title	webserver.defender	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

webserver.zip: acme4j-client.jar

Description:

ACME client for Java

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/acme4j-client.jar

MD5: 7dc0b1c03b3cc50a9a4ff57198d681e5

SHA1: 61a9eac083a03d76d16bef326e2141e84ebfe36f

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	acme4j-client	High
Vendor	jar	package name	acme4j	Highest
Vendor	jar	package name	shredzone	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	pom	artifactid	acme4j-client	Low
Vendor	pom	groupid	org.shredzone.acme4j	Highest
Vendor	pom	name	acme4j Client	High
Vendor	pom	parent-artifactid	acme4j	Low
Product	file	name	acme4j-client	High
Product	jar	package name	acme4j	Highest
Product	jar	package name	shredzone	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	pom	artifactid	acme4j-client	Highest
Product	pom	groupid	org.shredzone.acme4j	Highest
Product	pom	name	acme4j Client	High
Product	pom	parent-artifactid	acme4j	Medium
Version	pom	version	3.5.1	Highest

Identifiers

- pkg:maven/org.shredzone.acme4j/acme4j-client@3.5.1 (*Confidence*:High)

webserver.zip: jetty-websocket-core-client.jar

Description:

Jetty Core WebSocket Client Artifact

License:

EPL-2.0 OR Apache-2.0
<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-websocket-core-client.jar
MD5: 41f895a2d6a51ea3892fc94c3cd4a5fc
SHA1: 0f61459fdf76f4fb43184a253e9a7b7dfc684569
SHA256: d4e33a4293955b48f22f53d45820adc6c42869590fc890f26f1f05a55b0e586f
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jetty-websocket-core-client	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	jetty	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	25	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	https://jetty.org/	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.client	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	https://jetty.org/	Low
Vendor	pom	artifactid	jetty-websocket-core-client	Low
Vendor	pom	groupid	org.eclipse.jetty.websocket	Highest
Vendor	pom	name	Core :: Websocket :: Client	High
Vendor	pom	parent-artifactid	jetty-websocket	Low
Product	file	name	jetty-websocket-core-client	High
Product	jar	package name	core	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	jetty	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	25	Low
Product	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	https://jetty.org/	Low
Product	Manifest	Bundle-Name	Core :: Websocket :: Client	Medium
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.client	Medium
Product	Manifest	url	https://jetty.org/	Low

Product	pom	artifactid	jetty-websocket-core-client	Highest
Product	pom	groupid	org.eclipse.jetty.websocket	Highest
Product	pom	name	Core :: Websocket :: Client	High
Product	pom	parent-artifactid	jetty-websocket	Medium
Version	Manifest	Bundle-Version	12.1.11	High
Version	Manifest	Implementation-Version	12.1.11	High
Version	pom	version	12.1.11	Highest

Related Dependencies



- webserver.zip: jetty-client.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-client.jar
 - MD5: 81796587833e03a8316288f713a6f2c2
 - SHA1: 1017edd970e1c6114a7ba2670973519bfb8d34b
 - SHA256: 06b481c48e0047a4a0022015060c513d74a433d532abb347f335ac54273942fd
 - pkg:maven/org.eclipse.jetty/jetty-client@12.1.11
- webserver.zip: jetty-ee11-servlet.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee11-servlet.jar
 - MD5: 29190773a7603aeefa0c685baa2314ea
 - SHA1: da463e59465e2a08e4651d525e368246783c5d76
 - SHA256: f88e19a29f4e46322df60fe43d5ac4d852edefad923e8c38ef17ff14dc522e84
 - pkg:maven/org.eclipse.jetty.ee11/jetty-ee11-servlet@12.1.11
- webserver.zip: jetty-ee11-servlets.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee11-servlets.jar
 - MD5: 015a9b2d9161561bcebe822b9dec6197
 - SHA1: 7bb52caa91017933cb86d74685016ae0914190e0
 - SHA256: 015c0a201d59e48b421f366d711674e4c3fb82dd3049dde12eb47b2e7c18aafd
 - pkg:maven/org.eclipse.jetty.ee11/jetty-ee11-servlets@12.1.11
- webserver.zip: jetty-ee11-websocket-jakarta-client.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee11-websocket-jakarta-client.jar
 - MD5: ada0ac6e5bbd766e87fd77ce1a9b0260
 - SHA1: fc3846fffc0e6621d85de3e3f1500cc7a31133e9
 - SHA256: 48503b5ff339cdee9cba52f48624c219b7eb9a2cc040aa714bb3dc83110a6ad0
 - pkg:maven/org.eclipse.jetty.ee11.websocket/jetty-ee11-websocket-jakarta-client@12.1.11
- webserver.zip: jetty-ee11-websocket-jakarta-common.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee11-websocket-jakarta-common.jar
 - MD5: dd11c2a5f0d4e0f40f05f56b314e44ea
 - SHA1: 347aa7642fd658fbaf1fef369d4e90f0066d5cd1
 - SHA256: cdce95a7683e4f5ad77b8f0c7713487f69e96a5cf1daa463c3630c19cf9947cb
 - pkg:maven/org.eclipse.jetty.ee11.websocket/jetty-ee11-websocket-jakarta-common@12.1.11
- webserver.zip: jetty-ee11-websocket-servlet.jar

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee11-websocket-servlet.jar
- MD5: 2b2a900f2afc4b2a498118be05e7cc78
- SHA1: 63d8e79cccc0e61045f1a69093b60b3fcf457001
- SHA256: b173954ba1ef9fede92e32db90f6a68afa3cdaf0461a11fb6354385dadb725e4
- pkg:maven/org.eclipse.jetty.ee11.websocket/jetty-ee11-websocket-servlet@12.1.11
- webserver.zip: jetty-http.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-http.jar
 - MD5: 141e8730558a415fb69060e3a697d824
 - SHA1: 1ac6f17b6ae8b07eaba7305fbc3af846f0764478
 - SHA256: 0e204f4c71c5d7e138949d50bb7fb15766840ecea6ca24513fb92ee34b363f55
 - pkg:maven/org.eclipse.jetty/jetty-http@12.1.11
- webserver.zip: jetty-http2-common.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-http2-common.jar
 - MD5: d0f448d7dd473e5b333fdb58546ba52d
 - SHA1: 6fd31cb7541d0ce16c19fa8ee8ec5287bc9c6507
 - SHA256: b8fc2602c40044ed6b089e78db4e974b65b6cd868ea513371fa8fef5c396181b
 - pkg:maven/org.eclipse.jetty.http2/jetty-http2-common@12.1.11
- webserver.zip: jetty-http2-hpack.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-http2-hpack.jar
 - MD5: 9e6fc2838310014d61c820a47a43d06c
 - SHA1: 700e4574b6f2065ef081e2cd66ae9413841d5fcd
 - SHA256: 1cceba13cb1d7192a1d44fd36f0f1bcf59989ddd91b8bf5b9c801fc5d714621c
 - pkg:maven/org.eclipse.jetty.http2/jetty-http2-hpack@12.1.11
- webserver.zip: jetty-io.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-io.jar
 - MD5: bcceb24f4876d32723c2c9a5a74d0865
 - SHA1: b581a335f75f27102c9b5155c88ad0eaf432c4ff
 - SHA256: 0534454eb445263a8577200f7bd009153d36f3a81ef1543e79ab551846ee3b94
 - pkg:maven/org.eclipse.jetty/jetty-io@12.1.11
- webserver.zip: jetty-security.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-security.jar
 - MD5: a67388e4c6d7be2793c6247d2f9f9fdc
 - SHA1: a92bf751f1edd5b4a7529d7323b2f40225ee286f
 - SHA256: 6d21a7cbfd1915735cab6638011998f881161fdeff94936ee8f71e37d3528e79
 - pkg:maven/org.eclipse.jetty/jetty-security@12.1.11
- webserver.zip: jetty-session.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-session.jar
 - MD5: 126ee76efe01418dfca44fdb3779c468
 - SHA1: 8334e427954c70ad51b39ba3ac2e9a5ae7b146fe
 - SHA256: d00db0879d2dde6bc8742c3050e995314c5d423e20ca63601cf91add2547a381
 - pkg:maven/org.eclipse.jetty/jetty-session@12.1.11
- webserver.zip: jetty-util.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-util.jar
 - MD5: 6fe1a9551fc4043490b6f8b0290f07e0
 - SHA1: b9e8ac7571d3420049ff3412ea6a3012d74b54f0
 - SHA256: 8a8d7e063cf312b044927f817b09ad7a4517162d747f7ff891a414e8ef476c26
 - pkg:maven/org.eclipse.jetty/jetty-util@12.1.11
- webserver.zip: jetty-websocket-core-common.jar

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-websocket-core-common.jar
- MD5: f08faa96d9aaaa738c68b2a8dddcdd66
- SHA1: 170f2ea1f623b30dc5b66fedf33729cdfb55d12
- SHA256: a837bddc805cc772810585a3b94fdac4dbc2b6bd73073af1b91f83e9475381cb
- pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-common@12.1.11
- webserver.zip: jetty-websocket-jetty-api.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-websocket-jetty-api.jar
 - MD5: a29a7f5c5e3ffcd8e1ef07ac586ef2d8
 - SHA1: 9bc0dc09c663953ceaa7d4092508f548990121ec
 - SHA256: eaeba48c51894c13ee22d3053eb308cae4a1e304799633313597e035545fdc79
 - pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-jetty-api@12.1.11

Identifiers

- pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-client@12.1.11 (Confidence:High)
- [cpe:2.3:a:eclipse:jetty:12.1.11:****:*](#) (Confidence:Highest) suppress
- [cpe:2.3:a:jetty:jetty:12.1.11:****:*](#) (Confidence:Highest) suppress
- [cpe:2.3:a:mortbay_jetty:jetty:12.1.11:****:*](#) (Confidence:Highest) suppress

webserver.zip: jetty-websocket-core-server.jar

Description:

Jetty Core WebSocket Server Artifact

License:

EPL-2.0 OR Apache-2.0
<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-websocket-core-server.jar

MD5: 1424465ee7dc4bfc21bf0818f0e39533

SHA1: 507ad7cacdf7167f65fe90bb782612c31f94ceb4

SHA256: 273e11d3bf5943a15d692bd1ad0ae1befcd50338498bd4f98c8c83a38048a45b

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jetty-websocket-core-server	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	jetty	Highest

Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	25	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	https://jetty.org/	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.server	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	https://jetty.org/	Low
Vendor	pom	artifactid	jetty-websocket-core-server	Low
Vendor	pom	groupid	org.eclipse.jetty.websocket	Highest
Vendor	pom	name	Core :: WebSocket :: Server	High
Vendor	pom	parent-artifactid	jetty-websocket	Low
Product	file	name	jetty-websocket-core-server	High
Product	jar	package name	core	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	jetty	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	25	Low
Product	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	https://jetty.org/	Low
Product	Manifest	Bundle-Name	Core :: WebSocket :: Server	Medium
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.server	Medium
Product	Manifest	url	https://jetty.org/	Low
Product	pom	artifactid	jetty-websocket-core-server	Highest
Product	pom	groupid	org.eclipse.jetty.websocket	Highest
Product	pom	name	Core :: WebSocket :: Server	High
Product	pom	parent-artifactid	jetty-websocket	Medium
Version	Manifest	Bundle-Version	12.1.11	High
Version	Manifest	Implementation-Version	12.1.11	High
Version	pom	version	12.1.11	Highest

Related Dependencies



- webserver.zip: jetty-alpn-java-server.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-alpn-java-server.jar
 - MD5: 1f169adebcff48753b5621af891ebed4
 - SHA1: 6edb4b336faaf12975446f1a206f5bd3b7427ce0
 - SHA256: bc050d57d172b8d955df64e20e4dacf4fb4c57eea03db07d2ec1c3b47319e70e
 - pkg:maven/org.eclipse.jetty/jetty-alpn-java-server@12.1.11
- webserver.zip: jetty-alpn-server.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-alpn-server.jar
 - MD5: 270fd3cc321a2f41d43df5e1cad6d1f1
 - SHA1: 03dd555ceaba222302d5baa2ab9791446b473eba
 - SHA256: 72985d47734b91a32de2568f465a5293213b892de9b9e8d41c1a6362496b16d2
 - pkg:maven/org.eclipse.jetty/jetty-alpn-server@12.1.11
- webserver.zip: jetty-ee11-websocket-jakarta-server.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee11-websocket-jakarta-server.jar
 - MD5: 0804676e629e8c320c0895bb70aa659d
 - SHA1: e2f2067d3e46ce2154a4669e60023df44cdadcf1
 - SHA256: 63bed11e2a9f8e9496cc3bd6437f4d38d74af8078d0a264e5a47a5125bd7aa92
 - pkg:maven/org.eclipse.jetty.ee11.websocket/jetty-ee11-websocket-jakarta-server@12.1.11
- webserver.zip: jetty-ee11-websocket-jetty-server.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee11-websocket-jetty-server.jar
 - MD5: 955d90195d708f1b433b1e66a4d92542
 - SHA1: 3873b621c91f6e37c97c0da3a831dee1ec53a7a8
 - SHA256: 62483f8455f95bbd0d91722cc617c8807376ab3dbc622b71f02664a941aaedc3
 - pkg:maven/org.eclipse.jetty.ee11.websocket/jetty-ee11-websocket-jetty-server@12.1.11
- webserver.zip: jetty-http2-server.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-http2-server.jar
 - MD5: f3ac6508ff1e9055d846d29fea3b6e63
 - SHA1: 2549105f9a93c5d3430064a6aba9b539bb8d483f
 - SHA256: af1de136694a7bfe4362220aabb40a039c306cc75517c2cd0e45c88f6f8e601a
 - pkg:maven/org.eclipse.jetty.http2/jetty-http2-server@12.1.11
- webserver.zip: jetty-server.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-server.jar
 - MD5: 249fcd2e5ca5b31277446b44e3355342
 - SHA1: d01ed1d317616ad84f3715b0f684af84a88d0c88
 - SHA256: 772f84baf043bbc34edd99de728f3c0b2de642c400dde0fefa763e40de2ea583
 - pkg:maven/org.eclipse.jetty/jetty-server@12.1.11

Identifiers

- pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-server@12.1.11 (*Confidence:High*)
- [cpe:2.3:a:eclipse:jetty:12.1.11:****:*](#) (*Confidence:Highest*) suppress
- [cpe:2.3:a:jetty:jetty:12.1.11:****:*](#) (*Confidence:Highest*) suppress
- cpe:2.3:a:jetty:jetty_http_server:12.1.11:****:* (*Confidence:Low*) suppress
- [cpe:2.3:a:mortbay:jetty:jetty:12.1.11:****:*](#) (*Confidence:Highest*) suppress

webserver.zip: jose4j.jar

Description:

The jose4j library is a robust and easy to use open source implementation of JSON Web Token (JWT) and the JOSE specification suite (JWS, JWE, and JWK).

It is written in Java and relies solely on the JCA APIs for cryptography.

Please see https://bitbucket.org/b_c/jose4j/wiki/Home for more info, examples, etc..

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jose4j.jar

MD5: f57cb91efc5beaa940029f5515a888c2

SHA1: 357a3836bb5da16f314f3a1e954518e5468cd915

SHA256: 7314af50cde9c99e8eaf43eee617a23edcc6bb43036221064355094999d837ef

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jose4j	High
Vendor	jar	package name	jca	Highest
Vendor	jar	package name	jose4j	Highest
Vendor	jar	package name	json	Highest
Vendor	jar	package name	jwe	Highest
Vendor	jar	package name	jwk	Highest
Vendor	jar	package name	jws	Highest
Vendor	jar	package name	jwt	Highest
Vendor	jar	package name	use	Highest
Vendor	Manifest	automatic-module-name	org.jose4j	Medium
Vendor	Manifest	bundle-symbolicname	org.bitbucket.b_c.jose4j	Medium
Vendor	pom	artifactid	jose4j	Low
Vendor	pom	developer email	brian.d.campbell@gmail.com	Low
Vendor	pom	developer name	Brian Campbell	Medium
Vendor	pom	groupid	org.bitbucket.b_c	Highest
Vendor	pom	name	jose4j	High
Vendor	pom	url	https://bitbucket.org/b_c/jose4j/	Highest

Product	file	name	jose4j	High
Product	jar	package name	jca	Highest
Product	jar	package name	jose4j	Highest
Product	jar	package name	json	Highest
Product	jar	package name	jwe	Highest
Product	jar	package name	jwk	Highest
Product	jar	package name	jws	Highest
Product	jar	package name	jwt	Highest
Product	jar	package name	use	Highest
Product	Manifest	automatic-module-name	org.jose4j	Medium
Product	Manifest	Bundle-Name	jose4j	Medium
Product	Manifest	bundle-symbolicname	org.bitbucket.b_c.jose4j	Medium
Product	pom	artifactid	jose4j	Highest
Product	pom	developer email	brian.d.campbell@gmail.com	Low
Product	pom	developer name	Brian Campbell	Low
Product	pom	groupid	org.bitbucket.b_c	Highest
Product	pom	name	jose4j	High
Product	pom	url	https://bitbucket.org/b_c/jose4j/	Medium
Version	Manifest	Bundle-Version	0.9.6	High
Version	pom	version	0.9.6	Highest

Identifiers

- pkg:maven/org.bitbucket.b_c/jose4j@0.9.6 (*Confidence:High*)
- [cpe:2.3:a:jose4j_project:jose4j:0.9.6:****:*](#) (*Confidence:Highest*)

suppress

webserver.zip: webserver.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/webserver.jar

MD5: 12a9dc407e0914ff48b2d7db87a41382

SHA1: c0682ebb7c34cf097e46d755051afaa8b280a57b

SHA256: e87f6023348cdf4d0a053cc0bf6e61d007555886e941dc9c9b2de17eae6be1ce

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	webserver	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	webserver	Low
Vendor	Manifest	built-date	2026-08-07 16:33	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webserver	High
Product	jar	package name	webserver	Highest
Product	jar	package name	webserver	Low
Product	Manifest	built-date	2026-08-07 16:33	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webserver	High
Product	Manifest	specification-title	webserver	Medium
Version	Manifest	Implementation-Version	26.4.321	High

Identifiers

- None

Suppressed Vulnerabilities



remotegui.zip: angular-animate.jar: angular-animate.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.js
MD5: 31312b87e7226c8bf0714fcef0ea5d18

SHA1: dc9fb55f2c7f922c5ba83449266239ba1353db45
SHA256: 58e79e0e7cbb1e1502d216701e1fae41c405d92320aea1b68a223054096fda93
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities -

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.
Note: 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFPWPSCSPMNODRDKK3/>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFPWPSCSPMNODRDKK3/>

- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*:

CVE-2024-21490 suppressed

This affects versions of the package angular from 1.3.0; versions of the package angularjs from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [angular/core] (<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771616>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.0

CVE-2026-11998 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: high

References:

- info - <https://access.redhat.com/security/cve/CVE-2026-11998>
- info - https://bugzilla.redhat.com/show_bug.cgi?id=2492579

- info - <https://codepen.io/herodevs/pen/JobQdmz/5b3896f56fab66f20cd25e698cf3faa8>
- info - <https://security.access.redhat.com/data/csaf/v2/vex/2026/cve-2026-11998.json>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2026-11998>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2026-11998?nes-for-angularjs>

Vulnerable Software & Versions (RETIREJS):

CVE-2022-25869 suppressed

All versions of the package angular; all versions of the package angularjs.core; all versions of the package angularjs are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - [BROKEN_LINK](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - <https://neverendingsupport.github.io/angularjs-poc-cve-2022-25869>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771617>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJSCORE-6084031>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2949783>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2949784>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2949782>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-2949781>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:*

CVE-2023-26116 suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD_PARTY_ADVISORY](#)

- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING_LIST,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING_LIST,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING LIST,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [MAILING LIST,THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the 'srcset' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.3.1; versions up to (including) 1.8.3
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc5:*:*:*:*
- cpe:2.3:a:netapp:active_iq_unified_manager:*:*:*:*:linux:*:*
- cpe:2.3:a:netapp:active_iq_unified_manager:*:*:*:*:vsphere:*:*
- cpe:2.3:a:netapp:active_iq_unified_manager:*:*:*:*:windows:*:*

CVE-2024-8373 suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-791 Incomplete Filtering of Special Elements, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions up to (including) 1.8.3
- cpe:2.3:a:netapp:active_iq_unified_manager:*:*:*:*:linux:*:*
- cpe:2.3:a:netapp:active_iq_unified_manager:*:*:*:*:vsphere:*:*
- cpe:2.3:a:netapp:active_iq_unified_manager:*:*:*:*:windows:*:*

CVE-2025-2336 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-4690 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-0716 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-animate.jar: angular-animate.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.min.js

MD5: 5d2d0f42bb7e1b5503e914674f59dad0

SHA1: 4c15a58541e53c451c6f946d2048104f88b833c7

SHA256: 8e6202b1330a469a61ccdeebbd1cb3a20d0ecdfe8d106f68da5b85e9b67a1cd5

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in `posPre: ' '.repeat()` of `NUMBER_FORMATS.PATTERNS[1].posPre` with a very high value.
****Note:**** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFPWPSCSPMNODRDKK3/>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFPWPSCSPMNODRDKK3/>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)

- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility-*:*:*:*:*

CVE-2024-21490 suppressed

This affects versions of the package angular from 1.3.0; versions of the package angularjs from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [angular/core] (<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771616>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.0

CVE-2026-11998 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: high

References:

- info - <https://access.redhat.com/security/cve/CVE-2026-11998>
- info - https://bugzilla.redhat.com/show_bug.cgi?id=2492579
- info - <https://codepen.io/herodevs/pen/JobQdmz/5b3896f56fab66f20cd25e698cf3faa8>
- info - <https://security.access.redhat.com/data/csaf/v2/vex/2026/cve-2026-11998.json>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2026-11998>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2026-11998?nes-for-angularjs>

Vulnerable Software & Versions (RETIREJS):

[CVE-2022-25869](#) suppressed

All versions of the package angular; all versions of the package angularjs.core; all versions of the package angularjs are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - [BROKEN LINK](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - <https://neverendingsupport.github.io/angularjs-poc-cve-2022-25869>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771617>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJSCORE-6084031>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2949783>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2949784>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2949782>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-2949781>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING LIST,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)

- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING_LIST,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2gqx-w9hr-q5gx>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING_LIST,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the 'srcset' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.3.1; versions up to (including) 1.8.3
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc5:*:*:*:*
- cpe:2.3:a:netapp:active_iq_unified_manager:-:*:*:*:linux:*

- cpe:2.3:a:netapp:active_iq_unified_manager:-:*:*:*:vsphere:*:*
- cpe:2.3:a:netapp:active_iq_unified_manager:-:*:*:*:windows:*:*

CVE-2024-8373 suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-791 Incomplete Filtering of Special Elements, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions up to (including) 1.8.3
- cpe:2.3:a:netapp:active_iq_unified_manager:-:*:*:*:linux:*:*
- cpe:2.3:a:netapp:active_iq_unified_manager:-:*:*:*:vsphere:*:*
- cpe:2.3:a:netapp:active_iq_unified_manager:-:*:*:*:windows:*:*

CVE-2025-2336 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-4690 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-0716 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-cookies.jar: angular-cookies.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.js

MD5: e17187aea1f0e6dbd25722e34b754915

SHA1: 20f43f716b9fef7d72537bc1b0e5aa2bc480cee5

SHA256: f3291c552042f6d0c500167769912a78ab3ecec9917128b2d6ea8e7c6714bb97

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High

Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.
****Note:**** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFPPWSPSCSPMNODRDKK3/>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFPPWSPSCSPMNODRDKK3/>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.7.0

- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*****

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0; versions of the package angularjs from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [angular/core] (<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771616>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:***** versions from (including) 1.3.0

[CVE-2026-11998](#) (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: high

References:

- info - <https://access.redhat.com/security/cve/CVE-2026-11998>
- info - https://bugzilla.redhat.com/show_bug.cgi?id=2492579
- info - <https://codepen.io/herodevs/pen/JobQdmz/5b3896f56fab66f20cd25e698cf3faa8>
- info - <https://security.access.redhat.com/data/csaf/v2/vex/2026/cve-2026-11998.json>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2026-11998>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2026-11998?nes-for-angularjs>

Vulnerable Software & Versions (RETIREJS):

[CVE-2022-25869](#) suppressed

All versions of the package angular; all versions of the package angularjs.core; all versions of the package angularjs are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - [BROKEN_LINK](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - <https://neverendingsupport.github.io/angularjs-poc-cve-2022-25869>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771617>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJSCORE-6084031>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2949783>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2949784>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2949782>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-2949781>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING_LIST,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING LIST,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [MAILING LIST,THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING LIST,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-gwqh-hm9m-p5hr>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [MAILING LIST,THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the 'srcset' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.3.1; versions up to (including) 1.8.3
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc5:*:*:*:*
- cpe:2.3:a:netapp:active_iq_unified_manager:-:*:*:*:linux:*
- cpe:2.3:a:netapp:active_iq_unified_manager:-:*:*:*:vsphere:*
- cpe:2.3:a:netapp:active_iq_unified_manager:-:*:*:*:windows:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-791 Incomplete Filtering of Special Elements, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions up to (including) 1.8.3
- cpe:2.3:a:netapp:active_iq_unified_manager:-:*:*:*:linux:*
- cpe:2.3:a:netapp:active_iq_unified_manager:-:*:*:*:vsphere:*
- cpe:2.3:a:netapp:active_iq_unified_manager:-:*:*:*:windows:*

CVE-2025-2336 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaxx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-4690 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>

- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-0716 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-cookies.jar: angular-cookies.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.min.js

MD5: c41aff8423276d46f0d02de6dcb71524

SHA1: 7dc53f75d5bf7dd2c770cb50f31242c70193c086

SHA256: 926509b494009bea03288bba191a2b238032188e9112377e50fbfe7814c6639b

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in `posPre: '.repeat()' of NUMBER_FORMATS.PATTERNS[1].posPre` with a very high value.

Note: 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFPPWSPSCSPMNODRDKK3/>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFPPWSPSCSPMNODRDKK3/>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0; versions of the package angularjs from 1.3.0. A regular expression used to split the value of the `ng-srcset` directive is vulnerable to

super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [angular/core] (<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771616>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.0

CVE-2026-11998 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: high

References:

- info - <https://access.redhat.com/security/cve/CVE-2026-11998>
- info - https://bugzilla.redhat.com/show_bug.cgi?id=2492579
- info - <https://codepen.io/herodevs/pen/JobQdmz/5b3896f56fab66f20cd25e698cf3faa8>
- info - <https://security.access.redhat.com/data/csaf/v2/vex/2026/cve-2026-11998.json>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2026-11998>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2026-11998?nes-for-angularjs>

Vulnerable Software & Versions (RETIREJS):

CVE-2022-25869 suppressed

All versions of the package angular; all versions of the package angularjs.core; all versions of the package angularjs are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - [BROKEN LINK](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - <https://neverendingsupport.github.io/angularjs-poc-cve-2022-25869>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771617>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJSCORE-6084031>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2949783>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2949784>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2949782>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-2949781>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING LIST,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [MAILING LIST,THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING LIST,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [MAILING LIST,THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)

- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING LIST,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [MAILING LIST,THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the 'srcset' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.3.1; versions up to (including) 1.8.3
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc5:*:*:*:*
- cpe:2.3:a:netapp:active_iq_unified_manager:*:*:*:*:linux:*
- cpe:2.3:a:netapp:active_iq_unified_manager:*:*:*:*:vsphere:*
- cpe:2.3:a:netapp:active_iq_unified_manager:*:*:*:*:windows:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status).

CWE-791 Incomplete Filtering of Special Elements, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions up to (including) 1.8.3
- cpe:2.3:a:netapp:active_iq_unified_manager:-:*:*:*:linux:*
- cpe:2.3:a:netapp:active_iq_unified_manager:-:*:*:*:vsphere:*
- cpe:2.3:a:netapp:active_iq_unified_manager:-:*:*:*:windows:*

CVE-2025-2336 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-4690 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-0716 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-sanitize.jar: angular-sanitize.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.js

MD5: 0127d7a139abfc8bd45875a9c8ea6348

SHA1: 197aea2acc25a0fa821766400950cac58a3627a5

SHA256: c84c65250afe5a1265f36a7e16c6010652e55c2ae3a779c351fb68536c42bf64

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFPPWSPSCSPMNODRDKK3/>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFPPWSPSCSPMNODRDKK3/>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0; versions of the package angularjs from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core] (<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771616>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.0

CVE-2026-11998 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: high

References:

- info - <https://access.redhat.com/security/cve/CVE-2026-11998>
- info - https://bugzilla.redhat.com/show_bug.cgi?id=2492579
- info - <https://codepen.io/herodevs/pen/JobQdmz/5b3896f56fab66f20cd25e698cf3faa8>
- info - <https://security.access.redhat.com/data/csaf/v2/vex/2026/cve-2026-11998.json>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2026-11998>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2026-11998?nes-for-angularjs>

Vulnerable Software & Versions (RETIREJS):

CVE-2022-25869 suppressed

All versions of the package angular; all versions of the package angularjs.core; all versions of the package angularjs are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - [BROKEN_LINK](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - <https://neverendingsupport.github.io/angularjs-poc-cve-2022-25869>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771617>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJSCORE-6084031>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2949783>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2949784>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2949782>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-2949781>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING_LIST,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression.

Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING LIST,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snk.io - [MAILING LIST,THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING LIST,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>

- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD_PARTY_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the 'srcset' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD_PARTY_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.3.1; versions up to (including) 1.8.3
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc5:*:*:*:*
- cpe:2.3:a:netapp:active_iq_unified_manager:-:*:*:*:linux:*
- cpe:2.3:a:netapp:active_iq_unified_manager:-:*:*:*:vsphere:*
- cpe:2.3:a:netapp:active_iq_unified_manager:-:*:*:*:windows:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-791 Incomplete Filtering of Special Elements, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqmq9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions up to (including) 1.8.3
- cpe:2.3:a:netapp:active_iq_unified_manager:*:*:*:*linux:*:*
- cpe:2.3:a:netapp:active_iq_unified_manager:*:*:*:*vsphere:*:*
- cpe:2.3:a:netapp:active_iq_unified_manager:*:*:*:*windows:*:*

CVE-2025-2336 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-4690 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-0716 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.min.js

MD5: f3c62abeec216e9431e7d5b22d8e813b

SHA1: 21355ef18c5e1ce2b2c711b9dba21cbea0655646

SHA256: cc80a30ad0439c2e9c209b3d7fcffb1d10e6007fd1d00c9cc144f393664a7045

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities -

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.

Note: 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFWPSCSPMNODRDKK3/>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFWPSCSPMNODRDKK3/>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:*:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0; versions of the package angularjs from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core] (<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771616>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.0

CVE-2026-11998 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: high

References:

- info - <https://access.redhat.com/security/cve/CVE-2026-11998>
- info - https://bugzilla.redhat.com/show_bug.cgi?id=2492579
- info - <https://codepen.io/herodevs/pen/JobQdmz/5b3896f56fab66f20cd25e698cf3faa8>
- info - <https://security.access.redhat.com/data/csaf/v2/vex/2026/cve-2026-11998.json>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2026-11998>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2026-11998?nes-for-angularjs>

Vulnerable Software & Versions (RETIREJS):

CVE-2022-25869 suppressed

All versions of the package angular; all versions of the package angularjs.core; all versions of the package angularjs are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - [BROKEN LINK](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>

- report@snyk.io - <https://neverendingsupport.github.io/angularjs-poc-cve-2022-25869>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771617>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJSCORE-6084031>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2949783>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2949784>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2949782>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-2949781>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING LIST,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [MAILING LIST,THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING LIST,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2gqx-w9hr-q5gx>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [MAILING LIST,THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING LIST,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)

- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [MAILING LIST,THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the 'srcset' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.3.1; versions up to (including) 1.8.3
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc5:*:*:*:*
- cpe:2.3:a:netapp:active_iq_unified_manager:*:*:*:*:linux:*
- cpe:2.3:a:netapp:active_iq_unified_manager:*:*:*:*:vsphere:*
- cpe:2.3:a:netapp:active_iq_unified_manager:*:*:*:*:windows:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-791 Incomplete Filtering of Special Elements, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions up to (including) 1.8.3
- cpe:2.3:a:netapp:active_iq_unified_manager:*:*:*:*linux:*
- cpe:2.3:a:netapp:active_iq_unified_manager:*:*:*:*vsphere:*
- cpe:2.3:a:netapp:active_iq_unified_manager:*:*:*:*windows:*

CVE-2025-2336 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-4690 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-0716 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular.jar: angular.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.js

MD5: e09f650a016c24bc1b5a1edc93bfbade

SHA1: 0f1f7445b761b9bbd5385f9f0b316dbf1ca48696

SHA256: fdca889e76f55fdee7ab661920f37ce19233563bf7f4ac8120f8ebc2ac768768

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities -

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFWPSCSPMNODRDKK3/>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFWPSCSPMNODRDKK3/>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:-:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0; versions of the package angularjs from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core] (<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771616>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.0

CVE-2026-11998 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: high

References:

- info - <https://access.redhat.com/security/cve/CVE-2026-11998>
- info - https://bugzilla.redhat.com/show_bug.cgi?id=2492579
- info - <https://codepen.io/herodevs/pen/JobQdmz/5b3896f56fab66f20cd25e698cf3faa8>
- info - <https://security.access.redhat.com/data/csaf/v2/vex/2026/cve-2026-11998.json>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2026-11998>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2026-11998?nes-for-angularjs>

Vulnerable Software & Versions (RETIREJS):

CVE-2022-25869 suppressed

All versions of the package angular; all versions of the package angularjs.core; all versions of the package angularjs are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - [BROKEN LINK](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - <https://neverendingsupport.github.io/angularjs-poc-cve-2022-25869>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771617>

- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJSCORE-6084031>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2949783>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2949784>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2949782>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-2949781>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING LIST,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [MAILING LIST,THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING LIST,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2gqx-w9hr-q5gx>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [MAILING LIST,THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING LIST,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [MAILING LIST,THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the 'srcset' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.3.1; versions up to (including) 1.8.3
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc5:*:*:*:*
- cpe:2.3:a:netapp:active_iq_unified_manager:*:*:*:*:linux:*:*
- cpe:2.3:a:netapp:active_iq_unified_manager:*:*:*:*:vsphere:*:*
- cpe:2.3:a:netapp:active_iq_unified_manager:*:*:*:*:windows:*:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-791 Incomplete Filtering of Special Elements, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions up to (including) 1.8.3
- cpe:2.3:a:netapp:active_iq_unified_manager:*:*:*:*linux:*:*
- cpe:2.3:a:netapp:active_iq_unified_manager:*:*:*:*vsphere:*:*
- cpe:2.3:a:netapp:active_iq_unified_manager:*:*:*:*windows:*:*

CVE-2025-2336 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-4690 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-0716 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>

- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular.jar: angular.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.min.js

MD5: 967a32633fa8f38f4ac3376c1a37b992

SHA1: b53b74d8e0b732dcdb98fbe521146b88299ea2f1

SHA256: 396dc1a03d6cc02e9c51a80246e0db53c5c8df9bd07287e3b51bce4a29dab355

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER_FORMATS.PATTERNS[1].posPre with a very high value.

****Note:**** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFPWPSCSPMNODRDKK3/>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFPWPSCSPMNODRDKK3/>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap_select_deploy_administration_utility:*:*:*:*:*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0; versions of the package angularjs from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. ****Note:****This package is EOL and will not receive any updates to address this issue. Users should migrate to [[@angular/core](#)] (<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>

- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771616>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)
- report@snyk.io - [THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:*:*:*:*:* versions from (including) 1.3.0

CVE-2026-11998 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: high

References:

- info - <https://access.redhat.com/security/cve/CVE-2026-11998>
- info - https://bugzilla.redhat.com/show_bug.cgi?id=2492579
- info - <https://codepen.io/herodevs/pen/JobQdmz/5b3896f56fab66f20cd25e698cf3faa8>
- info - <https://security.access.redhat.com/data/csaf/v2/vex/2026/cve-2026-11998.json>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2026-11998>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2026-11998?nes-for-angularjs>

Vulnerable Software & Versions (RETIREJS):

CVE-2022-25869 suppressed

All versions of the package angular; all versions of the package angularjs.core; all versions of the package angularjs are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - [BROKEN LINK](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - <https://neverendingsupport.github.io/angularjs-poc-cve-2022-25869>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771617>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJSCORE-6084031>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2949783>

- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2949784>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2949782>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-2949781>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING_LIST,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [MAILING_LIST,THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING LIST,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [MAILING LIST,THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.0.0; versions up to (including) 1.8.3

CVE-2023-26118 suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING LIST,THIRD PARTY ADVISORY](#)
- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD PARTY ADVISORY](#)
- report@snyk.io - [MAILING LIST,THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the 'srcset' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions from (including) 1.3.1; versions up to (including) 1.8.3
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc4:*:*:*:*
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc5:*:*:*:*
- cpe:2.3:a:netapp:active_iq_unified_manager:-:*:*:*:linux:*
- cpe:2.3:a:netapp:active_iq_unified_manager:-:*:*:*:vsphere:*
- cpe:2.3:a:netapp:active_iq_unified_manager:-:*:*:*:windows:*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing https://owasp.org/www-community/attacks/Content_Spoofing .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-791 Incomplete Filtering of Special Elements, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD PARTY ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>

- af854a3a-2127-422b-91ae-364da2661108 - [THIRD PARTY ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:*:*:*:*:* versions up to (including) 1.8.3
- cpe:2.3:a:netapp:active_iq_unified_manager:-:*:*:*:linux:*
- cpe:2.3:a:netapp:active_iq_unified_manager:-:*:*:*:vsphere:*
- cpe:2.3:a:netapp:active_iq_unified_manager:-:*:*:*:windows:*

CVE-2025-2336 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaxX/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-4690 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

CVE-2025-0716 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: hugerte.jar: hugerte.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/hugerte.js

MD5: 0a6efbdc07b365918a67844e02cb30e2

SHA1: 54aae4c54ccee88eea1b3b9f74d958d813a113a3

SHA256: b366d47bca68c558550a58193bd4a1e05a1f5ef98cbaab316e392937da38f3eb

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	DOMPurify	High
Product	RetireJS	name	DOMPurify	High
Version	RetireJS	version	3.2.4	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities -

[CVE-2026-49978](#) suppressed

DOMPurify is a DOM-only cross-site scripting sanitizer for HTML, MathML, and SVG. Prior to 3.4.7, DOMPurify IN_PLACE sanitization could skip shadow contents attached to an element inside <template>.content, allowing attacker-controlled markup such as event handlers, JavaScript URLs, or scripts to survive and execute when an application cloned and inserted the sanitized template. This issue is fixed in version 3.4.7.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv4:

- MEDIUM (6.3)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:H/SI:H/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX/X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- 134c704f-9b21-4f2e-91b3-4a467353bcc0 - [EXPLOIT,VENDOR ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-rp9w-3fw7-7cwq>
- security-advisories@github.com - [EXPLOIT,VENDOR ADVISORY](#)
- security-advisories@github.com - [PATCH](#)
- security-advisories@github.com - [RELEASE NOTES](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions up to (excluding) 3.4.7

[CVE-2026-49458](#) suppressed

DOMPurify is a DOM-only cross-site scripting sanitizer for HTML, MathML, and SVG. Prior to 3.4.6, DOMPurify.sanitize(node, { IN_PLACE: true }) accepted same-origin foreign-realm DOM nodes while follow-on checks used parent-realm constructors, causing instanceof checks for forms, named node maps, document fragments, and elements to fail and skip clobber, template-content, and shadow-DOM sanitization branches so executable markup could survive. This issue is fixed in version 3.4.6.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting'),
CWE-501 Trust Boundary Violation, CWE-693 Protection Mechanism Failure

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- 134c704f-9b21-4f2e-91b3-4a467353bcc0 - [EXPLOIT,MITIGATION,VENDOR ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-hpcv-96wg-7vj8>
- security-advisories@github.com - [EXPLOIT,MITIGATION,VENDOR ADVISORY](#)
- security-advisories@github.com - [PATCH](#)
- security-advisories@github.com - [RELEASE NOTES](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions up to (excluding) 3.4.6

[CVE-2026-49459](#) suppressed

DOMPurify is a DOM-only cross-site scripting sanitizer for HTML, MathML, and SVG. Prior to 3.4.6, DOMPurify.sanitize(root, { IN_PLACE: true }) could preserve event-handler attributes on an attacker-controlled <form> root when a descendant name clobbered properties checked by _isClobbered, because _forceRemove no-opped on the parent-less root and _sanitizeAttributes returned early. This issue is fixed in version 3.4.6.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting'),
CWE-1321 Improperly Controlled Modification of Object Prototype Attributes ('Prototype Pollution'),
CWE-693 Protection Mechanism Failure

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- 134c704f-9b21-4f2e-91b3-4a467353bcc0 - [EXPLOIT, MITIGATION, VENDOR ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-r47g-fvhr-h676>
- security-advisories@github.com - [EXPLOIT, MITIGATION, VENDOR ADVISORY](#)
- security-advisories@github.com - [PATCH](#)
- security-advisories@github.com - [RELEASE NOTES](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions up to (excluding) 3.4.6

[CVE-2026-41240](#) suppressed

DOMPurify is a DOM-only cross-site scripting sanitizer for HTML, MathML, and SVG. Versions prior to 3.4.0 have an inconsistency between FORBID_TAGS and FORBID_ATTR handling when function-based ADD_TAGS is used. Commit c361baa added an early exit for FORBID_ATTR at line 1214. The same fix was not applied to FORBID_TAGS. At line 1118-1123, when EXTRA_ELEMENT_HANDLING.tagCheck returns true, the short-circuit evaluation skips the FORBID_TAGS check entirely. This allows forbidden elements to survive sanitization with their attributes intact. Version 3.4.0 patches the issue.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting'),
CWE-183 Permissive List of Allowed Inputs

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv4:

- MEDIUM (6.0)
- CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:P/VC:N/VI:H/VA:N/SC:N/SI:N/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX:X/MSI:X/MSA:X/IS:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- 134c704f-9b21-4f2e-91b3-4a467353bcc0 - [EXPLOIT, MITIGATION, PATCH, VENDOR ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/releases/tag/3.4.0>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-h7mw-gpvr-xq4m>
- security-advisories@github.com - [EXPLOIT, MITIGATION, PATCH, VENDOR ADVISORY](#)
- security-advisories@github.com - [PATCH](#)
- security-advisories@github.com - [PRODUCT, RELEASE NOTES](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions up to (excluding) 3.4.0

[CVE-2026-0540](#) suppressed

DOMPurify 3.1.3 through 3.3.1 and 2.5.3 through 2.5.8, fixed in commit 2726c74, contain a cross-site scripting vulnerability that allows attackers to bypass attribute sanitization by exploiting five missing rawtext elements (noscript, xmp, noembed, noframes, iframe) in the SAFE_FOR_XML regex. Attackers can include payloads like </noscript> in attribute values to execute JavaScript when sanitized output is placed inside these unprotected rawtext contexts.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv4:

- MEDIUM (5.3)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:P/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- help@fluidattacks.com - <https://fluidattacks.com/advisories/daft>
- help@fluidattacks.com - <https://github.com/cure53/DOMPurify/commit/302b51de22535cc90235472c52e3401bedd46f80>
- help@fluidattacks.com - <https://github.com/cure53/DOMPurify/releases/tag/3.3.2>
- help@fluidattacks.com - [PRODUCT](#)
- help@fluidattacks.com - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/commit/fca0a938b4261ddc9c0293a289935a9029c049f5>
- info - <https://www.vulncheck.com/advisories/dompurify-xss-via-missing-rawtext-elements-in-safe-for-xml>
- info - <https://www.vulncheck.com/advisories/dompurify-xss-via-missing-rawtext-elements-in-safe-for-xml>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions from (including) 2.5.3; versions up to (including) 2.5.8
- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions from (including) 3.1.3; versions up to (including) 3.3.1

[CVE-2026-65902](#) suppressed

DOMPurify before 3.4.7 (affected versions <= 3.4.5) passes direct references to the module-level DEFAULT_ALLOWED_TAGS and DEFAULT_ALLOWED_ATTR sets to the uponSanitizeElement and uponSanitizeAttribute hooks via data.allowedTags / data.allowedAttributes when sanitize is called without an explicit cfg.ALLOWED_TAGS / cfg.ALLOWED_ATTR array. A hook that mutates these fields permanently widens the default allow-lists for the lifetime of the DOMPurify instance, so all subsequent default-config sanitize calls inherit the widened defaults and attacker payloads using the poisoned tag/attribute name survive sanitization. removeAllHooks(), clearConfig(), and passing a fresh cfg do not recover the state; only constructing a new DOMPurify instance does.

CWE-501 Trust Boundary Violation

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv4:

- MEDIUM (5.3)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:P/VC:L/VI:L/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- 134c704f-9b21-4f2e-91b3-4a467353bcc0 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- disclosure@vulncheck.com - [EXPLOIT,THIRD PARTY ADVISORY](#)
- disclosure@vulncheck.com - [PATCH](#)
- disclosure@vulncheck.com - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-76mc-f452-cxcm>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions up to (excluding) 3.4.7

[CVE-2026-65914](#) suppressed

DOMPurify before 3.3.2 contains a mutation-XSS vulnerability when sanitized HTML is reinserted into special parsing contexts using innerHTML with wrappers like script, xmp, iframe, noembed, noframes, or noscript. Attackers can craft payloads with closing sequences that break out of the wrapper context during reparsing, reactivating dangerous markup with event handlers to execute JavaScript.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv4:

- MEDIUM (5.3)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:P/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- 134c704f-9b21-4f2e-91b3-4a467353bcc0 - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- disclosure@vulncheck.com - [EXPLOIT,THIRD_PARTY_ADVISORY](#)
- disclosure@vulncheck.com - [THIRD_PARTY_ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/releases/tag/3.3.2>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-h8r8-wccr-v5f2>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions up to (excluding) 3.3.2

[CVE-2025-15599](#) suppressed

DOMPurify 3.1.3 through 3.2.6 and 2.5.3 through 2.5.8 contain a cross-site scripting vulnerability that allows attackers to bypass attribute sanitization by exploiting missing textarea rawtext element validation in the SAFE_FOR_XML regex. Attackers can include closing rawtext tags like </textarea> in attribute values to break out of rawtext contexts and execute JavaScript when sanitized output is placed inside rawtext elements. The 3.x branch was fixed in 3.2.7; the 2.x branch was never patched.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv4:

- MEDIUM (5.1)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- disclosure@vulncheck.com - [PATCH](#)
- disclosure@vulncheck.com - [PRODUCT](#)
- disclosure@vulncheck.com - [THIRD_PARTY_ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/commit/c861f5a83fb8d90800f1680f855fee551161ac2b>
- info - <https://www.vulncheck.com/advisories/dompurify-xss-via-textarea-rawtext-bypass-in-safe-for-xml>
- info - <https://www.vulncheck.com/advisories/dompurify-xss-via-textarea-rawtext-bypass-in-safe-for-xml>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions from (including) 2.5.3; versions up to (including) 2.5.8
- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions from (including) 3.1.3; versions up to (excluding) 3.2.7

[CVE-2026-65898](#) suppressed

DOMPurify before 3.4.11 fails to clone the ALLOWED_ATTR allowlist when setConfig() is used with an uponSanitizeAttribute hook, allowing the hook to permanently mutate the shared allowlist. Attackers can register a hook that conditionally allows dangerous attributes like onerror for trusted elements, then submit untrusted content that inherits the polluted allowlist and executes event handlers as stored XSS.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv4:

- MEDIUM (5.1)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:L/UI:P/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSC:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- HIGH (7.2)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- 134c704f-9b21-4f2e-91b3-4a467353bcc0 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- disclosure@vulncheck.com - [EXPLOIT,THIRD PARTY ADVISORY](#)
- disclosure@vulncheck.com - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-cmwh-pvxp-8882>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions up to (excluding) 3.4.11

[CVE-2026-65899](#) suppressed

DOMPurify 3.0.0 before 3.4.9 does not reset the retained Trusted Types policy when clearConfig() is called, so a DOMPurify instance reused across trust boundaries stays bound to a previously supplied TRUSTED_TYPES_POLICY. A later caller that requests RETURN_TRUSTED_TYPE output receives a TrustedHTML object created by the old (potentially unsafe) policy rather than a clean default, which can lead to script execution at a Trusted Types sink. Passing TRUSTED_TYPES_POLICY: null on the later call also does not clear the retained policy.

CWE-693 Protection Mechanism Failure

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv4:

- MEDIUM (5.1)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSC:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- disclosure@vulncheck.com - [EXPLOIT,THIRD PARTY ADVISORY](#)
- disclosure@vulncheck.com - [PATCH](#)
- disclosure@vulncheck.com - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-vxr8-fq34-vvx9>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions from (including) 3.0.0; versions up to (excluding) 3.4.9

[CVE-2026-65900](#) suppressed

DOMPurify versions >=3.0.0 and before 3.4.8, when configured with `SAFE_FOR_TEMPLATES` together with a DOM output mode (`RETURN_DOM`, `RETURN_DOM_FRAGMENT`, or `IN_PLACE`), fail to strip template expressions (e.g. `${evil}`, `{{evil}}`, `<%evil%>`) inside `<template>` element content. The final normalization/scrub pass (`_scrubTemplateExpressions`) uses a `Nodeliterator` and `node.normalize()` that do not descend into `template.content`, so expressions that only form after adjacent text nodes merge survive sanitization. This bypasses `SAFE_FOR_TEMPLATES` and can allow a downstream template engine to evaluate attacker-supplied expressions. The string output path is not affected.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv4:

- MEDIUM (5.1)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- 134c704f-9b21-4f2e-91b3-4a467353bcc0 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- disclosure@vulncheck.com - [EXPLOIT,THIRD PARTY ADVISORY](#)
- disclosure@vulncheck.com - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-gvmj-g25r-r7wr>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions from (including) 3.0.0; versions up to (excluding) 3.4.8

[CVE-2026-65901](#) suppressed

DOMPurify through 3.4.6 contains a cross-site scripting vulnerability in `IN_PLACE` mode that trusts attacker-controlled `nodeName` on live non-form nodes. Attackers can supply hostile live DOM objects with real script children whose observable `nodeName` is clobbered to appear as allowed elements, causing scripts to execute when the sanitized tree is inserted into a live document.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv4:

- MEDIUM (5.1)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- 134c704f-9b21-4f2e-91b3-4a467353bcc0 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- disclosure@vulncheck.com - [EXPLOIT,THIRD PARTY ADVISORY](#)
- disclosure@vulncheck.com - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-x4vx-rjvf-j5p4>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions up to (excluding) 3.4.7

[CVE-2026-65903](#) suppressed

DOMPurify before 3.4.0 contains a logic error in the ADD_TAGS function where short-circuit evaluation allows forbidden tags to bypass FORBID_TAGS restrictions. Attackers can craft input containing tags listed in FORBID_TAGS that are also added via ADD_TAGS function, causing them to be retained in sanitized output.

CWE-697 Incorrect Comparison

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv4:

- MEDIUM (5.1)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- disclosure@vulncheck.com - [EXPLOIT,THIRD PARTY ADVISORY](#)
- disclosure@vulncheck.com - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-39q2-94rc-95cp>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions up to (excluding) 3.4.0

[CVE-2026-65912](#) suppressed

DOMPurify before 3.3.2 contains a URI validation bypass vulnerability when ADD_ATTR is provided as a predicate function via EXTRA_ELEMENT_HANDLING.attributeCheck. Attackers can supply a predicate that accepts specific attribute and tag combinations to bypass URI-safe validation, allowing unsafe protocols like javascript: to survive sanitization and execute as DOM-based XSS when the link is activated.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv4:

- MEDIUM (5.1)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- disclosure@vulncheck.com - [THIRD PARTY ADVISORY](#)
- disclosure@vulncheck.com - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/releases/tag/3.3.2>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-cjmm-f4jc-qw8r>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions up to (excluding) 3.3.2

[CVE-2026-65913](#) suppressed

DOMPurify before 3.3.2 contains a prototype pollution vulnerability in USE_PROFILES mode that allows attackers to bypass attribute filtering by polluting Array.prototype properties. Attackers can set Array.prototype properties like onclick to true, causing DOMPurify to accept event handlers as allowlisted attributes and resulting in DOM-based XSS when sanitized markup is rendered.

CWE-1321 Improperly Controlled Modification of Object Prototype Attributes ('Prototype Pollution')

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv4:

- MEDIUM (5.1)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- disclosure@vulncheck.com - [THIRD PARTY ADVISORY](#)
- disclosure@vulncheck.com - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/releases/tag/3.3.2>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-cj63-jhhr-wcxv>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions up to (excluding) 3.3.2

[CVE-2026-66010](#) suppressed

DOMPurify before 3.4.12 fails to execute afterSanitizeElements hook for custom elements allowed via CUSTOM_ELEMENT_HANDLING.tagNameCheck, allowing attributes to bypass application security policies. Attackers can preserve sensitive attributes on custom elements that later re-inject them into innerHTML sinks, creating second-order XSS gadgets.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv4:

- MEDIUM (5.1)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- 134c704f-9b21-4f2e-91b3-4a467353bcc0 - [EXPLOIT_VENDOR ADVISORY](#)
- disclosure@vulncheck.com - [EXPLOIT_VENDOR ADVISORY](#)
- disclosure@vulncheck.com - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/commit/a9ca1e537422319a557a9a2aa61f003b23b4a197>
- info - <https://github.com/cure53/DOMPurify/pull/1537>
- info - <https://github.com/cure53/DOMPurify/releases/tag/3.4.12>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-c2j3-45gr-mqc4>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions up to (excluding) 3.4.12

[CVE-2026-41238](#) (RETIREJS) suppressed

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

Unscored:

- Severity: medium

References:

- info - <https://github.com/cure53/DOMPurify/releases/tag/3.4.0>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-v9jr-rg53-9pgp>

Vulnerable Software & Versions (RETIREJS):

CVE-2026-41239 (RETIREJS) suppressed

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

Unscored:

- Severity: medium

References:

- info - <https://github.com/cure53/DOMPurify/releases/tag/3.4.0>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-crv5-9vww-q3g8>

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: hugerte.jar: theme.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources /webjars/hugerte/1.0.10/themes/silver/theme.js

MD5: 44cb08e002fca06cb52f0a998a34b913

SHA1: 55458cdd3c063b96d82693d141f535f61e280341

SHA256: b21ab51f48963e96600868f198137d44fac2d2f4a932d90104ffb11ab80b5544

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	DOMPurify	High
Product	RetireJS	name	DOMPurify	High
Version	RetireJS	version	3.2.4	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2026-49978](#) suppressed

DOMPurify is a DOM-only cross-site scripting sanitizer for HTML, MathML, and SVG. Prior to 3.4.7, DOMPurify IN_PLACE sanitization could skip shadow contents attached to an element inside <template>.content, allowing attacker-controlled markup such as event handlers, JavaScript URLs, or scripts to survive and execute when an application cloned and inserted the sanitized template. This issue is fixed in version 3.4.7.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv4:

- MEDIUM (6.3)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:H/SI:H/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- 134c704f-9b21-4f2e-91b3-4a467353bcc0 - [EXPLOIT,VENDOR_ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-rp9w-3fw7-7cwq>
- security-advisories@github.com - [EXPLOIT,VENDOR_ADVISORY](#)
- security-advisories@github.com - [PATCH](#)
- security-advisories@github.com - [RELEASE_NOTES](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions up to (excluding) 3.4.7

[CVE-2026-49458](#) suppressed

DOMPurify is a DOM-only cross-site scripting sanitizer for HTML, MathML, and SVG. Prior to 3.4.6, DOMPurify.sanitize(node, { IN_PLACE: true }) accepted same-origin foreign-realm DOM nodes while follow-on checks used parent-realm constructors, causing instanceof checks for forms, named node maps, document fragments, and elements to fail and skip clobber, template-content, and shadow-DOM sanitization branches so executable markup could survive. This issue is fixed in version 3.4.6.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting'),
CWE-501 Trust Boundary Violation, CWE-693 Protection Mechanism Failure

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- 134c704f-9b21-4f2e-91b3-4a467353bcc0 - [EXPLOIT,MITIGATION,VENDOR_ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-hpcv-96wg-7vj8>
- security-advisories@github.com - [EXPLOIT,MITIGATION,VENDOR_ADVISORY](#)
- security-advisories@github.com - [PATCH](#)
- security-advisories@github.com - [RELEASE_NOTES](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions up to (excluding) 3.4.6

[CVE-2026-49459](#) suppressed

DOMPurify is a DOM-only cross-site scripting sanitizer for HTML, MathML, and SVG. Prior to 3.4.6, DOMPurify.sanitize(root, { IN_PLACE: true }) could preserve event-handler attributes on

an attacker-controlled <form> root when a descendant name clobbered properties checked by `_isClobbered`, because `_forceRemove` no-opped on the parent-less root and `_sanitizeAttributes` returned early. This issue is fixed in version 3.4.6.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting'),
CWE-1321 Improperly Controlled Modification of Object Prototype Attributes ('Prototype Pollution'),
CWE-693 Protection Mechanism Failure

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- 134c704f-9b21-4f2e-91b3-4a467353bcc0 - [EXPLOIT, MITIGATION, VENDOR ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-r47g-fvhr-h676>
- security-advisories@github.com - [EXPLOIT, MITIGATION, VENDOR ADVISORY](#)
- security-advisories@github.com - [PATCH](#)
- security-advisories@github.com - [RELEASE NOTES](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions up to (excluding) 3.4.6

[CVE-2026-41240](#) suppressed

DOMPurify is a DOM-only cross-site scripting sanitizer for HTML, MathML, and SVG. Versions prior to 3.4.0 have an inconsistency between `FORBID_TAGS` and `FORBID_ATTR` handling when function-based `ADD_TAGS` is used. Commit c361baa added an early exit for `FORBID_ATTR` at line 1214. The same fix was not applied to `FORBID_TAGS`. At line 1118-1123, when `EXTRA_ELEMENT_HANDLING.tagCheck` returns true, the short-circuit evaluation skips the `FORBID_TAGS` check entirely. This allows forbidden elements to survive sanitization with their attributes intact. Version 3.4.0 patches the issue.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting'),
CWE-183 Permissive List of Allowed Inputs

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv4:

- MEDIUM (6.0)
- CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:P/VC:N/VI:H/VA:N/SC:N/SI:N/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- 134c704f-9b21-4f2e-91b3-4a467353bcc0 - [EXPLOIT, MITIGATION, PATCH, VENDOR ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/releases/tag/3.4.0>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-h7mw-gpvr-xq4m>
- security-advisories@github.com - [EXPLOIT, MITIGATION, PATCH, VENDOR ADVISORY](#)
- security-advisories@github.com - [PATCH](#)
- security-advisories@github.com - [PRODUCT, RELEASE NOTES](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions up to (excluding) 3.4.0

[CVE-2026-0540](#) suppressed

DOMPurify 3.1.3 through 3.3.1 and 2.5.3 through 2.5.8, fixed in commit 2726c74, contain a cross-site scripting vulnerability that allows attackers to bypass attribute sanitization by

exploiting five missing rawtext elements (noscript, xmp, noembed, noframes, iframe) in the SAFE_FOR_XML regex. Attackers can include payloads like </noscript> in attribute values to execute JavaScript when sanitized output is placed inside these unprotected rawtext contexts.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv4:

- MEDIUM (5.3)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:P/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- help@fluidattacks.com - <https://fluidattacks.com/advisories/daft>
- help@fluidattacks.com - <https://github.com/cure53/DOMPurify/commit/302b51de22535cc90235472c52e3401bedd46f80>
- help@fluidattacks.com - <https://github.com/cure53/DOMPurify/releases/tag/3.3.2>
- help@fluidattacks.com - [PRODUCT](#)
- help@fluidattacks.com - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/commit/fca0a938b4261ddc9c0293a289935a9029c049f5>
- info - <https://www.vulncheck.com/advisories/dompurify-xss-via-missing-rawtext-elements-in-safe-for-xml>
- info - <https://www.vulncheck.com/advisories/dompurify-xss-via-missing-rawtext-elements-in-safe-for-xml>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions from (including) 2.5.3; versions up to (including) 2.5.8
- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions from (including) 3.1.3; versions up to (including) 3.3.1

[CVE-2026-65902](#) suppressed

DOMPurify before 3.4.7 (affected versions <= 3.4.5) passes direct references to the module-level DEFAULT_ALLOWED_TAGS and DEFAULT_ALLOWED_ATTR sets to the uponSanitizeElement and uponSanitizeAttribute hooks via data.allowedTags / data.allowedAttributes when sanitize is called without an explicit cfg.ALLOWED_TAGS / cfg.ALLOWED_ATTR array. A hook that mutates these fields permanently widens the default allow-lists for the lifetime of the DOMPurify instance, so all subsequent default-config sanitize calls inherit the widened defaults and attacker payloads using the poisoned tag/attribute name survive sanitization. removeAllHooks(), clearConfig(), and passing a fresh cfg do not recover the state; only constructing a new DOMPurify instance does.

CWE-501 Trust Boundary Violation

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv4:

- MEDIUM (5.3)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:P/VC:L/VI:L/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- 134c704f-9b21-4f2e-91b3-4a467353bcc0 - [EXPLOIT,THIRD PARTY ADVISORY](#)

- disclosure@vulncheck.com - [EXPLOIT,THIRD PARTY ADVISORY](#)
- disclosure@vulncheck.com - [PATCH](#)
- disclosure@vulncheck.com - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-76mc-f452-cxcm>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions up to (excluding) 3.4.7

[CVE-2026-65914](#) suppressed

DOMPurify before 3.3.2 contains a mutation-XSS vulnerability when sanitized HTML is reinserted into special parsing contexts using innerHTML with wrappers like script, xmp, iframe, noembed, noframes, or noscript. Attackers can craft payloads with closing sequences that break out of the wrapper context during reparsing, reactivating dangerous markup with event handlers to execute JavaScript.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv4:

- MEDIUM (5.3)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:P/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX:X/MSI:X/MSA:X/RS:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- 134c704f-9b21-4f2e-91b3-4a467353bcc0 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- disclosure@vulncheck.com - [EXPLOIT,THIRD PARTY ADVISORY](#)
- disclosure@vulncheck.com - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/releases/tag/3.3.2>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-h8r8-wccr-v5f2>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions up to (excluding) 3.3.2

[CVE-2025-15599](#) suppressed

DOMPurify 3.1.3 through 3.2.6 and 2.5.3 through 2.5.8 contain a cross-site scripting vulnerability that allows attackers to bypass attribute sanitization by exploiting missing textarea rawtext element validation in the SAFE_FOR_XML regex. Attackers can include closing rawtext tags like </textarea> in attribute values to break out of rawtext contexts and execute JavaScript when sanitized output is placed inside rawtext elements. The 3.x branch was fixed in 3.2.7; the 2.x branch was never patched.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv4:

- MEDIUM (5.1)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX:X/MSI:X/MSA:X/RS:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- disclosure@vulncheck.com - [PATCH](#)
- disclosure@vulncheck.com - [PRODUCT](#)

- disclosure@vulncheck.com - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/commit/c861f5a83fb8d90800f1680f855fee551161ac2b>
- info - <https://www.vulncheck.com/advisories/dompurify-xss-via-textarea-rawtext-bypass-in-safe-for-xml>
- info - <https://www.vulncheck.com/advisories/dompurify-xss-via-textarea-rawtext-bypass-in-safe-for-xml>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions from (including) 2.5.3; versions up to (including) 2.5.8
- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions from (including) 3.1.3; versions up to (excluding) 3.2.7

[CVE-2026-65898](#) suppressed

DOMPurify before 3.4.11 fails to clone the ALLOWED_ATTR allowlist when setConfig() is used with an uponSanitizeAttribute hook, allowing the hook to permanently mutate the shared allowlist. Attackers can register a hook that conditionally allows dangerous attributes like onerror for trusted elements, then submit untrusted content that inherits the polluted allowlist and executes event handlers as stored XSS.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv4:

- MEDIUM (5.1)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:L/UI:P/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- HIGH (7.2)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- 134c704f-9b21-4f2e-91b3-4a467353bcc0 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- disclosure@vulncheck.com - [EXPLOIT,THIRD PARTY ADVISORY](#)
- disclosure@vulncheck.com - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-cmwh-pvxp-8882>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions up to (excluding) 3.4.11

[CVE-2026-65899](#) suppressed

DOMPurify 3.0.0 before 3.4.9 does not reset the retained Trusted Types policy when clearConfig() is called, so a DOMPurify instance reused across trust boundaries stays bound to a previously supplied TRUSTED_TYPES_POLICY. A later caller that requests RETURN_TRUSTED_TYPE output receives a TrustedHTML object created by the old (potentially unsafe) policy rather than a clean default, which can lead to script execution at a Trusted Types sink. Passing TRUSTED_TYPES_POLICY: null on the later call also does not clear the retained policy.

CWE-693 Protection Mechanism Failure

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv4:

- MEDIUM (5.1)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)

- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- disclosure@vulncheck.com - [EXPLOIT,THIRD PARTY ADVISORY](#)
- disclosure@vulncheck.com - [PATCH](#)
- disclosure@vulncheck.com - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-vxr8-fq34-vvx9>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions from (including) 3.0.0; versions up to (excluding) 3.4.9

[CVE-2026-65900](#) suppressed

DOMPurify versions >=3.0.0 and before 3.4.8, when configured with `SAFE_FOR_TEMPLATES` together with a DOM output mode (`RETURN_DOM`, `RETURN_DOM_FRAGMENT`, or `IN_PLACE`), fail to strip template expressions (e.g. `${evil}`, `{{evil}}`, `<%evil%>`) inside `<template>` element content. The final normalization/scrub pass (`_scrubTemplateExpressions`) uses a `Nodeliterator` and `node.normalize()` that do not descend into `template.content`, so expressions that only form after adjacent text nodes merge survive sanitization. This bypasses `SAFE_FOR_TEMPLATES` and can allow a downstream template engine to evaluate attacker-supplied expressions. The string output path is not affected.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv4:

- MEDIUM (5.1)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- 134c704f-9b21-4f2e-91b3-4a467353bcc0 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- disclosure@vulncheck.com - [EXPLOIT,THIRD PARTY ADVISORY](#)
- disclosure@vulncheck.com - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-gvmj-g25r-r7wr>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions from (including) 3.0.0; versions up to (excluding) 3.4.8

[CVE-2026-65901](#) suppressed

DOMPurify through 3.4.6 contains a cross-site scripting vulnerability in `IN_PLACE` mode that trusts attacker-controlled `nodeName` on live non-form nodes. Attackers can supply hostile live DOM objects with real script children whose observable `nodeName` is clobbered to appear as allowed elements, causing scripts to execute when the sanitized tree is inserted into a live document.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv4:

- MEDIUM (5.1)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- 134c704f-9b21-4f2e-91b3-4a467353bcc0 - [EXPLOIT,THIRD PARTY ADVISORY](#)
- disclosure@vulncheck.com - [EXPLOIT,THIRD PARTY ADVISORY](#)
- disclosure@vulncheck.com - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-x4vx-rjvf-j5p4>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions up to (excluding) 3.4.7

[CVE-2026-65903](#) suppressed

DOMPurify before 3.4.0 contains a logic error in the ADD_TAGS function where short-circuit evaluation allows forbidden tags to bypass FORBID_TAGS restrictions. Attackers can craft input containing tags listed in FORBID_TAGS that are also added via ADD_TAGS function, causing them to be retained in sanitized output.

CWE-697 Incorrect Comparison

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv4:

- MEDIUM (5.1)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX:X/MSI:X/MSA:X/IS:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- disclosure@vulncheck.com - [EXPLOIT,THIRD PARTY ADVISORY](#)
- disclosure@vulncheck.com - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-39q2-94rc-95cp>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions up to (excluding) 3.4.0

[CVE-2026-65912](#) suppressed

DOMPurify before 3.3.2 contains a URI validation bypass vulnerability when ADD_ATTR is provided as a predicate function via EXTRA_ELEMENT_HANDLING.attributeCheck. Attackers can supply a predicate that accepts specific attribute and tag combinations to bypass URI-safe validation, allowing unsafe protocols like javascript: to survive sanitization and execute as DOM-based XSS when the link is activated.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv4:

- MEDIUM (5.1)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX:X/MSI:X/MSA:X/IS:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- disclosure@vulncheck.com - [THIRD PARTY ADVISORY](#)
- disclosure@vulncheck.com - [THIRD PARTY ADVISORY](#)

- info - <https://github.com/cure53/DOMPurify/releases/tag/3.3.2>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-cjmm-f4jc-qw8r>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions up to (excluding) 3.3.2

[CVE-2026-65913](#) suppressed

DOMPurify before 3.3.2 contains a prototype pollution vulnerability in USE_PROFILES mode that allows attackers to bypass attribute filtering by polluting Array.prototype properties. Attackers can set Array.prototype properties like onclick to true, causing DOMPurify to accept event handlers as allowlisted attributes and resulting in DOM-based XSS when sanitized markup is rendered.

CWE-1321 Improperly Controlled Modification of Object Prototype Attributes ('Prototype Pollution')

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv4:

- MEDIUM (5.1)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- disclosure@vulncheck.com - [THIRD PARTY ADVISORY](#)
- disclosure@vulncheck.com - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/releases/tag/3.3.2>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-cj63-jhr-wcxv>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:* versions up to (excluding) 3.3.2

[CVE-2026-66010](#) suppressed

DOMPurify before 3.4.12 fails to execute afterSanitizeElements hook for custom elements allowed via CUSTOM_ELEMENT_HANDLING.tagNameCheck, allowing attributes to bypass application security policies. Attackers can preserve sensitive attributes on custom elements that later re-inject them into innerHTML sinks, creating second-order XSS gadgets.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

CVSSv4:

- MEDIUM (5.1)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- 134c704f-9b21-4f2e-91b3-4a467353bcc0 - [EXPLOIT_VENDOR ADVISORY](#)
- disclosure@vulncheck.com - [EXPLOIT_VENDOR ADVISORY](#)
- disclosure@vulncheck.com - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/commit/a9ca1e537422319a557a9a2aa61f003b23b4a197>
- info - <https://github.com/cure53/DOMPurify/pull/1537>

- info - <https://github.com/cure53/DOMPurify/releases/tag/3.4.12>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-c2j3-45gr-mqc4>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:*:*:*:*:*:* versions up to (excluding) 3.4.12

CVE-2026-41238 (RETIREJS) suppressed

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

Unscored:

- Severity: medium

References:

- info - <https://github.com/cure53/DOMPurify/releases/tag/3.4.0>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-v9jr-rg53-9pgp>

Vulnerable Software & Versions (RETIREJS):

CVE-2026-41239 (RETIREJS) suppressed

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/206>

Unscored:

- Severity: medium

References:

- info - <https://github.com/cure53/DOMPurify/releases/tag/3.4.0>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-crv5-9vww-q3g8>

Vulnerable Software & Versions (RETIREJS):

This report contains data retrieved from the [National Vulnerability Database](#).
This report may contain data retrieved from the [CISA Known Exploited Vulnerability Catalog](#).
This report may contain data retrieved from the [Github Advisory Database \(via NPM Audit API\)](#).
This report may contain data retrieved from [RetireJS](#).
This report may contain data retrieved from the [Sonatype OSS Index](#).